MINERAL SURVEY No. 4114

	AR; 	I ZONA	Land District.
	FIE	LD NOT	TES
		r of the minin	NG CLAIM OF
		NOWN AS THE	
	WILMA	lode	
		Warren	
Section 13		ip 23 S	Arizona , Range 23 E G & S R B & M 1.2 , 1929
		by Ralp	h L. Motz U. S. Mineral Surveyor.
Cla	im locatedAug	ust 21	, <i>19</i> 18
Sur	vey commenced	August 5	, 19 29
Sur	vey completed	August 6	, 1929
Adc	lress of claimant	Chase L. Pu	rdy, Box 645, Bisbee, Arizona
·	DATES OF	AMENDED LOC	CATIONS.
6—822			

Feet

150 912

600.0

WILMA lode

Beginning at Cor. No. 1, the N. W. Cor., identical with location and with the N E, S E and S W Cors. of the Iron Mask, Queen of Sheba and Wilma No. 1 lodes, respectively, all unsurveyed, a redwood post 4 feet long 4 inches square set 18 inches in the ground in a mound of rocks and scribed 1-4114 W, whence a quartzite rock 10 x 20 x 8 inches high above ground chiseled B R x 1-4114 brs N 18° 52' E 43.8 ft. and a second quartzite rock in place 36 x 48 x 24 inches high above ground with like chiseling urs 8 86° 25° W 75.9 ft. and the 1/4 corner between Secs. 13 and 14, T 23 S, R 23 E, G & S R B & M brs N 79° 6' 30" W 1369.7 ft.

thence N 74° 33' E

to Cor. No. 2, the N. E. Cor. identical with location 1319.3 and with the S E Cor. of the Wilma No. 1 lode unsurveyed. a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of rocks, whence a porphyry rock in place 18 x 37 x 18 inches high above ground rs. N. 15° 03' E. 25.6 f chiseled B R x.2-4114 and a porphyry ledge with 56 x 132 x 48 inches high exposure with like chiseling brs N 44° 28 8 8.2 ft. Post is scribed 2-4114 W.

thence S 27° 30' E

284.4 to Cor. No. 2 Survey No. 3759 Barbarosia lode and the A D .T S W Cor. Buena Vista lode unsurved

to original location for the east end center being a 300.0 mound of stones 3 feet high with 3 foot base

to Cor. No. 3, the S E Cor., identical with location and with the north east corner of the Wilma Fraction lode unsurveyed, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of rocks and scribed 3-4114 W, whence a limestone rock in place 12 x 14 x 6 inches high above ground chiseled BR x 3-4114 brs S 68° 29' E 33.7 ft. and a shale ledge with 14 x 14 x 6 inches high exposure with like chiseling brs N 32° 04°

101110

E and Cor. No. 1 of Survey No. 3759 Barbarosia lode brs S 27° 30' E 1184.4 ft.

thence S 74° 33' W

to Cor. No. 4, the S W Cor., identical with location and with Cor. No. 4 of Survey No. 3651 Yellow Astor lode and the N W Cor of the Wilma Fraction lode unsurveyed, and the SE Cor. of the Iron-Mask lode, unsurveyed, a pine post 4 inches square 30 inches above ground scribed

4-4114 W, whence a limestone ledge with 7 x 28 x 12 inches high exposure chiseled B R x 4-4114 brs. N 51° 21° W 5.9 ft., and a second limestone ledge with 12 x 31 x inches high exposure with like chiseling brs. S 77° 58° E 23.0 ft.

thence N 27° 30' W

300.0 to original location for the west end center being a mound of rocks 3 feet high with 3 foot base

600.0 to Cor. No. 1, the place of the beginning.

LODE LINE

The presumed course of the vein on this claim is from west end center N 74° 33° E 1319.3 ft.

AREA

Total and net area - Wilma lode - - - - - - 17.772 Acres

This claim is situated in Sec. 13, T 23 S, R 23 E, G & S R B & M, in the Warren Mining District, Cochise County, Arizona.

I hereby certify that the value of the labor and the improvements placed on this claim by the claimant or his grantors is not less than five hundred dollars and that said improvements consist of:-

No. 1 Discovery shaft 9 x 10 x8 feet deep

brs from west end center on lode line

600 feet - Value - - - - - - - - \$ 180.00

No. 2	Shaft 10 x 10 x 6 feet deep brs from
8 8 8	west end center on lode line 635 ft.
. beskras	Value
No.3	Open cut 8 x 8 x 12 ft. long with contin-
	uation of cut 4 x 14 ft. long x 10 feet and tea
	high at face with continuation 5 x 6 x
150	15 feet high at face, in bottom of last
. rot	part is shaft 5 x 6 x 3 feet deep, cut
	brs N 10° E and mouth of open cut brs from Cor.
	No. 4 N 52° 08° E 645 ft. from Cor. No. 4
	Total Value \$ 335.00
No. 4	Open cut 6 x 10 x 12 ft. long with tunnel
	at face 4 x 6 x 8 feet long, both bearing
	N 87° W, mouth of open cut brs from east
	end center N 88° W 208 ft. Value 200.00
No. 5	Open cut 4 x 6 x 8 ft. long brg. East, mouth
	of which brs from east end center 5.59° 15°
	W 188.0 ft. Value 25.00
	Total Value \$ 890.00
	ADJOINING CLAIMS
North	Wilma No. 1 lode, unsurveyed, owned by Elmer Johnson et al lode.
East	Buena Vista, unsurveyed owned by I. Jacobson et al, and
	Survey No. 3759, Barbarosia lode.
South	Wilma Fraction, unsurveyed, owned by Chase L. Pyrdy et al
West	Iron Mask, unsurveyed owned by Chase L. Purdy et al
	INSTRUMENT
	This survey was made with a C. L. Berger & Sons No. 1 c
	Transit. The courses were deflected from the true mer-
	idian as determined in Surveys 3651 and 3759. The dis-
	tances were measured with 100 and 300 ft. steel tapes.
	Magnetic variation 12° 30' East at all comers.
and the second s	

REPORT of to at	oxul kuita da s.ou
1/4 Cor. between Secs. 13 and	14; T 23 S, R 23 E, G & S
R B & M is an iron pipe with h	rass cap properly marked.
Corners of Adjoining approved	surveys are posts properly
set and scribed.	z h asa to reites
continuation 5 x 5 m	draw uset to daid
des In bottom of last	Ralph L. Mos
or 3 feet deen, out	U. S. Mineral Surveyor.
ath of agen out bry from per.	
Dated at Bisbee, Arizona.	
August 7, 1929.	suity into:
	I Of a day sego is .of
isat lang, both bearing	
FRUE MOTE BUG TWO DEGO	
00.008 - 1-11 - entsy .ja soc :	
	8 m a m 4 sas dego 2 .on
esst end conter 5 (6° 15'	
	wing. of o.S. w
20501 Value \$ 890.00	
SMI NO DELETO	CA CA
the workers owned by Mast Cobuson et al	. obolic .o. walk warek-
but it to moderate it to benno be yeve	last Symu Vista, that
erbergera lode.	
nurveyed, owned by these I. Eprdy et al	South Wiles See that, house,
Is to this! We seems to be me act.	Gest lron main, where
Turimunita	
o I .ol mos 2 mayrel .1 .0 a with the	
-red out old work betteffeb erew sec-	
od in Surveyo 3631 and 3759. I'm din-	
ed with 100 and 700 ft. steel tapes.	
. oremos fla a vest top "SI e	Winderst old on all

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals of	employed by Relph L. Motz
United States Mineral Surveyor, to assist	in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field	notes of the survey of the mining claim of
Chase L. Purdy	
	lode
and showing the respective capacities in wh	nich they acted.
	Leslie Motz , Chainman.
	, Chainman.
	, Axman.
	, Flagman.
FINAL OAT	HS OF ASSISTANTS.
MAG, I, Leslie Motz	
and	, do solemnly swear that we assisted Relph L. Motz
, United St	ates Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	Chase L. Purdy
known as the Wilma lode	
represented in the foregoing field notes as l	having been surveyed by said mineral surveyor and under his
	all respects, to the best of our knowledge and belief, faithfully
	undary monuments established according to law and the instruc-
tions furnished by the Office Cadastral Engine	D. A. Onl
	Les Molz, Chainman.
	, Chainman.
	, Axman.
	, Flagman,
Subscribed and sworn to	by the above-named persons before me this
day of August	

Notary Public, in and for the County of Cochise, State of Arizona covernment of Commission expires May 10-1932

FINAL OATH OF U. S. MINERAL SURVEYOR

I, Ralph L. Motz	, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of	instructions received from the Office Cadastral Engineer,
at Phoenix, Arizona	, dated August 2, 1929,
I have, in strict conformity to the laws	of the United States, the official regulations and instruc-
tions thereunder, and the instructions o	f said Office Cadastral Engineer, faithfully and correctly
executed the survey of the Mining Clair	n of Chase L. Purdy
	, known as the
Wilma lode	,
situate in Wa:	rren Mining District,
Cochise	County, Arizona, in Section
, Township No.	23 S , Range No. 23 E, G & S R B & M
and designated as Survey No4	114 , as represented
in the foregoing field notes, which accura	ately show the boundaries of said mining claim as distinctly
marked by monuments on the ground,	and described in the attached copy of the location certifi-
cate, which was received by me from	the Office Cadastral Engineer with said instructions, and
that all corners of said survey have b	een established and perpetuated in strict accordance with
the law, official regulations and instruct	sions thereunder; and I do further solemnly swear that the
foregoing are the true and original field	notes of said survey and my report therein, and that the
labor expended and improvements made	e upon said mining claim by claimant or his
grantors are as therein fully stated, and	d that the character, extent, location, and itemized value
thereof are specified therein with partic	cularity and full detail, and that no portion of said labor
or improvements so credited to this class	im has been included in the estimate of expenditures upon
any other claim.	
	Rul Pmx
	Ralph L. Mod U. S. Mineral Surveyor.
Subscribed and sworn to by the sa	id Ralph L. Motz
	no Margaret Irving.
o. s. Hamolii sii voyor, sotoro a	this 7th
day of August , 1	
awy va	
	Margaret Irving.
	Notary Public, in and for the County of Cochise, State of Arizons.
	My commission expires May 10 - 1932

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

	Phoe	ix, Arizona,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		August	24 .19 29
Engineer at I			
**			
		×	
		LTA SELLO	
State of the state of			
	10.00		
Farm 12×			
		4	
aid labor or improve	ements has been	included in the est	imate of expenditures
at the plat thereof.	filed in the U.	S. Land Office at	Phoenix,
		, 33. 33. 33. 33. 33. 33. 33. 33.	
	Jo		ce Cadastral Engineer.
	Cochis Cochis Cochis Township No. All4 deld Notes furnish sont, serve fully to ide ermanent monument at Five Hundred Delete benefit of, each ents consist of aid labor or improve at the plat thereof,	Chase L. Pure Chase L. Pure WILMA lode Warren Cochise Township No. 23 S., F. No. 4114 has been could notes furnish such an accurate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of, each location embrate at Five Hundred Dollars worth of less benefit of less benefi	Phoenix, Arizona, August Engineer, at Phoenix, Arizona, the foregoing transcript of the Field Notes, return and Chase L. Purdy WILMA lode Warren Cochise County Township No. 23 S., Range No. 23 E. No. 4114 has been correctly copied from ald Notes furnish such an accurate description of said int, serve fully to identify the premises, and that such retermanent monuments as will perpetuate and fix the loat Five Hundred Dollars worth of labor has been expense benefit of, each location embraced in said mining array. Or his ments consist of 3 shafts, 3 cuts and 1 aid labor or improvements has been included in the est at the plat thereof, filed in the U. S. Land Office at is correct and in conformity with the foregoin John D. Adams Office Description of the Field Notes, return and the foregoin are properly to the plat thereof, filed in the U. S. Land Office at in is correct and in conformity with the foregoin

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR PUBLIC SURVEY OFFICE

	A	t_Phoenix, Arizona,	
		August 24, 192 9	9
I, Office Cadastral E	ngineer at Phoenix	, Arizona,	-
do hereby certify that the	foregoing and hereto attache	ed Field Notes and Return of the Survey of the	е
Mining Claim of			
	Chase L. P	urdy	
		, known as the	Э
	WILMA lode	1	
situate in	Warren	mining district	,
	Cochise County, A	drizona,	•
			& M.
, des	ignated as Survey No	4114	-
executed by	Ralph L. Motz	, U. S. Minera	1
Surveyor,	August 5 - 6	, 19 29 under my instructions dated	1
August 2	, 19 29 1	have been critically examined and the necessary	7
corrections and explanation	ons made, and the said Field I	Notes and Return, and the Survey they describe	,
are hereby approved. The	ne certified copy of the location	on certificate filed by the applicant for survey is	3
on file in this office and a	true copy of said certified c	copy of said location certificate is included and	l
made a part of the transc	ript of the field notes.	· John Oldan	
		Office Cadastral Engineer	