MINERAL SURVEY No. 4117

Arizona	Land	District.

FIELD NOTES

	OF THE SURVEY OF THE MINING CLAIM OF
	O.K. Franklin
	KNOWN AS THE
	MINNIE SMITH Lode.
	Patagonia Mining District, anta Cruz County, Arizona.
Sections 19 ar	d 20 , Township 23 S., Range 16 E., Unsur, Sept 12 nder instructions dated Sept. 26 1929 by
Surve Surve	y commenced September 17 , 19 29 y completed September 27 , 19 29 ess of claimant O.K. Franklin, P.O. Box 795 Nogales, Arizona. DATES OF AMENDED LOCATIONS.
	See location notice,

Feet.

MINERAL SURVEY NO. 4117 MINNIE SMITH Lode.

Beginning at Cor. No.1, identical with Loca Monument.

An iron pipe 2 ins. diam. with cap on top, 24 ins. above ground set 18 ins. in the ground , stamped 1, M.S.- 4117 with md. of stone alongside, whence U.S. M.M. No.2 brs: S. 31°26'E., 2149.5 ft.

An oak tree 12 ins. diam. brs. N. 79 W., 34.5 ft., blazed and scribed 1-4117 B.T.

No other bearings are available.

Thence N. 64°15'W... Va. 13°45'E.

To Cor. No.1 Lot 37 Guajolote lode, claimant unknown, hereinafter 170.58 described.

To S. end center, identical with Local Mon. and N. end center 300.0 Lot 37 Guajolote lode. A pine post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed S. Ct.M S, M. Ct. G.

To Cor. No.2 Lot 37 Guajolote lode, hereinafter described. 467.15

To Cor. No.2, identical with Local Monument. An iron pipe 2 ins. diam., with cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 2 M.S. - 4117 with md of stone

An oak tree 7 ins. diam. brs. N. 10 W., 23.7 ft.

An oak tree 12 ins. diam. brs. S. 4 W., 11.5 ft. both blazed and scribed 2 - 4117 B.T.

No other bearings are available.

Thence N. 35°24 E. Va. 13°45'E.

800.0

600.0

alongside.

Gulch brs. northeasterly.

1500.0

To Cor. No.3, identical with Loca Monument.

An iron pipe 2 ins. diam. with cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 3 M.S. -4117 with md. of stone alongside.

An oak tree 10 ins. diam. brs. S. 45 W., 56.0 ft.

No other bearings are available.

Thence S. 64°15'E., Va. 13°45'E.

300.0

To N. end center, identical with Local Monument.

An oak post 4 ins. diam. by 4 ft. high, set firmly in the ground

Feet.

MINERAL SURVEY MO.4117 MINNIE SMITH LODE.

and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high, scribed N. Ct. M S.

600.0

alongside.

To Cor. No.4, identical with Local Monument.

An iron pipe 2 ins. diam. with cap on top, 24 ins. above ground set 18 ins. in the ground, stamped 4 M.S.- 4117 with md. of stone

A juniper tree 12 ins. diam. brs. East. 4.5 ft.

No other bearings are available.

Thence S. 35°24'W. Va. 13°45'E.

1500.0

To Cor. No.1, the place of beginning.

AREA.

Total area, Minnie Smith lode ----- 20.369

LOCATION.

This survey is located approximately in the N.B. 1/4 Sect 19, & 20, unsurveyed,
T.23 S., R. 16 E., in the Coronado National Forest, Patagonia Mining District, Santa Gruz County, Arizona.

Instrument.

This survey was made with a Buff & Buff mountain transit, the courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 500 ft. steel tape.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor or improvements made upon or for the benefit of the location embraced in said mining claim by the claimant or his grantors is not less than five hundred dollars, and that said improvements consists of:

No.1 The discovery tunnel, the mouth of which being the discovery point, on the lode line, 945.0 ft. from the center of line 1-2, 4 x 6 ft. running N. 20° E., 50 ft to Sta. 1, thence N. 85°E., 20 ft. to Sta. 2, thence N. 21° E., 12 Ft. to Sta. 3, thence N. 20°E. 15 ft. to face. From Sta. 3 a tunnel 4 x 6 ft. running N. 80°E., 15 ft. to face.

Total value | 1120.0

No.2 A shaft, the center of which brs. from cor. No.4 S. 57 W.,732 ft. 4 x 6 ft. 25 ft. deep. Value 250.

-2-

MINERAL SURVEY NO. 4117

EXPENDITURE OF FIVE HUNDRED DOLLARS -- Cont'd.

No.3 A cut, the mouth of which is on the center line, 837 ft. from the center of line 1-2, 4 1/2 ft. wide, 8 ft. face running N. 36° E., 15 ft. to face.

Value \$100.0

No.4 A tunnel, the mouth of which brs. from Cor. No.3 S.27°20'W., 670 ft. 4 x 6 ft. running N. 38°E., 58 ft. to face.

Value \$580.0

No.5 A cut, the mouth of which brs. from Cor. No.3 S.27°20°W., 720.0 ft. 4 1/2 ft. wide 10 ft. face running S. 20°W., 15 ft. to face. from face is a tunnel 4 x 6 ft. running S. 20°W., 10 ft. to face.

Value \$200.0

No.6 A shaft, the center of which is on the center line, 170 ft. from the center of line 1-2, 4 x 6 ft. 8 ft. deep.

Value \$100.0

LODE LINE.

As near as can be determined from the present developments the vein of this location extends as follows from its discovery.

N.35°24'E., 555.0 ft. and S. 35°24'W.,945.0 ft.

REPORT.

The corners were established by running around the claim.

The tie line was run directly upon the ground.

U.S. M.M. No.2 is an oak post 6 ins. diam. by 8 ft. high, set in md of stone 6 ft. base by 4 1/2 ft. high scribed U.S.M.M. No 2-P.D. Lot 37, Guajolote lode: Cor. No.1 consists of a very old stone md. the post having rotted away. Near it are two bearing trees consisting of an oak 18 ins. diam. and a juniper tree 24 ins. diam. with its scribing still legible.

Cor. No.2 consists of an oak post set in very old stone monument.

The scribing is not legible but nearby are two standing bearing trees with scars which apparently were blazes at one time.

Line 1-2 fails to furnish the course and distance as approved and same is properly given in these field notes. (Rec. N. 64 .44 W. . 300)

MINERAL SURVEY NO. 4117
MINNIE SMITH Lode.

ADJOINING CLAIMS.

On the South; Lot 37, Guajolote lode.

OATH OF ASSISTANT.

There being no Notary Public available within long distance I proceeded to administer the necessary oath of my assistant.

do not include in transcript.

SOLAR OBSERVATION.

Direct solar observation taken Wednesday, September 18, 1929 at 8:37 A.M. Solar time.

Lat.31°25' - Lon. 110°44'30" Difference in time - 4 hrs.

Sun bisected.

Sin 1/2 A V Sin (S-L) (S-H)
Cos. L Cos. H

App't declination =1°57'32.2"

3'52.2

Dec'l= 1°53'40"

90°-1°53'40" = 88°06'20" = P

L = 31°25' h = 33°46'34"- App't h - 33°48', Refraction - 1'26" P = 88°06'20"

2) 153°17 54" S- 76°38'57"

S-L = 45°13'57" S-H = 42°52'23" 9.8512396 9.8512402 9.8327493 9.8327492

0.0688478 0.0802859 2) 19.8331226

9.9165613 - 55°36'33" = 1/2 A. 111°13'06'

180°-111°13'06" = S 68°46'54"E= Bearing of sun.

104°11' = Ang. to right from Sun. \$ 35°24' W = Course of line

Set up at cor. No.4, F.S. to cor. No.1

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed b	yT.N. Stevens
United States Mineral Surveyor, to assist in running	g, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of th	ne survey of the mining claim of
0.K. Franklin	
known as theNINNIE_SMITH	
and showing the respective capacities in which they ac	
	H.A. Bostwick , Chainman.
	, Chainman.
	, Chainman.
	, Axman.
	, Flagman.
FINAL OATHS OF	F ASSISTANTS.
We, I, H.A. Bostwick	
and, do sol	T
T.N. Stevens , United States Minera	
the boundaries of the mining claim ofO.K. Fran	
known as theNINNIE SMITH Lode	
represented in the foregoing field notes as having been	
direction; and that said survey has been in all respects,	
and correctly executed, and the corner and boundary mon	uments established according to law and the instruc-
tions furnished by the Office Cadastral Engineer, at	
<u> </u>	a. Bretwick , Chainman.
	, Chainman.
	, Axman.
	, Flagman.
Subscribed and sworn to by the abo	ve-named persons before me this 27 th
day of September	, 19 29
	(11.1. Testerros
	U.S. Mineral surveyor.
OVERNMENT PRINT	

FINAL OATH OF U.S. MINERAL SURVEYOR

1,, U. S. Mineral Surveyor,			
do solemnly swear that, in pursuance of instructions received from the Office Cadastral			
Engineer, at Phoenix, Arizona , dated Sept. 12,7 26 , 1929 ,			
I have, in strict conformity to the laws of the United States, the official regula-			
tions and instructions thereunder, and the instructions of said Office Cadastral			
Engineer, faithfully and correctly executed the survey of the Mining Claim of			
O.K. Franklin , known as the			
Minnie Smith lode			
situate in Mining District,			
Santa Cruz County, Arizona , in Sections			
19 and 20 de Township No. 23 S. Range No. 16 E. Unsur			
and designated as Survey No. 4117 , as represented			
in the foregoing field notes, which accurately show the boundaries of said mining claim			
as distinctly marked by monuments on the ground, and described in the attached copy			
of the location certificate, which was received by me from the Office Cadastral Engi-			
neer with said instructions, and that all corners of said survey have been established			
and perpetuated in strict accordance with the law, official regulations and instruc-			
tions thereunder; and I do further solemnly swear that the foregoing are the true and			
orginal field notes of said survey and my report therein, and that the labor expended			
and improvements made upon said mining claim by claimant or his			
grantors are as therein fully stated, and that the character, extent, location, and			
itemized value thereof are specified therein with particularity and full detail, and			
that no portion of said labor or improvements so credited to this claim has been in-			
cluded in the estimate of expenditures upon any other claim.			
11/2			
U. S. Mineral Surveyor.			
Subscribed and sworn to by the said J. M. Stevens			
this 4th			
West Commencer expires			
day of hovember, 1929 My Commission expires adquet 28, 1933. Thornse Conover			
notary Public			

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona,			
		No	ovember 19 , 19 29
I, Office Cadastra	l Engineer, at Phoe	nix, Arizona,	
do hereby certify that	the foregoing transcript	of the Field Notes, retu	rn and approval of the survey
of the mining claim of	f		***************************************
	0. K. F	ranklin	
known as the	MINNIE S	II'TH lode	
situate in	Patago	nia	
Mining District	Santa Cruz	County	Arizona
in Section 8 19 and	Township No. 23	3 S., Range No.	16 E., Unsur., and
designated as Survey	No. 4117 ,	has been correctly copie	ed from the originals on file in
this office; that said F	ield Notes furnish such a	n accurate description	of said mining claim as will, if
ncorporated into a pate	ent, serve fully to identify	the premises, and that	such reference is made therein
to natural objects or p	ermanent monuments as	will perpetuate and fix	the locus thereof.
I further certify th	at Five Hundred Dollars	worth of labor has bee	en expended or improvements
made upon, or for th	e benefit of, each locat	ion embraced in said	mining claim by claimant
	or -	his	grantors,
and that said improve	ments consist of2	cuts, 2 shafts	and 3 tunnels,
total value \$	2350.		

and that no portion of s	aid labor or improvement	ts has been included in	the estimate of expenditures
upon any other claim.			
I further certify the	hat the plat thereof, filed	in the U.S. Land Offic	ce at Phoenix,
Arizona,	is correct and in	conformity with the f	oregoing Field Notes.
		Take a	0.0000
		John D.	Office Cadastral Engineer

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

PUBLIC SURVEY OFFICE

	AtP	hoenix, Arizona,	
		November 19	192 9
I, Office Cadastral Engin	neer at Phoenix, Arizons	4 ,	
do hereby certify that the fo	regoing and hereto attached Field	Notes and Return of the Survey	of the
Mining Claim of			
	0. K. Franklin		
	8	, known a	s the
	MINNIE SMITH 100	de	
situate in	Patagonia	mining dis	strict,
Santa	Cruz County, Ar	izona,	
in Sections 19 and 20	Township No. 23 S.	, Range No. 16 E.	. Unsur.
, design	nated as Survey No	4117	
executed by	T. N. Stevens	, U. S. Mi	neral
Surveyor, Septer	mber 17 - 27	, 1929, under my instructions	dated
September 12	& 26 , 1929 , have bee	en critically examined and the nece	ssary
corrections and explanations	made, and the said Field Notes an	nd Return, and the Survey they desc	cribe,
are hereby approved. The	certified copy of the location certified	icate filed by the applicant for surv	rey is
on file in this office and a tr	rue copy of said certified copy of s	said location certificate is included	and
made a part of the transcript	t of the field notes.	John S. Adam	2
		Office Cadastral Engine	er.

вочинимит развише отрыс 6—7183