

MINERAL SURVEY No. 4120

ARIZONA Land District

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Non-Metallic Products Corporation

KNOWN AS THE

Valley Stone Placer

Ellsworth Mining District,

Yuma County, Arizona

Sections 4 and 9, Township 5 North, Range 11 West Uns.

Surveyed under instructions dated October 10th., 1929.

By Harry E. Jones, U. S. Mineral Surveyor.

Claim located See location notice, 19

Survey commenced October 22nd., 1929.

Survey completed October 25th., 1929.

Address of claimant's, John H. Page & Co., P.O. Box 1706, Phoenix, Arizona.

DATES OF AMENDED LOCATIONS

See location notice.

Notify John H. Page in copy

-1-

Feet	Mineral Survey No. 4120 Valley Stone Placer
2280.00	Beginning at Cor. No. 1, a 3 ft. $\frac{1}{4}$ in. pipe with a 2 in. brass cap marked U.S. MINERAL SURVEY NO. 4120; VSP-1; set 20 ins. in ground and surrounded with a substantial mound of earth and rock, identical with the location monument.
	U.S. LOCATION MONUMENT NO. 4120 bears N. 28° 15' 25" W. 5757.64 ft. No other suitable bearings available.
	Thence N. 79° 15' E.
215.00	Cross center of road, bears NWly. and SEly.
250.00	Cross center of a 50 ft. wash, course, Northwesterly.
1320.00	To Cor. No. 2, a 3 ft. $\frac{1}{4}$ in. pipe with a 2 in. brass cap marked U.S. MINERAL SURVEY NO. 4120; VSP-2; set 20 ins. in ground and surrounded with a substantial mound of earth and rock, identical with the location monument. The corner common to Sections 29, 30, 31 and 32, T. 6 N. R. 11 W. bears N. 35° 39' W. 11964.86 ft.
	No other suitable bearings available.
	Thence S. 18° 48' E.
1745.00	Cross the center of a 40 Ft. wash, course Northwesterly.
2280.00	To cor. No. 3, a 3 ft. $\frac{1}{4}$ in. pipe with a 2 in. brass cap marked U.S. MINERAL SURVEY NO. 4120; VSP-3; set 18 ins. in ground and surrounded with a substantial mound of earth and rock, identical with the location monument.
	No suitable bearings available.
	Thence S. 3° 22' 30" E.
2980.14	To Cor. No. 4, a 3 ft. $\frac{1}{4}$ in. pipe with a 2 in. brass cap marked U.S. MINERAL SURVEY NO. 4120; VSP-4; set 12 ins. in ground and surrounded with a substantial mound of earth and rock, identical with the location monument.
	No suitable bearings available.
	Thence S. 79° 15' W.
38.00	Cross center of a 5 ft. wash, course Northwesterly.
607.00	Cross center of a 15 ft. wash, course Northerly.
1328.70	To Cor. No. 5, a 3 ft. $\frac{1}{4}$ in. pipe with a 2 in. brass cap marked U.S. MINERAL SURVEY NO. 4120; VSP-5; set 18 ins. in

ground and surrounded with a substantial mound of earth and rock, identical with the location monument.
 No suitable bearings available.

Thence N. 3° 12' 30" W.
 2981.28 To Cor. No. 6, a 3ft. 4in. pipe with a 2in. brass cap marked U.S. MINERAL SURVEY NO. 4120; VSP-6; set 18ins. in ground and surrounded with a substantial mound of earth and rock, identical with the location monument.
 No suitable bearings available.

Thence N. 18° 48' W.
 2280.00 To Cor. No. 1, the place of beginning.

The mean magnetic variation at all corners is 15° 05' E.

Area

Total area Valley Stone Placer 158.267 Acres.

Location

This survey is located in the S $\frac{1}{2}$ SW $\frac{1}{4}$ Section 4, and W $\frac{1}{2}$ of Section 9, T. 5 N. R. 11 W. Unsurveyed, Gila and Salt River Base and Meridian, Ellsworth Mining District, Yuma County, Arizona.

Expenditure of Five Hundred Dollars

I hereby certify that the value of the labor and improvements made upon or for the benefit of the location embraced in this claim by the claimant or its grantors, is not less than Five Hundred Dollars, and that said improvements consist of:

- No. 1 Dis. cut 6x15.5x5 ft. face, the mouth of which bears N.87°20'E. 810 ft. from Cor. 6, Extends S.E. to ^{face} Value \$100.00
- No. 2, a road the upper end of which bears N.74°35'E. 586 ft. from Cor. 6, having a length of 1080 ft. with an average base width of 6 ft. and a face of 4.3 ft. high, the lower end of which bears N.16°08'E. 1190 ft. from Cor. 6,
 Value \$3628.00

No. 3, that portion of the road extending Northwesterly a distance of about 5 miles from the lower end of No. 2 road. to the Railway Station of Love. On which clearing of brush and grading of rock was done to make the camp and claim more easily accessible. Value \$1372.00

 Other Improvements

The North end of a trench 7x115x1.5 ft. deep, ^{extending southerly,} bears S.54° 10'E. 975 ft. from Cor. 6,

The North end of a trench 7x80x1.5 ft. deep bears S.51° 45'E. 950 ft. from Cor. 6, Trench extends southerly.

The North corner of a triangular cut having a mouth width of 30 ft. and length of 18 ft. with a depth of 2.5 ft. bears S.49°20'E. 910 ft. from Cor. 6,

A cut 2.5x4x7ft. face the face of which bears S.43°03'E. 905 ft. from Cor. 6,

A cut 3x5x7 ft. face the face which bears S.42°17'E. 915 ft. from Cor. 6,

A frame house 14x16 ft. the SW. corner of which bears N.15°15'E. 1090 ft. from Cor. 6,

An iron shed 18x54 ft. the SE. corner of which bears N.10°25'E. 1226 ft. from Cor. 6,

 Adjoining Claims

This claim is bounded on all sides by public domain.

 Instrument

This survey was made with a C.L.Berger & Sons light mountain transit.

The courses were deflected from a true meridian as determined by direct solar observations.

The distances were measured with 50 ft, and 660 ft. steel tapes.

 Report

After completing this survey, it was determined that U.S.Loc. Mon. NO. 3554 was within limits, but owing to the extreme roughness and almost inaccessible country over

UNITED STATES LOCATION MONUMENT NO. 4120

Ellsworth Mining District,

Yuma County, Arizona.

This monument is situated on the top of a small conical hill of granite, the top of which is about 100ft. long East and West and 50 ft. wide North and South and rises approximately 100 ft. above the general level of the surrounding country, setting out about one half mile from the foot of the main range of the Harquahala Mountains, and is visible for a long distance from any direction.

A 10 ft., 2½ inch galvanized pipe stamped U.S.L.M. No.4120 set 6 inches in the rock and surrounded with a substantial mound of earth and rock having a 6 ft. base and 5 ft. high. Cor. No. 1- Valley Stone Placer Sur. No. 4120, bears S.28°15'25"^EW. 5757.64 Ft. The corner common to Section 29-30-31-32 T. 6 N.R.11W. bears, N.31°04'15"W. 5717.52 Ft. No other suitable bearings available.

Phoenix, Arizona

Oct. 22nd-25th 1929,

Henry B. Jones

U. S. Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Harry E. Jones.

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Non-Metallic Products Corporation

known as the Valley Stone Placer,

and showing the respective capacities in which they acted.

Joseph H. Baxter, Chainman.

H. W. Girvin, Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, Joseph H. Baxter,

and H. W. Girvin, do solemnly swear that we assisted

Harry E. Jones, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

Non-Metallic Products Corporation,

known as the Valley Stone Placer

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the Office Cadastral Engineer, at Phoenix, Arizona.

Joseph H. Baxter, Chainman.

H. W. Girvin, Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 26th.

day of October, 19 29,

C. C. Edwards

Notary Public.

My commission expires July 15, 1934



FINAL OATH OF U. S. MINERAL SURVEYOR


I, Harry E. Jones, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix, Arizona, dated October 10th, 1929, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the Mining Claim of Non-Metallic Products Corporation, known as the Valley Stone Placer, situate in Ellsworth Mining District, Yuma County, Arizona, in Sections 4 and 9, Township No. 5 North, Range No. 11 West Uns. and designated as Survey No. 4120, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its heirs, grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Harry E. Jones
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Harry E. Jones
U. S. Mineral Surveyor, before me a notary public in and for the County of Maricopa, State of Arizona, this 26th day of October, 1929,

C. C. Edwards

Notary Public
My Commission Expires July 15, 1934



4-694.

Title Page to Report under Paragraph 60, Mining Circular, Approved May 21, 1907.

REPORT

Under paragraph 60, General Mining Circular, approved May 21, 1907, upon the Placer Mining Claim known as the Valley Stone Placer,

....., claimed by Non-Metallic Products Corporation,

situate in Ellsworth Mining District
Yuma County, Arizona, embracing 158.267 acres
portions of the $S\frac{1}{2}SW\frac{1}{4}$ of Section 4, and ^{of} the $W\frac{1}{2}$ of Section 9,

in Sec., Town. 5 North, Range 11 West, Unsurveyed

Examination made Oct. 22 to 25th, 19 29,

By *Henry Jones*
U. S. Mineral Surveyor.

OATH OF UNITED STATES MINERAL SURVEYOR

Under paragraph 167, General Mining Circular, approved March 29, 1909.

I, Harry F. Jones, U. S. Mineral Surveyor,
do solemnly swear that in pursuance of an order received from ^{the Office Cadastral} ~~the U. S. Surveyor~~
Engineer at Phoenix,
General for Arizona, dated October 10th, 1929,

I have made, under the provisions of paragraph 167, General Mining Circular,
approved March 29, 1909, a personal and thorough examination, upon the premises,
of the placer mining claim of

Non-Metallic Products Corporation,
known as the Valley Stone Placer
situate in Ellsworth Mining District,
Yuma County, Arizona, embracing 150.267 acres,
portions of the S $\frac{1}{2}$ SW $\frac{1}{4}$ of Section 4, and the W $\frac{1}{2}$ of Section 9,

in Township No. 5 North, Range No. 11 West, Uns., and that my report
of such examination, hereto attached, is specific and in detail, and is a full and true
statement of the facts upon all the points specified in the paragraph referred to.

Harry F. Jones
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Harry F. Jones
U. S. Mineral Surveyor,

before me a notary public in and for the
County of Maricopa, State of Arizona
this 26th day of October, 1929.

C. C. D. W. W.

Notary Public.

My Commission Expires July 15, 1934
JUNE 15, 1934.



Descriptive Report
Valley Stone Placer

- (a) The northern quarter of this claim surface is composed of rolling ridges of detritus, while the southern three quarters of the claim surface is composed of rough hill-sides of rock in place, of igneous nature, in which occurs a quite large deposit of marble and limestone, covered in places with deposits of rocky soil composed of the adjacent rocks.
- There is the usual amount of desert mountain growth of greasewood, palo verde, palo cristo, ironwood, with a few scattering patches of bunch grass growing on the surface of the claim.
- (b) There are no streams, springs or other natural objects of interest on this claim, except the dry washes shown upon the accompanying plat and field notes of survey.
- (c) For improvements see under headings, ^{"Expenditure of \$500"} ~~Improvements~~ and "Other Improvements," in the accompanying field notes.
- (d) The Arizona & California Railway branch line of the Santa Fe Railway have a siding called Love, about 5 miles in a Northwesterly direction, while Wenden, Arizona, is about 8 to 10 miles Northwesterly.
- (e) There are no known lode deposits or indications on this claim or in the immediate vicinity.
- (f) The claim is well located and accessibility very good for the kind of surface excavation or quarrying to which the claimant expects to carry on development, and water which will only be required in small amount can be developed near the railway and hauled to the claim for mining.
- (g) See heading, Expenditure of Five Hundred Dollars, in the accompanying field notes for improvements and their value.
- (h) There are no mines, salt licks, springs, mill-sites on or near this claim to the best of my knowledge.

Harry Jones
U. S. Mineral Surveyor.

CORROBORATIVE AFFIDAVIT UNDER PARAGRAPH 60, GENERAL MINING CIRCULAR.

APPROVED MAY 21, 1907.

State of Arizona
COUNTY OF Maricopa

Thomas Treloar and Fred Walters,

being first duly sworn, severally depose and say that he is personally and well acquainted with the placer-mining claim of Non-Metallic Products Corporation

, known as the Valley Stone Placer

, situate in Ellsworth Mining District,

Yuma County, Arizona, embracing 158.267 acres portions of the S2SW1/4 of Section 4, and the W1/2 of Section 9,

, in Township No. 5 North

Range No. 11 West Uns.; and also with the character of all the land included in said claim, and has been so acquainted for 5 year's last past; that his knowledge of said claim and land is derived from actually having been over the ground included in said claim.

and is such as to enable him to testify understandingly with regard thereto; that he has carefully read the foregoing report of Harry E. Jones, U. S. Mineral Surveyor, and that to his own personal knowledge said report is in all respects true and accurate.

Thomas Treloar, Fred Walters

Subscribed and sworn to by the above-named persons before me this 25th. day of October, 1929,

Clyde Hilliard

Notary Public.

My commission expires, January 9th. 1933.



OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona.

December 9, 19 29

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Non-Metallic Products Corporation

known as the VALLEY STONE PLACER

situate in Ellsworth

Mining District Yuma County Arizona

in Section 4 & 9, Township No. 5 North, Range No. 11 West, Unsur., and

designated as Survey No. 4120, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant

or its grantors,

and that said improvements consist of 1 cut and a road, total value \$5100.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

John D. Adams

Office Cadastral Engineer.

4-687

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF
MINING CLAIM

DEPARTMENT OF THE INTERIOR
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

December 9, 1929

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of _____

Non-Metallic Products Corporation

_____, known as the

VALLEY STONE PLACER

situate in _____ Ellsworth _____ mining district,

Yuma County, Arizona

in Sections 4 and 9 _____, Township No. 5 North _____, Range No. 11 West, Unsur.

_____, designated as Survey No. 4120

executed by _____ Harry E. Jones _____, U. S. Mineral

Surveyor, _____ October 22 - 25 _____, 1929, under my instructions dated

_____ October 10 _____, 1929, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.


Office Cadastral Engineer.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 4120
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Valley Stone Placer, Mineral Survey No. 4120, located in sections 4 and 9, Township 5 North, Range 11 West, Gila and Salt River Meridian, Arizona, is hereby canceled.


This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Valley Stone Placer, M.S. 4120, was canceled March 18, 2002, by memo 9605 (956) M.S. 4120, which is now a part of the original field notes."

March 18, 2002
Date



Chief Cadastral Surveyor of Arizona