MINERAL SURVEY No. 4128

Arizona	Land District					
FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF						
John	N. Kemp					
KNOWN AS THE						
Emal:	ine lode					
Oro	Blanco Mining District,					
Santa Cruz C	ounty, Arizona					
Surveyed under instructions dat						
	By Helling V.S. Mineral Surveyor.					
Claim locatedApr	il 4, , 19 27.					
Survey commenced	January 28, 1930 , 19					
	January 31, 1930., 19 John N. Kemp, Arivaca, Pima County, Arizona.					
viauress of communic	Arivaca, Pima County, Arizona.					
DATES OF AMENDED LOCATION						
Januar	y 10, 1930					
823	U S. GOVERNMENT PRINTING OFFICE: 1927					

MINERAL SURVEY NO. 4128.

EMALINE LODE.

Beginning at Cor. No. 1.

A redwood post, $3\frac{1}{2}$ ft. long, 4 ins. square, set 15 ins. in the ground to bedrock, in mound of stone, scribed E.1-4128, whence

The NE. Cor. Sec. 22, T:22 S.,R. 10 E., Gila and Salt River Meridian, bears N. 68°27'30"E., 3538. ft.

Feet.

Thence S. 58°54'W.

300.

North end center monument of location.

600.

To Cor. No. 2.

A redwood post, 3½ ft. long, 4 ins. square, set 18 ins. in the ground, in mound of stone, scribed E. 2-4128, whence

A spring bears S,56°30'E.,675. ft.

A spring bears S.33°15'E.,633. ft.

Thence S.31°06'E.

658. Yellow Facket Creek, 10 ft. wide, flows N.50°E.

710. Wagon Road, course N.42°E. and S.42°W.

1500. To Cor. No. 3.

A redwood post, $3\frac{1}{2}$ ft. long, 4 ins. square, set 12 ins. in the ground to bedrock, in mound of stone, scribed B. 3-4128, whence

An oak, 13 ins. in diam. blazed and scribed BT-x-E3-4128 bears N. 76°50'W., 16.3 ft.

U. S. Mineral Monument No. 4 bears S. 13°42' 40"E.,
1850.1 ft.

Thence N.58°54'E.

300. South end center monument of location.

600. To Cor. No. 4.

A redwood post, $3\frac{1}{2}$ ft. long, 4 ins. square, set 18 ins. in the ground, in mound of stone, scribed E.4-4128, whence

SURVEY NO. 4128 - Continued.

. Emaline Lode, --- Continued.

An oak, 9 ins. in diam., blazed and scribed BT-x-E.4-4128 bears S.70°W.,7.38 ft.

Feet.

Thence N. 31°06W.

845.

Yellow Jacket Creek, 10 ft. wide, flows N.60°E.

865

Wagon Road, course N.60°E and S.60°W.

1500.

To Cor. No. 1, the place of beginning.

Variation at all corners 13°40'E.

LODE LINE .:

As near as can be determined from present developments, the vein of this location extends as follows: from the face of the discovery cut:-

Emaline lode, N. 31°06'W., 500 ft. and S. 31°06'E., 1000 ft.

AREA. Total area Emaline lode.

Acres. 20.661

The survey of the lode of this location is identical with the amended location as staked upon the ground.

LOCATION.

This survey is located near the center of, and in all four quarters of Sec. 22, T.22 S., R. 10 E., G. & S.R. Mer. in the Oro Blanco Mining District, Santa Cruz County, Arizona, within the Coronado National Forest.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of this location, by the claimant or his grantors, is not less than five hundred dollars, and that said improvements consist of:-

No. 1. The discovery cut, the face of which being the discovery point, is on the center line 500 ft. from the center of line 1-2, 4 ft. wide, 10 ft. face, running S. 31°06'E., 16 ft. to mouth.

siew dore a the simeliast lagol mont vilupat agoor Value, \$160.

No. 2. A cut, the mouth of which bears from Cor. No. 1, S. 12°W., 361 ft., 4 ft. wide, 16 ft. face, running S. 80°W. 22 ft. to face of cut and mouth of tunnel, 4x6 ft., running S.87°W.,88 ft. to face.

. beillisebi bue bount a Value of cut, of tunnel, 1144.

of al of a contract of the con

(A) A cut, the mouth of which bears from Cor. No. 1, S. 17°E.,722 ft., 4 ft. wide, 9 ft. face, running S. 70°E., 13 ft. to face of cut and mouth of tunnel, 3x6 ft. running S.70°E., 6 ft. to face, claimant unknown.

INSTRUMENT.

This survey was made with a C. L. Berger & Sons No. 4, mining transit, No. 4295. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100 ft. and 300 ft. steel tapes.

REPORT.

The lode line of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode line, All tie lines were run either directly upon the ground, or by traverses run upon the ground and submitted in a separate report herewith.

U. S. Mineral Monument No. 4, on summit of prominent peak is a 4x4 in. pine post, set in mound of stone 4 ft.high and 6 ft. diameter, scribed M. M. No. 4.

The NE. Cor. Sec. 22, T.22 S., R. 10 E., G. & S. R. Mer.

is a granite stone, 9" x 9" x 16" above surface, with

mound of stone alongside, chiseled /// on south face and

// on east face.

Thorough inquiry from local residents and search were made for the four quarter corners, also the northwest and southwest corners of Section 22. The northeast corner of said section, to which this claim is tied by course and distance, is the nearest corner of the public survey that was found and identified.

Note. The disagreements between these field notes, and the location and amended location certificates, with regard to the bearings of boundary lines, the tie to

U. S. Mineral Monument No. 4, and the Section in which claim is located, are due to errors in the certificates.

The survey was made with a c. E. Regger a tor a mo. a.

warring s.gogs. to to case, claiment

miguing training, No. 4295. The courses at no deligated

Tains Johnin At homimioter of nathial part out out

37 001 Hill Devikors ever sepunseid and Latitus 75000

REPORT

noon linearly and the misto silly to sail that one

the ground, and the severel corners entactioned by mes

my east abelialt Lik ... anti that end out to the to

signer Mreetly upon the ground, or My traverses run upon

the ground and stoutsted in a supposted reports Percellan.

ti di Mineral Mona ent Mo. 4, on summit of prominent per

igid of a spera to basom at the cont. It is not a st

and of the distance, section in M. No. 1.

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individua	s employed by	6. Leffin	quell
United States Mineral Surveyor, to assi	st in running, measuring,	and marking the	lines, corners, and
boundaries described in the foregoing fie	d notes of the survey of	the mining claim of	
John N. Ke	mp		
folial /// // // // // known as the Emaline	e lode		
and showing the respective capacities in	vhich they acted.		
			, Chainman.
	Charles K	éenan, Jr	, Chainman.
		0	Axman.
			Flagman.
FINAL OA	THS OF ASSIS	STANTS	
wo, of Charle	V Keena	me Tr	
	, do solemnly swear t		W. 26
Leftingwell, United	States Mineral Surveyor, in	n marking the corne	rs and surveying
the boundaries of the mining claim of	John A	Kemp	is the surveying
known as the Emalin	e lode		
represented in the foregoing field notes as	having been surveyed by	said mineral survey	or and under his
direction; and that said survey has been in		my	
and correctly executed, and the corner and b			
ions furnished by the Office Cadastral Eng	neer, at Phoen	rix are	rona
	Efailes Thee		, Chainman.
	Hailes / ree	may J.	, Chainman.
			., Axman.
			Flagman
Subscribed and sworn	o by the above-named per	sons before me this_	lst
day ofFeb	ruary, 19 30		
	mon	y F. mcl	aughlin
My Comm	No.	une 14, 19.	7.3
	GOVERNMENT PRINTING OFFICE		6-1048

FINAL OATH OF U.S. MINERAL SURVEYOR

I, W. H. Leffingwell, U. S. Mineral Surveyor,					
do solemnly swear that, in pursuance of instructions received from the Office Cadastral					
Engineer, at Phoenix, Arizona , dated January 23, 1930,					
I have, in strict conformity to the laws of the United States, the official regula-					
tions and instructions thereunder, and the instructions of said Office Cadastral					
Engineer, faithfully and correctly executed the survey of the Mining Claim of					
John N. Kemp , known as the					
Emaline lode					
situate in Oro Blanco Mining District,					
Santa Cruz County, Arizona , in Section					
22 , Township No. 22 S., Range No. 10 E. G.& S.R. Mer.					
and designated as Survey No. 4128 , as represented					
in the foregoing field notes, which accurately show the boundaries of said mining claim					
as distinctly marked by monuments on the ground, and described in the attached copy					
of the location certificate, which was received by me from the Office Cadastral Engi-					
neer with said instructions, and that all corners of said survey have been established					
and perpetuated in strict accordance with the law, official regulations and instruc-					
tions thereunder; and I do further solemnly swear that the foregoing are the true and					
orginal field notes of said survey and my report therein, and that the labor expended					
and improvements made upon said mining claim by claimant or					
grantors are as therein fully stated, and that the character, extent, location, and					
itemized value thereof are specified therein with particularity and full detail, and					
that no portion of said labor or improvements so credited to this claim has been in-					
cluded in the estimate of expenditures upon any other claim.					
Sh. h. l. l.					
U. S. Mineral Surveyor.					
Subscribed and sworn to by the said A. J. Kaffinguell					
U. S. Mineral Surveyor, before me Josephine & Whiting					
Stolary Public La County, this fifth t					
1920.					
forephrne . Miling					
Trolong Public in & for County					
ly Commission Expires Mar. 25 1022					

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL, PUBLIC SURVEY OFFICE

	-Phoenix, Arizona,
	March 11 , 19 30
I, Office Cad	lastral Engineer, at Phoenix, Arizona,
do hereby certify that t	he foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of .	
	John N. Kemp
known as the	EMALINE lode
	Oro Blanco
	Santa Cruz County, Arizona
	, Township No. 22 S , Range No. 10 E , and
	o
	eld Notes furnish such an accurate description of said mining claim as will, if
	nt, serve fully to identify the premises, and that such reference is made therein
	manent monuments as will perpetuate and fix the locus thereof.
	ify that five hundred dollars' worth of labor has been expended or improve-
	mining claim by claimant or his grantors, and that said improvements
	and 1 tunnel, total value \$1590.
and that no portion of s	aid labor or improvements has been included in the estimate of expenditures
upon any other claim.	
I further certify tha	t the plat thereof, filed in the U.S. Land Office at Phoenix,
Ariz ona	is correct and in conformity with the foregoing Field Notes.
	John D. Adams
	Office Cadastral Engineer,

United States Surveyor-General for 2t Phoenix, Arizona.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR PUBLIC SURVEY OFFICE

	AtPhoenix, Arizona,			
		· ·		March 11 , 19-30
I, Office Cade	astral Engineer at	Phoenix	, Arizona,	
do hereby certify	that the foregoing and here	eto attached F	ield Notes and Re	eturn of the Survey of the
Mining Claim of				
	Jo	hn N. Kemj	9	
				, known as the
	EMA	LINE lode		
situate in	Or.o	Blanco		mining district,
	Santa Cruz Count	y	Arizon	а
in Section	2.2 , Township	No	22 S ,	Range No.10 E.
	, designated as Survey	No	4128	
executed by	W. H.	Leffingwe	11	, U. S. Mineral
Surveyor,	January 28 - Jan	uary 31	, 1930 , und	der my instructions dated
	January 23	, 19 30, have	been critically exa	amined and the necessary
corrections and ex	planations made, and the s	aid Field Notes	and Return, and	the Survey they describe,
are hereby approv	ved. The certified copy of	the location ce	rtificate filed by the	he applicant for survey is
on file in this offic	e and a true copy of said	certified copy	of said location ce	ertificate is included and
made a part of the	e transcript of the field note			Thu Adams The Cadastral Engineer.
COVERNMENT PRINTING OFFICE 6-7	181			gree Succession as Briggingers.