

4-683

MINERAL SURVEY No. 4129

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

HARTMAN GOLD MINING COMPANY

KNOWN AS THE

ALTA lode

San Francisco Mining District,

Mohave County, Arizona

Section 13 & 24, Township 19 North, Range 20 West

Surveyed under instructions dated January 29, 1930

by L. H. Foster  
U. S. Mineral Surveyor.

Claim located March 24, 1915

Survey commenced June 10th., 1930

Survey completed June 15th., 1930

Address of claimant's <sup>Atty.</sup> Louis L. Wallace, Atty. for Claimant  
Kingman, Arizona.

DATES OF AMENDED LOCATIONS.

Mineral Survey No. 4129

feet

Alta lode

Beginning Cor. No. 1.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 18 ins. in the ground, in a mound of earth and stone. Scribed A-1-3845-4129.

Identical with Cors. No. 2, Hobo and Kokomo lodes, Sur. No. 3845.

The corner of sections 13-14-23 and 24, T. 19 N. R. 20 W. G. & S. R. B. & M. bears S. 66° 30' W. 846.33 ft.

Thence N. 25° 08' E.

To the north west end center post of the location.

To Witness Cor. for Cor. No. 2, Alta lode, Sur. No. 3845.

To Cor. No. 2.

A cross cut in a solid andesite face for the exact corner, A-2-4129 chiseled in face.

Thence S. 64° 15' E.

To Cor. No. 3.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 20 ins. in the ground, in a mound of earth and stone, scribed A-3-3845-4129.

Thence S. 25° 08' W.

To the south east end center post of the location.

To Cor. No. 4.

A cross cut in a solid andesite face for the exact corner, A-4-4129 chiseled in face.

A redwood post, properly set and marked WC-K-I-2-3845, bears S. 25° 08' W. 3.28 ft.

Identical with Cors. No. 3 and 2, Kokomo and Kokomo\* 1 lodes, Sur. No. 3845, respectively, also with Cor. No. 2, Kokomo\* 1 lode, Sur. No. 4118.

Thence N. 64° 15' W.

To Cor. No. 1, the place of beginning.



Mineral Survey No. 4129, cont.,

Alta lode, cont.,

All corners are identical with the location and with similarly numbered corners of the Alta Lode, Sur. No. 3845.

No bearing objects available.

Variation, all corners, 15° 30' East.

\* \* \* \* \*

Location

This survey is located in sections 13 and 24, T. 19 N. R. 20 W. G. & S. R. B. & M., in the San Francisco Mining District, Mohave County, Arizona, about one mile south east of the Town of Oatman.

\* \* \* \* \*

Lode Line

As near as can be determined from present development, the lode line in this claim extends N. 64° 15' W. 475 ft. and S. 64° 15' E. 1025 ft. from the discovery cut.

\* \* \* \* \*

Area

Alta lode -----20.660 Acres

\* \* \* \* \*

Expenditure of Five Hundred Dollars

I certify that the value of labor and improvements made upon or for the benefit of this claim by the Claimant or its grantors, is not less than Five Hundred Dollars and that said improvements consist of the following:-

No. 1, The discovery cut, 5 ft. wide, 10 ft. face, extends N. 25° W. 15 to mouth. Center of face is on the lode line at 475 ft. from the north west end center.

Value -----\$50.00

No. 2:- An open cut, 5 ft. wide, 10 ft. face, extends N. 63° E. 14 ft. to mouth. Center of face bears S. 39° 30' E. 365 ft. from the north west end center.

Value----- \$50.00



Mineral Survey No. 4129, cont.,

Improvements, cont.,

1/19 interest in Improvement No. 7, Gold Ranger lode, Sur. No. 3845. Value -----\$2425.00

\* \* \* \* \*

\*REPORT\*

This claim, the Tape lode, Sur. No. 4130, the North Aztec lode, Sur. No. 4119, the eight claims of Sur. 4118, to wit: The Jumbo, Wedge Point Fraction, Arizona Bell, Rancee, Relief, Big Sight, Caledonia and Kokomo \* 1 lodes, and the eight claims of Sur. No. 3845, to wit: the Kokomo, Hobo, C. O. D. Oversight, South Oversight, Three Square, Aztec and Gold Ranger lodes, are held as one group by the Claimant Company, a total of 19 claims, and Improvement No. 7, Gold Ranger lode, Sur. No. 3845, the Main Working Shaft for the group, is 4.5 ft. wide, 13.5 ft. long and 500 ft. deep, with a 4.5 by 7 ft. cross cut from the bottom, running N. 49° 30' E. 1160 ft. The surface of the claims of these surveys is very steep and rugged, and working thru this shaft is the most economical method of exploring and developing the veins of the various claims of the group. Value of said shaft and cross cut is \$46075.00 and dividing its value equally, makes a value of \$2425.00 for each of the 19 claims of the group.

Not being able to find the 1/4 corner between secs. 13 and 24, I tie to the corner of sections 13-14-23 and 24, T. 19 N. R. 20 W. G. & S. R. B. & M., which is a 1-3/4 inch iron pipe with brass cap, properly set and marked.

The corners of Sur. No. 3845, tied to in this survey, are redwood posts, 4 ins. square, properly set and marked.

The side and end lines and all other lines were run directly on the ground.

\* \* \* \* \*

Instrument and Meridian

This survey was made with a C. L. Berger & Sons'



5

Mineral Survey No. 4129, cont.,

Instrument and Meridian, cont.,

transit and a 100 and 500 ft. steel tape.

Meridian was determined by direct observation on

the Sun. \* \* \* \* \*

\* \* \* \* \*

Adjoining and Conflicting Claims

This survey is joined on the west side by

the Kokomo, Sur. No. 3845 and all other sides by

Public Domain, Relief, Big Sight, Kokomo

It conflicts in its entirety with the Alta lode,

Kokomo, Sur. No. 3845, C. D. Overright, Sur. No. 3845,

Square, Astor and Gold Ranger lodes, are held as one

Improvement No. 7, Gold Ranger lode, Sur. No. 3845, the

Main Working Shaft for the group, is 4.5 ft. wide, 13.5

ft. long and 500 ft. deep, with a 4.5 by 7 ft. cross cut

from the bottom, running N. 49° 30' E. 1180 ft. the

surface of the claims of these surveys is very steep and

rugged, and working thru this shaft is the most economical

method of exploring and developing the veins of the various

claims of the group. Value of said shaft and cross cut

is \$4075.00 and dividing its value equally, makes a

value of \$2425.00 for each of the 19 claims of the group.

Not being able to find the 1/4 corner between sec.

13 and 24, I tie to the corner of sections 13-14-23 and

24, T. 19 N. R. 20 W. G. & S. R. B. & N., which is a

1-3/4 inch iron pipe with brass cap, properly set and

marked.

The corners of Sur. No. 3845, tied to in this

survey, are redwood posts, 4 in. square, properly set

and marked.

The side and end lines and all other lines were run

directly on the ground.

\* \* \* \* \*

\* \* \* \* \*

Instrument and Meridian

This survey was made with a G. I. Berger & Sons,

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by L. H. Foster

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Hartman Gold Mining Company

known as the Alta lode

and showing the respective capacities in which they acted.

E. J. Webb, Chainman.

XXXXXXXXXXXXXXXXXXXX, Chainman.

XXXXXXXXXXXXXXXXXXXX, Axman.

XXXXXXXXXXXXXXXXXXXX, Flagman.

## FINAL OATHS OF ASSISTANTS.

~~WX~~, E. J. Webb

and XXXXXXXXXX, do solemnly swear that ~~we~~<sup>I</sup> assisted

L. H. Foster, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of

Hartman Gold Mining Company

known as the Alta lode

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the Office Cadastral Engineer, at Phoenix, Arizona

E. J. Webb, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 24<sup>th</sup>

day of July, 1930

Mary E. Carson  
Notary Public

*from letters  
for 20-1931*



# FINAL OATH OF U. S. MINERAL SURVEYOR

I, L. H. Foster, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the Office Cadastral  
Engineer, at Phoenix, Arizona, dated January 29, 1930,  
I have, in strict conformity to the laws of the United States, the official regula-  
tions and instructions thereunder, and the instructions of said Office Cadastral  
Engineer, faithfully and correctly executed the survey of the Mining Claim of  
Hartman Gold Mining Company, known as the  
Alta lode,  
situate in San Francisco Mining District,  
Mohave County, Arizona, in Section  
13 & 24, Township No. 19 North, Range No. 20 West  
and designated as Survey No. 4129, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Office Cadastral Engi-  
neer with said instructions, and that all corners of said survey have been established  
and perpetuated in strict accordance with the law, official regulations and instruc-  
tions thereunder; and I do further solemnly swear that the foregoing are the true and  
original field notes of said survey and my report therein, and that the labor expended  
and improvements made upon said mining claim by claimant or its  
grantors are as therein fully stated, and that the character, extent, location, and  
itemized value thereof are specified therein with particularity and full detail, and  
that no portion of said labor or improvements so credited to this claim has been in-  
cluded in the estimate of expenditures upon any other claim.

L. H. Foster  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said L. H. Foster

U. S. Mineral Surveyor, before me Mary E. Carrow

Notary Public this 24th

day of July, 1930

Southwest  
Nov 20-1930

Mary E. Carrow  
Notary Public



OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona,

February 18, 1931

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Hartman Gold Mining Company

known as the ALTA lode

situate in San Francisco

Mining District Mohave County Arizona

in Section 1324, Township No. 19 N., Range No. 20 W., and

designated as Survey No. 4129, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant or its grantors,

and that said improvements consist of 2 cuts, value \$100, and a 1-19th interest, value \$2425, in improvement No. 7 on the Gold Ranger lode, Sur. No. 3845.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

John D. Adams

Office Cadastral Engineer.



4-687

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

February 18, 1931

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Hartman Gold Mining Company

, known as the

ALTA lode

situate in San Francisco mining district,

Mohave County, Arizona

in Section s 13 & 24, Township No. 19 North, Range No. 20 West

, designated as Survey No. 4129

executed by L. H. Foster, U. S. Mineral

Surveyor, June 10 - 15, 19 30 under my instructions dated

January 29, 19 30, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

Handwritten signature of John P. Adams, Office Cadastral Engineer.