

8-8-1930
Dec. 20-1930

1

4-683

MINERAL SURVEY No. 4136

ARIZONA Land District

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

THE GOLD ORE MINING COMPANY

KNOWN AS THE

Velvet, New Year, Wedge, Gold Road West Extension, Fall No. 4
and Ella Mitchell lodes. San Francisco Mining District,
Mohave County, Arizona
Section 3 and 10, Township 19 North, Range 20 West.
Surveyed under instructions dated July 18, 1930

By L. H. Foster
U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced July 20, 1930

Survey completed August 2, 1930

Address of claimant Louis L. Wallace, Atty. for Claimant
Kingman, Arizona

DATES OF AMENDED LOCATIONS

MINERAL SURVEY No. 1

Claim	Located	Amended
Velvet	October 14, 1926	Aug. 15, 1927
New Year	October 14 1926	Aug. 15 1927
Wedge	October 14 1926	Aug. 15 1927
Gold Road West Extension	October 14 1926	Aug. 15 1927
Fall No. 4	October 14 1926	Aug. 15 1927
Ella Mitchell	October 14 1926	Aug. 15 1927.

KNOWN AS THE

... of the ...

Mineral Survey No. 4136

feet

Velvet lode

at
Beginning Cor. No. 1.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 18 ins. in the ground, in a mound of earth and stone, scribed V-1-4136.

Identical with Cors. No. 3 and 4, Iron Rod and Dragoon lodes, Surs. No. 2240A and 3408, respectively.

The 1/4 corner between sections 10 and 11, T.19 N. R. 20 W. G. & S. R. B. & M. bears S. 36°19'E. 1168.39 ft.

Thence S. 60° 20' W.

1500.00

To Cor. No. 2

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 18 ins. in the ground, in a mound of earth and stone, scribed V-2-4136.

Identical with Cor. No. 3, Dragoon lode, Sur. No. 3408.

Thence N. 51° 25' W.

199.41

To the westerly end center monument of the location.

522.40

To Cor. No. 3

An iron pipe, 4 ft. long, 2 in. dia, with an iron cap, punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone. Cap stamped V-3-4136.

Thence N. 60° 20' E.

1209.82

To Cors. No. 3 and 4, New Year and Wedge lodes, this survey, respectively.

1500.00

To Cor. No. 4

An iron pipe, 4 ft. long, 2 in. dia. with an iron cap, punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone. Cap stamped V-4-4136.

Thence S. 51° 25' E.

6.97

and line 3-4 Wedge lode,
Intersect line 3-4, New Year lode, this survey,
at N. 61° 36' E. 292.84 ft. from Cors No. 3 and 4.

Mineral Survey No. 4136, cont.,

feet	
	Velvet lode, cont.,
322.99	To the easterly end center monument of the location.
522.40	To Cor. No. 1, the place of beginning. All corners are identical with the location. No. bearing objects available. Variation, all corners, 15° 30' East.
	* * * * *
	New Year lode at Beginning Cor. No. 1
	An iron pipe, 4 ft. long, 2 in. dia. with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone. Cap stamped NY-1-4136.
	On line 3-4, Iron Rod lode, Sur. No. 2240A, at S. 61° 36' W. 240.94 ft. from Cor. No. 4.
	The 1/4 corner between sections 10 and 11, T. 19 N. R. 20 W. G. & S. R. B. & M. bears S. 18° 41' E. 1174.09 ft. Thence S. 61° 36' W.
228.06	Intersect line 2-3, Comet lode, Sur. No. 2240A at S. 51° 25' E. 432.50 ft. from Cor. No. 3.
325.95	To the south east end center monument of the location.
359.06	To Cor. No. 1, 3 and 4, Velvet lode, Iron Rod and Dragon lodes, this survey and Surs. No. 2240A and 3408, respectively.
651.90	To Cor. No. 2. An iron Pipe, 4 ft. long, 2 in. dia, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone. Cap stamped NY-2-4136.

Mineral Survey No. 4136, cont.,

feet

New Year lode, cont.,

Thence N. 51° 25' W.

515.43

To Cor. No. 3

An iron pipe, 4 ft. long, 2 in. dia. with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone. Cap stamped NY-3-4136.

Identical with Cor. No. 4, Wedge lode, this survey and on line 3-4, Velvet lode, this survey, at S. 60° 20' W. 290.18 ft. from Cor. No. 4

Thence N. 61° 36' E.

292.84

Intersect line 4-1, Velvet lode, this survey, at S. 51° 25' E. 6.97 ft. from Cor. No. 4.

317.80

To the south east end center monument of the Wedge lode, this survey.

325.95

To the north west end center monument of the location.

429.58

To Cor. No. 3 Wedge lode, this survey
and Intersect line 4-1, Gold Road West Extension lode, this survey, at N. 47° 40' W. 80.87 ft. from Cor. No. 4.

~~To Cor. No. 3, Wedge lode, this survey.~~

651.90

To Cor. No. 4.

An iron pipe, 4 ft. long, 2 in. dia. with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone. Cap stamped NY-4-4136.

On line 4-3 and 3-4, Gold Road West Extension and Comet lodes, this survey and Sur. No. 2240A, respectively, at N. 40° 17' E. 210 ft. from Cors. No. 4 and 3.

Thence S. 51° 25' E.

515.43

To Cor. No. 1, the place of beginning.

All corners are identical with the location.

No bearing objects available.

Variation, all corners, 15° 30' East.

Mineral Survey No. 4136, cont.,

feet		feet
	<p>Wedge lode at Beginning, Cor. No. 1.</p> <p>An iron pipe, 4 ft. long, 2 in. dia, with an iron cap punchmarked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone. Cap stamped W-1-4136.</p> <p>The 1/4 corner between sections 5 and 10, T. 19 N., R. 20 W. G. & S. R. B. & M. bears N. 25° 28' W. 649.59 ft.</p> <p>Thence N. 61° 36' E. 317.80</p> <p>To the north west end center monument of the location.</p>	
429.59	<p>To Cor. No. 2</p> <p>An iron pipe, 4 ft. long, 2 in. dia. with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone. Cap stamped W-2-4135.</p> <p>Identical with Cor. No. 1, Gold Road West Extension lode, this survey.</p> <p>Thence S. 47° 40' E.</p>	
1419.13	<p>To Cor. No. 3</p> <p>An iron pipe, 4 ft. long, 2 in. dia. with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone. Cap Stamped W-3-4135.</p> <p>Cor. No. 4, Gold Road West Extension lode, this survey bears S. 47° 40' E. 80.87 ft.</p> <p>Thence S. 61° 36' W.</p>	
103.63	<p>To the north west end center, New Year Lode, this survey.</p>	
III.78	<p>To the south east end center monument of the location.</p>	

Mineral Survey No. 4136, cont.,

feet

Wedge lode, cont.,

136.74 Intersect line 4-I, Velvet lode, this survey, at S. 51° 25' E. 6.97 ft. from Cor. No. 4.

429.58 To Cor. No. 4.
An Iron pipe, previously described, stamped W-4-4136.

Identical with Cor. No. 3, New Year lode, this survey.

Thence N. 47° 40' W.
1419.13 To Cor. No. 1, the place of beginning.

All corners are identical with the location.
No bearing objects available.

Variation, all corners, 15° 30' East.

* * * * *

Gold Road West Extension lode.

Beginning^{at} Cor. No. 1.

An iron pipe, previously described, stamped GRWE-I-4136.

Identical with Cor. No. 2, Wedge lode, this survey.

The 1/4 corner between sections 3 and 10, T. 19 N. R. 20 W. G. & S. R. B. & M. bears N. 59° 49' W. 760.28 ft.

Thence N. 40° 17' E.

102.36 Intersect line 4-1, Lotus lode, Sur. No. 3484 at N. 51° 48' 30" W. 310.46 ft. from Cor. No. 4.

300.00 To the north west end center monument of the location.

531.10 Intersect line 4-I, Fall No. 4 lode, this survey at N. 41° 26' W. 584.70 ft. from Cor. No. 4.

600.00 To Cor. No. 2.

All corners are identical with the location.

No bearing objects available.
Variation, all corners, 15° 30' East.

Mineral Survey No. 4136, cont.,

feet	feet
	Gold Road West Extension lode, cont.,
	An iron pipe, 4-ft. long, 2 in. dia. with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, Cap stamped GRWE-2-4136.
	Thence S. 47° 40' E.
290.48	Intersect line 3-4, Lotus lode, Sur. No. 3484, at N. 37° 53' E. 476.35 ft. from Cor. No. 4
578.90	To Cor. No. 2, Gold Dollar Extension lode, Sur. No. 1699A and intersect line 3-4, Fall No. 4 lode, this survey, at N. 40° 15' E. 132.42 ft. from Cor. No. 4.
1500.00	To Cor. No. 3.
	A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 18 ins. in the ground, in a mound of earth and stone, scribed GRWE-3-4136.
	Identical with Cor. No. 4, Comet lode, Sur. No. 2240A.
	Thence S. 40° 17' W.
300.00	To the south east end center post of the location. Identical with the north west end center, Comet lode, Sur. No. 2240A.
390.00	To Cor. No. 4, New Year lode, this survey.
600.00	To Cor. No. 4.
	A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 18 ins. in the ground, in a mound of earth and stone, scribed GRWE-4-4136.
	Identical with Cor. No. 3, Comet lode, Sur. No. 2240A.
	Thence N. 47° 40' W.
80.87	To Cor. No. 3, Wedge lode, this survey, and intersect line 3-4, New Year lode, this survey, at S. 61° 36' W. 222.32 ft. from Cor. No. 4.
1500	To Cor. No. 1, the place of beginning.
	All corners are identical with the location.
	No bearing objects available.
	Variation, all corners, 15° 30' East.

Mineral Survey No. 4136, cont.,

feet

Fall No. 4 lode

Beginning ^{at} Cor. No. 1.

An iron pipe, 4 ft. long, 2 in. dia, with an iron cap punch marked for the exact corner, set 24 in. in the ground, in a mound of earth and stone. Cap stamped F-4-1-4136.

On line 2-3, Lotus lode, Sur. No. 3484, at N. 51° 06' W. 1192.11 ft. from Cor. No. 3.

The 1/4 corner between sections 3 and 10, T. 19 N. R. 20 W. G. & S. R. B. & M. bears S. 29° 06' W. 812.08 ft.

Thence N. 40° 15' E.

190.00 To the northwest end center monument of the location.

493.19 To Cor. No. 2.

An iron pipe, 4 ft. long, 2 in. dia, with an iron cap punch marked for the exact corner, set 24 in. in the ground, in a mound of earth and stone. Cap stamped F-4-2-4136.

On line 2-3, Ella Mitchell lode, this survey, at S. 41° 26' E. 440 ft. from Cor. No. 3.

Thence S. 41° 26' E.

1060.00 To Cor. No. 2, Ella Mitchell lode, this survey.

1500.00 To Cor. No. 3.

An iron pipe, 4 ft. long, 2 in. dia, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone. Cap stamped F-4-3-4136.

On line 2-3, Gold Dollar Extension lode, Sur. No. 1699A, at S. 40° 15' W. 239.23 ft. from Cor. No. 3.

Thence S. 40° 15' W.

303.19 To the south east end center monument of the location.

360.77 To Cor. No. 2, Gold Dollar Extension lode, Sur. No. 1699A and intersect line 2-3, Gold Road West Extension lode, this survey, at S. 47° 40' E. 578.90 ft. from Cor. No. 2.

Mineral Survey No. 4136, cont.,

feet 493.19	To Cor. No. 4. An iron pipe, 2 in. dia, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone. Cap stamped F-4-4-4136. Thence N. 41° 26' W.
287.06	Intersect line 3-4, Lotus lode, Sur. No. 3484, at S. 37° 53' W. 204.04 ft. from Cor. No. 3.
584.70	Intersect line I-2, Gold Road West Extension lode, this survey, at S. 40° 17' W. 68.90 ft. from Cor. No. 2.
1500.00	To Cor. No. I, the place of beginning. All corners are identical with the location. No bearing objects available. Variation, all corners, 15° 30' E. ***** Ella Mitchell lode at Beginning, Cor. No. I. An iron pipe, 4 ft. long, 2 in. dia, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone. Cap stamped EM-1-4136. The corner of sections 2-3-10 & II, T. 19 N. R. 20 W. G. & S&R, B. & M. bears S. 47° 50' E. 1166.62 ft. Thence S. 40° 15' W.
303.19	To the south east end center monument of the location.
606.38	To Cor. No. 2. An iron pipe, 4 ft. long, 2 in. dia, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone. Cap stamped EM-2-4136. On line 2-3, Fall No. 4 lode, this survey, at N. 41° 26' W. 440 ft. from Cor. No. 3. Thence N. 41° 26' W.
1060.00	To Cor. No. 2, Fall No. 4 lode, this survey.
1236.55	Intersect line 5-I, Red Point No. 1 lode, Sur. No. 3782 at S. 72° 22' W. 290.92 ft. and N. 72° 22' E. 245.52 ft. from Cors. No. 5 and 1, respectively.

Mineral Survey No. 4136, cont.,

feet
 1500.00 Ella Mitchell lode, cont.,
 To Cor. No. 3.
 An iron pipe, 4 ft. long, 2 in. dia, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone. Cap stamped EM-3-4136.
 Thence N. 40° 15' E.

288.65 Intersect line 4-5, Red Point No. 1 lode, Sur. No. 3782 at S. 38° 48' E. 895.53 ft. and N. 38° 48' W. 423.04 ft. from Cors. No. 4 and 5, respectively.

303.19 To the north west end center monument of the location.

606.38 To Cor. No. 4.
 An iron pipe, 4 ft. long, 2 in. dia, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone. Cap stamped EM-4-4136.
 Thence S. 41° 26' E.

1500.00 To Cor. No. 1, the place of beginning.
 All corners are identical with the location.
 No bearing objects available.
 Variation, all corners, 15° 30' E.

Tract "A"

Beginning at Cor. No. 3, Comet lode, Sur. No. 2240A thence N. 40° 17' E. 210 ft. to Cor. No. 4, New Year lode, this survey. Thence S. 51° 25' E. 380 ft. to point on line 4-1, New Year lode, this survey. Thence S. 40° 17' W. 210 ft. to a point on line 2-3, Comet lode, Sur. No. 2240A. Thence N. 51° 25' W. 380^{ft.} to place of beginning, containing 1.831 acres.

Tract "B"

Beginning at Cor. No. 1, New Year lode, this survey. Thence N. 51° 25' W. 135.43 ft. to a point on line 1-4, New Year lode, this survey and to the easterly corner of Tract "A". Thence S. 40° 17' W. 210 ft. to point on line 2-3, Comet lode, Sur. No. 2240A and the southerly corner of Tract "A". Thence S. 51° 25' E. 52.50 ft. to point on line 1-2, New Year lode, this survey. Thence N. 61° 36' E. 228.06 ft. to the place of beginning, containing 0.453 acres.

LOCATION

This survey is located in sections 3 and 10, T. 19 N. R. 20 W. G. & S.R. R. & M. in the San Francisco Mining District, Mohave County, Arizona, about one half mile north west of the town of Gold Road.

Mineral Survey No. 4136, cont.,

LODE LINES

As near as can be determined from present developments, the lode lines of the various claims of this survey, extend as follows from their respective discoveries:

Velvet lode: S. 60° 20' W. 1150 ft. and N. 60° 20' E. 350 ft. from the discovery cut.

New Year lode: N. 51° 25' W. 320 ft. and S. 51° 25' E. 195.43 ft. from the discovery shaft.

Wedge lode: N. 47° 40' W. 1140 ft. and S. 47° 40' E. 279.13 ft. from the discovery cut.

Gold Road West Extension lode: N. 47° 40' W. 1070 ft. and S. 47° 40' E. 430 ft. from the discovery shaft.

Fall No. 4 lode: N. 41° 26' W. 820 ft. and S. 41° 26' E. 680 ft. from the discovery shaft.

Ella Mitchell lode: N. 41° 26' W. 1000 ft. and S. 41° 26' E. 500 ft. from the discovery cut.

* * * Areas * * *

	acres	acres
Velvet lode -----	16.708	
Area in conflict with Wedge lode, this survey -----		0.022
Area in conflict with New Year lode, this survey -----		3.189
New Year lode -----	7.100	
Area in conflict with Gold Road West Extension lode, this survey -----		0.195
Area in conflict with Comet lode, Sur. No. 2240A -----		2.284
Area Tract "A" -----		1.831
Area Tract "B" -----		0.453
Wedge lode -----	13.211	
Gold Road West Extension lode --	20.648	
Area in conflict with Lotus lode, Sur. No. 3484 -----		3.355
Area in conflict with Fall No. 4 lode, this survey -----		1.337
Area in conflict with Fall No. 4 lode, this survey exclusive of its conflict with Lotus lode, Sur. No. 3484 -----		0.767

Mineral Survey No. 4136, cont.,

Area, cont.,

Fall No. 4 ----- 16.805

Area in conflict with Lotus lode,
Sur. No. 3484 ----- 2.787

Ella Mitchell lode ----- 20.661
Area in conflict with Red Point No. I
lode, Sur. No. 3782 ----- 2.181

* * * * *

Expenditure of Five Hundred Dollars

I certify that the value of the labor and improvements, made upon or for the benefit of the claims in this survey, by the Claimant or its Grantors is not less than Five Hundred Dollars for each claim, ^{and that said improvements} and consists of the following:-

Velvet lode.

No. 1, The discovery cut, 4 ft. wide, 10 ft. face, extends N. 25° W. 16 ft. ^{to mouth} Center of face is on the lode line, 350 ft. from E.E.C. Value ----- \$50.00

1/6 interest in Improvement No. 3, Gold Road West Extension lode, this survey, ----- \$3785.00

New Year lode.

No. 1- The discovery shaft, 5 by 7 ft. 9 ft. deep Center of shaft is on the lode line, 320 ft. from the N. W. end center. Value ----- \$60.00

No. 2- An open cut, 4 ft. wide, 10 ft. face, extending N. 27° E. 15 ft. ^{to mouth} Center of face bears N. 50° W. 210 ft. from the south east end center. Value ----- \$50.00

No. 3- A 4 by 6 ft. shaft, 8 ft. deep. Center of shaft bears N. 52° 30' W. 210 ft. from the south east end center. Value ----- \$50.00

No. 4- A 4 by 6 ft. shaft, 8 ft. deep. Center of shaft bears N. 52° 30' W. 230 ft. from the south east end center. Value ----- \$50.00

No. 5- An open cut, 6 ft. wide, 9 ft. face, extending N. 37° E. 18 ft. ^{to mouth} From the face, a 4 by 6 ft. tunnel runs S. 37° W. 4 ft. connecting with a 5 by 6 ft. shaft 10 ft. deep. Face of cut is on lode line at 220 ft. from the north west end center. Value ----- \$150.00

Mineral Survey No. 4136 cont.,

Improvements, cont.,

No. 6 - An open cut, 6 ft. wide, 11 ft. face, extending N. 40° E. 15 ft. to center of mouth, which is on the lode line at 175 ft. from the north west end center.

Value -----\$50.00

1/6 interest in Improvement No. 3, Gold Road West Extension lode, this survey.-----\$3785.00

Wedge lode.

No. 1- The discovery cut, 6 ft. wide, 10 ft. face, extending S. 75° E. 14 ft. to mouth. Center of face is on the lode line at 279.13 ft. from the S.E. end center. Value ----- \$60.00

No. 2- An open cut, 6 ft. wide, 10 ft. face, extending S. 85° E. 18 ft. Center of face bears N. 71° W. 340 ft. from Cor. No. 3. Value ----- \$60.00

No. 3- An open cut, 5 ft. wide, 12 ft. face, extending N. 10° E. 35 ft. From the face, a 4 by 6 ft. tunnel runs S. 10° W. 90 ft. Center of face bears S. 46° 30' E. 740 ft. from Cor. No. 2.

Value -----\$1000.00

1/6 interest in Improvement No. 3, Gold Road West Extension lode, this survey. -----\$3785.00

Gold Road West Extension lode.

No. 1- The discovery shaft, 5 by 7 ft. 9 ft. deep. Center is on the lode line, at 430 ft. from the south east end center. Value -----\$50.00

No. 2- An open cut, 6 ft. wide, 12 ft. face, extending N. 55° E. 24 ft. From the face a 4 by 6 ft. tunnel runs S. 55° W. 20 ft. Center of face bears N. 44° W. 570 ft. from Cor. No. 4. Value ----- \$250.00

No. 3- The Main Working shaft, two compartment timbered, 5 by 9 ft. 310 ft. deep. From the 300 ft. level a 4.5 by 7 ft. cross cut runs S. 40° W. 360 ft. Value ----- \$22710.00.

Center of shaft bears S47°W 63 ft. from the SE end center. 1/6 value to this claim -----\$3785.00

Fall No. 4 lode.

No. 1- The discovery shaft, 4 by 6 ft. by 35 ft. deep. Center of shaft is on the lode line, Value -----\$500.00

Mineral Survey No. 4136, cont.,

Improvements, cont.,

1/6 interest in Improvement No. 3, Gold Road West

Extension lode, this survey. ----- \$3785.00

Ella Mitchell lode

No. 1- The discovery cut, the center of the mouth is on the lode line, *at 500 ft from the S.E. end center* thence N. 50° E. 20 ft. to a 10 ft. face, 10 ft. wide. Value ----- \$75.00

No. 2- An open cut, center of mouth is on the lode line at 470 ft. from the south east end center, thence N. 40° E. 20 ft. to a 12 ft. face, 8 ft. wide.

Value ----- \$75.00

1/6 interest in Improvement No. 3, Gold Road

West Extension lode, this survey. ----- \$3785.00

* * * * *

REPORT

The side and end lines and all other lines were run directly on the ground.

The 1/4 section corners of sections 3-10 and 10-11, T 19 N. R. 20 W. G. & S. R. B. & M. tied to in this survey, are one inch iron pipes, with brass caps, properly marked and set.

The corner of sections 2-3-10 and 11 is a 2 inch iron pipe with brass cap properly marked and set.

The corners of Gold Dollar Extension lode, Sur. No. 1699A, Comet and Iron Rod lodes, Sur. No. 2240A, and Dragoon lode, Sur. No. 3408 and Lotus lode, Sur. No. 3484 are redwood posts, 4 ft. long, properly marked and set.

Improvement No. 3, Gold Road West Extension lode, is the Main Working shaft for the group and is 310 feet deep with a cross cut running S. 40° W. 360 ft. from the 300 ft. level. Drifting and cross cutting from this shaft will explore and develop the various veins of the group economically and the total value of \$22710.00 is therefore divided equally among the six claims of this survey, or \$3785.00 to each.

Mineral Survey No. 4136, cont.,

Instrument and Meridian.

This survey was made with a C. L. Berger & Sons' transit and with a 100 and 500 ft. steel tape.

Meridian was determined by direct observation on the sun.

* * * * *

Adjoining and Conflicting Claims

This group conflicts on the south with the Comet lode, Sur. No. 2240A and Joins the Iron Rod and Dragoon lodes, Sur. No. 2240A and 3408, respectively.

Joins the Gold Dollar Extension lode, Sur. No. 1699A on the north east and conflicts with the Lotus lode, Sur. No. 3484 on the west, and with the Red Point No. 1 lode, Sur. No. 3782 on the northwest.

All other sides are joined by Public Domain.

* * * * *

The differences between this survey and the location notices are due to error in the latter.

[Signature]
U.S. Mineral Surveyor.
Kingman, Arizona.

Atty. for Claimant,

Louis L. Wallace
Kingman, Arizona

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals employed by L. H. Foster

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

THE Gold Ore Mining Company

known as the Velvet, New Year, Wedge, Gold Road West Extension, Fall No. 4
and Ella Mitchell lodes
and showing the respective capacities in which they acted.

N. J. Webb, Chainman.

XXXXXXXXXXXXXXXXXXXX, Chainman.

XXXXXXXXXXXXXXXXXXXX, Axman.

XXXXXXXXXXXXXXXXXXXX, Flagman.

FINAL OATHS OF ASSISTANTS

~~WE~~, I, N. J. Webb

~~and~~ XXXXXXXXXXXXXXXXXXXX, do solemnly swear that ~~we~~ ^I assisted

L. H. Foster, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

THE Gold Ore Mining Company

known as the Velvet, New Year, Wedge, Gold Road West Extension, Fall No. 4
and Ella Mitchell lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at Phoenix, Arizona.

N. J. Webb, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 7th

day of August, 1930

Charles P. Elmer
Notary Public

My Commission Expires

Dec. 29, 1930

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, L. H. FOSTER, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix, Arizona, dated July 18, 1930, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the Mining Claim of The Gold Ore Mining Company, known as the Velvet, New Year, Wedge, Gold Road West Extension, Fall No. 4 and Ella Mitchell lodes situate in SAN FRANCISCO Mining District, MOHAVE County, ARIZONA, in Section 3 & 10, Township No. 19 N., Range No. 20 W. G. & S. R. B. & M., and designated as Survey No. 4136, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

L. H. Foster
U. S. Mineral Surveyor.

Subscribed and sworn to by the said L. H. Foster
U. S. Mineral Surveyor, before me Charles P. Elmer
a Notary Public this 7th
day of August, 1930

Charles P. Elmer
Notary Public

GOVERNMENT PRINTING OFFICE

My Commission Expires
Dec. 29, 1930

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona,

February 20, 1931

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

The Gold Ore Mining Company

known as the VELVET, NEW YEAR, WEDGE, GOLD ROAD WEST EXTENSION, FALL NO. 4, and BELLA MITCHELL lodes

situate in San Francisco

Mining District Mohave County Arizona

in Section 3 A 10, Township No. 19 North, Range No. 20 West, and

designated as Survey No. 4136, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant

or its grantors,

and that said improvements consist of 10 cuts, 3 tunnels, 6 shafts and

1 crosscut, total value \$25,240.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

John D. Adams

Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF
MINING CLAIM

DEPARTMENT OF THE INTERIOR
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

February 20, 19 31

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of _____

The Gold Ore Mining Company

_____, known as the
VELVET, NEW YEAR, WEDGE, GOLD ROAD WEST EXTENSION, FALL NO. 4,
and ELLA MITCHELL lodes

situate in San Francisco mining district,

Mohave County, Arizona

in Sections 3 and 10, Township No. 19 North, Range No. 20 West

, designated as Survey No. 4136

executed by L. H. Foster, U. S. Mineral

Surveyor, July 20 - August 2, 19 30, under my instructions dated

July 18, 19 30, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

John D. Adams
Office Cadastral Engineer.