

July 11 1932

MINERAL SURVEY No. 4157

Arizona Land District

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Oxide Copper Company

KNOWN AS THE

EQUITY and MOUNTAIN DEW lodes

Silver Bell Mining District,

Pima County, Arizona

Section 3 - 10, Township 12 S., Range R. 8 E., Unsur.

Surveyed under instructions dated May 19, 1932

By J. N. C. Lewis, U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced June 4, 1932

Survey completed June 8, 1932

Address of claimant Frank H. Higgins, Silverbell, Ariz. Agent for claimant

DATES OF AMENDED LOCATIONS

See location notices

Feet.

MINERAL SURVEY NO. 4157

Mineral survey No.4157 was made with a Gurley mountain transit with horizontal limb 6 1/5 ins. diam, having two opposite verniers and full vertical circle, 5 ins. diam. having one double vernier, the verniers read to one minute of arc.

The instrument was in good condition at the time of the survey and all adjustments were in good order. An AM altitude observation for azimuth and at noon on the meridian for latitude and time were made at a corner of the survey, the details of which observations are shown in the calculation sheets herewith submitted for examination.

All azimuths in this record are referred to the true meridian, by the method of deflection angles, and calculated courses.

The lines were measured with a Lufkin steel tape, 500 ft. in length, graduated every foot, with the first and last foot graduations to tenths and hundredths.

The tape was correct at the time of the survey. All lines and connections of this survey were run directly upon the ground.

The magnetic variation observed at each corner gave a uniform value of 13°30'

EQUITY Lode.

Beginning at Cor. No.1 of the Equity lode, identical with Loc Mon. and Cor. Nos. 1,2,3 and 4, Sur. No. 2799, Georgia, Mountain Dew, Equity and Copper Carbonate lodes respectively, claimant herein also Cor. No.4, Mountain Dew lode of this Sur. where I -

Set an iron pipe 2 ins. diam. with cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md. of stone, stamped 1, E., 4 MD - 4157, 1 G, 2 MD, 3 E, 4 CC -2799; from which

The 1/4 Cor. on the township line bet. Secs. 3 and 34 Tps.11 and 12 S. R.8 E. G. & S.R. M. brs. N.4°18'10"W., 6449.26 ft. dist. a standard iron post with brass cap stamped 1/4 S.34, S. 3.

No other bearings are available.

MINERAL SURVEY NO. 4157

EQUITY Lode Cont'd.

Thence S.7°50'W.

263.0 To W. end center, identical with Loc. Mon. and E. end center Sur. No.2799 Copper Carbonate lode.

A pine post 2 x 4 ins. 4 ft. high, set firmly in the ground and surrounded with md.of stone, scribed W Ct E., E. Ct. C.C.

563.0 To Cor. No.2, identical with Loc. Mon. and Cor. Nos. 1,2,3 and 4 Sur. No. 2799 Copper Carbonate, Equity, Copper Price and Azurite lodes respectively, where I-

Set an iron post 2 ins. diam. with cap on top, 24 ins. above ground set 18 ins. in the ground, stamped 2 E - 4157, 1 CC, 2 E, 3 CP, 4 A - 2799 from which the N. face of a limestone cropping, 5 ft. high and about 10 ft. long brs. S.47°50'W., 2.9 ft. Chiseled with cross (x) 2 E - 4157, 1 C C, 2 E, 3 CP, 4 A - 2799 BR.

No other bearings are available.

Thence S.65°41'E.

450.00 Gulch brs. southwesterly.

736.70 To south side center mon., identical with N. side center Sur. No. 2799 Copper Price lode.

A pine post 2 x 4 ins. 4 ft. high in md.of stone, scribed SSC-E, NSC- CP

1360.39 Intersect line 1-2 Sur. No.2799 Boston Beauty lode at S.45°43'E., 589.39 ft. from Cor. No.2

1474.00 To Cor. No.3, identical with Loc. Mon. and Cor. Nos.1,4 and 2, Sur. No.2799, Equity, and Copper Price and Stone Cabin lodes respectively and on line 3-5, Sur. No.496 Detroit lode, claimant unknown, where I-

Set an iron pipe 2 ins. diam. with cap on top, 24 ins. above ground set 18 ins. in the ground, stamped 3 E -4157, 1 E, 2 SC, 4 CP-2799 and surrounded with md of stone. from which, U.S.M.M. No.2 brs.

S.0°35'W., 452.9 ft. dist. A pine post 4 ins. sq. by 6 ft. high, set in md.of stone 6 ft. base by 3 1/2 ft. high. On account of its decayed condition the markings cannot be distinguished.

No other bearings are available.

Feet.	<p style="text-align: center;">MINERAL SURVEY NO. 4157</p> <p style="text-align: center;">EQUITY lode - Cont'd.</p>
	<p style="text-align: center;">Thence N.7°50'E.</p>
102.70	To Cor. No.3, Sur. No.496 Detroit lode, consisting of a md. of stone, No markings.
300.00	To E. end center, identical with Loc. Mon. A pine post 2 x 4 ins. 4 ft. high, set firmly in the ground and surrounded with md. of stone, scribed E.C.E. E.
363.00	Gulch brs. southeasterly.
563.00	To Cor. No.4, identical with Loc. Mon. and Cor. No.4 Sur. No.2799 Equity lode. where I - Set an iron post 2 ins. diam. with cap on top, 24 ins. above ground set 18 ins. in the ground, stamped 4 E = 4157 and 4 E-2799, and surrounded with md. of stone. Cor.No.2 Boston Beauty lode, Sur.No.2799, bears S. 80 37'10" W. 610.32 ft. No bearings are available. Thence N.65°41'W.
115.50	Gulch brs. southerly.
280.50	To Cor. No.1, Sur. No.2799 Boston Boy lode, hereinafter described.
549.75	Intersect line 2-3 Sur. No.2799 Boston Beauty lode at N.17°15'E. 341.2 ft. from Cor. No.2.
592.00	To S end center, Sur. No.2799 Boston Boy lode, consisting of a pine post 2x4 ins. firmly set in md. of stone, showing 4 ft. high scribed S.E.C. BB
737.3	To N. side center. A 2 x 4 post, 4 ft. high set in md. of stone scribed N S C - E.
893.5	To Cor. No.3 Mountain Dew lode of this Sur. and Cor. Nos. 1 and 2 Sur. No.2799 Mountain Dew and Boston Boy lodes respectively, hereinafter described.
980.00	Gulch brs. southwesterly.
1193.50	To S. end center Mountain Dew lode of this Sur., hereinafter described.
1474.00	To Cor. No.1, the place of beginning.

MINERAL SURVEY NO. 4157
MOUNTAIN DEW lode.

Beginning at Cor. No.1, identical with Loc. Mon. and Cor. Nos. 2,3 and 4 , Sur. No. 2799, Dewey, Mountain Dew and Georgia lodes respectively, where I-

Set an iron pipe 2 ins. diam. with cap on top , 24 ins. above ground set 18 ins. in the ground and surrounded with md. of stone, stamped 1 MD -4157, 2 D, 3 MD, 4 G - 2799, from which the 1/4 Cor. bet. Secs. 3 and 34 T.11 &12 S., R.8 E. brs. N.3°04'30"E., 5150.8 ft. dist. Cor. No.4, Sur. No,2437, Murray lode, claimant unknown brs. S.81°00'30"W., 546.04 ft. dist.

No other bearings are available.

Thence S.65°41'E.

298.0 To N. end center, identical with Loc. Mon.

A pine post 2 x 4 ins. showing 4 ft. above ground, in md. of stone scribed N.C E. MD

598.00 To Cor. No.2, identical with Loc. Mon. and Cor. Nos. 3 and 4 Sur. No.2799 Boston Boy and Mountain Dew lodes respectively. and on line 1-2 Sur. No.2799 Dewey lode, where I -

Set an iron post 2 ins. diam. with cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md. of stone, stamped 2 MD-4157, 3 BB, 4 MD - 2799.

Cor. No.1 Sur. No.2799 Dewey lode brs. S.65°41'E., 597 ft. dist.

No other bearings are available.

Thence S.30°11'E.

740.2 To E. side center, identical with W side center Sur. No,2799 Boston Boy lode, and E Side center Sur. No,2799 Mountain Dew lode,

A 2 x 4" post in md. of stone scribed E S C MD and W. S D. BB

1340.00 Gulch brs. southerly.

1480.00 To Cor. No.3, identical with Loc. Mon. and Cor. Nos. 1 and 2 Sur. No.2799 Mountain Dew and Boston Boy lodes respectively. On line 4-1 Equity lode of this Sur. and on line 3-4, Sur. No.2799 Equity lode.

Where I-

Set an iron post 2 ins. diam. with cap on top, 24 ins. above

Feet. MINERAL SURVEY NO. 4157
MOUNTAIN DEW LODE-Cont'd.

ground, set 18 ins. in the ground and surrounded with md. of stone,
stamped 3 MD -4157, 1 MD, 2 BB -2799, whence U.S.M.M. No. 22 brs.
S.27°59'50"E., 1561.27 ft. dist.
No other bearings are available.

Thence N. 65°41'W.
86.50 Gulch brs. southwesterly.
300.00 To S. end center, identical with loc. mon. and S. end center
center Sur. No. 2799 Mountain Dew lode, where I-

Set a palo verde post 4 ins. diam. by 4 ft. high, firmly in the
ground and surrounded with md. of stone, scribed S. C.E. MD.
580.50 To Cor. No. 4, identical with Loc. Mon. and Cor. Nos. 1, 2, 3 and 4
Sur. No. 2799 Georgia, Mountain Dew, Equity and Copper Carbonate
lodes respectively, heretofore described.

Thence N. 30°35'W.
747.0 To W. side center, identical with E. side center Sur. No. 2799
Georgia lode, consisting of a md. of stone.
1494.00 To Cor. No. 1, the place of beginning.

LODE LINES.

The presumed course of the vein of each of the lode locations
embraced in this survey, counted from the respective points of
discovery, is as follows:

- Equity lode --- N. 65°41'W., 110 ft. and S. 65°41'E., 1364.0 ft.
- Mountain Dew lode S. 30°11'E., 100 ft. and N. 30°11'W., 1380.0 ft.

AREAS.

	Acres.
Total area, Equity lode -----	18.268
Area in conflict with-	
Sur. No 2799, Boston Beauty lode ----	6.167
Sur. No. 2799, Equity lode, 18.268	18.268
Total area, Mountain Dew lode -----	11.623
Area in conflict with-	
Sur. No. 2799, Mountain Dew lode, 11.623	11.623

LOCATION

This survey is located in the N. 1/2 Sec. 10 and the S. 1/2 Sec.
3, T. 12 S. R. 8 E. G. & S. R. M., Unsur.

MINERAL SURVEY NO. 4157

EXPENDITURE OF \$500

I certify that the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or its grantors is not less than \$500 and that said improvements consist of :

- Equity.
- No.1 The discovery cut of the Equity lode, the face of which being the discovery point is on the lode line 110 ft. from a point on line 1-2, 263 ft. from Cor. No.1, 4 ft. wide, 6 ft. face, running East 20 ft. to mouth.
Value \$100.00
- No.2 A cut, the mouth of which hrs. from Cor. No.2 N.38°20'E., 350.0 ft. 12 ft. wide, 4 ft. face, running N.26° E., 12 ft. to face.
Value \$100.00
- No.3 A shaft, the center of which hrs. from Cor. No.2, N.55°20'E., 480.0 ft. 4 x 6 ft. 10 ft. deep.
Value \$100.00
- No.4 A cut, the mouth of which hrs. from Cor. No.2, N.58°50'E., 530.00 ft. 4 1/2 ft. wide, 10 ft. face, running N.41°W., 25 ft. to face and portal of tunnel 4 x 6 ft. in size, running N.41°W., 45 ft. to breast.
Value cut and tunnel \$600.
- No.5 A cut, the mouth of which hrs. from Cor. No.2 N.69°50'E., 580.0 ft. 4 1/2 ft. wide, 10 ft. face, running N. 70 ° E. 15 ft. to breast.
Value \$100.
- No.6 A shaft, the center of which hrs. from Cor. No.2 N.76°35'E., 625 ft. 4 x 6 ft. 35 ft. deep.
Value \$350.0
- No.7 A shaft, the center of which hrs. from Cor. No.1, S. 48°40'E., 75 ft. 4x6 ft. 8 ft. deep.
Value \$100.
- No.8 A shaft, the center of which hrs. from Cor. No.4, N.88°45'W., 520 ft. 4x6 ft. 10 ft. deep.
Value \$100.0
- No.9 A shaft, the center of which hrs. from Cor. No. 4 S.74°50'W., 450. ft. 4 x 6 ft. 10 ft. deep.
Value \$100
- No.10 A cut, the mouth of which hrs. from Cor. No. 2, S.77°10'E., 550 ft. 4 1/2 ft. wide 10 ft. face, running N. 70°E., 30 ft. to face and portal of tunnel 4 x 6 ft. in size running N.70°E., 16 ft. to breast.
Value Cut and Tunnel \$ 300.00

MINERAL SURVEY NO.4157

EXPENDITURE Of \$500.Cont'd.

Mountain Dew.

No.1 The discovery cut of the Mountain Dew lode, the face of which being the discovery point, is on the lode line, 100 ft. from a point on line 3-4, 300 ft. from Cor. No.3, 10 ft. wide, 8 ft. face running S.30°11'E., 10 ft. to mouth.
Value \$200.00

No.2 A cut, the mouth of which brs. from Cor. No.4 S.82°10'E., 180 ft. 4 1/2 ft. wide, 10 ft. face running N 20° W., 20 ft. to winze 4x6 ft. 10 ft. deep, thence on same course 6 ft. to face. From face is a tunnel 4 x 6 ft. in size running North 6 ft. to breast.
Value cut, winze and tunnel \$300.00

No.3 A shaft, the center of which brs. from Cor. No.4, N.44°50'E., 210 ft. 4 x 6 ft. 8 ft. deep.
Value \$100.00

OTHER CORNER DESCRIPTIONS.

Sur. No.2799 Dewey, Boston Boy, Boston Beauty, Copper Price, Stone Cabin, Azurite, Copper Carbonate, and Georgia lodes, all corners not replaced by corners common with this survey are 4 x 4 in. posts, firmly set and properly marked. All lines were found to be approximately correct as approved.

Sur. No.2799 Equity and Mountain Dew lodes all corners were 4 x 4 in. pine posts but were found to be rapidly decaying, I therefore set Iron posts in the exact positions of the original corners as described in the foregoing field notes. Lines 4-1 and 2-3 of the Equity lode were found to be 1474.0 ft. instead of 1475.5 as approved and same are properly given in these field notes.

Cor. No.3, Sur. No.496 Detroit lode. All that remains of this Cor. is an old md. of stone.

The ties from Cor. No 1, Sur. No.2799 Equity and Mountain Dew lodes fail to furnish the courses and distances as approved (S.0°33'E., 456.27 ft. and S.27°58 1/2'E., 1565.5 ft) and the same are properly given in these field notes.

Sur. No.2799, lines 4-1 and 3-2, Mountain Dew and Boston Boy lodes I found to be 1480 ft. instead of 1480.4 ft. as approved.

Line 1-2 of the Boston Boy lode I find to be 613 ft. instead of 614.5 ft. as approved and the south end center is 311.5 ft. from Cor. No.1 instead of 314.5 ft. as of record.

The discovery named in the notice on the Equity lode is on excluded ground and a new discovery is designated in these field notes.

As a matter of fact, there is no shaft at the position designated in Sur. No. 2799 as the discovery, but it is apparently the same shaft which I have designated as No. 8.

MINERAL SURVEY No.4157

Adjoining claims.

On the North by Sur. No.2799 Dewey lode, On the East by Sur. No. 2799 Boston Boy and Boston Beauty, and Sur. No.496 Detroit lode. On the South by Sur. No.2799 Copper Price lode. On the West by Sur. 2799 Copper Carbonate and Georgia lodes. The claims conflict in their entirety with the Equity and Mountain Dew lodes of Sur. No. 2799.

MERIDIAN OBSERVATION FOR TIME AND LATITUDE.

do not include in copy.

Monday, June 6, 1932 in approx Lat. 32°23'30" and Lon. 111°31'

I make a meridian observation of the sun for time and latitude.

Setting:		90°
φ	(-)	32°23'30"
δ	(+)	22°41'50.7"
∇		80°18'20.7"

Position of telescope: Position of Sun: Watch time : Observed Ver. Ang.

Direct	:	⊕	:	11h 58 m	:	80°06'
Reversed	:	⊖	:	12h 01 m	:	80°31'
Mean	-----		:	11h 59m30"	:	80°18'30"
Refraction			+			10"
Parallax	-----		+			1"
h	-----					80°18'21"

$$\delta - 22^{\circ}41'50.7'' : 90 + \delta = \frac{112^{\circ}41'50.7''}{32^{\circ}23'30''}$$

$$\phi = 90^{\circ} + \delta - h =$$

--- oo000 ---

Watch time of apparent noon	-----	11h59m30"
Apparent noon	-----	12 00 00
Equation of time	-----	1'32.3"
Local mean time of apparent noon	-----	11 58 28
Watch fast of local mean time		1m02"

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals employed by T.N. Stevens

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of _____

_____ Oxide Copper Company _____

known as the EQUITY and MOUNTAIN DEW lodes _____

and showing the respective capacities in which they acted.

_____ Lawrence J. Booher _____, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS

~~We~~, I, Lawrence J. Booher _____

and _____, do solemnly swear that we assisted _____

T.N. Stevens _____, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of _____ Oxide Copper Company _____

known as the EQUITY AND MOUNTAIN DEW lodes _____

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of ^{my} knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at Phoenix, Arizona. _____

Lawrence J. Booher _____, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman

Subscribed and sworn to by the above-named persons before me this 13th

day of June, 1932

*My Commission Expires
Jan. 30-1934*

Tom K. Riskey (Tom K. Riskey)
Notary Public

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, T.N. Stevens, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix, Ariz., dated May 19, 1932, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the Mining Claim of Oxide Copper Company, known as the EQUITY and MOUNTAIN DEV lodes, situate in Silver Bell Mining District, Pima County, Ariz., in Sections 3 and 10, Township No. 12 S., Range No. 8 E., Unsur., and designated as Survey No. 4157, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

T.N. Stevens
U. S. Mineral Surveyor.

Subscribed and sworn to by the said T. N. Stevens
U. S. Mineral Surveyor, before me Tom. K. Richey, a notary Public
this 9th
day of July, 1932.

My Commission Expires
Jan 30-1934

Tom K Richey
notary Public.

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona.

July 29, 19 32

I, Office Cadastral Engineer, at Phoenix, Arizona.

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Oxide Copper Company

known as the EQUITY and MOUNTAIN DEW lodes

situate in Silver Bell

Mining District Pima County Arizona

in Section 3 & 10, Township No. 12 S., Range No. 8 E., Unsur., and

designated as Survey No. 4157, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant

or its grantors,

and that said improvements consist of 6 shafts, 7 cuts, 3 tunnels, and

1 winze, total value \$2,550.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix Arizona is correct and in conformity with the foregoing Field Notes.

John D. Adams
Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF
MINING CLAIM

DEPARTMENT OF THE INTERIOR
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

July 29, 1932

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

Oxide Copper Company

, known as the

EQUITY and MOUNTAIN DEW lodes

situate in Silver Bell mining district,

Pima County, Arizona,

in Sections 3 and 10, Township No. 12 S., Range No. 8 E., Unsur.,

, designated as Survey No. 4157

executed by T. N. Stevens, U. S. Mineral

Surveyor, June 4 - 8, 1932, under my instructions dated


May 19, 1932, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.


Office Cadastral Engineer.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE

9605 (922-TR)

January 16, 1992

Memorandum

To: Chief, Branch of Cadastral Survey
From: Deputy State Director, Mineral Resources
Subject: Mining Claim Verification

This is in response to your request for verification of mining claims in sections 3, 4, 5, 10, 14 and 15, T. 12 S., R. 8 E., section 35, T. 16 S., R. 12 E., sections 2 and 11, T. 17 S., R. 12 E., G&SRM. See the attachment for a list of the Survey Numbers, Claim Names, and Case File Serial Numbers (if available) and Status. So that the Mineral Surveys may or may not be canceled, we have checked if all of the lodes were recorded as required under FLPMA and that the annual assessment work has been kept up to date.

If you have any questions, please contact Tom Reitmeyer at extension 358.

Carol Busque

1 Attachment
1 - UNPATENTED CLAIMS (SURVEYED)(2 pp)

UNPATENTED CLAIMS (SURVEYED)

TOWNSHIP 12 SOUTH, RANGE 8 EAST
Sections 3, 4, 5, 10, 14 and 15

<u>Claim No. and Name:</u>	<u>Serial Number:</u>	<u>Status:</u>
396	Blue Coat	Not filed under FLPMA
398	Old Boot	Not filed under FLPMA
496	Detroit	Not filed under FLPMA
604	Dolly Varden	Not filed under FLPMA
2799	Equity	Not filed under FLPMA
4157	Mountain Dew	Not filed under FLPMA
4749	May No. 8	AMC 48528
4750	May 46	AMC 48559
	May 47	AMC 48560

TOWNSHIP 16 SOUTH, RANGE 12 EAST
Section 35

<u>Claim No. and Name:</u>	<u>Serial Number:</u>	<u>Status:</u>
4548	Louis No. 13	AMC 24407
	Lime No. 1	AMC 24408
	Lime No. 4	AMC 24409
	Yaqui	AMC 24410
	Algonquin	AMC 24411
	Iriquois	AMC 24412
	Pueblo	AMC 24413
	Acoma	AMC 24414
	Pima	AMC 24415
	Yuma	AMC 24416
	Yavapai	AMC 24417
	Mohave	AMC 24418
	Gila	AMC 24419
	Blackfoot	AMC 24420
	Key	AMC 24421
4584	Ute	AMC 24403
	Piute	AMC 24404
	Hopi	AMC 24406
	Comanche	AMC 24405
4583	Contact	AMC 24402
	Gypsy	AMC 24401
	Hogle Fraction	AMC 24398
	Hogle #1	AMC 24397
	Bolsa	AMC 24399
	Jupiter No. 2	
	Fracton 4	
3737	Two Boys	

TOWNSHIP 17 SOUTH, RANGE 12 EAST
Sections 2 and 11

<u>Claim No. and Name:</u>	<u>Serial Number:</u>	<u>Status:</u>
3726	Elda B.	Not filed under FLPMA
1650	Gen No. 1 San Xavier	Not filed under FLPMA
2294	Vulcan No. 5	Not filed under FLPMA
2237	Prince Rupert AMC 5922	91 assessment on file
4295	Staple AMC 5917	91 assessment on file
4583	Jupiter Fraction No. 2	Not filed under FLPMA
4583	Hogle Fraction AMC 24398	Closed March 7, 1989
4548	Blackfoot AMC 24420	Closed March 7, 1989
3730	Red Oxide No. 3	Not filed under FLPMA

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE

9605 (942)
M.S. 4157

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Equity and Mountain Dew lodes, Mineral Survey No. 4157, located in sections 3 and 10, Township 12 South, Range 8 East, Gila and Salt River Meridian, Arizona, are hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to facilitate a proposed land exchange with ASARCO Incorporated and to clear the record.

The Mineral Survey Plat should be noted as follows:

"Equity and Mountain Dew lodes, M.S. 4157 were canceled January 30, 1992, by memo 9605 (942) M.S. 4157, which is now a part of the original field notes."

January 30, 1992
Date



Chief Cadastral Surveyor of Arizona