### MINERAL SURVEY No. 4169

	Arizona Land District
	FIELD NOTES
	OF THE SURVEY OF THE MINING CLAIM OF
	J.T. Stockdale
•	
	KNOWN AS THE
	LITTLE ANNIE
	Humbug Mining District,
	Yavapai County, Arizona
Section 6	, Township 8 North Range 1 East G.& S.R. B.& M.
	yed under instructions dated August 16, 19.33
	By Ralph L. Motz  U. S. Mineral Surveyor.
	Claim located February 4 , 1932
	Survey commenced August 17 , 1933
	Survey completed August 18 , 1933
	Address of claimant 1340 E. 5th St., Tueson, Ariz.
	DATES OF AMENDED LOCATIONS
3822	U A. GOVERNMENT PRINTING OFFICE: 1937

Feet

Mineral Survey No. 4169 was made with a Gurley & Sons Precise Transit, Light Mountain model, with horizontal limb 6.25 inches in diameter, having two double opposite verniers, and full vertical wirele 5 inches in diameter, having one double vernier; the verniers read to one minute of arc; the eye piece is equipped with a prismatic eye piece with colored glass slide for making direct observations upon the sun. The instrument was in good condition at the time of survey and all adjustments were in good order. An a. m. altitude observation of the sun for time and azimuth, and at noon on the meridian for latitude, were made at Cor. No. 2, the details of which observations are shown in the calculation sheets herewith submitted for examination. All azimuthse in this record are referred to the true meridian thus determined, by the method of deflection angles and calculated courses.

The lines were measured with a Lufkin steel tape 300 feet in length, graduated to feet, tenths and hundredths for entire length; and a Lufkin steel tape 150 feet in length, graduated to feet, tenths and hundredths; both tapes were compared with a " Lufkin standard at the time of beginning the survey, and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic variation observed at each corner of the survey gave a uniform value of 14° 50° E.

### TITLE ANNE

Beginning at Cor. No. 1 of the Little Annie lode, where I

Set a pegmatite rock 28x8x5 ins., 16 inches in the ground, for Cor. No. 1, marked LA-1-4169; from which

The 1/4 Cor. between Secs. 6 and 7, T.8 N., R. I E, G. & S.R.B. & M; an iron post, 1 im. diam., 12 inches above ground, firmly set, with brass cap properly marked, bears S. 26° 30° E.821.3 ft. dist.

A monument of rocks 3 feet high, with 3 feet base, bears 4 ft. c northwesterly.

> A pegmatite rock 15x16 ins., 12 inches above ground, bears S. 72° 05° W., 11.3 ft, marked BR X 1/4169

A granite ledge 11x24 ins., 13 inches above ground, bears N. 4° 30° E.11.3 ft., marked X BR 1-4169

Nous about administration and actual of Thence S. 79° 53° W. Mid-100 T

CETOC METER

1500.0 Cor. No. 2 description of contract the code many against a

Set a granite rock 28x6x8 ins., 16 inches in the ground, for Cor. No. 2, marked LA-2-4169; from which

A granite rock 19x25 ins., 9 inches above ground, bears N.10° 07º W., 8.0 ft., marked X BR 2-4169

A granite rock in-place 29x13 ins., 10 inches above ground bears
N 71° 55 E.,11.0 ft., marked x BR 2-4169

Thence N. 10 07. W.

300.0 Original location for the west end center, being 6- 67

A mound of stones 3 feet high with 3 feet base.

000.0 Cor. No. 3

ע פעה , כ בל. שומכ, הוח מסרלת שו שונכת פערים Set a perphyry stone 26x7xll ins., 16 ins. in the ground, for Cor. 

3

Feet

and a Identical with Cor. No. 3, Survey No. 4171 Deer Lodge Extension lode.

diametr, highe Nountain model, with horizontal line 5.25 i tohes diameter, having two double oppositeless spanished against own and the spanished by the spanis

a nity beggine at obeig eye and Thence N. 79 53% E. ; beer and in

700.0 To S. E. Cor., Big Canary Lode, unsurveyed, C. L. Orem, claimant

SULVAY NO. 4169

1500.0 cit Cor. No. 4 mit tot mue set le noitsviused ebbilla.

sare made at Cor. No. 25 the set a granite rock, 28x9x6 ins., 16 inches in the ground, for Cor. broom a No. 4, mkd. LA-4-4169, northerin axa not hattinde at lease

and maibired out odd of levislet ers No bearings available of algolas bas colors moisosiles ic

ith a Luffie steel tepe 300 video und addienband ben a Thence S. 10 07 E.

300.0 To original location for the east end center, being

a monument of rocks 3 feet high with 3 feet base.

All lines and com Cor. No. 1 and place of beginning. 600.0 The margarite variation observed at each corner of the survey

# LODE LINE.

The presumed course of the vein on this lode location, counted from the point of discovery, is as follows:-

S. 79° 53 . W., 300.0 ft., and N. 79° 53. E., 1200.0 ft. . Set a regardite rook 28x8x5 ino., 16 inches in the ground, for Cora

## AREA

the districted area, Little Annie Lode; - -- - - - - 20.661 acres

#### Location

This survey is located in the S 1/2 S W 1/4 of Sec. 6, T.8 N., R. 1 E. G. & S. R. B. & M.

The survey of the Little Annie lode is identical with the original location as marked on the ground.

## EXPENDITURE OF \$500

I certify that the value of the labor and improvements made upon the lode location of this survey, by the claimant or his grantors, is not less than \$500, and that said improvements consist of;-

- Discovery winze in old tunnel, winze 4x6 ft., 10 ft. deep, center No. 1 of which being discovery point is on lode line N.79° 53° E. 300.0 ft. from the west end center. armed Value \$50 code serioui 0 . emi 63 mil soon ediners
- A cut, 4 feet wide, the mouth of which bears from west end center S. 46° 30° E.8.0 ft.; runs N. 46° E.17.0 ft. to 10 ft. face and portal of tunnel 4 x 6 ft. in size running N.71° E.10 ft. to No. 2 breast.

Value of open cut and tunnel, \$ 125

- A trench, the west end of which bears N.57° 08' E.30.0 ft. from the west end center, 2 ft, wide, 4 ft. deep, running N. 75° E. 250 ft. Value \$ 250
- A cut, 6 ft. wide, the mouth of which bears N. 83° 37° E. 172.0 ft. NO. 4 from the west end center; runs N. 75 E. 32.0 ft. to a 15 ft. face and portal of tunnel 4x6 ft. in size, running N. 63° E. 63.0

- 2[ -

- nat end ( minute elench and gnive

ebove ground, bears M &

. It's op

ft. to breast.
Value of open cut and tunnel, \$ 950

No. 5 A cut, 4 ft. wide, the mouth of which bears N.76° 37° E.302.0 ft. from the west end center, running N.75° 30° E.16 ft. to a 12 ft. face and portal of tunnel, 4x6 insize running N.75° 30° E.62 ft. to breast.

Value of open cut and tunnel, \$ 780

No. 6
A cut, 4 ft. wide, the mouth of which bears 342 ft. on center line from the west end center; running N.74° 30° E.16 ft. to a 10 ft. face and portal of tunnel, 4x6 ft. in size, running N.74° 30° E. 15 ft. to breast.

Value of open cut and tunnel, \$ 150

No. 7

A cut, 8 ft. wide, the mouth of which bears 384 ft. on center line from the west end center; running N. 77° E.16 ft. to a 10 ft. face and portal of tunnel, 4 x 7 ft. in size, running N. 75° E.42.0 ft., N. 78° E.17.0 ft., and N. 61° E. 29.0 ft. to breast, Upraise at breast 4x6 ftrin size, 25.0 ft. high.

Value of open cut, tunnel and upraise \$ 1450

No. 8

A cut, 4 ft. wide, the mouth of which bears N. 78° E. 475.0 ft. from the west end center, runs N. 73° 30° E. 30 ft. to a 22 ft. face and portal of tunnel 4xl0 ft. in size, running N. 73° 30° E. 12.0 ft. thence tunnel 4 x 6 ft. in size, running N. 73° 30° E. 26.0 ft. to breast. At 9 ft. back from breast is a winze 4x6 ft. in size, 10 ft. deep. The last 26 ft. of tunnel and the winze is new work. Value of new tunnel and winze \$ 360

#### OTHER IMPROVEMENTS.

See No. 8 above.

0.

Open cut and tunnel, bears from west end center on lode line 790.0 ft. Extensive workings, now caved.

## FINAL OATHS FOR SURVEYS

#### LIST OF NAMES

A list of the name	es of the individuals en	aployed by	Ralph L. Motz	
United States Mineral	Surveyor, to assist in	running, measu	ring, and marking the lines, corners, and	
boundaries described in	n the foregoing field no	otes of the survey	of the mining claim of	
	J. Т.	Stockdale		
and showing the respective capacities in which they acted.				
		Edwin J.	Rowley , Chainman.	
			, Chainman.	
		Salvad	or Espinoza , Axman.	
			, Flagman.	
		STEE PARTY		
1	FINAL OATE	is of as	SISTANTS	
We,	Edwin J. Rowle	y		
and Salvador	Espinoza	, do solemnly sw	ear that we assisted Ralph L. Intz.	
			or, in marking the corners and surveying	
			ckdale	
known as the				
represented in the foreg	going field notes as hav	ving been surveye	ed by said mineral surveyor and under his	
			est of our knowledge and belief, faithfully	
			stablished according to law and the instruc-	
tions furnished by the Office Cadastral Engineer, atPhoenixarizona				
		Edwin	J. Kouley, Chainman.	
		Salvado	Copinoza, Aman.	
		***************************************	, Flagman	
Sub	scribed and sworn to by	y the above-name	l persons before me this 21st	
, continues of	day of August			
			Mary Oenny	
5 EV			Mary Cenny Public, in and for the	
My commission e	xpires July 22-1		Care State of Arizona 6-1048	

## FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Ralph L. Motz	. U. S. Mineral Surveyor
do solemnly swear that, in pursuance of instructions received from	m the Office Cadastrol France
at Phoenix, Arizona , dated Aug	ast 16. 1933
I have, in strict conformity to the laws of the United States, the	
tions thereunder, and the instructions of said Office Cadastral En	
executed the survey of the Mining Claim of J. T. Stockdal	
Little Annie	, known as the
situate in Humbug	Mining District
Yavapai County, Arizon	in Section
6 , Township No. 8 N , Range No. 1 E, G & S	RRAM
and designated as Survey No. 4169	og ronyond. 1
in the foregoing field notes, which accurately show the boundaries o	f said mining claim as disting!
marked by monuments on the ground, and described in the attach	
cate, which was received by me from the Office Cadastral Engine	
that all corners of said survey have been established and perpetu	
the law, official regulations and instructions thereunder; and I do f	
foregoing are the true and original field notes of said survey and n	
labor expended and improvements made upon said mining claim by	
grantors are as therein fully stated, and that the character, exten-	
thereof are specified therein with particularity and full detail, and	
or improvements so credited to this claim has been included in the	estimate of expenditures upon
any other claim.	
Rock	P mix
ayon	U. S. Mineral Surveyor.
	Juniogor.
Subscribed and sworn to by the said Ralph L.	Mote
1.	
notary Public.	poon 22 xd
day of September, 1933	this
day of stage of the stage of th	1.
OM.	Timpson
notary Public	Simpson in and for the four State of disona.
of cochise	State of and
GOVERNMENT PRINTING OFFICE	4 3 ~~.

My Commission Expires August 9, 1937.

### OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

# Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona					
October 12 , 1933					
I, Office Cadastral Engineer St Phoenix, Arizona					
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey					
of the mining claim of J. T. Stockdale					
known as the Little Annie lode					
situate in Humbug					
Mining District Yavapai County Arizona					
in Section 6, Township No. 8 North, Range No. 1 Rost, and					
designated as Survey No.4169 , has been correctly copied from the originals on file in					
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if					
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein					
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.					
I further certify that Five Hundred Dollars worth of labor has been expended or improvements					
made upon, or for the benefit of, each location embraced in said mining claim by claimant					
J. T. Stockdale or his grantors,					
and that said improvements consist of 2 winzes, 5 cuts, 1 trench.					
6 tunnels, and 1 upraise					
Total Value \$4,115.00					
and that no portion of said labor or improvements has been included in the estimate of expenditures					
upon any other claim.					
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix					
Arizona is correct and in conformity with the foregoing Field Notes.					
Sherman C. Fiske					
Acting Office Cadastral Engineer.					

# CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

## DEPARTMENT OF THE INTERIOR PUBLIC SURVEY OFFICE

	At Phoenix, Arizona
	October 12 1933.
I, Office Cadastral Engineer at Phoenix.	Arizona
do hereby certify that the foregoing and hereto atta	ached Field Notes and Return of the Survey of the
Mining Claim of	
J. T. Stock	
Little A	
situate in	
Yavapai Cou	nty, Arizona
in Section 6 , Township No. 8	
G.& S.R. B.&M., designated as Survey No	11.69
executed by	Ralph L. Motz , U. S. Mineral
Surveyor, August 17 & 18	, 1933, under my instructions dated
August 16 , 1933	, have been critically examined and the necessary
corrections and explanations made, and the said Fiel	d Notes and Return, and the Survey they describe,
are hereby approved. The certified copy of the loca	ation certificate filed by the applicant for survey is
on file in this office and a true copy of said certifie	ed copy of said location certificate is included and
made a part of the transcript of the field notes.	
	Sherman C. Ficke
	Acting Office Cadastral Engineer.

GOVERNMENT PRINTING OFFICE 6-7131