MINERAL SURVEY No. 4171

Avri	IZONA	Land	District
F	IELD NOT	TES	
OF THE SUR	EVEY OF THE MIN	ING CLAIM O	F
Frank W. Ferg	guson and Joe R	oberts	
	KNOWN AS THE		
DEER LODGE EXTE	ENSION		
Yavapai tions 6 and 7 , Town			
Surveyed under instruction	ns dated August	18 ,	19.33
	By Ralp	h L. Motz	
			U. S. Mineral Surveyor.
Claim locatedNo	ovember 24		, 19 <mark>30</mark>
Survey commenced.	August 21		, 19.33
Survey completed	Augus	t 21	., 19_33
Address of claimant	Frank W. Fer	rguson, Pho y Street.	enix, Arizona.
	OF AMENDED LOC		
July 25	J, 1933.		

Mineral Survey No. 4171 was made with a Gurley & Sons Precise Transit with horizontal limb 6.25 ins. diam., having two double opposite verniers, and full vertical circle 5 ins. diam., having one double vernier; the verniers read to one minute of arc; the eye piece is equipped with a colored glass shade set in the dust shutter for making direct observations upon the sun. The instrument was in good condition at the time of survey and all adjustments were in good order. An a.m. altitude observation of the sun for time and azimuth, and at noon on the meridian for latitude, were made at a point on line 3-4, the details of which observations are shown in the calculation sheets herewith submitted for examination. All azimuths in this record are referred to the true meridian thus determined, by the method of deflection angles and calculated courses.

The lines were measured with a Lufkin steel tape 300 feet in length, graduated to feet, tenths and hundredths for entire length; and a Lufkin steel tape 150 feet in length, graduated to feet, tenths and hundredths; both tapes were compared with a Lufkin standard at the time of the beginning of the survey, and found correct.
All lines and connections of this survey were run by direct

methods.

The magnetic variation observed at each corner of the survey gave a uniform value of 14° 50° E.

DEER LODGE EXTENSION.

Beginning at Cor. No. 1 of the Deer Lodge Extension lode, where I

set a gramite stone, 26x10x6 ins., 16 ins. in the ground, for Cor. No. 1, mkd. DLE-1-4171; from which

The Cor. of secs. 1 and 12, T 8 N, R 1 W, G & S R B & M; an iron post, 2 ins. diam., 12 ins. above ground, firmly set and marked, bears S. 63° 40° W., 348.8 ft. dist.

solved Island C.OCE

A monument of stones, 3 feet high with 3 feet base, bears 4 ft. beares ; in a northerly direction.

A granite rock in place, llx21 ins., 25 ins. above ground, bears 5.70° 40° W.,47.8 ft. dist., mkd. X BR 1-4171

A granite rock in place, 16x30 ins., 5 ins. above ground, bears N.15° 25' W,19.3 ft. dist., mkd X BR 1-4171

Thence N. 10° 07° W.

S. E. Cor. of the Sunny South lode, unsurveyed. 900.0

miad (T

Center of Rock Wat Wall Canyon, 20 feet wide, course S. 80° E. 1320.0

Center of Rock Wall Canyon, 20 feet wide, course S. 30° W. 1400.0

1500.0 Cor. No. 2

> Set a granite rock, 28x10x7 ins. 16 ins. in the ground, for Cor. No. 2, mkd. DLE-2-4171 edd to bilev edd fordd gifar

the apended location as marked on the ground.

the location of this arriver, believe available of the location and locations are locations and the ball that below the same constitutions.

Thence N. 79 53 E.

- 92.0 Cemter of Rock Wall Canyon, 20 feet wide, course S. 30° W. 200

300.0 Original location for the north end center, being

a mound of stones, 3 feet high with 3 feet base.

600.0 Cor. No. 3

eduled viewcoals odd ball

Identical with Cor. No. 3 of the Little Annie lode, Survey No. 4169.0000 #21 01 00 .21 11 6

A porphyry stone, 7xll ins. 10 ins. above ground, mkd. LA-3,4169.
which I additionally mark DLE-3-4171. one double vermier; the teriars round to one minus of eres the

ove one torn to equal end of open are large out training alduch and relands to ab and no see shake a thence \$.10, 0765 E. beggings of ending

600.0 Cor. No. 2, Survey No. 4169 Little Annie lode.

1500.0 Cor. No. 4 waivel for neithren edt so som the beer should a

Set a granite stone 28x11x7 ins., 16 ins. in the ground, for Cor. No. 4, mkd. DiE-4-4171; from which

A monument of rocks 3 feet high, with 3 feet base, bears 4 feet ina internal arithmesterly direction, not contain the column of the same of the column of

A granite ledge 20x32 ins. 31 ins. above ground, bears N, 20° 55° W., . Joe Trop base 1 one (dist., mkd. X BR 4-171 nt to entit ent to bis

A granite ledge, 33x58 ins., 94 ins. above ground bears S. 11° 11°W., ysvaus one 10 10 10 100 hours, mkd. X B R 4-4171 v oitemain on

thence S.79 530 W.

300.0 Original location for the south end center, being

a monument of rocks, 3 feet high, with 3 feet base.

*330.0 Center of Rock Wall Canyon, 30 feet wide, course S. 20. W.

600.0 Cor. No. 1, and place of beginning. iron post, 2 ins. diam., 12 ins. above ground, firmly set and marked, bears 8 55 40 m 340.8 ft. dist.

LODE LINE.

The presumed course of the vein of this lode logation, counted from the point of discovery, is as follows:

N: 10° 07° W.,700 ft.; and, S.10° 07° E,800 ft.

i granite rock in place, term ins., 5 ins. above ground,

Total area, Deer Lodge Extension lode - - - - - 20.661 acres.

LOCATION.

This survey is located in the S.W.1/4 S.W.1/4 of Sec. 6, T.8 N. R.1 E. and N. W. 1/4 N. W. 1/4 of Sec. 7, T. 8 N. R. 1 E. G. & S. R. B. & M. I in the Humbug Mining District, Yavapai County, Arizona.

The survey of the Deer Lodge Extension lode is identical with the amended location as marked on the ground.

.of . Too rol , baser and mi expenditure of \$500; door ofining a too

I certify that the value of the labor and improvements made upon the lode location of this survey, by the claimants of their grantors, is not less than #\$ \$500, and that said improvements consist of:

nant

- The discovery shaft, the center of which being the discovery point, No. 1 is on the lode line 700 ft. S.10° 07° E. from the north end center; 4x6 ft., 8 ft. deep. Value \$35 retree bus nice and rel select laniging 0.008
- A shaft, the center of which bears S. 8° 04' W. 725 ft. from Cor. No. No. 2 3; 4x6 ft., 8 feet deep. 5000 Core Wos 3 Value \$35
 - No. 3 A cut, 4 feet wide, the mouth of which bears S.4 53' W. 694 ft. from Cor. No. 3; runs N. 51° E. 12 ft. to 10 ft. face. Value \$35

- 2 -

No. 4

A cut,5 ft. wide, the mouth of which bears \$.15° 23° W.501 ft. from Cor. No. 3, runs N.41° E.26 ft. to 10 ft. face and portal of tunnel 5x7 ft. in size, running N.41° E.75 ft. to breast.

Value of cut and tunnel, \$ 880

OTHER IMPROVEMENTS.

- A cut,6 ft. wide, the mouth of which bears S. 17° 30° W. 450 ft. from Cor. No. 3; runs East 10 ft. to 8 ft. face
- A cut,5 ft. wide, the mouth of which bears S.11° 10° W.578 ft. from Cor. No. 3, rums N. 20° E.18 ft. to 10 ft. face and portal of tunnel 5x6 ft. in size, running N. 20° E. 27 ft. to breast.

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals employed by Ralph L. Motz								
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and								
boundaries described in the foregoing field notes of the survey of the mining claim of								
Frank W. Ferguson and Joe Roberts								
known as theDeer Lodge Extensionlode								
and showing the respective capacities in which they acted.								
Edwin J. Rowley , Chainman.								
, Chainman.								
Salvador Espinoza , Axman.								
, Flagman.								
FINAL OATHS OF ASSISTANTS								
We, Edwin J. Rowley								
and Salvador Espinoza, do solemnly swear that we assisted								
Ralph L. Motz , United States Mineral Surveyor, in marking the corners and surveying								
the boundaries of the mining claim of Frank W. Ferguson and Joe Roberts								
known as the Deer_Lodge Extension lode								
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his								
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully								
and correctly executed, and the corner and boundary monuments established according to law and the instruc-								
tions furnished by the Office Cadastral Engineer, atPhoenix, Arizona.								
Edwin J. Rowley, Chainman.								
Salvador Gapinga, soman.								
Subscribed and sworn to by the above-named persons before me this 21st								
day of August , 19 33								
Notary Public, in and for the								
My commission expires July 22-1936 State of Arizonal 6-1048								

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Ralph L. Motz	, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instr	ructions received from the Office Cadastral Engineer,
at Phoenix, Arizona	, datedAugust 18, 1933,
	e United States, the official regulations and instruc-
	Office Cadastral Engineer, faithfully and correctly
	Frank W. Ferguson and Joe Roberts
	known as the
Deer Lodge Extension	, mown as one
situate in	Mining District,
Yavapai	County, Arizona, in Section s
6 & 7 , Township No. 8 N , R	ange No. 1 E, G & S R B & M
and designated as Survey No. 4171	, as represented
	how the boundaries of said mining claim as distinctly
	escribed in the attached copy of the location certifi-
	ce Cadastral Engineer with said instructions, and
	ablished and perpetuated in strict accordance with
	ereunder; and I do further solemnly swear that the
	of said survey and my report therein, and that the
labor expended and improvements made upon	
	the character, extent, location, and itemized value
	y and full detail, and that no portion of said labor
	been included in the estimate of expenditures upon
any other claim.	
	May L. Mob U. S. Mineral Surveyor.
Subscribed and sworn to by the said	Relph L. Motz
U. S. Mineral Surveyor, before me	
notary Public	this 22 rid
day of September, 1933	
	Andli.
	molimpson
not	any Public, in and for the Sounts
PARKARYOP	of Sochise, State of any ona.
	My Commission Expires August 9, 1937.

Department of the Interior

PUBLIC SURVEY OFFICE

rnoenix, Arizona
October 12 , 19 3
I, Office Cadastral Engineer at Phoenix Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of Prank W. Perguson
and Joe Roberts
known as the DEER LODGE EXTENSION lode
situate in Humbug
Mining District Yavapai County Arizona
in Sections 6 and 7, Township No. 8 N., Range No. 1 E., G. &SR. B. & M, and
designated as Survey No. 4171, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
I further certify that Five Hundred Dollars worth of labor has been expended or improvements
made upon, or for the benefit of, each location embraced in said mining claim by claimant Frank W.Ferguson and or their grantors,
and that said improvements consist of
Two Shafts, Two Cuts, and One Tunnel
Total value \$985.00
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix.
is correct and in conformity with the foregoing Field Notes.
Shermen C. Piske
Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR PUBLIC SURVEY OFFICE

		At	Phoenix.	Arizona	
			October I	2	, 1933
I, Office Cadastral Engir	neer at	Phoenix,	Arizona		
do hereby certify that the fo	regoing and here	to attached Fie	ld Notes and 1	Return of the	Survey of the
Mining Claim of Frank	W. Ferguson	and			
	J	oe Roberts		•	
				, l	known as the
	DEER LODGE	EXTENSION	lode		
situate in Humbug				mi	ining district,
Yava	pai County,	Ari	zona		
in Sections 6 and 7	, Township	No. 8 Nort	h	, Range No. 1	East
G.& SR. B.& M., design	ated as Survey	No. 4171			
executed by		Ral	ph L. Motz	, τ	J. S. Mineral
Surveyor,	August 21		, 19 33 , w	nder my instru	actions dated
August 1	8	, 1933, have b	een critically e	xamined and	the necessary
corrections and explanations	made, and the sa	aid Field Notes	and Return, an	d the Survey t	hey describe,
are hereby approved. The c	certified copy of	the location cert	ificate filed by	the applicant	for survey is
on file in this office and a tr	ue copy of said	certified copy o	f said location	certificate is	included and
made a part of the transcript	of the field note	S.			
			Sherman	C. Fie	ke
			Acting	Office Cadastra	l Engineer.

GOVERNMENT PRINTING OFFICE 6-7181