4-683

MINERAL SURVEY No. 4176

Arizona Land District FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF Copper Mountain Apex Mines Ltd. KNOWN AS THE Defiance lade Roua Fria Mining District, Yarapai County, Arizona Section 20, Township 12N, Range 2E Surveyed under instructions dated July 25, 1934 By Pichard. T. Merrity U. S. Mineral Surveyor. Claim located See Location Notice, 19 Survey commenced Sept. 16th, 1934 Survey completed Sept 23rd , 1934 Address of claimant Norris + Patterson Attorneys Prescott Arizona DATES OF AMENDED LOCATIONS See Location Notice

MINERAL SURVEY NO. 4176, ARIZONA

	Survey Vo. 4175
Feet	Peet
mori	Mineral Survey No. 4176 was made with a Lietz Transit No. 10256, Model No. 11E, with horizontal limb 5 ins. diam., having two double opposite verniers, and full vertical circle 4 ins. diam., having one double vernier; the verniers read to one minute of arc: a
nter 286. oint 18 ft.	which observations are shown in the calculation sheets herewith submitted for examination. All azimuths in this record are referred to the true meridian thus determined, by the method of deflection angles and calculated courses. The lines were measured with a Lufkin steel tape 500 feet in length, graduated every foot, the first foot being graduated to tenths and hundredths. All lines and connections of this survey were run
noite	by direct methods. The magnetic variation observed at each corner of the survey gave a uniform value of 14°00'E. DEFIANCE LODE
	Beginning at Cor. No. 1 of the Defience Lodo which
01*	agrees with a corner of the location, where I
	Set a schist stone, 24x10x8 ins., 12 ins. in the ground for Cor. No. 1, mkd. X D-1-4176; from which
	The cor. of secs. 17, 18, 19 and 20, T. 12 N., R. 2 E., G. & S. R. B. & M., bears N. 38° 34' W. 506.23 ft. dist.; a schist stone 8x10x14 ins. above ground, firmly set, marked and witnessed as des- cribed in the official record. Cor. No. 4 Sur. No. 2308 Idaho Lode bears S. 72° 44'E., 275.87 ft. dist.
T. 18	10 Thence S. 69° Ol' E.
240.97	Intersect line 3-4 Sur. No. 2308 Idaho Lode at a point from which Cor. No. 4 bears N. 83° 30' E., 38.71 ft. dist.
1500.00	The state of the second of the second of the second of the second of the
mail i man	Agrees with a corner of the location.
and the second states of the	Set a schist stone, 24x8x6 ins., 12 ins. in the ground, for Cor. No. 2, mkd. X D-2-4176; from which
9.0	No local bearing objects or bearing trees available.
10 10	deo end tende in Thence S. 1º 31' E. conta off 1 .cd
324.72	The east end center, agreeing with east end center of the location, being a mound of stone 3 ft. base, 3 ft. high.
649.44	Cor. No. 3
bun 5.ot	Agrees with a corner of the location.
1 1 1 1 1	Set a schist stone, 24x8x6 ins., 12 ins. in the ground, for Cor. No. 3, mkd. X D-3-4176; from which
3203	No local bearing objects or bearing trees available. Thence N. 69° Ol' W.

		Survey No. 4176
-	Feet	Jeet
	1500 00	Cor. No.14 des as 3714 .on vevici istanih
	draif f	Agrees with a corner of the location.
	and and	ob and privad , mail and a alorio isoldiar light
	2	On a schist stone in place exposed 3x3x3 ft. above ground, point for Cor. No. 4, mkd: X D-4-4176; from which
	5000 01	No local bearing objects or bearing trees available.
	CONTEST.	Thence N. 1º 31' W. decise bas
	50	The west end center, agreeing with the west end center
		of the location, being a mound of stone 3 ft. base, 3 ft. high.
	537 81	Intersect line 3-4 Sur. No. 2308 Idaho Lode at a point from which Cor. No. 4 bears N. 83° 30' E., 262.18 ft. dist.
	649.44	Cor. No. 1, and place of beginning. and flA
	10 101	the string to sell walks of 14000 the string to som
		The presumed course of the vein of the lode location embraced in this survey, counted from the point of dis- covery is as follows:
	do.	Defiance Lode, N. 69° 01' W., 143 ft.; and, S. 69° 01' E. 1357 ft.
	punotà	doidw mori :: 1-1-1-1 AREA 1
	S.R.,.	Acres Total area Defiance Lode 20.661
	Ch 371	Area in conflict with
		Sur. No. 2308 Idaho Lode 0.285
	78°	Son. Ro. 4 Sur. No. 2008 loano Lodo bears 5.
	point	This survey is located in the NW 1 sec. 20, of T. 12 N., R. 2 E., of the Gila and Salt River Base and Meridian, Arizona, Agua Fria Mining District.
	• d a det	EXPENDITURE OF \$500
	hamp	I certify that the value of the labor and improvements made upon or for the benefit of each of the lode locat- ion embraced in said mining claim by the claimant or its grantors is not less than \$500, and that said improvements consist of:
		An interest in a common improvement described as follows:
		The discovery shaft of the Defiance lode, the center of
		which being the discovery point is on the center line 143.00 ft, S. 69° 01' E. from the center of line 4-1; 5 ft. x 9.5 ft. x 340 ft. timbered.
	ound,	This improvement is in course of construction for the development of the Defiance lode of this survey and Barbara, Barbara No. 1, Barbara No. 2, Barbara No. 3, Barbara Apex, Protector No. 1, Protector No. 3, Skookum, King Cole, Queen Elizabeth, Agua Bueno lodes, unsurveyed which are all contiguous lode claims owned in common within the range of benefit of said shaft.
	the second s	

Survey No. 4176

(3)

Five hundred dollars or over has been expended in this improvement in such a manner as tends to the development of each lode of this survey, subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore an undivided one-twelfth interest in its value is hereby credited to each of said lodes and a like interest apportioned to each of the other stated lodes of the common group. No portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.

No. 2

A tunnel 5x7 ft. in size, the portal of which is on the lode line 312.0 ft. S. 69° 01' E. from the center of line 4-1, and runs S. 77° 38' E., 52.10 ft., thence S. 60° 59' E., 181.28 ft., thence S. 60° 51' E., 144.44 ft., S. 57° 39' E., 59.30 ft., thence S. 27° 09' E., 14.00 ft., thence S. 14° 00' E., 12.50 ft., thence S. 13° 46' W., 13.52 ft., thence S. 35° 09' W., 194.75 ft. to breast. to breast. Value, \$8,000.

OTHER INTROVENENTS.

None

OTHER CORVER DESCRIPTIONS

Sur. No. 2308 Idaho lode; Cor. No. 4 is a schist stone firmly set and properly marked; Cor. No. 3 has been destroyed. Line 3-4 is shown as approved.

Memo:-

The disagreement between this survey and the amended location certificate, relative to the identity of Cor. No. 1 of the Defiance lode of this survey with Cor. No. 2 of Survey No. 2308, Idaho lode, is due to the fact that, at Cor. No. 1, Defiance lode, there is an old piece of 4x4 in. post marked "Idaho", which was erroneously accepted by the locator as the SW corner of Survey No. 2308: which corner is designated, on a district mining 2308; which corner is designated, on a district mining claim map, as Cor. No. 2 instead of Cor. No. 4, as approved.

FINAL OATHS FOR SURVEYS

4 - 685

LIST OF NAMES

A list of the names of the individuals employed by <u>*Richard L. Merrit*</u> United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of ______

Copper Mountain Apex Mines Ltd.

known as the Defiance lode

and showing the respective capacities in which they acted.

George Merritt, Chainman. George Burgett, Chainman., Axman. , Flagman.

FINAL OATHS OF ASSISTANTS

We, George Merritt and George Burgett, do solemnly swear that we assisted Richard L. Merritt, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Copper Mountain Apex Mines Ltd. known as the <u>Defiance hode</u>

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at <u>Phoenix</u> <u>Hrizon</u>

George Merrill, Chainman. George Burgitt, Chainman.

-----, Axman.

, Flagman

Subscribed and sworn to by the above-named persons before me this $\frac{7h}{4}$

day of October, 1934.

My Commission Expires April 27, 1937. Notary Public

FINAL OATH OF U.S. MINERAL SURVEYOR

I, Richard L. Merritt, U.S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer,
at Phoenix Arizonz, dated July 25-1934,
I have, in strict conformity to the laws of the United States, the official regulations and instruc-
tions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly
executed the survey of the Mining Claim of Copper Mountain Apex
14/1ncs, Ltd. known as the
Detlance loge
situate in Agua Fria Mining District,
Yavapai County, <u>Frizona</u> , in Section
20., Township No. 121, Range No. 2 E
and designated as Survey No. 4176, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly
marked by monuments on the ground, and described in the attached copy of the location certifi-
cate, which was received by me from the Office Cadastral Engineer with said instructions, and
that all corners of said survey have been established and perpetuated in strict accordance with
the law, official regulations and instructions thereunder; and I do further solemnly swear that the
foregoing are the true and original field notes of said survey and my report therein, and that the
labor expended and improvements made upon said mining claim by claimant or $1/25$
grantors are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of said labor
or improvements so credited to this claim has been included in the estimate of expenditures upon
any other claim.

Richard I. Merrit U. S. Mineral Surveyor.

Subscribed and sworn to by the said <u>Richard L. Merritt</u> U. S. Mineral Surveyor, before me <u>N. HITKEN</u> NOTMRY PUBLIC this 4Th day of Oct. ,-192 1934

My Commission Expires April 27, 1937.

Matary public

4-688

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona

	October 24 ,1934
I, Office Cadastral Engineer Phoenix,	
do hereby certify that the foregoing transcript of the Fig	
of the mining claim of <u>Copper Mountain Ape</u>	
known as the DEFIANCE	
situate in Agua Fria	
Mining District Yavapai	
in Section 20, Township No. 12 North	
designated as Survey No. <u>4176</u> , has been	correctly copied from the originals on file in
this office; that said Field Notes furnish such an accura	
incorporated into a patent, serve fully to identify the pren	
to natural objects or permanent monuments as will per	
I further certify that Five Hundred Dollars worth o	
made upon, or for the benefit of, each location emi	braced in said mining claim by claimant
Copper Mountain Apex Mines, or	its grantors
Ltd., a corporation and that said improvements consist of <u>ltunnel</u>	and an undivided 1/12
interest in a shaft	
Value (11,000.00	
and that no portion of said labor or improvements has be	
upon any other claim.	
I further certify that the plat thereof, filed in the U	. S. Land Office at Phoenix
Arizona is correct and in conformi	

10

Acting Office Cadastral Engineer.

Sherman C. Fiske

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

4-687

UNITED STATES DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE PUBLIC SURVEY OFFICE

	At	Phoenix, Arizona	
	0	October 24,	1934
I, Office Cadastral		izona	
do hereby certify that	the foregoing and hereto attached	Field Notes and Return of the Survey of	of the
Mining Claim of	Copper Mountain Apex M	lines, Ltd.	
		, known a	s the
	DEFIANCE lode		
situate in	Agua Fria	mining dis	trict,
in Section _20	, Township No. 12 No.	North , Range No. 2 Eas	t
, (designated as Survey No 4176		
	designated as builtey ite		
		, U. S. Min	
executed byRic	chard L. Merritt		neral
executed by <u>Ric</u> Surveyor, <u>Septembe</u>	chard L. Merritt er l6th to 23d, inc.	, U. S. Mir	neral lated
executed by <u>Ric</u> Surveyor, <u>Septembe</u> July 25,	chard L. Merritt er 16th to 23d, inc. ,1934, have	, U. S. Min	neral lated sary
executed by <u>Ric</u> Surveyor, <u>Septembe</u> July 25, corrections and explana	chard L. Merritt er 16th to 23d, inc. , 1934, have ations made, and the said Field Note	, U. S. Min , 1934, under my instructions d ve been critically examined and the neces	neral ated ssary ribe,
executed by <u>Ric</u> Surveyor, <u>Septembe</u> July 25, corrections and explana are hereby approved.	chard L. Merritt er 16th to 23d, inc. , 1934, have ations made, and the said Field Note The certified copy of the location ce	, U. S. Min , 1934, under my instructions d ve been critically examined and the neces tes and Return, and the Survey they desc	neral lated ssary ribe, ey is

Shaman C. Ficks Doting Office Cadastral Engineer.

6-7181 U. S. GOVERNMENT PRINTING OFFICE: 1830