## MINERAL SURVEY No. 4178

Arizona Land District				
FIELD NOTES  OF THE SURVEY OF THE MINING CLAIM OF				
John P. Terry				
KNOWN AS THE				
Beta				
Turkey Creek Mining District,  Yavapai County, Arizona, Appox, in				
Yarapai County, Arizona, Appox, in				
Section 28 , Township 12 N , Range / M , unsurve	yec			
Surveyed under instructions dated Oct 24th, 1934				
By J. Menuth U. S. Mineral Surveyor.				
Claim located See Jocation Notice, 19				
Survey commenced Oct 28, 1934				
Survey completed Nov. 2, 1934				
Address of claimant Cornick and Carr Attorneys, Prescott, Arizona.				
DATES OF AMENDED LOCATIONS				
See location Notice.				
U. S. GOVERNMENT PRINTING OFFICE: 1927				

Feet

TOTHES

Mineral Survey No. 4178 was made with a Lietz Transit No. 10256, Model No. 11E, with horizontal limb 5 ins. diam., having two double opposite verniers, and full vertical circle 4 ins. diam., having one double vernier; the verniers read to one minute of arc; a prismatic eye piece with colored glass shade was attached to the eye piece of the transit for the solar observations. The instrument was in good condition at the time of the survey and all adjustments were in good order. An A. M. altitude observation of the sun for time and azimuth, and at noon on the meridian for latitude, were made at the point of beginning, the details of which observations are shown in the calculation sheets herewith submitted for examination. All azimuths in this record are referred to the true meridian thus determined, by the method of deflection angles and calculated courses.

The lines were measured with a Lufkin steel tape 500 feet in length, graduated every foot, the first foot being graduated to tenths and hundredths.

All lines and connections of this survey were run

by direct methods.

The magnetic variation observed at each corner of the survey gave a uniform value of 14°00'E.

#### BETA LODE

Beginning at Cor. No. 1 of the Beta Lode, which agrees with a corner of the location, where I

Set a schist stone, 7x7x24 ins., 12 ins. in the ground for Cor. No. 1, mkd. X B-1-4178; from which

The Initial Point Mineral Monument, Turkey Creek
Mining district, bears S. 60° 45' E., 6396.75 ft.
dist., a granite boulder 2x3x3 ft. above ground
marked and witnessed as described in the official record.

Cor. No. 2 Sur. No. 4103 Hearthstone Lode bears S. 55° 36' 20" W., 437.35 ft. dist.

A juniper tree, 24 ins. diam. bears N. 76° 36' E. 26.10 ft. dist. mkd. X-B-1-4178 B.T.

#### Thence S. 39° 38' W.

417.03 Intersect line 1-2 Sur. No. 4103 Hearthstone Lode at a point from which Cor. No. 2 bears N. 52° 00' W 120.40 ft. dist.

1480.52 Cor. No. 2 - - - - - - - - - and ared sets as toll

Agrees with a corner of the location.

On a schist stone in place, exposed 14x20x4 ins. above ground, point for Cor. No. 2 Mkd. X-B-2-4178; from which

No local bearing objects or bearing trees baseand pavavailable. allo add to ... f

## In calling a conserved Thence N. 44° 25' W. william Moord

300.00 The south end center, agreeing with the south end center of the location, being a mound of stones 3 ft. base, 3 ft. high.

l certify that the value of the labor and improvement made appn or the benefit act of the local locate four epoches in a said mining claim by the implement or his grantors is not less than 150 1.00, and said improvements consisting:

rathes ons lebol also ent to finds gravemin ent

#### Survey No. 4178

	Survey No. 4170
Feet 600.00	Cor. No. 3 w sam asw SVIA .oN yevrod levented
ins.	Agrees with a corner of the location.
vernier;	Set a schist stone 6x10x24 ins., 12 ins. in the ground for Cor. No. 3 mkd. X-B-3-4178 from which
etil etil	No local bearing objects or bearing trees available.
uth,	Thence N. 39° 38' E.
1480.52	Cor. No. 4 distant and antinged to filled and
4	On line 4-1 Goodwin Lode Lot No. 37.
000 30	Set a malpais stone 6x12x24 ins., 12 ins. in the ground for Cor. No. 4, mkd. X-B-4-4178 from which
	Cor. No. 1 Goodwin Lode Lot No. 37, bears  N. 44° 25' W. 130.68 ft. dist.  No local bearing objects or bearing trees  available.
	Thence S. 44° 25' E.
300.00	The north end center, agreeing with the north end center of the location, being a mound of stones 3 ft. base, 3 ft. high.
346.51	point from which Cor. No. 2 bears S 23° 12' W.
415.42	Cor. No. 4 Goodwin Lode Lot No. 37.
600.00	Cor. No. 1, and place of beginning.
273	debod and rank iso Lone line ing S .ch . 100
6' E.	The presumed course of the vein of the lode location embraced in this survey, counted from the point of discovery is as follows:
a Ja	Beta Lode, N. 39° 38' E., 55 ft. and S. 39° 38' W.,  1425.52" ft. 3014
	Total area Beta Lode 20.283
	Area in conflict with -= daily seemal
2-4178;	LOCATION LOCATION LOCATION 1.829
	This survey is located approximately in Sec. 28, T. 12 N., R. 1 W., of the Gila and Salt River Base and Meridian, unsurveyed, Yavapai County, Arizona, Turkey Creek mining district, within the Prescott National Forest.
6	one disca out diw aniesta agreeing with the south end center of the OC\$ \$500 end of south end of stones and of sto

I certify that the value of the labor and improvement made upon or for the benefit of the lode location embraced in said mining claim by the claimant or his grantors is not less than \$500.00, and said improvement consists of:

No. 1 The discovery shaft of the Beta lode, the center

of which being the discovery point is on the center line S. 39° 38' W. 55 ft. from the center of line 4-1, 4x6x52 ft., value \$600.00.

No portion of, or interest in, this improvement has been credited heretofore as patent expenditure to any lode claim.

#### OTHER IMPROVEMENTS

A frame house, the south east corner of which bears N. 9° 30' W. 225 ft. from Cor. No. 2, Beta Lode, 34x14 ft. in size, the long side bears S. 81° W. claimant herein.

### OTHER CORNER DESCRIPTIONS

Sur. No. 4103 Hearthstone Hode; corners 1 and 2 are porphyry stones firmly set and properly marked. Cor. No. 3 is a granite stone firmly set properly marked.

Line 2-3 was found to be approximately correct as approved, line 1-2 was found to be correct as approved.

Lot No. 37 Goodwin Lode

Cor. No. 1 is a malpais stone firmly set mkd. X-G-No.1

Cor. No. 4 is a quartz stone, loose but apparently still in place, mkd. X-G-No.4.

RICHARD L. MERRITT
U. S. Mineral Surveyor
Prescott, Arizona



## FINAL OATHS FOR SURVEYS

## LIST OF NAMES

A list of the names of the individuals emplo	oyed by E.L. Merritt				
United States Mineral Surveyor, to assist in ru	unning, measuring, and marking the lines	, corners, and			
boundaries described in the foregoing field notes	s of the survey of the mining claim of				
John P. Terry					
known as the Beta					
and showing the respective capacities in which they acted.					
	Fraser Mc Kay,	Chainman.			
	, c	Thainman.			
	·, 4	Axman.			
	, Б	Flagman.			
FINAL OATHS	OF ASSISTANTS				
We, Fraser Mc Kay					
and,					
R.L. Merritt, United States I	Mineral Surveyor, in marking the corners a	and surveying			
the boundaries of the mining claim of Joh.					
known as the Beta					
represented in the foregoing field notes as havin	ng been surveyed by said mineral surveyor a	and under his			
direction; and that said survey has been in all res	spects, to the best of knowledge and beli	ief, faithfully			
and correctly executed, and the corner and boundar	ry monuments established according to law ar	nd the instruc-			
tions furnished by the Office Cadastral Engineer at Phoenix Arizona					
	Graser me Kay,	Thainman.			
	, c				
	, A	lxman.			
	, F	<i>'lagman</i>			
Subscribed and sworn to by the	he above-named persons before me this	75			
day of No.Y.  day of					
Expires April on	Kairten				
1, 1987,	ne above-named persons before me this	elie			
GOVE	CRUMENT PRINTING OFFICE	6—1048			

## FINAL OATH OF U. S. MINERAL SURVEYOR

I, R.L. Marritt U. S. Mineral Surveyor,				
do solemnly swear that, in pursuance of instructions received from the Office Cadastral				
Engineer, at Phoenix Arizona, dated Oct. 2411934,				
I have, in strict conformity to the laws of the United States, the official regulations				
and instructions thereunder, and the instructions of said Office Cadastral Engineer,				
faithfully and correctly executed the survey of the mining claim of John P				
Terry, known as the				
Beta,				
situate in Turkey Creek Mining District,				
Javapai County, Arizona, in Section				
28 Approx, Township No. 12N, Range No. 1 W Unsurveyed				
and designated as Survey No. 4178 , as represented				
in the foregoing field notes, which accurately show the boundaries of said mining claim				
as distinctly marked by monuments on the ground, and described in the attached copy of				
the location certificate, which was received by me from the Office Cadastral Engineer				
with said instructions, and that all corners of said survey have been established and				
perpetuated in strict accordance with the law, official regulations and instructions				
thereunder; and I do further solemnly swear that the foregoing are the true and original				
field notes of said survey and my report therein, and that the labor expended and im-				
provements made upon said mining claim by claimant or 615				
grantors are as therein fully stated, and that the character, extent, location, and				
itemized value thereof are specified therein with particularity and full detail, and				
that no portion of said labor or improvements so credited to this claim has been in-				
cluded in the estimate of expenditures upon any other claim.				
Dofm (11				
(U. S. Mineral Surveyor)				
Subscribed and sworn to by the said R. L. Merritt				
U. S. Mineral Surveyor, before me				
this 7 <sup>th</sup>				
day of Nov. 1934				
My Commission Expires April 27, 1990  Motary public				
Mu Commission Expires April 27, 1932  Motary Defelic				
1.239				

## OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

# Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona		
	November 21 , 19 34	
I, Office Cadastral Enginee	r at Phoenix, Arizona	
do hereby certify that the forego	oing transcript of the Field Notes, return and approval of the survey	
of the mining claim of	John P. Terry	
	Pote lode	
	Beta lode	
	Turkey Creek	
	pai County Arizona	
	ship No. 12 North , Range No. 1 West, unsur. , and	
designated as Survey No4	, has been correctly copied from the originals on file in	
this office; that said Field Note	es furnish such an accurate description of said mining claim as will, if	
incorporated into a patent, serve	fully to identify the premises, and that such reference is made therein	
to natural objects or permanent	t monuments as will perpetuate and fix the locus thereof.	
I further certify that Five I	Hundred Dollars worth of labor has been expended or improvements	
made upon, or for the benefit	t of, each location embraced in said mining claim by claimant	
John P. Terry	or his grantors,	
and that said improvements con	nsist of	
	shaft - Value \$600.00	
and that no portion of said labor	r or improvements has been included in the estimate of expenditures	
upon any other claim.		
I further certify that the pl	at thereof, filed in the U.S. Land Office at Phoenix,	
Arizona i	s correct and in conformity with the foregoing Field Notes.	
	Sherman C. Fiske,	
	Acting Office Cadastral Engineer.	

U. S. GOVERNMENT PRINTING OFFICE 1896 6-8053

## CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

# UNITED STATES DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE PUBLIC SURVEY OFFICE

At	Phoenix, Arizona			
	November 21 , 1934			
I, Office Cadastral Engineer at Phoenix, Ar	izona			
do hereby certify that the foregoing and hereto attached I	Field Notes and Return of the Survey of the			
Mining Claim of JOHN P. TERR	Y			
	, known as the			
BRTA				
situate in Turkey Creek	mining district,			
<u>Yavapai County,</u>	Arizona			
in Section 28 (Approx.), Township No. 12 No.	rth , Range No. 1 West			
unsurveyed , designated as Survey No. 417	8			
executed by R. L. Merritt	, U. S. Mineral			
Surveyor, October 28 to November 2,	, 19 34, under my instructions dated			
October 24, , 19 34, have	e been critically examined and the necessary			
corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,				
original and a are hereby approved. The certified copies of the location c	emended certificates filed by the applicant for survey are			
on file in this office and true copies of said certified copies	es of said location certificates are included and			
made a part of the transcript of the field notes.				
She	rman G. Fiske			
	Acting Office Cadastral Engineer.			

6-7181 U. S. GOVERNMENT PRINTING OFFICE: 1886