## MINERAL SURVEY No. 4181

		***************************************				
		ARIZONA	<i>L</i> o	and District		
		FIELD NO	OTES			
	OF THE	SURVEY OF THE	MINING CLA	IM OF		
		ARTHUR R.	CURLEE			
		KNOWN AS	THE			
		ROME ]	Lode			
		HASSAYAMPA		Min	ing Distric	t.
	YAYAPAI					
	29⊆32 , Te					
Survey	ed under instruc	tions aatea	3 <u>7 14)</u>	, 19		
		By J	WILLIAM			
				U. S. M11	ieral Surveyo	or.
	Claim located	July 1,		. 19 27		
	Survey commen					
	Survey complete					
	Address of claim			is Attys rust Bldg.		Ariz
	DA	TES OF AMENDED				
	A:	pril 29,1935				
822				T 4 doll		

2

Feet

Mineral Survey No. 4181 was made with a Lietz Light Mountain transit No. 9503, Model No. 9, with horizontal limb 5 ins. diam., having two double opposite verniers, and full vertical circle 5 ins. diam., having double opposite verniers; the horizontal verniers reading to thirty seconds of arc, and the vertical verniers reading to one minute of arc; the eye piece is fitted to receive a prismatic eye-piece suitable for making direct observations upon the sun. This instrument is also equipped with a Saegmuller Solar attachment for making observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order. Altitude observations of the sun for azimuth, and at noon on the meridian for latitude were made, the details of which observations are shown in the calculation sheets herewith submitted for examination. All azimuths in this record are referred to the true meridian thus determined, by the method of deflection angles and calculated courses.

The lines were measured with a 1/8 inch steel tape 500 feet in length, graduated every foot; having been compared with a steel standard tape at the time of beginning

the survey, and found correct.

All lines and connections of this survey were run by direct methods. The magnetic variation observed at each corner of the survey gave a uniform value of 15° 00' E.

ROME LODE.

Beginning at Cor. No. 1 of the ROME lode -

A granite rock in place, 24x36 ins., 12 ins. above the ground, for Cor. No. 1, mkd. X-R-1-4181; and raise a mound of stone alongside; from which

The 1/4 sec. cor. of secs. 29 and 32, T. 13 N., R. 2 W., G. & S.R.B.& M., bears N. 62 15 W., 531.3 ft. dist.; an iron post, 1 in. diam., 10 ins. above ground, firmly set, marked and witnessed as described in the official record.

No other bearings available.

Thence S. 10° 14' W.

299.6 East end center, being a mound of stone.

599.6 Cor. No. 2

A granite rock in place, 14x24 ins., 12 ins. above the ground, for Cor. No. 2, mkd. X-R-2-4181; and raise a mound of stone alongside; from which

A granite rock in place, 30x48 ins., 24 ins. above the ground, bears S. 85° 23'W., 23.7 ft. dist., mkd. XBR-R-2-4181.

Thence N. 79° 28' W.

170.0 County highway, bears N. and S.

370.0 Indian Creek, 14 ft. wide, course S.

1487.5 Cor. No. 3

. 50

Set a granite stone, 30x10x6 ins., 16 ins. in the ground, surrounded by a mound of stone to top, for Cor. No. 3, mkd. X-R-3-4181; and raise a mound of stone alongside, from which

T. S. HOVERNMENT PRINTING OFFICE: 1821 G-8155

2.

3

MINERAL	SURVEY	NO.	4181,	ARIZONA
				and the second second second second second

	THERET SOUNDED THOS ALOES THE TOWN
Feet	A granite rock in place, 30x36 ins., 36 ins. above the ground, bears N. 61: 30' E., 15.0 ft. dist., mkd. XBR-R-3-4181.
00 THE	Thence N. 10° 14° E.
300.0	West end center, being a mound of stone.
568.7	Intersect the line bet. secs. 29 and 32, at a point from which the 1/4 sec. cor. of said secs., bears N. 89° 40' E., 997.3 ft. dist.; hereinbefore described.
599.8	Cor. No. 4.
elritished elritish end e -iplas an	Set a granite stone, 30x12x12 ins., 16 ins. in the ground, surrounded by a mound of stone to top, for Cor. No. 4 mkd. X-R-4-4181; and raise a mound of stone alongside, from which
COC NIS -1 MANGE NO STERNING	The 1/4 sec. cor. of secs. 29 and 32, bears 5. 88° 34' E., 992.5 ft. dist.; hereinbefore described
wit move	No other bearings available.
doco 3 L P	Thence S. 79° 27' 30" E.
162.0	Intersect the line bet. secs. 29 and 32, at a point from which the 1/4 sec. cor. of said secs. bears N. 89° 40' E., 832.5 ft. dist.; hereinbefore described
1117.5	Indian Creek, 14 ft. wide, course S.
1178.5	County highway, bears N. and S.
1487.5	Cor. No. 1 and place of beginning.
	LODE LINE.
as Longi	The presumed course of the vein of the lode location embraced in this survey, counted from the point of discovery, is as follows:
	N. 79° 28' W., 575.5 ft.; and S: 79° 28' E., 912.0 ft.
	AREAS.
	Total area, Rome lode 20.478
	Area in conflict with -
n ongo	Patented Homestead Entry No. 200 in Sec. 29 0.578
	LOCATION.
	This survey is located in the SE4SW4 of Sec. 29, the NW4NE4 (Lot No. 5), and NE4NW4 (Lot No. 7) of sec. 32, of T. 13 N., R. 2 W., G. & S.R.B.& M., Yavapai County, Arizona; in the Prescott National Forest.
	The survey of the Rome lode is identical with the amended location thereof as marked on the ground. The discrepancies found existing between the claim as marked by the location corners and as described in the amended location notice are due to errors in said amended location notice.
· ·	Their figures at the control of the
THE PROPERTY OF THE PARTY OF TH	

4

0.875 +

## MITERAL SURVEY NO. 4181, ARIZONA

### EXPENDITURE OF \$500.

I certify that the value of the labor and improvement made upon or for the benefit of the lode location embraced in this mining claim by the claimant or his grantors is not less than \$500, that said improvement consists of:

#### No. 1

The discovery shaft of the Rome lode; the center of which being the discovery point, is on the lode line 575.5 ft. from the West end center; 4x6 ft., 48 ft. deep. Value, \$720.00

#### OTHER IMPROVEMENTS.

A frame house, the NE. corner of which bears N. 88° 00'W. 440 ft. from Cor. No. 1; 20x20 ft. in size.

ALC: NO

2300 E. (1014). C. T. (1014) 22 12 14 COULT IN BEET CAR TW TO THE WORLD TO BE COME. WET TO STATE WEEVOUGHT OF THE COME. THE WORLD STATE OF THE COME. THE COME. THE COME. TO STATE OF THE COME. THE COME. THE COME. 

## FINAL OATHS FOR SURVEYS

## LIST OF NAMES

A list of the names of the in	ndividuals employed by J. William Waara
Inited States Mineral Surveyor	r, to assist in running, measuring, and marking the lines, corners, and
oundaries described in the foreg	going field notes of the survey of the mining claim of
A	rthur R.Curlee
nown as the ROME	lode
nd showing the respective capac	cities in which they acted.
	Robert Waara , Chainman.
	, Chainman.
	, Axman.
	, Flagman.
	· · · · · · · · · · · · · · · · · · ·
FINAL	L OATHS OF ASSISTANTS
	T
<b>Ka</b>	, do solemnly swear that wassisted J. William
Waara	, United States Mineral Surveyor, in marking the corners and surveying
he boundaries of the mining cla	aim of Arthur R.Curlee
	3 - 3 -
	e lode
epresented in the foregoing field	d notes as having been surveyed by said mineral surveyor and under his
irection; and that said survey h	has been in all respects, to the best of our knowledge and belief, faithfully
nd correctly executed, and the co	orner and boundary monuments established according to law and the instruc-
ions furnished by the Office Cade	astral Engineer, at Phoenix Arizona.
	Robert Wasia, Chainman.
	, Chainman.
	, Awman.
	, Flagman
	and sworn to by the above-named persons before me this
day of	June , 19 35
	L.C. Javer
t commission expires.	Notary Public
	GOVERNMENT PERTING OFFICE 6-1048

1/10/37.

## DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE

## FINAL OATH OF U. S. MINERAL SURVEYOR

I, J.William Waara	, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instr	
Engineer, at Phoenix Arizona.	
I have, in strict conformity to the laws of t	
and instructions thereunder, and the instruc	
faithfully and correctly executed the survey	
Arthur R.Cu	
ROME	
situate in Hassayampa	
Yavapai County,	
29-32 , Township No. 13	
and designated as Survey No4181	
in the foregoing field notes, which accurately	
as distinctly marked by monuments on the grou	
the location certificate, which was received	
with said instructions, and that all corners	
perpetuated in strict accordance with the la	
thereunder; and I do further solemnly swear that	at the foregoing are the true and original
field notes of said survey and my report ther	rein, and that the labor expended and im-
provements made upon said mining claim by clai	mant or <u>his</u>
grantors are as therein fully stated, and the	nat the character, extent, location, and
itemized value thereof are specified therein	
that no portion of said labor or improvements	s so credited to this claim has been in-
cluded in the estimate of expenditures upon an	y other claim.
	M. 00 /
	William Waard: (U. S. Mineral Surveyor)
Subscribed and sworn to by the said J.Willi	
U. S. Mineral Surveyor, before me	Bauer
	this 29
day of June , 1935	7
	FC, Bauer
y commission expires.	Notary Public
1/10/37	

## OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

## Department of the Interior

PUBLIC SURVEY OFFICE

		Phoeni	x, Ariz	ona	
			July	22	, 19 35
I, Office Cadastral	Engineer Shern				
do hereby certify that t					
of the mining claim of.	Arthur R.	Curlee			
known as the	ROME				
situate in	Hassa	yampa			***************************************
Mining District	Yavapai		County	Ar	izona
in Sections 29 & 32					
designated as Survey No	o. <u>4181</u>	, has been co	orrectly cop	ied from the	originals on file in
this office; that said Fie					
incorporated into a pater					
to natural objects or per					
I further certify that					
made upon, or for the					
Arthur R. Cui	clee	or	his		grantors
and that said improvement	ents consist of				
	l shaft	- Value	\$720.00		
***************************************					
		•			
and that no portion of sai	d labor or improven	nents has been	included in	the estimate	of expanditures
pon any other claim.					or empondatures
I further certify that	the plat thereof, file	ed in the U. S	S. Land Off	ice at Pho	enix,
Arizona	is correct and	in conformity	with the f	oregoing Field	l Notes.
		Sherma	an C. Fi	ske	1.1
			Acting	Office Cadasi	tral Engineer.

# CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

# UNITED STATES DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE PUBLIC SURVEY OFFICE

		At Pho	enix,	Arizona	
			July	22	, 1935
I, Office Cadastral Engineer at	Phoen	ix, Arizo	na		
do hereby certify that the foregoing an	d hereto atta	ched Field N	Notes and	Return of t	the Survey of the
Mining Claim of	Arthur I	?. Curlee	L		
					, known as the
	ROME	lode			
situate in	Hassayamp	)a			mining district,
Yavapai	Cou	nty		Arizo	ma
in Sections 29 and 32 , Tow					
designated as Su	rvey No	4181			
executed by	aara				, U. S. Mineral
Surveyor, June 26			, 1935, u	nder my in	structions dated
May 14	, 1935	, have been	critically e	examined a	nd the necessary
corrections and explanations made, and	the said Field	l Notes and l	Return, an	d the Surv	ey they describe,
are hereby approved. The certified cop	oy of the loca	tion certificat	te filed by	the applica	ant for survey is
on file in this office and a true copy of	said certified	l copy of said	d location	certificate	is included and
nade a part of the transcript of the field	d notes.				
		Sherman	uma	n 6-	stral Engineer

6-7181 U. S. GOVERNMENT PRINTING OFFICE: 1830

#### UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

M.S. 4181

#### NOTICE OF CANCELLATION OF MINERAL SURVEY

The Rome lode, Mineral Survey No. 4181, located in sections 29 and 32, Township 13 North, Range 2 West, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Rome lode, M.S. 4181, was canceled June 30, 2008, by memo 9605 (956) M.S. 4181, which is now a part of the original field notes."

June 30, 2008 Date

Stephen K. Hansen Chief Cadastral Surveyor of Arizona