

MINERAL SURVEY No. 4226Arizona Land District

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Albert de Marconnay

KNOWN AS THE

Emporia, Poca, Manhattan, El Nobo  
and Jester Nodes, Hassayampa Mining District,  
Yavapai County, ArizonaSections 27, 34 & 35, Township 13 N, Range 2 WSurveyed under instructions dated Feb. 21<sup>st</sup>, 1940By Richard L. Merritt  
Mineral Surveyor. G.L.O.Claim located See location Notices, 19Survey commenced Feb. 22, 1940Survey completed Mar 20, 1940Address of claimant's Patterson & Eastold Attorneys  
P.O. Box 67 - Prescott, Arizona.

DATES OF AMENDED LOCATIONS

See location notices.

## Mineral Survey No. 4226 Arizona

(8)

Feet

Mineral Survey No. 4226 was made with a Lietz Transit No. 10256, model No. 11 E, with horizontal limb 5 ins. diam., having two double opposite verniers, and full vertical circle 4 ins. diam., having one double vernier; the verniers read to one minute of arc; a prismatic eye piece with colored glass shade was attached to the eye piece of the transit for the solar observations. The instrument was in good condition at the time of the survey and all adjustments were in good order. A noon altitude observation on the meridian was made for time and latitude, and a P. M. altitude observation for azimuth, the details of which observations are shown in the calculation sheets herewith submitted for examination. All azimuths in this record are referred to the true meridian thus determined, by the method of deflection angles and calculated courses.

The lines were measured with a Lufkin steel tape 500 feet in length, graduated every foot, the first foot being graduated to tenths and hundredths.

All lines and connections of this survey were run by direct methods.

The magnetic variation observed at each corner of this survey gave a uniform value of  $14^{\circ} 00' E.$

## EMPORIA LODE.

Beginning at Cor. No. 1 of the Emporia Lode, which agrees with the corner of the location, where I

Set a granite stone, 27x12x7 ins., 16 ins. in the ground/for Cor. No. 1, mkd. X-E-1-4226; from which

The quarter <sup>Sec.</sup> cor. between secs. 34 and 35, T. 13 N., R. 2 W., G. and S. R. B. and M., bears S.  $00^{\circ} 21' W.$ , 357.96 ft. dist.; an iron pipe one in. diam., with brass cap, 12 ins. above ground, firmly set, marked and witnessed as described in the official record.

Cor. No. 1 Lost Chance lode, Survey No. 2129 bears S.  $34^{\circ} 39' E.$ , 96.4 ft. dist.

A pine tree 16 ins. diam., bears S.  $31^{\circ} 53' E.$ , 37.06 ft. dist., mkd. X-E-1 B.T. 4226.

A pine tree 24 ins. diam., bears N.  $30^{\circ} 39' W.$ , 49.84 ft. dist., mkd. X-E-1 B.T. 4226.

Thence S.  $57^{\circ} 21' W.$

To intersect the lode line at  
300.00 The south end center, agreeing with the south end center of the location, being a mound of stones 3 ft. base by 3 ft. high.

600.00 Cor. No. 2.

Agrees with a corner of the location

Set a granite stone 26x14x6 ins., 16 ins. in the ground/for Cor. No. 2, mkd X-E-2-4226

An oak tree 8 ins. in diam., bears N.  $33^{\circ} 04' W.$ , 33.2 ft. dist. mkd. X-E-2 B.T. 4226.

A granite rock in place 2x6x2 ft. above the ground bears N.  $53^{\circ} 04' E.$ , 54.53 ft. dist., mkd. X-E-2 B.R. 4226.

Cor. No. 4 Lost Chance lode Survey No. 2129 bears S.  $34^{\circ} 41' E.$ , 131.9 ft. dist.

Thence N.  $32^{\circ} 39' W.$

350.74 Cor. No. 3 Manhattan lode of this survey

650.74 East end center Manhattan lode of this survey.



Survey No. 4226  
(2)

Feet. 950.74	Cor. No. 2 Manhattan lode of this survey
1500.00	Cor. No. 3
	Agrees with the corner of the location
	Set a granite stone 30x12x8 ins., 16 ins. in the ground/for Cor. No. 3 with md. of stone alongside, 3 mkd. X-E-3 P 4-4226
	An oak tree 10 ins., in diam., bears N. 35° 27' E., 34.56 ft. dist. mkd. X-E-3-P-4-4226 B.T.
	A granite rock in place 6x7x7 ft. above the ground bears S. 52° 04' E., 43.12 ft. dist., mkd X-E-3-P 4-4226 B.R.
	Thence N. 57° 21' E.
300.00	To intersect the lode line at The north end center agreeing with the north end center of the location being a mound of stones 3 ft. base by 3 ft. high
600.00	Cor. No. 4
	Agrees with a corner of the location
	Set a granite stone 26x11x9 ins., 16 ins. in the ground,/for Cor. No. 4, with md. of stone alongside, mkd. X-E-4-P-3-4226
	A pine tree 12 ins. diam., bears S. 42° 59' E., 14.14 ft. dist. mkd. X-E-4-P 3-4226 B.T.
	A granite rock in place 8x6x4 ft. above the ground bears N. 9° 49' W., 51.07 ft. dist., mkd. X-E-4-P 3-4226 B.R.
	Cor. No. 3 Jester lode, this survey, bears S. 12° 14' E. 822.13 ft. dist. Thence S. 32° 39' E.
265.95	Intersect line 3-4 Jester lode of this survey at a point from which Cor. No. 3 bears S. 3° 02' E., 580.34 ft.
812.67	Cor. No. 2 El Lobo lode of this survey.
933.50	Intersect line 2-3 Jester lode of this survey at a point from which Cor. No 3 bears S. 86° 58' W., 329.90 ft. dist.
1136.00	The west center end El Lobo lode of this survey.
1459.33	Cor. No. 1 El Lobo lode of this survey
1500.00	Cor. No. 1 and place of beginning.
	EL LOBO LODE
	Beginning at Cor. No. 1 of the El Lobo Lode, which agrees with the corner of the location, where I
	Set a granite stone 25x10x7 ins., 13 ins. in the ground for Cor. No. 1, mkd. X-E.L.-1-4226
	See.
	The quarter corner between secs. 34 and 35, T. 13 N., R. 2 W., G. and S.R. <del>and</del> M., bears S 2° 53' E., 392.69 ft. dist.
	A pine tree 18 ins. diam., bears N. 58° 44' W. 21.4 ft. dist., mkd. X-E.L.-1-4226 B.T.
	A pine tree 24 ins. diam., bears N. 11° 59' W., 30.00 ft. dist., mkd. X-E.L.-1-4226 B.T.
	Thence N. 32° 39' W.
323.33	To intersect the lode line at The west end center, agreeing with the west end center of the location being a mound of stones 3 ft. base and 3 ft. high.

Survey No. 4226  
(3)

4

Feet.	
525.83	Intersect line 2-3 Jester Lode of this survey at a point from which Cor. No. 2 bears N. 86° 58' E., 270.10 ft. dist.
646.66	Cor. No. 2 Agrees with the corner of the location Set a granite stone 27x12x8 ins., 16 ins. in the ground with md. of stone alongside, mkd. X-E.L.-2-4226. A granite rock in place 3x3x2 ft. above the ground bears N. 18° 49' W., 44.27 ft. dist.; mkd. X-E.L.-2-4226 B.R. An oak tree 10 ins. diam., bears N. 64° 13' W., 45.90 ft. dist mkd. X-E.L.-2-4226 B.T. Cor. No. 2 Jester lode, this survey, bears S. 75° 22' E. 346.14 ft. dist. Thence N. 79° 15' E.
332.83	Intersect line 1-2 Jester Lode of this survey at a point from which Cor. No. 2 bears S. 3° 02' E., 149.74 ft. dist.
<del>414.16</del>	<del>Intersect line between secs. 34 and 35 at a point from which the quarter corner between 34 and 35 bears S. 2° 09' 40" W., 1015.78 ft. dist.</del>
1237.00	Center County road bears S. 56° 43' W., and N. 56° 43' E.
1500.00	Cor. No. 3 Agrees with corner of the location Set a granite stone, 27x14x8 ins., 16 ins. in the ground, with md. of stone alongside, mkd X-E.L.-3-4226 A pine tree 20 ins. diam., bears N. 18° 51' E., 3.05 ft. dist., mkd. X-E.L.-3-4226 B.T. A pine tree 16 ins. diam., bears S. 66° 56' W., 37.92 ft. dist., mkd. X-E.L.-3-4226 B.T. Thence S. 32° 39' E. To intersect the lode line at
323.33	The east end center, agreeing with the east end center of the location being a mound of stones 3 ft. base and 3 ft. high.
646.66	Cor. No. 4 Agrees with the corner of the location Set a granite stone 24x12x5 ins., 16 ins. in the ground with md. of stone alongside, mkd. X-E.L.-4-4226 A granite rock in place 3x7x5 ft. above ground, bears N. 3° 44' W., 19.2 ft. dist., mkd. X-E.L.-4-4226 B.R. A granite rock in place 3x3x3 ft. above ground, bears S. 10° 02' W., 25.6 ft. dist., mkd. X-E.L.-4-4226 B.R. Thence S. 79° 15' W.
930.00	Center County road bears S. 7° 32' E. and N. 7° 32' W.
<del>1464.58</del>	<del>Intersect line between secs. 34 and 34, at a point from which the quarter corner between secs. 34 and 35, bears S. 2° 09' 40" W., 399.09 ft. dist.</del>
1500.00	Cor. No. 1 and the place of beginning.



Survey No. 4226  
(4)

Feet.	JESTER LODE.
	<p>Beginning at Cor. No. 1 of the Jester Lode, which agrees with the corner of the location, where I</p> <p style="text-align: right;">with md. of stone alongside,</p> <p>Set a granite stone 30x12x7 ins., 16 ins. in the ground/for Cor. No. 1, mkd. X-J-1-4226</p> <p>The corner of secs. 26, 27, 34 and 35, <sup>T.13 N., R.2 W.</sup> bears N. 31° 46' E., 415.00 ft. dist.</p> <p>An iron pipe 1½ ins. diam., with brass cap, 14 ins. above the ground firmly set, mkd. and witnessed as described in the official record.</p> <p>A granite rock in place 4x6x3 ft. above the ground, bears N. 60° 33' E., 23.05 ft. dist., mkd. X-J-1-4226 B.R.</p> <p>A granite rock in place 4x6x3 ft. above the ground, bears S. 76° 39' E., 28.53 ft. dist., mkd. X-J-1-4226 B.R.</p> <p style="text-align: center;">Thence S. 3° 02' E.</p>
1350.26	Intersect line 2-3 El Lobo Lode of this survey at a point from which Cor. No. 2 bears S. 79° 15' W., 332.83 ft. dist.
1500.00	<p>Cor. No. 2</p> <p>Agrees with a corner of the location</p> <p style="text-align: right;">with md. of stone alongside,</p> <p>Set a granite stone 24x12x6 ins., 16 ins. in the ground/for Cor. No. 2, mkd. X-J-2-4226.</p> <p>An oak tree 10 ins. diam., bears N. 87° 18' E., 8.41 ft. dist., mkd. X-J-2-4226 B.T.</p> <p>A pine tree 16 ins. diam., bears S. 81° 18' W., 16.40 ft. dist., mkd. X-J-2-4226 B.T.</p> <p style="text-align: center;">Thence S. 86° 58' W.</p>
270.10	Intersect line 1-2 El Lobo Lode of this survey at a point from which Cor. No. 2 bears N. 32° 39' W., 120.83 ft. dist., also
270.10	Intersect line 4-1 Emporia Lode of this survey at a point from which Cor. No. 4 bears N. 32° 39' W., 933.50 ft. dist.
300.00	<p>To intersect the lode line at</p> <p>The south end center, agreeing with the south end center of the location, being a mound of stones 3 ft. base by 3 ft. high.</p>
600.00	<p>Cor. No. 3</p> <p>Agrees with a corner of the location.</p> <p style="text-align: right;">with md. of stone alongside,</p> <p>Set a granite stone 24x12x7 ins., 16 ins. in the ground/mkd. X-J-3-4226.</p> <p>A pine tree 20 ins. diam., bears S. 80° 26' W., 38.68 ft. dist., mkd. X-J-3-4226 B.T.</p> <p>An oak tree 10 ins. diam., bears N. 50° 19' W., 23.60 ft. dist., mkd. X-J-3-4226 B.T.</p> <p style="text-align: center;">Thence N. 3° 02' W.</p>
580.34	Intersect line 4-1, Emporia Lode of this survey at a point from which Cor. No. 4 bears N. 32° 39' W., 265.95 ft. dist.
1500.00	<p>Cor. No. 4</p> <p>Agrees with a corner of the location.</p>

Survey No. 4226  
(6)

Feet.	location.
600.00	<p>Cor. No. 4 which is identical with Cor. No. 3, Emporia Lode of this survey, and agrees with a corner of the location.</p> <p>Thence N. 28° 39' W.</p>
1500.00	<p>Cor. No. 1 and the place of beginning .</p> <p style="text-align: center;">MANHATTEN LODE.</p> <p>Beginning at Cor. No. 1 of the Manhattan Lode which agrees with a corner of the location, where I</p> <p>Set a granite stone 24x12x7 ins., 16 ins. in the ground/for Cor. No. 1, with md. of stone alongside, mkd. X-M-1-4226</p> <p>The quarter <sup>Sec.</sup> corner at the center of sec. 34 bears N. 78° 35' W., 336.19 ft. dist.,</p> <p>an iron pipe 1½ ins. diam., with brass cap, 15 ins. above the ground, firmly set, mkd. and witnessed as described in the official record.</p> <p>A granite rock in place 3x6x4 ft above the ground bears N. 55° 18' E., 23.90 ft. dist., mkd. X-M-1-4226 B.R.</p> <p>An oak tree 10 ins. diam., bears S. 73° 03' E., 23.72 ft. dist., mkd. X-M-1-4226 B.T.</p> <p>Thence N. 57° 21' E.</p>
1500.00	<p>Cor. No. 2</p> <p>On line 2-3 Emporia Lode of this survey, 950.74 ft. from Cor.No.2.</p> <p>Agrees with a corner of the location.</p> <p>Set a granite stone 25x12x6 ins., 16 ins. in the ground/for Cor. No. 2, with md. of stone alongside, mkd. X-M-2-4226</p> <p>A pine tree 14 ins. diam., bears N. 48° 53' E., 15.68 ft. dist. mkd. X-M-2-4226 B.T.</p> <p>A granite rock in place 6x4x3 ft., above the ground, bears S. 15° 53' W., 33.20 ft. dist., mkd. X-M-2-4226 B.R.</p> <p>Thence S. 32° 39' E.</p>
300.00	<p>To intersect the lode line at the east end center agreeing with the east end center of the location, being a mound of stones 3 ft. base by 3 ft. high.</p> <p>On line 2-3, Emporia Lode of this survey, 650.74 ft. from Cor.No.2.</p>
600.00	<p>Cor. No. 3</p> <p>On line 2-3 Emporia Lode of this survey, 350.74 ft. from Cor.No.2.</p> <p>Agrees with a corner of the location</p> <p>Set a granite stone 25x10x8 ins., 16 ins. in the ground/for Cor. No. 3, with md. of stone alongside, mkd. X-M-3-4226</p> <p>An oak tree 14 ins. diam., bears N. 61° 39' W., 9.35 ft. dist., mkd. X-M-3-4226 B.T.</p> <p>A pine tree 24 ins. diam., bears S. 65° 34' E., 39.65 ft. dist., mkd. X-M-3-4226 B.T.</p> <p>Thence S. 57° 21' W.</p>



Survey No. 4226  
(5)

Feet.	
	with md. of stone alongside, Set a granite stone 24x16x6 ins., 16 ins. in the ground/mkd. X-J-4-4226.
	A granite rock in place 6x7x4 ft above the ground, bears N. 89° 26' W., 33.27 ft. dist., mkd X-J-4-4226 B.R.
	A granite rock in place 6x6x4 ft. above the ground, bears S. 00° 02' E. 9.29 ft. dist., mkd. X-J-4-4226 B.R.
	Thence N. 86° 58' E.
300.00	To intersect the lode line at the North end center agreeing with the north end center of the location, being a mound of stones 3 ft. base by 3 ft. high
600.00	Cor. No. 1 and the place of beginning.
	POCO LODE
	Beginning at Cor. No. 1 of the Poco Lode, which agrees with the corner of the location, where I
	Set a granite stone 26x12x8 ins., 16 ins. in the ground/for Cor. No. 1, mkd. X-P-1-4226 with md. of stone alongside,
	The quarter <sup>Sec.</sup> corner between secs. 27 and 34 <sup>T. 13 N., R. 2 W.</sup> bears N. 71° 14' W., 521.58 ft. dist.,
	an iron pipe one in. diam., with a brass cap, 16 ins. above the ground, firmly set, mkd. as described in the official record.
	A granite rock in place 5x2x3 ft. above the ground, bears N. 6° 39' W., 42.37 ft. dist., mkd. X-P-1-4226 B.R.
	A pine tree 26 ins. diam., bears S. 85° 14' E., 20.75 ft. dist. mkd. X-P-1-4226 B.T.
	Thence N. 57° 21' E.
<del>269.62</del>	<del>Intersect section line between secs. 27 and 34 at a point from which the quarter corner between secs. 27 and 34 bears N. 88° 13' 30" W., 721.21 ft. dist.</del>
300.00	To intersect the lode line at The north end center agreeing with the north end center of the location, being a mound of stones 3 ft. base by 3 ft. high
600.00	Cor. No. 2
	Agrees with the corner of the location
	Set a granite stone 26x12x8 ins., 16 ins. in the ground/for Cor. No. 2, mkd. X-P-2-4226 with md. of stone alongside,
	A pine tree 16 ins. diam., bears N. 69° 06' E. 14 ft. dist., mkd. X-P-2-4226 B.T.
	A pine tree 12 ins. diam., bears N. 85° 04' W., 7.6 ft dist., mkd. X-P-2-4226 B.T.
	Thence S. 28° 39' E.
<del>216.60</del>	<del>Intersect sec. line between secs. 27 and 34 at a point from which the quarter corner between secs. 27 and 34, bears N. 88° 13' 30" W., 1103.42 ft. dist.</del>
1500.00	Cor. No. 3 which is identical with Cor. No. 4 Emporia Lode of this survey, and agrees with a corner of the location.
	Thence S. 57° 21' W.
300.00	To intersect the lode line at the South end center, which is identical with the north end center, Emporia Lode of this survey and agrees with the south end center of the



e 8

Survey No. 4226  
(7)

Feet.  
1500.00 Cor. No. 4

Agrees with a corner of the location.

Set a granite stone 26x12x6 ins., 16 ins. in the ground, with md. of stone alongside, mkd. X-M-4-4226.

A granite rock in place. 3x4x3 ft., above ground, bears S. 71° 16' E., 50.00 ft. dist., mkd. X-M-4-4226 B.R.

A pine tree 18 ins. diam., bears S. 15° 14' W., 14.00 ft. dist., mkd. X-M-4-4226 B.T.

Thence N. 32° 39' W.

To intersect the lode line at the  
300.00 West end center agreeing with the west end center of the location,  
being a mound of stones 3 ft. base by 3 ft. high.

600.00 To Cor. No. 4 and the place of beginning.

LODE LINES.

The presumed course of the vein of each of the several lode locations embraced in this survey, counted from the respective points of discovery, is as follows:

Emporia lode, N. 32° 39' W., 400 ft. and S. 32° 39' E., 1100 ft.

El Lobo lode, N. 79° 15' E., 1180 ft. and S. 79° 15' W., 320 ft.

Jester lode, N. 3° 02' W., 1080 ft. and S. 3° 02' E., 420 ft.

Poco lode, N. 28° 39' W., 920 ft. and S. 28° 39' E., 580 ft.

Manhattan lode, N. 57° 21' E., 1275 ft. and S. 57° 21' W., 225 ft.

AREAS.

	Acres.
Total area, Emporia lode	20.661
Total area, Jester lode	20.661
Area in conflict with Emporia lode, this survey	2.198
Total area, El Lobo lode	20.661
Area in conflict with Jester lode, this survey	0.893
Total area, Poco lode	20.611
Total area, Manhattan lode	20.661

LOCATION.

This survey is located in the S.E.  $\frac{1}{4}$  sec. 27, N.E.  $\frac{1}{4}$  sec. 34, S.E.  $\frac{1}{4}$  sec 34, and the N.W.  $\frac{1}{4}$  sec. 35, T. 13 N., R. 2 W., G. and S. R. B. and M., Hassayampa Mining District, Yavapai County, Arizona, within the Prescott National Forest.

EXPENDITURE OF \$500.00

I certify that the value of labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or his grantors is not less than \$500.00, and that said improvements consist of:



Survey No. 4226  
(8)

**EMPORIA**

- No. 1 The discovery cut of the Emporia lode, the mouth of which is on the lode line, S. 32° 39' E. 400.00 ft., from the north end center, 7 ft. wide, 8 ft. face runs N. 49° E., 26 ft. Value \$100.00
- No. 2 A shaft, the center of which bears S. 61° E., 590 ft. from Cor. No. 3, 5x8x14 ft. Value \$100.00
- No. 3 A tunnel, the mouth of which bears S. 56° 11' E., 706 ft. from Cor. No. 3, 4x6x27 ft., Course S. 30° E. Value \$150.00
- No. 4 A shaft, the center of which bears S. 55° 06' E., 810 ft. from Cor. No. 3, 4x7x200 ft. Value \$8000.00
- No. 5 A cut, the mouth of which bears S. 52° 10' E., 822 ft. from Cor. No. 3, 4 ft. wide by 6 ft face runs N. 78° E., 17 ft. Value \$75.00
- No. 6 A cut, the mouth of which bears S. 50° 02' E., 853 ft. from Cor. No. 3, 5 ft. wide by 9 ft. face, runs N. 76° E., 22 ft. Value \$125.00
- No. 7 A shaft, the center of which bears S. 50° 02' E., 919 ft. from Cor. No. 3, 4x7x200 ft. Value \$8000.00

An interest in a common improvement described as follows:

- No. 8 A shaft, the center of which bears S. 49° 45' E., 1085 ft. from Cor. No. 3, 4.5x8x85 ft. deep, timbered.  
Value of shaft \$4500.00  
Value of 1/5 interest 900.00

This improvement is in the course of construction for the development of the five lodes of this survey. The surface is rolling and sinking, drifting and crosscutting affords the most practical and economical means of developing each of the stated lodes at depth.

Five hundred dollars or over has been expended in this improvement in such a manner as tends to the development of this survey subsequent to its location and to the time since which common ownership/contiguity have prevailed; therefore an undivided one fifth interest in its value is hereby credited to each of the lodes of this survey

No portion of, or interest in this improvement, has been credited heretofore as patent expenditure to any lode claim.

**EL LOBO**

- No. 1 The discovery shaft of the El Lobo lode, the center of which is on the lode line 320 ft., from the west end center 5x9 ft., 12 ft. deep. Value \$100.00

**JESTER**

- No. 1 The discovery cut of the Jester lode, the mouth of which is on the lode line 420 ft. from the south end center 4 ft. wide by 6 ft. face, runs east 31 ft. to face. Value \$150.00

**POCO**

- No. 1 The discovery tunnel of the POCO lode, which crosses the lode line 580 ft. from the south end center 4x6 ft. runs S. 54° 15' W., 28 ft to lode line, 38 ft. from mouth, to face. Value \$200.00

- No. 2 A shaft, the center of which is on the lode line 700 ft. from the south end center 4x8 ft., 10 ft. deep. Value \$100.00

**MANHATTEN**

- No. 1 The discovery shaft of the Manhattan lode, the center of which is on the lode line 225 ft. from the west end center, 4x6 ft., 4 ft. deep, caved. Value \$50.00

- No. 2 A shaft, the center of which bears N. 11° 50' E., 392 ft. from Cor. No. 4, 4x6 ft. by 3 ft. deep, caved. Value \$50.00

**OTHER IMPROVEMENTS.**

A frame garage, the southeast corner of which bears N. 20° 30' W., 228 ft. from Cor. No. 2, Emporia lode, 18 by 30ft. in size, the long side bears N. 14° 20' E.

Claimant herein.

A frame house, the southeast corner of which bears N. 12° 45' W., 207 ft., from Cor. No. 2, Emporia lode, 14x40 ft. in size, the long

Survey No. 364226  
(9)

10

side bears N. 20° E.  
Claimant herein.

A frame house, the southeast corner of which bears N. 3° 00' E.,  
222 ft. from Cor. No. 2, Emporia lode 10x12 ft. in size the long side  
bears N. 31° E.  
Claimant herein.

A frame house, the southwest corner of which bears N. 13° 45' E.,  
197 ft., from Cor. No. 2, Emporia lode, 14x18 ft. in size, the long  
side bears N. 44° E.  
Claimant herein.

A frame house the southwest corner of which bears N. 29° 35' E., 160  
ft. from Cor. No. 2, Emporia lode, 14x18 ft. in size, the long side  
bears N. 74° 30' E.  
Claimant herein

A tent house, the southwest corner of which bears N. 40° 50' E.,  
350 ft. from Cor. No. 2, Emporia lode, 12x14 ft in size, the long  
side bears N. 53° 30' W.  
Claimant herein.

A well, the center of which bears N. 21° 45' E., 343 ft. from Cor  
No. 2, Emporia lode, 3 ft diam. x 14 ft. deep.  
Claimant herein

#### OTHER CORNER DESCRIPTIONS

Survey No. 2129, Lost Chance lode: Cors. No. 1 and 4 are granite  
stones, firmly set, and properly marked.

The course and distance from the quarter<sup>Sec.</sup> corner on line between  
secs. 34 and 35 to the corner secs. 26, 27, 34 and 35, are N. 2° 14' 10"  
E., 2702.01 ft., instead of N. 1° 45' E., 2719.2 ft as approved.

The course and distance from the corner to secs. 26, 27, 34 and 35  
to the quarter<sup>Sec.</sup> corner between secs. 27 and 34 are N. 88° 13' 40" W.,  
2631.94 ft., instead of N. 89° 33' W., 2620.86 ft. as approved.

The course and distance from the quarter<sup>Sec.</sup> corner between secs. 27  
and 34 to the center  $\frac{1}{4}$  Sec. Cor. Sec. 34 are S. 1° 46' 20" W., 2690.62 ft., instead  
of S. 1° 28' W., 2704.02 ft. as approved.

I find line 4-1 Sur. No. 2129, Lost Chance lode to be N. 53° 57' 30" E  
599.74 ft. instead of N. 54° 30' E. 600 ft. as approved.

*Richard L. Merritt*  
RICHARD L. MERRITT,  
Mineral Surveyor, G.L.O.,  
Tucson, Arizona



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GENERAL LAND OFFICE

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals employed by Richard L. Merritt  
Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries  
described in the foregoing field notes of the survey of the mining claim of Albert de Marconnay  
known as the Emporia, Poco, Manhattan, El Kobo, and Jester lodes  
and showing the respective capacities in which they acted.

- P. J. McNulty ..... , Chainman.
- Fraser McKay ..... , Chainman.
- ..... , Axman.
- ..... , Flagman.

FINAL OATHS OF ASSISTANTS

We, P. J. McNulty  
and Fraser McKay ..... , do solemnly swear that we assisted Richard  
L. Merritt ..... , United States Mineral Surveyor, in marking the corners and surveying  
the boundaries of the mining claim of Albert de Marconnay

known as the Emporia, Poco, Manhattan, El Kobo and Jester lodes  
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his  
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully  
and correctly executed, and the corner and boundary monuments established according to law and the  
instructions furnished by the Office Cadastral Engineer, at Phoenix Arizona.

- P. J. McNulty ..... , Chainman.
- Fraser McKay ..... , Chainman.
- ..... , Axman.
- ..... , Flagman.

Subscribed and sworn to by the above-named persons before me this 22d  
day of March , 19 40

Maxley Notary Public  
in and for the State of Arizona,  
County of Yavapai

My Commission Expires April 27, 1941.

FINAL OATH OF ~~U.S.~~ MINERAL SURVEYOR, G.L.O.

I, Richard L. Merritt, ~~U.S.~~ Mineral Surveyor, G.L.O.

do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix Arizona, dated Feb. 21<sup>st</sup> 1940,

I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the mining claim of

Albert de Marcannay, known as the Emporia, Peco, Manhattan, Elkobo, and Tester lodes,

situate in Hassayampa Mining District,

Yavapai County, Arizona, in Sections

27, 34, & 35, Township No. 13 N, Range No. 2 W

and designated as Survey No. 4226, as represented

in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his

grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Richard L. Merritt  
(~~U.S.~~ Mineral Surveyor) G.L.O.

Subscribed and sworn to by the said Richard L. Merritt  
~~U.S.~~ Mineral Surveyor, G.L.O., before me R. Allen

a Notary public this 22<sup>d</sup>  
day of March, 1940

My Commission Expires April 27, 1941.

R. Allen  
Notary Public issued  
for the State of Arizona,  
County of Yavapai



OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

United States  
Department of the Interior  
GENERAL LAND OFFICE  
PUBLIC SURVEY OFFICE

Phoenix, Arizona.

May 24, 19 40

I, Office Cadastral Engineer at Phoenix, Arizona,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey  
of the mining claim of

Albert de Marconnay

known as the EMPORIA, POCO, MANHATTEN, EL LOBO, and JESTER lodes  
situate in Hassayampa

Mining District Yavapai County Arizona.

in Sections 27, 34, 35, Township No. 13 N., Range No. 2 W., and

designated as Survey No. 4226, has been correctly copied from the originals on file in  
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if  
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein  
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements  
made upon, or for the benefit of, each location embraced in said mining claim by claimant  
or his grantors,  
and that said improvements consist of 4 cuts, 8 shafts, and 2 tunnels, total value  
\$21,700.

and that no portion of said labor or improvements has been included in the estimate of expenditures  
upon any other claim.

I further certify that the plat thereof, filed in the District Land Office at Phoenix,  
Arizona, is correct and in conformity with the foregoing Field Notes.

Sherman C. Fiske

Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF  
MINING CLAIM

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GENERAL LAND OFFICE  
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

May 24, 1940

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of \_\_\_\_\_

Albert de Marconnay

\_\_\_\_\_, known as the

EMPORIA, POCO, MANHATTEN, EL LOBO, and JESTER lodes

situate in \_\_\_\_\_ Hassayampa \_\_\_\_\_ mining district,

Yavapai County, \_\_\_\_\_ Arizona,

in Sections 27, 34 & 35, Township No. 13 N., Range No. 2 W.

\_\_\_\_\_, designated as Survey No. 4226

executed by Richard L. Merritt, Mineral

Surveyor, February 22 - March 20, 1940, under my instructions dated

February 21, 1940, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

  
Office Cadastral Engineer.



UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)  
BUREAU OF LAND MANAGEMENT M.S. 4226  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The POCO, MANHATTEN, EL LOBO and JESTER lodes, Mineral Survey No. 4226, located in sections 27, 34 and 35, Township 13 North, Range 2 West, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"POCO, MANHATTEN, EL LOBO and JESTER lodes, M.S. 4226, were canceled June 30, 2008, by memo 9605 (956) M.S. 4226, which is now a part of the original field notes."

June 30, 2008  
Date

Stephen V. Hansen  
Chief Cadastral Surveyor of Arizona