

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

MINERAL SURVEY NO. 4243 A & B

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of
H. I. GRIMES
known as the

Consolation No. 8, Consolation No. 12, Native Copper No. 2, Native
Copper No. 7, Native Copper No. 8, Native Copper No. 9, Native Copper
No. 11, Native Copper No. 12, Native Copper No. 13, Native Copper No.
19, Native Copper No. 39, Known As The Native Copper No. 40, Native
Copper No. 41, Native Copper No. 42, Native Copper No. 44, Native
Copper No. 45, Native Copper No. 46, Native Copper No. 47 and Native
Copper No. 48 and Native Copper No. 54 lodes and mill sites
Greenlee Gold Mountain Mining District.

Greenlee County, Arizona.
1, 2, 11 and 12 4 S. 29 E.
Section 6, Township 4 S., Range 30 E. G. & S. R. M.

Surveyed under instructions dated July 8, 19 40.

by Ralph L. Motz
Mineral Surveyor.

Lodes: See back hereof
Claim located Mill sites June 28, 19 40

Survey commenced August 10, 19 40

Survey completed September 15, 19 40

Address of claimant 's attorney, H. Earl Rogge,
Clifton, Arizona.

DATES OF AMENDED LOCATIONS

May 27, 1940.

Feet

A&B

Mineral Survey No. 4243 was made with a Gurley & Sons precise transit, light mountain model, with horizontal limb 6.25 inches in diameter, having double opposite verniers, and full vertical circle 5 inches in diameter, having one double vernier; the verniers read to one minute of arc; the eye piece is equipped with colored glass slide in a prismatic eye piece for making direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order. All azimuths in this record are referred to the true meridian as determined by me in connection with Mineral Survey No. 4224, which adjoins this survey on the northeast, which checks the meridian as determined by me in connection with Mineral Survey No. 4166 which adjoins this survey on the southwest, by the method of deflection angles and calculated courses.

The lines were measured with a Keuffel & Esser steel tape, 100 feet in length, graduated to feet, tenths and hundredths of feet for the entire length; a Keuffel & Esser steel tape, 300 feet in length, graduated to feet, tenths and hundredths of feet for the entire length; a Lufkin steel tape, 25 feet in length, graduated to feet, inches and fractions of inches for the entire length. All tapes were compared with a Lufkin standard at the time of beginning the survey, and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic variation observed at each corner of the survey gave a uniform value of 13° 50' E.

CONSOLATION NO. 12

Beginning at Cor. No. 1 of the Consolation No. 12 lode

Identical with Cor. No. 1 of the Native Copper No. 11 lode of this survey,

A granite rock, 24x14x8 ins., set 16 ins. in the ground for Cor. No. 1, mkd. x C12-1-4243 A; MC11-1-4243; A; from which

A monument of rocks, 4 ft. high, 3 ft. base, bears southerly 3 ft.

A granite rock in place, 36x42 ins., 15 ins. above ground, bears N. 30° 21' W., 6.1 ft., mkd. BR X C12-1-4243 A

Sec. 2, T. 4 S., R. 29 E., G. & S. R. M., bears N. 20° 16' 30" W., 179.35 ft., being an iron pipe with brass cap, properly set and marked as described in the official record.

Thence N. 44° 29' E.;

58.0 Cross Last Chance Gulch, 5 ft. wide, course southeasterly

480.5 Northeast Corner of the Consolation No. 10 lode and southeast corner of the Consolation No. 11 lode, both unsurveyed, being a mound of rocks, 3 ft. high, 3 ft. base

1500.0 Cor. No. 2

Identical with Cor. No. 4 Survey No. 4224 A Exposition No. 5 lode, being

A granite rock, 8x13 ins., 10 ins. above ground, (fer

	to markings, Cor. No. 1, add. x C12-2-4243 A; from which
	A granite ledge, 48x60 ins., 84 ins. above ground bears N. 82° 21' W., 3.6 ft., mkd. BR X C12-2- 4243 A
	A granite ledge, 73x145 ins., 180 ins. above ground bears S. 7° 00' E., 11.5 ft., mkd. BR X C12-2- 4243 A
	Thence S. 45° 31' E.
300.0	Intersect north end of lode line, at original location for the north end center, being a monument of rocks, 3 ft. high, 3 ft. base
600.0	Cor. No. 3 Identical with Cor. No. 3 Exposition No. 5 lode and Cor. No. 4 Exposition No. 3 lode, both of Survey No. 4224 A, and Cor. No. 2 Consolation No. 8 lode of this survey, being
	A granite rock, 9x11 ins., 16 ins. above ground, for Cor. No. 3, mkd. C12-3-4243 A; x C8-2-4243 A; from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears southwesterly 3 ft.
	A granite ledge, 12x37 ins., 61 ins. above ground bears S. 0° 15' E., 5.0 ft., mkd. BR X C12-3- 4243 A
	A granite ledge, 12x48 ins., 58 ins. above ground bears N. 79° 58' W., 12.0 ft., mkd. BR X C12-3- 4243 A
	Thence S. 44° 29' W.,
1355.0	Cross Last Chance Gulch, 10 ft. wide, course southeasterly
1500.0	Cor. No. 4 Identical with Cor. Nos 1 Consolation No. 8 lode, Cor. No. 3 Native Copper No. 44 lode and Cor. No. 2 Native Copper No. 11 lode, all of this survey, where
	A granite rock in place, 8x11 ins., 12 ins. above ground for Cor. No. 4, mkd. x C12-4; C8-1; NC44-3; NC11-2- 4243 A, from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears southeasterly 4 ft.
	A granite rock in place, 25x35 ins., 20 ins. above ground, bears S. 42° 38' W., 9.8 ft., mkd BR X C12- 4-4243 A
	Thence N. 45° 31' W
300.0	Intersect south end of lode line, at original location for the south end center, being a monument of rocks, 3 ft. high, 3 ft. base
600.0	Cor. No. 1 and place of beginning.

MINERAL SURVEY NO. 4243 A - Arizona

3

Feet	CONSOLATION NO. 8
	Beginning at Cor. No. 1 of the Consolation No. 8 lode
	Identical with Cor. No. 4, Consolation No. 12 lode of this survey, from which
	The East $\frac{1}{4}$ Cor. Sec. 2, T. 4 S., R. 29 E., G. & S. R. M., bears N. $39^{\circ} 46' 30''$ W., 766.2 ft., previously described
	Thence N. $44^{\circ} 29'$ E.,
145.0	Cross Last Chance Gulch, 10 ft. wide, course southeasterly
1500.0	Cor. No. 2
	Identical with Cor. No. 3 Consolation No. 12 lode of this survey
	Thence S. $45^{\circ} 31'$ E.,
300.0	Intersect north end of lode line, at original location for the north end center, being a monument of rocks, 3 ft. high, 3 ft. base
600.0	Cor. No. 3
	Identical with Cor. No. 3 Exposition No. 3 lode and Cor. No. 4 Exposition No. 1 lode, both of Survey No. 4224 A, and Cor. No. 3 Survey No. 4239 A Last Chance No. 12 lode, being
	A granite rock, 8x12 ins., 8 ins. above ground, for Cor. No. 3, mkd. x C8-3-4243 A; from which
	A monument of rocks, 3 ft. high 3 ft. base, bears southeasterly 3 ft.
	Thence S. $44^{\circ} 29'$ W.,
1103.0	Cross Last Chance Gulch, 10 ft. wide, course southeasterly
1500.0	Cor. No. 4
	Identical with Cor. No. 2 Survey No. 4239 A Last Chance No. 12 lode, Cor. No. 3 Native Copper No. 2 lode and Cor. No. 4 Native Copper No. 44 lode, both of this survey, being
	An andesite rock, 8x11 ins., 11 ins. above ground, for Cor. No. 4 , mkd. x C8-4-NC2-3-NC4-4-4243A; from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears northerly 2.5 ft.
	A granite rock in place, 23x35 ins., 20 ins. above ground, bears S. $42^{\circ} 37'$ W., 9.8 ft., mkd. BR X C8-4-4243 A.
	Thence N. $45^{\circ} 31'$ W.,
300.0	Intersect south end of lode line, at original location for the south end center, being a monument of rocks, 3 ft. high, 3 ft. base.
600.0	Cor. No. 1, and place of beginning.

6

MINERAL SURVEY NO. 4243 A - Arizona

4

Feet	NATIVE COPPER NO. 11
	Beginning at Cor. No. 1 of the Native Copper No. 11 lode
	Identical with Cor. No. 1 of the Consolation No. 12 lode of this survey
300.0	Thence S. 45° 31' E., Intersect north end of lode line, at original location for the north end center, identical with the south end center of the Consolation No. 12 lode of this survey
600.0	Cor. No. 2 Identical with Cor. No. 4 Consolation No. 12 lode of this survey
	Thence S. 44° 29' W.,
1500.0	Cor. No. 3 Identical with Cor. No. 2 Native Copper No. 44 lode, Cor. No. 4, Native Copper No. 9 lode and Cor. No. 3 Native Copper No. 8 lode, all of this survey, where I
	Set a granite rock, 10x19x30 ins., 20 ins. in the ground for Cor. No. 3, mkd. x NC11-3; NC44-2; NC9-4; NC8-3-4243 A; from which
	A monument of rocks, 4 ft. high, 3 ft. base, bears northeasterly 2.5 ft.
	A granite rock in place, 60x66 ins., 32 ins. above ground, bears S. 67° 15' E., 17.6 ft., mkd. BR X NC11-3-4243 A
	Thence N. 45° 31' W.,
30.0	Cross Consolation Gulch, 10 ft. wide, course southerly
300.0	Intersect south end of lode line, at original location for the south end center, being a monument of rocks, 3 ft. high, 3 ft. base
600.0	Cor. No. 4 Identical with Cor. No. 2 Native Copper No. 8 lode of this survey, where
	A granite ledge, 45x200 ft., 6 ft. above ground, north face, for Cor. No. 4, mkd. x NC11-4; NC8-2-4243 A; from which
	A monument of rocks, 4 ft. high, 3 ft. base, bears southeasterly 3 ft.
	A granite ledge, 14x30 ft., 5 ft. above ground, bears S. 38° 10' W., 21.4 ft., mkd. BR X NC11-4-4243 A
	Thence N. 44° 29' E.,
226.0	Cross Consolation Gulch, 10 ft. wide, course southeasterly
480.5	Northeast Corner Consolation No. 6 lode and Southeast corner Consolation No. 10 lode, both unsurveyed, being a monument of rocks, 3 ft. high, 3 ft. base
1500.0	Cor. No. 1 and place of beginning.

Feet	
	NATIVE COPPER NO. 44
	Beginning at Cor. No. 1 of the Native Copper No. 44 lode Identical with Cor. No. 1 Native Copper No. 9 lode of this survey, being
	A diorite ledge, 12x14 ins., 8 ins. above ground, for Cor. No. 1, mkd. NC44-1 x NC9-1-4243 A; from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears southwesterly 3 ft.
	A granite ledge, 20x30 ft., 8 ft. high, bears N. 45° 31' W., 21.3 ft., mkd. BR X NC44-1-4243 A
	Cor. No. 2 Survey No. 1865 Tip Top lode, Cor. No. 2 Sur. No. 2782 Tip Top lode and Cor. No. 3 Survey No. 1865 Cliff lode bears N. 32° 44' E., 609.1 ft., being a pine post, properly set and marked.
	The Wit. Cor. to Secs. 1 and 12, T. 4 S., R. 29 E., G. & S. R. M. bears S. 30° 57' E., 282.64 ft., being an iron pipe with brass cap, properly set and marked as described in the official record. As of record, this witness corner is S. 0° 18' E. 18 lks. from the true corner point.
	Thence N. 45° 31' W.,
273.67	Intersect line 2-3 Survey No. 1865 Tip Top lode and line 2-3 Survey No. 2782 Tip Top lode at a point from which Cor. No. 2 of both surveys bears N. 58° 34' E., 614.83 ft.
300.0	Intersect south end of lode line, at original location for the south end center, being a monument of rocks 3 ft. high, 3 ft. base
600.0	Cor. No. 2 Identical with Cor. No. 3 Native Copper No. 11 lode of this survey Thence N. 44° 29' E.,
1500.0	Cor. No. 3 Identical with Cor. No. 4 Consolation No. 12 lode of this survey Thence S. 45° 31' E.,
300.0	Intersect north end of lode line, at original location for the north end center, identical with the south end center of the Consolation No. 8 lode of this survey
600.0	Cor. No. 4 Identical with Cor. No. 4 Consolation No. 8 lode of this survey Thence S. 44° 29' W.,
727.0	Cor. No. 2 Native Copper No. 2 lode of this survey, also intersect line 2-3 Survey No. 1865 Cliff lode at a point from which Cor. No. 3 bears S. 79° 34' W., 215.88 ft.
934.8	Intersect lines 3-4 Survey No. 1865 Cliff lode, 1-2 Survey No. 1865 Tip Top lode and 1-2 Survey No. 2782 Tip Top lode, at a point from which Cor. No. 3, Survey No. 1865 Cliff lode, Cor. No. 2 Survey No. 1865 Tip Top lode and

Feet

Cor. No. 2 Survey No. 2782 Tip Top lode bears N. 31° 26' W., 127.93 ft.

1500.0 Cor. No. 1 and place of beginning.

NATIVE COPPER NO. 2

Beginning at Cor. No. 1 of the Native Copper No. 2 lode

Identical with the south end center of this lode, where I

Set a granite rock, 32x12x12 ins., 20 ins. in the ground for Cor. No. 1, mkd. x NC2-1-4243 A and SECT - NC2-4243 A; from which

A monument of rocks, 4 ft. high, 3 ft. base, bears northerly 4 ft.

The original location for the southeast corner, bears S. 23° 16' W., 829.16 ft., being a monument of rocks 3 ft. high, 3 ft. base.

The original location for the south end center bears S. 44° 29' W., 773.0 ft., being a monument of rocks 3 ft. high, 3 ft. base

The Wit. Cor. to ^{Cor. of} Secs. 1 and 12, T. 4 S., R. 29 E., G. & S. R. M. bears S. 46° 16' 30" W., 844.50 ft., previously described

Thence N. 45° 31' W.,

300.0 Cor. No. 2

Situated on line 2-3 Survey No. 1865 Cliff lode at a point from which Cor. No. 3 bears S. 79° 34' W., 215.88 ft. and on line 4-1 Native Copper No. 44 lode of this survey, where I

Set a granite rock, 28x12x6 ins., 18 ins. in the ground for Cor. No. 2, mkd. x NC2-2-4243 A; from which

Cor. No. 2, Sur. No. 1865, Cliff lode, bears N. 79° 34' E., 1204.12 ft.

A monument of rocks, 4 ft. high, 3 ft. base, bears southwesterly 4 ft.

A porphyry rock in place, 27x34 ins., 19 ins. above ground, bears S. 45° 31' E., 5.2 ft., mkd. BR X NC2-2-4243 A

The original location for the S.W. Cor. is identical with Cor. No. 1 Native Copper No. 44 lode of this survey, and bears S. 44° 29' W. 773 ft.

727.0

Cor. No. 3

Thence N. 44° 29' E.

Identical with Cor. No. 4 Consolation No. 8 lode of this survey

Thence S. 45° 31' E.,

300.0

Intersect north end of lode line, at original location for the north end center, being a monument of rocks, 3 ft. high, 3 ft. base.

510.66

Cor. No. 4

Situated on line 2-3 Survey No. 1865 Cliff lode and line 1-2 Survey No. 4239 A Last Chance No. 12 lode, where I

MINERAL SURVEY NO. 4243 A - Arizona

7

	<p>Set a granite rock, 30x14x8 ins., 19 ins. in the ground for Cor. No. 4, mkd. x NC2-4-4243 A; from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears southeasterly 3 ft.</p> <p>A granite rock in place, 35x47 ins., 34 ins. above ground, bears S. 71° 20' E., 8.1 ft., mkd. BR X NC2-4-4243 A</p> <p>Cor. No. 2 Survey No. 1865 Cliff lode, bears N. 79° 34' E., 395.72 ft.</p> <p>Cor. No. 1 Survey No. 4239 A Last Chance No. 12 lode bears S. 45° 31' E., 89.34 ft.</p> <p>The original location for the northeast corner, identical with Cor. No. 1 Survey No. 4239 A Last Chance No. 12 lode bears S. 45° 31' E., 89.34 ft.</p> <p>Thence S. 60° 38' 30" W.,</p>
756.9	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 8
	Beginning at Cor. No. 1 of the Native Copper No. 8 lode
	Identical with Cor. No. 1 Native Copper No. 7 lode of this survey; where I
	Set a granite rock, 29x10x10 ins., 20 ins. in the ground for Cor. No. 1, mkd. x NC8-1, NC7-1-4243 A; from which
	A monument of rocks, 4 ft. high, 3 ft. base, bears northwesterly 2.5 ft.
	A granite rock in place, 24x25 ins., 17 ins. above ground, bears S. 45° 31' E., 5.2 ft., mkd. BR X NC 8-1-4243 A
	Sec. The 1/4/Cor. Secs. 2 and 11, T. 4 S., R. 29 E., G. & S. R. M. bears S. 61° 49' W., 692.46 ft., being an iron pipe with brass cap, properly set and marked as described in the official record.
480.5	Thence N. 44° 29' E.,
	Northeast corner of the Native Copper No. 4 and southeast corner of the Consolation No. 6 lode, both unsurveyed, being a monument of rocks 3 ft. high, 3 ft. base
1500.0	Cor. No. 2
	Identical with Cor. No. 4 Native Copper No. 11 lode of this survey
300.0	Thence S. 45° 31' E.,
	Intersect north end of the lode line, at original location for the north end center, identical with south end center of the Native Copper No. 11 lode of this survey
570.0	Cross Consolation Gulch, 10 ft. wide, course southerly
600.0	Cor. No. 3

10

MINERAL SURVEY NO. 4243 A - Arizona

8

Feet	
	Identical with Cor. No. 3 of the Native Copper No. 11 lode of this survey
	Thence S. 44° 29' W.,
48.0	Cross Consolation Gulch, 10 ft. wide, course southerly
1500.0	Cor. No. 4
	Identical with Cor. No. 3 of the Native Copper No. 9 lode, Cor. No. 1 of the Native Copper No. 13 lode and Cor. No. 2 of the Native Copper No. 7 lode, all of this survey, where I
	Set a granite rock, 27x8x8 ins., 17 ins. in the ground, for Cor. No. 4 , mkd. x NC8-4, NC9-3, NC13-1, NC7-2-4243 A, from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears northwesterly 3.5 ft.
	A granite rock in place, 34x61 ins., 48 ins. above ground, bears S. 37° 32' E., 14.2 ft., mkd. BR X NC8-4-4243 A
	Thence N. 45° 31' W.,
300.0	Intersect south end of lode line, at original location for the south end center, being a monument of rocks, 3 ft. high, 3 ft. base
600.0	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 9
	Beginning at Cor. No. 1 of the Native Copper No. 9 lode
	Identical with Cor. No. 1 of the Native Copper No. 44 lode of this survey, from which
	Cor. No. 3 Survey No. 1865 Tip Top lode and Cor. No. 3 Survey No. 2782 Tip Top lode, bears S. 74° 09' W., 988.1 ft.
	Thence S. 44° 29' W.,
310.0	Cross Consolation Gulch, 15 ft. wide, course southerly
981.27	Intersect line 3-4 Survey No. 1865 Tip Top lode and line 3-4 Survey No. 2782 Tip Top lode at a point from which Cor. No. 3 of both lodes bears N. 31° 26' W., 504.2 ft., also intersect line 3-4 of Native Copper No. 40 lode of this survey
1500.0	Cor. No. 2
	Identical with Cor. No. 2 of the Native Copper No. 13 lode of this survey, where I
	Set an andesite rock, 28x12x8 ins., 16 ins. in the ground for Cor. No. 2 , mkd. x NC9-2, NC13-2-4243 A; from which
	A monument of rocks, 4 ft. high, 4 ft. base, bears northwesterly 3.5 ft.
	An andesite rock in place, 36x46 ins., 29 ins. above ground, bears S. 52° 19' E., 8.6 ft., mkd. BR X NC9-2-4243 A

MINERAL SURVEY NO. 4243 A - Arizona

9

Feet	
	Thence N. 45° 31' W.,
88.05	Intersect line 3-4 of the Native Copper No. 40 lode of this survey, at a point from which Cor. No. 3 bears S. 54° 07' W., 273.75 ft.
300.0	Intersect south end of lode line, at original location for the south end center, being a monument of rocks, 3 ft. high, 3 ft. base.
600.0	Cor. No. 3
	Identical with Cor. No. 4 of the Native Copper No. 8 lode of this survey
	Thence N. 44° 29' E.,
1452.0	Cross Consolation Gulch, 10 ft. wide, course southerly
1500.0	Cor. No. 4
	Identical with Cor. No. 3 of the Native Copper No. 11 lode of this survey
	Thence S. 45° 31' E.,
300.0	Intersect north end of the lode line, at original location for the north end center, identical with south end center of the Native Copper No. 44 lode of this survey
326.33	Intersect line 2-3 Survey No. 1865 Tip, Top lode and line 2-3 Survey No. 2782 Tip, Top lode, at a point from which Cor. No. 3 of both surveys bears S. 58° 34' W., 885.17 ft.
600.0	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 40
	Beginning at Cor. No. 1 of the Native Copper No. 40 lode
	Situated on lines 2-3, Survey No. 1865 Clifton lode and 3-4 Survey No. 1865 Golden Rod lode, where
	a porphyry rock in place, 50x24 ins., 17 ins. above ground, for Cor. No. 1, mkd. x NC40-1-4243 A; from which
	a monument of rocks, 3 ft. high, 3 ft. base, bears southeasterly 4 ft.
	Cor. No. 2 Survey No. 1865 Clifton lode bears N. 63° 07' E., 108.7 ft.
	Cor. No. 4 Survey No. 1865 Golden Rod lode bears S. 35° 38' E., 10.1 ft.
	The Closing Cor. of Secs. 2 and 11, T. 4 S., R. 29 E., G. & S. R. M., bears N. 16° 52' E., 231.87 ft., being an iron pipe with brass cap, properly set and marked as described in the official record
	Thence S. 63° 07' W.,
181.3	Cross Consolation Gulch, 15 ft. wide, course southerly
1391.3	Cor. No. 2
	Identical with Cor. No. 3 Survey No. 1865 Clifton lode,

12

MINERAL SURVEY NO. 4243 A - Arizona

10

Feet	
	<p>and situated on line 1-2 of the Native Copper No. 19 lode of this survey, where I</p> <p>marked for Cor. No. 3 Clifton lode,</p> <p>Replaced pine post with a granite rock, 10x14x29 ins., 19 ins. in the ground for Cor. No. 2, mkd. x NC40-2-4243 A, C-3-1865; from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears northwesterly 3 ft.</p> <p>Thence N. 35° 38' W.,</p>
164.15	<p>Cor. No. 1 of the Native Copper No. 19 lode of this survey also intersect line 2-3 of the Native Copper No. 13 lode of this survey at a point from which Cor. No. 2 bears N. 44° 29' E., 293.23 ft.</p>
300.0	<p>Cor. No. 3</p> <p>Also intersect west end of lode line at original location for the west end center, where</p> <p>A granite rock in place, 18x19 ins., 9 ins. above the ground for Cor. No. 3, mkd. x NC40-3-4243 A, WEct-NC 40-4243 A; from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears easterly 2.5 ft.</p> <p>Cor. No. 2 of the Native Copper No. 13 lode and Cor. No. 2 of the Native Copper No. 9 lode, both of this survey, bears N. 70° 51' 30" E., 301.27 ft.</p> <p>Original location for the northwest corner bears N. 35° 38' W., 300.0 ft., being a monument of rocks, 3 ft. high, 3 ft. base</p> <p>Thence N. 54° 07' E.,</p>
273.75	<p>Intersect lines 1-2 of the Native Copper No. 13 lode and 2-3 of the Native Copper No. 9 lode, both of this survey, at a point from which Cor. No. 2 of both lodes bears S. 45° 31' E., 88.05 ft.</p>
799.9	<p>Intersect line 3-4 Survey No. 1865 Tip Top lode and line 3-4 Survey No. 2782 Tip Top lode, at a point from which Cor. No. 4 of both surveys bears S. 31° 26' E., 95.8 ft.</p> <p>Also intersect line 1-2 of the Native Copper No. 9 lode of this survey at a point from which Cor. No. 2 bears S. 44° 29' W., 518.73 ft.</p>
1325.0	<p>Cross Consolation Gulch, 15 ft. wide, course southerly</p>
1375.1	<p>Cor. No. 4</p> <p>A granite rock in place, 60x47 ins., 38 ins. above ground for Cor. No. 4, mkd. x NC40-4-4243 A; from which</p> <p>A monument of rocks, 4 ft. high, 3 ft. base, bears northwesterly 3 ft.</p> <p>Cor. No. 4 Survey No. 1865 Tip Top lode and Cor. No. 4 Survey No. 2782 Tip Top lode bears S. 44° 48' 30" W 590.4 ft.</p> <p>Thence S. 35° 38' E.,</p>
140.8	<p>Cor. No. 3 Survey No. 1865 Golden Rod lode, also intersect lines 4-1 Survey No. 1865 Tip Top lode and 4-1 Survey No. 2782 Tip Top lode at a point from which Cor. No. 4</p>

MINERAL SURVEY NO. 4243 A - Arizona

11

Feet	of both surveys bears S. 58° 34' W., 583.8 ft.
217.7	Intersect east end of lode line, at original location for the east end center, being a monument of rocks, 3 ft. high, 3 ft. base
517.7	Cor. No. 1 and place of beginning
	NATIVE COPPER NO. 7
	Beginning at Cor. No. 1 of the Native Copper No. 7 lode
	Identical with Cor. No. 1 of the Native Copper No. 8 lode of this survey
	Thence S. 45° 31' E.,
300.0	Intersect north end of lode line at original location for the north end center, identical with the south end center of the Native Copper No. 8 lode of this survey
600.0	Cor. No. 2
	Identical with Cor. No. 4 of the Native Copper No. 8 lode of this survey
	Thence S. 44° 29' W.,
1020.0	Cross Rocky Gulch, 30 ft. wide, course southeasterly
1275.47	Intersect line 1-2 of the Native Copper No. 12 lode of this survey, at a point from which Cor. No. 1 bears N. 25° 00' W., 640.63 ft.
1500.0	Cor. No. 3
	Identical with Cor. No. 4 of the Native Copper No. 13 lode of this survey, where I
	Set a rhyolite rock, 28x10x8 ins., 18 ins. in the ground for Cor. No. 3 , mkd. x NC7-3, NC13-4-4243 A; from which
	A monument of rocks, 4 ft. high, 3 ft. base, bears northwesterly 2.5 ft.
	A rhyolite rock in place, 36x46 ins., 18 ins. above ground bears N. 21° 14' E., 7.3 ft., mkd. BR X NC7-3-4243 A
	Thence N. 45° 31' W.,
300.0	Intersect south end of lode line at original location for the south end center, being a monument of rocks, 3 ft. high, 3 ft. base
600.0	Cor. No. 4
	Situated on line 4-1 of the Native Copper No. 12 lode of this survey, where I
	Set a granite rock, 27x8x8 ins., 17 ins. in the ground for Cor. No. 4, mkd. x NC7-4-4243 A; from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears southeasterly 2.5 ft.
	A granite rock in place, 12x50 ins., 24 ins. above

MINERAL SURVEY NO. 4243 A - Arizona

12

Feet	
	ground, bears N. 68° 10' W., 5.2 ft., mkd. ER X NC7-4-4243 A
	Thence N. 44° 29' E.
129.06	North end center of the Native Copper No. 12 lode of this survey
449.06	Cor. No. 1 of the Native Copper No. 12 lode of this survey
480.5	Northeast corner of the Native Copper No. 10 lode and southeast corner of the Native Copper No. 4 lode, both unsurveyed, being a monument of rocks, 3 ft. high, 3 ft. base
528.0	Cross Rocky Gulch, 30 ft. wide, course southeasterly
1500.0	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 13
	Beginning at Cor. No. 1 of the Native Copper No. 13 lode
	Identical with Cor. No. 4 of the Native Copper No. 8 lode of this survey, from which
	Sec. The 1/4/Cor. Secs. 2 and 11, T. 4 S., R. 29 E., G. & S. R. M. bears N. 84° 51' 30" W., 1042.64 ft., previously described.
	Thence S. 45° 31' E.,
300.0	Intersect north end of lode line at original location for the north end center, identical with the south end center of the Native Copper No. 9 lode of this survey
511.95	Intersect line 3-4 of the Native Copper No. 40 lode of this survey, at a point from which Cor. No. 3 bears S. 54° 07' W., 273.75 ft.
600.0	Cor. No. 2
	Identical with Cor. No. 2 of the Native Copper No. 9 lode of this survey
	Thence S. 44° 29' W.,
293.23	Cor. No. 1 of the Native Copper No. 19 lode of this survey also intersect line 2-3 of the Native Copper No. 40 lode of this survey at a point from which Cor. No. 3 bears N. 35° 38' W., 135.85 ft.
1047.0	Cross Rocky Gulch, 35 ft. wide, course southeasterly
1500.0	Cor. No. 3
	Identical with Cor. No. 2 of the Native Copper No. 12 lode of this survey, where I
	Set a granite rock, 8x12x10 ins., 16 ins. in the ground for Cor. No. 3 , mkd. x NC13-3, NC12-2-4243 A; from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears southeasterly 2.5 ft.
	Thence N. 45° 31' W.,

Feet	
300.0	Intersect south end of lode line at original location for the south end center, being a monument of rocks, 3 ft. high, 3 ft. base
600.0	Cor. No. 4 Identical with Cor. No. 3 Native Copper No. 7 lode of this survey Thence N. 44° 29' E.,
224.53	Intersect line 1-2 Native Copper No. 12 lode of this survey at a point from which Cor. No. 2 bears S. 25° 00' E. 640.63 ft.
480.0	Cross Rocky Gulch, 30 ft. wide, course southeasterly
1500.0	Cor. No. 1 and place of beginning. NATIVE COPPER NO. 12 Beginning at Cor. No. 1 of the Native Copper No. 12 lode Situating on line 4-1 Native Copper No. 7 lode of this survey, where I Set a granite rock, 27x12x15 ins., 17 ins. in the ground for Cor. No. 1, mkd. x N12-1-4243 A; from which A monument of rocks, 4 ft. high, 3 ft. base, bears northeasterly 4 ft. A granite rock in place, 33x45 ins., 11 ins. above ground, bears N. 12° 19' W., 15.6 ft., mkd. BR X N12-1-4243 A The 1/4 ^{Sec.} Cor. Secs. 2 and 11, T. 4 S., R. 29 E., G. & S. R. M. bears N. 16° 36' E., 441.1 ft., previously described Thence S. 25° 00' E.,
640.63	Intersect line 2-3 Native Copper No. 7 lode and line 4-1 Native Copper No. 13 lode, both of this survey, at a point from which Cor. No. 3 Native Copper No. 7 lode and Cor. No. 4 Native Copper No. 13 lode bears S. 44° 29' W. 224.53 ft.
1281.26	Cor. No. 2 Identical with Cor. No. 3 Native Copper No. 13 lode of this survey Thence S. 44° 29' W.
293.23	Cor. No. 4 Native Copper No. 19 lode and Cor. No. 4 Native Copper No. 39 lode, both of this survey
320.0	Intersect south end of lode line at original location for the south end center, being a monument of rocks, 3 ft. high, 3 ft. base
340.0	North end center Native Copper No. 39 lode of this survey
640.0	Cor. No. 3 Identical with Cor. No. 3 Native Copper No. 39 lode of this survey, and situated on line 2-3, Survey No. 4166 Novo No. 29 lode, where

Feet	
	<p>A granite ledge, 24x168 ins., 35 ins. above ground, for Cor. No. 3, mkd. x NC12-3, NC39-3-4243 A; from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears southeasterly 4 ft.</p> <p>Thence N. 25° 00' W.,</p>
15.3	Cor. No. 2 Novo No. 29 lode and Cor. No. 3 Novo No. 28 lode, both of Survey No. 4166
628.9	Cor. No. 2 Novo No. 28 lode and Cor. No. 4 Novo 21st lode, both of Survey No. 4166
1242.5	Cor. No. 3 Survey No. 4166 Novo 21st lode
1281.26	Cor. No. 4
	<p>Aerhyolite ledge, 36x180 ins., 22 ins. above ground, for Cor. No. 4, mkd. x NC12-4-4243 A; from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears southeasterly 5 ft.</p> <p>Thence N. 44° 29' E.</p>
190.94	Cor. No. 4 Native Copper No. 7 lode of this survey
320.0	Intersect north end of lode line at original location for the north end center, being a monument of rocks, 3 ft. high, 3 ft. base
640.0	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 19
	Beginning at Cor. No. 1 of the Native Copper No. 19 lode
	Situated on line 2-3 Native Copper No. 13 lode and line 2-3 Native Copper No. 40 lode, both of this survey, where
	<p>A granite ledge, 36x120 ins., 12 ins. above ground, for Cor. No. 1, mkd. x NC19-1-4243 A; from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears southerly 3.5 ft.</p> <p>A granite ledge, 108x120 ins., 18 ins. above ground bears S. 42° 10' E., 6.3 ft., mkd. BR X NC19-1-4243 A</p> <p>A granite ledge, 36x96 ins., 30 ins. above ground bears N. 38° 41' E., 7.0 ft., mkd. BR X NC19-1-4243 A</p> <p>Sec. 21</p> <p>The 1/4/Cor. Secs. 2 and 11, T. 4 S., R. 29 E., G. & S. R. M. bears N. 60° 10' 30" W., 1453.62 ft., previously described</p> <p>Thence S. 35° 38' E.,</p>
164.15	Cor. No. 2 Native Copper No. 40 lode of this survey and Cor. No. 3 Survey No. 1865 Clifton lode
304.5	Intersect north end of lode line at original location for the north end center, being a monument of rocks, 3 ft. high, 3 ft. base

MINERAL SURVEY NO. 4243 A - Arizona

15

Feet	
609.0	<p>Cor. No. 2</p> <p>Identical with Cor. No. 4 Native Copper No. 45 lode of this survey and situated on line 3-4 Survey No. 1865 Clifton lode, where I</p> <p>Set a granite rock, 28x10x8 ins., 18 ins. in the ground for Cor. No. 2, mkd. x NC19-2, NC45-4-4243 A; from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears southeasterly 3 ft.</p> <p>A granite ledge, 48x200 ins., 36 ins. above ground bears N. 35° 38' W., 14.8 ft., mkd. ER X NC19-2-4243 A</p> <p>Cor. No. 3 Survey No. 1865 Webb City lode bears S. 49° 03' 30" W., 660.1 ft.</p> <p>Thence S. 44° 29' W.,</p>
245.0	<p>Cross Rocky Gulch, 35 ft. wide, course easterly</p>
501.9	<p>Intersect line 2-3 Survey No. 1865 Webb City lode, at a point from which Cor. No. 3 bears S. 63° 07' W., 164.73 ft.</p>
667.17	<p>Intersect line 3-4 Survey No. 1865 Webb City lode, at a point from which Cor. No. 3 bears N. 35° 38' W., 53.43 ft.</p>
1500.0	<p>Cor. No. 3</p> <p>Identical with Cor. No. 3 Native Copper No. 45 lode of this survey and situated on line 4-1 Native Copper No. 39 lode of this survey, where I</p> <p>Set a granite rock, 10x12x27 ins., 16 ins. in the ground for Cor. No. 3, mkd. x NC19-3, NC45-3-4243 A; from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears southwesterly 2.5 ft.</p> <p>A granite rock in place, 25x34 ins., 19 ins. above ground bears N. 48° 11' E., 7.0 ft., mkd. ER X NC19-3-4243 A</p> <p>Thence N. 35° 38' W.,</p>
304.5	<p>Intersect south end of lode line at original location for the south end center, being a monument of rocks, 3 ft. high, 3 ft. base</p>
470.0	<p>Cross east fork of Novo Gulch, 5 ft. wide, course southerly</p>
609.0	<p>Cor. No. 4</p> <p>Identical with Cor. No. 4 Native Copper No. 39 lode of this survey and situated on line 2-3 Native Copper No. 12 lode of this survey, where I</p> <p>Set a granite rock, 26x8x8 ins., 16 ins. in the ground for Cor. No. 4, mkd. x NC19-4, NC39-4-4243 A; from which</p> <p>A monument of rocks, 4 ft. high, 3 ft. base, bears northwesterly 4 ft.</p>

Feet	
	<p>A granite ledge, 48x208 ins., 36 ins. above ground bears N. 35° 38' W., 14.8 ft., mkd. BR X NC19-4-4243 A</p> <p>Thence N. 44° 29' E.,</p>
293.23	Cor. No. 2 Native Copper No. 12 lode and Cor. No. 3 Native Copper No. 13 lode, both of this survey
746.23	Cross Rocky Gulch, 35 ft. wide, course southeasterly
1500.0	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 45
	Beginning at Cor. No. 1 of the Native Copper No. 45 lode
	Situated on line 3-4 Native Copper No. 54 lode of this survey, where
	A granite rock in place, 18x18 ins., 14 ins. above ground for Cor. No. 1, mkd. x NC45-1-4243 A; from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears westerly 2.5 ft.
	A granite ledge, 60x120 ins., 60 ins. above ground bears N. 84° 39' W., 9.5 ft., mkd. BR x NC45-1-4243 A
	Cor. No. 4 Survey No. 1865 Webb City lode bears S. 49° 14' W., 659.9 ft.
	Sec.
	The West 1/4 Cor. Sec. 12, T. 4 S., R. 29 E., G. & S. R. M. bears S. 50° 32' E., 915.84 ft., being an iron pipe with brass cap, properly set and marked as described in the official record.
	Thence S. 44° 29' W.,
495.68	Intersect line 4-1 Survey No. 1865 Webb City lode at a point from which Cor. No. 4 bears S. 63° 07' W., 170.92 ft.
1437.4	Cor. No. 3 Native Copper No. 54 lode and Cor. No. 4 Native Copper No. 47 lode, both of this survey
1500.0	Cor. No. 2
	Identical with Cor. No. 1 Native Copper No. 39 lode of this survey and situated on line 3-4 Native Copper No. 47 lode of this survey, where
	A granite rock in place, 10x14 ins., 8 ins. above ground for Cor. No. 2, mkd. x NC45-2, NC39-1-4243 A; from which
	A monument of rocks, 4 ft. high, 3 ft. base, bears southwesterly 3 ft.
	Thence N. 35° 38' W.,
304.5	Intersect south end of lode line at original location for the south end center, being a monument of rocks, 3 ft. high, 3 ft. base
609.0	Cor. No. 3
	Identical with Cor. No. 3 Native Copper No. 19 lode of this survey

MINERAL SURVEY NO. 4243 A - Arizona

Feet	
	Thence N. 44° 29' E.,
832.83	Intersect line 3-4 Survey No. 1865 Webb City lode at a point from which Cor. No. 4 bears S. 35° 38' E., 553.57 ft.
998.1	Intersect line 2-3 Survey No. 1865 Webb City lode at a point from which Cor. No. 3 bears S. 63° 07' W., 164.73 ft.
1255.0	Cross Rocky Gulch, 35 ft. wide, course easterly
1500.0	Cor. No. 4 Identical with Cor. No. 2 Native Copper No. 19 lode of this survey
	Thence S. 35° 38' E.,
162.35	Cor. No. 4 Survey No. 1865 Clifton lode, also intersect line 2-3 Survey No. 1865 Webb City lode at a point from which Cor. No. 3 bears S. 63° 07' W., 665.0 ft.
304.5	Intersect north end of lode line at original location for the north end center, being a monument of rocks, 3 ft. high, 3 ft. base
310.0	Cross Rocky Gulch, 35 ft. wide, course southeasterly
609.0	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 39
	Beginning at Cor. No. 1 of the Native Copper No. 39 lode
	Identical with Cor. No. 2 Native Copper No. 45 lode of this survey, from which
	The W.C. for East 1/4 ^{Sec.} Cor. Sec. 11, T. 4 S., R. 29 E., G. & S. R. M. bears N. 84° 47' E. 1766 ft., being an iron pipe with brass cap, properly set and marked as described in the official record. As of record this witness corner is N. 0° 18' W. 20 lks. (13.20 ft) from the true corner point.
	Thence S. 44° 29' W.,
160.0	Cross Novo Gulch, 10 ft. wide, course southeasterly
237.4	North end center Native Copper No. 47 lode of this survey
286.74	Intersect south end of lode line at original location for south end center, being a monument of rocks, 3 ft. high, 3 ft. base
537.4	Cor. No. 3 Native Copper No. 47 lode and Cor. No. 3 Native Copper No. 48 lode, both of this survey
561.74	North end center Native Copper No. 48 lode of this survey
586.74	Cor. No. 2 Identical with Cor. No. 2 Native Copper No. 48 lode of this survey, and situated on line 3-4 Survey No. 4166 Novo No. 27 lode, where I Set a granite rock, 27x14x14 ins., 15 ins. in the ground for Cor. No. 2, mkd NC39-2, NC48-2-4243 A; from which A monument of rocks, 3 ft. high, 3 ft. base bears easterly 3.5 ft.

20

MINERAL SURVEY NO. 4243 A - Arizona

18

Feet

- A granite rock in place, 47x24 ins., 22 ins. above ground bears N. 16° 51' E., 16.4 ft., mkd. BR X NC39-2-4243 A
- Thence N. 25° 00' W.,
- 69.3 Cor. No. 3 Novo No. 27 lode and Cor. No. 4 Novo No. 30 lode, both of Survey No. 4166
- 527.9 Cross Novo Gulch, 10 ft. wide, course easterly
- 682.9 Cor. No. 3 Novo No. 30 lode and Cor. No. 3 Novo No. 29 lode, both of Survey No. 4166
- 1281.2 Cor. No. 3
- Identical with Cor. No. 3 Native Copper No. 12 lode of this survey
- Thence N. 44° 29' E.,
- 300.0 Intersect north end of lode line at original location for north end center, being a monument of rocks, 3 ft. high, 3 ft. base
- 320.0 South end center Native Copper No. 12 lode of this survey
- 346.77 Cor. No. 4
- Identical with Cor. No. 4 Native Copper No. 19 lode of this survey, from which
- The original location for the northeast corner bears N. 44° 29' E., 253.23 ft., being a monument of rocks, 3 ft. high, 3 ft. base
- Thence S. 35° 38' E.,
- 139.0 Cross east fork of Novo Gulch, 5 ft. wide, course southerly
- 304.5 South end center Native Copper No. 19 lode of this survey
- 609.0 Cor. No. 3 Native Copper No. 19 lode and Cor. No. 3 Native Copper No. 45 lode, both of this survey
- 913.5 South end center Native Copper No. 45 lode of this survey
- 1218.0 Cor. No. 1 and place of beginning.
- NATIVE COPPER NO. 54
- Beginning at Cor. No. 1 of the Native Copper No. 54 lode
- Identical with Cor. No. 4 Native Copper No. 46 lode of this survey and situated on line 1-2 Native Copper No. 41 lode of this survey, where
- A porphyry ledge, 90x80 ins., 72 ins. above ground, for ~~Cor. No. 1~~, mkd. x NC54-1, NC46-4-4243 A; from which
- A monument of rocks, 3 ft. high, 3 ft. base bears northwesterly 3 ft.
- A granite rock in place, 140x180 ins., 52 ins. above ground bears S. 58° 21' E., 10.1 ft., mkd. BR X NC54-1-4243 A

MINERAL SURVEY NO. 4243 A - Arizona

19

Feet	Sec.
	The West 1/4/Cor. Sec. 12, T. 4 S., R. 29 E., G. & S. R. M. bears S. 69° 05' E., 340.8 ft., previously described
1500.0	Thence S. 44° 29' W., Cor. No. 2 Identical with Cor. No. 3 Native Copper No. 46 lode of this survey and situated on line 4-1 Native Copper No. 47 lode this survey, where A rhyolite rock in place, 24x15 ins., 10 ins. above ground, for Cor. No. 2 , mkd X NC54-2, NC46-3-4243 A; from which A monument of rocks, 3 ft. high, 3 ft. base, bears northeasterly 2.5 ft. A granite rock in place, 72x60 ins., 42 ins. above ground bears S. 53° 20' W., 5.0 ft., mkd. BR X NC54-2-4243 A A granite rock in place, 100x45 ins., 66 ins. above ground bears N. 83° 28' E., 15.1 ft., mkd. BR x NC54-2-4243 A Thence N. 34° 19' W., 305.8 Intersect south end of lode line at original location for the south end center, being a monument of rocks, 3 ft. high, 3 ft. base 611.6 Cor. No. 3 Identical with Cor. No. 4 Native Copper No. 47 lode of this survey and situated on line 1-2 Native Copper No. 45 lode of this survey, where I Set a granite rock, 10x15x28 ins., 16 ins. above ground for Cor. No. 3 , mkd X NC54-3, NC47-4-4243 A; from which A monument of rocks, 4 ft. high, 3 ft. base, bears northerly 2.5 ft. A granite ledge, 42x26 ins., 18 ins. above ground bears S. 73° 18' W., 7.5 ft., mkd. BR x NC54-3-4243 A Thence N. 44° 29' E., 941.72 Intersect line 4-1 Survey No. 1865 Webb City lode at a point from which Cor. No. 4 bears S. 63° 07' W., 170.92 ft. 1437.4 Cor. No. 1 Native Copper No. 45 lode of this survey 1500.0 Cor. No. 4 Set a granite rock, 10x12x32 ins., 20 ins. in the ground for Cor. No. 4, mkd. x NC54-4-4243 A; from which A monument of rocks, 3 ft. high, 3 ft. base, bears northerly 2.5 ft. Thence S. 34° 19' E., 179.9 Cor. No. 2 Native Copper No. 41 lode of this survey, also

22

MINERAL SURVEY NO. 4243 A - Arizona

20

Feet	
	intersect line 4-1 Survey No. 1865 Webb City lode at a point from which Cor. No. 4 bears S. 63° 07' W., 723.2 ft.
305.8	Intersect north end of lode line at original location for the north end center, being a monument of rocks, 3 ft. high, 3 ft. base
479.9	West end center Native Copper No. 41 lode of this survey
611.6	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 46
	Beginning at Cor. No. 1 of the Native Copper No. 46 lode
	Situated on line 1-2 Native Copper No. 42 lode of this survey, where I
	Set an andesite rock, 26x13x9 ins., 16 ins. in the ground for Cor. No. 1, mkd. x NC46-1-4243 A; from which
	A monument of rocks, 4 ft. high, 3 ft. base, bears westerly 2.5 ft.
	Sec.
	The W.C. for East 1/4/Cor. Sec. 11, T. 4 S., R. 29 E., G. & S. R. M. bears N. 24° 52' W., 61.35 ft., previously described
	Thence S. 44° 29' W.,
592.0	Cross Rocky Gulch, 50 ft. wide, course southerly
653.0	Cross Novo Gulch, 25 ft. wide, course easterly
1500.0	Cor. No. 2
	Identical with Cor. No. 1 Native Copper No. 47 lode of this survey, where
	A granite rock in place, 30x18 ins., 8 ins. above ground for Cor. No. 2 , mkd. x NC46-2-NC47-1-4243 A; from which
	A monument of rocks, 4 ft. high, 3 ft. base, bears southerly 4 ft.
	A granite rock in place, 96x144 ins., 40 ins. above ground bears S. 18° 28' W., 14.7 ft., mkd. BR X NC46-2-4243 A
	Thence N. 34° 19' W.,
200.0	Cross south fork Novo Gulch, 20 ft. wide, course easterly
305.8	Intersect south end of lode line at original location for south end center, being a monument of rocks, 3 ft. high, 3 ft. base
555.0	Cross Novo Gulch, 10 ft. wide, course southeasterly
611.6	Cor. No. 3
	Identical with Cor. No. 2 Native Copper No. 54 lode of this survey
	Thence N. 44° 29' E.

Feet

1500.0 Cor. No. 4

Identical with Cor. No. 1 Native Copper No. 54 lode of this survey

Thence S. 34° 19' E.,

65.0 Cross Rocky Gulch, 45 ft. wide, course southwesterly

168.3 Cor. No. 1 Native Copper No. 41 lode and Cor. No. 2 Native Copper No. 42 lode, both of this survey

305.8 Intersect north end of lode line at original location for the north end center, being a monument of rocks, 3 ft. high, 3 ft. base

468.3 West end center Native Copper No. 42 lode of this survey

611.6 Cor. No. 1 and place of beginning.

NATIVE COPPER NO. 47

Beginning at Cor. No. 1 of the Native Copper No. 47 lode

Identical with Cor. No. 2 Native Copper No. 46 lode of this survey, from which

The W.C. for Sec. East 1/4 Cor. Sec. 11, T. 4 S., R. 29 E., G. & S. R. M. bears N. 42° 19' 00" E., 1522.8 ft., previously described

Thence S. 44° 29' W.,

300.0 Intersect south end of lode line at original location for the south end center, being a monument of rocks, 3 ft. high, 3 ft. base

600.0 Cor. No. 2

Identical with Cor. No. 4 Native Copper No. 48 lode of this survey, where I

Set a granite rock, 26x12x8 ins., 18 ins. in the ground for ~~Cor. No. 2~~, mkd x NC47-2-NC48-4-4243 A; from which

A monument of rocks, 3 ft. high, 3 ft. base, bears southerly 4 ft.

A granite rock in place, 22x31 ins., 23 ins. above ground bears N. 82° 10' E., 13.4 ft., mkd. BR X NC47-2-4243 A

Thence N. 34° 19' W.,

580.0 Cross south fork Novo Gulch, 10 ft. wide, course easterly

1223.2 Cor. No. 3

Identical with Cor. No. 3 Native Copper No. 48 lode of this survey and situated on line 182 Native Copper No. 39 lode of this survey, where I

Set a granite rock, 30x10x14 ins., 18 ins. in the ground for ~~Cor. No. 3~~, mkd. x NC47-3-NC48-3-4243 A; from which

A monument of rocks, 3 ft. high, 3 ft. base, bears northwesterly 3 ft.

248

MINERAL SURVEY NO. 4243 A - Arizona

22

Feet	
	Thence N. 44° 29' E.,
250.66	South end center Native Copper No. 39 lode of this survey
300.0	Intersect north end of lode line at original location for the north end center, being a monument of rocks, 3 ft. high, 3 ft. base
377.4	Cross Novo Gulch, 10 ft. wide, course southeasterly
537.4	Cor. No. 1 Native Copper No. 39 lode and Cor. No. 2 Native Copper No. 45 lode, both of this survey
600.0	Cor. No. 4 Identical with Cor. No. 3 Native Copper No. 54 lode of this survey
	Thence S. 34° 19' E.,
305.8	South end center Native Copper No. 54 lode of this survey
611.6	Cor. No. 2 Native Copper No. 54 lode and Cor. No. 3 Native Copper No. 46 lode, both of this survey
668.2	Cross Novo Gulch, 10 ft. wide, course southeasterly
917.4	South end center Native Copper No. 46 lode of this survey
1023.2	Cross south fork Novo Gulch, 20 ft. wide, course easterly
1223.2	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 48
	Beginning at Cor. No. 1 of the Native Copper No. 48 lode Situating on line 2-3 Survey No. 4166 Novo No. 25 lode, where I Set a granite rock, 28x16x14 ins., 16 ins. in the ground for Cor. No. 1, mkd. x NC48-1-4243 A; from which A monument of rocks, 3 ft. high, 3 ft. base, bears easterly 3 ft. The 1/4 ^{Sec.} Cor. Secs. 11 and 14, T. 4 S., R. 29 E., G. & S. R. M. bears S. 49° 41' W., 1431.0 ft., being an iron pipe with brass cap, properly set and marked as described in the official record Cor. No. 3 Survey No. 4166 Novo No. 25 lode bears S. 25° 00' E., 490.3 ft.
	Thence N. 25° 00' W.,
123.3	Cor. No. 2 Novo No. 25 lode and Cor. No. 4 Novo No. 26 lode, both of Survey No. 4166
736.9	Cor. No. 3 Novo No. 26 lode and Cor. No. 4 Novo No. 27 lode, both of Survey No. 4166
790.5	Cross south fork Novo Gulch, 10 ft. wide, course easterly
1281.2	Cor. No. 2 Identical with Cor. No. 2 Native Copper No. 39 lode of this survey, from which

MINERAL SURVEY NO. 4243 A - Arizona

23

Feet	
	The original location for the northwest corner bears S. 44° 29' W., 225.0 ft., being a monument of rocks, 3 ft. high, 3 ft. base Thence N. 44° 29' E.
25.0	Intersect the north end of lode line at original location for the north end center, being a monument of rocks, 3 ft. high, 3 ft. base
49.34	Cor. No. 3 Identical with Cor. No. 3 Native Copper No. 47 lode of this survey, from which The original location for the northeast corner bears N. 44° 29' E., 250.66 ft., being a monument of rocks 3 ft. high, 3 ft. base Thence S. 34° 19' E.,
643.2	Cross south fork Novo Gulch, 20-ft. wide, course easterly
1223.2	Cor. No. 4 Identical with Cor. No. 2 Native Copper No. 47 lode of this survey, from which The original location for the southeast corner bears N. 44° 29' E., 169.22 ft., being a monument of rocks, 3 ft. high, 3 ft. base Thence S. 44° 29' W.,
130.78	Intersect south end of lode line at original location for the south end center, being a monument of rocks, 3 ft. high, 3 ft. base
260.78	Cor. No. 1 and the place of the beginning, from which the original location for the southwest corner bears S. 44° 29' W., 170.0 ft., being a monument of rocks 3 ft. high, 3 ft. base. NATIVE COPPER NO. 41 Beginning at Cor. No. 1 of the Native Copper No. 41 lode Identical with Cor. No. 2 Native Copper No. 42 lode of this survey and situated on line 4-1 Native Copper No. 46 lode of this survey, where Set a porphyry rock, 28x10x6 ins., 18 ins. in the ground for Cor. No. 1 , mkd. x NC41-1-NC42-2-4243 A; from which A monument of rocks, 3 ft. high, 3 ft. base, bears westerly 2.5 ft. Sec. The West 1/4 Cor. Sec. 12, T. 4 S., R. 29 E., G. & S. R. M. bears N. 85° 34' E., 224.13 ft., previously described Thence N. 34° 19' W.,
103.3	Cross Rocky Gulch, 45 ft. wide, course southwesterly
168.3	Cor. No. 4 Native Copper No. 46 lode and Cor. No. 1 Native Copper No. 54 lode, both of this survey

Feet	
300.0	Intersect west end of lode line at original location for the west end center, being a monument of rocks, 3 ft. high, 3 ft. base
474.1	North end center Native Copper No. 54 lode of this survey
600.0	<p>Cor. No. 2</p> <p>Situated on line 4-1 Survey No. 1865 Webb City lode and line 4-1 Native Copper No. 54 lode of this survey, where I</p> <p>Set a granite rock, 27x8x8 ins., 17 ins. in the ground for Cor. No. 2, mkd. X NC41-2-4243 A; from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears northeasterly 4 ft..</p> <p>The north face of granite rock, 12x15 ft., 12 ft. above ground bears S. 4° 19' E., 12.4 ft., mkd. MBR X NC41-2-4243 A</p> <p>Cor. No. 1 Survey No. 1865 Webb City lode bears N. 63° 07' E., 776.8 ft.</p> <p>Cor. No. 4 Native Copper No. 54 lode bears N. 34° 19' W., 179.9 ft.</p> <p>Thence N. 61° 07' E.,</p>
70.0	Cross Rocky Gulch, 40 ft. wide, course southeasterly
773.2	Intersect line 1-2 Survey No. 1865 Webb City lode at a point from which Cor. No. 1 bears S. 35° 38' E., 27.2 ft., also intersect line 3-4 Survey No. 1865 Nevada lode at a point from which Cor. No. 4 bears S. 35° 38' E., 22.5 ft.
1500.0	<p>Cor. No. 3</p> <p>Identical with Cor. No. 3 Survey No. 1865 Almo lode and situated on line 4-1 Survey No. 1865 Nevada lode, where marking Cor. No. 3 of the Almo lode</p> <p>I replaced pine post with a granite rock, 8x10x30 ins., 18 ins. in the ground for Cor. No. 3, mkd. NC41-3-4243 A; A-3-1865; from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears northeasterly 3 ft.</p> <p>Thence S. 34° 19' E.,</p>
300.0	Intersect east end of lode line at original location for the east end center, being a monument of rocks, 3 ft. high, 3 ft. base
600.0	<p>Cor. No. 4</p> <p>Identical with Cor. No. 4 Almo lode and Cor. No. 3 Chestnut lode, both of Survey No. 1865 and Cor. No. 3 Native Copper No. 42 lode of this survey, where I marking the corners of the Almo and Chestnut lodes</p> <p>Replaced pine post with a granite rock, 12x14x28 ins., 18 ins. in the ground for Cor. No. 4, mkd. NC41-4-NC42-3-4243 A; A-4-1865; C-3-1865; from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears southeasterly 3 ft.</p>

Feet	Thence S. 61° 07' W.,
1500.0	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 42
	Beginning at Cor. No. 1 of, the Native Copper No. 42 lode
	Set A granite rock, in place, 48x144 ins., 90 ins. above ground for Cor. No. 1, mkd. x NC42-1-4243 A; from which
	A monument of rocks, 4 ft. high, 3 ft. base, bears westerly 2.5 ft.
	Sec.
	The W.C. for East 1/4/Cor. Sec. 11, T. 4 S., R. 29 E., G. & S. R. M. bears N. 31° 39' 30" W. 217.45 ft., previously described
	Thence N. 34° 19' W.,
156.7	Cor. No. 1 Native Copper No. 46 lode of this survey
300.0	Intersect west end of lode line at original location for the west end center, being a monument of rocks, 3 ft. high, 3 ft. base
462.5	North end center Native Copper No. 46 lode of this survey
600.0	Cor. No. 2
	Identical with Cor. No. 1 Native Copper No. 41 lode of this survey
	Thence N. 61° 07' E.
1500.0	Cor. No. 3
	Identical with Cor. No. 4 Native Copper No. 41 lode of this survey
	Thence S. 34° 19' E.,
300.0	Intersect east end of lode line at original location for the east end center, being a monument of rocks, 3 ft. high, 3 ft. base.
600.0	Cor. No. 4
	Identical with Cor. No. 4 Survey No. 1865 Chestnut lode, where I
	marking Cor. No. 4 of the Chestnut lode
	Replaced pine post with a granite rock 8x12 x 26 ins. set 16 ins. in the ground for Cor. No. 4, mkd. x NC42-4-4243 A; C-4-1865; from which
	A monument of rocks, 5 ft. high, 3 ft. base, bears westerly 3 ft.
	Thence S. 61° 07' W.
1500.0	Cor. No. 1 and place of beginning.
	LODE LINES.
	The presumed course of the vein of each of the several lode locations embraced in this survey, counted from the respective points of discovery, is as follows:-

Consolation No. 12 lode, S. 44° 29' W., 275 ft.; and,
N. 44° 29' E., 1225 ft.

Consolation No. 8 lode, S. 44° 29' W., 675 ft.; and,
N. 44° 29' E., 825 ft.

Native Copper No. 11 lode, S. 44° 29' W., 460 ft.; and,
N. 44° 29' E., 1040 ft.

Native Copper No. 44 lode, N. 44° 29' E., 300 ft.; and,
S. 44° 29' W., 1200 ft.

Native Copper No. 2 lode, N. 44° 29' E., 170 ft.; and,
S. 44° 29' W., 557 ft.

Native Copper No. 8 lode, S. 44° 29' W., 110 ft.; and,
N. 44° 29' E., 1390 ft.

Native Copper No. 9 lode, S. 44° 29' W., 40 ft.; and,
N. 44° 29' E., 1460 ft.

Native Copper No. 40 lode, N. 63° 07' E., 200 ft.; and,
S. 63° 07' W., 1191.3 ft.

Native Copper No. 7 lode, N. 44° 29' E., 20 ft.; and,
S. 44° 29' W., 1480 ft.

Native Copper No. 13 lode, N. 44° 29' E., 250 ft.; and,
S. 44° 29' W., 1250 ft.

Native Copper No. 12 lode, S. 25° 00' E., 400 ft.; and,
N. 25° 00' W., 881.26 ft.

Native Copper No. 19 lode, N. 44° 29' E., 185 ft.; and,
S. 44° 29' W., 1315. ft.

Native Copper No. 45 lode, S. 44° 29' W., 100 ft.; and,
N. 44° 29' E., 1400 ft.

Native Copper No. 39 lode, N. 25° 00' W., 20 ft.; and,
S. 25° 00' E., 1261.2 ft.

Native Copper No. 54 lode, N. 44° 29' E., 80 ft.; and,
S. 44° 29' W., 1420 ft.

Native Copper No. 46 lode, N. 44° 29' E., 200 ft.; and,
S. 44° 29' W., 1300 ft.

Native Copper No. 47 lode, S. 34° 19' E., 300 ft.; and,
N. 34° 19' W., 923.2 ft.

Native Copper No. 48 lode, N. 29° 31' W., 200 ft.; and,
S. 29° 31' E., 1048.3 ft.

Native Copper No. 41 lode, N. 61° 07' E., 200 ft.; and,
S. 61° 07' W., 1300 ft.

Native Copper No. 42 lode, S. 61° 07' W., 240 ft.; and,
N. 61° 07' E., 1260 ft.

NATIVE COPPER NO. 2 MILL SITE

Beginning at Cor. No. 1 of the Native Copper No. 2 Mill
Site

Identical with Cor. No. 4 Native Copper No. 7 Mill Site
of this survey and situated on east line of the SW 1/4
of Sec. 6, T. 4 S., R. 30 E., where I

Feet

Set a granite rock, 12x10x28 ins., 16 ins. in the ground
for ~~Cor. No. 1~~, mkd. xNC2MS-1-NC7-4-4243 B; from which

A monument of rocks, 3 ft. high, 3 ft. base, bears
northerly 4 ft.

A granite rock in place, 15x24 ins., 16 ins. above
ground bears N. 52° 10' W., 12.9 ft., mkd. BR X
NC2MS-1-4243 B

The 1/4 ^{Sec.} Cor. Between Secs. 6 and 7, T. 4 S., R. 30 E.,
G. & S. R. M. bears S. 0° 13' W., 1391.4 ft., being
a porphyry rock, 5x10 ins., 5 ins. above ground,
firmly set, marked as described in the official
record

Thence N. 45° 31' W.,

414.4 Cor. No. 2

Identical with Cor. No. 3 Native Copper No. 7 Mill Site of
this survey and situated on line 4-1 Last Chance No. 9
Mill Site Survey No. 4239 B, where I

Set a granite rock, 27x16x14 ins., 17 ins. in the ground
for ~~Cor. No. 2~~, mkd. xNC2MS-2-NC7MS-3-4243 B; from which

A monument of rocks, 4 ft. high, 3 ft. base, bears
westerly 4 ft.

Thence N. 44° 30' E.,

36.0 Cross Colorado Gulch, 50 ft. wide, course southeasterly

366.0 Cor. No. 3

Identical with Cor. No. 4 Survey No. 4239 B Last Chance
No. 9 Mill Site, being

A granite rock, 8x12 ins., 10 ins. above ground, for ~~Cor.
No. 3~~, mkd. xNC2MS-3-4243 B; from which

A monument of rocks, 4 ft. high, 3 ft. base, bears
easterly 3 ft.

A granite rock in place, 10x22 ins., 18 ins. above
ground bears N. 41° 11' E., 7.9 ft., mkd. BR X
NC2MS-3-4243 B

Thence N. 45° 31' W.,

300.0 Cor. No. 4

Identical with Cor. No. 3 Last Chance No. 9 Mill Site,
Cor. No. 3 Last Chance No. 7 Mill Site and Cor. No. 4
Last Chance No. 8 Mill Site, all of Survey No. 4239 B,
being

A granite rock, 12x15 ins., 10 ins. above ground for
~~Cor. No. 4~~, mkd. xNC2MS-4-4243 B, from which

A monument of rocks, 4 ft. high, 3 ft. base, bears
northeasterly 3 ft.

A granite rock in place, 18x25 ins., 13 ins. above
ground bears S. 80° 29' E., 9.8 ft., mkd. BR X
NC2MS-4-4243 B

Thence N. 44° 30' E.,

30

MINERAL SURVEY NO. 4243 B - Arizona

28

Feet	
366.7	<p>Cor. No. 5</p> <p>Situated on line 3-4 Survey No. 4239 B Last Chance No. 8 Mill Site, and on the east line of the SW 1/4, Sec. 6, T. 4 S., R. 30 E., where I</p> <p>Set a granite rock 9x13x29 ins., 19 ins. in the ground for Cor. No. 5, mkd. X NC2MS-5-4243 B; from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base bears westerly 3 ft.</p> <p>The center of Sec. 6, T. 4 S., R. 30 E., bears N. 0° 13' E., 220.4 ft.</p> <p>Cor. No. 3 Survey No. 4239 B Last Chance No. 8 Mill Site bears N. 44° 30' E., 359.3 ft.</p> <p>Thence S. 0° 13' W.,</p>
885.0	Cross Colorado Gulch, 50 ft. wide, course easterly
1023.2	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 7 MILL SITE
	<p>Beginning at Cor. No. 1 of the Native Copper No. 7 Mill Site</p> <p>Identical with Cor. No. 4 Native Copper No. 8 Mill Site, and situated on the west line of the SW 1/4, Sec. 6, T. 4 S., R. 30 E., where I</p> <p>Set a granite rock, 28x13x9 ins., 18 ins. in the ground for Cor. No. 1, mkd. X NC7MS-1-NC8MS-4-4243 B; from which</p> <p>A monument of rocks, 3 ft. high, 5 ft. base, bears northerly 2.5 ft.</p> <p>A granite rock in place, 34x48 ins., 21 ins. above ground bears S. 47° 19' E., 11.0 ft., mkd. BRX NC7 MS-1-4243B</p> <p>The 1/4^{Sec.} Cor. Secs. 6 and 7, T. 4 S., R. 30 E., G. & S. R. M. bears S. 0° 13' W., 888.7 ft., previously described.</p> <p>Thence N. 45° 31' W.,</p>
165.4	Cor. No. 3 Native Copper No. 8 Mill Site and Cor. No. 4 Consolation No. 8 Mill Site both of this survey
465.4	Cor. No. 4 Survey No. 4239 B Native Copper No. 43 Mill Site and Cor. No. 3 Consolation No. 8 Mill Site of this survey
765.4	<p>Cor. No. 2</p> <p>Identical with Cor. No. 3 Native Copper No. 43 Mill Site, Cor. No. 4 Native Copper No. 57 Mill Site and Cor. No. 1 Last Chance No. 9 Mill Site all of Survey No. 4239 B, being</p> <p>A malpais rock, 10x20 ins., 12 ins. above ground, for Cor. No. 2, mkd. X NC7MS-2-4243 B; from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears</p>

Feet	
	northeasterly 3 ft.
	A granite rock in place, 14x18 ins., 18 ins above ground bears S. 49° 22' E., 4.7 ft., mkd. BR X NC7MS-2-4243B
	Thence N. 44° 30' E.,
296.0	Cross road, 10 ft. wide, course southeasterly
360.0	Cor. No. 3
	Identical with Cor. No. 2 Native Copper No. 2 Mill Site of this survey
	Thence S. 45° 31' E.,
414.4	Cor. No. 4
	Identical with Cor. No. 1 Native Copper No. 2 Mill Site of this survey
	Thence S. 0° 13' W.,
328.0	Cross Road, 10 ft. wide, course southeasterly
502.7	Cor. No. 1 and place of beginning
	CONSOLATION NO. 8 MILL SITE
	Beginning at Cor. No. 1 of the Consolation No. 8 Mill Site
	Identical with Cor. No. 2 Native Copper No. 8 Mill Site, Cor. No. 3 Native Copper No. 45 Mill Site and Cor. No. 1 Native Copper No. 46 Mill Site, all of this survey, where I
	Set a diorite rock, 27x13x12 ins., 18 ins. in the ground for Cor. No. 1 , mkd. X C8MS-1-NC8MS-2-NC45MS-3-NC46MS-1-4243 B; from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears southwesterly 2.5 ft.
	A granite rock in place, 30x36 ins., 25 ins. above ground bears S. 8° 53' E., 6.8 ft., mkd. BR x C8MS-1-4243 B
	The 1/4 ^{Sec.} Cor., Secs. 6 and 7, T. 4 S., R. 30 E., G. & S. R. M. bears S. 52° 01' E., 790.8 ft., previously described
	Thence N. 45° 31' W.,
300.0	Cor. No. 2
	Identical with Cor. No. 1 Survey No. 4239 B Native Copper No. 45 Mill Site and Cor. No. 5 Native Copper No. 46 Mill Site and Cor. No. 1 Native Copper No. 47 Mill Site both of this survey, being
	A granite rock, 10x12 ins., 10 ins. above ground, for Cor. No. 2 , mkd. X C8MS-2-NC46MS-5-NC47MS-1-4243 B; from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears westerly 4 ft.
	A granite rock in place, 24x50 ins., 18 ins. above ground bears N. 88° 55' W., 7.4 ft., mkd. BR X C8MS-2-4243 B

32

MINERAL SURVEY NO. 4243 B - Arizona

30

	Thence N. 44° 29' E.,
726.0	Cor. No. 3 Identical with Cor. No. 4 Survey No. 4239 B Native Copper No. 43 Mill Site and situated on line 1-2 Native Copper No. 7 Mill Site of this survey, being A granite rock 12x20 ins., 8 ins. above ground for Cor. No. 3 , mkd. X C8MS-3-4243 B; from which A monument of rocks, 3 ft. high, 3 ft. base, bears northwesterly 3 ft. A granite rock in place, 14x18 ins., 18 ins. above ground bears S. 19° 25' E., 7.1 ft., mkd. BR X C8MS-3-4243 B A granite rock in place, 14x36 ins., 12 ins. above ground bears N. 35° 25' W., 20.5 ft., mkd. BR X C8MS-3-4243 B
300.0	Thence S. 45° 31' E., Cor. No. 4 Identical with Cor. No. 3 Native Copper No. 8 Mill Site of this survey and situated on line 1-2 Native Copper No. 7 mill site of this survey, where I Set a granite rock, 30x14x8 ins., 18 ins. in the ground for Cor. No. 4 , mkd. X C8MS-4-4243B-NC8MS-3; from which A monument of rocks, 3 ft. high, 3 ft. base, bears northeasterly 3 ft.
726.0	Thence S. 44° 29' W., Cor. No. 1 and place of beginning. NATIVE COPPER NO. 8 MILL SITE Beginning at Cor. No. 1 Native Copper No. 8 Mill Site Identical with Cor. No. 4 Native Copper No. 45 Mill Site of this survey and situated on line 3-4 Native Copper No. 9 Mill Site of this survey, where I Set a limestone rock, 29x10x13 ins., 17 ins. in the ground for Cor. No. 1 , mkd. X NC8MS-1-NC45MS-4-4243 B, from which A monument of rocks, 3 ft. high, 3 ft. base, bears northwesterly 3 ft. The 1/4 Cor. Secs. 6 and 7, T. 4 S., R. 30 E., G. & S. R. M. bears S. 56° 17' 30" E., 478.85 ft., previously described.
315.3	Thence N. 45° 31' W., Cor. No. 2 Identical with Cor. No. 1 Consolation No. 8 Mill Site of this survey
726.0	Thence N. 44° 29' E., Cor. No. 3

Feet	
	Identical with Cor. No. 4 Consolation No. 8 Mill Site of this survey
	Thence S. 45° 31' E.,
165.4	Cor. No. 4
	Identical with Cor. No. 1 Native Copper No. 7 Mill Site of this survey
	Thence S. 0° 13' W.,
214.7	Cor. No. 5
	Identical with Cor. No. 4 Native Copper No. 9 Mill Site of this survey, and situated on the east line of the SW 1/4 Sec. 6, T. 4 S., R. 30 E., where I
	Set a granite rock, 27x12x11 ins., 16 ins. in the ground for Cor. No. 5 , mkd. x NC8MS-5-NC9MS-4-4243 B; from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears southerly 2.5 ft.
	A granite rock in place, 18x24 ins., 17 ins. above ground bears N. 70° 37' E., 14.3 ft.
	Thence S. 44° 29' W.,
572.2	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 9 MILL SITE
	Beginning at Cor. No. 1 of the Native Copper No. 9 Mill Site
	Sec. Identical with the 1/4 Cor. between Secs. 6 and 7, T. 4 S., R. 30 E., G. & S. R. M.; from which
	A granite rock, 30x16x8 ins., set 17 ins. in the ground for witness corner bears N. 89° 00' W., 3.0 ft., mkd. x WC NC9MS-1-4243 B to Cor. No. 1
	A monument of rocks, 4 ft. high, 3 ft. base, bears southeasterly 2.5 ft.
	Thence N. 89° 00' W., from true pt. for corner
170.5	Cor. No. 2
	Identical with Cor. No. 1 Native Copper No. 45 Mill Site of this survey, and situated on line between Secs. 6 and 7, T. 4 S., R. 30 E., where I
	Set a diprite rock, 10x13x27 ins., 18 ins. in the ground for Cor. No. 2 , mkd. x NC9MS-2-NC45MS-1-4243 B; from which
	A monument of rocks, 4 ft. high, 3 ft. base, bears westerly 3.5 ft.
	Thence N. 45° 31' W.,
161.0	Cross road, 10 ft. wide, course southwesterly
346.7	Cor. No. 3
	Identical with Cor. No. 5 Native Copper No. 45 mill site

MINERAL SURVEY NO. 4243 B - Arizona

32

	<p>of this survey, where I</p> <p>Set a granite rock, 8x12 x28 ins., 18 ins. in the ground for Cor. No. 3, mkd. x NC9MS-3-NC45MS-5-4243 B, from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears westerly 3 ft.</p> <p>Thence N. 44° 29' E.,</p>
27.8	<p>Cor. No. 4 Native Copper No. 45 mill site and Cor. No. 1 Native Copper No. 8 mill site, both of this survey</p>
600.0	<p>Cor. No. 4</p> <p>Identical with Cor. No. 5 Native Copper No. 8 mill site of this survey</p> <p>Thence S. 0° 13' W.,</p>
152.0	<p>Cross road, 10 ft. wide, course westerly</p>
674.0	<p>Cor. No. 1 and place of beginning.</p>
	<p>NATIVE COPPER NO. 11 MILL SITE</p> <p>Beginning at Cor. No. 1 of the Native Copper No. 11 Mill Site</p> <p>Identical with Cor. No. 1 Survey No. 4239 B Last Chance No. 10 Mill Site, and situated on line 2-3 Survey No. 2582 Mammoth No. 12 lode, being</p> <p>A granite rock, 8x15 ins., 12 ins. above ground for Cor. No. 1, mkd. x NC11MS-1-4243 B; from which</p> <p>A monument of rocks, 4 ft. high, 3 ft. base, bears southerly 3 ft.</p> <p>A granite rock in place, 40x49 ins., 14 ins. above ground bears N. 17° 24' E., 6.8 ft., mkd. ER X NC11MS-1-4243 B</p> <p>Cor. No. 2 Survey No. 2582 Mammoth No. 12 lode bears N. 44° 29' E., 17.5 ft.</p> <p>Sec.</p> <p>The 1/4 Cor. Secs. 1, T. 4 S., R. 29 E., and 6, T. 4 S., R. 30 E., G. & S. R. M. bears N. 35° 41' W., 846.3 ft., being a granite rock, 6x8 ins., 5 ins. above ground, firmly set and marked as described in the official record.</p> <p>Thence S. 45° 31' E.,</p>
300.0	<p>Cor. No. 2</p> <p>Identical with Cor. No. 4 Last Chance No. 10 Mill Site and Cor. No. 1 Last Chance No. 11 Mill Site, both of Survey No. 4239 B and Cor. No. 3 Native Copper No. 12 Mill Site of this survey, being</p> <p>A granite rock, 6x12 ins., 12 ins. above ground, for Cor. No. 2, mkd. x NC11MS-2-NC12MS-3-4243 B; from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears northwesterly 3 ft.</p> <p>A granite rock in place, 23x37 ins., 29 ins. above</p>

Feet	
	ground bears N. 26° 20' W., 11.7 ft., mkd. BR X NCL1MS-2-4243 B Thence S. 44° 29' W.,
726.0	Cor. No. 3 Identical with Cor. No. 2 Native Copper No. 12 Mill Site of this survey and situated on line 3-4 Native Copper No. 41 Mill Site of this survey, being A granite rock in place, 8x15 ins., 10 ins. above ground (for Cor. No. 3) mkd. x NCL1MS-3-NC12MS-2-4243 B; from which A monument of rocks, 4 ft. high, 3 ft. base, bears northeasterly 4 ft. Thence N. 45° 31' W.,
9.6	Cor. No. 3 Native Copper No. 41 Mill Site and Cor. No. 4 Native Copper No. 40 Mill Site, both of this survey
154.8	Cor. No. 3 Native Copper No. 40 Mill Site and Cor. No. 4 Native Copper No. 39 Mill Site, both of this survey
192.0	Cross Lone Pine Gulch, 25 ft. wide, course southerly
265.0	Cross Lone Pine Gulch, 25 ft. wide, course easterly
300.0	Cor. No. 4 Identical with Cor. No. 3 Native Copper No. 39 Mill Site of this survey and situated on line 2-3, Survey No. 2582 Mammoth No. 12 lode, where I Set a granite rock 26x14x8 ins., 16 ins. in the ground for Cor. No. 4 , mkd. x NCL1MS-4-NC39MS-3-4243 B; from which A monument of rocks, 3 ft. high, 3 ft. base, bears northwesterly 3 ft. A granite rock in place, 8x14 ins., 16 ins. above ground bears N. 44° 29' E., 19.6 ft., mkd. BR X NCL1MS-4-4243 B Thence N. 44° 29' E.,
726.0	Cor. No. 1 and place of beginning - NATIVE COPPER NO. 12 MILL SITE Beginning at Cor. No. 1 of the Native Copper No. 12 Mill Site Identical with Cor. No. 2 Consolation No. 12 Mill Site of this survey, and situated on line 3-4 Native Copper No. 44 Mill Site of this survey, where I Set a granite rock, 8x10x28 ins., 18 ins. in the ground for Cor. No. 1 , mkd. x NCL2MS-1-4243 B - C12MS-2; from which A monument of rocks, 3 ft. high 3 ft. base, bears northeasterly 3 ft. The Cor. Secs. 1 and 12, T. 4 S., R. 29 E., and 6 and 7, T. 4 S., R. 30 E., G. & S. R. M. bears S. 23° 10'

MINERAL SURVEY NO. 4243 B - Arizona.

34

Feet.	
	<p>W., 1059.5 ft., being a 4x4 in. post, set and marked as described in the official record -</p> <p>Thence N. 45° 31' W.,</p>
19.2	Cor. No. 3 Native Copper No. 44 Mill Site and Cor. No. 4 Native Copper No. 42 Mill Site, both of this survey
164.4	Cor. No. 3 Native Copper No. 42 Mill Site and Cor. No. 4 Native Copper No. 41 Mill Site, both of this survey
300.0	<p>Cor. No. 2</p> <p>Identical with Cor. No. 3 Native Copper No. 11 Mill Site of this survey</p> <p>Thence N. 44° 29' E.,</p>
726.0	<p>Cor. No. 3</p> <p>Identical with Cor. No. 2 Native Copper No. 11 Mill Site of this survey</p> <p>Thence S. 45° 31' E.,</p>
300.0	<p>Cor. No. 4</p> <p>Identical with Cor. No. 4 Last Chance No. 11 Mill Site and Cor. No. 1 Last Chance No. 2 Mill Site, both of Survey No. 4239 B and Cor. No. 3 Consolation No. 12 Mill Site of this survey, being</p> <p>▲ granite rock, 10x12 ins., 10 ins. above ground for Cor. No. 4, mkd. x N12MS-4-C12MS-3-4243 B; from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears easterly 5 ft.</p> <p>▲ granite rock in place, 20x34 ins., 23 ins. above ground bears N. 35° 15' W., 20.0 ft., mkd. BR x N12MS-4-4243 B</p> <p>Thence S. 44° 29' W.,</p>
726.0	<p>Cor. No. 1 and place of beginning.</p> <p>CONSOLATION NO. 12 MILL SITE</p> <p>Beginning at Cor. No. 1 of the Consolation No. 12 Mill Site</p> <p>Identical with Cor. No. 1 Native Copper No. 13 Mill Site of this survey, and situated on line 2-3 Native Copper No. 54 Mill Site of this survey, where I</p> <p>Set a granite rock, 8x8x28 ins., 18 ins. in the ground for Cor. No. 1, mkd. x N12MS-1-N13MS-1-4243 B; from which</p> <p>A monument of rocks, 4 ft. high, 3 ft. base, bears southwesterly 2.5 ft.</p> <p>▲ granite rock in place, 8x15 ins., 10 ins. above ground bears N. 38° 17' E., 24.2 ft., mkd. BR X C12MS-1-4243 B</p> <p>The Cor. Secs. 1 and 12, T. 4 S., R. 29 E., and 6 and 7, T. 4 S., R. 30 E., G. & S. R. M. bears S. 39° 33' W., 990.65 ft., previously described</p>

Feet	Thence N. 45° 31' W.,
28.8	Cor. No. 2 Native Copper No. 54 Mill Site and Cor. No. 4 Native Copper No. 48 Mill Site, both of this survey
174.0	Cor. No. 3 Native Copper No. 48 Mill Site and Cor. No. 4 Native Copper No. 44 Mill Site, both of this survey
300.0	Cor. No. 2 Identical with Cor. No. 1 Native Copper No. 12 Mill Site of this survey
726.0	Thence N. 44° 29' E., Cor. No. 3 Identical with Cor. No. 4 Native Copper No. 12 Mill Site of this survey
300.0	Thence S. 45° 31' E., Cor. No. 4 Identical with Cor. No. 4 Last Chance No. 2 Mill Site and Cor. No. 1 Last Chance No. 12 Mill Site, both of Survey No. 4239 B, and Cor. No. 2 Native Copper No. 13 Mill Site of this survey, being A granite rock, 10x14 ins., 10 ins. above ground, (for Cor. No. 4,) mkd. x CL2MS-4-NC13MS-2-4243 B; from which A monument of rocks, 4 ft. high, 3 ft. base, bears southerly 3 ft. A granite rock in place, 14x28 ins., 16 ins. above ground bears N. 64° 00' W., 18.2 ft., mkd. BR X CL2MS-4-4243 B
726.0	Thence S. 44° 29' W., Cor. No. 1 and place of beginning. NATIVE COPPER NO. 13 MILL SITE Beginning at Cor. No. 1 of the Native Copper No. 13 Mill Site Identical with Cor. No. 1 Consolation No. 12 Mill Site of this survey
726.0	Thence N. 44° 29' E., Cor. No. 2 Identical with Cor. No. 4 Consolation No. 12 Mill Site of this survey
300.0	Thence S. 45° 31' E., Cor. No. 3 Identical with Cor. No. 4 Last Chance No. 12 Mill Site and Cor. No. 2 Native Copper No. 57 Mill Site, both of Survey No. 4239 B, and Cor. No. 2 Native Copper No. 19 Mill Site of this survey, being A granite rock, 10x10 ins., 10 ins. above ground, for Cor. No. 3, mkd. x NC13MS-3-NC19MS-2-4243 B; from

Feet

which

A monument of rocks, 3 ft. high, 3 ft. base, bears northeasterly 3 ft.

A granite rock in place, 22x37 ins., 12 ins. above ground bears S. 28° 05' W., 9.4 ft., mkd. BR X NCl3 MS-3-4243 B

Thence S. 44° 29' W.,

726.0

Cor. No. 4

Identical with Cor. No. 1 Native Copper No. 19 Mill Site of this survey, and situated on line 2-3 Native Copper No. 54 Mill Site of this survey, where I.

Set a granite rock, 10x10x27 ins., 16 ins. in the ground for ~~Cor. No. 4~~, mkd. x NCl3MS-4-NCl9MS-1-4243 B; from which

A monument of rocks, 3 ft. high, 3 ft. base, bears southwesterly 2.5 ft.

A granite rock in place, 24x55 ins., 11 ins. above ground, bears N. 71° 06' E., 10.4 ft., mkd. BR X NCl3MS-4-4243 B

Thence N. 45° 31' W.,

300.0

Cor. No. 1 and place of beginning.

NATIVE COPPER NO. 19 MILL SITE

Beginning at Cor. No. 1 of the Native Copper No. 19 Mill Site

Identical with Cor. No. 4 Native Copper No. 13 Mill Site of this survey; from which

The Cor. Secs. 1 and 12, T. 4 S., R. 29 E., and 6 and 7, T. 4 S., R. 30 E., G. & S. R. M. bears S. 56° 45' 30" W., 1010.1 ft., previously described

Thence N. 44° 29' E.,

726.0

Cor. No. 2

Identical with Cor. No. 3 Native Copper No. 13 Mill Site of this survey

Thence S. 45° 31' E.,

300.0

Cor. No. 3

Identical with Cor. No. 1 Native Copper No. 57 Mill Site and Cor. No. 2, Native Copper No. 43 Mill Site, both of Survey No. 4239 B and with Cor. No. 4 Native Copper No. 47 Mill Site of this survey, being

A granite rock, 6 x 6 ins., 10 ins. above ground, for ~~Cor. No. 3~~ mkd. x NCl9MS-3-NC47MS-4-4243 B; from which

A monument of rocks, 3 ft. high, 3 ft. base, bears westerly 3 ft.

A granite rock in place, 11x24 ins., 12 ins. above ground bears S. 26° 43' W., 9.7 ft., mkd. BR X NCl9MS-3-4243 B

Feet

	Thence S. 44° 29' W.,
726.0	Cor. No. 4 Identical with Cor. No. 3 Native Copper No. 47 Mill Site of this survey, and situated on line 2-3 Native Copper No. 54 Mill Site of this survey, where I Set a granite rock, 6x12x28 ins., 16 ins. in the ground for Cor. No. 4 , mkd. x NC19MS-4-NC47MS-3-4243 B; from which A monument of rocks, 3 ft. high, 3 ft. base, bears westerly 3 ft. A granite rock in place, 13x24 ins., 12 ins. above ground bears S. 26° 43' W., 9.7 ft., mkd. BR X NC19MS-4-4243 B Thence N. 45° 31' W.,
300.0	Cor. No. 1 and place of beginning. NATIVE COPPER NO. 47 MILL SITE Beginning at Cor. No. 1 of the Native Copper No. 47 Mill Site Identical with Cor. No. 2 Consolation No. 8 Mill Site of this survey; from which See. The 1/4 Cor. Secs. 6 and 7, T. 4 S., R. 30 E., G. & S. R. M. bears S. 50° 13' 30" E., 1089.4 ft., previously described Thence S. 44° 29' W.,
726.0	Cor. No. 2 Identical with Cor. No. 4 Native Copper No. 46 Mill Site of this survey and situated on line 2-3 Native Copper No. 54 Mill Site of this survey, where I Set a granite rock, 10x12x27 ins., 16 ins. in the ground (for Cor. No. 2) , mkd. x NC47MS-2-NC46MS-4-4243 B; from which A monument of rocks, 4 ft. high, 3 ft. base, bears northeasterly 3 ft. A granite rock in place, 25x50 ins., 18 ins. above ground bears N. 88° 55' W., 7.4 ft., mkd. BR X NC47MS-2-4243 B Thence N. 45° 31' W.,
108.8	Cross gulch, 5 ft. wide, course southerly
300.0	Cor. No. 3 Identical with Cor. No. 4 Native Copper No. 19 Mill Site of this survey Thence N. 44° 29' E.,
726.0	Cor. No. 4 Identical with Cor. No. 3 Native Copper No. 19 Mill Site of this survey

MINERAL SURVEY NO. 4243 B - Arizona.

38

Feet	Thence S. 45° 31' E.,
300.0	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 46 MILL SITE
	Beginning at Cor. No. 1 of the Native Copper No. 46 Mill Site
	Identical with Cor. No. 1 Consolation No. 8 Mill Site of this survey
	Thence S. 44° 29' W.,
655.7	Cor. No. 2
	Identical with Cor. No. 2 Native Copper No. 45 Mill Site of this survey and situated on line between Secs. 6 and 7, T. 4 S., R. 30 E., where
	A granite rock in place, 8x19 ins., 10 ins. above ground for Cor. No. 2 ; mkd. NC46MS-2-NC45MS-2-4243 B; from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears northwesterly 2.5 ft.
	The 1/4 ^{Sec.} Cor. Secs. 6 and 7, T. 4 S., R. 30 E., bears S. 89° 00' E., 1082.9 ft.
	Thence N. 89° 00' W.,
102.2	Cor. No. 3
	Identical with Cor. No. 3 Native Copper No. 54 Mill Site of this survey and situated on line between Secs. 6 and 7, T. 4 S., R. 30 E., being
	A granite rock in place, 15x25 ins., 13 ins. above ground (for Cor. No. 5) ; mkd. NC46MS-3-NC45MS-3-4243 B; from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears northerly 3 ft.
	Thence N. 45° 31' W.,
225.9	Cor. No. 4
	Identical with Cor. No. 2 Native Copper No. 47 Mill Site of this survey
	Thence N. 44° 29' E.,
726.0	Cor. No. 5
	Identical with Cor. No. 2 Consolation No. 8 Mill Site of this survey
	Thence S. 45° 31' E.,
300.0	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 45 MILL SITE
	Beginning at Cor. No. 1 of the Native Copper No. 45 Mill Site

Feet	
	Identical with Cor. No. 2 Native Copper No. 9 Mill Site of this survey, from which
	The ^{Sec.} 1/4 Cor. Secs. 6 and 7, T. 4 S., R. 30 E., G. & S. R.M. bears S. 89° 00' E., 170.5 ft., previously described
	Thence N. 89° 00' W.,
200.0	Cross road, 10 ft. wide, course southwesterly
912.4	Cor. No. 2
	Identical with Cor. No. 2 Native Copper No. 46 Mill Site of this survey.
	Thence N. 44° 29' E.,
655.7	Cor. No. 3
	Identical with Cor. No. 1 Consolation No. 8 Mill Site of this survey
	Thence S. 45° 31' E.,
315.3	Cor. No. 4
	Identical with Cor. No. 1 Native Copper No. 8 Mill Site of this survey
	Thence S. 44° 29' W.,
27.8	Cor. No. 5
	Identical with Cor. No. 3 Native Copper No. 9 Mill Site of this survey
	Thence S. 45° 31' E.,
185.7	Cross road, 10 ft. wide, course southwesterly
346.7	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 39 MILL SITE
	Beginning at Cor. No. 1 of the Native Copper No. 39 Mill Site
	Identical with Cor. No. 2 Native Copper No. 40 Mill Site of this survey and situated on line 4-1 Last Chance No. 8 lode Survey No. 4239 A; where
	Set a granite rock, 10x12x28 ins., 17 ins. in the ground for Cor. No. 1, mkd X NC39MS-1-NC40MS-2-4243 B; from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears southwesterly 3 ft.
	A porphyry rock in place, 10x10 ins., 12 ins. above ground bears S. 45° 31' E., 34.8 ft., mkd BR X NC39MS-1-4243B
	The Cor. of Secs. 1 and 12, T. 4 S., R. 29 E., and 6 and 7, T. 4 S., R. 30 E., G. & S. R. M. bears S. 76° 56' 30" E., 984.2 ft., previously described
	Thence N. 45° 31' W.

Feet	
145.2	Cor. No. 2
	Identical with Cor. No. 4 Survey No. 4239 A Last Chance No. 8 lode, and situated on line 2-3 Survey No. 4239 A Last Chance No. 11 lode, being
	A quartz rock, 8x12 ins., 10 ins. above ground for Cor. No. 2, mkd. x NC39MS-2-4243 B; from which
	A monument of rocks, 4 ft. high, 3 ft. base, bears northeasterly 3 ft.
	A granite rock in place, 19x32 ins., 10 ins. above ground bears N. 82° 45' W, 10.9 ft., mkd. BR X NC39MS-2-4243 B
	Cor. No. 4 Native Copper No. 2 lode of this survey bears N. 77° 58' W, 2947.0 ft.
	Thence N. 44° 29' E.,
746.6	Cor. No. 3 Survey No. 2582 Mammoth No. 12 lode
1253.1	Cor. No. 2 Survey No. 4239 A Last Chance No. 11 lode
1470.0	Cross Lone Pine Gulch, 25 ft. wide, course easterly
1500.0	Cor. No. 3
	Identical with Cor. No. 4 Native Copper No. 11 Mill Site of this survey
	Thence S. 45° 31' E.,
35.0	Cross Lone Pine Gulch, 25 ft. wide, course easterly
108.0	Cross Lone Pine Gulch, 25 ft. wide, course southerly
145.2	Cor. No. 4
	Identical with Cor. No. 3 Native Copper No. 40 mill site of this survey and situated on line 3-4 Native Copper No. 11 Mill Site of this survey, where I
	Set a granite rock, 8x15x27 ins., 16 ins. in the ground (for Cor. No. 4) mkd. x NC39MS-4-NC40MS-3-4243 B; from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears southeasterly 2.5 ft.
	A granite rock in place, 30x48 ins., 17 ins. above ground bears S. 45° 31' E., 10.2 ft., mkd. BR X NC39MS-4-4243 B
	Thence S. 44° 29' W
35.0	Cross Lone Pine Gulch, 25 ft. wide, course southerly
1500.0	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 40 MILL SITE
	Beginning at Cor. No. 1 of the Native Copper No. 40 Mill Site
	Identical with Cor. No. 2 Native Copper No. 41 Mill Site of this survey and situated on line 4-1 Survey No. 4239 A Last Chance No. 8 lode, where I

Feet	
	<p>Set a granite rock, 8x10x26 ins., 16 ins. in the ground (For Cor. No. 1), mkd. x NC40MS-1-NC41MS-2-4243 B; from which</p>
	<p>A monument of rocks, 4 ft. high, 4 ft. base, bears northwesterly 4 ft.</p>
	<p>The Cor. Secs. 1 and 12, T. 4 S., R. 29 E., and 6 and 7, T. 4 S., R. 30 E., G. & S. R. M., bears S. 81° 58' E., 863.6 ft. previously described</p>
	<p>Thence N. 45° 31' W.,</p>
145.2	<p>Cor. No. 2</p>
	<p>Identical with Cor. No. 1 Native Copper No. 39 Mill Site of this survey</p>
	<p>Thence N. 44° 29' E.,</p>
1465.0	<p>Cross Lone Pine Gulch, 25 ft. wide, course southerly</p>
1500.0	<p>Cor. No. 3</p>
	<p>Identical with Cor. No. 4 Native Copper No. 39 Mill Site of this survey</p>
	<p>Thence S. 45° 31' E.,</p>
145.2	<p>Cor. No. 4</p>
	<p>Identical with Cor. No. 3 Native Copper No. 41 Mill Site of this survey and situated on line 3-4 Native Copper No. 11 Mill Site of this survey, where I</p>
	<p>Set a granite rock, 8x12x27 ins., 17 ins. in the ground (for Cor. No. 4), mkd. x NC40MS-4-NC41MS-3-4243 B; from which</p>
	<p>A monument of rocks, 3 ft. high, 3 ft. base, bears southeasterly 2.5 ft.</p>
	<p>Thence S. 44° 29' W.,</p>
68.0	<p>Cross Lone Pine Gulch, 25 ft. wide, course southerly</p>
1500.0	<p>Cor. No. 1 and place of beginning.</p>
	<p>NATIVE COPPER NO. 41 MILL SITE</p>
	<p>Beginning at Cor. No. 1 of the Native Copper No. 41 Mill Site</p>
	<p>Identical with Cor. No. 2 Native Copper No. 42 Mill Site of this survey and situated on line 4-1 Survey No. 4239 A Last Chance No. 8 lode, where I</p>
	<p>Set a granite rock, 8x12x29 ins., 19 ins. in the ground (for Cor. No. 1), mkd. x NC41MS-1-NC42MS-2-4243 B; from which</p>
	<p>A monument of rocks, 3 ft. high, 3 ft. base, bears northerly 3 ft.</p>
	<p>A granite rock in place, 50x72 ins., 34 ins. above ground bears S. 45° 31' E., 12.4 ft., mkd. BR X NC41MS-1-4243 B</p>

Feet	
	The Cor. Secs. 1 and 12, T. 4 S., R. 29 E., and 6 and 7, T. 4 S., R. 30 E., G. & S. R. M. bears S. 88° 33' 30" E., 751.8 ft., previously described
	Thence N. 45° 31' W.,
145.2	Cor. No. 2
	Identical with Cor. No. 1 Native Copper No. 40 Mill Site of this survey
	Thence N. 44° 29' E.,
1432.0	Cross Lone Pine Gulch, 25 ft. wide, course southerly.
1500.0	Cor. No. 3
	Identical with Cor. No. 4 Native Copper No. 40 mill site of this survey
	Thence S. 45° 31' E.,
9.6	Cor. No. 3 Native Copper No. 11 Mill Site and Cor. No. 2 Native Copper No. 12 mill site, both of this survey
145.2	Cor. No. 4
	Identical with Cor. No. 3 Native Copper No. 42 Mill Site of this survey and situated on line 1-2 Native Copper No. 12 Mill Site of this survey, being
	A granite rock in place, 103x11 ins., 84 ins. above ground (for Cor. No. 4) mkd. x NC41MS-4-NC42MS-3-4243 B, from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears northeasterly 2.5 ft.
	A granite rock in place, 24x23 ins., 17 ins. above ground bears N. 58° 57' W., 14.6 ft., mkd. BR X NC 41MS-4-4243 B.
	Thence S. 44° 29' W.,
113.0	Cross Lone Pine Gulch, 25 ft. wide, course southerly
1500.0	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 42 MILL SITE
	Beginning at Cor. No. 1 of the Native Copper No. 42 Mill Site
	Identical with Cor. No. 2 Native Copper No. 44 mill site of this survey and situated on line 4-1 Survey No. 4239
	A Last Chance No. 8 lode, where I
	Set a granite rock, 10x14x28 ins., 16 ins. in the ground (for Cor. No. 1) mkd. x NC42MS-1-NC44MS-2-4243 B; from which
	A monument of rocks, 4 ft. high, 3 ft. base, bears northeasterly 3 ft.
	The Cor. Secs. 1 and 12, T. 4 S., R. 29 E., and 6 and 7, T. 4 S., R. 30 E., G. & S. R. M. bears N. 82° 44' E., 653.2 ft., previously described
	Thence N. 45° 31' W.,

Feet	
145.2	Cor. No. 2 Identical with Cor. No. 1 Native Copper No. 41 Mill Site of this survey Thence N. 44° 29' E.,
1387.0	Cross Lone Pine Gulch, 25 ft. wide, course southerly
1500.0	Cor. No. 3 Identical with Cor. No. 4 Native Copper No. 41 Mill Site of this survey Thence S. 45° 31' E.,
145.2	Cor. No. 4 Identical with Cor. No. 3 Native Copper No. 44 Mill Site of this survey and situated on line 1-2 Native Copper No. 12 Mill Site of this survey, where I Set a granite rock, 8x12x27 ins., 16 ins. in the ground for Cor. No. 4 , mkd. x NC42MS-4-NC44MS-3-4243 B; from which A monument of rocks, 3 ft. high, 3 ft. base, bears southwesterly 3.5 ft. A granite rock in place, 24x46 ins., 40 ins. above ground bears N. 52° 14' E., 8.5 ft., mkd. BR X NC42MS-4-4243 B Thence S. 44° 29' W.,
182.0	Cross Lone Pine Gulch, 30 ft. wide, course southerly
1500.0	Cor. No. 1 and place of beginning. NATIVE COPPER NO. 44 MILL SITE Beginning at Cor. No. 1 of the Native Copper No. 44 Mill Site Identical with Cor. No. 2 Native Copper No. 48 Mill Site of this survey and situated on line 4-1 Survey No. 4239 A Last Chance No. 10 lode, being A granite rock in place, 20x45 ins., 15 ins. above ground (for Cor. No. 1), mkd. x NC44MS-1-NC48MS-2-4243 B; from which A monument of rocks, 3 ft. high, 3 ft. base, bears southerly 3 ft. A granite rock in place, 24x36 ins., 50 ins. above ground bears N. 5° 20' E., 8.2 ft., mkd. BR X NC44MS-1-4243 B The Cor. Secs. 1 and 12, T. 4 S., R. 29 E., and 6 and 7, T. 4 S., R. 30 E., G. & S. R. M. bears N. 71° 17' E., 574.8 ft., previously described Thence N. 45° 31' W.,
126.0	Cor. No. 4 Last Chance No. 10 lode and Cor. No. 1 Last Chance No. 8 lode, both of Survey No. 4239 A
145.2	Cor. No. 2

46

MINERAL SURVEY NO. 4243 B - Arizona

44

Feet	Identical with Cor. No. 1 Native Copper, No. 42 Mill Site of this survey
	Thence N. 44° 29' E.,
1318.0	Cross Lone Pine Gulch, 30 ft. wide, course southerly
1500.0	Cor. No. 3
	Identical with Cor. No. 4 Native Copper, No. 42 mill site of this survey
	Thence S. 45° 31' E.,
119.2	Cor. No. 1 Native Copper No. 12 Mill Site and Cor. No. 2 Consolation No. 12 Mill Site, both of this survey
145.2	Cor. No. 4
	Identical with Cor. No. 3 Native Copper No. 48 Mill Site of this survey and situated on line 1-2 Consolation No. 12 Mill Site of this survey, being
	A granite rock in place, 36x65 ins., 30 ins. above ground (for Cor. No. 4), mkd. x NC44MS-4-NC48MS-3-4243 B; from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears northeasterly 3 ft.
	A diorite rock in place, 24x37 ins., 18 ins. above ground bears S. 8° 10' E., - 12.2 ft., mkd. BR X NC 44MS-4-4243 B
	Thence S. 44° 29' W.,
261.0	Cross Lone Pine Gulch, 30 ft. wide, course southerly
1500.0	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 48 MILL SITE
	Beginning at Cor. No. 1 of the Native Copper No. 48 Mill Site
	Situated on line 4-1 Survey No. 4259 A Last Chance No. 10 Lode, N. 45° 31' W. 328.8 ft. from Cor. No. 1
	A granite rock in place, 16x22 ins., 19 ins. above ground for Cor. No. 1, mkd. x NC48MS-1-4243 B; from which
	A monument of rocks, 4 ft. high, 4 ft. base, bears easterly 5 ft.
	The Cor. Secs. 1 and 12, T. 4 S., R. 29 E., and 6 and 7, T. 4 S., R. 30 E., G. & S. R. M. bears N. 57° 00' 30" E., 525.5 ft., previously described
	Thence N. 45° 31' W.,
145.2	Cor. No. 2
	Identical with Cor. No. 1 Native Copper No. 44 Mill Site of this survey
	Thence N. 44° 29' E.,
1239.0	Cross Lone Pine Gulch, 30 ft. wide, course southerly

47

MINERAL SURVEY NO. 4243 B - Arizona

45

Feet 1500.0	Cor. No. 3 Identical with Cor. No. 4 Native Copper No. 44 Mill Site of this survey Thence S. 45° 31' E.,
145.2	Cor. No. 4 Identical with Cor. No. 2 Native Copper No. 54 mill site of this survey and situated on line 1-2 Consolation No. 12 Mill Site of this survey, where I Set a granite rock, 12x14x28 ins., 16 ins. in the ground (for Cor. No. 4) mkd. x NC48MS-4-NC54MS-2-4243 B; from which A monument of rocks, 4 ft. high, 3 ft. base, bears northeasterly 3 ft. A granite rock in place, 28x37 ins., 31 ins. above ground bears S. 31° 20' E., 11.3 ft., mkd. BR X NC 48 MS-4-4243 B Thence S. 44° 29' W.,
208.4	Cor. No. 1 Native Copper No. 54 Mill Site of this survey
349.0	Cross Lone Pine Gulch, 30 ft. wide, course southerly
1500.0	Cor. No. 1 and place of beginning.
	NATIVE COPPER NO. 54 MILL SITE Beginning at Cor. No. 1 of the Native Copper No. 54 Mill Site Situating on line 4-1 Native Copper No. 48 Mill Site of this survey, being A granite rock in place, 24x28 ins., 14 ins. above ground (for Cor. No. 1) mkd. x NC54MS-1-4243 B; from which A monument of rocks, 3 ft. high, 3 ft. base, bears southwesterly 2.5 ft. The Cor. Secs. 1 and 12, T. 4 S., R. 29 E., and 6 and 7, T. 4 S., R. 30 E., G. & S. R. M. bears S. 36° 09' W., 786.9 ft., previously described Thence N. 44° 29' E.,
208.4	Cor. No. 2
188.0	Identical with Cor. No. 4 Native Copper No. 48 Mill Site of this survey Thence S. 45° 31' E.,
28.8	Cor. No. 1 Consolation No. 12 Mill Site and Cor. No. 1 Native Copper No. 13 Mill Site, both of this survey
328.8	Cor. No. 4 Native Copper No. 13 Mill Site and Cor. No. 1 Native Copper No. 19 Mill Site, both of this survey
628.8	Cor. No. 4 Native Copper No. 19 Mill Site and Cor. No. 3 Native Copper No. 47 Mill Site, both of this survey

48

MINERAL SURVEY NO. 4243 A & B - Arizona

46

Feet	
820.0	Cross gulch, 5 ft. wide, course southerly
928.8	Cor. No. 2 Native Copper No. 47 mill site and Cor. No. 4 Native Copper No. 46 Mill Site, both of this survey
1154.7	Cor. No. 3 Identical with Cor. No. 3 Native Copper No. 46 Mill Site of this survey Thence N. 89° 00' W.,
218.0	Cross gulch, 5 ft. wide, course southerly
302.9	Cor. No. 4 Situating on line between Secs. 6 and 7, T. 4 S., R. 30 E., where I Set a granite rock, 12x15x28 ins., 17 ins. in the ground (for Cor. No. 4,) mkd. x NC54MS-4-4243B; from which A monument of rocks, 4 ft. high, 3 ft. base, bears southwesterly 3 ft. A granite rock in place, 36x58 ins., 23 ins. above ground bears S. 87° 30' E., 14.9 ft., mkd. BR X NC 54-4-4243 B. The ^{Sec.} 1/4 Cor. Secs. 6 and 7, T. 4 S., R. 30 E., bears S. 89° 00' E., 1488.0 ft. The Cor. Secs. 1 and 12, T. 4 S., R. 29 E., and 6 and 7, T. 4 S., R. 30 E., bears N. 89° 00' W., 1131.4 ft. Thence N. 45° 31' W.,
935.0	Cor. No. 1 and place of beginning.

AREAS.

	Acres.
Total area, Consolation No. 8 lode - - - - -	20.661 ✓
Total area, Consolation No. 12 lode - - - - -	20.661 ✓
Total area, Native Copper No. 2 lode - - - - -	6.765 ✓
area in conflict with	
Survey No. 1865 Cliff Lode - - - - -	2.503 ✓
Total area, Native Copper No. 7 lode - - - - -	20.661 ✓
Total area, Native Copper No. 8 lode - - - - -	20.661 ✓
Total area, Native Copper No. 9 lode - - - - -	20.661 ✓
Area in conflict with	
Sur. No. 1865 Tip Top lode - - - - -	8.205 ✓
Sur. No. 2782 Tip Top lode - - - - -	8.205 ✓
Sur. No. 1865 Tip Top lode exclusive of its conflict with Sur. No. 2782 Tip Top lode - - - - -	0.000 ✓
Total area, Native Copper No. 11 lode - - - - -	20.661 ✓

MINERAL SURVEY NO. 4243 A & B - arizona.

	acres.
Total area, Native Copper No. 12 lode - - - -	17.361
Area in conflict with	
Native Copper No. 7 lode, this survey - - - -	4.639
Native Copper No. 13 lode, this survey - - - -	1.546
Total area, Native Copper No. 13 lode - - - -	20.661
Total area, Native Copper No. 19 lode - - - -	20.660
Area in conflict with Survey No. 1865, Webb City lode	.100
Total area, Native Copper No. 39 lode - - - -	12.857
Total area, Native Copper No. 40 lode - - - -	12.906
Area in conflict with	
Survey No. 1865 Tip Top lode - - - - -	1.572
Survey No. 2782 Tip Top lode - - - - -	1.572
Survey No. 1865 Tip Top lode, exclusive of its conflict with Sur. No. 2782 Tip Top lode - - - -	0.000
Native Copper No. 9 lode, this survey - - - - -	0.524
Native Copper No. 13 lode, this survey - - - - -	0.723
Total area, Native Copper No. 41 lode - - - -	20.568
Area in conflict with	
Survey No. 1865 Nevada lode - - - - -	0.186
Survey No. 1865 Webb City lode - - - - -	0.240
Total area, Native Copper No. 42 lode - - - -	20.568
Total area, Native Copper No. 44 lode - - - -	20.661
Area in conflict with	
Survey No. 1865 Cliff lode - - - - -	0.296
Survey No. 1865 Tip Top lode - - - - -	2.678
Survey No. 2782 Tip Top lode - - - - -	2.678
Survey No. 1865 Tip Top lode, exclusive of its conflict with Sur. No. 2782 Tip Top lode - - - -	0.000
Total area, Native Copper No. 45 lode - - - -	20.660
Area in conflict with Survey No. 1865 Webb City lode	8.161
Total area, Native Copper No. 46 lode - - - -	20.660
Total area, Native Copper No. 47 lode - - - -	16.528
Total area, Native Copper No. 48 lode - - - -	4.271
Total area, Native Copper No. 54 lode - - - -	20.660
Area in conflict with Survey No. 1865 Webb City lode	1.131
Total area, Consolation No. 8 M.S. - - - - -	5.000
Total area, Consolation No. 12 M.S. - - - - -	5.000
Total area, Native Copper No. 2 M.S. - - - -	3.488
Total area, Native Copper No. 7 M. S. - - - -	4.875
Total area, Native Copper No. 8 M.S. - - - -	4.990
Total area, Native Copper No. 9 M.S. - - - -	3.707
Total area, Native Copper No. 11 M.S. - - - -	5.000
Total area, Native Copper No. 12 M.S. - - - -	5.000

	areas
Total area, Native Copper No. 13 M.S. - - -	5.000 ✓
Total area, Native Copper No. 19 M.S. - - -	5.000 ✓
Total area, Native Copper No. 39 M.S. - - -	5.000 ✓
Total area, Native Copper No. 40 M.S. - - -	5.000 ✓
Total area, Native Copper No. 41 M.S. - - -	5.000 ✓
Total area, Native Copper No. 42 M.S. - - -	5.000 ✓
Total area, Native Copper No. 44 M.S. - - -	5.000 ✓
Total area, Native Copper No. 45 M.S. - - -	4.972 ✓
Total area, Native Copper No. 46 M.S. - - -	4.941 ✓
Total area, Native Copper No. 47 M.S. - - -	5.000 ✓
Total area, Native Copper No. 48 M.S. - - -	5.000 ✓
Total area, Native Copper No. 54 M.S. - - -	4.999 ✓

LOCATION

The lodes of this survey are located in the $S\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$ and Lot 5, Sec. 1, Lots 9, 15, 16 & 17, Sec. 2, Lots 1, 4, 5, 6, & 7, the E $\frac{1}{2}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, and W $\frac{1}{2}$ SE $\frac{1}{4}$ Sec. 11, and Lots 4, 5, and 10, Sec. 12, T. 4 S., R. 29 E., and the millsites in the E $\frac{1}{2}$ SE $\frac{1}{4}$ Sec. 1, the NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 12, T. 4 S., R. 29 E., and Lots 6 and 7, and the E $\frac{1}{2}$ SW $\frac{1}{4}$ Sec. 6, T. 4 S., R. 30 E.

The survey of all lode claims and mill sites of this survey is identical with the respective location or amended location as marked on the ground with the exception of the following lode claims:- Native Copper No. 2 lode, Native Copper No. 39 lode, Native Copper No. 40 lode and Native Copper No. 48 lode, the survey of each of these being within the original lines as monumented on the ground.

EXPENDITURE OF \$500

I certify that the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or his grantors is not less than \$500, and that said improvements consist of:-

- Consolation No. 8
- No. 1 The discovery cut of the Consolation No. 8 lode, the face of which being the discovery point is on the lode line .675 ft. from the south end center; 5 ft. wide, 10 ft. face, runs N. 45° E., 12 ft. to face
Value \$60
- Consolation No. 12
- No. 1 The discovery cut of the Consolation No. 12 lode, the face of which being the discovery point is on the lode line 275 ft. from the south end center; 5 ft. wide, 10 ft. face, runs N. 43° E., 12 ft. to face
Value \$60
- Native Copper No. 11
- No. 1 The discovery cut of the Native Copper No. 11 lode, the face of which being the discovery point is on the lode line 460 ft. from the south end center; 6 ft. wide, 10 ft. face, runs N. 48° E., 24 ft. to face
Value \$140

MINERAL SURVEY NO. 4243 A - Arizona

49

- No. 2 An open cut, the mouth of which bears N. 29° 45' E., 602 ft. from Cor. No. 3 Native Copper No. 11 lode; 5 ft. wide, 15 ft., face, runs N. 67° E., 60 ft. to face
Value \$450
- No. 3 An open cut, the mouth of which bears N. 37° 21' E., 691 ft. from Cor. No. 3 Native Copper No. 11 lode; 5 ft. wide 12 ft. face, runs N. 59° E., 25 ft. to face and portal of tunnel 4x7 ft. in size, running N. 59° E., 24 ft. to breast
Value \$390
- No. 4 An open cut, the mouth of which bears N. 40° 42' E., 770 ft. from Cor. No. 3 Native Copper No. 11 lode; 5 ft. wide, 15 ft. face, runs N. 55° E., 24 ft. to face and portal of tunnel 4x7 ft. in size, running N. 55° E., 48 ft. to breast
Value \$660
- No. 5 An open cut, the mouth of which bears S. 39° 30' W., 191 ft. from the north end center of the Native Copper No. 11 lode, 4 ft. wide, 10 ft. face, runs S. 56° W., 10 ft. to face
Value \$40
- No. 1 The discovery cut of the Native Copper No. 44 lode, the face of which being the discovery point is on the lode line 300 ft. from the north end center; 5 ft. wide, 8 ft. face, runs N. 85° W., 12 ft. to face and portal of tunnel 4x7 ft. in size, running N. 85° W., 14 ft. to breast
Value \$188
- No. 2 An open cut, the mouth of which bears N. 86° 09' W., 30 ft. from Cor. No. 4 Native Copper No. 44; 5 ft. wide, 10 ft. face, runs S. 45° W., 20 ft. to face and portal of tunnel 4x7 ft. in size, running S. 45° W., 58 ft. to breast
Value \$680
- No. 3 An open cut, the mouth of which bears S. 18° 32' W., 472 ft. from Cor. No. 3 Native Copper No. 44 lode; 10 ft. wide, 10 ft. face, runs N. 85° W., 12 ft. to face and portal of tunnel, 4x7 ft. in size, running N. 85° W., 35 ft. to breast
Value \$470
- No. 4 A shaft, the center of which bears N. 49° 00' E., 735 ft. from Cor. No. 2 Native Copper No. 44 lode; 6x8 ft. in size, 10 ft. deep
Value \$100
- No. 1 The discovery cut of the Native Copper No. 2 lode, the face of which being the discovery point is on the lode line 170 ft. from the north end center; 5 ft. wide, 10 ft. face, runs S. 59° W. 12 ft. to face
Value \$60
- No. 1 The discovery cut of the Native Copper No. 8 lode, the face of which being the discovery point is on the lode line 110 ft. from the south end center; 5 ft. wide, 10 ft. face, runs N. 14° W., 12 ft. to face
Value \$60
- No. 2 An open cut, the mouth of which bears N. 7° 25' W., 70 ft. from the south end center of the Native Copper No. 8 lode; 5 ft. wide, 10 ft. face, runs N. 2° W., 10 ft. to face
Value \$50
- No. 3 An open cut, the mouth of which bears N. 9° 48' E., 385

- ft. from Cor. No. 4 Native Copper No. 8 lode; 5 ft. wide, 10 ft. face, runs N. 48° E., 12 ft. to face and portal of tunnel 5x7 ft. in size, running N. 48° E., 27 ft. to breast
Value \$330
- No. 4 An open cut, the mouth of which bears N. 30° 30' E., 610 ft. from Cor. 4 Native Copper No. 8 lode; 5 ft. wide, 10 ft. face, runs N. 45° E., 14 ft. to face and portal of tunnel, 5x7 ft. in size, running N. 45° E., 122 ft. to breast
Value \$1290
- No. 1 Native Copper No. 9
The discovery cut of the Native Copper No. 9 lode, the face of which being the discovery point is on the lode line 40 ft. from the south end center; 5 ft. wide, 10 ft. face, runs N. 45° W., 12 ft. to face
Value \$60
- No. 2 An open cut, the mouth of which bears S. 30° 10' E., 150 ft. from Cor. No. 4 Native Copper No. 9 lode; 5 ft. wide, 10 ft. face, runs N. 48° E., 12 ft. to face and portal of tunnel 4x7 ft. in size, running N. 48° E., 69 ft. to breast
Value \$750
- No. 1 Native Copper No. 40
The discovery cut of the Native Copper No. 40 lode, the face of which being the discovery point is on the lode line 200 ft. from the east end center; 5 ft. wide, 10 ft. face, runs S. 60° W., 12 ft. to face
Value \$60
- No. 1 Native Copper No. 7
The discovery cut of the Native Copper No. 7 lode, the face of which being the discovery point is on the lode line 20 ft. from the north end center; 5 ft. wide, 10 ft. face, runs N. 32° W., 12 ft. to face
Value \$60
- No. 2 A shaft, the center of which bears S. 18° 10' E., 162 ft. from Cor. No. 1 Native Copper No. 7 lode; 4x6 ft. in size, 67 ft. deep
Value \$670
- No. 3 An open cut, the mouth of which bears N. 46° 00' E., 570 ft. from Cor. No. 4 Native Copper No. 7 lode; 7 ft. wide, 10 ft. face, runs N. 49° E., 14 ft. to face and portal of tunnel 4x7 ft. in size, running N. 49° E., 54 ft. to point, thence N. 65° E., 93 ft. to point, thence N. 10° E., 25 ft. to breast
Value \$1820
- No. 1 Native Copper No. 13
The discovery cut of the Native Copper No. 13 lode, the face of which being the discovery point is on the lode line 250 ft. from the north end center; 5 ft. wide, 10 ft. face runs N. 5° W., 16 ft. to face
Value \$80
- No. 2 An open cut, the mouth of which bears N. 51° 00' E., 288 ft. from the south end center of the Native Copper No. 13 lode; 5 ft. wide, 10 ft. face runs S. 3° W., 12 ft. to face
Value \$60
- No. 1 Native Copper No. 12
The discovery cut of the Native Copper No. 12 lode, the face of which being the discovery point is on the lode line 400 ft. from the south end center; 5 ft. wide, 10 ft. face, runs S. 50° W., 12 ft. to face
Value \$60

MINERAL SURVEY NO. 4243 A - Arizona

51

- No. 2 An open cut, the mouth of which bears N. 49° 54' W., 321 ft. from Cor. No. 2 Native Copper No. 12 lode; 5 ft. wide, 10 ft. face, runs S. 20° E., 12 ft. to face.
Value \$60
Native Copper No. 19
- No. 1 The discovery cut of the Native Copper No. 19 lode, the face of which being the discovery point is on the lode line 185 ft. from the north end center; 5 ft. wide, 10 ft. face, runs N. 45° E., 12 ft. to face
Value \$60
- No. 2 An open cut, the mouth of which bears S. 35° 24' W., 140 ft. from the north end center of the Native Copper No. 19 lode; 5 ft. wide, 10 ft. face, runs N. 42° E. 12 ft. to face
Value \$60
Native Copper No. 45
- No. 1 The discovery cut of the Native Copper No. 45 lode, the face of which being the discovery point is on the lode line 100 ft. from the south end center; 5 ft. wide, 10 ft. face, runs N. 51° E., 15 ft. to face
Value \$75
Native Copper No. 39
- No. 1 The discovery cut of the Native Copper No. 39 lode, the face of which being the discovery point is on the lode line 20 ft. from the north end center; 5 ft. wide, 10 ft. face, runs N. 40° W., 12 ft. to face
Value \$60
- No. 2 A shaft, the center of which bears S. 5° 00' E., 65 ft. from the north end center of the Native Copper No. 39 lode; 4x6 ft. in size, 7 ft. deep
Value \$35
Native Copper No. 48
- No. 1 The discovery cut of the Native Copper No. 48, the face of which being the discovery point is on the lode line 200 ft. from the north end center; 5 ft. wide, 10 ft. face; runs S. 45° W., 12 ft. to face
Value \$60
Native Copper No. 47
- No. 1 The discovery cut of the Native Copper No. 47 lode, the face of which being the discovery point is on the lode line 300 ft. from the south end center; 5 ft. wide, 10 ft. face, runs S. 20° E., 12 ft. to face
Value \$60
Native Copper No. 54
- No. 1 The discovery cut of the Native Copper No. 54 lode, the face of which being the discovery point is on the lode line 80 ft. from the north end center; 5 ft. wide, 10 ft. face, runs S. 52° W., 12 ft. to face
Value \$60
Native Copper No. 46
- No. 1 The discovery cut of the Native Copper No. 46 lode, the face of which being the discovery point is on the lode line 200 ft. from the north end center; 5 ft. wide, 10 ft. face, runs N. 47° E., 12 ft. to face and portal of tunnel, 4x7-ft. in size, running N. 47° E., 14 ft. to breast
Value \$200
- No. 2 An open cut, the mouth of which bears N. 42° 00' E., 715 ft. from Cor. No. 2 Native Copper No. 46 lode; 4 ft. wide, 8 ft. face, runs N. 35° W., 10 ft. to face
Value \$30
- No. 3 An open cut, the mouth of which bears N. 41° 30' E., 693 ft. from Cor. No. 2 Native Copper No. 46 lode; 4 ft. wide, 9 ft. face, runs N. 35° W., 10 ft. to face
Value \$35

54

MINERAL SURVEY NO. 4243 A & B - Arizona

52

- Native Copper No. 41
- No. 1 The discovery cut of the Native Copper No. 41 lode; the face of which being the discovery point is on the lode line 300 ft. from the east end center; 5 ft. wide, 10 ft. face, runs S. 54° W., 12 ft. to face
Value \$60
- No. 2 An open cut, the mouth of which bears N. 56° 10' E., 335 ft. from Cor. No. 1 Native Copper No. 41 lode; 5 ft. wide, 10 ft. face, runs N. 51° W., 10 ft. to face and portal of tunnel 4x6 ft. in size, running N. 51° W., 13 ft. to breast
Value \$180
- Native Copper No. 42
- No. 1 The discovery cut of the Native Copper No. 42 lode; the face of which being the discovery point is on the lode line 240 ft. from the west end center; 5 ft. wide, 10 ft. face, runs S. 52° W., 12 ft. to face and portal of tunnel, 4x7 ft. in size, running S. 52° W., 8 ft. to breast
Value \$140
- No. 2 An open cut, the mouth of which bears N. 7° 28' E., 250 ft. from Cor. No. 1 Native Copper No. 42 lode; 7 ft. wide, 15 ft. face, runs S. 54° W., 16 ft. to face and portal of tunnel, 4x7 ft. in size, running S. 54° W 8 ft. to breast
Value \$250
- No. 3 An open cut, the mouth of which bears N. 85° 52' W., 450 ft. from Cor. No. 4 Native Copper No. 42 lode; 5 ft. wide, 10 ft. face, runs West 20 ft. to face and breast of tunnel 4x7 ft. in size, running West 40 ft. to breast
Value \$300

A 1/50th interest with a value of \$440 has been allotted to each of the claims of this survey in Improvement No. 4 Survey No. 4239 A Last Chance No. 8 lode as shown in that survey.

OTHER CORNER DESCRIPTIONS.

Survey No. 1865 Cliff lode: Cors. Nos. 3 and 4 are pine posts, firmly set and properly marked; Cor. No. 2 is a granite point, 4x8 ft., 5 ft. above ground with pine post nearby, properly marked. Line 2-3 was found to be correct as approved. Line 3-4 was found to be approximately correct as approved. Tip Top lode: Cors. Nos. 1, 2, 3 and 4 are pine posts, firmly set and properly marked. Lines 1-2, 2-3, 3-4 and 4-1 were found correct as approved. Golden Rod lode:- Cors. Nos. 3 and 4 are pine posts, firmly set and properly marked. Line 3-4 was found to be approximately correct as approved. Clifton lode: Cors. 2 and 5 are pine posts, firmly set and properly marked. Cor. No. 4 is on a granite point 20x20 ft., 15 ft. high. Line 2-3 was found to be correct as approved. Line 3-4 was found to be approximately correct as approved. Webb City lode:- Cors. Nos. 1, 2 and 3 are pine posts, firmly set and properly marked. Cor. No. 4 is on the east face of a granite cliff, Cor. No. 2 is a granite ledge 5x6 ft., 2 ft. above ground. Lines 2-3 and 4-1 were found to be correct as approved. Lines 1-2 and 3-4 were found to be approximately correct as approved. Nevada lode:- Cors. Nos. 1 and 4 are pine posts, firmly set and properly marked. Cor. No. 3 is a granite ledge 5x6 ft., 2 ft. above ground. Line 3-4 was found to be 902.3 ft. which is approximately as approved. Line 4-1 was found to be correct as approved. Almo lode: Cors. Nos. 3 and 4 were pine posts which have been replaced as noted. Line 3-4 found correct as reported.

Nevada, p.p. 3. 2 ft. 4 p. post

Chestnut lode:- Cors, Nos. 3 and 4 were pine posts, replaced as noted in this record. Line 3-4 was found to be correct as reported.

Survey No. 2582 Mammoth No 12 lode. Cors. Nos. 2 and 3 are granite rocks, firmly set and properly marked. Line 2-3 was found to be correct as reported.

Survey No. 2782 Tip Top Lode:- all corners are pine posts firmly set and properly marked. All lines were found correct as reported.

Survey No. 4224 A Exposition No. 1 lode:- Cor. No. 4 is described in this record. Exposition No. 3:- Cors. Nos. 3 and 4 described in this record. Line 3-4 found to be correct as reported. Exposition No. 5:- Cors. Nos. 3 and 4 described in this record. Line 3-4 was found to be correct as reported.

Survey No. 4239 A Last Chance No. 8 lode:- Cor. No. 4 described in this record. Cor. No. 1 is a quartzite rock firmly set and properly marked. Line 4-1 was found to be correct as reported. Last Chance No. 10 lode:- Cor. No. 4 is a quartzite rock firmly set and properly marked. Cor. No. 1 is a granite rock, firmly set and properly marked. Last Chance No. 11 lode:- Cors. Nos. 2 and 3 are granite rocks, firmly set and properly marked. Line 2-3 was found to be correct as reported. Last Chance No. 12 lode:- Cors. Nos. 2 and 3 are described in this record. Cor. No. 1 is a granite rock, firmly set and properly marked. Lines 1-2 and 2-3 were found to be correct as reported.

Survey No. 4239 B all corners of this survey reported in this record are described in the record. All lines were found to be correct as reported.

Survey No. 4166 Novo No. 25 lode, Cors. 2 and 3 are granite rocks, firmly set and properly marked. Line 2-3 was found to be correct as reported. Novo No. 26 lode:- Cors. 3 and 4 are rocks, firmly set and properly marked. Line 3-4 was found to be correct as reported. Novo No. 27:- Cors. Nos. 3 and 4 are rocks, firmly set and properly marked. Line 3-4 was found to be correct as reported. Novo No. 30 lode:- Cors. Nos. 3 and 4 are rocks, firmly set and properly marked. Line 3-4 was found to be correct as reported. Novo No. 29 lode:- Cors. Nos. 2 and 3 are rocks, firmly set and properly marked. Line 2-3 was found to be correct as reported. Novo No. 28 lode:- Cors. Nos. 2 and 3 are rocks, firmly set and properly marked. Line 2-3 was found to be correct as reported. Novo 21st lode:- Cors. Nos. 3 and 4 are rocks, firmly set and properly marked. Line 3-4 was found to be correct as reported.

I determined the point for the center of Sec. 6, T. 4 S., R. 30 E., as reported in my returns of Mineral Survey No. 4225.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals employed by Ralph L. Motz
Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries
described in the foregoing field notes of the survey of the mining claim of _____
H. I. Grimes
known as the see list on other side
and showing the respective capacities in which they acted.

Clarence Cosgrove, Chainman.

Gordon Barnard, Chainman.

_____, Arman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS

We, Clarence Cosgrove
and Gordon Barnard, do solemnly swear that we assisted Ralph L. Motz
_____, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of H. I. Grimes
known as the see list on other side,
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the
instructions furnished by the Office Cadastral Engineer, at Phoenix, Arizona.

Clarence Cosgrove, Chainman.
Gordon Barnard, Chainman.

_____, Arman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 6th

day of November, 19 40

W. H. Miescher

Notary Public, in and for the County
of Cochise, State of Arizona.

My commission expires Feb. 3, 1941.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FINAL OATHS FOR SURVEYS

List of claims:-

- Consolation No. 8, Consolation No. 12, Native Copper No. 2,
- Native Copper No. 7, Native Copper No. 8, Native Copper No. 9,
- Native Copper No. 11, Native Copper No. 12, Native Copper No. 13,
- Native Copper No. 19, Native Copper No. 39, Native Copper No. 40,
- Native Copper No. 41, Native Copper No. 42, Native Copper No. 44,
- Native Copper No. 45, Native Copper No. 46, Native Copper No. 47,
- Native Copper No. 48 and Native Copper No. 54 lodes and mill sites.

FINAL OATHS OF ASSISTANTS

The undersigned

do hereby certify that we are assistants in the office of the General Land Office, United States Department of the Interior, and that we have taken the following oaths:

I, _____, do hereby certify that I am an assistant in the office of the General Land Office, United States Department of the Interior, and that I have taken the following oaths:

I, _____, do hereby certify that I am an assistant in the office of the General Land Office, United States Department of the Interior, and that I have taken the following oaths:

[Handwritten signatures and text, including names like "John M. ..."]

Witness my hand and seal at Washington, D.C., this _____ day of _____, 1901.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FINAL OATH OF MINERAL SURVEYOR

I, Ralph L. Motz, Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the Office Cadastral
Engineer, at Phoenix, Arizona, dated July 8, 1940,

I have, in strict conformity to the laws of the United States, the official regulations
and instructions thereunder, and the instructions of said Office Cadastral Engineer,
faithfully and correctly executed the survey of the mining claim of

H. I. Grimes, known as the
See list on other side,

situate in Greenlee Gold Mountain Mining District,
Greenlee County, Arizona in Section
1, 2, 11 and 12 4 S. 29 E. and
6, Township No. 4 S., Range No. 30 E., G.&S.R.M.

and designated as Survey No. 4243 A & B, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy of
the location certificate, which was received by me from the Office Cadastral Engineer
with said instructions, and that all corners of said survey have been established and
perpetuated in strict accordance with the law, official regulations and instructions
thereunder; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and im-
provements made upon said mining claim by claimant or his
grantors are as therein fully stated, and that the character, extent, location, and
itemized value thereof are specified therein with particularity and full detail, and
that no portion of said labor or improvements so credited to this claim has been included
in the estimate of expenditures upon any other claim.

Ralph L. Motz
(Mineral Surveyor)

Subscribed and sworn to by the said Ralph L. Motz
Mineral Surveyor, before me W. H. Miescher, Notary Public

this 6th
day of November, 1940

W. H. Miescher
Notary Public, in and for the County
of Cochise, State of Arizona.
My commission expires Feb. 3, 1941.

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

United States
Department of the Interior
 GENERAL LAND OFFICE
 PUBLIC SURVEY OFFICE

 Phoenix, Arizona.

 April 5, 1941

I, Office Cadastral Engineer, at Phoenix, Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey

of the mining claim of H. I. GRIMES, Known as the Consolation No. 8, Consolation No. 12, Native Copper No. 2, Native Copper No. 7, Native Copper No. 8, Native Copper No. 9, Native Copper No. 11, Native Copper No. 12, Native Copper No. 13, Native Copper No. 19, Native Copper No. 39, Native Copper No. 40, Native Copper No. 41, Native Copper No. 42, Native Copper No. 44, Native Copper No. 45, Native Copper No. 46, Native Copper No. 47, Native Copper No. 48, and Native Copper No. 54 lodes and millsites situate in Greenlee Gold Mountain

Mining District Greenlee County Arizona
 in Sections 1, 2, 11, and 12, Township No. 4 S., Range No. 29 E., and
6, Township No. 4 S., Range No. 30 E., G. & SRM, and

designated as Survey No. 4243 A&B, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant lode or his grantors, and that said improvements consist of 39 cuts, 14 tunnels, and 3 shafts, value \$10,373, as well as \$8,800 from the value of Improvement No. 4, Survey No. 4239 A, Last Chance No. 8 lode, (1/50 interest in said improvement, value \$440, being accredited to each of the lodes in this survey).

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the District Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

 Sherman G. Plake

Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

UNITED STATES DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

April 5, 19 41

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of H. I. GRIMES, known as the

Consolation No. 8, Consolation No. 12, Native Copper No. 2, Native Copper No. 7, Native Copper No. 8, Native Copper No. 9, Native Copper No. 11, Native Copper No. 12, Native Copper No. 13, Native Copper No. 19, Native Copper No. 39, Native Copper No. 40, Native Copper No. 41, Native Copper No. 42, Native Copper No. 44, Native Copper No. 45, Native Copper No. 46, Native Copper No. 47, Native Copper No. 48, and Native Copper No. 54 lodes and millsites

situate in Greenlee Gold Mountain mining district, Greenlee County, Arizona

1, 2, 11, and 12 4 S. 29 E., and in Sections 6, Township No. 4 S., Range No. 30 E., G. & S.R.M.

, designated as Survey No. 4243 A&B

executed by Ralph L. Motz, Mineral

Surveyor, August 10 - September 15, 1940, under my instructions dated

July 8, 19 40, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. The certified copy of the location certificate filed by the applicant for survey is on file in this office and a true copy of said certified copy of said location certificate is included and made a part of the transcript of the field notes.

Sherman G. Fiske Office Cadastral Engineer.

SUPPLEMENTAL FIELD NOTES

MINERAL SURVEY NO. 4243 A.

From Cor. No.3 of the Native Copper No. 41 lode, which is situated on line 4-1 Survey No. 1865, Nevada lode, Cor. No.4 said Nevada lode bears S. 59° 21' W. 724.5 ft.

UNITED STATES
DEPARTMENT OF THE INTERIOR
General Land Office
Public Survey Office
Phoenix, Arizona
December 29, 1942.

I certify that the above correctly states the course and distance from Cor. No.3 of the Native Copper No. 41 lode, of Mineral Survey No. 4243 A, to Cor. No.4 Survey No. 1865, Nevada lode, as shown by the surveyor's preliminary plat of survey which forms a part of his returns of Mineral Survey No. 4243 A.

I further certify that the plats of Mineral Survey No. 4243 A, on file in this office, the District Land Office in Phoenix, Arizona, and in the General Land Office, have been amended to properly show the above course and distance.

E. A. Thompson
Acting Office Cadastral Engineer.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (942)
BUREAU OF LAND MANAGEMENT M.S. 4243B
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Consolation No. 8, Consolation No. 12, Native Copper No. 2, Native Copper No. 7, Native Copper No. 8, Native Copper No. 9, Native Copper No. 11, Native Copper No. 12, Native Copper No. 13, Native Copper No. 19, Native Copper No. 39, Native Copper No. 40, Native Copper No. 41, Native Copper No. 42, Native Copper No. 44, Native Copper No. 45, Native Copper No. 46, Native Copper No. 47, Native Copper No. 48 and Native Copper No. 54 mill sites, Mineral Survey No. 4243B, located in Townships 4 South, Range 29 and 30 East, Gila and Salt River Meridian, Arizona, are hereby canceled. As of this date, this notice of cancellation will become part of the field notes for Mineral Survey No. 4243B, page 145.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Consolation No. 8, Consolation No. 12, Native Copper No. 2, Native Copper No. 7, Native Copper No. 8, Native Copper No. 9, Native Copper No. 11, Native Copper No. 12, Native Copper No. 13, Native Copper No. 19, Native Copper No. 39, Native Copper No. 40, Native Copper No. 41, Native Copper No. 42, Native Copper No. 44, Native Copper No. 45, Native Copper No. 46, Native Copper No. 47, Native Copper No. 48 and Native Copper No. 54 mill sites, M.S. 4243B were canceled February 15, 1996, by memo 9605 (942) M.S. 4243B which is now a part of the original field notes."

February 15, 1996
Date


Acting Chief Cadastral Surveyor of Arizona