

4-683

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

MINERAL SURVEY NO. 4253 A & B

Arizona

Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

H. I. Grimes

Known As The

Contact No. 2 lode and mill-site claims

Greenlee Gold Mountain

Mining District,

Greenlee

County,

Arizona

Section S 36, Township 3 S, Range 29 E,
S 31, Township 3 S, Range 30 E, G. & S. R. M.
1, Township 4 S, Range 29 E

Surveyed under instructions dated June 25, 1941

by Ralph L. Motz
U. S. Mineral Surveyor.

Claim located lode; millsite,
/ June 13, 1939; / June 20, 1941

Survey commenced December 26, 1941

Survey completed December 28, 1941

Address of claimant's attorney, H. Earl Rogge, / Clifton, Ariz.
Box 876

DATES OF AMENDED LOCATIONS

MINERAL SURVEY NO. 4253 - A & B.

1

Feet	A&B
	<p>Mineral Survey No. 4253 was made with a Gurley & Sons precise transit, light mountain model, with horizontal limb 6.25 inches in diameter, having double opposite verniers, and full vertical circle 5 inches in diameter, having one double vernier; the verniers read to one minute of arc; the eye piece is equipped with a colored glass slide in a prismatic eye piece for making direct observations upon the sun. The instrument was in good condition at the time of survey and all adjustments were in good order. All azimuths in this record are referred to the true meridian as determined by me in connection with Mineral Survey No. 4224, which adjoins this survey on the north and east, by the method of deflection angles and calculated courses.</p> <p>The lines were measured with a Keuffel & Esser steel tape, 100 ft. in length, graduated to feet, tenths, and hundredths of feet for the entire length; a Keuffel & Esser steel tape, 300 feet in length, graduated to feet, tenths and hundredths of feet for the entire length; a Lufkin steel tape, 25 feet in length, graduated to feet, inches and fractions of inches for the entire length. All tapes were compared with a Lufkin standard at the time of beginning the survey, and found correct.</p> <p>The magnetic variation observed at each corner of the survey gave a uniform value of 13° 30' E.</p> <p style="text-align: center;">Mineral Survey No. 4253 A. CONTACT NO. 2 lode</p> <p>Beginning at Cor. No. 1 of the Contact No. 2 lode</p> <p>Set a granite rock, 10x12x28 ins., 18 ins. in the ground, mkd. G2-1-4253 A; from which</p> <p style="padding-left: 40px;">A monument of rocks, 3 ft. high, 3 ft. base, bears northerly 3 ft.</p> <p style="padding-left: 40px;">A granite ledge, 25x65 ins., 18 ins. above ground, bears N. 45° 56' W., 37.8 ft., mkd. BR X C2-1-4253 A</p> <p style="padding-left: 40px;">A granite ledge, 34x48 ins., 23 ins. above ground, bears N. 52° 06' E., 44.3 ft., mkd. BR X C2-1-4253 A</p> <p>The Witness Corner for the Cor. Secs. 35 and 36, T. 3 S., R. 29 E., and Secs. 1 and 2, T. 4 S., R. 29 E., G. & S. R. M. bears S. 69° 57' W., 463.0 ft., being an iron pipe with brass cap, firmly set and marked as described in the official record; This witness corner, as of record, is West .70 chains, (46.2 ft.), from the true point for corner.</p> <p>Cor. No. 1 Gladiator lode and Cor. No. 5 Governor No. 4 lode, both of Sur. No. 4224 A, bears S. 74° 49' E., 319.7 ft.,</p> <p>Cor. No. 4 Sur. No. 3058 Alice Winifred lode bears S. 58° 59' 30" E., 545.1 ft.</p> <p style="padding-left: 40px;">Thence S. 84° 31' E.,</p> <p>262.54 Intersect line 3-4 Sur. No. 3058 Alice Winifred lode at a point from which Cor. No. 4 bears S. 38° 50' E., 328.29 ft. Also intersect line 5-1 Sur. No. 4224 A Governor No. 4 lode at a point from which Cor. No. 5 bears S. 38° 50' E., 75.29 ft.</p> <p>359.31 Intersect line 4-5 Sur. No. 4224 A Governor No. 4 lode at a point from which Cor. No. 5 bears S. 44° 50' W., 69.66 ft., Also intersect line 1-2 Sur. No. 4224 A Gladiator lode at a point from which Cor. No. 1 bears S. 44° 50' W., 69.66 ft. Cor. No. 4 Sur. No. 4224 A Gladiator lode bears S. 38° 50' E., 600.0 ft. from Cor. No. 1 thereof</p>

Feet	
1130.48	Intersect line 3-4 Sur. No. 4224 A Gladiator lode at a point from which Cor. No. 4 bears S. 44° 50' W., 624.81 ft. also intersect line 3-4 Sur. No. 4224 A Senator No. 2 lode at a point from which Cor. No. 3 bears S. 44° 50' W., 477.81 ft. The intersection of line 3-4 Sur. No. 4224 A Gladiator lode with line 3-4 Sur. No. 3058 Tom H lode bears S. 44° 50' W., 538.38 ft. from this point.
1500.0	Cor. No. 2 Set a porphyry rock, 6x10x27 ins., 18 ins. in the ground, mkd. C2-2-4253 A; from which A monument of rocks, 3 ft. high, 3 ft. base, bears easterly 3 ft. A porphyry ledge 48x74 ins., 32 ins. above ground, bears N. 5° 29' E., 28.7 ft., mkd. BR X C2-2-4253 A Thence S. 5° 29' W.,
59.19	Intersect line 3-4 Sur. No. 3058 North Star lode at a point from which Cor. No. 3 bears N. 50° 26' W., 27.01 ft.
300.0	Intersect the east end of the lode line at the original location for the east end center, being a monument of rocks, 3 ft. high, 3 ft. base
462.49	Intersect line 1-2 Sur. No. 4224 A Senator No. 2 lode at a point from which Cor. No. 2 bears S. 45° 45' W., 418.13 ft.
600.0	Cor. No. 3 Set a porphyry rock, 7x9x30 ins., 20 ins. in the ground, mkd. C2-3-4253 A; from which. A monument of rocks 3 ft. high, 3 ft. base, bears easterly 4 ft. Cor. No. 3, Sur. No. 3058 North Star lode bears N. 3° 11' E., 556.40 ft. Cor. No. 3 Sur. No. 4224 A Senator No. 2 lode bears N. 65° 36' W., 710.9 ft. Thence N. 84° 31' W.,
116.48	Intersect line 1-2 Sur. No. 4224 A Senator No. 2 lode at a point from which Cor. No. 2 bears S. 45° 45' W., 237.92 ft.
400.67	intersect line 2-3 Sur. No. 3058 North Star lode at a point from which Cor. No. 3 bears N. 39° 43' E., 672.5 ft. Cor. No. 4 Sur. No. 3058 Cambridge lode &
447.42	Intersect line 2-3 Sur. No. 4224 A Senator No. 2 lode at a point from which Cor. No. 3 bears N. 38° 50' W., 322.16 ft.
531.7	Cor. No. 3 Cambridge lode and Cor. No. 4 Tom H lode, both of Sur. No. 3058. Cor. No. 3 Sur. No. 3058 Tom H lode bears N. 38° 50' W., 606.7 ft. from this point. The intersection of line 3-4 Sur. No. 3058 Tom H lode with line 3-4 Sur. No. 4224 A Gladiator lode bears N. 38° 50' W., 256.4 ft. from this point

Feet	
1285.05	Intersect line 2-3 Sur. No. 3058 Tom H lode at a point from which Cor. No. 3 bears N. 42° 41' E., 544.97 ft. Also intersect line 4-1 Sur. No. 3058 Alice Winifred lode at a point from which Cor. No. 4 bears N. 42° 41' E., 458.12 ft.
1500.0	<p>Cor. No. 4</p> <p>Set a granite rock, 5x12x29 ins., 21 ins. in the ground, mkd. C2-4-4253 A; from which</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears northerly 3 ft.</p> <p>A granite ledge, 55x96 ins., 43 ins. above ground, bears S. 5° 29' W., 44.8 ft., mkd. BR X C2-4-4253 A</p> <p>Thence N. 5° 29' E.,</p>
300.0	Intersect the west end of the lode line at the original location, for the west end center, being a monument of rocks, 3 ft. high, 3 ft. base.
600.0	Cor. No. 1 and place of beginning.
	<p style="text-align: center;">LODE LINE</p> <p>The presumed course of the vein on this lode location, counted from the point of discovery, is as follows:-</p> <p>N. 84° 31' W., 400 ft., and, S. 84° 31' E., 1100 ft.</p>
	<p style="text-align: center;">TRACT A</p> <p>Beginning at Cor. No. 3 of the Contact No. 2 lode; thence N. 84° 31' W., 116.48 to intersection with line 1-2 Sur. No. 4224 A Senator No. 2 lode; thence N. 45° 45' E., along line 2-1 Sur. No. 4224 A Senator No. 2 lode (No 45° 45' E.), 180.81 ft. to line 2-3 of the Contact No. 2 lode; thence S. 5° 29' W., 137.51 ft. to the place of beginning.</p>
	<p style="text-align: center;">Mineral Survey No. 4253 B</p> <p style="text-align: center;">CONTACT NO. 2 MILL SITE</p> <p>Beginning at Cor. No. 1 of the Contact No. 2 mill site</p> <p>Identical with Cor. No. 1 Sur. No. 4224 B Colorado Fraction mill site and situated on line 3-4 Sur. No. 4224 B Exposition No. 3 mill site, being a</p> <p>Granite rock, 8x9 ins., 9 ins. above ground, mkd. CFMS-1-4224 B; add C2MS-1-4253 B; from which</p> <p>The Cor. of Secs. 31 and 32, T. 3 S., R. 30 E., and Secs. 5 and 6, T. 4 S., R. 30 E., G. & S. R. M. bears S. 31° 44' 30" E., 470.9 ft., being a granite rock; 5x13 ins., 10 ins. above ground, firmly set and marked 11111 on east face and 1 on west face.</p> <p>A monument of rocks, 3 ft. high, 3 ft. base, bears southeasterly 3 ft.</p> <p>Cor. No. 2 of the Contact No. 2 lode of this survey bears S. 87° 31' W., 8429.5 ft.</p>

Feet	
	Thence N. 45° 31' W.,
158.0	Cross Cottonwood Gulch, 40 ft. wide, course easterly
300.0	Cor. No. 2
	Identical with Cor. No. 4 Colorado Fraction mill site, Cor. No. 1 Colorado Mill Site and Cor. No. 1 Exposition No. 14 mill site, all of Sur. No. 4224 B, being a
	A granite rock, 9x9 ins., 10 ins. above ground, mkd. E14MS-1-CFMS-4-CMS-1-4224 B; add C2MS-2-4253 B; from which
	A granite rock in place, 32x37 ins., 23 ins. above ground bears N. 50° 15' W., 42.4 ft., mkd. ER X C2MS-2-4253 B
	A monument of rocks, 3 ft. high, 3 ft. base, bears northwesterly 3 ft.
	Thence N. 31° 25' E.,
745.2	Cor. No. 3
	Identical with Cor. No. 4 Sur. No. 4224 B Exposition No. 14 mill site, being a
	Granite rock, 6x12 ins., 8 ins. above ground, mkd. E14MS-4-4224 B; add C2MS-3-4253 B; from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears southerly 3 ft.
	Thence S. 45° 31' E.,
101.34	Cor. No. 4
	Situated on the line between Secs. 31 and 32, T. 3 S., R. 30 E., G. & S. R. M.; being a
	Granite rock, 7x12x28 ins., set 19 ins. in the ground, mkd. C2MS-4-4253 B; from which
	A monument of rocks, 3 ft. high, 3 ft. base, bears westerly 3 ft.
	Thence S. 0° 03' E.,
370.72	Cor. No. 5
	Situated on the line between Secs. 31 and 32, T. 3 S., R. 30 E., G. & S. R. M.; being a
	Granite rock in place, 10x28 ins., 8 ins. above ground, mkd. C2MS-5-4253 B; from which
	A granite rock in place, 14x37 ins., 12 ins. above ground bears N. 89° 54' W., 36.7 ft., mkd. BR X C2MS-5-4253 B
	A monument of rocks, 3 ft. high, 3 ft. base, bears westerly 3 ft.
	Thence S. 31° 25' W.,
234.0	Cor. No. 4 Sur. No. 4224 B Exposition No. 3 mill site, being a granite rock, 6x11 ins., 9 ins. above ground, mkd. E3MS-4-4224 B.

6

Mineral Survey No.- 4253 - Arizona.

5

Feet	
346.2	Cross Cottonwood Gulch, 40 ft. wide, course easterly
473.9	Cor. No. 1 and place of beginning.

LOCATION.

The lode of this survey is situated in the S 1/2 SW 1/4 of Sec. 36, T. 3 S., R. 29 E., Lots 3 and 4, Sec. 1, T. 4 S., R. 29 E. and the mill site in the SE 1/4 SE 1/4 of Sec. 31, T. 3 S., R. 30 E., G. & S. R. M.

AREAS.

acres

Total area, Contact No. 2 lode	20.661
Area in conflict with	
Sur. No. 3058 North Star lode	2.696
Sur. No. 3058 North Star lode exclusive of its conflict with Sur. No. 4224 A Senator No. 2 lode	0.184
Sur. No. 3058 North Star lode exclusive of its conflict with Tract A	2.512
Sur. No. 3058 North Star lode exclusive of its conflict with Sur. No. 4224 A Senator No. 2 lode and Tract A	0.000
Tract A	0.184
Sur. No. 4224 A Senator No. 2 lode,	7.198
Sur. No. 3058 Tom H lode	3.754
Sur. No. 3058 Tom H lode exclusive of its conflict with Sur. No. 4224 A Gladiator lode	3.066
Sur. No. 4224 A Gladiator lode	4.754
Sur. No. 4224 A Governor No. 4 lode	0.060
Sur. No. 3058 Alice Winifred lode	4.996
Total area, Contact No. 2 mill site	4.397

EXPENDITURE OF \$500

I hereby certify that the value of the labor and improvements placed upon this claim by the claimant or his grantors was at the time of survey as follows:-

No. 1 The discovery cut of the Contact No. 2 lode, the face of which being the discovery point is on the lode line, 400 ft. from the west end center; 4 ft. wide, 10 ft. face, running N. 85° W., 12 ft. to face.
Value \$50

A certificate of Expenditure of \$500 made upon this claim of for the benefit of this claim will be made prior to the date of the expiration of the publication of the notice of application for patent.

OTHER CORNER DESCRIPTIONS.

Sur. No. 3058 North Star lode:- Cors. 2, 3 and 4 are posts firmly set and properly marked. Lines 2-3 and 3-4 were found to be correct as reported. Cambridge lode:- Cors. 3 and 4 are posts firmly set and properly marked. Line 3-4 was found to be correct as approved. Tom H lode; Cors. 2, 3 and 4 are pine posts, firmly set and properly marked. Lines 2-3 and 3-4 were found to be correct as approved. Alice Winifred lode:- Cors. 1, 3, and

7 3

Mineral Survey No. 4253 - Arizona.

4 are posts, firmly set and properly marked. Lines 3-4 and 4-1 were found to be correct as approved.

Sur. No. 4224 A Senator No. 2 lode; Cors. 1, 2, 3 and 4 are rocks, firmly set and marked as recorded in the official record. I check lines 1-2, 2-3 and 3-4 as approved. Gladiator lode: All corners are rocks, firmly set and marked as shown in official record.

The lines were found to be correct as approved. Governor No. 4: Cors. 1, 4, and 5 are as shown in the official record. The lines were found to be correct as approved.

Sur. No. 4224 B:- All corners of this survey used in connection with Sur. No. 4253 B are described in the foregoing notes. All lines were found to be correct as approved.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

H. I. Grines

known as the Contact No. 2 lode and mill-site claims

and showing the respective capacities in which they acted.

Pete Komnenovich, *Chainman.*

....., *Chainman.*

....., *Aceman.*

....., *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~We~~ I, Pete Komnenovich

and, do solemnly swear that we assisted Ralph L. Motz

....., United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of H. I. Grines

known as the Contact No. 2 lode and mill-site claims

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona.

Pete Komnenovich, *Chainman.*

....., *Chainman.*

....., *Aceman.*

....., *Flagman.*

Subscribed and sworn to by the above-named persons before me this 30th

day of January, 19 42

W. H. Miescher

Notary Public, in and for the County of
Cochise, State of Arizona.

6-1043

My commission expires Feb. 5, 1945.

FINAL OATH OF U.-S. MINERAL SURVEYOR

I, Ralph L. Motz....., U.-S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the Office Cadastral
Engineer, at Phoenix, Arizona....., dated June 25, 1941.....,
I have, in strict conformity to the laws of the United States, the official regulations
and instructions thereunder, and the instructions of said Office Cadastral Engineer,
faithfully and correctly executed the survey of the mining claim of H. I. Grimes..
....., known as the
CONTACT NO. 2 lode and mill-site claims.....,
situate in Greenlee Gold Mountain..... Mining District,
Greenlee..... County, Arizona....., in Section 36
31..... Township No. 3 S....., Range No. 30 E G.&S.R.M.
1....., 4 S....., 29 E.....
and designated as Survey No. 4253 A & B....., as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy of
the location certificate, which was received by me from the Office Cadastral Engineer
with said instructions, and that all corners of said survey have been established and
perpetuated in strict accordance with the law, official regulations and instructions
thereunder; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and im-
provements made upon said mining claim by claimant or his.....
grantors are as therein fully stated, and that the character, extent, location, and
itemized value thereof are specified therein with particularity and full detail, and
that no portion of said labor or improvements so credited to this claim has been in-
cluded in the estimate of expenditures upon any other claim.

Ralph L. Motz
(U.-S. Mineral Surveyor)

Subscribed and sworn to by the said Ralph L. Motz.....

U.-S. Mineral Surveyor, before me W. H. Miescher..... Notary Public

..... this 27th

day of January....., 1942

W. H. Miescher

Notary Public, in and for the
County of Cochise, ARIZONA.
My Commission expires Feb. 3, 1945.

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

United States
Department of the Interior
GENERAL LAND OFFICE
PUBLIC SURVEY OFFICE

Phoenix, Arizona,

May 9, 1942

I, Office Cadastral Engineer, at Phoenix, Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

H. I. Grimes

known as the CONTACT NO. 2 lode and millsite claims

situate in Greenlee Gold Mountain

Mining District Greenlee County Arizona
in Section 36, Township No. 3 S., Range No. 29 E., and
1, 4 S., 30 E., G. & S.R.M.
designated as Survey No. 4253 A&B

has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that less than Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant or his grantors, and that said improvements consist of, at time of survey, 1 out, value \$50.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the District Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Sherman C. Fiske
Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF
MINING CLAIM

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE
PUBLIC SURVEY OFFICE

At Phoenix, Arizona

May 9, 1942

I, Office Cadastral Engineer at Phoenix, Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of _____

H. I. Grimes

_____, known as the

CONTACT NO.2 lode and millsite claims

situate in Greenlee Gold Mountain mining district,

Greenlee County, Arizona

in Sections 36 3 S., 29 E.,
31 3 S., 30 E.,
1 4 S. 29 E., G. & S.R.M.,

_____, designated as Survey No. 4253 A&B

executed by Ralph L. Motz, Mineral

Surveyor, December 26 - 28, 1941, under my instructions dated

June 25, 1941, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

Sherman C. Fiske
Office Cadastral Engineer

Supplemental Field Notes

MINERAL SURVEY NO. 4253 A, CONTACT NO. 2 lode.

TRACT A.

Beginning at Cor. No. 1, Contact No. 2 lode,

Thence S. 5° 29' E.

along line 1-4 said lode,

159.46 Intersect the line between Secs. 1 and 36, Ts. 3 and 4 S., R. 29 E., at a point east 373.5 ft. from the true point for the cor. of Secs. 1, 2, 35, and 36.

Thence East

along said section line.

384.16 Intersect line 4-1 Gladiator lode, Sur. No. 4224 A.

Thence N. 38° 50' W.

along line 4-1 said Gladiator lode,

96.27 Cor. No. 1 Gladiator lode, identical with Cor. 5 Governor No. 4 lode, both of Sur. No. 4224 A, thence along line 5-1 said Governor No. 4 lode,

171.56 Intersect line 1-2 Contact No. 2 lode,

Thence N. 84° 31' W.

along line 2-1 Contact No. 2 lode,

262.54 to the place of beginning.

Containing 1.070 Acres.

TRACT B.

Beginning at Cor. No. 2, Contact No. 2 lode,

Thence S. 5° 29' W.

along line 2-3 said lode,

15.42 Intersect the line between Secs. 1 and 36, Ts. 3 and 4 S., R. 29 E., at a point east 1880.4 ft. from the true point for the cor. of Secs. 1, 2, 35, and 36.

Thence West

along the said section line,

416.73 Intersect line 3-4 Gladiator lode and line 3-4 Senator No. 2 lode, both of Sur. No. 4224 A,

Thence N. 44° 50' W.

along line 3-4 said Senator No. 2 lode and line 4-3 said Gladiator lode,

Feet

71.43 Intersect line 4-1 Contact No.2 lode.

Thence S. 84° 31' E.

along line 1-2 Contact No.2 lode,

369.52 to the place of beginning.

Containing 0.308 acres.

UNITED STATES
 DEPARTMENT OF THE INTERIOR
 GENERAL LAND OFFICE
 PUBLIC SURVEY OFFICE
 Phoenix, Arizona,
 October 5, 1942.

I certify that the data contained in the foregoing supplemental field notes have been correctly compiled from the records of Mineral Survey No. 4253 A&B and the 1921 resurvey of the line between Secs. 1 and 36, Ts. 3 and 4 S., R. 29 E., on file in this office, to describe those parts of conflicts with the Alice Winifred and Senator No.2 lodes, Mineral Surveys 3058 and 4224 A, respectively, which are in conflict with Sec. 36, T. 3 S., R. 29 E.

Sherman C. Fiske
 Office Cadastral Engineer

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE
PUBLIC SURVEY OFFICE

ACTING
CERTIFICATE OF OFFICE CADASTRAL ENGINEER

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM

Phoenix, Arizona,

January 7, 1943
(Date)

I, Acting Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that Five Hundred Dollars' worth of labor has been expended or improvements made by claimant or his grantors, upon the mining claim of H. I. Grimes

known as the CONTACT NO. 2 lode

situate in Greenlee Gold Mountain mining district,

Greenlee County, Arizona

in Section 36, Township No. 4 S., Range No. 29 E.

that said improvements consist of, in addition to the \$50 cut reported at time of survey, an undivided 1/34th interest in the value of improvement No. 1 on the Colorado lode, Sur. No. 4224 A, value \$700.

, and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim. A copy of the report of Ralph L. Motz, Mineral Surveyor, dated January 2, 1943, is hereto attached.

E. A. Thompson
Acting Office Cadastral Engineer.

SUPPLEMENTAL REPORT

Mineral Survey No. 4253 A -

County of Cochise)
) ss.
State of Arizona)

I, Ralph L. Motz, Mineral Surveyor, G.L.O., do solemnly swear that the value of the labor and improvements made for the benefit of Mineral Survey No. 4253 A, Contact No. 2 lode, are as fully stated in my report hereto attached; that the attached supplemental report is true and correct; and that the improvements mentioned therein were made and completed prior to the date of the expiration of the publication of the notice of application for patent to the lands embraced in said Mineral Survey No. 4253 A.

Ralph L. Motz
Mineral Surveyor, G.L.O.

Subscribed and sworn to by the said Ralph L. Motz, Mineral Surveyor, before me, W. H. Miescher, a notary Public, in and for the County of Cochise, State of Arizona, this 2nd day of January, 1943.

W. H. Miescher
Notary Public.

In and for the County of Cochise,
State of Arizona.

My commission expires Feb. 3, 1945.

Mineral Survey No. 4253 A -

Contact No. 2 lode.

I hereby certify that the value of the labor performed and improvements made for the benefit of this claim by the claimant or his grantors is not less than \$500, and that said improvements, in addition to those which were reported at the time of survey, consist of:-

The property of the claimant consists of a number of groups of mining claims, situated for a considerable distance along the mountains and extending on both sides of the ridges. To successfully prospect and develop the property it is necessary to have several main systems of improvements, which tend to develop certain localities and this is the most feasible way to economically develop several ore showings. For this reason, the following improvements were made with the intention of developing the claims of Mineral Survey No. 4224 A and Mineral Survey No. 4253 A. The various contiguous groups of claims owned by the claimant have been developed by common improvements as set forth in the field notes of those surveys.

Mineral Survey No. 4224 A consists of:- Exposition No. 1, Exposition No. 2, Exposition No. 3, Exposition No. 4, Exposition No. 5, Exposition No. 6, Exposition No. 7, Exposition No. 8, Exposition No. 9, Exposition No. 10, Exposition No. 11, Exposition No. 12, Exposition No. 13, Exposition No. 14, Colorado, Colorado Fraction, Keystone, Mason G, Mason G No. 2, Senator, Senator No. 2, Lexington, Lexington Number 4, Engineer, Spot Cash, Gladiator, Red Giant, Grand Trunk, Belfast, Governor, Governor No. 2, Governor No. 3 and Governor No. 4 lode. Mineral Survey No. 4253 A consists of the Contact No. 2 lode. A total of 34 mining claims, shown on map herewith.

No. 1 The discovery shaft of the Colorado lode, now 6x7 1/2 ft. in size, 225 ft. deep timbered, 1 1/2 compartments. At bottom is drift 5x7 ft. in size running N. 44° E., 150 ft. to breast, at which is a cross cut running N. 46° W., 40 ft. to breast. At shaft is another drift running S. 44° W., 300 ft. 5x7 ft. in size.

Value of Shaft \$ 13,500
Value of drifts 10,300

Total Value \$ 23,800

Value of a 1/34 interest allotted to the Contact No. 2 lode - - - - - \$ 700.

This improvement was made and completed prior to the date of the expiration of the period of publication of the notice of application for patent of Mineral Survey 4253 A.

Ralph L. Moody

Mineral Surveyor,
G. L. O.
G. L. O.

Dated at Denver, Colorado.
Dec. 27, 1912.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 4253B
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The CONTACT No.2 mill site, Mineral Survey No. 4253B, located in section 31, Township 3 South, Range 30 East, Gila and Salt River Meridian, Arizona, is hereby canceled.


This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"CONTACT No.2 mill site, M.S. 4253B, was canceled April 20, 2009, by memo 9605 (956) M.S. 4253B, which is now a part of the original field notes."

April 20, 2009
Date



Chief Cadastral Surveyor of Arizona