

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

MINERAL SURVEY NO. 4274

Arizona

Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

Randolph Jenks

Known As The

COCONINO, YUMA, QUINCY, BUSTER, YAVAPAI, COCHISE, APACHE, MARICOPA,
NAVAJO, ALDER NO. 2, ALDER NO. 3, METAL RESERVE, METAL RESERVE NO. 2,
METAL RESERVE NO. 3 and METAL RESERVE NO. 4 lodes
Old Hat

Mining District,

Pima

County, Arizona

Sections 15, 16 and 22, Township 11 S., Range 16 E., G.&S.R.M.

Surveyed under instructions dated July 10, 1943

by Ralph L. Motz
Mineral Surveyor.

Claim located See back hereof, 19

Survey commenced July 18, 1943

Survey completed August 1, 1943

Address of claimant Randolph Jenks, P.O. Box 4084,
University Station, Tucson, Arizona.

DATES OF AMENDED LOCATIONS

See back hereof.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

<u>Claim</u>	<u>Located</u>	<u>Amended</u>
Coconino	July 7, 1924	June 18, 1943
Yuma	Jan. 21, 1939	May 28, 1943
Quincy	Oct. 31, 1942	" " "
Buster	June 5, 1942	June 18, 1943
Yavapai	July 7, 1924	June 18, 1943
Cochise	" " "	" " "
Maricopa	" " "	" " "
Navajo	" " "	" " "
Apache	" " "	" " "
Alder No.2	May 1, 1937	July 2, 1943
Alder No.3	" " "	June 30, 1943
Metal Reserve	May 11, 1942	June 18, 1943
Metal Reserve No.2	" " "	" " "
Metal Reserve No.3	" " "	June 30, 1943
Metal Reserve No.4	" " "	June 18, 1943

Randolph Jones

COCONINO, YAVAPAI, BUSTER, YUMA, COCHISE, MARICOPA,
YAVAPAI, ALDER NO. 2, ALDER NO. 3, METAL RESERVE NO. 2,
METAL RESERVE NO. 3 AND METAL RESERVE NO. 4 LODES
Old List

County: Pinal
Section 12, 15 and 28 Township 11 N., Range 12 E., G.A.B.M.
T. 11 S., R. 12 E., S. 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100

John I. Jones
Special Surveyor

Classified as "see back" two
July 11, 1943
Sheet 1

Randolph Jones, P.O. Box 4004,
University Station, Tucson, Arizona

INDEX OF AMENDED LOCATIONS
see back hereof

Feet

Mineral Survey No. 4274 was made with a Gurley & Sons precise transit, light mountain model, with horizontal limb 6.25 inches in diameter, having two double opposite verniers, and full vertical circle 5 inches in diameter, having one double vernier; the verniers read to one minute of arc; the eye piece is equipped with a prismatic eye piece with colored glass slide for making direct observations upon the sun. An a.m. observation upon the sun for altitude and at noon for latitude were made at Cor. No. 1 of the Navajo lode, the calculations of which observations are herewith submitted for examination. All azimuths in this record are referred to the true meridian thus determined, by the method of deflection angles and calculated courses. The instrument was in good condition at the time of survey and all adjustments were in good order.

The lines were measured with a Keuffel & Esser steel tape 100 feet in length, graduated to feet, tenths and hundredths of feet for the entire length; a Keuffel & Esser steel tape, 300 feet in length, graduated to feet, tenths and hundredths of feet for the entire length; and a Lufkin steel tape, 25 feet in length, graduated to feet, inches and fractions of inches for the entire length. All tapes were compared with a Lufkin standard tape at the time of beginning the survey and found correct. All lines and connections of this survey were run by direct methods.

The magnetic variation at each corner of the survey, observed, gave a uniform value of 13° 30' E.

METAL RESERVE

Beginning at Cor. No. 1 of the Metal Reserve lode,

Set a schist rock, 28x12x5 inches, 18 ins. in the ground, mkd. MR-1-4274; from which

A monument of rocks, 4 ft. high, 4 ft. base, bears southeasterly 3 ft.

The 1/4 Cor. Secs. 14 and 15, T. 11 S., R. 16 E., G. & S. R., M. bears N. 75° 15' E., 289.8 ft., being an iron pipe with brass cap, properly set and marked as described in the official record.

Thence S. 32° 05' W.,

30.3 Cor. No. 4 of the Metal Reserve No. 2 lode of this survey

1500.0 Cor. No. 2

Identical with Cor. No. 3 of the Metal Reserve No. 2 lode of this survey and situated on line 3-4 of the Metal Reserve No. 4 lode of this survey,

Set a limestone rock, 27x9x8 ins., 18 ins. in the ground mkd. MR-2-MR2-3-4274; from which

A monument of rocks, 4 ft. high, 4 ft. base, bears northeasterly 3 ft.

Thence N. 57° 55' W.,

300.0 Intersect the south end of the lode line at the original location for the south end center, being a monument of rocks, 4 ft. high, 4 ft. base

600.0 Cor. No. 3

Feet	
	Identical with Cor. No. 3 of the Metal Reserve No. 4 lode, Cor. No. 4 of the Navajo lode and Cor. No. 2 of the Maricopa lode, all of this survey, being
	A limestone ledge, 9x36 ins., 12 ins. above ground, mkd. MR-3-MR4-3-N-4-M-2-4274; from which
	A monument of rocks, 4 ft. high, 4 ft. base, bears northeasterly 4 ft.
	A limestone ledge, 36x75 ins., 82 ins. above ground bears S. 32° 05' W., 27.5 ft., mkd. BR X MR-3-4274
	Thence N. 32° 05' E.,
300.0	East end center of the Maricopa lode of this survey
600.0	Cor. No. 1 of the Maricopa lode and Cor. No. 2 of the Apache lode, both of this survey
900.0	East end center of the Apache lode of this survey
1200.0	Cor. No. 1 of the Apache lode of this survey and the S.E. Cor. of the Greenlee lode, unsurveyed
1296.0	Cross Geesaman Wash, 20 ft. wide, course easterly
1500.0	Cor. No. 4
	Set a granite rock, 29x10x5 ins., 20 ins. in the ground, mkd. MR-4-4274; from which
	A monument of rocks, 4 ft. high, 4 ft. base, bears northerly 4 ft.
	A granite rock in place, 19x26 ins., 13 ins. above ground, bears N. 32° 05' E., 33.9 ft., mkd. BR X MR-4-4274
	A granite ledge, 24x30 ins., 15 ins. above ground, bears N. 0° 26' E., 19.9 ft., mkd. BR X MR-4-4274
	Thence S. 52° 55' E.,
285.0	Cross Geesaman Wash, 20 ft. wide, course easterly
300.0	Intersect the north end of the lode line at the original location for the north end center, being a monument of rocks, 4 ft. high, 4 ft. base
600.0	Cor. No. 1 and place of beginning.
	METAL RESERVE NO. 2
	Beginning at Cor. No. 1 of the Metal Reserve No. 2 lode
	Set a limestone rock, 28x10x7 ins., 18 ins. in the ground mkd. MR2-1-4274; from which
	Sec. 14 and 15, T. 11 S., R. 16 E., G. & S. R. M. bears N. 9° 15' E., 262.2 ft., previously described.
	A monument of rocks, 4 ft. high, 4 ft. base, bears southeasterly 3 ft.
	A limestone ledge, 10x17 ins., 19 ins. above ground bears N. 57° 55' W., 10.2 ft., mkd. BR X MR2-1-4274

Mineral Survey No. 4274 - Arizona

Feet	
1500.0	<p>A limestone ledge, 7x18 ins., 8 ins. above ground bears S. 18° 54' W., 10.3 ft., mkd. BR X MR2-1-4274 Thence S. 20° 33' W.,</p>
	<p>Cor. No. 2</p>
	<p>Situated on line 3-4 of the Metal Reserve No. 4 lode of this survey, being</p>
	<p>← A limestone ledge, 21x36 ins., 10 ins. above ground, mkd. MR2-2-4274; from which</p>
	<p>A limestone ledge, 18x30 ins., 9 ins. above ground, bears N. 77° 49' E., 8.5 ft., mkd BR X MR2-2-4274</p>
	<p>A limestone ledge, 6x24 ins., 8 ins. above ground, bears S. 29° 11' W., 7.4 ft., mkd. BR X MR2-2-4274</p>
	<p>Thence N. 57° 55' W.,</p>
300.0	<p>Intersect the south end of the lode line at the original location for the south end center, being a monument of rocks, 4 ft. high, 4 ft. base</p>
600.0	<p>Cor. No. 3</p>
	<p>Identical with Cor. No. 2 of the Metal Reserve lode of this survey</p>
	<p>Thence N. 32° 05' E.,</p>
1469.7	<p>Cor. No. 4</p>
	<p>Also intersect the north end of the lode line at the original location for the north end center</p>
	<p>Set a schist rock, 28x12x5 ins., 18 ins. in the ground, mkd. MR2-4-4274; from which</p>
	<p>The original location for the northwest corner, bears N. 57° 55' W., 300.0 ft. being a monument of rocks, 4 ft. high, 4 ft. base</p>
	<p>A monument of rocks, 4 ft. high, 4 ft. base, bears southwesterly 5 ft.</p>
	<p>Cor. No. 1 of the Metal Reserve lode of this survey bears N. 32° 05' E., 30.3 ft.</p>
	<p>Thence S. 57° 55' E.,</p>
300.0	<p>Cor. No. 1 and place of beginning.</p>
	<p>METAL RESERVE NO. 4</p>
	<p>Beginning at Cor. No. 1 of the Metal Reserve No. 4 lode</p>
	<p>Identical with Cor. No. 1 of the Metal Reserve No. 3 lode of this survey,</p>
	<p>← Set a diorite rock, 27x8x7 ins., 18 ins. in the ground, mkd. MR4-1-MR3-1-4274; from which</p>
	<p>A monument of rocks, 4 ft. high, 4 ft. base, bears northwesterly 3 ft.</p>
	<p>The Cor. of Secs. 14, 15, 22 and 23, T. 11 S., R. 16</p>

Feet	
	<p>E., G. & S. R. M. bears S. 64° 33' E., 700.6 ft., being an iron pipe with brass cap, properly set and marked as described in the official record.</p>
	<p>Thence N. 57° 55' W.,</p>
1500.0	<p>Cor. No. 2 Identical with Cor. No. 4 of the Metal Reserve No. 3 lode, Cor. No. 4 of the Alder No. 3 lode and Cor. No. 1 of the Navajo lode, all of this survey</p>
	<p>← Set a limestone rock, 29x7x6 ins., 19 ins. in the ground, mkd. MR4-2-MR3-4-A3-4-N-1-4274; from which A monument of rocks, 4 ft. high, 4 ft. base, bears southeasterly 4 ft. A limestone ledge, 12x22 ins., 6 ins. above ground bears S. 70° 47' E., 35.6 ft., mkd. BR X MR4-2-4274</p>
	<p>Thence N. 32° 05' E.,</p>
300.0	<p>Intersect the west end of the lode line at the original location for the west end center, identical with the east end center of the Navajo lode of this survey, being a monument of rocks, 4 ft. high, 4 ft. base</p>
600.0	<p>Cor. No. 3 Identical with Cor. No. 3 of the Metal Reserve lode of this survey</p>
	<p>Thence S. 57° 55' E.,</p>
300.0	<p>South end center of the Metal Reserve lode of this survey</p>
600.0	<p>Cor. No. 2 of the Metal Reserve lode and Cor. No. 3 of the Metal Reserve No. 2 lode, both of this survey</p>
900.0	<p>South end center of the Metal Reserve No. 2 lode of this survey</p>
1200.0	<p>Cor. No. 2 of the Metal Reserve No. 2 lode of this survey</p>
1500.0	<p>Cor. No. 4 Set a porphyry rock 30x11x9 ins., 20 ins. in the ground, mkd. MR4-4-4274; from which A monument of rocks, 4 ft. high, 4 ft. base, bears southeasterly 3 ft.</p>
	<p>Thence S. 32° 05' W.,</p>
300.0	<p>Intersect the east end of the lode line at the original location for the east end center, being a monument of rocks, 4 ft. high, 4 ft. base</p>
600.0	<p>Cor. No. 1 and place of beginning.</p>
	<p>METAL RESERVE NO. 3</p>
	<p>Beginning at Cor. No. 1 of the Metal Reserve No. 3 lode</p>
	<p>Identical with Cor. No. 1 of the Metal Reserve No. 4 lode of this survey</p>

Mineral Survey No. 4274 - Arizona

5

Feet	
	Thence S. 32° 05' W.,
300.0	Intersect the east end of the lode line at the original location for the east end center, being a monument of rocks, 4 ft. high, 4 ft. base
600.0	Cor. No. 2. Set a diorite rock, 29x15x6 ins., 17 ins. in the ground, mkd. MR3-2-4274; from which A monument of rocks, 4 ft. high, 4 ft. base, bears southerly 3 ft., Thence N. 57° 55' W.,
525.0	Intersect line 2-3 of the Alder No. 2 lode of this survey, at a point from which Cor. No. 2 bears N. 49° 35' W., 682.7 ft.
1215.0	Northeast corner of the Mohave lode, unsurveyed, also intersect line 1-2 of the Alder No. 2 lode of this survey, at a point from which Cor. No. 2 bears N. 40° 25' E., 100.0 ft.
1500.0	Cor. No. 3 Identical with Cor. No. 1 of the Alder No. 3 lode of this survey Set a diorite rock, 27x9x7 ins., 17 ins. in the ground, mkd. MR3-3-A3-1-4274; from which A monument of rocks, 4 ft. high, 4 ft. base, bears northeasterly 4 ft. A diorite rock in place, 12x24 ins., 18 ins. above ground bears S. 88° 18' E., 12.3 ft., mkd. BR X MR3-3-4274 A diorite rock in place, 20x46 ins., 48 ins. above ground, bears S. 22° 16' W., 11.7 ft., mkd. BR X MR3-3-4274 Cor. No. 2 of the Alder No. 2 lode of this survey bears S. 76° 12' E., 315.4 ft. Thence N. 32° 05' E.,
300.0	Intersect the west end of the lode line at the original location for the west end center, identical with the east end center of the Alder No. 3 lode of this survey, being a monument of rocks, 4 ft. high, 4 ft. base
600.0	Cor. No. 4 Identical with Cor. No. 2 of the Metal Reserve No. 4 lode of this survey Thence S. 57° 55' E.,
1500.0	Cor. No. 1 and place of beginning. ALDER NO. 2 Beginning at Cor. No. 1 of the Alder No. 2 lode. Set a diorite rock, 27x9x6 ins., 18 ins. in the ground, mkd. A2-1-4274; from which

Feet	
	A monument of rocks, 4 ft. high, 4 ft. base, bears northeasterly 4 ft.
	<p style="text-align: center;">Sec.</p> The 1/4 th Cor. Secs. 15 and 22, T. 11 S., R. 16 E., G. & S. R. M. bears S. 80° 01' W., 349.7 ft., being an iron pipe with brass cap, properly set and marked as described in the official record.
	A diorite rock in place, 30x31 ins., 38 ins. above ground bears N. 40° 25' E., 89.1 ft., mkd. BR X A2-1-4274
	A diorite rock in place, 18x34 ins., 14 ins. above ground bears S. 40° 25' W., 10.2 ft., mkd. BR X A2-1-4274 Thence N. 40° 25' E.,
300.0	Intersect the west end of the lode line at the original location for the west end center, being a monument of rocks, 4 ft. high, 4 ft. base
500.0	Intersect line 2-3 of the Metal Reserve No. 3 lode of this survey, at a point from which Cor. No. 3 bears N. 57° 55' W., 285.0 ft.
600.0	Cor. No. 2
	Set a quartzite rock, 27x10x7 ins., 19 ins. in the ground mkd. A2-2-4274; from which
	A monument of rocks, 4 ft. high, 4 ft. base, bears southeasterly 4 ft. Thence S. 49° 35' E., 682.7
682.7	Intersect line 2-3 of the Metal Reserve No. 3 lode of this survey at a point from which Cor. No. 3 bears N. 57° 55' W., 975.0 ft.
1500.0	Cor. No. 3
	Set a limestone rock, 32x10x7 ins., 20 ins. in the ground mkd. A2-3-4274; from which
	A monument of rocks, 4 ft. high, 4 ft. base, bears southerly 3 ft.
	A limestone ledge, 15x52 ins., 6 ins. above ground, bears S. 35° 04' E., 9.0 ft., mkd. BR X A2-3-4274
	A limestone ledge, 12x38 ins., 19 ins. above ground, bears N. 70° 08' E., 10.1 ft., mkd. BR X A3-3-4274 Thence S. 40° 25' W.,
300.0	Intersect the east end of the lode line at the original location for the east end center, being a monument of rocks, 4 ft. high, 4 ft. base
600.0	Cor. No. 4
	Set a limestone rock, 35x8x4 ins., 23 ins. in the ground, mkd. A2-4-4274, from which
	A monument of rocks, 4 ft. high, 4 ft. base, bears southeasterly 3 ft.
	A limestone ledge, 23x31 ins., 9 ins. above ground bears S. 17° 52' E., 12.5 ft., mkd. BR X A2-4-4274

Feet	
1500.0	<p>A limestone ledge, 18x44 ins., 16 ins. above ground bears S. 60° 08' W., 19.0 ft., mkd. BR X A2-4-4274</p> <p>Thence N. 49° 35' W.,</p> <p>Cor. No. 1 and place of beginning.</p>
	<p style="text-align: center;">APACHE</p>
	<p>Beginning at Cor. No. 1 of the Apache lode</p>
	<p>Identical with the southeast corner of the Greenlee lode unsurveyed and situated on line 3-4 of the Metal Reserve lode of this survey,</p>
	<p>Set a limestone rock, 27x11x11 ins., 18 ins. in the ground, mkd. A-1-4274; from which</p>
	<p>A monument of rocks, 4 ft. high, 4 ft. base, bears northeasterly 3 ft.</p>
	<p style="text-align: center;">Sec.</p> <p>The 1/4 Cor. Secs. 14 and 15, T. 11 S., R. 16 E., G. & S. R. M. bears N. 89° 26' 30" E., 948.0 ft., previously described</p> <p>Thence S. 32° 05' W.,</p>
300.0	<p>Intersect the east end of the lode line at the original location for the east end center, being a monument of rocks, 4 ft. high, 4 ft. base</p>
600.0	<p>Cor. No. 2</p>
	<p>Identical with Cor. No. 1 of the Maricopa lode of this survey and situated on line 3-4 of the Metal Reserve lode of this survey</p>
	<p>Set a limestone rock, 27x8x4 ins.; 17 ins. in the ground, mkd. A-2-4274; from which</p>
	<p>A limestone ledge, 14x33 ins., 12 ins. above ground, bears S. 31° 13' E., 19.6 ft., mkd. BR X A-2-4274</p>
	<p>A limestone rock in place, 12x17 ins., 5 ins. above ground bears N. 84° 15' E., 20.0 ft., mkd. BR X A-2-4274</p>
	<p>Thence N. 57° 55' W.,</p>
437.0	<p>Cross Geesaman Wash, 15 ft. wide, course northeasterly</p>
516.0	<p>Cross road, 10 ft. wide, course northerly</p>
1500.0	<p>Cor. No. 3</p>
	<p>Identical with Cor. No. 4 of the Maricopa lode and Cor. No. 3 of the Cochise lode, both of this survey</p>
	<p>← Set a schist rock, 28x12x9 ins., 17 ins. in the ground, mkd. A-3-M-4-C-3-4274; from which</p>
	<p>A monument of rocks, 4 ft. high, 4 ft. base, bears southerly 4 ft.</p>
81.0	<p>Thence N. 32° 05' E.,</p> <p>Cross old Mt. Lemmon Road, 10 ft. wide, course northeasterly</p>

Feet	
285.0	Cross road, 10 ft. wide, course easterly
300.0	Intersect the west end of the lode line at the original location for the west end center, being a monument of rocks, 4 ft. high, 4 ft. base
600.0	Cor. No. 4
	Identical with the southwest corner of the Greenlee lode, unsurveyed
	Set a diorite rock, 29x9x5 ins., 20 ins. in the ground, mkd. A-4-4274; from which
	A diorite ledge, 15x28 ins., 30 ins. above ground bears N. 83° 21' W., 13.9 ft., mkd. BR X A-4-4274
	Thence S. 57° 55' E.,
600.0	Cross Old Mt. Lemmon Road, 10 ft. wide, course easterly
860.0	Cross road, 10 ft. wide, course northeasterly
1335.0	Cross Geesaman Wash, 20 ft. wide, course easterly
1500.0	Cor. No. 1 and place of beginning.
	MARICOPA
	Beginning at Cor. No. 1 of the Maricopa lode
	Identical with Cor. No. 2 of the Apache lode of this survey, from which
	The ^{Sec.} 1/4 Cor. Secs. 14 and 15, T. 11 S., R. 16 E., G. & S. R. M. bears N. 67° 46' 30" E., 1368.3 ft., previously described
	Thence S. 32° 05' W.,
300.0	Intersect the east end of the lode line at the original location for the east end center, being a monument of rocks, 4 ft. high, 4 ft. base
600.0	Cor. No. 2
	Identical with Cor. No. 3 of the Metal Reserve lode of this survey
	Thence N. 57° 55' W.,
587.0	Cross Geesaman Wash, 15 ft. wide, course easterly
1500.0	Cor. No. 3
	Identical with Cor. No. 3 of the Navajo lode, Cor. No. 3 of the Yavapai lode and Cor. No. 4 of the Cochise lode, all of this survey, being
	← A limestone ledge, 12x25 ins., 4 ins. above ground, mkd. M-3-N-3-Y-3-C-4-4274; from which
	A monument of rocks, 4 ft. high, 4 ft. base, bears southeasterly 3 ft.
	A limestone ledge, 19x72 ins., 4 ins. above ground, bears S. 88° 29' W., 45.8 ft., mkd. M-3-4274

Feet	
	<p>A limestone ledge, 31x56 ins., 4 ins. above ground bears N. 26° 51' E., 10.4 ft., mkd. BR X M-3-4274</p> <p>Thence N. 32° 05' E.,</p>
300.0	Intersect the west end of the lode line at the original location for the west end center, identical with the east end center of the Cochise lode of this survey, being a monument of rocks, 5 ft. high, 4 ft. base
600.0	<p>Cor. No. 4</p> <p>Identical with Cor. No. 3 of the Apache lode of this survey</p> <p>Thence S. 57° 55' E.,</p>
984.0	Cross road, 10 ft. wide, course northerly
1063.0	Cross Geesaman Wash, 15 ft. wide, course northeasterly
1500.0	Cor. No. 1 and place of beginning.
	<p>NAVAJO</p> <p>Beginning at Cor. No. 1 of the Navajo lode</p> <p>Identical with Cor. No. 2 of the Metal Reserve No. 4 lode of this survey; from which</p> <p>Sec.</p> <p>The 1/4 Cor. Secs. 15 and 22, T. 11 S., R. 16 E., G. & S. R. M. bears S. 34° 07' W., 1329.8 ft., previously described</p> <p>Thence N. 57° 55' W.,</p>
1160.0	Cross Geeseman Wash, 15 ft. wide, course easterly
1500.0	<p>Cor. No. 2</p> <p>Identical with Cor. No. 3 of the Alder No. 3 lode, Cor. No. 3 of the Buster lode and Cor. No. 4 of the Yavapai lode, all of this survey.</p> <p>Set a limestone rock, 27x12x6 ins., 17 ins. in the ground, mkd. N-2-A3-3-B-3-Y-4-4274; from which</p> <p>A monument of rocks, 4 ft. high, 4 ft. base, bears easterly 3 ft.</p> <p>A limestone ledge, 14x43 ins., 12 ins. above ground, bears N. 37° 15' W., 6.5 ft., mkd. BR X N-2-4274</p> <p>Thence N. 32° 05' E.,</p> <p>A limestone ledge, 43x46 ins., 4 ins. above ground, bears N. 66° 13' E., 21.5 ft., mkd. BR X N-2-4274</p> <p>Thence N. 32° 05' E.,</p>
300.0	Intersect the west end of the lode line at the original location for the west end center, identical with the east end center of the Yavapai lode of this survey, being a monument of rocks, 4 ft. high, 4 ft. base
600.0	<p>Cor. No. 3</p> <p>Identical with Cor. No. 3 of the Maricopa lode of this survey</p> <p>Thence S. 57° 55' E.,</p>

Feet		Feet
913.0	Cross Geesaman Wash, 15 ft. wide, course easterly	
1500.0	Cor. No. 4	
	Identical with Cor. No. 3 of the Metal Reserve lode of this survey	
	Thence S. 32° 05' W.,	
300.0	Intersect the east end of the lode line at the original location for the east end center, identical with the west end center of the Metal Reserve No. 4 lode of this survey	
600.0	Cor. No. 1 and place of beginning.	
	ALDER NO. 3	
	Beginning at Cor. No. 1 of the Alder No. 3 lode	
	Identical with Cor. No. 3 of the Metal Reserve No. 3 lode of this survey; from which	
	Sec.	
	The 1/4 th Cor. Secs. 15 and 22, T. 11 S., R. 16 E., G. & S. R. M. bears S. 35° 46' W., 730.8 ft., previously described	
	Thence N. 57° 55' W.,	
1215.0	Northwest corner of the Mohave lode and the northeast corner of the Santa Cruz lode, both unsurveyed	
1500.0	Cor. No. 2	
	Identical with Cor. No. 4 of the Buster lode of this survey, being	
	← A limestone ledge, 9x19 ins., 5 ins. above ground, mkd. A3-2-B-4-4274; from which	
	A monument of rocks, 4 ft. high, 4 ft. base, bears northerly 3 ft.	
	A limestone rock in place, 13x27 ins., 8 ins. above ground bears N. 66° 07' W., 7.8 ft., mkd. BR X A3-2-4274	
	A limestone rock in place, 20x31 ins., 9 ins. above ground bears S. 48° 03' W., 20.6 ft., mkd. BR X A3-2-4274	
	Thence N. 32° 05' E.,	
300.0	Intersect the west end of the lode line at the original location for the west end center, identical with the east end center of the Buster lode of this survey, being a monument of rocks, 4 ft. high, 4 ft. base	
422.0	Cross Geesaman Wash, 15 ft. wide, course easterly	
600.0	Cor. No. 3	
	Identical with Cor. No. 2 of the Navajo lode of this survey	
	Thence S. 57° 55' E.,	
340.0	Cross Geesaman Wash, 15 ft. wide, course easterly	

Mineral Survey No. 4274 - Arizona

11

Feet	
1500.0	Cor. No. 4 Identical with Cor. No. 2 Metal Reserve No. 4 lode of this survey
300.0	Thence S. 32° 05' W., Intersect the east end of the lode line at the original location for the east end center, identical with the west end center of the Metal Reserve No. 3 lode of this survey
600.0	Cor. No. 1 and place of beginning.
COCHISE	
Beginning at Cor. No. 1 of the Cochise lode	
Identical with Cor. No. 2 of the Yavapai lode, Cor. No. 4 of the Yuma lode and Cor. No. 3 of the Coconino lode, all of this survey	
Set a quartzite rock, 33x9x5 ins., 20 ins. in the ground, mkd. C-1-Y-2-Y-4-C-3-4274; from which	
A monument of rocks, 4 ft. high, 4 ft. base, bears westerly 3 ft.	
The ^{Sec.} 1/4 Cor. Secs. 15 and 16, T. 11 S., R. 16 E., G. & S. R. M. bears S. 64° 23' 30" W., 1288.6 ft., being an iron pipe with brass cap, firmly set and marked as described in the official record	
Thence N. 32° 05' E.,	
85.0	Cross main highway, 20 ft. wide, course easterly
300.0	Intersect the west end of the lode line at the original location for the west end center, identical with the east end center of the Coconino lode, being a monument of rocks, 4 ft. high, 4 ft. base
600.0	Cor. No. 2 Identical with Cor. No. 2 of the Coconino lode of this survey
Set a diorite rock, 29x9x8 ins., 20 ins. in the ground, mkd. C-2-C-2- 4274; from which	
A diorite rock in place, 19x23 ins., 26 ins. above ground, bears S. 20° 02' E., 3.9 ft., mkd. BR X C-2-4274	
A diorite rock in place, 22x22 ins., 14 ins. above ground, bears N. 12° 12' E., 17.3 ft., mkd. BR X C-2-4274	
Thence S. 37° 55' E.,	
590.0	Cross main highway, 20 ft. wide, course northeasterly
620.0	Cross road, 10 ft. wide, course southerly
784.0	Cross Sanderson Wash, 10 ft. wide, course northeasterly
820.0	Cross road, 10 ft. wide, course northeasterly

Feet	
1464.0	Cross old Mt. Lemmon Road, 10 ft. wide, course northeasterly
1500.0	Cor. No. 3 Identical with Cor. No. 3 of the Apache lode of this survey Thence S. 32° 05' W.,
300.0	Intersect the east end of the lode line at the original location for the east end center, identical with the west end center of the Maricopa lode of this survey
600.0	Cor. No. 4 Identical with Cor. No. 3 of the Maricopa lode of this survey Thence N. 57° 55' W.,
407.0	Cross old Mt. Lemmon Road, 10 ft. wide, course northeasterly
1440.0	Cross Sanderson Wash, 10 ft. wide, course easterly
1500.0	Cor. No. 1 and place of beginning.
	YAVAPAI
	Beginning at Cor. No. 1 of the Yavapai lode Identical with Cor. No. 2 of the Buster lode, Cor. No. 4 of the Quincy and Cor. No. 1 of the Yuma lode, all of this survey ← Set a granite rock, 28x14x7 ins., 18 ins. in the ground, mkd. Y-1-B-2-4-Y-1-4274; from which A monument of rocks, 4 ft. high, 4 ft. base, bears southeasterly Sec. The 1/4 Cor. Secs. 15 and 16, T. 11 S., R. 16 E., G. & S. R. M. bears S. 86° 43' W., 844.7 ft., previously described Thence N. 32° 05' E.,
260.0	Cross main highway, 20 ft. wide, course westerly
300.0	Intersect the west end of the lode line at the original location for the west end center, identical with the east end center of the Yuma lode of this survey, being a monument of rocks, 4 ft. high, 4-ft. base.
552.0	Cross Sanderson Wash, 10 ft. wide, course easterly
600.0	Cor. No. 2 Identical with Cor. No. 1 of the Cochise lode of this survey Thence S. 57° 55' E.,
60.0	Cross Sanderson Wash, 10 ft. wide, course easterly
1093.0	Cross old Mt. Lemmon Road, course northeasterly, 10 ft. wide

Mineral Survey No. 4274 - Arizona

13

Feet	
1500.0	Cor. No. 3 Identical with Cor. No. 3 of the Maricopa lode of this survey Thence S. 32° 05' W.,
300.0	Intersect the east end of the lode line at the original location for the east end center, identical with the west end center of the Navajo lode of this survey
600.0	Cor. No. 4 Identical with Cor. No. 2 of the Navajo lode of this survey Thence N. 57° 55' W.,
1263.0	Cross old Mt. Lemmon Road, 10 ft. wide, course northeasterly
1415.0	Cross main highway, 20 ft. wide, course easterly
1500.0	Cor. No. 1 and place of the beginning.
	BUSTER
	Beginning at Cor. No. 1 of the Buster lode Identical with Cor. No. 1 of the Quincy lode of this survey ← Set a schist rock, 32x9x5 ins., 20 ins. in the ground, mkd. B-1-Q-1-4274; from which The 1/4 ^{Sec.} Cor. Secs. 15 and 16, T. 11 S., R. 16 E., G. & S. R. M. bears N. 48° 45' 30" W., 697.7 ft., previously described A monument of rocks, 4 ft. high, 4 ft. base bears westerly 3 ft. A schist rock in place, 24x44 ins., 7 ins. above ground bears N. 23° 43' E., 10.4 ft., mkd. BR X B-1-4274 A schist rock in place, 19x30 ins., 4 ins. above ground bears N. 66° 45' W., 14.6 ft., mkd. BR X B-1-4274 Thence N. 32° 05' E.,
300.0	Intersect the west end of the lode line at the original location for the west end center, identical with the east end center of the Quincy lode of this survey, being a monument of rocks, 4 ft. high, 4 ft. base
425.0	Cross old Mt. Lemmon Road, 10 ft. wide, course easterly
555.0	Cross main highway, 20 ft. wide, course easterly
600.0	Cor. No. 2 Identical with Cor. No. 1 of the Yavapai lode of this survey Thence S. 57° 55' E.,
85.0	Cross main highway, 20 ft. wide, course easterly

Feet	
237.0	Cross Old Mt. Lemmon Road, 10 ft. wide; course northeast-erly
1500.0	Cor. No. 3 Identical with Cor. No. 2 of the Navajo lode of this survey Thence S. 32° 05' W. ,
178.0	Cross Geesaman Wash, 15 ft. wide, course easterly
300.0	Intersect the east end of the lode line at the original location for the east end center, identical with the west end center of the Alder No. 3 lode of this survey
600.0	Cor. No. 4 Identical with Cor. No. 2 of the Alder No. 3 lode of this survey Thence N. 57° 55' W. ,
782.0	Cross Geesaman Wash, 10 ft. wide, course easterly
1215.0	Northwest corner of the Santa Cruz lode, unsurveyed
1500.0	Cor. No. 1 and place of beginning.
COCONINO	
Beginning at Cor. No. 1 of the Coconino lode, Set a porphyry rock, 30x9x9 ins.; 18 ins. in the ground, mkd. C-1-4274; from which The Cor. Secs. 9, 10, 15 and 16, T. 11 S., R. 16 E., G. & S. R. M. bears N. 15° 07' W. , 814.0 ft., being and iron pipe with brass cap, firmly set and marked as follows:— $\frac{10}{15} \frac{9}{16}$	
A monument of rocks, 4 ft. high, 4 ft. base, bears northeasterly 4 ft.	
Thence S. 57° 55' E. ,	
905.0	Cross Control Wash, 20 ft. wide, course easterly
1500.0	Cor. No. 2 Identical with Cor. No. 2 of the Cochise lode of this survey Thence S. 32° 05' W. ,
300.0	Intersect the east end of the lode line at the original location for the east end center, identical with the west end center of the Cochise lode of this survey
515.0	Cross main highway, 20 ft. wide, course easterly
600.0	Cor. No. 3 Identical with Cor. No. 1 of the Cochise lode of this survey Thence N. 57° 55' W. ,

Mineral Survey No. 4274 - Arizona

15

Feet		Feet
77.0	Cross main Highway, 20 ft. wide, course easterly	
1090.0	Cross Control Wash, 15 ft. wide, course northeasterly	
1500.0	Cor. No. 4	
	Identical with Cor. No. 3 of the Yuma lode of this survey	
	Set a quartzite rock, 28x7x7 ins., 18 ins. in the ground, mkd. C-4-Y-3-4274; from which	
	A monument of rocks, 5 ft. high, 4 ft. base, bears westerly 3 ft.	
	Thence N. 32° 05' E.,	
300.0	Intersect the west end of the lode line at the original location for the west end center, being a monument of rocks, 4 ft. high, 4 ft. base	
600.0	Cor. No. 1 and place of beginning.	
	YUMA	
	Beginning at Cor. No. 1 of the Yuma lode	
	Identical with Cor. No. 1 of the Yavapai lode of this survey	
	Thence N. 57° 55' W.,	
268.0	Cross Sanderson Wash, 10 ft. wide, course northeasterly	
890.0	Cross main highway, 20 ft. wide, course southwesterly	
1018.0	Cross main highway, 20 ft. wide, course northeasterly	
1500.0	Cor. No. 2	
	Identical with Cor. No. 3 of the Quincy lode of this survey	
	Set a diorite rock, 30x12x6 ins., 20 ins. in the ground, mkd. Y-2-Q-3-4274; from which	
	A granite ledge, 44x104 ins., 25 ins. above ground bears S. 67° 48' E., 7.4 ft., mkd. BR X Y-2-4274	
	A limestone rock in place, 20x38 ins., 25 ins. above ground bears N. 20° 35' E., 17.8 ft., mkd. BR X Y-2-4274	
	A monument of rocks, 4 ft. high, 4 ft. base, bears westerly 4 ft.	
	Thence N. 32° 05' E.,	
10.0	Cross south fork of Control Wash, 5 ft. wide, course northeasterly	
138.0	Cross North fork of Control wash, 10 ft. wide, course southeasterly	
300.0	Intersect the west end of the lode line at the original location for the west end center, being a monument of rocks, 4 ft. high, 4 ft. base	
600.0	Cor. No. 3	

Feet	Identical with Cor. No. 4 of the Coconino lode of this survey
	Thence S. 57° 55' E.,
410.0	Cross Control Wash, 10 ft. wide, course northeasterly
1423.0	Cross main highway, 20 ft. wide, course easterly
1500.0	Cor. No. 4
	Identical with Cor. No. 1 of the Cochise lode of this survey
	Thence S. 32° 05' W.,
48.0	Cross Sanderson Wash, 10 ft. wide, course easterly
300.0	Intersect the east end of the lode line at the original location for the east end center, identical with the west end center of the Yavapai lode of this survey, (being a monument of rocks, 4 ft. high, 4 ft. base)
340.0	Cross Main Highway, 20 ft. wide, course westerly
600.0	Cor. No. 1 and place of beginning.
	QUINCY
	Beginning at Cor. No. 1 of the Quincy lode
	Identical with Cor. No. 1 of the Buster lode of this survey; from which
	Cor. No. 1 of the Precious Metals lode and Cor. No. 2 of the Quincy lode, both of Survey No. 3501, bears N. 29° 48' W., 46.8 ft.
	(Cor. No. 1 of Survey No. 3501 Quincy lode bears N. 8° 58' W., 606.0 ft. from Cor. No. 2 thereof)
	Thence N. 57° 55' W.,
23.00	Intersect line 4-1 Precious Metals lode and Line 2-3 Quincy lode, both of Sur. No. 3501, at a point from which Cor. No. 1 Precious Metals lode and Cor. No. 2 Quincy lode bears N. 89° 08' E., 40.55 ft.
22.07	Intersect line 1-2 Sur. No. 3501 Precious Metals lode at a point from which Cor. No. 1 bears N. 8° 58' W., 29.25 ft.
138.0	Cross Old Mt. Lemmon Road, 10 ft. wide, course northeasterly.
582.0	Cross main highway, 20 ft. wide, course easterly
725.0	Cross Sanderson Wash, 10 ft. wide, course northeasterly
833.0	Cross main highway, 20 ft. wide, course southerly
945.0	Cross main highway, 20 ft. wide, course northeasterly
1178.4	Intersect line 4-1 Sur. No. 3501 Quincy lode at a point from which Cor. No. 1 bears N. 89° 08' E., 880.8 ft.
1500.0	Cor. No. 2
	Set a porphyry rock, 27x10x9 ins., 18 ins. in the ground,

Feet	
	mkd. Q-2-4274 ; from which
	A monument of rocks, 4 ft. high, 4 ft. base, bears
	westerly 4 ft.
	Thence N. 32° 05' E.,
300.0	Intersect the west end of the lode line at the original location for the west end center, being a monument of rocks, 4 ft. high, 4 ft. base.
600.0	Cor. No. 3 Identical with Cor. No. 2 of the Yuma lode of this survey
	Thence S. 57° 55' E.,
482.0	Cross main highway, 20 ft. wide, course northeasterly
610.0	Cross main highway, 20 ft. wide, course southwesterly
1232.0	Cross Sanderson Wash, 10 ft. wide, course northeasterly
1500.0	Cor. No. 4 Identical with Cor. No. 1 of the Yavapai lode of this survey
	Thence S. 32° 05' W.,
1684.0	Cross main highway, 20 ft. wide, course easterly
1617.0	Cross old Mt. Lemmon Road, 10 ft. wide, course easterly
1730.0	Intersect the east end of the lode line at the original location for the east end center, identical with the west end center of the Buster lode of this survey
1860.0	Cor. No. 1 and place of beginning.
	LODE LINES
	The lode lines of the various lode claims of this survey are, counted from their respective points of discovery, as follows:-
	Metal Reserve lode:- N. 32° 05' E., 550 ft., and, S. 32° 05' W., 950 ft.
	Metal Reserve No. 2 lode:- N. 20° 33' E., 150 ft., and, S. 20° 33' W., 1350 ft.
	Metal Reserve No. 4 lode:- N. 57° 55' W., 625 ft., and, S. 57° 55' E., 875 ft.
	Metal Reserve No. 3 lode:- N. 57° 55' W., 120 ft., and, S. 57° 55' E., 1380 ft.
	Alder No. 2 lode:- N. 49° 35' W., 1350 ft., and, S. 49° 35' E., 150 ft.
	Apache lode:- N. 57° 55' W., 220 ft., and S. 57° 55' E., 1280 ft.
	Maricopa lode:- N. 57° 55' W., 875 ft., and, S. 57° 55' E., 625 ft.
	Alder No. 3 lode:- N. 57° 55' W., 1150 ft., and, S. 57° 55' E., 350 ft.

Navajo lode:- N. 57° 55' W., 250 ft., and, S. 57° 55' E., 1250 ft.

Cochise lode:- N. 57° 55' W., 900 ft., and, S. 57° 55' E., 600 ft.

Yavapai lode:- N. 57° 55' W., 800 ft., and, S. 57° 55' E., 700 ft.

Buster lode:- N. 57° 55' W., 315 ft., and, S. 57° 55' E., 1185 ft.

Coconino lode:- N. 57° 55' W., 970 ft., and, S. 57° 55' E., 530 ft.

Yuma lode:- N. 57° 55' W., 880 ft., and S. 57° 55' E., 620 ft.

Quincy lode:- N. 57° 55' W., 700 ft., and, S. 57° 55' E., 800 ft.

AREAS

acres

Total area, Metal Reserve lode - - - - - 20.661

Total area, Metal Reserve No. 2 lode - - - - - 15.183

Total area, Metal Reserve No. 4 lode - - - - - 20.661

Total area, Metal Reserve No. 3 lode - - - - - 20.661

Area in conflict with lode - - - - - 20.661

Alder No. 2 lode of this survey - - - - - 0.784

Total area, Alder No. 2 lode - - - - - 20.661

Total area, Apache lode - - - - - 20.661

Total area, Maricopa lode - - - - - 20.661

Total area, Navajo lode - - - - - 20.661

Total area, Alder No. 3 lode - - - - - 20.661

Total area, Cochise lode - - - - - 20.661

Total area, Yavapai lode - - - - - 20.661

Total area, Buster lode - - - - - 20.661

Total area, Coconino lode - - - - - 20.661

Total area, Yuma lode - - - - - 20.661

Total area, Quincy lode - - - - - 20.661

Area in conflict with:

Sur. No. 3501 Quincy lode - - - - - 6.345

Sur. No. 3501 Precious Metals lode - - - - - 0.013

LOCATION

This survey is located in the NE 1/4, NW 1/4, SE 1/4 and SW 1/4 of Sec. 15; the NE 1/4 and SE 1/4 of Sec. 16 and the NE 1/4 of Sec. 22, all of T. 11 S., R. 16

E., G. & S. R. M. In the Coronado National Forest.

The survey of each of the lode locations embraced in this survey is identical with the location as marked on the ground, with the exception of the Metal Reserve No. 2 lode, which is within the location, as shown on the preliminary plat.

EXPENDITURE OF \$500

I certify that the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or his grantors is not less than \$500, and that said improvements consist of:-

METAL RESERVE

- No. 1 The discovery cut of the Metal Reserve lode, the face of which being the discovery point is on the center line 550 ft. from the north end center; 6 ft. wide, 10-ft. face, running S. 50° W., 18 ft. to face and portal of tunnel, 6x7 ft. in size, runs S. 33° W., 34 ft. to breast. (A common improvement)
Value \$900
- No. 2 An open cut, the mouth of which bears S. 23° 35' W., 525 ft. from Cor. No. 4 of the Metal Reserve lode, 4 ft. wide, 10 ft. face, running S. 30° W., 10 ft. to face
Value \$50
- No. 3 An open cut, the mouth of which bears S. 27° 02' W., 530 ft. from Cor. No. 4 of the Metal Reserve lode; 4 ft. wide, 10 ft. face, running S. 30° W., 14 ft. to face and portal of tunnel, 4x6 ft. in size, runs S. 30° W., 10 ft. to breast. Value \$175
- No. 4 A trench, the northwest corner of which bears S. 24° 10' W., 612 ft. from Cor. No. 4 of the Metal Reserve lode, 4x8 ft. in size; running S. 60° E., 25 ft. to end. At west is tunnel 4x6 ft. in size, runs N. 60° W., 10 ft. to breast. Value \$300.
- No. 5 An open cut, the mouth of which bears S. 45° 00' W., 100 ft. from Cor. No. 1 of the Metal Reserve lode; 4 ft. wide, 12 ft. face, running South 20 ft. to face and portal of tunnel, 4x6 ft. in size, running South 50 ft. to breast (A common improvement)
Value \$1000
- No. 6 An open cut, the mouth of which bears S. 47° 25' W., 558 ft. from Cor. No. 1 of the Metal Reserve lode; 5 ft. wide; 10 ft. face, running S. 70° E., 14 ft. to face and portal of tunnel, 4x6 ft. in size, runs S. 70° E., 5 ft. to breast
Value \$105
- No. 7 An open cut, the mouth of which bears S. 42° 10' W., 712 ft. from Cor. No. 1 of the Metal Reserve lode; 4 ft. wide, 8 ft. face, running N. 50° W., 15 ft. to face and portal of tunnel, 4x6 ft. in size, runs N. 50° W., 20 ft. to breast. At breast is cross cut, 4x6 ft. in size, running N. 40° E., 13 ft. to breast
Value \$390
- No. 8 An open cut, the mouth of which bears N. 38° 15' W., 213 ft. from Cor. No. 2 of the Metal Reserve lode; 4 ft. wide, 10 ft. face, runs N. 60° W., 18 ft. to face
Value \$90

METAL RESERVE NO. 2

- No. 1 The discovery cut of the Metal Reserve No. 2 lode, the face of which being the discovery point is on the center line, 150 ft. from the north end center; 4 ft. wide, 10

- ft. face, runs South 16 ft, to face
Value \$75
- METAL RESERVE NO. 3
- No. 1 The discovery shaft of the Metal Reserve No. 3 lode, the center of which being the discovery point is on the center line, 120 ft. from the west end center; 5x12 ft. in size, 8 ft. deep
Value \$120
- No. 2 A shaft, the center of which bears S. 72° 55' E., 115 ft. from the west end center of the Metal Reserve No. 3 lode; 5x10 ft. in size, 10 ft. deep
Value \$125
- No. 3 A shaft, the center of which bears S. 86° 04' E., 80 ft. from the west end center of the Metal Reserve No. 3 lode; 4x15 ft. in size, 8 ft. deep
Value \$120
- No. 4 A shaft, the center of which bears N. 45° 50' W., 600 ft. from Cor. No. 2 of the Metal Reserve No. 3 lode; 4x6 ft. in size, 5 ft. deep
Value \$30
- METAL RESERVE NO. 4
- No. 1 The discovery cut of the Metal Reserve No. 4 lode, the face of which being the discovery point is on the center line 625 ft. from the west end center; 4 ft. wide, 10 ft. face, runs N. 58° W., 12 ft. to face
Value \$60
- No. 2 A shaft, the center of which bears N. 62° 35' W., 522 ft. from Cor. No. 4 of the Metal Reserve No. 4 lode; 4x6 ft. in size, 10 ft. deep.
Value \$60
- These four lode claims, Metal Reserve, Metal Reserve No. 2, Metal Reserve No. 3 and Metal Reserve No. 4, formed a compact group under a previous common ownership. The present claimant has acquired them from that owner. While in such separate ownership group, certain improvements, i.e., Nos. 1 and 5 on the Metal Reserve lode, were made for the benefit of these four claims, alone.
- The surface of the ground of this group of four claims rises abruptly from Geesaman Gulch on the north end to the ridge along the south side of the Metal Reserve No. 3 lode. Improvements No. 1 and No. 5 of the Metal Reserve lode will explore and develop the ore deposits of this group of four claims at depth. Therefore I have allotted the value of these two improvements equally to the above named four lode claims.
- Value of 1/4 interest in No. 1 - - - \$225
Value of 1/4 interest in No. 5 - - - \$250
- ALDER NO. 2
- No. 1 The discovery cut of the Alder No. 2 lode, the face of which being the discovery point is on the center line 150 ft. from the east end center; 6 ft. wide, 10 ft. face, runs N. 20° E., 12 ft. to face. At face is shaft, 5x6 ft. in size, 35 ft. deep
Value \$510
- No. 2 An open cut, the mouth of which bears N. 8° 22' E., 327 ft. from Cor. No. 4 of the Alder No. 2 lode; 4 ft. wide, 10 ft. face, runs N. 20° E., 15 ft. to face
Value \$75

- No. 3 An open cut, the mouth of which bears N. 75° 40' W., 410 ft. from Cor. No. 3 of the Alder No. 2 lode; 6 ft. wide, 8 ft. face, running N. 65° E., 12 ft. to face, at face is shaft, 4x6 ft. in size, 8 ft. deep
Value \$120
- No. 4 An open cut, the mouth of which bears N. 72° 24' W., 395 ft. from Cor. No. 3 of the Alder No. 2 lode; 4 ft. wide, 8 ft. face, runs N. 65° E., 10 ft. to face
Value \$40
- No. 5 A trench, the northwest corner of which bears N. 70° 45' W., 692 ft. from Cor. No. 3 of the Alder No. 2 lode; 2x4 ft. in size; runs S. 45° E., 15 ft. to end
Value \$25
- No. 6 A shaft, the center of which bears from the east end center on the center line of the Alder No. 2 lode 723 ft., 4x6 ft. in size, 10 ft. deep
Value \$60
- ALDER NO. 3
- No. 1 The discovery cut of the Alder No. 3 lode, the face of which being the discovery point is on the center line 350 ft. from the east end center; 4 ft. wide, 8 ft. face, runs N. 45° E., 15 ft. to face
Value \$60
- No. 2 A shaft, the center of which bears N. 23° 30' W., 495 ft. from Cor. No. 1 of the Alder No. 3 lode; 4x6 ft. in size, 20 ft. deep
Value \$250
- No. 3 An open cut, the mouth of which bears N. 21° 55' W., 458 ft. from Cor. No. 1 of the Alder No. 3 lode; 6 ft. wide, 10 ft. face, runs N. 5° E., 15 ft. to face
Value \$120
- No. 4 An open cut, the mouth of which bears N. 34° 50' W., 506 ft. from Cor. No. 1 of the Alder No. 3 lode; 8 ft. wide, 10 ft. face, runs N. 10° E., 20 ft. to face
Value \$200
- No. 5 An open cut, the mouth of which bears N. 65° 42' W., 512 ft. from Cor. No. 4 of the Alder No. 3 lode; 6 ft. wide, 10 ft. face, runs East 21 ft. to face
Value \$160
- BUSTER
- No. 1 The discovery point of the Buster lode is on the center line 315 ft. from the west end center, on a quartz vein carrying values in gold and some scheelite, marked by a monument 4 ft. high, 4 ft. base, S. 57° 55' E. 4 ft. The location notice is posted in this monument.
- No. 2 An open cut, the mouth of which bears S. 23° 45' E., 405 ft. from Cor. No. 2 of the Buster lode; 4 ft. wide, 10 ft. face, runs S. 23° W., 10 ft. to face and portal of tunnel, 4x6 ft. in size, running S. 23° W., 30 ft. to breast
Value \$350
- No. 3 An open cut, the mouth of which bears S. 87° 30' E., 408 ft. from Cor. No. 1 of the Buster lode; 5 ft. wide, 8 ft. high, runs N. 45° W., 18 ft. to face
Value \$90
- No. 4 An open cut, the mouth of which bears S. 39° 27' E., 430 ft. from Cor. No. 2 of the Buster lode; 6 ft. wide, runs S. 45° W., 20 ft. to a height of 10 ft., thence 5 ft. wide, S. 15° W., 13 ft. to face of 12 ft., at face is tunnel 4x6 ft. in size, runs S. 45° W., 13 ft. to breast
Value \$370

- No. 5 An open cut, the mouth of which bears N. 49° 40' W., 397 ft. from Cor. No. 4 of the Buster lode; 6 ft. wide, 8 ft. face, running South 12 ft. to face
Value \$70
- No. 6 An open cut, the mouth of which bears N. 45° 15' W., 273 ft. from Cor. No. 4 of the Buster lode; 5 ft. wide, 10 ft. face, running S. 15° E., 14 ft. to face
Value \$85
- No. 7 An Open cut, the mouth of which bears N. 39° 02' W., 222 ft. from Cor. No. 4 of the Buster lode; 8 ft. wide, 12 ft. face, running S. 15° E., 14 ft. to face
Value \$170
- No. 8 An open cut, the mouth of which bears N. 31° 35' W., 186 ft. from Cor. No. 4 of the Buster lode; 4 ft. wide, 6 ft. face, runs S. 15° E., 8 ft. to face
Value \$25
- No. 9 An open cut, the mouth of which bears N. 19° 48' W., 190 ft. from Cor. No. 4 of the Buster lode; 6 ft. wide, 10 ft. face, running S. 15° E., 18 ft. to face
Value \$135
- No. 10 An open cut, the face of which is on the center line 60 ft. from the east end center of the Buster lode; 4 ft. wide, 10 ft. face, running S. 15° W., 12 ft. to face
Value \$60
- QUINCY
- No. 1 The discovery cut of the Quincy lode, the face of which being the discovery point is on the center line 800 ft. from the east end center; 4 ft. wide, 12 ft. face, runs N. 58° W., 28 ft. to face and portal of tunnel, 4x6 ft. in size, running N. 58° W., 10 ft. to breast
Value \$270
- No. 2 An open cut, the mouth of which bears S. 40° 48' E., 708 ft. from Cor. No. 3 of the Quincy lode; 4 ft. wide, 8 ft. face, running N. 40° W., 10 ft. to face and portal of tunnel, 4x6 ft. in size, runs N. 40° W., 2 ft. to breast
Value \$60
- No. 3 An open cut, the mouth of which bears N. 63° 35' E., 60 ft. from Cor. No. 2 of the Quincy lode; 7 ft. wide, 10 ft. face, runs S. 48° E., 14 ft. to face
Value \$125
- No. 4 An open cut, the mouth of which bears on line 2-3 262 ft. from Cor. No. 2 of the Quincy lode; 8 ft. wide, 12 ft. face, running S. 58° E., 12 ft. to face
Value \$145
- No. 5 An open cut, the mouth of which bears on line 2-3 227 ft. from Cpr. No. 3 of the Quincy lode; 4 ft. wide, 15 ft. face, running S. 60° E. 10 ft. to portal of tunnel, 4x6 ft. in size, runs S. 60° E., 16 ft. to breast. At face of open cut is cross-cut, 4x6 ft. in size, running S. 30° W., 13 ft. to breast
Value \$440
- No. 6 An open cut, the mouth of which bears N. 77° 05' W., 447 ft. from Cor. No. 4 of the Quincy lode; 4 ft. wide, 10 ft. face, runs N. 40° W., 18 ft. to face and portal of tunnel, 4x6 ft. in size, running N. 40° W., 28 ft. to breast
Value \$370

Mineral Survey No. 4274 - Arizona

23

- No. 7 An open cut, the mouth of which bears N. 18° 05' W., 235 ft. from Cor. No. 1 of the Quincy lode; 5 ft. wide, 8 ft. face, running S. 16° W., 14 ft. to face
Value \$70
- YUMA
- No. 1 The discovery shaft of the Yuma lode, the center of which being the discovery point is on the center line 620 ft. from the east end center; 5x6 ft. in size, 10 ft. deep
Value \$80
- No. 2 An open cut, the mouth of which bears S. 43° 25' E., 824 ft. from Cor. No. 3 of the Yuma lode; 4 ft. wide, 14 ft. face, runs S. 70° W., 21 ft. to face and portal of tunnel, 4x6 ft. in size, running S. 70° W., 10 ft. to breast
Value \$210
- No. 3 An incline shaft, the center of which bears S. 46° 30' E., 768 ft. from Cor. No. 3 of the Yuma lode; 5x6 ft. in size, runs S. 80° W., 28 ft. to bottom on a 40° slope
Value \$440
- No. 4 A shaft, the center of which bears S. 49° 15' E., 699 ft. from Cor. No. 3 of the Yuma lode; 6x6 ft. in size, 5 ft. deep
Value \$45
- COCONINO
- No. 1 The discovery shaft of the Coconino lode, the center of which being the discovery point is on the center line 530 ft. from the east end center; 5x7 ft. in size, 21 ft. deep
Value \$420
- No. 2 A shaft, the center of which is on the center line 655 ft. from the east end center of the Coconino lode; 4x6 ft. in size, 6 ft. deep
Value \$35
- No. 3 An open cut, the mouth of which bears S. 81° 30' E., 570 ft. from Cor. No. 4 of the Coconino lode; 4 ft. wide, 8 ft. face, runs S. 60° E., 8 ft. to face
Value \$30
- No. 4 A shaft, the center of which bears N. 74° 05' E., 387 ft. from Cor. No. 4 of the Coconino lode; 5x6 ft. in size, 10 ft. deep
Value \$75
- No. 5 A shaft, the center of which bears S. 59° 00' E., 712 ft. from Cor. No. 4 of the Coconino lode; 8x10 ft. in size, 8 ft. deep
Value \$160
- MARICOPA
- No. 1 The discovery point of the Maricopa lode is on the center line 625 ft. from the east end center, an outcropping of mineral in place in the limestone.
- No. 2 An open cut, the mouth of which bears N. 41° 05' W., 589 ft. from Cor. No. 2 of the Maricopa lode; 4 ft. wide, 12 ft. face, runs N. 66° W., 32 ft. to face and portal of tunnel, 5x7 ft. in size, running N. 66° W., 26 ft. to a winze, 5x6 ft. in size, 12 ft. deep; thence N. 66° W., 60 ft. to Pt. 2; thence N. 46° W., 26 ft. to pt. 3; thence N. 63° W., 43 ft. to winze 4x8 ft. in size, 30 ft. deep; thence N. 63° W., 7 ft. to breast
Value \$3310
- No. 3 An open cut, the mouth of which bears N. 45° 00' W., 600 ft. from Cor. No. 2 of the Maricopa lode; 4 ft. wide, 10 ft. face, running N. 30° W., 16 ft. to face and portal of tunnel, 4x6 ft. in size, runs N. 80° W. 11 ft.
Value \$190

- No. 4 An open cut, the mouth of which bears N. 49° 30' W., 606 ft. from Cor. No. 2 of the Maricopa lode; 8 ft. wide, 10 ft. face, running N. 30° W., 16 ft. to face and portal of tunnel, 4x6 ft. in size, runs North 35 ft. to breast
Value \$520
- No. 5 An open cut, the mouth of which bears N. 33° 15' W., 360 ft. from Cor. No. 2 of the Maricopa lode; 5 ft. wide, 10 ft. face, running S. 75° E., 18 ft. to face
Value \$120
- No. 6 A shaft, the center of which bears N. 64° 10' E., 212 ft. from Cor. No. 3 of the Maricopa lode; 4x8 ft. in size, 8 ft. deep
Value \$60
- No. 7 A shaft, the center of which bears N. 59° 00' E., 240 ft. from Cor. No. 3 of the Maricopa lode; 4x6 ft. in size, 8 ft. deep
Value \$50
- No. 8 An open cut, the mouth of which bears N. 54° 08' E., 255 ft. from Cor. No. 3 of the Maricopa lode; 4 ft. wide, 5 ft. face, running S. 30° W., 12 ft. to face
Value \$30
- NAVAJO
- No. 1 The discovery cut of the Navajo lode, the face of which being the discovery point is on the center line 250 ft. from the west end center; 5 ft. wide, 7 ft. face, runs N. 20° W., 12 ft. to face. At face is shaft, 4x6 ft. in size, 3 ft. deep
Value \$90
- No. 2 An open cut, the mouth of which bears from the west end center of the Navajo lode on the center line 430 ft.; 5 ft. wide, 8 ft. face, runs N. 20° W., 35 ft. to face and portal of tunnel, 4x6 ft. in size, running N. 20° W., 16 ft. to breast
Value \$340
- No. 3 An open cut, the mouth of which bears N. 35° 30' E., 133 ft. from Cor. No. 2 of the Navajo lode; 4 ft. wide, 9 ft. face, running N. 32° E., 12 ft. to face
Value \$55
- No. 4 An open cut, the mouth of which bears N. 45° 10' W., 518 ft. from Cor. No. 1 of the Navajo lode; 5 ft. wide, 8 ft. face, runs S. 25° E., 14 ft. to face
Value \$70
- YAVAPAI
- No. 1 The discovery shaft of the Yavapai lode, the center of which is on the center line 700 ft. from the east end center; 4x6 ft. in size, 8 ft. deep
Value \$50
- No. 2 An open cut, the mouth of which bears N. 50° 20' W., 163 ft. from Cor. No. 4 of the Yavapai lode; 4 ft. wide, 10 ft. face, runs N. 40° E., 18 ft. to face and portal of tunnel; 4x6 ft. in size, running N. 40° E., 6 ft. to breast
Value \$150
- No. 3 An open cut, the mouth of which bears N. 54° 35' W., 125 ft. from Cor. No. 4 of the Yavapai lode; 4 ft. wide, 10 ft. face, runs N. 50° E., 12 ft. to face and portal of tunnel, 4x6 ft. in size, running N. 10° E., 20 ft. to pt. 1; thence N. 40° E., 17 ft. to pt. 2; thence N. 40° E., 25 ft. to breast. At point 2 is a crosscut running

S. 50° E., 7 ft. to breast
Value \$750

No. 4 A shaft, the center of which bears East 469 ft. from Cor. No. 1 of the Yavapai lode; 4x6 ft. in size, 8 ft. deep

Value \$50

No. 5 A trench, the north end of which bears N. 85° 52' E., 430 ft. from Cor. No. 1 of the Yavapai lode; 3x4 ft. in size, runs S. 30° E., 15 ft. to end

Value \$50

No. 6 A shaft, the center of which bears S. 87° 05' E., 331 ft. from Cor. No. 1 of the Yavapai lode; 4x6 ft. in size, 5 ft. deep

Value \$30.00

No. 7 An open cut, the mouth of which bears S. 61° 10' E., 458 ft. from Cor. No. 1 of the Yavapai lode; 6 ft. wide, 10 ft. face, runs N. 40° W., 18 ft. to face

Value \$135

No. 8 An open cut, the mouth of which bears S. 61° 05' E., 512 ft. from Cor. No. 1 of the Yavapai lode; 6 ft. wide, 12 ft. face, runs N. 20° W., 18 ft. to face

Value \$160

No. 9 An open cut, the mouth of which bears S. 64° 50' E., 510 ft. from Cor. No. 1 of the Yavapai lode; 6 ft. wide, 8 ft. face, runs N. 30° W., 18 ft. to face

Value \$110

No. 10 An open cut, the mouth of which bears S. 68° 25' E., 539 ft. from Cor. No. 1 of the Yavapai lode; 4 ft. wide, 6 ft. face, runs North 10 ft. to face. At face is a shaft, 4x6 ft. in size, 4 ft. deep

Value \$70

No. 11 An open cut, the mouth of which bears N. 88° 05' W., 382 ft. from Cor. No. 3 of the Yavapai lode; 4 ft. wide, 6 ft. face, running N. 80° E., 12 ft. to face

Value \$30

No. 12 An open cut, the mouth of which bears S. 66° 10' W., 296 ft. from Cor. No. 3 of the Yavapai lode; 5 ft. wide, 12 ft. face, running S. 77° E., 16 ft. to face

Value \$120

No. 1 The discovery shaft of the Apache lode, the center of which being the discovery point is on the center line 220 ft. from the west end center; 5x6 ft. in size, 30 ft. deep

Value \$600

No. 2 A shaft, the center of which bears S. 46° 45' E., 175 ft. from the west end center of the Apache lode; 7x10 ft. in size, 8 ft. deep

Value \$140

No. 3 A shaft, the center of which bears S. 42° 50' E., 130 ft. from the west end center of the Apache lode; 6x8 ft. in size, 10 ft. deep

Value \$120

No. 4 A shaft, the center of which bears S. 80° 05' E., 230 ft. from the west end center of the Apache lode; 6x8 ft. in size, 8 ft. deep

Value \$95

No. 5 A shaft, the center of which bears S. 66° 12' E., 265 ft.

- from the west end center of the Apache lode; 6x10 ft. in size, 30 ft. deep
Value \$900
- No. 6 A shaft, the center of which bears on the center line 352 ft. from the west end center of the Apache lode; 4x6 ft. in size, 8 ft. deep
Value \$50
- No. 7 A shaft, the center of which bears S. 68° 15' E., 400 ft. from the west end center of the Apache lode; 4x6 ft., in size, 8 ft. deep
Value \$50
- No. 8 A shaft, the center of which bears S. 69° 45' E., 426 ft. from the west end center of the Apache lode; 4x6 ft. in size, 10 ft. deep
Value \$60
- No. 9 A shaft, the center of which bears S. 64° 55' E., 545 ft. from the west end center of the Apache lode; 4x6 ft. in size, 10 ft. deep
Value \$60
- No. 10 A shaft, the center of which bears N. 60° 10' W., 740 ft. from Cor. No. 1 of the Apache lode; 4x6 ft. in size, 50 ft. deep
Value \$750
- No. 11 A shaft, the center of which bears N. 68° 45' W., 732 ft. from Cor. No. 1 of the Apache lode; 4x6 ft. in size, 25 ft. deep
Value \$375
- No. 12 A shaft, the center of which bears N. 68° 00' W., 711 ft. from Cor. No. 1 of the Apache lode; 4x6 ft. in size, 30 ft. deep
Value \$450
- No. 13 A shaft, the center of which bears N. 66° 30' W., 662 ft. from Cor. No. 1 of the Apache lode; 5x7 ft. in size, 30 ft. deep; at bottom is drift, 4x6 ft. in size running N. 86° 50' W., 49 ft. to connect with No. 12
Value \$1165
- No. 1 The discovery cut of the Cochise lode; the face of which being the discovery point is on the center line 600 ft. from the east end center; 8 ft. wide, 12 ft. face, runs N. 15° W., 61 ft. to mouth; at face of open cut is shaft 6x6 ft. in size, 30 ft. deep. At bottom of shaft is drift 4x6 ft. in size, running S. 60° W., 20 ft. to breast. Also at bottom of shaft is drift 4x6 ft. in size, running N. 60° E., 30 ft. to breast.
Value \$1835
- No. 2 A trench, the north end of which bears N. 70° 30' W., 550 ft. from Cor. No. 3 of the Cochise lode; 3x4 ft. in size, running South 41 ft. to end
Value \$125
- No. 3 A shaft, the center of which bears N. 67° 45' W., 550 ft. from Cor. No. 3 of the Cochise lode; 6x8 ft. in size, 10 ft. deep
Value \$120
- No. 4 A shaft, the center of which bears N. 64° 05' W., 488 ft. from Cor. No. 3 of the Cochise lode; 8x12 ft. in size, 8 ft. deep
Value \$195

- No. 5 An open cut, the mouth of which bears N. 60° 08' W., 445 ft. from Cor. No. 3 of the Cochise lode; 4 ft. wide, 12 ft. face, running S. 45° W. 44 ft. to face, and portal of tunnel, 4x6 ft. in size runs S. 45° W., 13 ft. to breast
Value \$400
- No. 6 A shaft, the center of which bears ~~from~~ N. 40° 45' W., 4692 ft. from Cor. No. 4 of the Cochise lode; 6x8 ft. in size, timbered, 87 ft. deep
At 24 ft. depth is drift 4x7 ft. in size; running N. 51° W., 51 ft., and a drift, 4x7 ft. in size running S. 51° E., 53 ft., at 47 ft. depth is drift, 4x7 ft. in size, running S. 51° E., 78 ft. At bottom is drift 4x7 ft. in size, running N. 51° W., 80 ft., and a drift 4x7 ft. in size, running S. 51° E., 100 ft.
Value \$8000
- No. 7 A shaft, the center of which bears S. 80° 55' E., 676 ft. from Cor. No. 1 of the Cochise lode; 5x7 ft. in size, timbered, 108 ft. deep.
At 30 ft. depth is drift 4x7 ft. in size, running S. 51° E., 40 ft.; at bottom is drift 4x7 ft. in size, running S. 51° E., 20 ft.; and a drift 4x7 ft. in size running N. 51° W., 20 ft.
Value \$4240
- The original Sanderson group of claims consisting of the Coconino, Cochise, Yavapai, Navajo, Maricopa and Apache lodes of this survey, were under a common ownership and the above two workings, No. 6 and No. 7 were made as a common improvement for that group. The shafts are centrally located with respect to those claims, and from them drifts and cross-cuts can be run in all directions to explore and prospect the lode deposits at depth. The information as to depth and length of cross-cuts has been obtained from the previous claimants as the shafts are at present filled with water.
- As these two improvements are of value to these six claims, 1/6 interest in them has been allotted to each the Coconino, Cochise, Yavapai, Navajo, Maricopa and Apache lodes.
- | | |
|--------------------------------|----------|
| Total value of No. 6 and No. 7 | \$12,240 |
| Value of 1/6th interest | 2,040 |
- No. 8 A shaft, the center of which bears S. 81° 30' E., 650 ft. from Cor. No. 1 of the Cochise lode; 4x7 ft. in size, 8 ft. deep
Value \$60
- No. 9 An open cut, the mouth of which is on the center line 528 ft. from the west end center of the Cochise lode; 4 ft. wide, 10 ft. face, running S. 30° W., 12 ft. to face and portal of tunnel, 4x6 ft. in size, runs S. 30° W., 15 ft. to breast
Value \$210
- No. 10 An open cut, the mouth of which bears N. 85° 45' E., 387 ft. from Cor. No. 1 of the Cochise lode; 4 ft. wide, 8 ft. face, running S. 60° E., 18 ft. to face
Value \$75
- No. 11 An open cut, the mouth of which bears N. 87° 50' E., 362 ft. from Cor. No. 1 of the Cochise lode; 4 ft. wide, 10 ft. face, running S. 12° W., 15 ft. to face and portal of tunnel, 4x6 ft. in size, runs S. 12° W., 6 ft. to breast
Value \$150

OTHER IMPROVEMENTS

2530

An open cut, the mouth of which bears N. 81° 35' E.; 150 ft. from Cor. No. 1 of the Yavapai lode; 4 ft. wide, 12 ft. face, running S. 45° E., 25 ft. to face and portal of tunnel, 4x6 ft. in size, runs S. 60° E., 12 ft. to breast. Claimant unknown

A galvanized iron cabin, the northwest corner of which bears S. 45° 00' E., 585 ft. from Cor. No. 2 of the Cochise lode; 20x20 ft. in size, side bearing S. 30° E.; claimant herein

An adobe house, the northwest corner of which bears S. 53° 45' E., 738 ft. from Cor. No. 2 of the Cochise lode; 20x38 ft. in size, long side brg. N. 50° E.; claimant herein

A circular iron tank, the center of which bears N. 73° 00' W., 700 ft. from Cor. No. 3 of the Cochise lode; 20 ft. diameter, 7 ft. high; claimant herein

A galvanized iron cabin, the southeast corner of which bears N. 46° 55' W., 427 ft. from Cor. No. 2 of the Apache lode; 12x16 ft. in size, long side bearing East; claimant herein

OTHER CORNER DESCRIPTIONS

All corners of survey No. 3501 mentioned in this report are rocks, firmly set and properly marked. I check all lines of this survey. The tie from Cor. No. 1 of the Quincy lode and Cor. No. 1 of the Precious Metals lode to the 1/4 Cor. Secs. 15 and 16, I do not check. ~~The tie from Cor. No. 1 of the Quincy lode to the 1/4 Cor. Secs. 15 and 16, I do not check. The official survey of this township was made in 1918.~~

Data for Sec. lines

Total value of No. 8 and No. 9 - \$1,200.00
Value of 1/4 interest - 300.00

No. 8 An open cut, the center of which bears S. 61° 30' E., 650 ft. from Cor. No. 1 of the Cochise lode; 4x7 ft. in size, 8 ft. deep
Value \$60

No. 9 An open cut, the mouth of which is on the center line 339 ft. from the west end center of the Cochise lode; 4 ft. wide, 10 ft. face, running S. 30° E., 12 ft. to face and portal of tunnel, 4x6 ft. in size, runs S. 60° W., 12 ft. to breast
Value \$10

No. 10 An open cut, the mouth of which bears N. 85° 45' E., 387 ft. from Cor. No. 1 of the Cochise lode; 4 ft. wide, 8 ft. face, running S. 60° E., 12 ft. to face
Value \$75

No. 11 An open cut, the mouth of which bears N. 87° 50' E., 363 ft. from Cor. No. 1 of the Cochise lode; 4 ft. wide, 10 ft. face, running S. 12° W., 12 ft. to face and portal of tunnel, 4x6 ft. in size, runs S. 12° W., 6 ft. to breast
Value \$150

OTHER IMPROVEMENTS

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals employed by Ralph L. Motz

Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of Randolph Jenks, known as the Coconino, Yuma, Quincy, Buster, Yavapai, Cochise, Apache, Maricopa, Navajo, Alder No. 2, Alder No. 3, Metal Reserve, Metal Reserve No. 2, Metal Reserve No. 3 and Metal Reserve No. 4 lodes ~~known as the~~

and showing the respective capacities in which they acted.

- Pete Komnenovich , *Chainman.*
- Lewis Ball , *Chainman.*
- , *Arman.*
- , *Flagman.*

FINAL OATHS OF ASSISTANTS

We, Pete Komnenovich

and Lewis Ball , do solemnly swear that we assisted Ralph L. Motz

..... , United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Randolph Jenks, known as the Coconino, Yuma, Quincy, Buster, Yavapai, Cochise, Apache, Maricopa, Navajo, Alder No. 2, Alder No. 3, Metal Reserve, Metal Reserve No. 2, Metal Reserve No. 3 and Metal Reserve No. 4 lodes ~~known as the~~

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at Phoenix, Arizona

- Pete Komnenovich , *Chainman.*
- Lewis Ball , *Chainman.*
- , *Arman.*
- , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 5th

day of August , 19 43

W H Murcher *(il)*
Notary Public, in and for the County of Cochise, State of Arizona.
My commission expires Feb. 3, 1945.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FINAL OATH OF MINERAL SURVEYOR

I, Ralph L. Motz, Mineral Surveyor,

do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix, Arizona, dated July 10, 1943,

I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the mining claim of Randolph Jenks, known as the Cocconino, Yuma, Quincy, Buster, Yavapai, Cochise, Apache, Maricopa, Navajo, Alder No. 2, Alder No. 3, Metal Reserve, ~~known as the~~ Metal Reserve No. 2, Metal Reserve No. 3 and Metal Reserve No. 4 lodes,

situate in Old Hat Mining District, Pima County, Arizona, in Section 8

15, 16 and 22, Township No. 11 S., Range No. 16 E., G.&S.R.M.

and designated as Survey No. 4274, as represented

in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Ralph L. Motz
(Mineral Surveyor)

Subscribed and sworn to by the said Ralph L. Motz

Mineral Surveyor, before me W. H. Miescher,

Notary Public this 5th

day of August, 1943.

W. H. Miescher (lic)

Notary Public, in and for the County of Cochise, State of Arizona.
My commission expires Feb. 3, 1945.

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

United States
Department of the Interior
GENERAL LAND OFFICE
PUBLIC SURVEY OFFICE

Phoenix, Arizona

October 5, 1943

I, Office Cadastral Engineer at Phoenix, Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Randolph Jenks,

METAL RESERVE, METAL RESERVE NO. 2, METAL RESERVE NO. 3, METAL RESERVE NO. 4, ALDER NO. 2, ALDER NO. 3, APACHE, MARICOPA, NAVAJO, COCHISE, YAVAPAI, BUSTER, COCONINO, YUMA, and QUINCY lodes
situate in Old Hat

Mining District Pima County Arizona

in Section 15, 16, 22, Township No. 11 S., Range No. 16 E., and

designated as Survey No. 4274, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant or his grantors, and that said improvements consist of 53 outs, 41 shafts, 20 tunnels, 4 trenches, 3 crosscuts, 11 drifts, and 2 winzes, total value \$36,315.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the District Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

E. A. Thompson
Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

UNITED STATES DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE PUBLIC SURVEY OFFICE

At Phoenix, Arizona

October 5, 19 43

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Randolph Jenks

METAL RESERVE, METAL RESERVE NO.2, METAL RESERVE NO.3, METAL RESERVE NO.4, ALDER NO.2, ALDER NO.3, APACHE, MARICOPA, NAVAJO, COCHISE, YAVAPAI, BUSTER, COCONINO, YUMA, and QUINCY lodes situate in Old Hat mining district,

Pima County, Arizona

in Section s 15, 16, & 22, Township No. 11 S., Range No. 16 E.

, designated as Survey No. 4274

executed by Ralph L. Motz, Mineral

Surveyor, July 18 to August 1, 1943, under my instructions dated

July 10, 1943, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

E. A. Thompson Office Cadastral Engineer.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 4274
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The QUINCY lode, Mineral Survey No. 4274, located in sections 15 and 16, Township 11 South, Range 16 East, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"QUINCY lode, M.S. 4274, was canceled March 2, 2009, by memo 9605 (956) M.S. 4274, which is now a part of the original field notes."

March 2, 2009
Date

Stephen K. Hansen
Chief Cadastral Surveyor of Arizona