

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GENERAL LAND OFFICE

MINERAL SURVEY NO. 4275

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

Lawrence Meek

Known As The

Daisy and Daisy Paralell  
lodes, New River Mining District,  
Maricopa County, Arizona.

Section 6, Township T6N, Range 3E

Surveyed under instructions dated Aug 24, 1943

by Richard L. Merrill  
Mineral Surveyor.

Claim located See location Notices

Survey commenced Sept 4, 1943

Survey completed Sept 15, 1943

Address of claimant 2635 East Van Buren street,  
Phoenix, Arizona.

DATES OF AMENDED LOCATIONS

See location Notices

Feet	
	<p>Mineral Survey No. 4275 was made with a Lietz Transit No. 10256, model No. 11-E, with horizontal limb 5 ins. diam., having two double opposite verniers, and full vertical circle 4 ins. diam., having one double vernier; the verniers read to one minute of arc; a prismatic eye piece with colored glass shade was attached to the eye piece of the transit for the solar observations. The instrument was in good condition at the time of the survey and all adjustments were in good order. A noon altitude observation on the meridian was made for latitude, and a P.M. altitude observation for azimuth, and time, the details of which observations are shown in the calculation sheets herewith submitted for examination. All azimuths in this record are referred to the true meridian thus determined, by the method of deflection angles and calculated courses.</p> <p>The lines were measured with a Lufkin steel tape 500 feet in length, graduated every foot, the first foot being graduated to tenths and hundredths.</p> <p>All lines and connections of this survey were run by direct methods.</p> <p>The magnetic variation observed at each corner of this survey gave a uniform value of <math>14^{\circ} 00' E</math>.</p> <p style="text-align: center;">DAISY PARALELL LODE</p> <p>Beginning at Cor. No. 1 of the Daisy Paralell Lode, which agrees with a corner of the location a mound of stones 3 ft. high by 3 ft. base.</p> <p>I set a schist stone 6x10x24 ins. - 16 ins. in the ground, mkd. X-D.P.-1-4275.</p> <p>The cor. Secs. 6 and 7, T6N, R3E, G. and S. Rd M., an iron pipe with a brass cap properly marked brs. S54°43'W, 789.52 ft.</p> <p>A schist cliff 12 ft. high, mkd. X-B.R.D.P.1-4275 brs. N66°44'W 20.12 ft.</p> <p style="text-align: center;">Thence N23°16'E</p>
1500.00	<p>Cor. No. 2, which is identical with Cor. No. 1, Daisy Lode of this Survey, and agrees with a Cor. of the location, a mound of stones 3 ft. base by 3 ft. high.</p> <p>I set a Porphyry stone 6x10x24 ins.- 16 ins. in the ground, mkd. X 2D.P.-1 D.-4275.</p> <p style="text-align: center;">Thence S66°44'E</p>
300.00	<p>Intersect lode line at the North end center</p> <p>A mound of stone 3 ft. base by 3 ft. high, identical with the location and with the South end center Daisy lode of this survey.</p>
600.00	<p>Cor. No. 3</p> <p>Set a schist stone 6x6x25 ins.- 16 ins. in the ground, mkd. X 3 D.P.-4D-4275.</p> <p>Agrees with a cor. of the location, a mound of stones 3 ft. base by 3 ft. high, and with Cor. No. 4 Daisy Lode of this survey.</p> <p style="text-align: center;">Thence S23°16'W</p>
1500.00	<p>Cor. No. 4</p> <p>Set a Schist stone 7x12x24 ins.- 16 ins. in the ground mkd. X 4 D.P.-4275.</p> <p>Agrees with a cor. of the loc<sup>ation</sup>, a mound of stones 3 ft. base by 3 ft. high.</p>

Feet	
300.00	<p style="text-align: center;">Thence N66°44'W</p> <p>Intersect the lode line at the South end center</p> <p style="padding-left: 40px;">A mound of stones 3 ft. base by 3 ft. high, identical with the location.</p>
600.00	<p>Cor. No. 1 the place of beginning.</p> <p style="text-align: center;">DAISY LODE</p> <p>Beginning at Cor. No. 1 of the Daisy Lode, which is identical with Cor. No. 2 Daisy Paralell Lode of this Survey, and agrees with a cor. of the location</p> <p style="padding-left: 40px;">The East <math>\frac{1}{4}</math> Sec. Cor. Sec. 1, T6N, R2E, an iron pipe with a brass cap, properly marked - brs. N63°04'W - 1384.33 ft.</p>
1500.00	<p style="text-align: center;">Thence N23°16'E</p> <p>Cor. No. 2</p> <p style="padding-left: 40px;">Set a schist stone 6x10x30 ins. - 16 ins. in the ground mkd. X2D-4275</p> <p style="padding-left: 40px;">Agrees with a cor. of the location, a mound of stones 3 ft. base by 3 ft. high.</p>
300.00	<p style="text-align: center;">Thence S66°44'E</p> <p>Intersect the lode line at the North center end.</p> <p style="padding-left: 40px;">A mound of stones 3 ft. base by 3 ft. high, identical with the location.</p>
600.00	<p>Cor. No. 3</p> <p style="padding-left: 40px;">Set a schist stone 6x10x30 ins. - 16 ins. in the ground, mkd. X3D-4275.</p> <p style="padding-left: 40px;">Agrees with a cor. of the location, a mound of stones 3 ft. base by 3 ft. high.</p>
100.00	<p style="text-align: center;">Thence S23°16'W</p> <p>Center of road, brs. N50°E and S50°W</p>
1500.00	<p>Cor. No. 4</p> <p style="padding-left: 40px;">Identical with Cor. No. 3 Daisy Paralell Lode of this Survey and agrees with a cor. of the location.</p>
300.00	<p style="text-align: center;">Thence N66°44'W</p> <p>Intersect the lode line at the South center end.</p> <p style="padding-left: 40px;">Identical with a cor. of the location and with the North center end of Daisy Paralell Lode of this Survey.</p>
600.00	<p>To Cor. No. 1 the place of beginning.</p> <p>From the corners no bearing objects were available except as reported herein.</p> <p style="text-align: center;">LODE LINES</p> <p>The presumed course of the vein of each of the lode locations embraced in this survey, counted from the respective points of discovery, is as follows:</p> <p>Daisy Paralell Lode    S23°16'W 100 ft. and N23°16'E 1400 ft.</p> <p>Daisy Lode                S23°16'W 863 ft. and N23°16'E 637 ft.</p>

AREAS

	Acres
Total Area of Daisy Paralell Lode	20.661
Total Area of Daisy Lode	20.661

LOCATION

Lots 6 and 7, the SE<sup>1</sup> NW<sup>1</sup> and E<sup>1</sup> SW<sup>1</sup>  
This Survey is located in ~~the West-half~~ of Section 6, T6N, R3E,  
G. and S.R.B. and M., New River Mining District, Maricopa County,  
Arizona

Expenditure of \$500.00

I certify that the value of labor and improvements made upon or for  
the benefit of each of the lode locations embraced in said mining  
claim, by the claimant or his grantors, is not less than \$500.00 and  
that said improvements consist of:

- |       |   |                   |
|-------|---|-------------------|
|       | Daisy Paralell Lode   |                   |
| No. 1 | The discovery shaft, of the Daisy Paralell Lode, the center of which<br>is on the lode line 100 ft. from the South end center, 4x6x120 ft.<br>deep, 20 ft. to water | Value \$ 1,200.00 |
|       | Daisy Lode  |                   |
| No. 1 | The discovery shaft of the Daisy Lode, the center of which is on<br>the lode line, 637 ft. from the North center end 6x8x90 ft. deep                                | Value \$ 1,000.00 |
| No. 2 | A Tunnel, mouth of which is on the lode line of the Daisy Lode<br>343 ft. from the South center end, 4x6x15 ft., course S22°30'E                                    | Value \$ 100.00   |
| No. 3 | A shaft, the center of which bears N46°E 706 ft. from Cor. No. 1<br>Daisy Lode, 5x6x30 ft. deep   | Value \$ 300.00   |
| No. 4 | A shaft, the center of which bears N43°30'E, 897 ft. from Cor.<br>No. 1 Daisy Lode, 5x6x18 ft. deep   | Value \$ 180.00   |

OTHER IMPROVEMENTS

None

OTHER CORNER DESCRIPTIONS

None

The first Paragraph in each of the location notices states that the  
claims are 1500 feet long. I found copies of the location notices  
at each of the shafts which I have used as the discovery shafts. The  
claims we surveyed as monumented, using these shafts as the discovery  
points.

The second paragraph in each of the location notices is in ~~error~~  
~~error~~, as the total length of each claim as described therein is  
only 600 ft.

*Richard L. Merritt*  
 RICHARD L. MERRITT,  
 Mineral Surveyor, G.L.C.  
 Prescott, Arizona

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GENERAL LAND OFFICE

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals employed by Richard L. Merritt  
Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries  
described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_  
Lawrence Meek  
known as the Daisy and Daisy Paralell lodes  
and showing the respective capacities in which they acted.

Albert Greene, Chairman.  
\_\_\_\_\_, Chairman.  
\_\_\_\_\_, Axman.  
\_\_\_\_\_, Flagman.

FINAL OATHS OF ASSISTANTS

I  
We, Albert Greene  
and \_\_\_\_\_, do solemnly swear that I we assisted Richard L  
Merritt, United States Mineral Surveyor, in marking the corners and surveying  
the boundaries of the mining claim of Lawrence Meek  
known as the Daisy and Daisy Paralell lodes,  
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his  
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully  
and correctly executed, and the corner and boundary monuments established according to law and the  
instructions furnished by the Office Cadastral Engineer, at Phoenix, Arizona

Albert Greene Chairman.  
\_\_\_\_\_, Chairman.  
\_\_\_\_\_, Axman.  
\_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 17<sup>th</sup>  
day of Sept., 1943

[Signature]  
Notary Public

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GENERAL LAND OFFICE

FINAL OATH OF MINERAL SURVEYOR

I, Richard L. Merritt, Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the Office Cadastral  
Engineer, at Phoenix Arizona, dated Aug 24<sup>th</sup> 1943,  
I have, in strict conformity to the laws of the United States, the official regulations  
and instructions thereunder, and the instructions of said Office Cadastral Engineer,  
faithfully and correctly executed the survey of the mining claim of Lawrence Meek,  
known as the Daisy and Daisy Parallel lodes,  
situate in New River Mining District,  
Maricopa County, Arizona, in Section  
6, Township No. 6 N, Range No. 3 E  
and designated as Survey No. 4275, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy of  
the location certificate, which was received by me from the Office Cadastral Engineer  
with said instructions, and that all corners of said survey have been established and  
perpetuated in strict accordance with the law, official regulations and instructions  
thereunder; and I do further solemnly swear that the foregoing are the true and original  
field notes of said survey and my report therein, and that the labor expended and im-  
provements made upon said mining claim by claimant or his  
grantors are as therein fully stated, and that the character, extent, location, and  
itemized value thereof are specified therein with particularity and full detail, and  
that no portion of said labor or improvements so credited to this claim has been included  
in the estimate of expenditures upon any other claim.

Richard L. Merritt  
(Mineral Surveyor)

Subscribed and sworn to by the said Richard L. Merritt  
Mineral Surveyor, before me

this 17<sup>th</sup>  
day of Sept., 1943

J. C. Bauer  
Notary Public

My Commission Expires Jan. 10, 1945.

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

United States  
Department of the Interior  
GENERAL LAND OFFICE  
PUBLIC SURVEY OFFICE

Phoenix, Arizona,

October 7, 1943

I, Office Cadastral Engineer at Phoenix, Arizona do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Lawrence Meek

known as the DAISY and DAISY PARELELL lodes

situate in New River

Mining District Maricopa County Arizona

in Section 6, Township No. 6 N., Range No. 3 E., and

designated as Survey No. 4275, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant or his grantors, and that said improvements consist of 4 shafts and 1 tunnel, total value \$2780.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the District Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

E. A. Thompson

Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

UNITED STATES DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE PUBLIC SURVEY OFFICE

At Phoenix, Arizona

October 7, 19 43

I, Office Cadastral Engineer at Phoenix, Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Lawrence Meek

, known as the

DAISY and DAISY PARALELL lodes

situate in New River mining district,

Maricopa County, Arizona

in Section 6, Township No. 6 N., Range No. 3 E.

, designated as Survey No. 4275

executed by Richard L. Merritt, Mineral

Surveyor, September 4 - 15, 1943, under my instructions dated

August 24, 1943, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

E. A. Thompson Office Cadastral Engineer.