4-688

UNITED STATES DEPARTMENT OF THE INTERIOR

GENERAL-EAND-OFFICE

BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4321

	Arizona Land Dis	trict.
	FIELD NOTES	
	Of The Survey Of The Mining Claim Of	
	Angel Revilla Ruiz	
	Known As The	
	DEVIDE	
	Maricopa County, Arizona	
	22 , Township 3 N. , Range	
	yed under instructions dated April 5,	
	byHarry E. Mi	Jones neral Surveyor.
	Claim located	1921
	Survey commenced April 6,	19.48
	Survey completedApril 17,	19.48
	Address of claimant Forrest T. Hoyt, Atty. 9009 Cave Creek Road, Phoenix, Arizona. DATES OF AMENDED LOCATIONS	

U-S. GOVERNMENT PRINTING OFFICE

DEPARTMENT OF THE INTERIOR STREET OF THE INTERIOR STREET OF THE INTERIOR STREET OF TAXABLE OF THE

MINERAL SURVEY NO. 4021

	galaiff and to yeven Sarvito
- 4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	of C quienct . Township the malica
Nickey Control Surveyor. V	
	of T factor theming to muchos the
	SETO CYCL COOK TO STRATE A STATE OF STRATE OF

This survey was made with a C.L.Berger & Sons Transit No. 7574, with a horizontal limb 4 inches diameter, having two double opposite verniers, and a full vertical circle 4 inches diameter, having one double vernier, both reading to one minute of arc; The eyepiece is equipped with a colored glass shutter for making direct observations. The instrument was in good condition and adjustment at the time of this survey.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by

the following observations.

On April 6th. 1948, on line 4-3 Devide lode of this survey, in Lat. 33°35'44"N. and Long. 112°03'18"W. from GLO plats. I made a series of four altitude observations upon the sun for azimuth at approximately equal time intervals, two each direct and inverted respectively, observing the limb of the sun and reading the horizontal angles from the reference line mentioned above.

The mean time of this observation is 9:29:30 A.M. Mountain

Standard Time.

Declination of the sun at mean time of observation 6°35'45" Mean observed vertical angle to sun center 39°56'15" Mean horizontal angle from reference line to sun center is 31°50'15"

True bearing of reference line is S.36°04'30"E.

The lines were measured with a 600 ft. steel tape graduated every foot, and a 50 ft. steel tape graduated to hundredths, both tapes were checked for accuracy prior to use on this survey.

All lines and connections of this survey were run directly on the ground.

The mean magnetic variation observed at each corner of this survey is 14°42° E.

Feet

DEVIDE LODE

At Cor. No. 1, a standard 1 inch GLO pipe corner set in the ground and surrounded with a substantial mound of rock and marked in addition to the GLO markings, D-1-4321; from which

The ½ corner common to Sections 15 and 22; T. 3 N. R. 3 E. G&SRM. bears N.25°17'45"W. 1088.91 ft. a standard 1 inch GLO pipe marked as described in the official record.

Cor. 2 Avelina lode, unsurveyed, a standard 1 inch GLO pipe as described in the official record, bears N.36°04 W. 15.10 ft. No other suitable bearings available.

Thence S. 36° 04' E.

Along line 1-4 Cactus lode, unsurveyed, 131.00 Cross center of 10 ft. wash, course SWly. 303.27 Lode line; discovery shaft pears S.64°15 W. 1404.42 ft. 348.00 Cross center of 5 ft. wash, course NWly. 585.00 Cross center of 5 ft. wash, course Nly.

Cor. No. 2, a standard 1 inch GLO pipe set in the ground and surrounded with a substantial mound of rock, and marked 606.53 in addition to the GLO markings, D-2-4321.

> The NE. corner of the W2SW4NE4 of Section 22, T. 3 N. R. 3 E. being Cor. 9 of the Arizona Placer claim, a 4 inch pipe with a cast brass cap, bears N.46°52'40"W. 206.63 ft. No other suitable bearings available.

Thence S. 65° 33' W.

2

Feet Cross center of 5 ft. wash, course NEly.

165.01 Intersect the East line of the W2SW4NE4 of Section 22, T. 3

N. R. 3 E. being part of the Arizona Placer claim, whence the NE. corner or Cor.9 thereof bears N.0°10'W. 209.54 ft. Intersect the West line of the W2SW1NE1 of Section 22, T. 3
N. R. 3 E. identical with the 1 section line, being part of 893.37 the Arizona Placer claim, whence the NW. corner or Cor. 8 bears N.0°17'W. 512.75 ft. 1169.00 Cross center of 5 ft. wash, course NWly. Intersect the North line of the SaselNW of Section 22, T. 3 N. R. 3 E. being part of the Arizona Placer claim, whence the NE. corner or Cor.7 thereof bears N.89°32'E. 343.78 ft. 1399.00 Cross center of 5 ft. wash, course Wly. 1499.00 Gor. No. 3, a standard 1 inch GLO pipe set in the ground and surrounded with a substantial mound of rock, and marked in addition to the GLO markings, D-3-4321. The NE. corner of the S2SE1NW1 of Section 22; T. 3 N. R. 3 E. being Cor. 7 of the Arizona Placer claim, a 1 inch pipe with a cast brass cap, bears N.79°59'E. 560.63 ft. No other suitable bearings available. Thence N. 36° 04' W. 60.00 Cross center of 5 ft. wash, course Wly. Intersect the North line of the S2SE2NW2 of Section 22, T. 3 N. R. 3 E. being part of the Arizona Placer claim, whence the NE. corner or Cor. 7 thereof bears N.89°32'E. 619.44 ft. 114.39 268.7\$ Lode line; Discovery shaft bears N.64°15'E. 88 ft. 513.00 Cross center of 2 ft. wash, course NWly. . 537.46 Cor. No. 4, a standard 1 inch GLO pipe set in the ground and surrounded with a substantial mound of rock, and marked in addition to the GLO markings, D-4-4321. Wit. Cor. 4, Avelina lode, unsurveyed, a standard 1 inch GLO pipe marked as described in the official record, bears N.66°43'40"W. 25.69 ft. No other suitable bearings available. , Thence N. 62°. 56' 30" E. Along line 4-3 Avelina lode, unsurveyed.

95.00 Cross center of 2 ft. wash, course NWly.

075.00 Cross center of 5 ft. wash, course NWly. 275.00 Cross center of 5 ft. wash, course NWly.
343.00 Cross center of 2 ft. wash, course NWly.
397.00 Cross center of road, bears NWly. and SEly.
443.00 Cross center of 3 ft. wash, course NWly.
521.00 Cross center of 5 ft. wash, course, NWly.
843.50 Cross center of 15 ft. wash, course Wly. 1486.64 To Cor. No. 1, the place of beginning. AREA 19.281 acres Total area, Devide lode, Area in conflict with Arizona Placer claim,
The WaswanE of Section 22; T. 3 N. R. 3 E. 5.510 acres
The Saseanwa of Section 22; T. 3 N. R. 3 E. 0.294 acres

LOCATION

This survey is located over the center of the No of Section 22; T. 3 N. R. 3 E. Gila and Salt River Meridian, Maricopa County, Arizona.

The survey of the Devide lode is identical with the location as marked on the ground by the corners established by a mineral segregation survey, accepted by the General Land Office, August 11th, 1933.

EXPENDITURES

The improvements and the value of the labor and improvements made upon or for the benefit of the lode location embraced in said mining claim by the claimant or his grantors are as follows:

- No.1 The discovery shaft 4x7x8 ft. is on the lode line at N.64° 15'E. 88 ft. from the 268.73 ft. point on line 3-4. Value \$100.00
- No.2 A shaft 5x8x45 ft. deep partially timbered, bears S.18°24'W. 142 ft. from the 753.52 ft. point on line 4-1. Value 1125.00
- No. 3 An open cut 5x33x7 ft. face, facing SEly. the head of which bears S.62°56'30"W. 60 ft. from Cor. No.1. Value \$290.00
- No. 4 An open cut 7x11x8 ft. face, facing Nly. bears S.6°E. 150 ft. from Cor. No. 1. Value \$ 150.00

OTHER IMPROVEMENTS

The SW. corner of a rock house 9x20 ft. bears N.22°01'E. 321 ft. from the 1304.26 ft. point on line 2-3.

The NE. corner of a sheet iron building 16x30 ft. bears S.40°01'W. 71 ft. from the 1140.73 ft. point on line 4-1.

The SW. corner of a frame shed 12x60 ft. bears S.22°58'E. 22 ft. from the 927.11 ft. point on line 4-1.

FIELD ASSISTANTS

Name

Capacity

J. D. Roeder,

C. E. Wilson,

LaMar Q. Leatham.

Instrument and chainman

Chainman and axeman

Chainman and flagman

U. S. GOVERNMENT PRINTING OFFICE 16-28520-

H.

... trat

- FERRISHE III

CALIFORN UNA AKCAND

og George Castho but caro boured and circumoses and wrote equals of our sello at each of the cast of

beer model that the apples and productive systems all apples and a

The second secon

of gozil anthine has breed a to see to a second of the control of

Provide the common of the comm

.. FOI, Addington of

odi est tribi i situadi el ebq cebival est su pario dodi. Deditidi cas ettoro est ve brooto est un bakta as estva

Lander the ret rate ous the

UNITED STATES DEPARTMENT OF THE INTERIOR

GENERAL-EAND OFFICE Bureau of Land Management

FINAL OATH OF MINERAL SURVEYOR

1,, Mineral Surveyor					
o solemnly swear that, in pursuance of instructions received from the Office Cadastra					
Ingineer, at Phoenix, Arizona , dated April 5, 1948					
have, in strict conformity to the laws of the United States, the official regulation					
nd instructions thereunder, and the instructions of said Office Cadastral Engineer					
aithfully and correctly executed the survey of the mining claim of					
Angel Revilla Ruiz , known as th					
DEVIDE					
ituate in Winifred Mining District					
Maricopa County, Arizona , in Section					
22 , Township No. 3 N. , Range No. 3 E.					
nd designated as Survey No. 4321 , as represente					
n the foregoing field notes, which accurately show the boundaries of said mining clai					
s distinctly marked by monuments on the ground, and described in the attached copy of					
he location certificate, which was received by me from the Office Cadastral Enginee					
ith said instructions, and that all corners of said survey have been established an					
erpetuated in strict accordance with the law, official regulations and instruction					
hereunder; and I do further solemnly swear that the foregoing are the true and origina					
ield notes of said survey and my report therein, and that the labor expended and in					
rovements made upon said mining claim by claimant orhis					
grantors are as therein fully stated, and that the character, extent, location, and					
temized value thereof are specified therein with particularity and full detail, an					
hat no portion of said labor or improvements so credited to this claim has been include					
n the estimate of expenditures upon any other claim.					
Hong Jones (Mingral Surveyor)					
ubscribed and sworn to by the said Harry E. Jones,					
ineral Surveyor, before me a Notary Public					
this 7th.					
ay of July , 1948.					
My commission expires 7-22-49 Notary Public.					
U. B. ONVERHMENT PRINTING OFFICE 6-9476					

UNITED STATES DEPARTMENT OF THE INTERIOR CONSTRUCTION OFFICE FOREIGN OF THE INTERIOR

PART OF MINERAL SURVEYOR

Tovernot Invested and the second of the seco
Instantal courts out more severage and locations to to the many of their level viewers as
Send of Market, Washington Physical Aligner William to Market States
anotacloses laterile out . Artis region on to east out of the course and the second colors and to we have
seation interest the said the
which the state of
silv as revolution of the contract of the cont
and the contract of the contra
·National Action of Company of the Section of Company of Com
before reger and . The contract of the best of the bes
minio guinio 6tas re-sellente par contrata securata se apres la contrata de la contrata del contrata de la contrata de la contrata del contrata de la contrata del la contrata del la contrata de la contrata del la contrata de la con
Yo woo belosion of the boule out the ground, and done to be to be to be the common of
con location constitution, works are recoved by as whole and Civilar Palentrica Engliseer
the sensitive and even veries of sens to energy the detailed the continues and
serpendated interior of the terminate of the companies and terminated and terminated
the real art of the training and real that the topological are the training and the training and ordered
-ut pan sebagge four tout this priese franch franch by the plan to refer that
To security willing the production of the security of the secu
granters are as anomaly stated, and that the compactor, extent, location, and
ben . Cratal first is transfer of the maneral and the maneral section of the complete state of the complete st
debutout most and misis a this of Sadiores on armanescondulate the Committee on Isia
The file was
The second of th
Tell of the second of the seco
. i I in the
ALLON , LLON , LLON YELLON YELDON YELLON YELDON YELDON YELDON YELDON YELLON YELLON YELLON YELLON YELLON YEL

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

UNITED STATES DEPARTMENT OF THE INTERIOR

GENERAL LAND OFFICE
Bureau of Land Management
Public Survey Office

	At Phœnix, Arizona
	August 26 , 1948
I, Office Cadastral Engineer at Phoen	ix, Arizona
do hereby certify that the foregoing and hereto	attached Field Notes and Return of the Survey of the
Mining Claim of Angel Revi	lla Ruiz
	, known as the
DEVIDE	
situate inWinifred	mining district,
	Arizona
in Section _22, Township No	o. 3 North , Range No. 3 East
3.& S.R.M., designated as Survey No	4321
executed by Harry E. Jo	Dnes , Mineral
Surveyor, April 6 to April 17	, 19 48, under my instructions dated
April 5	1948, have been critically examined and the necessary
corrections and explanations made, and the said	Field Notes and Return, and the Survey they describe,
are hereby approved. The certified copy of the	location certificate filed by the applicant for survey is
on file in this office and a true copy of said ce	rtified copy of said location certificate is included and
made a part of the transcript of the field notes.	
	Frank M. Chapin
	Office Cadastral Engineer.

CERTIFICATE DE AFRENOVAL DE FIELD MOTES AND SURTEY OF

ROISTANT OTTINU ROISTAN LINT TO THERITERALD TORSO SERENT ARRESTS TORSO SERENT OF A SERENT

Sacri		
and the person and the desired than	alon' LEM teresity eterni for grape of	
	Land to the state of the same of	
		A STATE OF
lineally	that is rundi	
		Class .
		almodules and energywood
ber telicopial de lite e mai		