
UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4330

Arizona Land District.
FIELD NOTES
Of The Survey Of The Mining Claim Of
American Smelting and Refining Company
Known As The
June No. 1 to June No. 26, inc., June No. 43, Handy and Palmer
Silver Bell Mining District,
Pima County, Arizona
Sections 3,4,5 and 9, Township 12 South Range 8 East and Sections 32 and 33 Township 11 South Range 8 East Surveyed under order dated June 1 1948
by T.N.Stevens Mineral Surveyor.
Claim located June 6,7,22,26, 28, July 2,9, 19 10, 1940, Sept.7,1940, Mar. 18, 1915 and Jan.5,1920 Survey commenced July 27 , 1948
Survey completed November 18 , 19 48
Address of claimant Ben C. Hill, Atty., Tucson, Arizona
DATES OF AMENDED LOCATIONS
Handy, Oct. 24, 1940, Palmer, Oct. 24, 1940,
June No. 22, Feb. 10, 1941
U. S. GOVERNMENT PRINTING OFFICE 16-53972-2



This survey was made with a Buff & Buff transit No. 25780 with horizontal limb 5 ins. diam., having two opposite verniers and full vertical circle 4 ins. diam., having one double vernier; the verniers read to one minute of arc. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian

determined by the following observation:
August 13, 1948, at Cor. No. 1 of the June No. 21 lode, in latitude 32°24'10"N., and longitude 111°32'W., I made a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, bisecting the sun and reading the horizontal angle from the reference point N.E. to the sun.

Mean time of observation 105th meridian, =9h05m A.M.

Declination of sun at mean time of observation

=14°34'01.93"

Mean observed vertical angle to sun's center

=39°55'

Mean horizontal angle from reference

=81010140" =N.17°00'E.

point to sun's center True bearing to reference point The lines were measured with a Lufkin steel tape, 500

ft. in length graduated every foot with the last foot graduated to tenths and hundredths; and a 100 foot steel tape graduated to feet, tenths and hundredths; both tapes were compared with a standard and were correct at the time of the survey.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 14°45'E.

Feet

JUNE NO. 1 LODE

Cor. No. 1 of the June No. 1 lode, identical with Cor. No. 2, Sur. No. 1818 Prospector lode and Cor. No. 1 Sur. No. 2437 Mollie lode, claimants herein, is monumented by a pine post, 4 ins. sq. firmly set and properly marked. Being badly decayed, I remove the post and in its place,

Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top with leaden cap mkd. 1 J-No.1-4330, 2 P-1818, 1 M-2437 from which

The # sec. cor. of secs. 3 and 4, T. 12 S., R. 8 E., bears N.1°05'30" E., 863.84 ft. dist.; an iron post, 1 in. diam., 18 ins. above ground, firmly set with brass cap marked as described in the official record.

Cor. No. 1 Palmer lode of this survey, bears S.52° 28' E., 171.87 ft. dist.

A cross (X) on limestone ledge, bears N.72°32'W., 20.2 ft. dist.

A cross (X) on limestone bears N.80°20'E., 8.2 ft.

U. S. GOVERNMENT PRINTING OFFICE

		Survey No. 4330
	Feet	Thence S. 56° 20' W.
	192.63	Intersect line 4-1 Palmer lode of this survey.
	200.0	Wash, 15 ft. wide, course northwesterly.
	287.25	Intersect line 2-3 Handy lode of this survey.
	300.0	Lode line; discovery point bears N.30°34'W., 1246.4 ft. dist.
		Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. S. Cr. J. No.1.
	600.0	Cor. No. 2, identical with Cor. No. 3, Sur. No. 2434 Queen lode and on line 1-2 June No. 3 lode of this survey, which is monumented by a pine post, 4 ins. sq. firmly set and properly mkd. I remove the post and in its place
	r regard	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top, with leaden cap mkd. 2 J No.1-4330, 3 Q-2434.
	E 1009	Thence N. 33° 34° W.
	50	Wash, 15 ft. wide, bears southwesterly.
	217.65	E. end center June No. 3 lode of this survey.
	266.94	Intersect line 4-1 Palmer lode of this survey.
	525•3	Cor. No. 1, June No. 2 and June No. 3 lodes of this survey, identical with Cor. No. 3, Sur. No. 2434 Olympia lode.
1	1000.	Wash, 15 ft. wide, course southwesterly.
	1496•4	Cor. No. 3, identical with Cor. No. 5, June No. 2 lode of this survey, Cor. No. 4 Sur. No. 1928 Sampson lode, claimant herein, and cors. Nos. 2 and 4 Sur. No. 2434 Olympia and Queen lodes, which is monumented by a pine post, 4 ins. sq. firmly set and properly marked. Being badly decayed, I remove the post and in its place
	ino in ton vit	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top. with leaden cap mkd. 3 J No.1, 5 J No.2-4330, 4 S-1928, 4 Q-2434.
		Thence N. 56° 20° E.
	300.0	Lode line; discovery point bears S.33°34'E., 250 ft. dist.
	997.B	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. N.Cr.J. No.1.
	600.0	Cor. No. 4, identical with Cor. No. 1, Sur. No. 1818 Prospector lode, Cor. No. 1 Sur. No. 1821 Mammoth Copper lode, Cor. No. 1 Sur. No. 1928 Sampson lode, claimants herein, and Cor. No. 1 Sur. No. 2434 Queen lode, which is monumented by a pine post, 4 ins. sq., firmly set and properly marked. Being badly decayed I remove the post and in its place,

Feet

- Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top, with leaden cap mkd. 4 J No.1-4330, 1 P-1818, 1 MC-1821, 1 S-1928, 1 Q-2434, from which
 - U.S.M.M. No. 1 bears N.61°12°E., 314.74 ft. dist., consisting of a pine post, 4 ins. sq. by 8 ft. high, surrounded by a mound of stone 6 ft. base, 4½ ft. high, mkd. U.S.M.M. No. 1.
 - A cross (X) on limestone ledge, bears N.9° W., 57.7 ft. dist.
 - A palo verde, 6 ins. diam., bears S.44° 15' W., 15.5 ft. dist.
 - A palo verde, 6 ins. diam., bears N.21° 15' E., 71.7 ft. dist. Both trees blazed and scribed.

Thence S. 33° 34' E.

- 792.13 Intersect line 1-2 Handy lode of this survey.
- 1493.70 Cor. No. 2, Sur. No. 2434 Queen lode.
- 1496.4 Cor. No. 1 and place of beginning.

JUNE NO. 2 LODE

- Cor. No. 1 of the June No. 2 lode, identical with Cor. No. 1 June No. 3 lode of this survey and Cor. No. 3 Sur. No. 2434 Olympia lode, is monumented by a pine post, 4 ins. sq. firmly set and properly marked. Being badly decayed I remove the post and in its place,
- Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins, diam., 18 ins. in the ground surrounded by a mound of stone to top, with leaden cap mkd. 1 J.No.2, 1 J. No. 3-4330, 3 0-2434, from which
 - The 4 sec. cor. of Secs. 3 and 4, T. 12 S., R. 8 E., bears N. 46° 44' 28" E., 1107.09 ft. dist., heretofore described.
 - A cross (X) on a granite ledge, bears N. 72° 26' E., 21.5 ft. dist.

Thence S. 56° 20' W.

- 300.0 Lode line; discovery point bears N. 33° 34' W., 1297.7 ft. dist.
 - Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. S..Cr. J. No. 2
- 394.36 Intersect line 4-1 Palmer lode of this survey.
- Cor. No. 2, identical with Cor. No. 4, Sur. No. 2434
 Olympia lode which is monumented by a pine post, 4 ins.
 sq. firmly set and properly marked, being badly decayed, I remove the post and in its place,
 - Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top with leaden cap mkd. 2 J No. 2-4330, 4 0-2434.

Survey	No:	1330
W CLI. V C.Y	740 9	4 10

	Survey No. 4330
Feet	Thence N. 33° 34° W.
58.12	Cor. No. 1 June No. 4 lode of this survey, hereinafter described.
134.74	Cor. No. 4 Palmer lode of this survey, hereinafter described; on line 4-1 Sur. No. 3994, Copperhead No. 3 lode, claimant herein, from which
97.38	Cor. No. 1 bears N. 0° 03' W., 309.25 ft. dist.
158.26	Intersect line 4-1 June No. 3 lode of this survey.
425.0	Wash, 5 ft. wide, course southwesterly.
505.65	Intersect line 1-2 Sur. No. 3994 Copperhead No. 3 lode at a point from which Cor. No. 1 bears N. 89° 57' E., 204.82 ft. dist.
1497•70	Cor. No. 3, identical with Cor. No. 5 June No. 4 lode of this survey and cor. Nos. 2, and 5, Sur. No. 2432 Frank B lode and Sur. No. 2434 Olympia lode respectively, which is monumented by a pine post, 4 ins. sq. firmly set. No marks are visible on account of the badly decayed condition, I remove the post and in its place
200 1	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top, with leaden cap mkd. 3 J.No.2, 5 J. No. 4-4330, 2 F B-2432, 5 0-2434, from which.
enio minus	A cross (X) on granite rock in place, bears S.47° 20' E., 2.9 ft. dist.
nt en	A cross (X) on granite rock in place, bears N.392°E., 28 ft. dist.
- 1.08/18-	Thence N. 56° 20' E.
	Intersect line 1-2 Sur. No. 1820 Detroit lode, claimant herein, at a point from which Cor. No. 1 bears N.74° 51' E., 414.93 ft. dist. and at 410.39 ft., on this line, intersect line 4-1, Sur. No. 2432 Frank B. lode at a point from which Cor. No. 1 bears S.26° 26' E., 88.77 ft. dist.
300.0	Lode line; discovery point bears S.33° 34' E., 200 ft. dist.
586.34	Intersect line 4-1 Sur. No. 2432 Frank B lode, claimant herein, at a point from which Cor. No. 1 bears S.26° 26' E., 220.24 ft. dist.
597.63	Intersect line 4-1 Sur. No. 1820 Detroit lode at a point from which Cor. No. 1 bears S.23° 34' E., 133.84 ft. dist.
599 •7	Cor. No. 4, identical with Cor. No. 1 Sur. No. 2434 Olympia lode, on line 3-4 1928 Sampson lode, which is monumented by a pine post, 4 ins. sq. firmly set and properly marked, being badly decayed, I remove the post and in its place,
ni sái	Set an iron post, 3½ ft. long, 2 ins. diem., 18 ins. in the ground, surrounded by a mound of stone to top, with leaden cap mkd. 4 J No.2-4330, 1 0-2434.

	Survey No. 4550
Feet .	Cor. No. 1 Sur. No. 2432 Frank B lode, bears S.23° 03' E., 222.20 ft. dist.
• 3/2	Cor. No. 1 Sur. No. 1820 Detroit lode, bears S.22° . 41'47" E., 134.22 ft, dist.
*	Thence S. 33° 36' E.
526.6	Cor. No. 5, identical with Cor. No. 2 Sur. No. 2434 Olympia lode, Cor. No. 4 Sur. No. 1928 Sampson lode, Cor. No. 4 Sur. No. 2434 Queen lode and Cor. No. 3 June No. 1 lode of this survey.
	Thence S. 33° 34' E.
496.4	Gulch, 15 ft. wide, course southwesterly.
971.1	Cor. No. 1 and place of beginning.
el .end	JUNE NO. 3 LODÉ.
e	Beginning at Cor. No. 1 of the June No. 3 lode, identical with Cor. No. 1, June No. 2 lode of this survey and Cor. No. 3 Sur. No. 2434 Olympia lode, on line 2-3 June No. 1 lode of this survey, from which
	The 4 sec. cor. of Secs. 3 and 4, T. 12 S., R. 8 E., bears N. 46° 44' 28" E., 1107.09 ft. dist.
S . ok	Thence S. 33° 34' E.
258.36	Intersect line 4-1 Palmer lode of this survey.
307.65	Lode line; discovery point bears S. 71° 28' W., 100 ft. dist.
	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. E. Cr.J. No. 3.
 475•3	Wash, 15 ft. wide, course southwesterly.
525.3	Cor. No. 2 June No. 1 lode of this survey, identical with Cor. No. 3 Survey No. 2434 Queen lode.
607.65	Cor. No. 2.
al Ank alw qua	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top with leaden cap_mkd. 2 J. No. 3-4330.
.4 A .5	No local bearing objects are available. Thence S. 71° 28' W.
150.	Wash, 15 ft. wide, course southwesterly.
959.05	Cor. No. 3 Palmer lode of this survey, identical with
777.00	Cor. No. 4 Sur. No. 3994 Copperhead No. 1 lode, claimant herein and on line 4-1 Sur. No. 3994 Copperhead No. 3
1100.	Wash, 5 ft. wide, course southerly.
1214.75	Cor. No. 3 on line 2-3 June No. 20 lode of this survey.

6	Survey No. 4330
Feet	The state of the s
488.8	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top with leaden cap mkd. 3 J No.3-4330.
	Loc. Mon. bears S. 71° 28' W., 285.25 ft. dist.
	Thence N. 33° 34' W.
300.0	Lode line; discovery point bears N. 71° 28' E., 1114.75 ft. dist.
	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. W. Cr. J. No. 3.
540.51	Cor. No. 2 June No. 4 lode of this survey, hereinafter described.
600.0	Cor. No. 4.
· jamena	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top with leaden cap mkd. 4 J No. 3-4330.
Tevros	Loc. Mon. bears S. 73° 18' W., 287.20 ft. dist.
	Cor. No. 2 Sur. No. 3994 Copperhead No. 3 lode bears N.3° 10' W., 481.35 ft. dist.
1.0021	Thence N. 71° 07° E.
592•53	Intersect line 5-1 and 2-3, June No. 4 and June No. 2 lodes respectively of this survey and line 4-5 Sur. No. 2434 Olympia lode.
606.25	Intersect line 4-1 Sur. No. 3994 Copperhead No. 3 lode at a point from which Cor. No. 1 bears N. 0° 3' W., 285.21 ft. dist.
1212.79	Cor. No. 1 and place of beginning.
	JUNE NO. 4 LODE
	At Cor. No. 1 of the June No. 4 lode on line 2-3 June No. 2 lode of this survey and line 4-5 Sur. No. 2434 Olympia lode.
i det	Set an iron post; 3½ ft. long; 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top with leaden cap mkd. 1 J. No. 4-4330, from which
	The # sec. cor. of secs. 3 and 4, T. 12 S., R. 8 E., bears N. 52° 03' 47" E., 1696.17 ft. dist.
	Thence S. 74° 51' W.
43.82	Intersect line 3-4 Palmer lode of this survey identical with line 4-1 Sur. No. 3994 Copperhead No. 3 lode.
298.22	Lode line; discovery point bears N. 33° 34' W., 1210 ft. dist.
. Tevalla	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. S. Cr. J. No. 4.

	Feet	
	604.12	Cor. No. 2 on line 2-3 June No. 20 lode, common with line 3-4 June No. 3 lode, both of this survey.
	. 75	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top; with leaden cap mkd. 2 J. No. 4-4330.
		Cor. No. 2 Sur. No. 3994 Copperhead No. 3 lode, bears N.6° 24' W., 533.6 ft. dist.
		Thence N. 33° 34' W.
	59•49	Cor. No. 4 June No. 3 lode of this survey.
•	106.88	Intersect line 2-3 Sur. No. 3994 Copperhead No. 3 lode at a point from which Cor. No. 2 bears N. 0° 3' W., 441.22 ft. dist.
	380.0	Wash, 5 ft. wide, course westerly.
	718.52	Cor. Nos. 3 June No. 5 and June No. 20 lodes of this survey, hereinafter described.
	1323.20	Intersect line 4-1 June No. 5 lode, common with line 3-4 June No. 8 lode, both of this survey.
	1500.0	Cor. No. 3, on line 1-2 Sur. No. 1820 Detroit lode and on center line of June No. 8 lode of this survey. Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top with leaden cap mkd. 3 J. No. 4-4330.
	aniog.	Cor. No. 2, Sur. No. 1820 Detroit lode, bears S. 74° 51' W., .284.47 ft. dist.
	. AC . DA	Thence N. 74° 51' E.
	305.9	Lode line; discovery point bears S. 33° 34° E., 290 ft. dist.
	•	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. N. Cr. J. No4.
	abo.L	On line 2-3 June No. 8 lode of this survey.
	611.8	Cor. No. 4 on line 2-3 Sur. No. 2432 Frank B. lode, claimant herein.
		Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top with leaden cap mkd. 4 J. No. 4-4330.
		No local bearings available.
		Thence S. 26° 26' E.
	58 . 52	Cor. No. 5, identical with Cor. No. 2 Sur. No. 2432 Frank B. lode, Cor. No. 5 Sur. No. 2434 Olympia lode and Cor. No. 3 June No. 2 lode of this survey.
	. dratiq	. Thence S. 33° 34' E.
	992.05	Intersect line 1-2 Sur. No. 3994 Copperhead No. 3 lode at a point from which Cor. No. 2 bears S. 89° 57' W., 395.18 ft. dist.

Survey No.	ourvey	TAO.	4330
------------	--------	------	------

	Survey No. 4330
Feet	ENGINEER CONTRACTOR OF THE STATE OF THE STAT
1072.7	Wash, 5 ft. wide, course westerly.
1339.44	Intersect line 4-1 June No. 3 lode of this survey.
1362.96	Cor. No. 4 Palmer lode of this survey, hereinafter described.
1439.58	Cor. No. 1 and place of beginning.
	JUNE NO. 5 LODE
<u>1861</u>	At Cor. No. 1 of the June No. 5 lode, identical with Cor. No. 3 June No. 6 lode, on line 3-4 June No. 10 lode of this survey.
gjir	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top with leaden cap mkd. 1 J. No. 5, 3 J. No. 6-4330, from which
p-E eni.	The # sec. cor. of Secs. 4 and 5, T.12 S., R. 8 E., bears N. 61° 18' W., 1545.95 ft. dist.; an iron post, 1 in. diam., 18 ins. above ground, firmly set, with brass cap marked as described in the official record.
82 .84 13 IW 935	Cor. No. 2 Sur. No. 1925 Percy lode, claimant herein, bears S. 24° 42' E., 120.41 ft. dist.
	Thence S. 26° 26' E.
130.0	Intersect line 1-2 Sur. No. 1926 Percy lode at a point from which Cor. No. 2 bears N. 47° 07' 15" W., 10.31 ft. dist.
280.	Wash, 10 ft. wide, course southwesterly.
300.0	Lode line; discovery point bears N. 63° 34' E., 280 ft. dist.
400.0	Wash, 5 ft. wide, course southwesterly.
600.0	Cor. No. 2, identical with Cor. No. 4 June No. 6 lode of this survey.
ai in	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top with leaden cap mkd. 2 J. No. 5, 4 J. No. 6-4330.
da ind a co	Cor. Nos. 3 and 4, Sur. No. 1820 Baltimore and Swansea lodes, respectively and Cor. No. 1 Sur. No. 1926 Percy lode bears N.84° 57' E., 223.68 ft. dist.
	Thence N. 63° 34' E.
177•49	Intersect line 1-2 Sur. No. 1926 Percy lode at a point from which cor. No. 1, identical with Cor. Nos. 3 and 4 Sur. No. 1820 Baltimore and Swansea lodes, bears S. 47° 07'15" E., 87.18 ft. dist. From same point, Cor. No. 2 of Percy lode, bears N. 47° 07' 15" W., 512.82 ft. dist.
	TO THE SURE STATE OF THE STATE

	Survey No. 4330
Feet	Jest Committee C
248.83	Intersect line 3-4 Sur. No. 1820 Baltimore lode at a point from which Cor. No. 3, identical with Cor. Nos. 1 and 4, Sur. No. 1926 and 1820 Percy and Swansea lodes, respectively, bears south 91.08 ft. dist. From same point, Cor. No. 4 bears north 1408.92 ft. dist.
545.0	Wash, 5 ft. wide, course southerly. Road bears northerly.
840.0	Road, bears northeasterly.
895.32	Cor. Nos. 3 and 4, June No. 21 and June No. 20 lodes of this survey, hereinafter described.
908.46	Intersect line 1-2 Sur. No. 1820 Baltimore lode at a point from which Cor. No. 2 bears south 384.71 ft. dist. From same point, Cor. No. 1 bears north 1115.29 ft. dist.
1130.0	Wash, 5 ft. wide, course northwesterly.
1197.66	N. end center June No. 20 lode of this survey.
1500.0	Cor. No. 3, identical with Cor. No. 3 June No. 20 lode and on line 2-3 June No. 4 lode, all of this survey.
.12 00	Thence N. 26° 26° W.
300.0	Lode line; discovery point bears S. 63° 34' W., 1220.0 ft. dist.
et v	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. E. Cr. J. No. 5.
600.0	Cor. No. 4 on line 3-4 June No.8 lode of this survey.
al Ant	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diem., 18 ins.in the ground, surrounded by a mound of stone to top with leaden cap mkd. 4 J. No. 5-4330.
	No local bearing objects are available.
	Thence S. 63° 34' W.
75.09	Intersect line 2-3 June No. 4 lode of this survey.
293.43	Intersect line 1-2 Sur. No. 1820 Baltimore lode at a point from which Cor. No. 1 bears north 445.24 ft. dist.
397•32	Cor. Nos. 3 and 4, June No. 9 and June No. 8 lodes respectively of this survey.
697.32	S. end center June No. 9 lode of this survey.
775.0	Wash, 5 ft. wide, course southerly.
953.06	Intersect line 3-4 Sur. No. 1820 Baltimore lode at a point from which Cor. No. 4 bears north 738.87 ft. dist.
997•32	Cor. Nos. 3 and 4 June No. 10 and June No. 9 lodes respectively of this survey.
1297.32	S. end center June No. 10 lode of this survey.

10	Survey No. 4330
Feet	
1372.32	Wash, 10 ft. wide, course southerly.
1500.0	Cor. No. 1 and place of beginning.
	. The property of the state of
	JUNE NO. 6 LODE
-ultrön	At Cor. No.1 of the June No. 6 lode.
lodes of this	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top, with leaden cap mkd. 1 J. No. 6-4330, from which
eve L ch	The cor. to Secs. 4, 5, 8 and 9, T. 12 S., R. 8 E., bears S. 21° 41' 5" W., 745.22 ft. dist.; an iron post, 2 ins. diam., 18 ins. above ground, firmly set with brass cap marked as described in the official record.
	Cor. No. 1 Sur. No. 1820 Omaha lode, claimant here- in, bears N. 8° 12' W.; 273.31 ft. dist.
	Thence N. 26° 26' W.
.220.0	Wash, 10 ft. wide, course southwesterly.
251.43	Intersect line 4-1 Sur. No. 1820 Omaha lode at a point from which Cor. No. 1 bears N. 58° 07° E., 85.90 ft. dist.
700.0	Tala line, discommendat booms N 679 7N F 500 ft
300.0	Lode line; discovery point bears N. 63° 34' E., 500 ft. dist.
. bater	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground, mkd. W. Cr. J. No. 6.
600.0	Cor. No. 2 on line 3-4 June No. 13 lode of this survey.
top with	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 2 J. No. 6-4330.
	No local bearing objects are available.
	Thence N. 63° 34° E.
202.68	Cor. Nos. 3 and 4, June No. 12 and June No. 13 lodes respectively of this survey, hereinafter described.
502.68	S. end center June No. 12 lode of this survey.
802.68	Point for Cor. No. 4 June No. 11 and June No. 12 lodes of this survey which falls in a wash, 10 ft. wide, course southwesterly.
902.68	Wash, 5 ft. wide, course southwesterly.
1102.68	S. end center June No. 11 lode of this survey.
1402.68	Cor. Nos. 4 and 3, June No. 10 and June No. 11 lodes respectively of this survey, hereinafter described.
1500.00	Cor. No. 3, identical with Cor. No. 1 June No. 5 lode on line 3-4 June No. 10 lode of this survey.
	Thence S. 26° 26' E.

	Feet	
	130.0	Intersect line 4-1 Sur. No. 1926 Percy lode.
	280.0	Wash, 10 ft. wide, course southwesterly.
	300.0	Lode line; discovery point bears S. 63° 34' W., 1000.0 ft. dist.; identical with lode line June No. 5 lode of this survey.
	400.0	Wash, 5 ft. wide, course southwesterly.
	600.0	Cor. No. 4, identical with Cor. No. 2 June No. 5 lode of this survey.
	il .ast	Thence S. 63° 34' W.
	210.0	Wash, 10 ft. wide, course southwesterly.
	726.5	Intersect line 2-3 Sur. No. 1926 Percy lode at a point from which Cor. No. 2 bears N. 30° E., 867.51 ft. dist.
	1317.69	Intersect line 1-2 Sur. No. 1820 Omaha lode at a point from which Cor. No. 1 bears N. 46° 53' W., 277.05 ft. dist.
	1500.00	Cor. No. 1 and place of beginning.
P	vertus e	JUNE NO. 7 LODE
	il ent da ju gol	At Cor. No. 1 of the June No. 7 lode on line 1-2 Sur. No. 2432 Hilda lode, claimant herein, and on lode line of June No. 19 lode of this survey.
	236.2	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top, with leaden cap mkd. 1 J. No. 7-4330, from which
	- 4	The # sec. cor. of Secs. 4 and 5. T. 12 S., R. 8 E., bears S. 55° 35' 55" W., 2308.81 ft. dist.
	ę •	Cor. No. 2, Sur. No. 2432 Hilda lode, bears S. 77° 41' W., 281.71 ft. dist.
		Thence N. 77° 41' E.
	309•34	Intersect line 2-3, June No. 19 lode of this survey. Lode line; discovery point bears S. 26° 26' E., 475.0 ft. dist. Set a pine post, 4 ins. sq., 4 ft. long, firmly in the ground, mkd. N. Cr. J. No. 7.
	398.0	Road bears northeasterly.
	618.68	Cor. No. 2, identical with Cor. No. 3, Frank B. lode and on line 1-2 Hilda lode, both of Sur. No. 2432, which is monumented by a pine post, 4 ins. sq. firmly set and properly marked. Being badly decayed, I remove the post and in its place,
	god ot	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top with leaden cap mkd. 2 J. No. 7-4330, 3 F B- 2432.
	8 .81	Cor. No. 1 of the Hilda lode, identical with Cor. No. 4 of the Frank B. lode, bears N. 77° 41° E., 600 ft. dist.

6		Survey No. 4330
	Feet	Thence 5. 26° 26' E.
	780.23	Intersect line 3-4 Sur. No. 1820 Detroit lode at a point from which Cor. No. 4 bears N. 74° 51' E., 628.31 ft. dist. From same point, Cor. No. 3, bears S. 74° 51' W., 865.34 ft. dist.
	860.0	Cor. No. 3.
		This corner falls in a wash where a permanent monument
	obol i	Thence S. 77° 41' W.
	10.0	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap for witness Cor. No. 3, mkd. 3 J. No. 7-4330 W.C.
		No local bearing objects are available.
	309.34	Lode line; discovery point bears N. 26° 26' W., 385 ft. dist.
101		Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. S. Cr. June No. 7.
	343.0	Wash, 15 ft. wide, course southeasterly.
	618.68	Cor. No. 4, on lode line June No. 8 lode of this survey.
	Eur. Lode	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 4 J. No. 7-4330.
	ins, in	Cor. No. 3 Sur. No. 1820 Detroit lode, bears S.85° 07' W., 267.29 ft. dist.
		Loc. Mon. bears S. 26° 26' E., 69.35 ft. dist.
,		Thence N. 26° 26° W.
	48.58	Intersect line 3-4 Sur. No. 1820 Detroit lode at a point from which Cor. No. 3 bears S. 74° 51' W., 253.51 ft. dist.
	572.0	Road bears northeasterly and southeasterly.
	771.67 860.0	N. end center June No. 8 lode of this survey, and S. end center June No. 19 lode. Cor. No. 1 and place of beginning.
		VIzetesens for a rior of the contract of the c
	abof	. JUNE NO. 8 LODE
	,	At Cor. No. 1 of the June No. 8 lode, identical with Cor. Nos. 1, 2 and 2, June No. 19, June No. 18 and June No. 9 lodes respectively of this survey.
	181 10 top 1432 1000	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top, with leaden cap mkd. 1 J. No. 8, 1 J. No. 19, 2 J. No. 18, 2 J. No. 9-4330, from which
	1 4	The # sec. cor. of Secs. 3 and 4, T. 12 S., R. 8 E., bears S. 56°54'50" W., 1999.98 ft. dist.

		C	13
	Feet	Survey No. 4330	.10
	2000	Thence N. 63° 34' E.	
	300.0	Lode line; on line 4-1 June No. 7 lode of this survey. Discovery point bears S. 26° 26' E., 1493.0 ft. dist. Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground, in mound of stone, mkd. N. Cr. J. No. 8, S. Cr. J. No. 19.	31
	600.0	Cor. No. 2, identical with Cor. No. 2 June No. 19 lode, and on lode line June No. 7 lode, both of this survey.	
	. 4 d.	Set an iron post, 3½.ftlong, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top, with leaden cap mkd. 2 J. No. 8, 2 J. No. 19-4330.	
	Busy .	Thence S. 26° 26' E.	
	25.	Road, bears NE. to SW.	
	515.0	Junction of washes, 5 ft. wide, course southerly.	
	782.94	Intersect line 3-4, Sur. No. 1820 Detroit lode at a point from which Cor. No. 3 bears S. 74° 51' W., 559.42 ft. dist.	
	847.11	Intersect line 3-4 June No. 7 lode of this survey, at S. end center.	
		Wash, 15 ft. wide, course southwesterly. Road, bears southwesterly. Intersect line 1-2 Sur. No. 1820 Detroit lode at a point from which Cor. No. 2 bears S. 74° 51' W., 590.37 ft. dist. and also intersect line 3-4 June No. 4 lode of this survey. Cor. No. 3	
		Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 3 J. No. 8-4330.	
	.#1	No local bearing objects are available.	
		Thence S. 63° 34' W.	
	202.68	Cor. No. 4 June No. 5 lode of this survey.	
	277.77	Intersect line 2-3 June No. 4 lode of this survey.	
	300.0	Lode line; discovery point bears N. 26° 26. W., 7.0 ft. dist. Set a pine post, 4 ins. sq., 4 ft. long, firmly in the ground, mkd. S. Cr. J. No. 8.	
	496.11	Intersect line 1-2 Sur. No. 1820 Baltimore lode at a point from which Cor. No. 1 bears north 445.24 ft. dist. and at 218.06 ft, on this line intersect line 1-2, Sur. No. 1820 Detroit lode, at a point from which Cor. No. 2 bears S. 74° 51'. W., 183.20 ft. dist.	
	600.0	Cor. No. 4, identical with Cor. No. 3 June No. 9 lode, or line 4-1 June No. 5 lode of this survey.	n
		Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leader cap mkd. 4 J. No. 8, 3 J. No. 9-4330.	
11.0		Cor. No. 2, Sur. No. 1820 Detroit lode, bears N. 21 10' W., 232.09 ft. dist.	0
		Cor. No. 1, Sur. No. 1820 Baltimore lode, bears	4

Survey	No.	4330
--------	-----	------

4	Survey No. 4330
Feet	N. 10° 43' E., 500.21 ft. dist.
.vevin	Cor. No. 4, Sur. No. 1820, Baltimore lode, bears . N. 45° 21' 25" W., 699.43 ft.
NE YAR	Thence N. 26° 26' W.
430.0	Road, bears northeasterly.
470.0	Wash, 15 ft. wide, course southwesterly.
548.87	Intersect line 4-1 Sur. No. 1820 Baltimore lode at a point from which or. No. 1 bears east 337.36 ft. dist. and at 40.75 ft. on this line, intersect line 2-3 Sur. No. 1820 Detroit lode at a point from which Cor. No. 2 bears S. 23° 32' E., 300.0 ft. dist. and Cor. No. 3 bears N. 23° 32' W., 296.06 ft. dist.
1500.0	Cor. No. 1 and place of beginning.
ę	JUNE NO. 9 LODE
38.1	At Cor. No. 1 of the June No. 9 lode, identical with Cor. Nos. 1, 2 and 2, June No. 18, June No. 17 and June No. 10 lodes respectively of this survey.
on sur	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top, with leaden cap mkd. 1 J. No. 9, 1 J. No. 18, 2 J. No. 17, 2 J. No. 10-4330, from which The $\frac{1}{4}$ sec. cor. of Secs. 4 and 5, T. 12 S., R. 8 E., bears S. 54° 04' 45" W., 1405.74 ft. dist.
ai dat	No local bearing objects are available.
10-17-00	Thence N. 63° 34' E.
300.0	Lode line; discovery point bears S. 26° 26' E., 75 ft. dist.
	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. N. Cr. J. No. 9, S. Cr. June No. 18.
600.0	Cor. No. 2, identical with Cor. Nos. 1, 1 and 2, June No. 8, June No. 19 and June No. 18 lodes respectively of this survey. Thence S. 26° 26' E.
951.13	Intersect line 4-1 Sur. No. 1820 Baltimore lode at a point from which Cor. No. 4 bears west 253.41 ft. dist.
1030.0	Wash, 15 ft. wide, course southwesterly.
1070.0	Road, bears northeasterly.
1500.0	Cor. No. 3, identical with Cor. No. 4 June No. 8 lode, on line 4-1 June No. 5 lode of this survey.
laiw go	Thence S. 63° 34' W.
300.0	Lode line; discovery point bears N. 26° 26' W., 1425.0 ft. dist.

	Feet	Set a pine post, 4 ins. sq., 4 ft. long, firmly in the ground, mkd. S. Cr. J. No. 9.
	377.68	Wash, 5 ft. wide, course southerly.
	555•74	Intersect line 3-4 Sur. No. 1820 Baltimore lode at a point from which Cor. No. 4 bears north 738.87 ft. dist.
	600.0	Cor. No. 4; identical with Cor. No. 3 June No. 10 lode and on line 4-1 June No. 5 lode, of this survey.
		Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd.4J. No. 9, 3 J. No. 10-4330.
		No local bearing objects are available.
		Thence N. 26° 26' W.
	1500.0	Cor. No. 1 and the place of beginning.
4	of distrib	
	repo!	JUNE NO. 10 LODE
	ri ani Adiw go	At Cor. No. 1 of the June No. 10 lode, identical with Cor. Nos. 1, 2 and 2, June No. 17, June No. 16 and June No. 11 lodes respectively of this survey.
	. A .	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leader cap mkd. 1 J. No., 10, 1 J. No. 17, 2 J. No. 16, 2 J. No. 11-4330, from which
	van de	The 4 sec. cor. of Secs. 4 and 5, T. 12 S., R. 8 E., bears S. 47° 09' W., 819.95 ft. dist.
		Thence N. 63° 34' E.
	300.0	Lode kine; discovery point bears S. 26° 26' E., 70 ft. dist.
	June olively	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. N. Cr. J. No. 10, S. Cr. J. No. 17.
	600.0	Cor. No. 2, identical with Cor. Nos. 1, 1 and 2, June No. 9, June No. 18, June No. 17 lodes respectively of this survey.
		Thence S. 26° 26' E.
	1500.0	Cor. No. 3, identical with Cor. No. 4 June No. 9 lode of this survey and on line 4-1 June No. 5 lode of this survey.
	0.2001	. Thence S. 63° 34' W.
	300.0	Lode line; discovery point bears N. 26° 26' W., 1430 ft.
		Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. S. Cr. J. No. 10.
	375.0	Wash, 10 ft. wide, course southerly.
	triscor	ome a kyane saro o teram o al estot manton sign

Surve	v No.	4330
	,	エノノー

	Survey No. 4330
Feet	
502.68	Cor. Nos. 1 and 3 June No. 5 and June No. 6 lodes respectively of this survey.
600.0	Cor. No. 4, identical with Cor. No. 3 June No. 11 lode, on line 2-3 June No. 6 lode of this survey.
abol d	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 4 J. No. 10, 3 J. No. 11-4330.
	No local bearing objects are available.
	Thence N. 26° 26' W.
1138.0	Wash, 15 ft. wide, course southwesterly.
1500.0	Cor. No. 1 and place of beginning.
	The second of th
	JUNE NO. 11 LODE
	At Cor. No. 1 of the June No. 11 lode, identical with Cor. No. 1, June No. 16, June No. 15 and June No. 12 lodes of this survey.
ndia find	Set an iron post, $\frac{7}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 1 J. No. 11, 1 J. No. 16, 1 J. No. 15, 1 J. No. 12-4330, from which
do in go	The # sec. cor. of Secs. 4 and 5, T. 12 S., R. 8 E., bears S. 12° 24° W., 297.44 ft. dist.
	Thence N. 63° 34' E.
300.0	Lode line; discovery point bears S. 26° 26' E., 97 ft. dist
. 22 05	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. N. Cr. J. No. 11, S. Cr. J. No. 16.
600.0	Cor. No. 2, identical with Cor. Nos. 1, 1 and 2, June No. 10, June No. 17 and June No. 16 lodes respectively of this survey.
June No.	Thence S. 26° 26' E.
362.0	Wash, 15 ft. wide, course southwesterly.
1500.0	Cor. No. 3, identical with Cor. No. 4 June No. 10 lode, on line 2-3 June No. 6 lode of this survey.
100	Thence S. 63° 34' W.
300.0	Lode line; discovery point bears N. 26° 26' W., 1403.0 ft. dist.
.01 of A.	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. S. Cr. J. No. 11.
500.0	Wash, 5 ft. wide, course southwesterly.
600.0	Point for Cor. No. 4, identical with Cor. No. 4 June No. 12 lode of this survey.
	This corner falls in a water course where a permanent

	Survey No. 4330
Feet	
eesi	monument cannot be established.
14.0	Thence N. 26° 26'. W. Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diem., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap for witness corner No. 4 mkd. 4 J. No. 11, 4 J. No. 12-4330 W.C.
	No local bearing objects are available.
1500.0	Cor. No. 1 and place of beginning.
	JUNE NO. 12 LODE
	Beginning at Cor. No. 1 of the June No. 12 lode, identi- cal with Cor. No. 1, June No. 11, June No. 16 and June No. 15 lodes of this survey.
	Thence S. 63° 34' W.
300.0	Lode line; discovery point bears S. 26° 26' E., 50 ft. dist.
	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. N. Cr. J. No. 12, S. Cr. J. No. 15.
600.0	Cor. No. 2, identical with Cor. Nos. 1, 1 and 2, June No. 13, June No. 14 and June No. 15 lodes, respectively of this survey.
	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top, with leaden cap mkd. 2 J. No. 12, 1 J. No. 13, 1 J. No. 14, 2 J. No. 15-4330.
	Thence S. 26° 26' E.
960.0	Wash, 10 ft. wide, course southwesterly.
1245.0	Wash, 5 ft. wide, course southwesterly.
1500.0	Cor. No. 3, identical with Cor. No. 4 June No. 13 lode of this survey.
0.8 .87(i	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top, with leaden cap mkd. 3 J. No.12, 4 J. No. 13-4330.
	No local bearing objects are available.
	Thence N. 63° 34' E.
300.0	Lode line; discovery point bears N. 26° 26' W., 1450 ft. dist.
.01.108	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground, mkd. S. Cr. J. No. 12.
,600.0	Cor. No. 4, identical with Cor. No. 4 June No. 11 lode of this survey. This point falls in a wash, 15 ft. wide, course southwesterly.
	Thence N. 26° 26' W.

Survey	No.	4330
--------	-----	------

8	Survey No. 4330
Feet	100年上
14.0	Witness corner to Cor. No. 4, identical with witness cor. to Cor. No. 4, June No. 11 lode of this survey.
1500.0	Cor. No. 1 and place of beginning.
	tot ende la Diffort i vo deballatina bilat esta de la
	JUNE NO. 13 LODE
	At Cor. No. 1 of the June No. 13 lode, identical with Cor. Nos. 1, 2 and 2, June No. 14, June No. 15 and June No. 12 lodes, respectively, of this survey, from which
	The ½ sec. cor. of Secs. 4 and 5, T. 12 S., R. 8 E., bears S. 87° 10' 12" E., 473.98 ft. dist.
eignebi bu	Thence S. 63°, 34' W.
	Lode line; discovery point bears S. 26° 26' E., 169 ft. dist.
2.010	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. N. Cr.J. No. 13, S. Cr. J. No. 14.
535.0	Road in wash, course southeasterly.
600.0	Cor. No. 2, identical with Cor. No. 2 June No. 14 lode of this survey.
ni .an	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 2 J. No. 13, 2 J. No. 14-4330.
,	No local bearing objects are available.
	Thence S. 26° 26' E.
668.0	Wash, 10 ft. wide, course south.
809.0	Road, bears southerly.
1220.0	Road, bears southerly. Road, bears southwesterly.
1250.0	Wash, 10 ft. wide, course southwesterly.
1500.0	Cor. No. 3,
33. 33.	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 3 J. No. 13-4330.
	No local bearing objects are available.
.to daa	Thence N. 63° 34' E
300.0	Lode line; discovery point bears N. 26° 26' W.,1331 ft. dist.
e50.1	Set a pine post, $3\frac{1}{2}$ ft. long, 4 ins. sq. firmly in the ground and surrounded by a mound of, stone mkd. S. Cr. J. No. 13.
307.0	Wash, 5 ft. wide, course southwesterly.

705 70	
397.52	Cor. No. 2 June No. 6 lode of this survey.
600.0	Cor. No. 4, identical with Cor. No. 3 June No. 12 lode of this survey.
to be	Thence N. 26° 26' W.
255.0	Wash, 5 ft. wide, course southwesterly.
540.0	Wash, 10 ft. wide, course southwesterly.
- 0 PW 4031	Cor. No. 1 and the place of beginning.
	JUNE NO. 14 LODE
ntereset	At Cor. No. 1 of the June No. 14 lode, identical with cor. Nos. 1, 2 and 2, June No. 13, June No. 12 and June No. 15 lodes respectively of this survey.
. dist.	Thence S. 63° 34' W.
	Lode line; discovery point bears N. 26° 26° W., 120 ft. dist. Identical with N. end center of June No.13.1ode of this survey.
	Wash, 10 ft. wide, course southeasterly.
	Cor. No. 2, identical with Cor. No. 2 June No. 13 lode of this survey.
T00.	Thence N. 26° 26' W. Wash, course southeasterly. Old road bears southwesterly.
956.33	Intersect line 3-4 Sur. No. 1207 Wauconda lode, claimant herein, at a point from which Cor. No. 4 bears N.72° 12' E., 357.77 ft. dist.
	Intersect line 2-3 Sur. No. 1207 Wauconda lode at a point from which Cor. No. 3 bears S.16° 12! W., 532.11 ft. dist.
1500.0	Cor. No. 3. on east and . El . on east . St . ok
	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 3 J. No. 14.
·Xev	No local bearing objects are available.
1-1 6n11	Thence N. 63° 34' E
	Intersect line 2-3 Sur. No. 1207 Wauconda lode at a point from which Cor. No. 3 bears S.16° 12' W., 664.6 ft. dist.
ON SULL	Lode line; discovery point bears S.26° 26' E., 1380.0 ft dist.
blo bar	Set an ironwood post, 3½ ins. diam. by 4.ft. long, firmly in the ground and surrounded by a mound of stone mkd. N. Cr. J. No. 14.

Solar.

Feet	Paet
	Cor. No. 4, identical with Cor. No. 3 June No. 15 lode of this survey.
S'lode	This corner falls in a water course and old road, course northeasterly where a permanent monument cannot be established. From this point Cor. No. 4 Sur. No. 1207 Wauconda lode bears S. 4°01'40" E., 646.15 ft. dist. Thence S. 26° 26' E.
	540.0 Wash, 10 ft. wide, course southwesterly.
60.0	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap for witness cor. No. 4, identical with witness Cor. No. 3 June No. 15 lode of this survey, mkd. 4 J No. 14, 3 J. No. 15-4330 W.C.
95.0	Old road bears southwesterly.
329.85	Cor. No. 2 June No. 23 lode of this survey and intersect line 4-1 Sur. No. 1207 Wauconda lode at a point from which Cor. No. 4 bears S.16° 12' W., 363.63 ft. dist.
1215.69	Intersect line 4-1 June No. 23 lode of this survey.
1500.00	.Cor. No. 1 and place of beginning. The Date of the contract o
	555.0 wash, 10 ft. wide, course southesaterly.
Jode 5	COC. COF. NO. 2, iMODICI. NO. 2 JUNE NO. 151LODE: ,S .O TOO 0.000
	At Cor. No. 1 of the June No. 15 lode, identical with Cor. No. 1, June No. 11, June No. 12 and June No. 16 lodes of this survey.
300.0	Lode line; discovery point bears N. 26? 26! W., 54 ft. dist.
t a point	Identical with N. end center June No. 12 lode of this
600.0	Cor. No. 2, identical with Cor. Nos. 2, 1 and 1, June No. 12, June No. 13, and June No. 14 lodes respectively of this survey.
ins in	81 . naib .eni 1 .enot .ft & .teom nori na .dien . o .enot .te ground.wulden.eno .eeeeeeeeee
284.31	Intersect line 4-1 June No. 23 lode of this survey.
1170.15	Cor. No. 2 June No. 23 lode of this survey, on line 4-1 Sur. No. 1207 Wauconda lode.
1405.0	Old road bears southwesterly Senil Joseph 17.00
1440.0	Witness cor. to Cor. No. 3, identical with witness cor. to Cor. No. 4 June No. 14 lode of this survey.
1500.0	Point for Cor. No. 3, identical with Cor: No. 4 June No. 14 lode of this survey, falls in water course and old road, course northeasterly.
Water and the same of the same	in the ground and surrounded by a mound of std

_		Bat voy nos 4770
	Feet	Test
	300.0	Lode line; discovery point bears S. 26° 26' E., 1446 ft. dist.
	in the	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. N. Cr. J. No. 15.
	303.67	Intersect line 2-3, June No. 23 lode of this survey common with line 4-1 Sur. No. 1207 Wauconda lode at a point from which Cor. No. 4 Wauconda lode bears 5.16° 12' W., 811.98 ft. dist.
	600.0	Cor. No. 4, identical with Cor. No. 4 June No. 16 Iode of this survey.
		Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 4 J. No. 15, 4 J. No. 16-4330.
		No local bearing objects are available.
	of the	Legitachi shofThence S. 26° 26° E. Maianiged
	270.0	Wash, 25 ft. wide, course westerly.
	563.87	Intersect line 4-1 June No. 23 lode of this survey.
	1500.0	Cor. No. 1 and place of beginning.
		ind to obot of . June No. 16 Lode data factored
	June ctively	'At Cor. No. 1 of the June No. 16 lode, identical with Cor. No. 1, June No. 11, June No. 12 and June No. 15 lodes of this survey.
		Thence N. 63° 34' E.
	300.0	Lode line; discovery point bears N. 26° 26" W., 57 ft. dist.
		Identical with N. end center June No. 11 'lode of this survey.
		Cor. No. 2, identical with Cor. Nos. 1, 1 and 2, June No. 17, June No. 10 and June No. 11 lodes respectively
	ins in	of this survey. Thence N. 26° 26° W.
	975.0	Wash, 25 ft. wide, course westerly.
	1125.00	Intersect line 3-4 June No. 22 lode of this survey.
	1500.0	Cor. No. 3, identical with Cor. No. 4 June No. 17 lode of this survey.
		Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 3 J. No. 16, 4 J. No. 17-4330.
	31.8	Thence S. 63. 34. W. delb
The same of the same of	221.13	Intersect lime 3-4 June No. 23 lode and line 2-3 June No. 22 lode both of this survey.
	epoi 9	600.0 Cor. No. 1, identical with Cor. No. 3 June No. 1

	pm. 44 40. 44300 fea.ms
Feet	jeet ,
300.0	Lode line; discovery point bears S. 26° 26' E., 1443 ft. dist.
y in the	Set a pine post, 4 ins. sq., 4 ft. long, firmly in the ground, mkd. N. Cr. J. No. 16.
a da ab	Cor. No. 4, identical with Cor. No. 4 June No. 15 lode of this survey. Thence S. 26° 26' E.
	Wash, 25 ft. wide, course westerly.
	Intersect line 4-1 June No. 23 lode of this survey.
1500.0	Cor. No. 1 and place of beginning.
	JUNE NO. 17 LODE
	Beginning at Cor. No. 1 of the June No. 17 lode, identical with Cor. Nos. 1, 2 and 2, June No. 10, June No. 11 and June No. 16 lodes respectively of this survey.
· V.9.	Thence N. 63° 34° E. on 1 Secretaria 78. 32
300.0	Lode line; discovery point bears N. 26° 26' W., 82 ft. dist.
	Identical with lode line June No. 10 lode of this survey.
600.0	Cor. No. 2, identical with Cor. Nos. 2, 1 and 1, June No. 10, June No. 9 and June No. 18 lodes respectively of this survey. Thence N. 26° 26' W.
1090.0	Wash 25 ft. wide course southwesterly.
1 3 3 H 10	Intersect the south end line Sur. No. 1208A Wellington
1500.0	Cor. No. 3, identical with Cor. No. 4 June No. 18 lode of this survey.
	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 3 J. No. 17, 4 J. No. 18-4330.
.ysı	Cor. No. 37A, Sur. No. 1208A Wellington lode, identical with Cor. No. 4 June No. 22 lode, bears S.28° 17' W., 277.93 ft. dist.
lode /	Thence S. 63° 34° W.
	Intersect line 4-1 June No. 22 lode of this survey,
300.0	
June Mo.	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. N. Cr. J. No. 17.
600.0	Cor. No. 4, identical with Cor. No. 3 June No. 16 lode

Feet	of this survey. 135 032 . Teometr
actual!	Thence S. 26° 26' E.
374.94	Intersect line 3-4 June No. 22 lode of this survey.
525.0	Wash, 25 ft. wide, course westerly.
	Cor. No. 1 and place of beginning.
1,0000	The residence of postumental residence of the residence o
	JUNE NO. 18 LODE
diffe ener, bu	Beginning at Cor. No. 1 of the June No. 18 lode, identical with Cor. Nos. 1, 2 and 2, June No. 9, June No. 10 and June No. 17 lodes, respectively of this survey.
	Thence N. 63° 34' E.
300.0	Lode line; discovery point bears N. 26° 26' W., 50 ft.
	Identical with lode line June No. 9 lode of this survey.
600.0	Cor. No. 2, identical with Cor. Nos. 1, 1 and 2, June No. 19, June No. 8 and June No. 9 lodes respectively of this survey.
1125 100 00	Thence N. 26° 26° W.
890.0	Road bears northeasterly.
895.0	Wash, 25 ft. wide, course southwesterly.
1095.58	Intersect the south end line Sur. No. 1208A Western Slope lode, claimant herein, at a point from which Cor. No. 33A, identical with Cor. No. 34A, Sur. No. 1208 Wellington lode, bears S. 80° 38' W., 253.97 ft. dist.
1445.	Road, bears southeasterly retapended area bear o. The
1500.0	Cor. No. 3, identical with Cor. No. 4 June No. 19 lode of this survey.
point ft. dist the Hope in	Set an iron post, 32 ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 3 J. No. 18, 4 J. No. 19-4330.
. 35 ' 25'	Cor. Nos. 33A and 34A Sur. No. 1208A Western Slope and Wellington lodes, respectively bears S.9° 6' 20" W., 417.69 ft. dist.
	Thence S. 63° 34' W.
100.	Road bears southeasterly
	Intersect the common line Sur. No. 1208A Western Slope and Wellington lodes, at a point from which Cor. Nos.
300.0	33A and 34A, bears S.24°22'30" E., 340.08 ft. dist.
300.0	Lode line; discovery point bears S. 26°26'E., 1450 ft. dist.
ermed	Set a pine post, 4 ins. sq., 4 ft. long, firmly in the ground, mkd. N. Cr. J. No. 18.
600.0	Cor. No. 4, identical with Cor. No. 3 June No. 17 lode of this survey.

24	Survey No. 4330
Feet	The second secon
	Thence S. 26° 26' E. The shot to
230.19	Intersect the south end line, Sur. No. 1208A Wellington lode at a point from which Cor. No. 34A bears N.80° 38' E., 373.67 ft.
410.0	Wash, 25 ft. wide, course southwesterly.
1500.0	Cor. No. 1 and place of beginning.
with Cor. une-No.	No. 18 lodes respectively of this survey.
	Thence N. 63° 34° E.
300.0	Lode line; discovery point bears N. 26° 26' W., 935 ft. dist., identical with lode line June No: 8 lode of this survey.
600.0	Cor. No. 2, identical with Cor. No. 2, June No. 8 lode of this survey, on lode line June No. 7 lode of this survey.
	Cor. No. 2, Sur. No. 2432 Hilda lode, claimant herein, bears S. 78° 53' 17" W., 594.32 ft. dist.
	Thence N. 26° 26° W.
	Intersect line 1-2 June No. 7 lode of this survey and
. 75.0	Road, bears northeasterly.
. 120.0	Cor. No. 2 bears S. 77° 41° W., 591.05 ft. dist. Road, bears easterly. Road bears easterly.
245.0	Road bears southeasterly resembles sized , Baok
	Road bears southeasterly, facilities, 7.00.200 0.0001
	Intersect line 3-4 Sur. No. 2432 Hilda lode at a point
ni eni	from which Cor. No. 3 bears S.77°41'W., 541.79 ft. dist.
635.38	Intersect the south end line, Sur. No. 1208A Mount Hope lode at a point from which Cor. No. 28A bears S.80° 25' W., 272.75 ft. dist.
705.0	Road bears northeasterly and south westerly.
805.0	Wash, 25 ft. wide, course southwesterly.
860.0	Road, bears easterlyviretasedtuca araed beck .001
1500.0	Cortesect the common line Bur. No. 12.53.000 cortes of the which to
list.	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 3 J. No. 19-4330; from which
eds it.	Cor. No. 28A, Sur. No. 1208A Mount Hope lode, bears S.8°3'10" E., 827.8 ft. dist.
loge	Thence S. 63° 34° W

Feet	JOHN THE STATE OF
604.6	Cor. No. 12
. 284,	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top, with leaden cap mkd. 2 J. No. 20-4330.
	Cor. No. 4, Sur. No. 3994 Copperhead No. 1 lode, bears N. 21°10'E., 302.48 ft. dist.
nl v	mode to brown a Thence N. 33° 34' W. worm and
40.	
240.9	Cor. No. 3, June No. 3 lode of this survey.
540.9	7 Lode line June No. 3 lode of this survey.
781.4	8 Cor. No. 2, June No. 4 lode of this survey.
840.9	Cor. No. 4, June No. 3 lode of this survey.
888.3	Intersect line 2-3 Sur. No. 3994 Copperhead No. 3 lode at a point from which Cor. No. 3 bears S. 0° 03' E., 1058.78 ft. dist.
1161.4	8 Wash, .5 ft. wide, course westerly. 7 78 , dash 0.200
1500.0	Cor. No. 3, identical with Cor. No. 3 June No. 5 Lode of this survey.
	Thence S. 63° 34° W.
302.3	Lode line; discovery point bears S. 33° 34° E., 52 ft. dist.
	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. N. Cr. J. No. 20.
370.00	Wash, 5 ft. wide, course westerly. More edd
591.54	Intersect line 1-2 Sur. No. 1820 Baltimore lode at a point from which Cor. No. 2 bears south 384.71 ft. dist.
604.68	Cor. No. 4, identical with Cor. No. 3 June No. 21 lode of this survey, and on line 2-3 June No. 5 lode.
L No. L bears	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 4 J. No. 20, 3 J. No. 21-4330; from which
IN AT	Cor. Nos. 1 and 2 Sur. No. 1820 Swansea and Baltimor lodes respectively, bears S. 1° 46' 44" E., 379.04. Thence S. 33° 34' E.
	Intersect line 1-2 Sur. No. 1820 Baltimore lode at a point from which Cor. No. 2 bears south 361.13 ft. dist
1500.0	Cor. No. 1 and place of beginning. The state of the control of the

Feet	
: Bentam	At Cor. No. 1 of the June No. 21 lode
ni .eni l	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden.cap mkd. 1 J. No. 21-4330; from which
id by god BB:	- The # sec. cor. bet. Secs. 4 and 9, T. 12 S., R. 8 E., bears N. 58° 08' W., 461.90 ft. dist., hereto- fore described.
3 A2 DH	Thence N. 17° 00. E.
388.42	Lode line; discovery point bears N. 33° 34' W., 1336 ft. dist.
, 650.	Set a pine post, 4 ins. sq., 4 ft. long, firmly in the ground mkd. S. Cr J. No. 21.
776.84	of this survey.
. #2 908	Thence N. 33° 34° W. Thence N. 33° 34° W. 350.05 Load line; discovery point bears 2. 24° L.
	Intersect line 1-2 Sur. No. 1820 Baltimore lode at a point from which Cor. No. 2 bears south 361.13 ft. dist.
1500.0	Cor. No. 3, identical with Cor. No. 4 June No. 20 lode of this survey.
H VOO	2 int to show as Thence S. 17° 00 T W. S
	Lode line; discovery point bears S. 33° 34' E., 164 ft. dist.
op with	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. N. Cr. J. No. 21.
396.17	Intersect the common line, Sur. No. 1820, Swansea and Baltimore lodes, at point from which Cor. Nos. 1 and 2 respectively, bears east 127.6.ft. dist.
776.84	Cor. No. 4. 4 8021. No. 1-2 Seri de
*	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 4 J. No. 21-4330; from which
	Cor. Nos. 1 and 2, Sur. No. 1820, Swansea and Baltimore lodes, bears N. 33° 17' 30" E., 435.23 ft. dist.
	. vevre eld Thence S. 33° 34° E. 4 .01 .100 79.201
27.91	Intersect line 1-2 Sur. No. 1820 Swansea lode at a point from which Cor. No. 1 bears N. 30° E., 446.94 ft. dist.
ins in	Cor. No. 1 and place of beginning. El . maib .ani S . anol . di de . asoq noni na des
	JUNE NO. 22 LODE
· /	Cor. No. 1 of the June No. 22 lode, identical with Cor.

1		
	Feet	No. 3 B, Sur. No. 1208.B Peacock Mill Site on line 4-1 June No. 24 lode of this survey is monumented by a pine post, 4 ins. sq. firmly set and properly marked; being badly decayed, I remove the post and in its place,
	op with R. B hereto	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top with leaden cap mkd. 1 J. No22-4330, 3 P.M.S-1208B; from which
	1336 1	The Cor. to Secs. 4, 5, 32 and 33, Ts. 11 and 12 S., R. 8 E., bears N. 12° 50' 15" W., 1064.67 ft. dist.; an iron post, 2½ ins. diam., 1 ft. above ground firmly set with brass cap marked as described in the official record.
	ed# ml	Cor. No. 36 A., Sur. No. 1208 A Wellington lode, bears N. 24°. 14°. W., 90 ft. dist.
	end 10de	. of end I . Thence S. 33° 41° W. 1 , S . of . co 48.377
	170.0	Road in wash, 30 ft. wide, course southwesterly.
	s ta	Lode line; discovery point bears S. 24° 14° E., 500 ft.
		Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. N. Cr. J. No. 22.
		Cor. No. 2 on line 4-1 June No. 24 lode of this survey, and on the northwesterly side line Sur. No. 1208 B . Peacock Mill Site.
		Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 2 J. No. 22-4330.
		Thence S. 240 14 E.
	130.17	Cor. No. 3 June No. 23 lode of this survey, hereinafter described.
	of Bot	Intersect line 1-2 Sur. No. 1208 B Peacock Mill Site at a point from which Cor. No. 1 B, bears S. 29° 35' W., 280.38 ft. dist.
	312.0	Wash, 10 ft. wide, course southwesterly.
	720.0	Wash, 5 ft. wide, course, southwesterly.
	896.28	Intersect line 3-4 June No. 16 lode of this survey.
	1055.27	Cor. No. 4 June No. 23.1ode of this survey.
	1380.0	Wash, 25 ft. wide, course westerly.
	1410.0	Cor. No. 3.
		Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diem., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 3 J. No. 22-4330.
		No local bearing objects are available.
	. to O or	Thence N. 33° 41' E.

Feet	Jae's
55.00	Wash, 25 ft. wide, course westerly.
277.78	Intersect lines 2-3 and 4-1 June No. 16 and June No. 17 lodes respectively of this survey.
354.05	Lode line; discovery point bears N. 24° 14' W., 910 ft.
708.1	Cor. No. 4, 'identical' with Cor. No. 37 A Sur. No. 1208 A Wellington lode, which is monumented by a pine post, 4 ins. sq. firmly set and properly marked; being badly decayed, I remove the post and in its place,
	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top with leaden cap mkd. 4 J. No. 22-4330, 37 W- 1208 A.
35 025	Thence N. 24° 14' W
	Intersect line 3-4 June No. 17 lode of this survey.
1242.5	Cor. No. 2 B; Sur. No. 1208 B; Peacock Mill Site. Cor. No. 1 B bears S. 29° 35' W., 1023.7 ft. dist.
1250.0	Road in wash, 30 ft. wide, course southwesterly.
1410.0	Cor. No. 1 and place of beginning.
dain co	the ground surrounded by a mound of stone to
	JUNE NO. 23 LODE
A	t Cor. No. 1 of the June No. 23 lode.
io asho	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 1 J. No. 23-4330; from which
No. 15	The # sec. cor. bet. Secs. 4 and 5, T. 12 S., R. 8 E., bears S. 69° 40° 45" E., 655.39 ft. dist., heretofore described.
	Thence N. 24° 14' W.
462.55	Lode line; discovery point bears N. 16° 12' E., 1238.69 ft. dist.
A June ne Sur	SWIL M DINM DOSE A THS. SUL DV A LE. LONG LICBLY IN COMI
925.1	Cor. No. 2 on line 4-1 and 2-3 June No. 14 and June No. 15 lodes of this survey, and on line 4-1 Sur. No. 1207 Wauconda lode.
d 12 3. t. dist	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 2 J. No. 23-4330; from which
tol not	303.30 1t. dist.
	Thence N. 16° 12' E.
348.0	Wash, 25 ft. wide, course westerly.
448.35	Intersect line 3-4 June No. 15 lode of this survey.
448.35	Intersect line 3-4 June No. 15 lode of this survey.
	55.00 277.78 354.05 708.1 160.65 1242.5 1250.0 1410.0

3		Data 49, 140. 4000
	Feet	3962
	1030.0	Wash, 10 ft. wide, course southwesterly.
	1139.75	Cor. No. 1 B, Sur. No. 1208 B Peacock Mill Site.
	1488.69	Cor. No. 3 on line 2-3 June No. 22 lode of this survey.
	Book a	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 3 J. No. 23-4330. Thence S. 24° 14° E.
Y		Intersect southeasterly side line Sur. No. 1208 B Peacock
12	it smi top wit	Mill Site at a point from which Cor. No. 1 B, bears S: 29° 35' W., 280.38 ft. dist.
	182.	Wash, 10 ft. wide, course southwesterly.
	462.55	Lode line; discovery point bears S. 16° 12' W., 250 ft.
		Wash, 5 ft. wide, course westerly.
		Intersect line 3-4 June No. 16 lode of this survey.
	922.10	Cor. No. 4, on line 2-3 June No. 22 lode of this survey.
		Set an iron post, 3½ ft. long, 2 ins. diam:, 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 4 J. No. 23-4330.
		Thence S. 16° 12' W.
	340.	Wash, 25 ft: wide, course westerly.
100	550.21	Intersect line 4-1 June No. 15 and June No. 16 lodes of this survey.
	1436.22	Intersect lines 4-1 and 2-3 June No. 14 and June No. 15 lodes respectively, of this survey.
	1488.69	Cor. No. 1 and place of beginning.
		Thence A. 24° 14' W.
	1238.6	JUNE NO. 24 LODE SOLL SOLL SOLL SOLL SOLL SOLL SOLL SOL
A	ly in t a. b. o	At Cor. No. 1 of the June No. 24 lode on line 3-4 June No. 25 lode of this survey and on north end line Sur. No. 1208 A Wellington lode.
	June No.	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 1 J. No. 24-4330; from which
4	i eni diw goj	The Cor. to Secs. 4, 5, 32 and 33, Ts. 11 and 12 S., R. 8 E., bears N. 10° 17' 40" E., 954.34 ft. dist. Thence S. 72° 12' W.
	101.50	Intersect west side line Sur. No. 1208 A Wellington lode at a point from which Cor. No. 36 A bears N. 24° 14' W., 15.4 ft. From this same point, Cor. No. 1 June No. 22 lode of this survey, bears S. 24° 14' E., 74.6 ft. dist.
		546.01 Wash, 25 ft. wide, course westerly.
	.ye	448.35 Intersect line 3-4 June 10. 15 lede of thin sur

	Survey No. 4330 31
Feet	Jee'L
	Wash, 5 ft. wide, course southeasterly.
	Lode line; discovery point bears S. 33° 41' W., 749.0 ft. dist.
	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. N. Cr. J. No. 24.
963.5	Cor: No. 2. Innon a vide bearing and
2 0 0	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top, with
lej.	No local bearing objects are available.
	Thence S. 33° 41' W.
1499.32	Cor. No. 3. Reged Jniog viewcoeld anil abol d.808
y in the	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top, with leaden cap mkd. 3 J. No. 24-4330.
6 lode	No local bearing objects are available.
	Thence N. 72° 12' E.
481.75	Lode line; discovery point bears N. 33° 41' E., 750.32 ft. dist.
	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone mkd. S. Cr. J. No. 24.
587.8	Cor. No. 2 Sur. No. 1207 Wauconda lode.
963.5	Cor. No. 4, identical with Cor. No. 4 B, Sur. No. 1208 B Peacock Mill Site which is monumented by a pine post, 4 ins. sq. firmly set and properly marked; being badly decayed, I remove the post and in its place
dalw go	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 4 J. No. 4-4330, 4 B PMS-1208B; from which
	Cor. No. 1 Sur. No. 1207 Wauconda lode, identical with Cor. No. 1 B, Sur. No. 1208 B Peacock Mill Site, bears N. 72° 12' E., 346.6 ft. dist.
y in the	There N. 33° 41' E. or enia a dec
290.0	Road in wash, course southwesterly.
	Cor. No. 2 June No. 22 lode of this survey.
1026.23	N. end center June No. 22 lode of this survey.
	Road in wash, 30 ft. wide, course southwesterly.
farmed warm	Cor. No. 1 June No. 22 lode of this survey, identical with Cor. No. 3 B Sur. No. 1208 B Peacock Mill Site.
1499.32	Cor. No. 1 and place of beginning.

32	Survey No. 4330
Feet	Jeon Jeon Jeon Jeon Jeon Jeon Jeon Jeon
	JUNE NO. 25 LODE
ranche vanche n. cr. 7	Cor, No. 1 of the June No. 25 lode, identical with Cor. No. 1 June No. 26 lode of this survey and Cor. Nos. 2A and 10A Sur. No. 1208A Uphill and Peacock lodes respectively, is monumented by a pine post, 4 ins. sq. firmly set and properly marked. Being badly decayed I remove the post and in its place
ni ani	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top with leaden cap mkd. 1 J. No. 25, 1 J. No. 26-4330, 2 U, 10 P-1208A; from which
	The cor: to Secs: 4, 5, 32 and 33, Ts. 11 and 12 S., R. 8 E., bears S14.01.25" E., 571.68 ft. dist.
	Thence S. 80° 38' W.
303.6	Lode line; discovery point bears S. 18° 12' E., 1440.1 ft. dist.
ins. in	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. N. Cr. J. No. 25, S. Cr. J. No. 26.
607.2	Cor: No. 2, identical with Cor. No. 2 June No. 26 lode of this survey.
750.32 15	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground; surrounded by a mound of stone to top with leaden cap mkd. 2 J. No. 25, 2 J. No. 26-4330.
y in the	No local bearing objects are available.
5 .10 .8	Thence S. 18° 12' E.
1486.1	Com No . 7 diametrical with Com No 76 A Com No . 3000
L2081	decayed. I remove the post and in its place
ni ani	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 3 J. No. 25-4330, 36 W-1208A.
1101	Thence N. 80° 38' E.
104.34	Cor. No. 1 June No. 24 lode of this survey.
303.6	Lode line; discovery point bears N. 18° 12' W., 46 ft.
	Set a pine post, 4 ins. sq. by 4 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. S. Cr. J. No. 25.
410.0	Wash, 5 ft. wide, course southerly.
607.2	Cor. No. 4, identical with Cor. Nos. 11A, 32A and 35A, Sur. No. 1208A Peacock, Western Slope and Wellington lodes respectively, which is monumented by a pine post 4 ins. sq. firmly set and properly marked. Being badly decayed I remove the post and in its place
	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in

N=33

	Survey No. 4550
Feet	the ground surrounded by a mound of stone to top with leaden cap mkd. 4 J. No. 25-4330 11 P, 32 W.S. 35 W-1208 A.
10% .W	1208 A. Thence N. 18° 12' W.
1486.1	Cor. No. 1 and place of beginning.
	Point europe to nation e til heliatoricus bas des
. Solution	JUNE NO. 26 LODE
.2 8 .2	Beginning at Cor. No. 1 of the June No. 26 lode, identical with Cor. No. 1 June No. 25 lode of this survey and Cor. Nos. 2 A and 10 A Sur. No. 1208 A, Uphill and Peacock Lodes respectively.
. J. 01	Thence S. 80° 38' W
303.6	Lode line; discovery point bears N. 18° 12' W., 96 ft. dist. Identical with lode line June No. 25 lode of this survey.
607.2	Cor. No. 2, identical with Cor. No. 2 June No. 25 lode of this survey.
	Thence N. 18° 12° W.
- AMERICA	
and .Dam.	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diem., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 3 J. No. 26-4330.
	No local bearing objects are available.
	Thence N. 80° 38' E.
303.6	Lode line; discovery point bears S. 18° 12' E., 1404 ft. dist.
607.2	Cor. No. 4, identical with Cor. No. 1 A Sur. No. 1208 A Uphill lode and south center end Sur. No. 1205 A Wear lode, which is monumented by a pine post, 4 ins. sq. firmly set and properly marked. Being badly decayed I remove the post and in its place
eie .qu.	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 4 J. No. 26-4330, 1 U - 1208 A, S. Ctr. W-1205 A; from which
beeld at 88 a	U.S.L.M. No. 1204 bears S. 15° 30' W., 479.62 ft. dist. consisting of a pine post, 4 ins. sq. about 8 ft. high, firmly set in mound of stone 6 ft. base, 4½ ft. high mkd. U.S.L.M. No. 1204.
	. Thence S. 18° 12' E.
1500.0	govern law meet inthography wabal algorithm as a
	- 18 11 . 31 SA 1197 . 19 . 36 . 19 . 10 . 11 8 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1
•	500.0 Loca line: dispovery mains pears S. Fue St. J.,

-	34	Survey No. 4330
	Feet	ot agon to JUNE NO. 43 LODE and agong and
	## 건집	Cor. No. 1 of the June No. 43 lode, identical with Cor. No. 2 Sur. No. 3994 Copperhead No. 1 lode and N. end center Sur. No. 3994 Copperhead No. 4 lode, is monumented by
		An iron post, 1 in. diam., 18 ins. above ground firmly set and surrounded by a mound of stone, mkd. 2 C. H. No. 1-3994, N. Cr. C.H. No. 4, and additionally mkd. 1 J. No. 43-4330; from which
	idneil Vev	The Cor. to Secs. 3, 4, 9 and 10, T. 12 S., R. 8 E., bears S. 13° 51' W., 479.33 ft. dist.
	Litin	Thence N. 0° 3' W.
	300.0	Lode line; discovery point bears N. 89° 57° E., 40 ft. dist. Identical with lode line Sur. No. 3994 Copperhead No. 1 lode.
	de of S lose	Set a pine post, 4 ins. sq. by 4 f.t. long, firmly in the ground and surrounded by a mound of stone mkd. W. Cr. J. No. 43 E. Cr. CH No. 1.
	600.0	Cor. No. 2, identical with Cor. No. 2 Palmer lode of this survey and Cor. No. 1 Sur. No. 3994 Copperhead No. 1 lode, on line 3-4 Handy lode of this survey is monumented by
	ins. in op with	An iron post, 1 in. diam., 18 ins. above ground and surrounded by a mound of stone with cap on top mkd. 1 C H-3994 and additionally mkd. 2 J. No. 43-2 P-4330.
		Thence N. 89° 57. E.
	246.5	S. end center Handy lode of this survey.
	546.5	Cor. No. 4 Handy lode of this survey, on line 2-3 Sur. No. 2799 El Plomo lode, claimant herein, at point from which Cor. No. 2, identical with Cor. No. 3 Sur. No. 2799 Lead Carbonate lode bears S. 30° 35' E., 96.6 ft. dist.
	900.0	Cor. No. 3.1 . Delegal vice cond but today Latin
	ni ani dik qo	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top, with leaden cap mkd. 3 J. No. 43-4330.
	•	Loc. Mon. bears N. 89° 57' E., 600.0 ft. consisting of a post in mound of stone.
	JHOÚA.	Cor. Nos. 2 and 3, Sur. No. 2799 El Plomo and Lead Carbonate lodes bear S. 74° 39'. 48" W., 315.58 ft. dist.
		Thence S. 0° 3' E.
	85.23	Intersect lines 1-2 and 3-4 Sur. No. 2799 El. Plomo and Lead Carbonate lodes at a point from which Cor. Nos. 2 and 3 bears N. 89° 40° W., 304.42 ft. dist.
	300.0	Lode line; discovery point bears S. 89° 57° W., 860 ft. dist.

Feet	
600.0	Cor. No. 4 identical with Cor. Nos. 2 and 3, Sur, No. 3994, Copperhead Nos. 5 and 6 lodes, is monumented by an iron post, 1 in. diam., 18 ins. above ground firmly set in mound of stone mkd. 2 CH No. 5, 3 CH No. 6-3994, and additionally mkd. 4 J. No. 43-4330; from which
nurvey loce	Location monument bears N. 89° 57' E., 600 ft. dist. Thence S. 89° 57' W.
7.4	Cor. No. 2. Survey No. 2799 Lead Carbonate lode; from which
bna ,es	Cor. No. 3 identical with Cor. No. 2 El Plomo lode, bears N. 29° 56' W., 596.06 ft. dist.
300.0	Lode line, Sur. No. 3994 Copperhead No. 5 lode.
600.0	Cor. Nos. 2 and 1, Sur. No. 3994 Copperhead Nos. 4 and 5 lodes.
900.0	Cor. No. 1 and place of beginning.
	Maerism E. 309 351 m.
elagnit	Sol. 1 Com. Sono E HANDY LODE a point a . col .
duio	
ft. dist line 2-	Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top with leaden cap mkd. 1 H-4330; from which
., 230.	The 1 sec. cor. bet. Secs. 3 and 4, T. 12 S., R. 8 E., bears N. 19° 12' E., 292.88 ft. dist.
300.0	Lode line; discovery point bears S. 30° 35' E., 1408 ft. dist.
309•54	Intersect line 4-1 June No. 1 lode of this survey and line 1-2 Sur. No. 1818 Prospector lode at a point from whice Cor. Nos. 1 and 2, bears S. 33° 34° E., 704.27 ft. dist.
600.0	Cor. No. 2.
ni en	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 2 H-4330.
	No local bearing objects are available.
Lablans	Thence S. 30° 35' E.
806.32	Intersect line 4-1 Palmer lode of this survey.
830.00	Wash, 15 ft. wide, course southwesterly.
864.99	Intersect line 2-3, Sur. No. 2434 Queen lode.
1 to 7 60	Intersect line 1-2 June No. 1 lode of this survey.
1500.00	Cor. No. 3 on line 2-3 Palmer lode of this survey and line 4-1 Sur. No. 3994 Copperhead No. 1 lode.
Part protects	

Survey No. 4330

3 {		Survey No. 4330
	Feet .	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground surrounded by a mound of stone to top with
***	y Lurit 1	No local bearing objects are available.
	JEID .V	Cor. No. 2 Palmer and June No. 43 lodes of this survey and Cor. No. 1, Sur. No. 3994 Copperhead No. 1 lode.
	300.0	Lode line; discovery point bears N. 30° .35° .W., 92.0 ft. dist.
	600.0	line 2-3, June No. 43 lode of this survey. Set an iron post, 3½ ft. long, 2 ins. diem., 18 ins. in the ground surrounded by a mound of stone to top with leaden cap mkd. 4 H-4330; from which
	7 331702 31	Cor. Nos. 2 and 3, Sur. No. 2799 El Plomo and Lead Carbonate lodes, bears S. 30° 35' E., 96.6 ft. dist.
		Thence N. 30° 35' W.
	503.4	Cor. Nos. 3 and 4 Sur. No. 2799 El Plomo and Nightingale lodes.
	852.44	Intersect line 5-1 Sur. No. 2437 Mollie lode at point from which Cor. No. 1 bears S.83°14'W., 251.37 ft. dist.
	966.33	Intersect line 1-2 Sur. No. 2437 Mollie lode and line 2-3 Sur. No. 1818 Prospector lode at a point from which Cor. Nos. 1 and 2 respectively, bears 5.56°20'W., 230.3 ft dist.
	1103.40	Cor. No. 1, Sur. No. 2799 Nightingale lode.
	1500.0	Cor. No. 1 and place of beginning. 10 : and place of beginning.
	wil in	PALMER LODE At Cor. No. 1 of the Palmer lode
		Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground, surrounded by a mound of stone to top with leaden cap mkd. 1 P-4330; from which
		The # sec. cor. bet. Secs. 3 and 4, T. 12 S., R. 8 E., bears N. 7° 3' 16" W., 975.77 ft. dist.
		Cor. No. 1 June No. 1 lode of this survey, identical with Cor. No. 2 Sur. No. 1818 Prospector lode and Cor. No. 1 Sur. No. 2437 Mollie lode, bears N. 52° 28' W., 171.87 ft. dist.
		Thence S. 0° 3' E.
	300.0	Lode line; discovery point bears S. 89° 57' W., 143 ft.
	600.0	Cor. No. 2, identical with Cor. No. 2 June No. 43 lode of this survey and Cor. No. 1 Sur. No. 3994 Copperhead No. 1 lode.
	7 11 24	

G	3T - 0	4770
Survey	MO.	4550

-	Survey No. 4330		
	AREAS - Cont.	Jee I	
	Total area June No. 2 lode, identical wi Sur. No. 2434 Olympia lode	Acres th 20.628	
	Area in conflict with- June No. 3 lode of this survey June No. 3 lode of this survey, exclusive of its	1.090	
	conflict with Sur. No. 3994 Copperhead No. 3 1	.ode, 1.086	
	Palmer lode of this survey Sur. No. 3994 Copperhead No. 3 lode	0.318	
	Sur. No. 1820 Detroit lode Sur. No. 2432 Frank B lode	0.631	
	Sur. No. 2432 Frank B lode, exclusive of its conflict with Sur. No. 1820 Detroit lode	1.471	
	THE PERSON OF TH	0.864	
	Total area June No. 3 lode Area in conflict with-	16.263	
	Sur. No. 3994 Copperhead No. 3 lode June No. 4 lode of this survey	5.750 1.050	
	Palmer lode of this survey	8.573	
	Total area June No. 4 lode Area in conflict with-	19.743	
4	Sur. No. 3994 Copperhead No. 3 lode Palmer lode of this survey	5.612	
-	June No. 5 lode of this survey June No. 8 lode of this survey	0.517	
	Total area June No. 5 lode	0.958	
	Area in conflict with-	20.661	
	Sur. No. 1820 Baltimore lode Sur. No. 1926 Percy lode	9.086 0.958	
	Total area June No. 6 lode Area in conflict with-	20.661	
	Sur. No. 1926 Percy lode	4.020	
	. The 1-2 of the	0.790	
	Total area June No. 7 lode Area in conflict with-	11.846	
	Sur. No. 1820, Detroit lode June No. 19 lode of this survey	0.884	
	June No. 8 lode of this survey	0.349	
	June No. 8 lode of this survey, exclusive of its conflict with Sur. No. 1820 Detroit lode	5.186	
	Total area June No. 8 lode Area in conflict with-	20.661	
	Sur. No. 1820 Baltimore lode	2.379	
	Sur. No. 1820 Detroit lode, exclusive of its	7.783	
	conflict with: 1. Sur. No. 1820 Baltimore lode	6.385	
	2. June No. 7 lode of this survey	7.395	,
	Total area June No. 9 lode Area in conflict with-	20.661	
	Sur. No. 1820 Baltimore lode	5.650	
	Total erea June No. 10 lode	20.661	
	Total area June No. 11 lode	20.661	
	Total area June No. 12 lode	20.661	
	Total area June No. 13 lode	20.661	

	Survey No. 4330 39			
• 8	Acre	AREAS - Cent.	Acres	
	7.75	Total area June No. 14 lode Area in conflict with-	20.661	
	04.5 51.5	Sur. No. 1207 Wauconda lode June No. 23 lode of this survey	7.154 0.361	
	10 E	Total area June No. 15 lode Area in conflict with- June No. 23 lode of this survey	20.661	
S	12.05	Sur. No. 1207 Wauconda lode	1.150	
	8. 97	Total area June No. 16 lode Area in conflict with. June No. 23 lode of this survey	20.661	
		June No. 22 lode of this survey	3.103 2.340	
	0 003	Total area June No. 17 lode Area in conflict with-	20.661	
.8	20.00	e No. 22 lode of this survey Sur. No. 1208 A Wellington lode	2.305	
	doting for	Total area June No. 18 lode Area in conflict with.	20.661	
	Carrier to the	Sur. No. 1208 A Western Slope	2.385	
		Total area June No. 19 lode Area in conflict with-	20.661	
97	auton C at	Sur. No. 1208 A Western Slope Sur. No. 1208 A Mount Hope lode Sur. No. 2432 Hilda lode	3.685 4.882 7.695	
		Total area June No. 20 lode Area in conflict with-	20.661	
•	er line	Sur. No. 1820 Baltimore lode	5.540 0.003	
		Total area June No. 21 lode Area in conflict with- Sur. No. 1820 Swansea lode	20.661	
	armina.	Sur. No. 1820 Baltimore lode	0,661 0.604	
		Total area June No. 22 lode Area in conflict with-	19.420	
	aul i .	Sur. No. 1208 B Peacock Mill Site	2.739	
		Total area June No. 23 lode Area in conflict with Sur. No. 1208 B Peacock Mill Site	20.505	
	mat I	Al . 100 motes and The second State of Second Second A	20.652	
		Area in conflict with- Sur. No. 1208 A Wellington lode	0.086	
		Total area June No. 25 lode	20.470	
	To MJD		20.661	
	W. Toll	Total area, June No. 43 lode Area in conflict with-	12.397	
	.11 21	Sur. No. 2799 Lead Carbonate lode Sur. No. 2799 El Plomo lode	1.842	
	1. 11	A dut, the mouth of which bears from dor. Ho. 3. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	S .08	

Survey No. 4330

40	Survey No. 4330	
Acres	AREAS - Cont.	Acres.
. dà . qs	Total area Handy lode Area in conflict with-	17.796
121.0	Sur. No. 1818 Prospector lode of this survey	3.495 3.163
188.05	Palmer lode of this survey, exclusive of its conflict with: June No. 1 lode of this survey	3.098
1.150	Sur. No. 2437 Mollie lode di de spoi de la company de la c	0.300
100 , 08	Total area Palmer lode Area in conflict with-	20.502
3.105	June No. 3 lode of this survey at the special control of the survey at the special control of the survey at the su	8.573
20,66	LOCATION Shelflest Time Late 1	
2.305	This survey is located in the SW4 Sec. 3, NE4 S NE4, SE4, SW4 and NW4 Sec. 4, NE4 and SE4 Sec. 5, R. 8 E., and SE4 Sec. 32, and the SW4 Sec. 33, T. R. 8 E., of the Gila and Salt River Meridian, Ariz	ec. 9, T. 12 S., 11 S., ona.
2.585 2.054	This survey of the foregoing lodes is identical the respective locations and amended locations as on the ground, except as otherwise previously show	marked
20.661	EXPENDITURES OF POST LATOR	
80.5 488.1 798.7	The improvements and the value of the labor and ments made upon or for the benefit of each of the locations embraced in said mining claims by the clor its grantors are as follows: JUNE NO. 1 Lode	lode
No. 1	The discovery cut of the June No. 1 lode, the mout which being the discovery point is on the center 250 ft. from the center of line 3-4, 4½ ft. wide face, running S. 37° W., 18 ft. to face. Value, \$100.	line
No. 2	A tunnel, the portal of which bears from Cor. No. No. 1 lode S.33°05'W., 370 ft. dist. 4 x 6 ft. x 5.67° W., 15 ft. to breast. Value, \$150.	
No. 3	A tunnel, the portal of which bears from Cor. No. No. 1 lode S.7° 45' E., 430 ft. dist. 4 x 6 ft. N.25° W., 65 ft. to breast. Value, \$650.	
No. 4	A tunnel, the portal of which bears from Cor. No. No. 1 lode N. 85° 55° W., 335 ft. dist. 4 x 6 ft running N. 75° W., 65 ft. to breast. Value, \$650.	1 June
20.470	JUNE NO. 2 LODE BALL LATER	
No. 1	The discovery cut of the June No. 2 lode, the mout which being the discovery point is on the lode 1 200 ft. from a point on line 3-4, 300 ft. from 3, 4½ ft. wide, 8 ft. face, running S. 34° E., 1 to face. Value, \$100.	or. No.
No. 2	A cut, the mouth of which bears from Cor. No. 3, 2 2 lode, N.83° 10° E., 220 ft., 42 ft. wide, 10 frunning S.12° E., 15 ft. to face. From face is	Tune No. St. face,

tunnel 4 x 6 ft. in size, running N. 77° E., 50 ft. to breast.

Value cut and tunnel, \$600.

No. 3 A cut, the face of which bears from a point on line 2-3
June No. 2 lode, 134.74 ft. from Cor. No. 2, N. 1° 30' E.,
280 ft. dist., 4½ ft. wide, 8 ft. face, running N. 13°
E., 15 ft. to mouth.
Value, \$100.

JUNE NO. 3 LODE

No. 1 The discovery cut of the June No. 3 lode, the mouth of which being the discovery point is on the lode line, 100 ft. from a point on line 1-2, 307.65 ft. from Cor. No. 1, 4 ft. wide, 8 ft. face, running N. 14° W., 20 ft. to face.

Value, \$150.

JUNE NO. 4 LODE

- No. 1 The discovery cut of the Tune No. 4 lode; the mouth of which being the discovery point is on the lode line 290 ft. from a point on line 3-4, 305.9 ft. from Cor. No. 3, 4½ ft. wide, 8 ft. face, running S. 40° W., 17 ft. to face.

 Value, \$100.
- No. 2 A cut, the mouth of which bears from Cor. No. 5, June No. 4 lode, S. 40° 20' W., 370 ft., 4½ ft. wide, 8 ft. face, running S. 40° W., 17 ft. to face.

 Value, \$100.
- No. 3 A tunnel, the portal of which bears from Cor. No. 5, June No. 4 lode, S. 6° E., 580 ft., 4 x 6 ft. in size, running N. 35° W., 20 ft. to breast.

 Value, \$400.

JUNE NO. 5 LODE

- No. 1 The discovery shaft of the June No. 5 lode, the center of which being the discovery point is on the center line 280 ft. from the center of line 1-2, 6 x 12 ft., 10 ft. deep..
- No. 2 A shaft, the center of which bears from Cor. No. 2, June No. 5 lode, No. 29° 30° E., 240 ft. dist., 6 x 6 ft., 8 ft. deep.

 Value, \$100.
- No. 3 A tunnel, the portal of which bears from Cor. No. 3, June No. 5 lode, S. 67° 05' W., 345 ft., 5 x 6 ft. in size, running N. 40° E., 30 ft. to breast.

 Value, \$450.

JUNE NO. 6 LODE,

No. 1 The discovery cut of the June No. 6 lode, the mouth of which being the discovery point is on the center line 500 ft. from the center of line 1-2, 4½ ft. wide, 10 ft. face, running N. 26° W., 12 ft. to face.

Value, \$100.

An undivided 1/13 interest in improvement No. 3, June No. 19 lode of this survey, hereinafter described, credited to this lode.

Value, \$710.

U. S. GOVERNMENT PRINTING OFFICE 16-28520-1

4	2	Survey No. 4330
	oj .ji (JUNE NO. 7 LODE 12 3 X 1 1 2 X 1
ž.	No. 1	The discovery cut of the June No. 7 lode, the mouth of which being the discovery point is on the center line 475 ft. from the center of line 1-2, 4½ ft. wide, 10 ft. face, running N. 53° E., 12 ft. to face. Value, \$100.
		A cut, the mouth of which bears from Cor. No. 3. June No. 7 lode, N. 51° 55' W., 520 ft., 4½ ft. wide, 8 ft. face, running N. 44° W., 15 ft. to face. Value, \$100.
, i	No. 3	
0	200	A cut, the mouth of which bears from Cor. No. 2, June No. 7 lode, S. 52° 10' W., 95 ft., $4\frac{1}{2}$ ft. wide, 10 ft. face, running north 15 ft. to face. From face is tunnel 4 x 6 ft. in size, running north 5 ft. to breast. Value cut and tunnel, \$150.
, č	Ño• .5	A shaft, the center of which bears from Cor. No. 2, June No. 7 lode, S. 71° 30' W., 180 ft., 4 x 6 ft., 30 ft. deep. Value, \$300.
· (9)	No. 6	A cut, the mouth of which bears from Cor. No. 2. June No. 7 lode, S. 72° 30' W., 165 ft., 42 ft. wide, 8 ft. face, running north, 18 ft. to face. Value, \$100.
0	5, Ju	JUNE NO. 8 LODE
	No. 1	The discovery cut of the June No. 8 lode, the face of which being the discovery point is on the center line 7 from the center of line 3-4, 4½ ft. wide, 8 ft. face, running N. 65° W., 18 ft. to mouth.
1	onli te	mean ast no at Julou veryocath oid maied mothy
	No. 2	running N. 61° W., 17 ft. to face. At face is a tunnel 4 x 6 ft. in size, running N. 61° W., 12 ft. to breast.
0	No. 3	A cut the mouth of which bears from Cor. No. 1 June No. 8 lode, S. 56° 20' E., 465 ft., 6 ft. wide, 8 ft. face, running S. 41° W., 10 ft. to face. Value. \$100.
	No. 4	A diamond drill hole, 2 ins. diam., the center of which bears from Cor. No. 1, June No. 8 lode, N. 88° 00° E., 435 ft., 50 ft. deep. Value, \$250.
	to dit	om sht and June No. 9 LODE too yravosath and I .ou
	No. ,1	The discovery cut of the June No. 9 lade, the mouth of which being the discovery point is on the center line 75 ft. from the center of line 1-2, 4½ ft. wide, 8 ft. face, running N. 26° W., 12 ft. to face.
5	ad ibo to	19 lode of this survey, hereinefter described, to this lode. Velue, 3710.

No. 2	A tunnel, the portal to which is on line 2-3, June No. 9 lode, 880 ft. from Cor. No. 2, 4 x 6 ft. running N. 45° W., 60 ft. to breast. Value, \$900.
ref ecurt egibera	An undivided 1/13 interest in improvement No. 3, June No. 19 lode of this survey, hereinafter described, credited to this lode. Value, \$710.
	June No. 10 Lode
No. 1	The discovery cut of the June No. 10 lode, the mouth of which being the discovery point is on the center line 70 ft. from the center of line 1-2, $4\frac{1}{2}$ ft. wide, 10 ft. face, running N. 26° 30' W., 15 ft. to face. Value, \$100.
No. 2	A shaft, the center of which bears from Cor. No. 1, June No. 10 lode, S. 85° 40' E., 240 ft., 4 x 6 ft., 10 ft. deep. Value, \$100.
M anni Jibata	An undivided 1/13 interest in improvement No. 3, June No. 19 lode of this survey, hereinafter described, credited to this lode. Value, \$710.
	June No. 11 Lode
No. 1	The discovery cut of the June No. 11 lode, the face of which being the discovery point is on the center line 97 ft. from the center of line 1-2, 42 ft. wide, 8 ft. face, running S. 70° E., 15 ft. to mouth. Value, \$100.
Vane N diseis	An undivided 1/13 interest in improvement No. 3, June No. 19 lode of this survey, hereinafter described, credited to this lode. Value, \$710.
	June No. 12 Lode
No. 1 nouth or ser line le, 10 1	The discovery point of the June No. 12 lode, on the center line 50 ft. from the center of line 1-2, a mound of stone on outcrop. 'No value.
No. 2	A cut, the face of which is on the center line 75 ft. from the center of line 1-2. 42 ft. wide, 8 ft. face, running S. 75° W., 12 ft. to mouth. Value, \$100:
No. 3	
No. 4	'A shaft, the center of which bears from Cor. No. 3, June No. 12 lode, N. 12° 26° W., 620 rt., 6 x 6 ft., 30 ft. deep. Value, \$450.

Survey No. 4330 A shaft, the center of which bears from Cor. No. 3, June No. 12 lode, N. 19° 30' W., 626 ft., 6 x 6 ft., 6 ft. deep (caved). No. 5 galae, 900. Value, \$100. An undivided 1/13 interest in improvement No. 3, June No. 19 lode of this survey, hereinafter described, credited to this lode. Value, \$710. June No. 13 Lode The discovery cut of the June No. 13 lode the face of which being the discovery point is on the center line 169 ft. from the center of line 1-2, 4½ ft. wide, 8 ft. face, running S. 64° W., 15 ft. to mouth. No. 1 Value, \$100. A shaft, the center of which bears from Cor. No. 4, June No. 13 lode, N. 47° 11' W., 614 ft., 5 x 7 ft., 70 ft. deep. Value, \$2100. An undivided 1/13 interest in improvement No. 3, June No. 19 lode of this survey, hereinafter described, credited to this lode. .DITE . STILL Value, \$710. June No. 14 Lode The discovery cut of the June No. 14 lode, the face of which being the discovery point is on the center line 120 ft. from the center of line 1-2, 42 ft. wide, 8 ft. No. 1 face, running west 20 ft. to mouth. Value, \$100. An undivided 1/13 interest in improvement No. 3, June No. 19 lode of this survey, hereinafter described, credited to this lode. Value, \$710. June No. 15 Lode The discovery cut of the June No. 15 lode, the mouth of which being the discovery point is on the center line 54 ft. from the center of line 1-2, 4½ ft. wide, 10 ft. face, running S. 70° E., 12 ft. to face.

Value, \$100. No. 1 An undivided 1/13 interest in improvement No. 3, June No. 19 lode of this survey, hereinafter described, credited to this lode. Value, \$710. ener bid . Jun A -

June No: 16 Lode

The discovery cut of the June No. 16 lode, the face of which being the discovery point is on the center line 57 ft. from the center of line 1-2, 4½ ft. wide, 8 ft. face, running N. 26° 30' W., 15 ft. to mouth.

Value, \$100. No. 1

value, enlar

No. 2 A shaft, the center of which bears from Cor. No. 4, June No. 16 lode, S. 56° 30' E., 490 ft., 4 x 6 ft., 20 ft. deep. At collar of shaft is a tunnel 4 x 6 ft. in size, running north 40 ft. to breast.

Value shaft and tunnel, \$600.

An undivided 1/13 interest in improvement No. 3, June No. 19 lode of this survey, hereinafter described, credited to this lode.

Value, \$710.

June No. 17 Lode

No. 1 The discovery cut of the June No. 17 lode, the mouth of which being the discovery point is on the center line 82 ft. from the center of line 1-2, 4½ ft. wide, 8 ft. face, running S. 26° 30' E., 15 ft. to face.

Value, \$100.

An undivided 1/13 interest in improvement No. 3, June No. 19 lode of this survey, hereinafter described, credited to this lode.

. Value, \$710.

June No. 18 Lode, sales

No. 1. The discovery cut of the June No. 18 lode, the face of which being the discovery point is on the center line 50 ft. from the center of line 1-2, 4½ ft. wide, 8 ft. face, running N. 26° W., 12 ft. to mouth. Value, \$100.

An undivided 1/13 interest in improvement No. 3, June No. 19 lode of this survey, hereinafter described, credited to this lode.

Value, \$710.

June No. 19 Lode

- No. 1 The discovery cut of the June No. 19 lode, the face of which being the discovery point is on the center line 565 ft. from the center of line 3-4, 44 ft. wide, 10 ft. face running S. 26° 26' E., 15 ft. to mouth.

 Value, \$ 100.
- No. 2

 A cut, the mouth of which bears from Cor. No. 4, June No. 19 lode, S. .35° 15° E., 680 ft., 4½ ft. wide, 8 ft. face, running S. 27° W., 20 ft. to face.

 Value, \$100.
- No. 3 An interest in a common improvement described as follows:
 - A.tunnel 5 x 7 ft. in size, the portal of which bears S. 32°.30' E.,.650 ft. from Cor. No. 4 June No. 19 lode of this survey, running S. 33° 45' W., 600 ft. to Sta. 1; thence S. 33° 45' W., 100 ft. to breast. At Sta. 1, a drift 5 x 7 ft. in size runs S. 28° E., 70 ft. to breast.

Value of tunnel and drift \$9,230.
Value of 1/13 interest \$ 710.

This improvement is in course of construction for the development of 13 claims of this survey consisting of June No. 6, June No. 9, June No. 10, June No. 11, June No. 12, June No. 13, June No. 14, June No. 15, June No. 16, June No. 17, June No. 18, June No. 19 and June No. 23 lodes which are all contiguous lode claims owned in common within the range of benefit of said tunnel.

dibero

The surface rises rapidly to the south and west from the portal of the tunnel and the extension of its present course, with necessary laterals affords the most practical and economical means of developing each of the stated lodes at depth.

Five hundred dollars or over has been expended in this improvement in such a manner as tends to the development of each of the said lodes of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore an undivided 1/13 interest in its value is hereby credited to each of the said lodes.

No portion of, or interest in, this improvement has been credited heretofore as patent expanditures to any lode claim.

June No. 20 Lode

- The discovery cut of the June No. 20 lode, the mouth of No. 1 which being the discovery point is on the center line 52 ft. from the center of line 3-4, 42 ft. wide, 8 ft. face, running east 15 ft. to face.

 Value, \$100.
- A tunnel, the portal of which bears from Cor. No. 3, June No. 20 lode, S. 10° 45' E., 355 ft., 5 x 7 ft. in size running south 30 ft. to breast. . Value, \$450.

June No. 21 Lode

- The discovery shaft of the June No. 21 lode, the center No. 1 of which being the discovery point is on the center line 164 ft. from the center of line 3-4, 5 x 10 ft.,
- No. 2 A trench, the south end of which bears from Cor. No. 2, June No. 21 lode, S. 18° W., 390 ft., 2 x 2 ft. running N. 33° 30' W., 45 ft. to the N. end.

 Value, \$50.

June No. 22 Lode

- No. 1 The discovery cut of the June No. .22, lode, the face of which being the discovery point is on the center line 500 ft. from the center of line 1-2, 42 ft. wide, 8 ft. face, running south 15 ft. to mouth. Sedimond Value, \$100.0000 s rollows:
 - A cut, the mouth of which bears from Cor. No. 2, June No. 22 lode, S. 37° 10' E., .600 ft., .4½ ft. wide, 10 ft. face, running N. 63° E., 15 ft. to face, from face is a tunnel 4 x 6 ft. in size running N. 64° E., 20 ft. to No. 2 breast. Value, \$300.
 - A cut, the mouth of which bears from Cor. No. 2, June No. 22 lode, S. 36° 40° E., 650 ft. dist., 4½ ft. wide, 10 ft. face, running N. 26° E., 20 ft. to face, from face is a tunnel 4 x 6 ft. running N. 26° E., 15 ft. to No. 3 June 10. 10 June 10. 10. Itane 10. 10. Itane 10. Itane 10. Itane 10. 10. Itane 10. 10. Itane 10. 10. June 10. J

U. S. GOVERNMENT PRINTING OFFICE 16-28520-1

	4
•	A tunnel, the portal of which is on the center line 750 ft. from the center of line 1-2, 4 x 6 ft. in size, running S. 70° E., 40 ft. to breast. Value, \$500.
on out.	June No. 23 Lode
No. 1	The discovery cut of the June No. 23 lode, the mouth of which being the discovery point is on the center line 250 ft. from the center of line 3-4, 4½ ft. wide, 8 ft. face, running S. 16 ft. to face. Value, \$100.
No. 2	A shaft, the center of which bears from Cor. No. 4 June No. 23 lode, N. 63° 30' W., 345 ft., 4 x 6 ft., 15 ft. deep. Value, \$150.
No. 3	A shaft, the center of which bears from Cor. No. 4, June No. 23 lode, N. 69° 20' W., 450 ft., 4 x 8 ft., 12 ft. deep. Value, \$125.
No. 4	A cut, the mouth of which bears from Cor. No. 4, June No. 23 lode, N. 61° 15' W., 415 ft., 4 ft. wide, 12 ft. face, running S. 34° W., 15 ft. to face. Value, \$100.
No. 5	A cut, the mouth of which bears from Cor. No. 4. June No. 23 lode, N. 50° 10° W., 420 ft., 4 ft. wide, 8 ft. face, running S. 15° W., 20 ft. to face. Value, \$100.
No. 6	A cut, the mouth of which bears from Cor. No. 4, June No. 23 lode, N. 39° 20° W., 395 ft., 4 ft. wide, 8 ft. face, running S. 18° W., 15 ft. to face. Value, \$100.
No. 7	A cut, the mouth of which bears from Cor. No. 4, June No. 23 lode, N. 31° 30' W., 565 ft., 4 ft. wide, 6 ft. face, running N. 20° E., 10 ft. to face. Value, \$60.
No. 8	A shaft, the center of which bears from Cor. No. 4, June No. 23 lode, N. 30° 24' W., 325 ft., 4 x 6 ft., 6 ft. deep, Value, \$60.
L, Jun	June No. 24 Lode
No. 1	The discovery cut of the June No. 24 lode, the face of which being the discovery point is on the center line 749 ft. from the center of line 1-2, 4½ ft. wide, 8 ft. face, running S. 25° E., 15 ft. to mouth. Value, \$100°.
No. 2	A tunnel, the portal of which bears from Cor. No. 4, June No. 24 lode, N. 20° 50' E., 515 ft., 4 x 6 ft. in size, running N. 57° W. 20 ft. to breast. Value, \$240.
No. 3	A cut, the mouth of which bears from Cor. No. 4, June No. 24 lode, N. 14° 30° W., 335 ft., 4½ ft. wide, 8 ft. face, running S. 70° W., 20 ft. to face, from face is a tunnel 4 x 6 ft. in size running N. 50° W., 18 ft. to breast. Value cut and tunnel, \$300.

value cut and bunnel, 500.

			June No. 26 Lode
* (D) **	No.	.1	The discovery cut of the June No. 26 lode, the mouth of which being the discovery point is in the center line 96 ft. from the center of line 1-2, 6 ft. wide, 10 ft. face running S. 20° W., 15 ft. to face. Value, \$100.
	No.	2	A cut, the mouth of which bears from Cor. No. 3, S. 79° 12' E., 185 ft., 10 ft. wide, 12 ft. face, running S. 45° E., 20 ft. to face, at the mouth of cut is a shaft 10 x 10 ft., 15 ft. deep. Value, \$250.
	No.	3	A cut, the mouth of which bears from Cor. No. 3. June No. 26 lode, S. 89° 57' E., 225 ft., 4 ft. wide, 8 ft. face running S. 60° E., 12 ft. to face. Value, \$100.
	No.	4	A shaft, the center of which bears from Cor. No. 3, June No. 26 lode, N. 85° E., 155 ft., 4 x 6 ft., 10 ft. deep. Value, \$100.
	No.	5	A shaft, the center of which bears from Cor. No. 3, June No. 26 lode, N. 85° E., 95° ft., 4 x 6 ft., 18 ft. deep. Value, \$200.
	No.	6	A cut, the mouth of which bears from Cor. No. 4, June No. 26 lode, S. 52° 20° W., 325 ft., 25 ft. wide, 8 ft. face running S. 30° E., 10 ft. to face, at the center of face is a tunnel 4 x 6 ft. in size, S. 30° E.; 18 ft. to breast.
			Value, \$500.
	No.	7	A cut, the mouth of which bears from Cor. No. 4. June No. 26 lode, S. 34° 50' W., 335 ft., 6 ft. wide, 8 ft. face, running S. 10° E., 10 ft. to face. Value, \$100.
	doin 2 ft	iw 1	A cut, the mouth of which bears from Cor. No. 4, June No. 26 lode, S. 37° 33' W., 270 ft., 4 ft. wide, 6 ft. face, running S. 64° E., 10 ft. to face. Value, \$60.
	No.		A cut, the mouth of which bears from Cor. No. 4, June No. 26 lode, S. 54° 53° W., 235 ft., 4 ft. wide, 6 ft. face running S. 40° E., 15 ft. to face. Value, \$100.
*	No.	10	A cut, the mouth of which bears from Cor. No. 4. June No. 26 lode, S. 54° 53' W., 215 ft., 4 ft. wide, 6 ft. face, running S. 70° E., 12 ft. to face. Value, \$100.
	No.	11	A cut, the mouth of which bears from Cor. No. 4, June No. 26 lode, S. 51° 18' W., 210 ft., 4 ft. wide, 6 ft. face running S. 75° E., 12 ft. to face, Value, \$100.
70	No.	12	A cut, the mouth of which bears from Cor. No. 4, June No. 26 lode, S. 51° 18' W., 220 ft., 4 ft. wide, 6 ft. face running S. 75° E., 10 ft. to face. Value, \$60.
	No.	13	A cut, the mouth of which bears from Cor. No. 4, June No. 26 lode, S. 58° 28' W., 205 ft., 4 ft. wide, 4 ft. base, running east 10 ft. to face. Value, \$40.

No. 13 A cut, the mouth of which bears from

Value, \$100.

3160 10 11 to face.

	No. 5	A shaft, the center of which bears from Cor. No. 4 Handy lode, N. 36° 05' W., 390 ft., 6 x 6 ft., 6 ft. deep. Value, \$60.
	No. 6	A shaft, the center of which bears from Cor. No. 4 Handy lode, N. 34° 15' W., 500 ft., 10 x 10 ft., 60 ft. deep. Value, \$2400.
	ing ent	A cut, the mouth of which is on line 4-1 Handy lode, 650 ft. from Cor. No. 4, 5 ft. wide, 10 ft. face, running S. 30° 35' W., 10 ft. to face. Value, \$100.
		Palmer Lode
	No. 1	The discovery cut of the Palmer lode, the face of which is the discovery point is on the center line 143 ft. from center of line 1-2, 4½ ft. wide, 8 ft. face, running north 15 ft. to mouth. Value, \$100.
5	No. 2	A shaft, the center of which bears from Cor. No. 2, Palmer lode N. 23° 50' W., 460 ft., 4 x 6 ft., 5 ft. deep. At collar of shaft is a cut 6 ft. wide, 8 ft. face running S. 5° W., 10 ft. to face. At face is a tunnel 4 x 6 ft. in size running S. 5° W., 12 ft. to breast. Value, \$270.
e la	No. 3	A tunnel, the portal of which bears from Cor. No. 2 Palmer lode, N. 21° 20' W., 420 ft., 4 x 6 ft. in size running S. 45° E., 125 ft. to breast. Value, \$1625.
• 10		A trench, the W. end of which bears from Cor. No. 2, N. 10° W., 390 ft., 3 ft. wide, 2 ft. deep, running N. 50° E.; 100 ft. to E. end. Value, \$150.
A. C.	edinati en	running S. 10° E., 6 ft. to face. Value, \$50.
4 (sool not	A shaft, the center of which bears from Cor. No. 2, Palmer lode, N. 36° 50' W., 240 ft., 4 x 6 ft., 8 ft. deep. Value, \$100.
	No7	A shaft, the center of which bears from Cor. No. 1 Palmer lode, S. 79° W., 150 ft., 6 x 8 ft., 6 ft. deep. Value, \$70.
The Party of the P	io edel	A shaft, the center of which bears from Cor. No. 1 Palmer lode, S. 86° 50' W., 250 ft., 4 x 6 ft., 30 ft. deep (timbered).
	natein :	OTHER IMPROVEMENTS
80	ile ta A .beys:	None. 10. 1025 versone. 11. commerce on the commerce on the commerce of the co
THE WAY	To reda	of pine posts for card clympic lodes. Forms of pine posts firely set and merked with the part of the curvey. For a loce of suces in

Sur. No. 1818, Prospector lode, Cor. Nos. 1 and 2 consist of pine posts firmly set and properly marked in badly decayed condition, I replaced same with iron posts as described in the foregoing field notes. I find line 1-2 to be S. 33° 34° E., 1496.4 ft., instead of S. 33° 40° E., 1500 ft. as approved.

Sur. No. 1828, Sampson lode, all corners are pine posts firmly set and properly marked, in badly decayed condition. I replace same with iron posts as described in the foregoing field notes. Line 4-1 is correct as approved on July 1, 1904.

Sur. No. 3994, Copperhead Nos. 1, 3, 4, 5 and 6 lodes. All corners consist of iron posts, 1 in. diam., capped, firmly set in stone monuments and marked with the number of the corners and the survey. All courses and distances are correct as approved.

Sur. No. 2799, Nightingale, El Plomo and Lead Carbonate lodes, all corners consist of pine posts firmly set in stone monuments, marked with the number of the corners and the survey. I find line 2-3, Lead Carbonate lode to be N. 29° 56' W., 596.06 ft. instead of N. 30° 35' W., 594 ft. as approved.

Sur. No. 1820, Baltimore, Detroit, Swansea and Omaha lodes. All corners consist of pine posts, firmly set and properly marked. Line 2-3, Detroit lode was found to be S. 23° 32' E., 596.06 ft. instead of S. 23° 25' E., 600 ft. as approved. Lines 1-2 and 3-4 differ from record as shown. The end lines of the Baltimore lode are 590.77 ft. in length instead of 600 ft. as approved.

Sur. No. 2432, Frank B. and Hilda lodes. All corners consist of pine posts firmly set and marked with the number of the corners and the survey except Cor. No. 2 Hilda lode which consists of a (X) chiseled on granite bedrock with two bearing rocks as described in the official records. All courses and distances are approximately correct as approved.

Sur. No. 1208 A & B, Uphill, Peacock, Wellington lodes and Peacock Mill Site. All corners consist of pine posts, firmly set and properly marked. Line 32-33 Western Slope and line 34-35 Wellington lodes, was found to be N. 24° 22' 30" W., instead of N. 24° 14' W. as approved, and line 35-36 Wellington lode was found to be 607.2 ft. instead of 611. ft. and same are properly given in these field notes.

Sur. No. 1207, Wauconda lode, Cor. No. 3 consists of a pine post, 4 ins. sq. firmly set and properly marked. All that remains of Cor. Nos. 1, 2 and 4 are badly decayed pine stumps in stone monuments. All courses and distances are correct as approved.

Sur. No. 1926 Percy lode. All corners consist of pine posts firmly set and properly marked, partly decayed. All courses and distances are correct as approved.

Sur. No. 2434 Queen and Olympia lodes. Corners consist of pine posts firmly set and marked with the number of the corner and the survey. Cor. No. 2 Queen lode is mkd.

(x)-2 Q-2434 chiseled on bed rock with two bearing rocks as described in the official record. All courses and distances are approximately correct as approved.

Sur. No. 2437 Mollie lode. Cor. Nos. 1, 2, 3 and 5 consist of pine posts, firmly set and properly marked. Cor. No. 4 consists of a granite rock 10 x 10 ins., showing 2 ins. above ground, marked as described in the official record. Line 5-1 was found to be N. 83° 14' E. instead of N. 83° 12' E. as shown in official record.

ADJOINING CLAIMS

On the north by Sur. No. 1205 A Wear lode; Sur. No. 1208 A & B, Uphill, Peacock, Wellington and Western Slope lodes; Sur. No. 2432 Hilda; Sur. No. 1820 Detroit lode; Sur. No. 1928 Sampson lode; Sur. No. 1818 Prospector lode.

On the east by Sur. No. 1208 A & B, Uphill, Peacock, Wellington, Western Slope and Mount Hope lodes; Sur. No. 2432 Hilda and Franke lodes; Sur. No. 1820 Detroit lode; Sur. No. 1928 Sampson lode; Sur. No. 1818 Prospector lode; Sur. No. 2437 Mollie lode; Sur. No. 2799 Nightingale, El Plomo and Lead Carbonate lodes.

On the south by Sur. No. 3994, Copperhead Nos. 1, 3, 4 and 5 lodes; Sur. No. 1820, Swansea, Baltimore and Omaha lodes; Sur. No. 1926 Percy lode.

On the west by Sur. No. 1820, Omaha lode and Sur. No. 1207 Wauconda lode.

FIELD ASSISTANTS

Name

Capacity

E.H.Jenkins Richard Frankinburger

Chainman Chainman

UNITED STATES DEPARTMENT OF THE INTERIOR SENERAL LAND-OFFICE Bureau of Land Management

FINAL OATH OF MINERAL SURVEYOR

I,	T.N. Stevens		, Mineral Surveyor,
do solemnly swear that	t, in pursuance of in	structions recei	ived from the Office Cadastral
Engineer, atPho	enix, Arizona	, dated	June 1, 1948 ,
I have, in strict conf	ormity to the laws of	the United Sta	tes, the official regulations
and instructions then	eunder, and the inst	cructions of sa	id Office Cadastral Engineer,
faithfully and correct	tly executed the sur	vey of the min	ing claim of
American Sm	elting and Refining	Company	, known as the
June No.1 to June No.	26, incl., June No.4	3, Handy and Pa	lmer
situate inSilver	Be11		Mining District,
Pima	County,	Arizona.	, in Section
32,33,3,4,5 and 9	Township No. 11 & 13	South	, Range No. 8 East
and designated as Surv	ey No. 4330		, as represented
in the foregoing field	l notes, which accura	tely show the b	oundaries of said mining claim
as distinctly marked	by monuments on the g	round, and desc	ribed in the attached copy of
the location certific	ate, which was recei	ved by me from	the Office Cadastral Engineer
with said instruction	s, and that all corne	rs of said sur	vey have been established and
perpetuated in strict	accordance with the	law, official	regulations and instructions
thereunder; and I do f	urther solemnly swear	r that the foreg	oing are the true and original
field notes of said su	rvey and my report t	herein, and tha	t the labor expended and im-
provements made upon s	said mining claim by	claimant or	ita
grantors are as there	in fully stated, and	that the chara	acter, extent, location, and
itemized value thereo	f are specified ther	ein with partic	cularity and full detail, and
that no portion of said	labor or improvement	s so credited to	o this claim has been included
in the estimate of exp	enditures upon any ot	her claim.	
		M.N.	(Mineral Surveyor)
Subscribed and sworn	to by the said	T N Stevens	(Mineral Surveyor)
Mineral Surveyor, befo	ore me E.L. Grad	ly, a Notary	Public for Pima County
Arizona		this	10th
day of March		A .	AA
		OL	Grady
		Notary Pu	blic, Arizona.
U. S. ONVERNMENT PERSTAND OFFICE 6-9475			sion expires 10/20/1950.

U. S. GOVERNMENT PRINTING OFFICE 16-26618-1

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

UNITED STATES DEPARTMENT OF THE INTERIOR

GENERAL EAND OF LAND MANAGEMENT PUBLIC SURVEY OFFICE

	At Albud	At Albuquerque, New Mexico		
	Febru	uary 23	, 19 50	
I, Office Cadastra	Engineer at All	ouquerque, New	Mexico	
do hereby certify that the foregoing and h	ereto attached Field N	lotes and Return of th	ne Survey of the	
Mining Claim of American Smelt:	ing and Refining	Company		
			4	
			., known as the	
June No. 1 to June No. 26,	incl., June No.	43, Handy and	Palmer	
situate inS	ilver Bell		mining district,	
Pima County,		Arizona		
in Sections 3,4,5 and 9, Towns in Sections 32 and 33, Towns	wnship 12 South	, Range 8 East	and	
G.& S.R.M. , designated as Surv	ey No. 4330			
executed byT.N.Ste	vens		, Mineral	
Surveyor, July 27 to November	18	., 19 48, under my in	structions dated	
June 1	, 19 48, have been	critically examined ar	d the necessary	
corrections and explanations made, and th	e said Field Notes and	Return, and the Surve	ey they describe,	
are hereby approved. The certified copy	of the location certifica	te filed by the applica	ant for survey is	
included and made a part of these field no	tes.			
	\checkmark	Geoff Wel	el	
		Office Cada	stral Engineer.	

Supplemental Proof Expenditure of \$500

June No.3 lode

No.2 A cut, the mouth of which bears from Cor. No.1, June No.3 lode S. 3°15' E., 220 ft. dist. 6 ft. wide, 10 ft. face running N. 4°30' W., 20 ft. to face. At face is a tunnel 5 X 6 ft. in size running N. 4° 30' W., 5 ft. to breast.

Value Cut and tunnel \$350.

June No.21 lode

No.3 A trench, the W. end of which bears from the W. end center, June No.21 lode S. 11°45' E., 110.4 ft. dist. 12 ft. wide, 80 ft. long, with an average depth of 2 ft. Total value \$800

As the W. 46 ft. of this improvement is embraced in Sur. No.1820

Swansea lode, claimant herein I therefore assigned a 34/80 interest in this improvement to the June 21 lode.

Value \$340.

June No.43 lode

A shaft, the SW Corner of which being the discovery point (mouth of old discovery cut) on the center line 40 ft. from the center of line 1-2, 4 X 6 ft. 8 ft. deep. From the E side of shaft is a trench 6 ft. wide, average depth 4 ft., running east 36 ft. to E.end.

Total value, shaft, trench and old cut \$550.0

Mineral Surveyor

State of Arizona County of Pima

No.1

Subscribed and sworn to by said T.N. Stevens before me, a Notary Public in and for the County of Pima, State of Arizona on this 29 th day of March, 1950

Notary Public.

J. S. GOVERNMENT PRINTING OFFICE

OFFICE CADASTRAL ENGINEER'S CERTIFICATE ON SUPPLEMENTAL REPORT
DEPARTMENT OF THE INTERIOR

Division of Engineering
Albuquerque, New Mexico

April 6, 1950

I, Office Cadastral Engineer at Albuquerque, New Mexico, do hereby certify that proof of additional expenditures on the June No. 3, June No. 21 and June No. 43 lode mining claims has been submitted to this office subsequent to the approval of Mineral Survey No. 4330.

I further certify that Five Hundred dollars worth of labor has been expended, or improvements made, upon or for the benefit of each location embraced in said mining claim including the June No. 3, June No. 21 and June No. 43 lodes, and that the additional improvements, not previously reported, consist of 1 cut, 1 tunnel, 2 trenches and 1 shaft, total value \$1140.00 and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

Office Cadastral Engineer