

UNITED STATES
 DEPARTMENT OF THE INTERIOR
~~GENERAL LAND OFFICE~~
 BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4395

ARIZONA Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

Lillian R. Flaxman

Known As The

LILLIAN NO. 1, LILLIAN NO. 2, and LILLIAN NO. 3 LODES

Plomosa Mining District,

Yuma County, Arizona
 Sections 25 and 36 Township 6 North Range 18 West
 Section 31 Township 6 North Range 17 West, G. & S.R.M.

Surveyed under instructions dated December 28, 1954

by Roger W. Sheridan
 Mineral Surveyor.

Claim located See other side, 19

Survey commenced January 16, 1955

Survey completed January 18, 1955

Address of claimant 1009 Commercial Exchange Building
 416 West 8th Street
 Los Angeles 14, California

DATES OF AMENDED LOCATIONS

November 5, 1954

Claim located

Lillian No. 1 lode - - August 31, 1953
(Formerly the Star Light No. 1 lode, located May 10, 1943)

Lillian No. 2 lode - - November 5, 1954
(Formerly the Star Light No. 2 lode, located May 10, 1943)

Lillian No. 3 lode - - November 5, 1954
(Formerly the Star Light No. 3 lode, located May 10, 1943)

Survey No. 4395

This survey was made with a Gurley transit No. 522544, having two double verniers, and full vertical circle 5 ins. diam., having one double vernier; the verniers read to one minute of arc; the eyepiece is equipped with a colored shade set in the dust shutter for making direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observation:

November 5, 1954, at a point on the east line of Sec. 36, T. 6 N., R. 18 W., G. & S.R.Mer., 300.0 ft. South of the NE. corner of said Sec. 36, in Latitude $33^{\circ} 49' 29''$ N., and Longitude $114^{\circ} 04' 32''$ W., I made a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun and reading the horizontal angle from a reference point, such point being the east $\frac{1}{4}$ sec. corner of Sec. 36.

Mean time of observation,	
105th meridian standard time	10h 16m 17s
Declination of sun at mean time	
of observation	$15^{\circ} 40' 18''$
Mean observed vertical angle to	
sun's center	$32^{\circ} 29' 48''$
Mean horizontal angle from reference	
point to sun's center	$35^{\circ} 44' 50''$
True bearing to reference point	S. $0^{\circ} 02'$ W.
(Note: This bearing agrees with recent determination by the Bureau of Land Management)	

The lines were measured with a K & E steel tape, 300 feet in length, graduated every foot, and a Lufkin 100 foot tape graduated in feet, tenths, and hundredths. Both tapes were compared with the Salt Lake City Standard and found correct.

All lines and connections of this survey were run by direct methods. Magnetic declination observed at each corner of the survey gave a uniform value of $15^{\circ} 00'$ E.

Feet

LILLIAN NO. 1 LODE

At cor. No. 1 of the Lillian No. 1 lode, set an iron pipe 2 ins. diam., 3 ft. long, 30 ins. in the ground surrounded by a mound of stone with brass cap marked L-1-1-4395.

The cor. of Secs. 25 and 36, T. 6 N., R. 18 W., G. & S.R.M., bears S. $55^{\circ} 23' 30''$ E., 161.2 ft.; an iron post, 2 ins. diam., 12 ins. above ground, and firmly set (recently established).

Thence S. $36^{\circ} 07' 15''$ W.

1500.0

Cor. No. 2, identical with Cor. No. 3 of the Lillian No. 2 lode, and Cor. No. 4 of the Lillian No. 3 lode, on slope 10 ft. East of Mine Road, set an iron pipe, 2 ins. diam., 3 ft. long, 30 ins. in the ground, surrounded by stone with brass cap marked L-1-2, L-2-3, L-3-4, 4395.

Thence S. $88^{\circ} 59' 45''$ E.

300.0

Lode line; on ridge line bearing northeasterly and southerly, discovery point bears N. $36^{\circ} 07' 15''$ E., 1165.0 ft. dist.

600.0

Cor. No. 3, identical with Cor. No. 4 of the Lillian No. 2 lode of this survey, on east slope of ridge, set an iron pipe, 2 ins. diam., 3 ft. long, 30 ins. in the ground, surrounded by a mound of stone with brass cap marked L-1-3, L-2-4, 4395.

This survey was made with a leveling transit no. 2031, having one level vertical circle, and a level no. 2032, having one level vertical circle. The transit was set on a tripod and leveled by the spirit level. The level was set in the center of the instrument. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All bearings in this report were determined by the method of deflection angles referred to the meridian determined by the following observation:

November 1, 1924, at a point on the east line of sec. 30, T. 12 N., R. 12 E., S. 20 E., 300.00' south of the N. corner of said sec. 30, in latitude 33° 29' N., and longitude 114° 02' W. I made a series of six altitudes observations from the sun or star at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun and reading the horizontal angle from a reference point, such point being the east 1/2 sec. corner of sec. 30.

Mean line of observation,
 1031 meridian standard time
 declination of sun at mean time
 of observation
 Mean observed vertical angle to sun's center
 Mean horizontal angle from reference point to sun's center
 True bearing to reference point
 (Note: This bearing agrees with recent determination by the method of true meridian)

The lines were measured with a 7.5 m steel tape, 200 feet in length, graduated every foot, and a standard 100 foot case graduated in feet, tenths, and hundredths. Both tapes were compared with the State of Ohio standard and found correct.

All lines and connections of this survey were run by direct methods. Magnetic declination observed at each corner of the survey gave a uniform value of 13° 00' E.

Station	Description	Notes
100.0	Cor. No. 3, identical with Cor. No. 4 of the Lillian No. 1 line, on east slope of ridge, set on iron pipe, 2 in. diam., in the ground, surrounded by stone with brass cap marked L-1-3, I-5, 1925.	
200.0	Discovery point bears N. 30° 07' 12" E., 113.00' dist. on ridge line; on ridge line bearing northwesterly and southerly.	Thence S. 88° 29' 12" W.
300.0	Cor. No. 2, identical with Cor. No. 3 of the Lillian No. 1 line, on east slope of ridge, set on iron pipe, 2 in. diam., 3 in. long, in the ground, surrounded by stone with brass cap marked L-1-2, I-5, 1925.	
400.0	Cor. No. 1 of the Lillian No. 1 line, set on iron pipe, 2 in. diam., 3 in. long, in the ground, surrounded by stone with brass cap marked L-1-1, I-5, 1925.	

Survey No. 4395

Feet	
	Thence N. 36° 07' 15" E.
1500.0	Cor. No. 4, set an iron pipe, 2 ins. diam., 3 ft. long, 30 ins. in the ground, surrounded by a mound of stone, with brass cap marked L-1-4, 4395.
	Thence N. 88° 59' 45" W.
300.0	Lode line; discovery point bears S. 36° 07' 15" W., 335.0 ft.
495.0	Intersect mine road, 10 ft. wide, running N. and S.
600.0	Cor. No. 1 and place of beginning.
LILLIAN NO. 2 LODE	
	At Cor. No. 1 of the Lillian No. 2 lode, set an iron pipe, 2 ins. diam., 3 ft. long, 30 ins. in the ground, surrounded by a mound of stone with brass cap marked L-2-1, 4395.
	The east $\frac{1}{4}$ sec. cor. of sec. 36, T. 6 N., R. 18 W., G. & S.R.M., bears S. 88° 19' 15" E., 382.80 ft., an iron post, 1 in. diam., 12 ins. above ground, and surrounded by a mound of stones (recently established).
	Thence N. 88° 59' 45" W.
300.0	Lode line; on ridge line bearing N. and S., discovery point bears N. 1° 09' 45" W., 1206.0 ft. dist.
600.0	Cor. No. 2, on west slope of ridge, set an iron pipe, 2 ins. diam., 3 ft. long, 30 ins. in the ground, surrounded by a mound of stones with brass cap marked L-2-2, 4395.
	Thence N. 1° 09' 45" W.
900.0	Cor. No. 1 of the Lillian No. 3 lode of this survey.
1400.0	Mine road, bears E. and W.
1500.0	Cor. No. 3, identical with Cor. No. 2 of the Lillian No. 1 and Cor. No. 4 of the Lillian No. 3 lodes of this survey.
	Thence S. 88° 59' 45" E.
300.0	Lode line; on ridgeline bearing northeasterly and southerly, discovery point bears S. 1° 09' 45" E., 294.0 ft. dist.
600.0	Cor. No. 4, identical with Cor. No. 3 of the Lillian No. 1 lode of this survey.
	Thence S. 1° 09' 45" E.
1500.0	Cor. No. 1 and place of beginning.
LILLIAN NO. 3 LODE	
	At Cor. No. 1 of the Lillian No. 3 lode, on line 2-3 of the Lillian No. 2 lode of this survey, set an iron pipe, 2 ins. diam., 3 ft. long, 30 ins. in the ground, surrounded by a mound of stone with brass cap marked L-3-1, 4395.

SURVEY No. 1975

1500.0 feet
 Cor. No. 1 set on iron pipe, 2 ins. diam., 3 ft. long, 3 ins. in
 the ground, surrounded by a mound of stone, with brass cap marked
 I-1-1, 1975.
 Thence N. 88° 59' 15" W.

300.0
 Bede line; discovery point bears S. 30° 07' 15" W., 355.0 ft.
 157.0
 Intersect mine road, 10 ft. wide, running N. and S.
 500.0
 Cor. No. 1 and place of beginning.

LILLIAN No. 2 LODE

At Cor. No. 1 of the Lillian No. 2 lode, set an iron pipe 2 ins.
 diam., 3 ft. long, 30 ins. in the ground, surrounded by a mound of
 stone with brass cap marked I-2-1, 1975.
 The east 1/2 sec. cor. of sec. 30, T. 6 N., R. 18 W., S. 2 R. 1
 bears S. 85° 19' 15" W., 382.80 ft., an iron pipe, 1 in. diam.,
 in the above ground, and surrounded by a mound of stone
 (recently established).

Thence N. 88° 59' 15" W.

300.0
 Bede line; on ridge line bearing N. and S., discovery point bears
 T. 6 N., R. 18 W., 1800.0 ft. west.

500.0
 Cor. No. 2, on west slope of ridge, set an iron pipe, 2 ins. diam.,
 3 ft. long, 30 ins. in the ground, surrounded by a mound of stone
 with brass cap marked I-2-2, 1975.

Thence N. 88° 59' 15" W.

300.0
 Cor. No. 1 of the Lillian No. 2 lode of this survey.

1400.0
 Mine road, bears E. and W.

1500.0
 Cor. No. 2, identical with Cor. No. 2 of the Lillian No. 2
 No. 1 of the Lillian No. 2 lode of this survey.

Thence S. 88° 59' 15" E.

300.0
 Bede line; on ridge line bearing northeasterly and southeasterly,
 discovery point bears S. 1° 09' 45" E., 391.0 ft. west.

500.0
 Cor. No. 2, identical with Cor. No. 2 of the Lillian No. 2 lode
 of this survey.

Thence S. 88° 59' 15" E.

1500.0
 Cor. No. 1 and place of beginning.

LILLIAN No. 3 LODE

At Cor. No. 1 of the Lillian No. 3 lode, on line 3-3 of the Lillian
 No. 3 lode of this survey, set an iron pipe, 2 ins. diam., 3 ft.
 long, 30 ins. in the ground, surrounded by a mound of stone with
 brass cap marked I-3-1, 1975.

Survey No. 4395

Feet	
	The east 1/4 sec. cor. of sec. 36, T. 6 N., R. 18 W., G. & S.R. M., bears S. 47° 21' 39" E., 1360.46 ft. dist., previously described.
	Thence N. 37° 24' 15" W.
1500.0	Cor. No. 2, set an iron pipe, 2 ins. diam., 3 ft. long, 30 ins. in the ground, surrounded by a mound of stones, with brass cap marked L-3-2, 4395.
	Thence N. 1° 09' 45" W.
300.0	Lode line; discovery point bears S. 37° 24' 15" E., 1203.2 ft. dist.
600.0	Cor. No. 3, set an iron pipe, 2 ins. diam., 3 ft. long, 30 ins. in the ground, surrounded by a mound of stone with brass cap marked L-3-3, 4395.
	Thence S. 37° 24' 15" E.
1475.0	Center line of 10 ft. mine road, bears N. and S.
1500.0	Cor. No. 4, identical with Cor. No. 2 of the Lillian No. 1, and Cor. No. 3 of the Lillian No. 2 lodes of this survey.
	Thence S. 1° 09' 45" E.
300.0	Lode line; discovery point bears N. 37° 24' 15" W., 296.80 ft. dist.
600.0	Cor. No. 1, and place of beginning.

AREAS

Acres

Total area, Lillian No. 1 lode	16.899
Total area, Lillian No. 2 lode	20.646
Total area, Lillian No. 3 lode	12.214

LOCATION

This survey is located in the NE $\frac{1}{4}$ of sec. 36, and the SE $\frac{1}{4}$ of sec. 25, T. 6 N., R. 18 W., and lot 1 of sec. 31, T. 6 N., R. 17 W., G. & S.R.M., approximately 9 miles southwesterly of Bouse, Arizona. The survey of these lodes are identical with the respective amended locations as marked on the ground.

EXPENDITURES

The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claims by the claimant or her grantors are as follows:

No. 1	Open pit on the Lillian No. 1 lode, the center of which bears S. 12° E., 245 ft. from Cor. No. 1 Lillian No. 1 lode, roughly 100 ft. in radius and 10 ft. deep. The discovery point is in and near the southeast side of this pit, on the lode line, 335 ft. from a point on line 4-1, 300 ft. from Cor. No. 1.
	Value of pit, \$5,000.00
	Value of 1/6 interest 833.33

Survey No. 1234

1500.0	Cor. No. 2, set on iron pipe, 2 ins. diam., 3 ft. long, in the ground, surrounded by a mound of stones, with brass cap marked 4-2, 1234.	Thence N. 1° 02' 45" E.	Cor. No. 3, set on iron pipe, 2 ins. diam., 3 ft. long, in the ground, surrounded by a mound of stones with brass cap marked 4-3, 1234.	Thence S. 37° 24' 15" E.	Center line of 10 ft. mine road, bears N. and E.	Cor. No. 4, identical with Cor. No. 2 of the Lillian No. 1, and Cor. No. 3 of the Lillian No. 2 lodes of this survey.	Thence S. 1° 02' 45" E.	Lot 1 line; discovery point bears N. 37° 24' 15" E., 10 ft. dist.	Cor. No. 1, and place of beginning.
300.0	Lot 2 line; discovery point bears S. 37° 24' 15" E., 20 ft. dist.								
600.0									
1250.0									
1500.0									
300.0									
600.0									

Acres
 16.839
 20.816
 12.211

AREAS
 Total area, Lillian No. 1 lode
 Total area, Lillian No. 2 lode
 Total area, Lillian No. 3 lode

LOCATION
 This survey is located in the NE 1/4 of sec. 30, and the SE 1/4 of sec. 31, T. 6 N., R. 18 W., E. 17 N., approximately 7 miles southwest of House, Arizona. The survey of these lodes are identical with the respective lodes locations as marked on the ground.

EXEMPTIONS
 The improvements and the value of the labor and improvements made hereon for the benefit of each of the lode locations are as follows: said mining claims by the claimant or her grantors are as follows:
 Open pit on the Lillian No. 1 lode, the center of which bears S. 12° E., 125 ft. from Cor. No. 1 Lillian No. 1 lode, roughly 100 ft. in radius and 10 ft. deep. The discovery point is in and near the southeast side of this pit, on the lone line, 33 ft. from a point on line A-1, 500 ft. from Cor. No. 1.
 Value of pit, \$5,000.00
 Value of the interest, \$33.33

Survey No. 4395

- | | |
|-------|--|
| No. 1 | The discovery point of the Lillian No. 2 lode, is on the lode line 294 ft. from a point on line 3-4, 300 ft. from Cor. No. 3.
No value. |
| No. 2 | A tunnel, the portal of which bears S. 42° E., 170 ft. from Cor. No. 3 Lillian No. 2 lode, bearing S. 10° W., 6 x 6 ft. and 50 ft. long.
Value of tunnel, \$1,500.00
Value of 1/6 interest 250.00 |
| No. 3 | A tunnel, the portal of which bears S. 38° E., 190 ft. from Cor. No. 3 Lillian No. 2 lode, bearing E., 4 x 6 ft., and 30 ft. long.
Value of tunnel \$900.00
Value of 1/6 interest 150.00 |
| No. 4 | A tunnel, the portal of which bears S. 23° E., 315 ft. from Cor. No. 3 Lillian No. 2 lode, bearing S. 63° E., 4 x 6 ft., and 200 ft. long.
Value of tunnel \$6000.00
Value of 1/6 interest 1000.00 |
| No. 5 | A stope, bearing S. 29° E., 575 ft. from Cor. No. 3 Lillian No. 2 lode, 10 ft. x 20 ft. x 20 ft.
Value of stope \$700.00
Value of 1/6 interest 116.66 |

This improvement work is in course of construction for the development of these claims and also Lillian No. 4, Lillian No. 5, and Lillian No. 6 lodes, unsurveyed, which are contiguous claims owned in common within the range of benefit of said improvements. It appears that the extension of these improvements with necessary laterals and additional open pitting, affords the most economical and practical means of developing each of the stated lodes at depth.

SUPPLEMENTAL DATA

The Lillian No. 1 and Lillian No. 2 lodes run along a ridge which is highly mineralized.

The Lillian No. 3 lode runs northwesterly along a series of ridges and breaks which taper off at their northern extremity. The rest of the country is relatively flat except where mounds or draws have been weathered away.

FIELD ASSISTANTS

C. Plumb	Transitman
R. Nielsen	Rodman
M. Greener	Rodman

Survey No. 1332

No. 1	The discovery point of the lillian No. 2 lode, is on the ledge line No. 1 from a point on line 3-4, 300 ft. from the No. 2 lode.	No value.
No. 2	A tunnel, the portal of which bears S. 15° E., 120 ft. from the No. 2 lillian No. 2 lode, bearing S. 10° E., 100 ft. and 50 ft. long.	Value of tunnel, \$1,000.00 Value of 1% interest, \$50.00
No. 3	A tunnel, the portal of which bears S. 38° E., 120 ft. from the No. 2 lillian No. 2 lode, bearing S. 10° E., 100 ft. and 50 ft. long.	Value of tunnel, \$500.00 Value of 1% interest, \$25.00
No. 4	A tunnel, the portal of which bears S. 35° E., 120 ft. from the No. 2 lillian No. 2 lode, bearing S. 10° E., 100 ft. and 50 ft. long.	Value of tunnel, \$500.00 Value of 1% interest, \$25.00
No. 5	A shaft, bearing S. 25° E., 250 ft. from the No. 2 lillian No. 2 lode, No. 2 lode, bearing S. 20° E., 200 ft.	Value of shaft, \$500.00 Value of 1% interest, \$25.00

This improvement work is in course of construction for the development of these claims and also lillian No. 2 lode and lillian No. 2 lode, which are contiguous claims owned in common within the range of benefit of said lode claims. It is to be noted that the extension of these improvements will necessarily involve the additional cost of labor and material and the practical means of developing each of the lodes at depth.

SUPPLEMENTARY DATA

The lillian No. 1 and lillian No. 2 lodes run along a ledge which is highly mineralized.

The lillian No. 2 lode runs northwesterly along a series of ridges and benches which taper off at their northern extremity. The rest of the country is relatively flat except where sand or gravel have been weathered away.

FIELD ASSISTANTS

- G. L. Linn
- R. W. Linn
- A. O. Linn
- L. Linn
- L. Linn
- L. Linn

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

January 21, 1955

I, Roger W. Sheridan

Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the Office
Cadastral Engineer, at Phoenix, Arizona

dated 28 December, 1954, I have faithfully and correctly executed the survey of
the mining claim of Lillian R. Flaxman

known as the Lillian No. 1, Lillian No. 2, Lillian No. 3 lodes
(Lode, placer, or mill) Secs. 25 and 36,

situate in Plomosa Mining District, Yuma County, Sec. 31

T. 6 N. R. 18 W.

T. 6 N. R. 17 W.

G & S R

Meridian, Arizona

(State)

designated as Survey No. 4395, which is represented in the foregoing field notes as having been
executed by me and under my direction, and that said survey has been made in strict conformity with said order,
the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner
described in the foregoing field notes, and I do further certify that the labor expended and improvements made

upon or for the benefit of the above lode location(s) embraced in the said mining claim by
(Lode or placer)

claimant(s) or _____ grantors are fully stated in my report therein, and that the character,
extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no
portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Salt Lake City, Utah
(Place)

Roger W. Sheridan
(Mineral Surveyor)

CERTIFICATE OF APPROVAL

Survey Office

(Office)

Phoenix, Arizona
(Place)

May 27, 1955
(Date)

The foregoing field notes of mineral survey No. 4395, in
Sections 25 and 36 T. 6 N., R. 18 W.,
Section 31 T. 6 N., R. 17 W., G. & S. R. Meridian,
Arizona, executed by Roger W. Sheridan, Mineral Surveyor,
(State)

under order dated December 28, 1954, having been critically examined and the necessary
corrections made prior to their certification by the surveyor, the field notes and the survey therein described
are hereby approved.

Everett H. Kimmell
Everett H. Kimmell

Office Cadastral Engineer
(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. _____
is a true copy of the original field notes.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

January 21, 1933

Roger W. Blanton

Office

Phoenix, Arizona

I have faithfully and correctly executed the survey of

the mining claim of William J. Tamm

located in Section 23, T12N, R10E, Yuma County, Arizona

according to the original plat filed in the office of the

Surveyor General for the Territory of Arizona, and

which is represented in the foregoing field notes as having been
examined by me and in the presence of the said surveyor and other
persons named in the field notes, and in the presence of the
Mineral Surveyor of the Territory of Arizona, and in the presence of
described in the foregoing field notes, and I do hereby certify that the

copy of the field notes of the above claim

is a true and correct copy of the original field notes, and that the
same have been examined and approved by me, and that the character
of the same is such as to warrant me in certifying to the same as
being a true and correct copy of the original field notes, and that no
portion of the same has been included in the certificate of approval
of the Surveyor General for the Territory of Arizona.

[Signature]
Surveyor

Robert W. Blanton
Surveyor

CERTIFICATE OF APPROVAL

Survey Class

Section 23, T12N, R10E, Yuma County, Arizona

The foregoing field notes of William J. Tamm
located in Section 23, T12N, R10E, Yuma County, Arizona
are hereby approved by me, and I do hereby certify that the

same are a true and correct copy of the original field notes, and that

no portion of the same has been included in the certificate of approval
of the Surveyor General for the Territory of Arizona.

[Signature]
Surveyor

CERTIFICATE OF TRANSCRIPT

I certify that the foregoing transcript of field notes of the above claim is a true and correct copy of the original field notes.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 4395
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The LILLIAN NO. 1, LILLIAN NO. 2 and LILLIAN NO. 3 lodes, Mineral Survey No. 4395, located in sections 30 and 31, Township 6 North, Range 17 West, and sections 25 and 30, Township 6 North, Range 18 West, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"LILLIAN NO. 1, LILLIAN NO. 2 and LILLIAN NO. 3 lodes, M.S. 4395, were canceled April 2, 2002, by memo 9605 (956) M.S. 4395, which is now a part of the original field notes."

April 2, 2002
Date



Chief Cadastral Surveyor of Arizona

