

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4401

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

R. B. SAWYER

Known As The

Ajo Peak Nos. 1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 21, 22, 23, and 39,
and Aho Peak No. 20 lode claims, AJO Mining District,

Pima County, Arizona

Sections 28, 29, 32 & 33, Township 12 South, Range 6 West, G. & S. R. Mer.

Surveyed under order dated January 4, 1956

by T. N. Stevens
Mineral Surveyor.

Claim located October 5, 1955

Survey commenced January 16, 1956

Survey completed February 20, 1957

Address of claimant's attorneys, Hall, Catlin & Molloy,
Suite 1010-1013 Valley National Building, Tucson, Arizona

DATES OF AMENDED LOCATIONS

Ajo Peak Nos. 1, 2, and 4, November 22, 1955

Ajo Peak Nos. 5 to 13, November 23, 1955

Aho Peak No. 20, Ajo Peak Nos. 21, 22, and 23, November 25, 1955

Ajo Peak No. 39, November 28, 1955

THE UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY
RESEARCH REPORT NO. 1000

1955

RESEARCH REPORT NO. 1000

1955

.....

.....

SURVEY NO. 4401

CHAINS

This survey was made with a C.L. Berger & Son transit with horizontal limb 6 1/4 ins. diam., with vertical circle 5 ins. diam., each having two opposite verniers; the verniers read to one minute of arc.

The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observation.

Friday, February 3, 1956, at Cor. No. 2 Ajo Peak No. 2 lode, in latitude 32°20'42" and longitude 112°53'23" W., I made a series of observations upon the sun for azimuth at approximately equal time intervals. Three each with the telescope in direct and reversed positions, bisecting the sun and reading the horizontal angle counterclockwise to the sun.

- Mean time of observation, 105th meridian standard time = 10^h36^m a.m.
- Declination of the sun at mean time of observation = 16°39'57" S.
- Mean observed vertical angle to sun's center = 32°37'00"
- Mean horizontal angle from reference point = 152°46'
- True bearing to reference point = N.63°21'40" W.

The lines were measured with a Keuffel & Esser steel tape 300 feet in length, the first foot graduated to tenths and hundredths; and a 100 foot Lufkin steel tape, graduated to feet, tenths and hundredths; both tapes were compared with a standard and were correct at the time of the survey.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of this survey gave a uniform value of 13°45' E.

Feet

AJO PEAK NO. 1 LODE

At Cor. No. 1 Ajo Peak No. 1 lode.

Set an iron post, 3 1/2 ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap marked USMS 4401, 1-AP 1; from which

The Cor. of Secs. 28, 29, 32 and 33, T. 12 S., R. 6 W., G. & S.R. Mer., bears S. 37°27'15" E., 711.44 ft. dist.; an iron post, 2 ins. diam., showing 12 ins. above the ground, firmly set, with brass cap marked as described in the official records.

USLM No. 1085 bears N. 62°49'47" E., 2995.25 ft. dist.; a limestone 10x12x10 ins., above the ground, firmly set, marked and witnessed as described in the official record.

A palo verde, 8 ins. diam., bears N. 82°38' E., 12.0 ft. dist., mkd. 1-AP 1-4401 BT.

No other bearing objects available.

Thence N. 26°38'20" E.

300.0

Lode line; discovery point bears S. 63°21'40" E., 1490.0 ft. dist.

Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground, and surrounded by a mound of stone, mkd. W. Ctr. AP 1.

560.0	Wash, 3 ft. wide, course westerly.
575.0	Intersect the westerly end line of the unsurveyed Independence No. 3 lode at a point from which the SW. cor. bears S. 24°34'50" W., 30.61 ft. dist., and the NW. cor. bears N. 24°34'50" E., 566.39 ft. dist.
600.0	Cor. No. 2. Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground and surrounded by a mound of stone to top, with leaden cap marked USMS 4401, 2-AP 1; from which An ironwood, 3 ins. diam., bears S. 65°08' W., 28.3 ft. dist. The SW. cor. of unsurveyed Independence No. 3 lode, bears S. 25°30'20" W., 55.62 ft. dist., W. Zitlau claimant. No other bearing objects available. Thence S. 63°21'40" E.
355.0	Foot of conglomerate outcrop, ascend.
446.0	Top of outcrop, descend.
530.0	Foot of outcrop.
1350.0	Road, bears northeasterly and southwesterly.
1500.0	Cor. No. 3, identical with Cor. No. 4 Ajo Peak No. 2 lode of this survey, and SE. cor. of the unsurveyed Independence No. 3 lode. Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap marked USMS 4401, 3-AP 1, 4-AP 2; from which The south end center of the Cardigan lode, Sur. No. 1085, bears N. 24°34'50" E., 598.80 ft. dist.; an iron post, 2 ins. diam., 4 ft. long, set in mound of stone, marked S End Ctr. Cardigan. SW. cor. of the unsurveyed Independence No. 3 lode, bears N. 65°29'09" W., 1499.93 ft. dist. No other bearing objects available. Thence S. 26°38'20" W.
200.0	Wash, 3 ft. wide, course southerly.
300.0	Lode line; discovery point, bears N. 63°21'40" W., 10 ft. dist. Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground, and surrounded by a mound of stone, marked E. Ctr. AP 1, W. Ctr. AP 2.
363.0	Road, bears northerly and southerly.
443.0	Road, bears easterly and westerly.
575.0	Wash, 25 ft. wide, course southeasterly.

SURVEY NO. 4401

Chains Feet	
600.0	Cor. No. 4, identical with Cor. No. 3 Ajo Peak No. 2 and Cor. No. 4 Ajo Peak No. 4 lodes of this survey. Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. USMS 4401, 4-AP 1, 3-AP 2, 4-AP 4. No bearing objects available. Thence N. $63^{\circ}21'40''$ W.
455.0	Road, bears easterly and westerly.
1491.0	Wash, 8 ft. wide, course southeasterly.
1500.0	Cor. No. 1, and place of beginning.
AJO PEAK NO. 2 LODE	
	At Cor. No. 1 of the Ajo Peak No. 2 lode Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. USMS 4401, 1-AP 2; from which The $\frac{1}{4}$ sec. cor. of Secs. 28 and 33, T. 12 S., R. 6 W., bears N. $25^{\circ}41'20''$ E., 275.65 ft. dist.; an iron post, 1 in. diam., showing 12 ins. above the ground, firmly set and with brass cap marked as described in the official record. An iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., marked SE Cor. Ind. No. 4, bears S. $63^{\circ}21'40''$ E., 2 ft. dist. No other bearing objects available. Thence S. $26^{\circ}38'20''$ W.
80.0	Wash, 4 ft. wide, course southeasterly.
165.0	Wash, 25 ft. wide, course easterly.
222.0	Road, bears easterly and westerly.
300.0	Lode line; discovery point bears N. $63^{\circ}21'40''$ W., 1490.0 ft. dist. Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground, and surrounded by a mound of stone, marked E. Ctr. AP 2.
405.0	Road, bears westerly and northeasterly.
600.0	Cor. No. 2, identical with Cor. No. 1 Ajo Peak No. 4 lode of this survey. Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground, and surrounded by a mound of stone to top, with leaden cap marked USMS 4401, 2-AP 2, 1-AP 4; from which A mesquite, 4 ins. diam., bears N. $21^{\circ}03'$ W., 56.0 ft. dist., mkd. 4401, 2-AP 2 BT. A palo verde, 6 ins. diam., bears S. $36^{\circ}18'$ W., 55.0 ft. dist. mkd. 4401, 1-AP 4 BT.

SURVEY NO. 4401

Distance Feet		
	Thence N. 63°21'40" W.	
300.0	Road, bears northeasterly and southwesterly.	0.000
360.0	Wash, 25 ft. wide, course northeasterly.	
1125.0	Wash, 25 ft. wide, course southeasterly.	
1410.0	Wash, 25 ft. wide, course easterly.	
1475.0	Wash, 25 ft. wide, course southeasterly.	
1500.0	Cor. No. 3, identical with Cor. No. 4 Ajo Peak No. 1 lode, and Cor. No. 4 Ajo Peak No. 4 lode of this survey.	
	Thence N. 26°38'20" E.	
25.0	Wash, 25 ft. wide, course southeasterly.	0.000
157.0	Road, bears easterly and westerly.	
237.0	Road, bears northerly and southerly.	
300.0	Lode line; discovery point bears S. 63°21'40" E., 10 ft. dist.	
400.0	Wash, 3 ft. wide, course southerly.	
600.0	Cor. No. 4, identical with Cor. No. 3 Ajo Peak No. 1 lode of this survey.	
	Thence S. 63°21'40" E.	
105.0	Road, bears northwesterly and southeasterly.	
350.0	Wash, 3 ft. wide, course southeasterly.	
1250.0	Wash, 3 ft. wide, course easterly.	
1300.0	Wash, 4 ft. wide, course southeasterly.	
1500.0	Cor. No. 1 and place of beginning.	0.000
AJO PEAK NO. 4 LODE		
	Beginning at Cor. No. 1 Ajo Peak No. 4 lode, identical with Cor. No. 2 Ajo Peak No. 2 lode of this survey, from which	
	The $\frac{1}{4}$ Sec. Cor. of Secs. 28 and 33, bears N. 26°20'24" E., 875.63 ft. dist., heretofore described.	
	Thence S. 26°38'20" W.	
300.0	Lode line; discovery point bears N. 63°21'40" W., 1490.0 ft. dist.	
	Set a palo verde post, 4 ins. diam., 3 ft. long, firmly in the ground; and surrounded by a mound of stone, mkd. E. Ctr. AP 4.	
600.0	Cor. No. 2, identical with Cor. No. 1 Ajo Peak No. 20 lode and Cor. No. 4 Ajo Peak No. 6 lode of this survey.	
	Set an iron post, 3 $\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground, and surrounded by a mound of stone to top, with leaden cap mkd. USMS 4401, 2-AP 4; 1-AP 20; 4-AP 6.	

SURVEY NO. 4401

5

Chains		
	No bearing objects available.	
	Thence N. $63^{\circ}21'40''$ W.	
750.0	Road, bears northeasterly and southwesterly.	
1500.0	Cor. No. 3, identical with Cor. No. 1 Ajo Peak No. 6 lode and Cor. No. 4 Ajo Peak No. 5 lode of this survey.	
	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground, and surrounded by a mound of stone to top, with leaden cap marked USMS 4401, 3-AP 4, 1-AP 6, 4-AP 5; from which	
	A palo verde, 6 ins. diam., bears N. $38^{\circ}03'15''$ E., 11.0 ft. dist., mkd. 4401, 3-AP 4 BT.	
	No other bearing objects available.	
	Thence N. $26^{\circ}38'20''$ E.	
80.0	Wash, 4 ft. wide, course northeasterly.	
275.0	Wash, 4 ft. wide, course northerly.	
300.0	Lode line; discovery point bears S. $63^{\circ}21'40''$ E., 10.0 ft. dist. Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground, and surrounded by a mound of stone, mkd. W. Ctr. AP 4.	
400.0	Wash, 4 ft. wide, course northeasterly.	
600.0	Cor. No. 4, identical with Cor. No. 4 Ajo Peak No. 1 lode and Cor. No. 3 Ajo Peak No. 2 lode of this survey.	
	Thence S. $63^{\circ}21'40''$ E.	
25.0	Wash, 25 ft. wide, course southeasterly.	
90.00	Wash, 25 ft. wide, course easterly.	
375.0	Wash, 25 ft. wide, course southeasterly.	
1140.0	Wash, 25 ft. wide, course northeasterly.	
1200.0	Road, bears northeasterly and southwesterly.	
1500.0	Cor. No. 1 and place of beginning.	
	Thence N. $63^{\circ}21'40''$ W.	
	AJO PEAK NO. 5 LODE	
	At Cor. No. 1 of the Ajo Peak No. 5 lode.	
	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground, and surrounded by a mound of stone to top, with leaden cap mkd. USMS 4401, 1-AP 5; from which	
	The Cor. of Secs. 28, 29, 32, and 33, bears S. $87^{\circ}40'40''$ E., 702.25 ft. dist., heretofore described.	
	A palo verde, 10 ins. diam., bears S. $12^{\circ}22'15''$ W., 71.0 ft. dist., mkd. 4401, 1-AP 5 BT.	
	Thence S. $26^{\circ}38'20''$ W.	

7

SURVEY NO. 4401

6

Chains	Feet	
	210.0	Wash, 4 ft. wide, course northeasterly.
	300.0	Lode line; discovery point bears S. $63^{\circ}21'40''$ E., 1490.0 ft. dist. Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground, and surrounded by a mound of stone, mkd. 4401, W. Ctr. AP 5.
	600.0	Cor. No. 2, identical with Cor. No. 3 Ajo Peak No. 7 and Cor. No. 4 Ajo Peak No. 39 lodes of this survey. Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground, and surrounded by a mound of stone to top, with leaden cap mkd. USMS 4401, 2-AP 5, 3-AP 7, 4-AP 39. No bearing objects available. Thence S. $63^{\circ}21'40''$ E.
	210.0	Wash, 4 ft. wide, course northeasterly.
	1500.0	Cor. No. 3, identical with Cor. Nos. 2, 2, and 2 of Ajo Peak Nos. 6, 7 and 8 lodes respectively, of this survey. Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground, and surrounded by a mound of stone to top, with leaden cap mkd. USMS 4401, 3-AP 5, 2-AP 6, 2-AP 7, 2-AP 8; from which A granite stone 4x3x3 ft. above the ground, bears N. $89^{\circ}03'$ W., 41.5 ft. dist., mkd. 4401, 2 AP 7 BR. A palo verde, 6 ins. diam., bears S. $45^{\circ}45'$ E., 58.5 ft. dist., mkd. 4401, 2-AP 8 BT. No other bearing objects available. Thence N. $26^{\circ}38'20''$ E.
	300.0	Lode line; discovery point bears N. $63^{\circ}21'40''$ W., 10.0 ft. dist. Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground, and surrounded by a mound of stone, mkd. E. Gtr. AP 5, W. Ctr. AP 6.
	600.0	Cor. No. 4, identical with Cor. No. 3 Ajo Peak No. 4 lode and Cor. No. 1 Ajo Peak No. 6 lode of this survey. Thence N. $63^{\circ}21'40''$ W.
	1500.0	Cor. No. 1 and place of beginning. AJ0 PEAK NO. 6 LODE Beginning at Cor. No. 1 Ajo Peak No. 6 lode, identical with Cor. No. 3 Ajo Peak No. 4 lode and Cor. No. 4 Ajo Peak No. 5 lode of this survey; from which The cor. of Secs. 28, 29, 32, and 33, bears N. $44^{\circ}46'38''$ W., 907.38 ft. dist., previously described. Thence S. $26^{\circ}38'20''$ W.

SURVEY NO. 4401

7

Chains Feet	
300.0	Lode line; discovery point bears S. 63°21'40" E., 10.0 ft. dist.
600.0	Cor. No. 2, identical with Cor. Nos. 3, 2, and 2 of the Ajo Peak Nos. 5, 7, and 8 lodes respectively, of this survey. Thence S. 63°21'40" E.
586.0	Road, bears northeasterly and southwesterly.
1500.0	Cor. No. 3, identical with Cor. No. 3 Ajo Peak No. 8 lode, Cor. No. 2 Ajo Peak No. 21 lode and Cor. No. 2 Aho Peak No. 20 lode of this survey. Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground, and surrounded by a mound of stone to top, with leaden cap marked 3-AP 6, 3-AP 8, 2-AP 21, 2-AP 20 -USMS 4401; from which A palo verde, 6 ins. diam., bears S. 10°32' E., 62.0 ft. dist., mkd. 2 AP 21- 4401 BT. Thence N. 26°38'20" E.
300.0	Lode line; discovery point bears N. 63°21'40" W., 1190.0 ft. dist. Set a palo verde post, 4 ins. diam., 3 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. E. Ctr. AP 6, W. Ctr. AP 20.
325.0	Wash, 8 ft. wide, course easterly.
600.0	Cor. No. 4, identical with Cor. No. 2 Ajo Peak No. 4 lode and Cor. No. 1 Aho Peak No. 20 lode of this survey. Thence N. 63°21'40" W.
750.0	Road, bears northeasterly and southwesterly.
1500.0	Cor. No. 1 and place of beginning.
AJO PEAK NO. 7 LODE	
At Cor. No. 1 of the Ajo Peak No. 7 lode, identical with Cor. Nos. 1, 2, and 2 of the Ajo Peak Nos. 8, 9, and 10 lodes respectively, of this survey. Thence S. 63°21'40" E.	
Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. 1-AP 7, 1-AP 8, 2-AP 9, 2-AP 10 - USMS 4401; from which	
A palo verde, 5 ins. diam., bears N. 50°40' E., 39.2 ft. dist., mkd. 1-AP 7 -4401 BT.	
An ironwood, 4 ins. diam., bears S. 26°42' E., 20.4 ft. dist., mkd. 2-AP 10 -4401 BT.	
The ¼ sec. cor. of Secs. 32 and 33, T. 12 S., R. 6 W., bears S. 6°13'34" W., 926.95 ft. dist., an iron post, 1 in. diam., showing 12 ins. above the ground, firmly set, and with brass cap marked as described in the official record. Thence N. 26°38'20" E.	

SURVEY NO. 4401

80.0	Road, bears easterly and westerly.
300.0	Lode line; discovery point bears N. 63°21'40" W., 10.0 ft. dist. Set a palo verde post, 3 ins. diam., 3 ft. long; firmly in the ground and surrounded by a mound of stone, mkd. E. Ctr. AP 7, W. Ctr. AP 8.
600.0	Cor. No. 2, identical with Cor. Nos. 3, 2, and 2 of the Ajo Peak Nos. 5, 6, and 8 lodes respectively, of this survey. Thence N. 63°21'40" W.
1290.0	Wash, 4 ft. wide, course northeasterly.
1500.0	Cor. No. 3, identical with Cor. No. 2 Ajo Peak No. 5 lode and Cor. No. 4 Ajo Peak No. 39 lode of this survey. Thence S. 26°38'20" W.
150.0	Wash, 4 ft. wide, course northeasterly.
300.0	Lode line, discovery point bears S. 63°21'40" E., 1490.0 ft. dist. Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. W. Ctr. AP 7, E. Ctr. AP 39.
600.0	Cor. No. 4, identical with Cor. No. 3 Ajo Peak No. 9 lode and Cor. No. 3 Ajo Peak No. 39 lode of this survey. Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. 4-AP 7, 3-AP 9, 3-AP 39. - USMS 4401. No bearing objects available. Thence S. 63°21'40" E.
1500.0	Cor. No. 1 and place of beginning.

AJO PEAK NO. 8 LODE

	Beginning at Cor. No. 1 of the Ajo Peak No. 8 lode, identical with Cor. Nos. 1, 2 and 2 of the Ajo Peak Nos. 7, 9 and 10 lodes, respectively, of this survey. Thence N. 26°38'20" E.
80.0	Road, bears easterly and westerly.
300.0	Lode line; discovery point bears S. 63°21'40" E., 10.0 ft. dist.
600.0	Cor. No. 2, identical with Cor. Nos. 3, 2 and 2 of the Ajo Peak Nos. 5, 6 and 7 lode respectively, of this survey. Thence S. 63°21'40" E.
586.0	Road, bears northeasterly and southwesterly.
1500.0	Cor. No. 3, identical with Cor. No. 3 Ajo Peak No. 6 lode, Cor. No. 2 Ajo Peak No. 20 lode and Cor. No. 2 Ajo Peak No. 21 lode of this survey. Thence N. 26°38'20" E.

SURVEY NO. 4401

9

CHAINS Feet	
	Thence S. $26^{\circ}38'20''$ W.
68.0	Wash, 5 ft. wide, course easterly.
300.0	Lode line; discovery point bears N. $63^{\circ}21'40''$ W., 1490.0 ft. dist. Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. E. Ctr. AP 8, W. Ctr. AP 21.
359.0	Road, bears northwesterly and southeasterly.
600.0	Cor. No. 4, identical with Cor. Nos. 3, 1, and 2 of the Ajo Peak Nos. 10, 21, and 22 lodes respectively, of this survey. Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. 4-AP 8, 3-AP 10, 1-AP 21, 2-AP 22 - USMS 4401. No bearing objects available.
	Thence N. $63^{\circ}21'40''$ W.
1300.0	Road, bears northeasterly and southwesterly.
1460.0	Wash, 2 ft. wide, course easterly.
1500.0	Cor. No. 1 and place of beginning.

AJO PEAK NO. 9 LODE

	Beginning at Cor. No. 1 of the Ajo Peak No. 9 lode, identical with Cor. Nos. 1, 1, and 1 of the Ajo Peak Nos. 10, 11, and 12 lodes respectively, of this survey.
	Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. 1-AP 9, 1-AP 10, 1-AP 11, 1 AP-12 - USMS 4401; from which A palo verde, 6 ins. diam., bears N. $66^{\circ}57'$ W., 12 ft. dist., mkd. 1-AP 11 -4401 BT. The $\frac{1}{4}$ sec. cor. of Secs. 32 and 33, bears S. $23^{\circ}37'40''$ E., 420.39 ft. dist., heretofore described. No other bearing objects available.
	Thence N. $26^{\circ}38'20''$ E.
27.0	Road, bears easterly and westerly.
300.0	Lode line; discovery point bears N. $63^{\circ}21'40''$ W., 10 ft. dist. Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. E. Ctr. AP 9, W. Ctr. AP 10.
524.0	Wash, 2 ft. wide, course easterly.
600.0	Cor. No. 2, identical with Cor. Nos. 1, 1, and 2 of the Ajo Peak Nos. 7, 8, and 10 lodes respectively, of this survey. Thence N. $63^{\circ}21'40''$ W.

11

SURVEY NO. 4401

10

Feet	
1500.0	Cor. No. 3, identical with Cor. No. 4 Ajo Peak No. 7 lode and Cor. No. 3 Ajo Peak No. 39 lode of this survey. Thence S. 26°38'20" W.
289.0	Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground, surrounded by a mound of stone, for witness corner lode line, mkd. WC W. Ctr. AP 9.
300.0	Lode line; discovery point bears S. 63°21'40" E., 1490.0 ft. dist. This corner falls on a rock slide where a permanent monument cannot be established.
600.0	Cor. No. 4, identical with Cor. No. 4 Ajo Peak No. 11 lode of this survey. Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. 4-AP 9, 4-AP 11 - USMS 4401, from which A palo verde, 4 ins. diam., bears N. 18°35' W., 36.4 ft. dist. A palo verde, 6 ins. diam., bears S. 6°17' E., 54.0 ft. dist., mkd. 4-AP 11 - 4401-BT. No bearing objects available. Thence S. 63°21'40" E.
1235.0	Road, bears westerly and southeasterly.
1500.0	Cor. No. 1 and place of beginning.
	AJO PEAK NO. 10 LODE Beginning at Cor. No. 1 of the Ajo Peak No. 10 lode; identical with Cor. Nos. 1, 1, and 1 of the Ajo Peak Nos. 9, 11, and 12 lodes respectively, of this survey. Thence N. 26°38'20" E.
27.0	Road, bears northwesterly and easterly, turning NE.
300.0	Lode line; discovery point bears S. 63°21'40" E., 10.0 ft. dist.
524.0	Wash, 2 ft. wide, course easterly.
600.0	Cor. No. 2, identical with Cor. Nos. 1, 1, and 2 of the Ajo Peak Nos. 7, 8, and 9 lodes respectively, of this survey. Thence S. 63°21'40" E.
40.0	Wash, 2 ft. wide; course easterly.
200.0	Road, bears northeasterly and southwesterly.
1500.0	Cor. No. 3, identical with Cor. Nos. 4, 1, and 2 of the Ajo Peak Nos. 8, 21, and 22 lodes respectively, of this survey. Thence S. 26°38'20" W.

SURVEY NO. 4401

300.0	<p>Lode line; discovery point bears N. 63°21'40" W., 1490.0 ft. dist.</p> <p>Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground and surrounded by a mound of stone, marked E. Ctr. AP 10, W. Ctr. AP 22.</p>
330.0	<p>Wash, 8 ft., wide, course southeasterly.</p>
452.0	<p>Wash, 10 ft. wide, course southeasterly.</p>
600.0	<p>Cor. No. 4, identical with Cor. Nos. 4, 1 and 1 of the Ajo Peak Nos. 12, 22 and 23 lodes respectively, of this survey.</p> <p>Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. 4-AP 10, 4-AP 12, 1-AP 22, 1-AP 23 - USMS 4401; from which</p> <p>A palo verde, 6 ins. diam., bears N. 3°47' W., 25.3 ft. dist. mkd. 4 AP 10 - 4401 FT.</p> <p>No other bearing objects available.</p>
Thence N. 63°21'40" W.	
1500.0	<p>Cor. No. 1 and place of beginning.</p>
AJO PEAK NO. 11 LODE	
<p>Beginning at Cor. No. 1 of the Ajo Peak No. 11 lode, identical with Cor. Nos. 1, 1, and 1 of the Ajo Peak Nos. 9, 10, and 12 lodes respectively, of this survey.</p>	
Thence S. 26°38'20" W.	
71.0	<p>Shaft, 10.0 ft. long, 6.0 ft. wide, and 8.0 ft. deep.</p>
300.0	<p>Lode line; discovery point bears N. 63°21'40" W., 10.0 ft. dist.</p> <p>Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. E. Ctr. AP 11, W. Ctr. AP 12.</p>
350.0	<p>Wash, 3 ft. wide, course easterly.</p>
600.0	<p>Cor. No. 2, identical with Cor. No. 2 Ajo Peak No. 12 lode and Cor. No. 1 Ajo Peak No. 13 lode of this survey.</p> <p>Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. 2-AP 11, 2-AP 12, 1-AP 13 - USMS 4401.</p> <p>No bearing objects available.</p>
Thence N. 63°21'40" W.	
1140.0	<p>Road, bears easterly and westerly.</p>
1500.0	<p>Cor. No. 3, identical with Cor. No. 4 Ajo Peak No. 13 lode of this survey.</p> <p>Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. 3-AP 11, 4-AP 13 - USMS 4401; from which</p>

<p>0.0 Feet</p>	<p>A palo verde, 6 ins. diam., bears S. 61°22' E., 26.0 ft. dist. mkd. 4-AP 19-4401.BT.</p>
	<p>No other bearing objects available. Thence N. 26°38'20" E.</p>
<p>300.0</p>	<p>Lode line; discovery point bears S. 63°21'40" E., 1490.0 ft. dist.</p>
	<p>Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. W. Ctr. AP 11.</p>
<p>600.0</p>	<p>Cor. No. 4, identical with Cor. No. 4 Ajo Peak No. 9 lode of this survey.</p>
	<p>Thence S. 63°21'40" E.</p>
<p>1235.0</p>	<p>Road, bears westerly and southeasterly.</p>
<p>1500.0</p>	<p>Cor. No. 1 and place of beginning.</p>
<p style="text-align: center;">. . . AJO PEAK NO. 12 LODE</p>	
<p>Beginning at Cor. No. 1 of the Ajo Peak No. 12 lode, identical with Cor. Nos. 1, 1, and 1 of the Ajo Peak Nos. 9, 10, and 11 lodes respectively of this survey.</p>	
<p style="text-align: center;">Thence S. 26°38'20" W.</p>	
<p>71.0</p>	<p>Shaft, 10 ft. long, 6 ft. wide and 8 ft. deep.</p>
<p>300.0</p>	<p>Lode line; discovery point bears S. 63°21'40" E., 10 ft. dist.</p>
<p>350.0</p>	<p>Wash, 3 ft. wide, course easterly.</p>
<p>600.0</p>	<p>Cor. No. 2, identical with Cor. No. 2 Ajo Peak No. 11 lode and Cor. No. 1 Ajo Peak No. 13 lode of this survey.</p>
	<p>Thence S. 63°21'40" E.</p>
<p>1500.0</p>	<p>Cor. No. 3, identical with Cor. No. 2 Ajo Peak No. 23 lode of this survey.</p>
<p>Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. 3-AP 12, 2-AP 23 - USMS 4401, from which</p>	
<p>A palo verde, 4 ins. diam., bears N. 52°07' W., 36.0 ft. dist., mkd. 3-AP 12 - 4401.BT.</p>	
<p>No other bearing objects available.</p>	
<p style="text-align: center;">Thence N. 26°38'20" E.</p>	
<p>210.0</p>	<p>Wash, 5 ft. wide, course southeasterly.</p>
<p>300.0</p>	<p>Lode line; discovery point bears N. 63°21'40" W., 1490.0 ft. dist.</p>
<p>Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. E. Ctr. AP 12, W. Ctr. AP 23.</p>	

SURVEY NO. 4401

13

Chain Feet		Chain Feet
600.0	Cor. No. 4, identical with Cor. Nos. 4, 1 and 1 of the Ajo Peak Nos. 10, 22 and 23 lodes, respectively, of this survey.	
1500.0	Thence N. 63°21'40" W. Cor. No. 1 and place of beginning.	
	AJQ PEAK NO. 13 LODE	
	Beginning at Cor. No. 1 of the Ajo Peak No. 13 lode, identical with Cor. No. 2 Ajo Peak No. 11 lode and Cor. No. 2 Ajo Peak No. 12 lode of this survey.	
	The $\frac{1}{4}$ sec. cor. of secs. 32 and 33 bears N. 70°56'20" E., 462.89 ft. dist., heretofore described.	
	Thence S. 26°38'20" W.	
300.0	Lode line; discovery point bears N. 63°21'40" W., 10.0 ft. dist.	
	Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. E. Ctr. AP 13.	
600.0	Cor. No. 2	
	Set an iron post, 3 $\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone, with leaden cap mkd. 2-AP 13-USMS 4401.	
	No bearing objects available.	
	Thence N. 63°21'40" W.	
1500.0	Cor. No. 3	
	Set an iron post, 3 $\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. 3-AP 13-USMS 4401; from which	
	A palo verde, 4 ins. diam., bears N. 63°04' E., 43.0 ft. dist. mkd. 3-AP 13-4401.	
	No other bearing trees available.	
	Thence N. 26°38'20" E.	
300.0	Lode line; discovery point bears S. 63°21'40" E., 1490.0 ft. dist.	
	Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. W Ctr. AP 13.	
525.0	Road, bears northwesterly and southeasterly.	
600.0	Cor. No. 4, identical with Cor. No. 3 Ajo Peak No. 11 lode of this survey.	
	Thence S. 63°21'40" E.	
360.0	Road, bears easterly and westerly.	
1500.0	Cor. No. 1 and place of beginning.	

SURVEY NO. 4401

Chains Feet	
	<p>AHO PEAK NO. 20 LODE</p> <p>Beginning at Cor. No. 1 of the Aho Peak No. 20 lode, identical with Cor. No. 2 Ajo Peak No. 4 lode and Cor. No. 4 Ajo Peak No. 6 lode of this survey, heretofore described; from which</p> <p>The $\frac{1}{4}$ sec. cor. of Secs. 28 and 33, bears N. $26^{\circ}27'41''$ E., 1475.62 ft. dist., previously described.</p>
	<p>Thence S. $26^{\circ}38'20''$ W.</p>
275.0	Wash, 8 ft. wide, course easterly.
300.0	Lode line; discovery point bears S. $63^{\circ}21'40''$ E., 1490.0 ft. dist.
600.0	Cor. No. 2, identical with Cor. Nos. 3, 3, and 2 of the Ajo Peak Nos. 6, 8, and 21 lodes, respectively, of this survey.
	<p>Thence S. $63^{\circ}21'40''$ E.</p>
190.0	Wash, 5 ft. wide, course northeasterly.
1500.0	<p>Cor. No. 3, identical with Cor. No. 3 Ajo Peak No. 21 lode of this survey.</p> <p>Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap marked 3-AP 20, 3-AP 21-USMS 4401; from which</p> <p>An ironwood, 12 ins. diam., bears N. $42^{\circ}37'$ W., 82.0 ft. dist., mkd. 3-AP 20-4401 BT.</p> <p>A palo verde, 4 ins. diam., bears S. $67^{\circ}19'$ W., 95.0 ft. dist., mkd. 3-AP 21-4401 BT.</p> <p>Thence N. $26^{\circ}38'20''$ E.</p>
300.0	<p>Lode line; discovery point bears N. $63^{\circ}21'40''$ W., 10.0 ft. dist.</p> <p>Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. E. Ctr. AP 20.</p>
600.0	<p>Cor. No. 4.</p> <p>Set an iron post, $3\frac{1}{2}$ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. 4-AP 20-USMS 4401; from which</p> <p>A palo verde, 6 ins. diam., bears S. $75^{\circ}48'$ W., 48.0 ft. dist., mkd. 4-AP 20-4401 BT.</p> <p>No other bearing objects available.</p> <p>Thence N. $63^{\circ}21'40''$ W.</p>
600.0	Wash, 5 ft. wide, course northeasterly.
660.0	Wash, 12 ft. wide, course northeasterly.
1500.0	Cor. No. 1 and place of beginning.

Chains Feet	AJO PEAK NO. 21 LODE
	Beginning at Cor. No. 1 of the Ajo Peak No. 21 lode, identical with Cor. Nos. 4, 3, and 2 of the Ajo Peak Nos. 8, 10 and 22 respectively, of this survey; from which
	The $\frac{1}{4}$ sec. cor. of Secs. 32 and 33, bears S. $80^{\circ}12'08''$ W., 1462.65 ft. dist., heretofore described.
	Thence N. $26^{\circ}38'20''$ E.
241.0	Road, bears northwesterly and southeasterly.
300.0	Lode line; discovery point bears S. $63^{\circ}21'40''$ E., 1490.0 ft. dist.
532.0	Wash, 5 ft. wide, course easterly.
600.0	Cor. No. 2, identical with Cor. No. 2 Aho Peak No. 20 lode and Cor. Nos. 3 and 3 of the Ajo Peak Nos. 6 and 8 lodes respectively, of this survey. Thence S. $63^{\circ}21'40''$ E.
190.0	Wash, 5 ft. wide, course northeasterly.
1500.0	Cor. No. 3, identical with Cor. No. 3 Aho Peak No. 20 lode of this survey. Thence S. $26^{\circ}38'20''$ W.
300.0	Lode line; discovery point bears N. $63^{\circ}21'40''$ W., 10.0 ft. dist.
	Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. E. Ctr. AP 21.
415.0	Road, bears northwesterly and southeasterly.
507.0	Wash, 12 ft. wide, course southeasterly.
600.0	Cor. No. 4, identical with Cor. No. 3 Ajo Peak No. 22 lode of this survey.
	Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. 4-AP 21, 3-AP 22. - USMS 4401. No bearing objects available. Thence N. $63^{\circ}21'40''$ W.
908.0	Wash, 12 ft. wide, course northeasterly.
1500.0	Cor. No. 1 and place of beginning.
	AJO PEAK NO. 22 LODE
	Beginning at Cor. No. 1 of the Ajo Peak No. 22 lode, identical with Cor. Nos. 4, 4 and 1 of the Ajo Peak Nos. 10, 12 and 23 lodes respectively, of this survey; from which
	The $\frac{1}{4}$ sec. cor. of Secs. 32 and 33, bears N. $76^{\circ}13'28''$ W., 1207.0 ft. dist., heretofore described.

SURVEY NO. 4401

Chains Feet	
	Thence N. 26°38'20" E.
148.0	Wash, 10 ft. wide, course southeasterly.
270.0	Wash, 8 ft. wide, course southeasterly.
300.0	Lode line; discovery point bears S. 63°21'40" E., 1490.0 ft. dist.
600.0	Cor. No. 2, identical with Cor. Nos. 4, 3 and 1 of the Ajo Peak Nos. 8, 10 and 21 lodes respectively, of this survey.
	Thence S. 63°21'40" E.
592.0	Wash, 12 ft. wide, course northeasterly.
1500.0	Cor. No. 3, identical with Cor. No. 4 Ajo Peak No. 21 lode of this survey.
	Thence S. 26°38'20" W.
300.0	Lode line; discovery point bears N. 63°21'40" W., 10.0 ft. dist. Set a palo verde post, 3 ins. diam., 3 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. E. Ctr. AP 22.
600.0	Cor. No. 4, identical with Cor. No. 4 Ajo Peak No. 23 lode of this survey. Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. 4-AP 22, 4-AP 23 - USMS 4401; from which A palo verde, 6 ins. diam., bears S. 41°14' W., 26.5 ft. dist., mkd. 4-AP 23 - 4401 BT. No other bearing objects available.
1500.0	Cor. No. 1 and place of beginning.
AJO PEAK NO. 23 LODE	
	Beginning at Cor. No. 1 of the Ajo Peak No. 23 lode, identical with Cor. Nos. 4, 4, and 1 of the Ajo Peak Nos. 10, 12, and 22 lodes respectively, of this survey;
	Thence S. 26°38'20" W.
300.0	Lode line; discovery point bears S. 63°21'40" E., 1490.0 ft. dist.
390.0	Wash, 5 ft. wide, course southeasterly.
600.0	Cor. No. 2, identical with Cor. No. 3 Ajo Peak No. 12 lode of this survey.
	Thence S. 63°21'40" E.
272.0	Wash, 5 ft. wide, course southeasterly.
1500.0	Cor. No. 3. Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. 3-AP 23 - USMS 4401.

0.0	No bearing objects available.
300.0	Thence N. 26°38'20" E. Lode line; discovery point bears N. 63°21'40" W., 10.0 ft. dist. Set an ironwood post, 4 ins. diam., 4 ft. long, firmly in the ground and surrounded by a mound of stone, mkd. E. Ctr. AP 23.
600.0	Cor. No. 4, identical with Cor. No. 4 Ajo Peak No. 22 lode of this survey. Thence N. 63°21'40" W.
1500.0	Cor. No. 1 and place of beginning.
AJO PEAK NO. 39 LODE.	
5.0	At Cor. No. 1 of the Ajo Peak No. 39 lode Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. USMS 4401-1-AP 39; from which The ¼ sec. cor. of Secs. 29 and 32, T. 12 S., R. 6 W., bears S. 63°51'08" W., 369.76 ft. dist.; an iron post, 1 in. diam., showing 18 ins. above ground and in a mound of stone to top, with brass cap marked as described in the official record. A palo verde, 6 ins. diam., bears S. 38°52' E., 8.0 ft. dist., mkd. 1-4401 BT. Thence S. 26°38'20" W.
300.0	Gulch, 2 ft. wide, course northerly.
600.0	Lode line; discovery point bears S. 63°21'40" E., 1445.0 ft. dist. Set a palo verde post, 3 ins. diam., 4 ft. long, firmly in the ground, and surrounded by a mound of stone, mkd. W. Ctr. AP 39.
1500.0	Cor. No. 2 Set an iron post, 3½ ft. long, 2 ins. diam., 18 ins. in the ground and surrounded by a mound of stone to top, with leaden cap mkd. 2-AP 39 -USMS 4401; from which A palo verde, 6 ins. diam., bears N. 41°28' E., 28.3 ft. dist., mkd. 2-AP 39-4401 BT. Thence S. 63°21'40" E.
300.0	Cor. No. 3, identical with Cor. Nos. 4, and 3, Ajo Peak Nos. 7 and 9 lodes of this survey. Thence N. 26°38'20" E.
450.0	Lode line; discovery point bears N. 63°21'40" W., 55.0 ft. dist. Wash, 4 ft. wide, course northeasterly.
600.0	Cor. No. 4, identical with Cor. Nos. 2 and 3, Ajo Peak Nos. 5 and 7 lodes respectively, of this survey. Thence N. 63°21'40" W.
1500.0	Cor. No. 1 and place of beginning.

Claims	AREAS	Acres
	Total area, Ajo Peak No. 1 lode	20.661
	Area in conflict with:	
	Independence No. 3 lode, Unsurveyed	0.958
	Total area, Ajo Peak No. 2 lode	20.661
	Total area, Ajo Peak No. 4 lode	20.661
	Total area, Ajo Peak No. 5 lode	20.661
	Total area, Ajo Peak No. 6 lode	20.661
	Total area, Ajo Peak No. 7 lode	20.661
	Total area, Ajo Peak No. 8 lode	20.661
	Total area, Ajo Peak No. 9 lode	20.661
	Total area, Ajo Peak No. 10 lode	20.661
	Total area, Ajo Peak No. 11 lode	20.661
	Total area, Ajo Peak No. 12 lode	20.661
	Total area, Ajo Peak No. 13 lode	20.661
	Total area, Ajo Peak No. 20 lode	20.661
	Total area, Ajo Peak No. 21 lode	20.661
	Total area, Ajo Peak No. 22 lode	20.661
	Total area, Ajo Peak No. 23 lode	20.661
	Total area, Ajo Peak No. 39 lode	20.661
LOCATION		
	This survey is located in the S $\frac{1}{2}$ of the SW $\frac{1}{4}$ Sec. 28; the S $\frac{1}{2}$ of SE $\frac{1}{4}$ Sec. 29; the E $\frac{1}{2}$ of Sec. 32 and NE $\frac{1}{4}$, NW $\frac{1}{4}$, SW $\frac{1}{4}$ and SE $\frac{1}{4}$ of Sec. 33, T. 12 S., R. 6 W., G. & S.R. Mer., Pima County, Arizona.	
	The survey is identical with the respective locations as staked on the ground.	
EXPENDITURES		
	The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant, or his grantors, are as follows:	
No. 1	The discovery point of the Ajo Peak No. 1 lode is on the lode line 10 ft. from the center of line 3-4, a mound of stone on outcrop. No value	
No. 2	A shaft, the center of which bears N. 44°21' W., 660 ft. from Cor. No. 4 Ajo Peak No. 1 lode; 4x6 ft., 8 ft. deep. Value, \$100.00	

Claims	
No. 1	The discovery point of the Ajo Peak No. 2 lode is on the lode line 10 ft. from the center of line 3-4, a mound of stone on outcrop. No value
No. 2	A shaft, the center of which is on the lode line of the Ajo Peak No. 2 lode, 100 ft. from the center of line 3-4; 4x6 ft., 8 ft. deep. Value, \$100.
No. 1	The discovery point of the Ajo Peak No. 4 lode is on the lode line 10 ft. from the center of line 3-4; 4x6 ft., 8 ft. deep. Value, \$100.
No. 1	The discovery point of the Ajo Peak No. 5 lode is on the lode line 10 ft. from the center of line 3-4, a mound of stone on outcrop. No value.
No. 2	A shaft, the center of which bears N. 24°30' E., 290 ft. from Cor. No. 3 Ajo Peak No. 5 lode; 4x6 ft., 8 ft. deep. Value, \$100.
No. 1	The discovery point of the Ajo Peak No. 6 lode is on the lode line 10 ft. from the center of line 1-2, a mound of stone on outcrop. No value.
No. 2	A shaft, the center of which bears N. 28°30' E., 290 ft. from Cor. No. 2 Ajo Peak No. 6 lode; 4x6 ft., 8 ft. deep. Value, \$100.
No. 1	The discovery point of the Ajo Peak No. 7 lode is on the lode line 10 ft. from the center of line 1-2, a mound of stone on outcrop. No value.
No. 2	A shaft, the center of which bears N. 25°30' E., 295 ft. from Cor. No. 1 Ajo Peak No. 7 lode, 4x6 ft., 8 ft. deep. Value, \$100.
No. 1	The discovery point of the Ajo Peak No. 8 lode is on the lode line 10 ft. from the center of line 1-2, a mound of stone on outcrop. No value.
No. 2	A shaft, the center of which bears N. 12°30' W., 315 ft. from Cor. No. 4 Ajo Peak No. 8 lode; 4x6 ft., 8 ft. deep. Value, \$100.
No. 3	A shaft, the center of which bears N. 20°22' W., 250 ft. from Cor. No. 4 Ajo Peak No. 8 lode; 4x6 ft., 8 ft. deep. Value, \$100.
No. 1	The discovery point of the Ajo Peak No. 9 lode is on the lode line, 10 ft. from the center of line 1-2, a mound of stone on outcrop. No value.
No. 2	A shaft, the center of which bears N. 25°30' E., 290 ft. from Cor. No. 1 Ajo Peak No. 9 lode; 4x6 ft., 8 ft. deep. Value, \$100.
No. 3	A shaft, the center of which bears S. 70°22' E., 470 ft. from Cor. No. 4 Ajo Peak No. 9 lode, 4x6 ft., 6 ft. deep; a trench 2 ft. wide by 2 ft. deep runs east 140 ft. from east side of shaft. Value of shaft and trench, \$200.
No. 1	The discovery point of the Ajo Peak No. 10 lode is on the lode line 10 ft. from the center of line 1-2, a mound of stone on outcrop. No value.

SURVEY NO. 4401

Claims	
No. 2	A shaft, the center of which bears N. 28°30' E., 290 ft. from Cor. No. 1 Ajo Peak No. 10 lode; 4x6 ft., 8 ft. deep. Value, \$100.
No. 1	The discovery point of the Ajo Peak No. 11 lode is on the lode line 10 ft. from the center of line 1-2, a mound of stone on outcrop. No value.
No. 2	A shaft, the center of which bears N. 32°22' W., 460 ft. from Cor. No. 2 Ajo Peak No. 11 lode; 4x6 ft., 8 ft. deep. Value, \$100.
No. 1	The discovery point of the Ajo Peak No. 12 lode is on the lode line 10 ft. from the center of line 1-2, a mound of stone on outcrop. No value.
No. 2	A shaft, the center of which bears S. 25°35' W., 290 ft. from Cor. No. 1 Ajo Peak No. 12 lode; 4x8 ft., 8 ft. deep. Value, \$130.
No. 1	The discovery point of the Ajo Peak No. 13 lode is on the lode line 10 ft. from the center of line 1-2, a mound of stone on outcrop. No value.
No. 2	A shaft, the center of which bears N. 25°38' E., 294 ft. from Cor. No. 2 Ajo Peak No. 13 lode; 4x6 ft., 8 ft. deep. Value, \$100.
No. 1	The discovery point of the Ajo Peak No. 20 lode is on the lode line 10 ft. from the center of line 3-4, a mound of stone on outcrop. No value.
No. 2	A shaft, the center of which bears S. 27°38' W., 290 ft. from Cor. No. 4 Ajo Peak No. 20 lode; 4x6 ft., 8 ft. deep. Value, \$100.
No. 1	The discovery point of the Ajo Peak No. 21 lode is on the lode line 10 ft. from the center of line 3-4, a mound of stone on outcrop. No value.
No. 2	A shaft, the center of which is on the lode line of the Ajo Peak No. 21 lode, 450 ft. from the center of line 1-2, 4x6 ft., 30 ft. deep. Value, \$450.
No. 3	A drill hole, the center of which bears N. 86°45' E., 550 ft. from Cor. No. 1 Ajo Peak No. 21 lode; hereinafter described. 1/17 interest, Value, \$513.35
No. 1	The discovery point of the Ajo Peak No. 22 lode is on the lode line 10 ft. from the center of line 3-4, a mound of stone on outcrop. No value.
No. 2	A shaft, the center of which bears S. 28°30' W., 290 ft. from Cor. No. 3 Ajo Peak No. 22 lode; 4x6 ft., 8 ft. deep. Value, \$100.
No. 1	The discovery point of the Ajo Peak No. 23 lode is on the lode line 10 ft. from the center of line 3-4, a mound of stone on outcrop. No value.
No. 1	The discovery point of the Ajo Peak No. 10 lode is on the lode line 10 ft. from the center of line 1-2, a mound of stone on outcrop. No value.

Claims	Claims
No. 2	<p>A shaft, the center of which bears N. 77° W., 415 ft. from Cor. No. 4 Ajo Peak No. 23 lode; 4x6 ft., 8 ft. deep. Value, \$100.</p>
No. 1	<p>The discovery point of the Ajo Peak No. 39 lode is on the lode line 55 ft. from the center of line 3-4; a mound of stone on outcrop. No value.</p>
No. 2	<p>A cut, the mouth of which bears N. 18° 03' E., 260 ft. from Cor. No. 3 Ajo Peak No. 39 lode, 6 ft. wide, 8 ft. face, running S. 79° 38' W., 22 ft. to breast. Value, \$100.</p>
	<p>An interest in a common improvement described as follows: A drill hole, 9 ins. diam., which bears N. 86° 45' E., 550 ft. from Cor. No. 1 Ajo Peak No. 21 lode, 920 ft. deep. Total value, \$8,727.00 Value of 1/17 interest \$513.35</p>
	<p>This improvement is in the course of construction for the development of the seventeen lodes of this survey, which are all the lode claims owned in common within the range benefit of said improvement.</p>
	<p>The surface is generally level, rising gradually to the south from this drill hole and affords the most practical and economical means of developing each of the stated lodes at depth.</p>
	<p>Five hundred dollars or over has been expended in this improvement in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore an undivided 1/17 interest in its value is hereby credited to each of the said lodes.</p>
	<p>No portion of, or interest in, this improvement has been credited heretofore as patent expenditure to any other lode claims.</p>
	<p>OTHER IMPROVEMENTS</p>
	<p>A shaft, the center of which bears S. 44° 30' E., 670 ft. from Cor. No. 4 Ajo Peak No. 2 lode; 4x6 ft., 4 ft. deep. (caved)</p>
	<p>A shaft, the center of which bears S. 40° 30' E., 660 ft. from Cor. No. 4 Ajo Peak No. 2 lode; 4x6 ft., 3 ft. deep. (caved)</p>
	<p>A shaft, the center of which bears S. 42° 30' E., 580 ft. from Cor. No. 4 Ajo Peak No. 2 lode, 4x6 ft., 5 ft. deep. (caved)</p>
	<p>A shaft, the center of which bears S. 39° E., 585 ft. from Cor. No. 4 Ajo Peak No. 2 lode; 6x6 ft., 4 ft. deep. (caved)</p>
	<p>A shaft, the center of which bears S. 40° E., 350 ft. from Cor. No. 3 Ajo Peak No. 7 lode; 4x8 ft., 3 ft. deep. (caved)</p>
	<p>A shaft, the center of which bears S. 44° 30' E., 215 ft., from Cor. No. 1 Ajo Peak No. 12 lode; 4x6 ft., 12 ft. deep.</p>
	<p>A shaft, on line 1-2 Ajo Peak Nos. 11 and 12 lodes, bears S. 26° 38' 20" W., 71 ft. from Cor. Nos. 1; 6x10 ft., 8 ft. deep.</p>
	<p>Claimant of each unknown.</p>
	<p>OTHER CORNER DESCRIPTIONS</p>
	<p>The SW. cor. of the unsurveyed Independence No. 3 lode consists of an iron pipe 2 ins. diam., 4 ft. high, set firmly in a mound of stone, no markings.</p>

Chains

The SE. cor. Independence No. 3 and the SW. cor. Independence No. 4 lodes, consists of an iron pipe 2 ins. diam., 4 ft. high, set firmly in a mound of stone, mks. SE Ind. 3 and SW Ind. No. 4.

ADJOINING CLAIMS

This survey is bounded on the north by Independence Nos. 3 and 4; W. Zitlau, claimant.

On the east by Whale; W. Zitlau, claimant, Bluestone Nos. 49 and 51, A. W. Fritz, claimant, and Ajo Peak Nos. 19, 29 and 30, claimant herein.

On the south by Ajo Peak Nos. 14, 15 and 24, claimant herein.

On the west by Ajo Peak Nos. 3, 36, 38, 40, 41 and 42, claimant herein.

FIELD ASSISTANTS

Name	Capacity
E. H. Jenkins	Chairman
J. J. Walden	Chairman

OTHER IMPROVEMENTS

A shaft, the center of which bears S. 14° 30' W., 670 ft. from Cor. No. 4 Ajo Peak No. 2 lode; lxs 12 ft., 4 ft. deep. (caved)

A shaft, the center of which bears S. 10° 30' E., 260 ft. from Cor. No. 4 Ajo Peak No. 2 lode; lxs 12 ft., 3 ft. deep. (caved)

A shaft, the center of which bears S. 12° 30' W., 200 ft. from Cor. No. 4 Ajo Peak No. 2 lode; lxs 12 ft., 2 ft. deep. (caved)

A shaft, the center of which bears S. 32° E., 282 ft. from Cor. No. 4 Ajo Peak No. 2 lode; lxs 12 ft., 1 ft. deep. (caved)

A shaft, the center of which bears S. 10° E., 370 ft. from Cor. No. 3 Ajo Peak No. 7 lode; lxs 12 ft., 3 ft. deep. (caved)

A shaft, the center of which bears S. 10° 30' E., 212 ft. from Cor. No. 1 Ajo Peak No. 12 lode; lxs 12 ft., 12 ft. deep.

A shaft, on line 1-2 Ajo Peak Nos. 11 and 12 lodes, bears S. 28° E., 71 ft. from Cor. Nos. 1, 2, 3, 4, 5, 6, 7, 8 ft. deep.

Claimant of each unknown.

OTHER CORNER DESCRIPTIONS

The SW. cor. of the unsurveyed Independence No. 3 lode consists of an iron pipe 2 ins. diam., 4 ft. high, set firmly in a mound of stone, no markings.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Feb 7 1957, 19

I, T. N. Stevens

Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the

Office Cadastral Engineer, at Phoenix, Arizona

dated January 4, 1956, I have faithfully and correctly executed the survey of

the mining claim of R. B. Sawyer

Ajo Peak Nos. 1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, Aho Peak No. 20.,
known as the Ajo Peak Nos. 21, 22, 23, 39, lode claims
(Lode, placer, or mill site)

situate in Ajo Mining District, Pima County, Arizona

T. 12 S., R. 6 W., G. & S. R. B. & Meridian, Arizona, and
(State)

designated as Survey No. 4401, which is represented in the foregoing field notes as having been executed by me and under my direction, and that said survey has been made in strict conformity with said order, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes, and I do further certify that the labor expended and improvements made

upon or for the benefit of the lode location(s) embraced in the said mining claim by
(Lode or placer)

claimant(s) or his grantors are fully stated in my report therein, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Tucson, Arizona
(Place)

T. N. Stevens
(Mineral Surveyor)

CERTIFICATE OF APPROVAL

Survey Office
(Office)

Phoenix, Arizona April 8, 1958
(Place) (Date)

The foregoing field notes of mineral survey No. 4401, in Secs. 28, 29, 32, and 33,

T. 12 S., R. 6 W., G. & S. R. Meridian,

Arizona, executed by T. N. Stevens, Mineral Surveyor,
(State)

under order dated January 4, 1956, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

Everett H. Kimmell

Everett H. Kimmell
Office Cadastral Engineer
(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. _____ is a true copy of the original field notes.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)
BUREAU OF LAND MANAGEMENT M.S. 4401
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Ajo Peak No. 1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 21, 22, 23 and 39 and Aho Peak No. 20 lodes, Mineral Survey No. 4401, located in sections 28, 29, 32 and 33, Township 12 South, Range 6 West, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Ajo Peak No. 1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 21, 22, 23 and 39 and Aho Peak No. 20 lodes, M.S. 4401 were canceled December 11, 1998, by memo 9605 (952) M.S. 4401, which is now a part of the original field notes."

December 11, 1998
Date



Chief Cadastral Surveyor of Arizona

