

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4442

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

Johnie G. Patrick and Zelda C. Patrick

Known As The

Mesa Verde No. 5, Mesa Verde No. 6, Mesa Verde No. 7 and Glory Hole No. 3 lodes

Mogollon Rim Mining District,

Coconino County, Arizona

Section 17, 18, 19, 20, Township 11 North, Range 15 East

Surveyed under order dated January 21, 1958

by Richard L. Merritt
Mineral Surveyor.

Claim located 3-7-53, 3-7-53, 3-7-53, 4-1-55, 19

Survey commenced June 3, 1958

Survey completed June 30, 1958

Address of claimant Joseph H. Morgan, Atty.,
322 Luhrs Bldg., Phoenix, Arizona

DATES OF AMENDED LOCATIONS

Mesa Verde No. 6, 11-1-57

THE UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY

EXPERIMENTAL PROCEDURE

1. Preparation of the sample

RESULTS AND DISCUSSION

The results of the experiment are shown in the following table. The data indicate that the reaction proceeds as expected, with the formation of the product in a yield of approximately 80%.

CONCLUSION

The experiment was carried out under the following conditions: temperature, 25°C; time, 2 hours; concentration, 0.1 M. The results show that the reaction is first order with respect to the reactant and second order with respect to the catalyst. The activation energy of the reaction is estimated to be 15 kJ/mol. The mechanism of the reaction is proposed to be as follows: 1. The reactant reacts with the catalyst to form an intermediate. 2. The intermediate reacts with another molecule of the reactant to form the product and regenerate the catalyst.

The experiment was carried out by the following students: John Doe, Jane Smith, and Bob Johnson.

The experiment was supervised by the following professor: Dr. Richard Roe.

The experiment was conducted in the following laboratory: Chemistry 101, University of Chicago.

CHICAGO, ILLINOIS, 1960

100-100000-1000

Survey No. 4442

Chains
Feet

This survey was made with a Gurley transit No. 50962, with horizontal limb 6.25 ins. diam., having two double opposite verniers and full vertical circle 5 ins. diam., having one double vernier; the verniers read to one minute of arc. The eyepiece is equipped with a colored shade set in the dust shutter for making direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian and determined by the following observation:

June 7; 1958, at cor. No. 1 of the Mesa Verde No. 5 lode, in latitude $34^{\circ} 19' 30''$ N. and longitude $110^{\circ} 47' W.$, I make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with telescope in direct and reversed positions, observing opposite limbs of the sun and reading the horizontal angle from a reference point about 400 ft. southwest, to the right to the sun.

Mean time of observation,
105th meridian standard time $3^h 16^m$ p.m.

Declination of sun at mean time of observation $22^{\circ} 46' 20''$ N.

Mean observed vertical angle to sun's center $50^{\circ} 32' 10''$

Mean horizontal angle from reference point to
sun's center $6^{\circ} 51' 40''$ R.

True bearing of reference point on line 4-1 of
extended Mesa Verde No. 5 lode $S. 77^{\circ} 52' 20''$ W.

The lines were measured with a Lufkin steel tape, 400 ft. in length, graduated every foot, the first and last foot being graduated to tenths and hundredths. The tape was compared with a Lufkin standard tape at the time of beginning the survey and found to be correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 15° E.

MESA VERDE NO. 6 LODE

At cor. No. 1 of the Mesa Verde No. 6 lode, identical with Cor. No. 1 of Mesa Verde No. 7 lode of this survey, and a cor. of the location.

Set a sandstone, 24x14x3 ins., 13 ins. in the ground, mkd. X MV6-1, MV7-1-4442, from which

The cor. common to secs. 17, 18, 19 and 20, T. 11 N., R. 15 E., Gila and Salt River Meridian, bears $S. 74^{\circ} 03' 45''$ W., 509.22 ft. dist., an iron post, 2 ins. diam., 12 ins. above ground, mkd. and witnessed as described in the official record.

A pine, 20 ins. diam., bears $S. 55^{\circ} 19' E.$, 7.55 ft. dist., mkd. X MV6-1, MV7-1-4442 BT.

Thence $N. 77^{\circ} 52' E.$

300.0

Lode line, Mesa Verde No. 7, lode of this survey.

Survey No. 4442

Chains feet	Description
600.0	Cor. No. 4, Mesa Verde No. 7 lode of this survey.
1322.79	Cor. No. 2, identical with Cor. No. 4, Glory Hole No. 3 lode of this survey.
	Set a sandstone, 30x10x3 ins., 16 ins. in the ground, mkd. X MV6-2, GH3-4-4442, from which
	A pine, 20 ins. diam., bears S. 67° 39' W., 13.4 ft. dist., mkd. X MV6-2, GH3-4-4442 BT.
	A cor. of the location bears N. 12° 08' W., 23.0 ft. dist. Thence S. 12° 08' E.
278.5	Five strand barbed wire fence, bears N. 75° E. and S. 75° W.
300.0	Lode line, discovery point bears S. 77° 52' W., 372.79 ft. dist.; cor. of location bears N. 82° E., 10.0 ft. dist.
600.0	Cor. No. 3, on line 3-4, Glory Hole No. 3 lode of this survey.
	Set a sandstone, 24x12x4 ins., 13 ins. in the ground, mkd. X MV6-3-4442, from which
	A pine, 18 ins. diam., bears N. 10° 30' E., 13.75 ft. dist., mkd. X MV6-3-4442 BT.
	A cor. of the location bears S. 57° E., 17.0 ft. dist. Thence S. 77° 52' W.
1322.79	Cor. No. 4, identical with Cor. No. 4, Mesa Verde No. 5 lode of this survey.
	Set a sandstone, 24x12x4 ins., 13 ins. in the ground, mkd. X MV6-4, MV5-4-4442 BT.
	A cor. of the location bears S. 12° 08' E., 14.0 ft. dist. Thence N. 12° 08' W.
300.0	Lode line, discovery point bears N. 77° 52' E., 950.0 ft. dist.
	A cor. of the location bears S. 60° W., 14.0 ft. dist.
430.0	Five strand barbed wire fence, bears N. 86° E. and S. 86° W.
600.0	Cor. No. 1 and place of beginning.
	MESA VERDE NO. 7 LODE
	Beginning at cor. No. 1 of Mesa Verde No. 7 lode, identical with Cor. No. 1, Mesa Verde No. 6 lode of this survey.
	Thence N. 12° 08' W.
900.0	Cor. No. 3, Mesa Verde No. 5 lode of this survey.
1500.0	Cor. No. 2 Set a sandstone, 24x12x4 ins., 13 ins. in the ground, mkd. X MV7-2-4442, from which

4

Survey No. 4442

Chains Feet	
	A pine, 24 ins. diam., bears S. 59° 13' E., 53.70 ft. dist., mkd. X MV7-2-4442 BT.
	A cor. of the location bears N. 52° W., 16.0 ft. dist. Thence N. 77° 52' E.
300.0	Lode line, discovery point bears S. 12° 08' E., 1200.0 ft. dist. A cor. of the location bears N. 15° W., 7.0 ft. dist.
600.0	Cor. No. 3, Set a sandstone, 24x12x3 ins., 13 ins. in the ground, mkd. X MV7-3-4442, from which A pine, 24 ins. diam., bears N. 12° 16' E., 14.5 ft. dist., mkd. X MV7-3-4442 BT. A cor. of the location bears N. 34° E., 14.0 ft. dist. Thence S. 12° 08' E.
1500.0	Cor. No. 4, on line 1-2 of Mesa Verde No. 6 lode of this survey. Set a sandstone, 24x12x6 ins., 13 ins. in the ground, mkd. X MV7-4-4442, from which A pine, 18 ins. diam., bears N. 56° 48' W., 29.95 ft. dist., mkd. X MV7-4-4442 BT. A cor. of the location bears S. 43° E., 24.0 ft. dist. Thence S. 77° 52' W.
300.0	Lode line, discovery point bears N. 12° 08' W., 300.0 ft. dist. A cor. of the location bears S. 4° E., 11.0 ft.
600.0	Cor. No. 1 and place of beginning.
GLORY HOLE NO. 3 LODE	
	At cor. No. 1 of Glory Hole No. 3 lode. Set a sandstone, 28x12x5 ins., 15 ins. in the ground, mkd. X GH3-1-4442, from which The $\frac{1}{2}$ cor. bet. secs. 17 and 20, T. 11 N., R. 15 E., bears S. 27° 02' E., 601.16 ft. dist., an iron post, $\frac{3}{4}$ in. diam., 12 ins. above ground, mkd. and witnessed as described in the official record. A pine, 18 ins. diam., bears S. 25° 53' W., 11.6 ft. dist., mkd. X GH3-1-4442 BT. A cor. of the location bears N. 10° E., 22.0 ft. dist. Thence S. 12° 08' E.
248.5	Five strand barbed wire fence, bears N. 75° E. and S. 75° W.

5

Survey No. 4442

784.0	Center of road, bears N. 76° 25' E. and S. 76° 25' W.
1500.0	Cor. No. 2 Set a sandstone, 30x10x4 ins., 16 ins. in the ground, mkd. X GH-3-2-4442, from which A cor. of the location bears S. 40° E., 9.0 ft. dist. Thence S. 77° 52' W.
300.0	Lode line, discovery point bears N. 12° 08' W., 600.0 ft. dist.
554.0	Center of road, bears S. 11° E. and N. 11° W.
600.0	Cor. No. 3 Set a sandstone, 24x10x5 ins., 13 ins. in the ground, mkd. X GH3-3-4442, from which A cor. of the location bears S. 5° W., 11.0 ft. dist. Thence N. 12° 08' W.
700.55	Center of road, bears N. 76° 25' E. and S. 76° 25' W.
900.0	Cor. No. 3, Mesa Verde No. 6 lode of this survey.
1200.0	Lode line, Mesa Verde No. 6 lode of this survey.
1221.5	Five strand barbed wire fence, bears N. 75° E. and S. 75° W.
1500.0	Cor. No. 4, identical with Cor. No. 2, Mesa Verde No. 6 lode of this survey: Thence N. 77° 52' E.
300.0	Lode line; discovery point bears S. 12° 08' E., 900.0 ft. dist. A cor. of the location bears N. 10° W., 14.0 ft. dist.
600.0	Cor. No. 1 and place of beginning.
	MESA VERDE NO. 5 LODE
	Cor. No. 1 of Mesa Verde No. 5 lode falls on the edge of a road, where a permanent monument cannot be established. From this point, the cor. common to secs. 17, 18, 19 and 20, T. 11 N., R. 15 E., Gila and Salt River Meridian, bears N. 2° 54' 50" W., 573.62 ft. dist. A cor. of the location bears S. 30° W., 21.0 ft. dist. The SE. cor. of B.V.D. No. 5 lode, unsurveyed, bears N. 14° 49' W., 787.13 ft. dist. Thence N. 12° 08' W.
16.7	Center of road, bears N. 86° 17' W. and S. 86° 17' E.
100.0	Point for witness Cor. No. 1. Set a sandstone, 30x12x5 ins., 16 ins. in the ground, mkd. X W C-MV5-1-4442, from which

Survey No. 4442

Chains Feet		Acres
	A pine, 18 ins. diam., bears N. 61° 55' W., 10.9 ft. dist., mkd. X W C-MV5-1-4442 BT.	
1500.00	Cor. No. 2. Set a sandstone, 24x12x5 ins., 13 ins. in the ground, mkd. X MV5-2-4442, from which A pine, 24 ins. diam., bears N. 17° W., 76.85 ft. dist., mkd. X MV5-2-4442 BT. A cor. of the location bears N. 50° W., 15.0 ft. dist. Thence N. 77° 52' E.	
300.0	Lode line, discovery point bears S. 12° 08' E., 1200.0 ft. dist. A cor. of the location bears N. 3° W., 8.0 ft. dist.	
600.0	Cor. No. 3 on line 1-2, Mesa Verde No. 7 lode of this survey. Set a sandstone, 26x12x5 ins., 14 ins. in the ground, mkd. X MV5-3-4442, from which A pine, 24 ins. diam., bears S. 26° 15' E., 18.0 ft. dist., mkd. X MV5-3-4442 BT. A cor. of the location bears N. 38° E., 18.0 ft. dist. Thence S. 12° 08' E.	
900.0	Cor. No. 1 of Mesa Verde No. 7 lode, identical with Cor. No. 1 of Mesa Verde No. 6 lode, both of this survey.	
1070.00	Five strand barbed wire fence, bears N. 86° E. and S. 86° W.	
1200.00	Lode line, Mesa Verde No. 6 lode of this survey.	
1500.00	Cor. No. 4, identical with Cor. No. 4, Mesa Verde No. 6 lode of this survey. Thence S. 77° 52' W.	
300.0	Lode line, discovery point bears N. 12° 08' W., 300.0 ft. dist.	
541.15	Center of road, bears N. 86° 17' W. and S. 86° 17' E.	
600.0	Cor. No. 1 and place of beginning.	
AREAS		
	Total area, Mesa Verde No. 6 lode	18.220
	Total area, Mesa Verde No. 7 lode	20.661
	Total area, Glory Hole No. 3 lode	20.661
	Total area, Mesa Verde No. 5 lode	20.661

7

Survey No. 4442

Feet

LOCATION

This survey is located in the SE $\frac{1}{4}$ of sec. 18, SW $\frac{1}{4}$ of sec. 17, and N $\frac{1}{2}$ of sec. 20 and the NE $\frac{1}{4}$ of sec. 19, T. 11 N., R. 15 E., Gila and Salt River Meridian, within the Sitgreaves National Forest.

The survey of each lode of this survey is wholly within the location or amended location as marked on the ground. The location monuments are all pine posts, placed in mounds of earth and stone. A mound of stone, 3 ft. base by 3 ft. high was built at the lode lines of each lode of this survey, and alongside at each cor. stone.

EXPENDITURES

The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claims by the claimants or their grantors are as follows:

- | | |
|-------|---|
| No. 1 | The discovery point of the Mesa Verde No. 6 lode is on the lode line, N. 77° 52' E., 950.0 ft. from the center of line 4-1.
No Value |
| No. 2 | A trench, the north end of which bears S. 29° 30' W., 550.0 ft. from Cor. No. 2 of the Mesa Verde No. 6 lode, 12 ft. wide, 3 ft. deep, running S. 40° W., 89.0 ft. dist.
Value \$350 |
| No. 3 | A trench, the south end of which bears N. 86° 37' W., 418.0 ft. from Cor. No. 3 of the Mesa Verde No. 6 lode, 6.0 ft. wide, 3.0 ft. deep, running N. 2° 45' W., 28.0 ft. dist.
Value \$50 |
| No. 4 | A trench, the north end of which bears N. 86° 30' E., 330.0 ft. dist. from Cor. No. 1 of the Mesa Verde No. 6 lode, 12.0 ft. wide, 2.0 ft. deep, running N. 11° W., 47.0 ft. dist.
Value \$125 |
| No. 1 | The discovery point of the Mesa Verde No. 7 lode is on the lode line, N. 12° 08' W., 300.0 ft. dist. from the center of line 4-1.
No Value |
| No. 2 | A trench, the south end of which bears N. 71° W., 373.0 ft. dist., from Cor. No. 4, Mesa Verde No. 7 lode, 20.0 ft. wide, 3.0 ft. deep, running N. 15° E., 61.0 ft. dist.
Value \$400 |
| No. 3 | A trench, the west end of which bears N. 1° W., 272.0 ft. dist., from Cor. No. 1, Mesa Verde No. 7 lode, 12.0 ft. wide, 3.0 ft. deep, running N. 85° E., 47.0 ft. dist.
Value \$180 |
| No. 4 | A trench, the west end of which bears N. 4° 30' E., 222.0 ft. dist., from Cor. No. 1, Mesa Verde No. 7 lode, 14.0 ft. wide, 3.0 ft. deep, running N. 50° E., 87.0 ft. dist.
Value \$400 |
| No. 5 | A trench, the north end of which bears N. 52° W., 570.0 ft. dist. from Cor. No. 4, Mesa Verde No. 7 lode, 14.0 ft. wide, 2.0 ft. deep, running S. 40° W., 45.0 ft. dist.
Value \$125 |
| No. 1 | The discovery point of the Glory Hole No. 3 lode is on the lode line, N. 12° 08' W., 600.0 ft. dist. from the center of line 2-3.
No Value |

Survey No. 4442

Corners	
No. 2	A trench, the south end of which bears N. 38° 00' W., 557.0 ft. dist. from Cor. No. 2, Glory Hole No. 3 lode, 6.0 ft. wide, 3.0 ft. deep, running N. 40° E., 31.0 ft. dist. Value \$50
No. 3	A trench, the south end of which bears N. 25° E., 245.0 ft. dist. from Cor. No. 3 of the Glory Hole No. 3 lode, 12.0 ft. wide, 3.0 ft. deep, running N. 25° E., 75.0 ft. dist. Value \$275
No. 4	A trench, the west end of which bears N. 67° E., 160.0 ft. dist. from Cor. No. 3 of the Glory Hole No. 3 lode, 10.0 ft. wide, 3.0 ft. deep, running N. 70° E., 37.0 ft. dist. Value \$100
No. 5	A trench, the north end of which bears N. 80° W., 165.0 ft. dist., from Cor. No. 2, Glory Hole No. 3 lode, 13.0 ft. wide, 1.0 ft. deep, running N. 32° W., 20.0 ft. dist. Value \$25
No. 6	A trench, the south end of which bears N. 29° 30' W., 74.0 ft. dist. from Cor. No. 2, Glory Hole No. 3 lode, 12.0 ft. wide, 3.0 ft. deep, running N. 43° W., 50.0 ft. dist. Value \$160
No. 7	A trench, the east end of which bears N. 12° 08' W., 149.0 ft. dist. from Cor. No. 2 of the Glory Hole No. 3 lode, 12.0 ft. wide, 2.0 ft. deep, running S. 55° W., 20.0 ft. Value \$25
No. 1	The discovery point of the Mesa Verde No. 5 lode is on the lode line, N. 12° 08' W., 300.0 ft. dist. from the center of line 4-1. No Value
No. 2	A trench, the north end of which bears S. 46° 20' E., 458.0 ft. dist. from Cor. No. 2, Mesa Verde No. 5 lode, 66.0 ft. wide, 4.0 ft. deep, running S. 5° E., 164.0 ft. dist. Value \$2500
OTHER IMPROVEMENTS	
A log house, the SW. cor. of which bears N. 56° E., 229.1 ft. dist. from Cor. No. 1, Mesa Verde No. 5 lode, 18x22 ft. in size; the long sides bear N. 20° W. Claimant herein.	
OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA	
SE. cor. of B.V.D. No. 5 lode, unsurveyed, is a pine post in a mound of stones.	
FIELD ASSISTANTS	
J. B. Sarvis Keith Bunn Edward Bowers	Chainman Chainman Chainman

CHAINS

Chains	Description	Remarks
No. 1	A chain, the north end of which bears N. 12° 00' W., 100.0 ft. dist. from the center of the hole to the discovery point of the mass. Value \$100.	No. 1
No. 2	A chain, the north end of which bears N. 12° 00' W., 100.0 ft. dist. from the center of the hole to the discovery point of the mass. Value \$100.	No. 2
No. 3	A chain, the north end of which bears N. 12° 00' W., 100.0 ft. dist. from the center of the hole to the discovery point of the mass. Value \$100.	No. 3
No. 4	A chain, the north end of which bears N. 12° 00' W., 100.0 ft. dist. from the center of the hole to the discovery point of the mass. Value \$100.	No. 4
No. 5	A chain, the north end of which bears N. 12° 00' W., 100.0 ft. dist. from the center of the hole to the discovery point of the mass. Value \$100.	No. 5
No. 6	A chain, the north end of which bears N. 12° 00' W., 100.0 ft. dist. from the center of the hole to the discovery point of the mass. Value \$100.	No. 6
No. 7	A chain, the north end of which bears N. 12° 00' W., 100.0 ft. dist. from the center of the hole to the discovery point of the mass. Value \$100.	No. 7
No. 8	A chain, the north end of which bears N. 12° 00' W., 100.0 ft. dist. from the center of the hole to the discovery point of the mass. Value \$100.	No. 8
No. 9	A chain, the north end of which bears N. 12° 00' W., 100.0 ft. dist. from the center of the hole to the discovery point of the mass. Value \$100.	No. 9
No. 10	A chain, the north end of which bears N. 12° 00' W., 100.0 ft. dist. from the center of the hole to the discovery point of the mass. Value \$100.	No. 10
No. 11	A chain, the north end of which bears N. 12° 00' W., 100.0 ft. dist. from the center of the hole to the discovery point of the mass. Value \$100.	No. 11
No. 12	A chain, the north end of which bears N. 12° 00' W., 100.0 ft. dist. from the center of the hole to the discovery point of the mass. Value \$100.	No. 12
No. 13	A chain, the north end of which bears N. 12° 00' W., 100.0 ft. dist. from the center of the hole to the discovery point of the mass. Value \$100.	No. 13

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

10

CERTIFICATE OF SURVEYOR

June 30th, 19 58

I, Richard L. Merritt

Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the _____

Office of Cadastral Engineer, at Phoenix, Arizona

dated January 21st, 1958, I have faithfully and correctly executed the survey of

the mining claim of Johnie G. Patrick and Zelda C. Patrick

known as the Mesa Verde No. 5, Mesa Verde No. 6, Mesa Verde No. 7 and Glory Hole No. 3 lodes
(Lode, placer, or mill site)

situate in Mogollon Rim Mining District, in secs. 17, 18, 19, and 20

T. No. 11 N., R. No. 15 E., G. and S. R. Meridian, Arizona, and
(State)

designated as Survey No. 4442, which is represented in the foregoing field notes as having been executed by me and under my direction, and that said survey has been made in strict conformity with said order, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes, and I do further certify that the labor expended and improvements made

upon or for the benefit of the Lode location(s) embraced in the said mining claim by
(Lode or placer)

claimant(s) or their grantors are fully stated in my report therein, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Prescott, Arizona
(Place)

Richard L. Merritt
(Mineral Surveyor)

CERTIFICATE OF APPROVAL

Bureau of Land Management--Survey Office
(Office)

Phoenix, Arizona February 20, 1959
(Place) (Date)

The foregoing field notes of mineral survey No. 4442, in Secs. 17, 18, 19, and 20

T. 11 N., R. 15 E., Gila and Salt River Meridian,

Arizona, executed by Richard L. Merritt, Mineral Surveyor,
(State)

under order dated January 21, 1958, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

Lester S. Mann
Lester S. Mann

Office Cadastral Engineer
(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. _____ is a true copy of the original field notes.

(Title)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEY

June 20th, 1928

Richard L. Merritt

Theodore Wilson

Richard L. Merritt

January 21st, 1928

John C. Patrick and John C. Patrick

Section 17, Township 13 N., Range 10 E., T13N R10E S17

is located in the 13th Township, Range 10 East, Section 17, 18, 19, and 20

of the 13th Township, Range 10 East, Section 17, 18, 19, and 20

of the 13th Township, Range 10 East, Section 17, 18, 19, and 20

John

John

Richard L. Merritt

CERTIFICATE OF SURVEY

Richard L. Merritt

Section 17, Township 13 N., Range 10 E., T13N R10E S17

John

CERTIFICATE OF SURVEY

Survey No. 4442

Supplemental Report, Mesa Verde No. 7 Lode.

12

Chains

- No. 6 A trench, the north end of which bears S. 18° E., 1194 ft. from cor. No. 2 of the Mesa Verde No. 7 lode, 15 ft. wide, 2 ft. deep, running S. 18° W., 38 ft.
Value, \$100.
- No. 7 A shaft, the center of which bears N. 34° E., 230 ft. from cor. No. 1 of the Mesa Verde No. 7 lode, 3 ft. diam., 2.5 ft. deep.
Value, \$20.
- No. 8 A trench, the east end of which bears N. 80° W., 324 ft. from cor. No. 4 of the Mesa Verde No. 7 lode, 18 ft. wide, 1 ft. deep, running S. 50° W., 40 ft.
Value, \$60.

The foregoing Supplemental Report on Expenditures Nos. 6, 7, and 8, Survey No. 4442, Mesa Verde No. 7 lode, have been received and made a part of the official field notes for Mineral Survey No. 4442 and are hereby accepted.

Lester S. Mann
Lester S. Mann
Office Cadastral Engineer

November 16, 1960

Survey of...

...

Chains	Chains
<p>No. 1. ...</p>	<p>No. 1. ...</p>
<p>No. 2. ...</p>	<p>No. 2. ...</p>
<p>No. 3. ...</p>	<p>No. 3. ...</p>
<p>The following ...</p>	
<p>...</p>	
<p>...</p>	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

REPORT OF EXPENDITURES UPON MINING CLAIM,
FILED BY MINERAL SURVEYOR
AFTER RETURN OF SURVEY

I, Richard L. Merritt, Mineral Surveyor,
do certify that in pursuance of instructions received from Office of Cadastral Engineer, Phoenix, Ariz.,
dated 29 September, 1960, I have made a personal and thorough examination upon the premises,
to ascertain the value of the labor expended and improvements made by claimant or their grantors
grantors upon the mining claim of Johnie G. Patrick and Welda C. Patrick

, known as the Mesa Verde No. 7 lode
, situate in Mogollon Rim
mining district, Coconino
County, Arizona, in Section 17, Township
No. 11 North, Range No. 15 East, Gila and Salt River Meridian, surveyed by me
14 October, 1960, and designated as Survey No. 4442;
that the value of the labor so expended and improvements so made are as fully stated in my report of said exam-
ination, hereto attached; that the character, extent, location, and itemized value of said improvements are speci-
fied therein with particularity and full detail; and that no portion of said labor or improvements, so credited
to this claim has been included in the estimate of expenditures upon any other claim.

I certify that the statements made by me in this report are true, complete, and correct to the best of my knowledge and belief, and are made in good faith.¹

Richard L. Merritt
Richard L. Merritt
Mineral Surveyor.

¹ Title 18, U. S. C., sec. 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

REPORT OF EXPLORATIONS UPON MINING CLAIM
FILED BY MINERAL SURVEYOR
AFTER RETURN OF SURVEY

Section 1, Township 10 N., Range 10 E., T10N R10E

Explorations were made on the above claim in accordance with the provisions of the Act of March 3, 1879, and the Act of March 3, 1892, and the results are reported in this report.

Survey made June 10, 1900.

Section 1, Township 10 N., Range 10 E., T10N R10E

Section 1, Township 10 N., Range 10 E., T10N R10E

The claim is situated in the northeast corner of Section 1, Township 10 N., Range 10 E., T10N R10E, and is bounded on the north by the line of Township 10 N., on the east by the line of Range 10 E., on the south by the line of Township 9 N., and on the west by the line of Range 9 E.

The claim is situated in the northeast corner of Section 1, Township 10 N., Range 10 E., T10N R10E, and is bounded on the north by the line of Township 10 N., on the east by the line of Range 10 E., on the south by the line of Township 9 N., and on the west by the line of Range 9 E.

The claim is situated in the northeast corner of Section 1, Township 10 N., Range 10 E., T10N R10E, and is bounded on the north by the line of Township 10 N., on the east by the line of Range 10 E., on the south by the line of Township 9 N., and on the west by the line of Range 9 E.

Section 1, Township 10 N., Range 10 E., T10N R10E

The claim is situated in the northeast corner of Section 1, Township 10 N., Range 10 E., T10N R10E, and is bounded on the north by the line of Township 10 N., on the east by the line of Range 10 E., on the south by the line of Township 9 N., and on the west by the line of Range 9 E.