

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4443

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

Inspiration Consolidated Copper Company

Known As The

Christmas No. 1, Christmas No. 2, Inspiration 1 thru 44 lodes, inclusive

Banner Mining District,

Gila County, Arizona

Surveyed sec. 16 and unsurveyed
Sections 17, 18, Township 4 South, Range 16 East, G. & S. R. M.
19, 20 and 21

Surveyed under order dated January 21, 1958

by Oscar T. Smith
Mineral Surveyor.

Claim located (See attached list), 19

Survey commenced January 23, 1958

Survey completed September 20, 1958

Address of claimants Attorneys Gust, Rosenfeld, Divalbess and
Robinette, Security Bldg., Phoenix, Arizona

DATES OF AMENDED LOCATIONS

(See attached list)

Attached list to Mineral Survey No. 4443

NAME	ORIGINAL LOCATION DATE	AMENDED LOCATION DATE
Christmas No. 1	Aug. 21, 1928	
Christmas No. 2	Aug. 21, 1928	Mar. 29, 1934
Inspiration 1	Feb. 3, 1955	Mar. 29, 1934
Inspiration 2	Feb. 3, 1955	
Inspiration 3	Jan. 26, 1955	
Inspiration 4	Dec. 29, 1954	
Inspiration 5	Dec. 29, 1954	
Inspiration 6	Dec. 29, 1954	
Inspiration 7	Dec. 29, 1954	
Inspiration 8	Dec. 29, 1954	
Inspiration 9	Dec. 29, 1954	
Inspiration 10	Dec. 29, 1954	
Inspiration 11	Dec. 29, 1954	
Inspiration 12	June 13, 1956	
Inspiration 13	June 13, 1956	
Inspiration 14	June 13, 1956	
Inspiration 15	June 13, 1956	
Inspiration 16	Dec. 29, 1954	
Inspiration 17	Dec. 29, 1954	
Inspiration 18	Dec. 29, 1954	
Inspiration 19	Dec. 29, 1954	
Inspiration 20	Dec. 29, 1954	
Inspiration 21	Dec. 29, 1954	
Inspiration 22	Dec. 29, 1954	
Inspiration 23	June 13, 1956	
Inspiration 24	June 13, 1956	
Inspiration 25	June 13, 1956	
Inspiration 26	June 13, 1956	
Inspiration 27	June 13, 1956	
Inspiration 28	Dec. 31, 1954	
Inspiration 29	Dec. 31, 1954	
Inspiration 30	Jan. 3, 1955	
Inspiration 31	Jan. 3, 1955	
Inspiration 32	Jan. 3, 1955	
Inspiration 33	June 13, 1956	
Inspiration 34	June 13, 1956	
Inspiration 35	June 13, 1956	
Inspiration 36	June 13, 1956	
Inspiration 37	June 13, 1956	
Inspiration 38	Dec. 31, 1954	
Inspiration 39	Dec. 31, 1954	
Inspiration 40	June 13, 1956	
Inspiration 41	June 13, 1956	
Inspiration 42	July 31, 1956	
Inspiration 43	Aug. 3, 1956	
Inspiration 44	Aug. 3, 1956	Sept. 10, 1958

Survey No. 4443

~~CHICK~~
Feet

This survey was made with a Keuffel and Esser Transit, No. 131481, with horizontal limb 5 ins. diam., having two double opposite verniers and full vertical circle 4 ins. diam., having one double vernier; the verniers read to one minute of arc. The eyepiece is equipped with a colored shade set in the dust shutter for making direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observation:

April 18, 1958, at Cor. No. 3, Inspiration 24 lode, identical with Cor. No. 4, Inspiration 12 lode, Cor. No. 1, Inspiration 13 lode, Cor. No. 2, Inspiration 25 lode, in latitude $33^{\circ} 04' 37''$ N. and longitude $110^{\circ} 43' 46''$ W., I make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun and reading the horizontal angle from a reference point 1500 ft. northward, clockwise to sun.

Mean time of observation,
105th meridian standard time 9h 59m a.m.

Declination of sun at mean time of
observation $10^{\circ} 49' 3''$ N.

Mean observed vertical angle to sun's
center $50^{\circ} 19' 40''$

Mean horizontal angle from reference
point to sun's center $115^{\circ} 44' 10''$ SE.

True bearing to reference point N. $0^{\circ} 00' 07''$ W.

The lines were measured with a Keuffel and Esser steel tape, 500 ft. in length, graduated every foot for 500 ft., with the first and last foot graduated in tenths and hundredths. The tape was compared with a standard 100 ft. Invar tape at the time of the survey and found to be correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of $13^{\circ} 40'$ E.

Survey No. 4443

CHRISTMAS NO. 1 LODE

At Cor. No. 1, Christmas No. 1 lode, identical with Cor. No. 2, Sur. No. 2175, Savannah lode.

Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. C 1-1-4443-S-2-2175; from which

The cor. of secs. 19, 20, 29 and 30, T. 4 S., R. 16 E., G. & S. R.M. bears S. $82^{\circ} 01' 30''$ W., 991.14 ft. dist., an iron pipe, 1 in. diam., 16 ins. above ground, firmly set, mkd. and witnessed as described in the official record.

Survey No. 4443

Feet	
	Cor. No. 2, Sur. No. 2175, Uranus lode, bears N. 12° 46' 40" E., 239.72 ft. dist.
	No local bearing objects or bearing trees available.
	Thence N. 9° 37' W.
311.16	Lode line, discovery point bears N. 64° 48' E., 950 ft. dist.
622.32	Cor. No. 2, identical with Cor. No. 3, Sur. No. 2175, Savannah lode.
	On line 4-1, Christmas No. 2 lode of this survey.
	Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. C 1-2-4443-S-3-2175.
	No local bearing objects or trees available.
	Thence N. 64° 48' E.
612.10	Intersect Cor. No. 4, Christmas No. 2 lode and Cor. No. 1, Inspiration 1 lode of this survey.
1500.00	Cor. No. 3, on line 4-1, Inspiration 1 lode of this survey.
	Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. C 1-3-4443.
	No local bearing objects or trees available.
	Thence S. 9° 37' E.
311.16	Lode line, discovery point bears S. 64° 48' W., 550 ft. dist.
622.32	Cor. No. 4.
	Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. C 1-4-4443.
	No local bearing objects or trees available.
	Thence S. 64° 48' W.
331.33	Intersect line 2-3, Sur. No. 2175, Uranus lode at a point from which Cor. No. 2 bears S. 75° 17' W., 1038.49 ft. dist.
1490.78	Intersect line 1-2, Sur. No. 2175, Uranus lode at a point from which Cor. No. 2 bears N. 11° 00' E., 234.15 ft. dist.
1500.00	Cor. No. 1 and place of beginning.
	<p style="text-align: center;">CHRISTMAS NO. 2 LODE</p> <p>Beginning at Cor. No. 1, Christmas No. 2 lode, identical with Cor. No. 4, Sur. No. 2175, California lode, on line 3-4, Sur. No. 2175, Savannah lode.</p> <p>Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. C 2-1-4443-C-X-2175; from which</p> <p>The cor. of secs. 19, 20, 29 and 30 bears S. 11° 15' W., 380.33 ft. dist., previously described.</p>

Survey No. 4443

CHAINS
Feet

	<p>A cross (X) and B. R. 1-4443 and B. R. 4-2175, chiseled on a malpais boulder, 2x4x2 ft. above ground, bears N. 81° 55' W., 18.5 ft. dist.</p> <p>A cross (X) and B. R. 1-4443 and B. R. 4-2175, chiseled on a malpais boulder, 4x4x6 ft. above ground, bears N. 15° 30' W., 15 ft. dist.</p> <p>Thence N. 9° 37' W.</p>
300.00	Lode line, discovery point bears N. 64° 48' E., 900.00 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 1, Inspiration 2 lode of this survey.
	On line 3-4 of Sur. No. 2175, California lode
	Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. C 2-2-I 2-1-4443.
	No local bearing objects or trees available.
	Thence N. 64° 48' E.
1169.60	Intersect line 4-1, Inspiration 6 lode of this survey.
1500.00	Cor. No. 3, identical with Cor. No. 2, Inspiration 1 lode and Cor. No. 4, Inspiration 2 lode of this survey.
	Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. C2-3-I 1-2-I 2-4-4443.
	No local bearing objects or bearing trees available.
	Thence S. 9° 37' E.
142.68	Intersect line 4-1, Inspiration 6 lode of this survey.
300.00	Lode line, discovery point bears S. 64° 48' W., 600 ft. dist.
600.00	Cor. No. 4, identical with Cor. No. 1, Inspiration 1 lode and on line 2-3, Christmas No. 1 lode of this survey.
	Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. C2-4-I 1-1-4443.
	No local bearing objects or trees available.
	Thence S. 64° 48' W.
612.10	Intersect Cor. No. 2, Christmas No. 1 lode of this survey and Cor. No. 3, Sur. No. 2175, Savannah lode.
1500.00	Cor. No. 1 and place of beginning.
	INSPIRATION 1 LODE
	Beginning at Cor. No. 1, Inspiration 1 lode, identical with Cor. No. 4, Christmas No. 2 lode, on line 2-3, Christmas No. 1 lode of this survey; from which

Survey No. 4443

Chains Feet	
	The cor. of secs. 19, 20, 29 and 30 bears S. 54° 45' W., 1752.87 ft. dist., previously described.
	Thence N. 9° 37' W.
300.00	Lode line, discovery point bears N. 64° 48' E., 50.00 ft. dist.
457.32	Intersect line 4-1, Inspiration 6 lode of this survey.
600.00	Cor. No. 2, identical with Cor. No. 3, Christmas No. 2 lode and Cor. No. 4, Inspiration 2 lode of this survey.
	Thence N. 64° 48' E.
37.45	Intersect line 1-2, Inspiration 5 lode and line 3-4, Inspiration 6 lode of this survey.
700.56	Intersect line 3-4, Inspiration 5 lode and line 1-2, Inspiration 4 lode of this survey.
1363.67	Intersect line 3-4, Inspiration 4 lode of this survey.
1500.00	Cor. No. 3
	Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 1-3-4443.
	No local bearing objects or trees available.
	Thence S. 9° 37' E.
300.00	Lode line, discovery point bears S. 64° 48' W., 1450.00 ft. dist.
600.00	Cor. No. 4.
	Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 1-4-4443.
	No local bearing objects or bearing trees available.
	Thence S. 64° 48' W.
247.10	Intersect line 3-4, Inspiration 4 lode of this survey.
441.02	Intersect line 4-1, Inspiration 4 lode of this survey.
612.10	Intersect Cor. No. 3, Christmas No. 1 lode of this survey.
1500.00	Cor. No. 1 and place of beginning.
	INSPIRATION 2 LODE
	Beginning at Cor. No. 1, Inspiration 2 lode, identical with Cor. No. 2, Christmas No. 2 lode of this survey, on line 3-4, Sur. No. 2175, California lode; from which
	The cor. of secs. 19, 20, 29 and 30, bears S. 1° 32' 50" E., 964.94 ft. dist., previously described.
	Thence N. 9° 37' W.

Survey No. 4443

Class Feet	
300.00	Lode line, discovery point bears N. 64° 48' E., 50 ft. dist.
505.09	Intersect line 1-2, Inspiration 8 lode of this survey.
600.00	Cor. No. 2 on line 3-4, Sur. No. 2175, California lode: Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 2-2-4443. No local bearing objects or trees available. Thence N. 64° 48' E.
322.00	Intersect line 4-1, Inspiration 8 lode and line 1-2, Inspiration 7 lode of this survey.
985.11	Intersect line 3-4, Inspiration 7 lode and line 1-2, Inspiration 6 lode of this survey.
1500.00	Cor. No. 3. Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 2-3-4443. No local bearing objects or trees available. Thence S. 9° 37' E.
300.00	Lode line, discovery point bears S. 64° 48' W., 1450 ft. dist.
600.00	Cor. No. 4, identical with Cor. No. 2, Inspiration 1 lode and Cor. No. 3, Christmas No. 2 lode of this survey. Thence S. 64° 48' W.
330.40	Intersect line 4-1, Inspiration 6 lode of this survey.
1500.00	Cor. No. 1 and place of beginning.
INSPIRATION 3 LODE	
	Beginning at Cor. No. 3, Inspiration 3 lode, identical with Cor. No. 3, Sur. No. 2175, Alabama lode and Cor. No. 4, Sur. No. 2175, Joker lode. Cor. falls in bottom of wash and would be destroyed; from which The cor. of secs. 19, 20, 29 and 30 bears S. 40° 35' 20" E., 1894.59 ft. dist., previously described. Thence S. 47° 32' W.
286.00	Witness cor. for Cor. No. 1. Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. WC-I 3-1-4443. No local bearing objects or trees available.
300.00	Lode line, discovery point bears N. 44° 12' W., 230.00 ft. dist.

Survey No. 4443

Feet	
600.00	<p>Cor. No. 2, identical with Cor. No. 2, Sur. No. 2175, Alabama lode, on line 1-2, Sur. No. 2175, Last Chance lode.</p> <p>On granite boulder, 15x12x14 ins. above ground, set for Cor. No. 2, Sur. No. 2175, Alabama lode, properly marked I chiseled on N. face I 3-2-4443.</p> <p>Cor. No. 2, Sur. No. 2175, Last Chance lode, bears N. 9° 45' W., 874.64 ft. dist.</p> <p>A granite boulder, 4x3x4 ft. above ground, bears N. 41° 45' E., 52.65 ft. dist., mkd. with cross (X) and B. R. A-2-2175-I 3-2-4443.</p> <p>Thence N. 44° 12' W.</p>
598.35	Intersect line 1-2, Inspiration 11 lode of this survey.
802.71	Intersect line 2-3, Inspiration 11 lode of this survey.
1060.66	<p>Cor. No. 3, Sur. No. 2175, Last Chance lode, on line 1-2, Sur. No. 2175, Four Aces lode; from which</p> <p>Cor. No. 2, Sur. No. 2175, Last Chance lode bears N. 80° 15' E., 600 ft. dist.</p>
1065.00	Road bears E. and W.
1500.00	<p>Cor. No. 3.</p> <p>Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 3-3-4443.</p> <p>No local bearing objects or trees available.</p> <p>Thence N. 47° 32' E.</p>
296.66	Intersect line 1-2, Sur. No. 2175, Four Aces lode, at a point from which Cor. No. 2 bears N. 9° 38' W., 67.24 ft. dist.
300.00	Lode line, discovery point bears S. 44° 12' E., 1270.00 ft. dist.
600.00	<p>Cor. No. 4.</p> <p>Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 3-4-4443; from which</p> <p>Cor. No. 2, Sur. No. 2175, Four Aces lode, bears S. 59° 29' 10" W., 272.81 ft. dist.</p> <p>No local bearing objects or trees available.</p> <p>Thence S. 44° 12' E.</p>
62.45	Intersect line 2-3, Inspiration 11 lode of this survey.
860.00	Road bears N. 60° E. and S. 60° W.
923.08	Intersect line 4-1, Inspiration 11 lode and line 2-3, Inspiration 10 lode of this survey.
1466.72	Intersect line 1-2, Inspiration 10 lode of this survey.
1500.00	Cor. No. 1 and place of beginning.

Survey No. 4443

Feet

INSPIRATION 4 LODE

Beginning at Cor. No. 1, Inspiration 4 lode, identical with Cor. No. 4, Inspiration 5 lode of this survey.

Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 4-1-I 5-4-4443; from which

The cor. of secs. 19, 20, 29 and 30 bears S. 53° 20' 25" W., 2449.62 ft. dist.; previously described.

No local bearing objects or trees available.

Thence north

438.96 Intersect line 2-3, Inspiration 1 lode of this survey.

1500.00 Cor. No. 2, identical with Cor. No. 3, Inspiration 5 lode, Cor. No. 2, Inspiration 16 lode, Cor. No. 3, Inspiration 15 lode of this survey.

Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 4-2-I 5-3-I 16-2-I 15-3-4443.

No local bearing objects or trees available.

Thence east

300.00 Lode line, discovery point bears S. 50 ft. dist.

600.00 Cor. No. 3, identical with Cor. No. 2, Inspiration 15 lode, Cor. No. 3, Inspiration 14 lode of this survey.

Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 4-3-I 15-2-I 14-3-4443.

No local bearing objects or trees available.

Thence south

778.70 Intersect line 2-3, Inspiration 1 lode of this survey.

1417.43 Intersect line 4-1, Inspiration lode of this survey.

1500.00 Cor. No. 4.

Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 4-4-4443.

No local bearing objects or trees available.

Thence west

175.46 Intersect line 4-1, Inspiration 1 lode of this survey.

300.00 Lode line, discovery point bears N., 1450 ft. dist.

600.00 Cor. No. 1 and place of beginning.

13

Survey No. 4443

Corners
Feet

INSPIRATION 5 LODE

Beginning at Cor. No. 1, Inspiration 5 lode, identical with Cor. No. 4, Inspiration 6 lode of this survey.

Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 5-1-I 6-4-4443; from which

The cor. of secs. 19, 20, 29 and 30 bears S. 43° 01' 31" W., 2000.65 ft. dist., previously described.

No local bearing objects or trees available.

Thence north

156.62 Intersect line 2-3, Inspiration 1 lode of this survey.

1500.00 Cor. No. 2, identical with Cor. No. 3, Inspiration 6 lode, Cor. No. 4, Inspiration 17 lode, Cor. No. 3, Inspiration 16 lode of this survey.

Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 5-2-I 6-3-I 17-4-I 16-3-4443.

No local bearing objects or trees available.

Thence east

300.00 Lode line, discovery point bears S. 50 ft. dist.

600.00 Cor. No. 3, identical with Cor. No. 2, Inspiration 16 lode, Cor. No. 3, Inspiration 15 lode, Cor. No. 2, Inspiration 4 lode of this survey.

Thence south

1061.04 Intersect line 2-3, Inspiration 1 lode of this survey.

1500.00 Cor. No. 4, identical with Cor. No. 1, Inspiration 4 lode of this survey.

Thence west

300.00 Lode line, discovery point bears N. 1450 ft. dist.

600.00 Cor. No. 1 and place of beginning.

INSPIRATION 6 LODE

Beginning at Cor. No. 1, Inspiration 6 lode, identical with Cor. No. 4, Inspiration 7 lode of this survey.

Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 6-1-I 7-4-4443; from which

The cor. of secs. 19, 20, 29 and 30 bears S. 27° 36' 52" W., 1650.61 ft. dist., previously described.

No local bearing objects or trees available.

Thence north

513.01 Intersect line 2-3, Inspiration 2 lode of this survey.

Survey No. 4443

Chain Feet	
1500.00	Cor. No. 2, identical with Cor. No. 3, Inspiration 7 lode; Cor. No. 4, Inspiration 18 lode; Cor. No. 1, Inspiration 17 lode of this survey. Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 6-2-I 7-3-I 18-4-I 17-1-4443. No local bearing objects or trees available. Thence east
300.00	Lode line, discovery point bears S. 50 ft. dist.
600.00	Cor. No. 3, identical with Cor. No. 4, Inspiration 17 lode; Cor. No. 3, Inspiration 16 lode; Cor. No. 2, Inspiration 5 lode of this survey. Thence south
1343.38	Intersect line 2-3, Inspiration 1 lode of this survey.
1500.00	Cor. No. 4, identical with Cor. No. 1, Inspiration 5 lode of this survey. Thence west
10.05	Intersect line 1-2, Inspiration 1 lode and line 3-4, Christmas No. 2 lode of this survey.
300.00	Lode line, discovery point bears N. 1450 ft. dist.
322.84	Intersect line 2-3, Christmas No. 2 lode and line 4-1, Inspiration 2 lode of this survey.
600.00	Cor. No. 1 and place of beginning.
	INSPIRATION 7 LODE Beginning at Cor. No. 1, Inspiration 7 lode, identical with Cor. No. 1, Inspiration 8 lode of this survey. Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 7-1-I 8-1-4443; from which The cor. of secs. 19, 20, 29 and 30 bears S. 6° 26' 24" W., 1471.87 ft. dist., previously described. No local bearing objects or trees available. Thence north
230.67	Intersect line 2-3, Inspiration 2 lode of this survey.
1220.00	Road, bears E. and W.
1500.00	Cor. No. 2, identical with Cor. No. 4, Inspiration 8 lode; Cor. No. 1, Inspiration 19 lode; Cor. No. 1, Inspiration 18 lode of this survey. Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 7-2-I 8-4-I 19-1-I 18-1-4443. No local bearing objects or trees available.

15

Survey No. 4443

Feet	
	Thence east
300.00	Lode line, discovery point bears S. 50.00 ft. dist.
600.00	Cor. No. 3, identical with Cor. No. 4, Inspiration 18 lode; Cor. No. 1, Inspiration 17 lode; Cor. No. 2, Inspiration 6 lode of this survey.
	Thence south
986.99	Intersect line 2-3, Inspiration 2 lode of this survey.
1500.00	Cor. No. 4, identical with Cor. No. 1, Inspiration 6 lode of this survey.
	Thence west
300.00	Lode line, discovery point bears N., 1450.00 ft. dist.
600.00	Cor. No. 1 and point of beginning.
INSPIRATION 8 LODE	
	Beginning at Cor. No. 1, Inspiration 8 lode, identical with Cor. No. 1, Inspiration 7 lode of this survey; from which
	Cor. No. 3, Sur. No. 2175, California lode, bears N. 39° 52' 10" W., 539.14 ft. dist.
	Thence west
275.50	Intersect line 1-2, Inspiration 2 lode of this survey, and line 3-4, Sur. No. 2175, California lode, at a point from which Cor. No. 3 bears N. 9° 37' W., 419.69 ft. dist.
300.00	Lode line, discovery point bears N., 1450.00 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 1, Inspiration 9 lode of this survey.
	Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 8-2-I 9-1-4443.
	No local bearing objects or trees available.
	Thence north
294.04	Intersect line 2-3, Sur. No. 2175, California lode at a point from which Cor. No. 3 bears N. 64° 48' E., 281.17 ft. dist.
1050.00	Road bears E. and W.
1500.00	Cor. No. 3, identical with Cor. No. 4, Inspiration 9 lode; Cor. No. 1, Inspiration 20 lode; Cor. No. 2, Inspiration 19 lode of this survey.
	Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 8-3-I 9-4-I 20-1-I 19-2-4443.
	No local bearing objects or trees available.
	Thence east
300.00	Lode line, discovery point bears S., 50.00 ft. dist.

Survey No. 4443

Station Feet	
600.00	Cor No. 4, identical with Cor. No. 1, Inspiration 19 lode; Cor. No. 1, Inspiration 18 lode; Cor. No. 2, Inspiration 7 lode of this survey. Thence south
260.00	Road bears E. and W.
1269.33	Intersect line 2-3, Inspiration 2 lode of this survey.
1500.00	Cor. No. 1 and place of beginning.
INSPIRATION 9 LODE	
Beginning at Cor. No. 1, Inspiration 9 lode, identical with Cor. No. 2, Inspiration 8 lode of this survey; from which	
The cor. of secs. 19, 20, 29 and 30 bears S. 16° 33' 40" E., 1525.87 ft. dist., previously described.	
Cor. No. 2, Sur. No. 2175, California lode, bears N. 61° 01' 10" W., 328.12 ft. dist.	
Cor. No. 3, Sur. No. 2175, Joker lode, bears N. 39° 04' 50" W., 521.95 ft. dist.	
Thence west	
259.90	Intersect line 1-2, Sur. No. 2175, California lode, identical with line 2-3, Sur. No. 2175, Joker lode, at a point from which Cor. No. 2, Sur. No. 2175, California lode, bears N. 9° 41' W., 161.27 ft. dist. and Cor. No. 3, Sur. No. 2175, Joker lode, bears N. 9° 41' W., 411.02 ft. dist.
300.00	Lode line, discovery point bears N., 1450.00 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 1; Inspiration 10 lode of this survey. Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 9-2-I 10-1-4443. No local bearing objects or trees available.
Thence north	
157.17	Intersect line 3-4, Sur. No. 2175, Joker lode, at a point from which Cor. No. 3 bears N. 47° 32' E., 367.32 ft. dist.
1100.00	Road bears N. 65° E. and S. 65° W.
1500.00	Cor. No. 3, identical with Cor. No. 4, Inspiration 10 lode; Cor. No. 1, Inspiration 21 lode; Cor. No. 2, Inspiration 20 lode of this survey. Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 9-3-I 10-4-I 21-1-I 20-2-4443. No local bearing objects or bearing trees available.
Thence east	

17

Survey No. 4443

Feet	
300.00	Lode line, discovery point bears S., 50.00 ft. dist.
600.00	Cor. No. 4, identical with Cor. No. 1, Inspiration 20 lode; Cor. No. 2, Inspiration 19 lode; Cor. No. 3, Inspiration 8 lode of this survey.
	Thence south
430.00	Road bears E. and W.
1205.96	Intersect line 2-3, Sur. No. 2175, California lode, at a point from which Cor. No. 2 bears S. $64^{\circ} 48' W.$, 317.23 ft. dist.
1500.00	Cor. No. 1 and place of beginning.
INSPIRATION 10 LODE	
	Beginning at Cor. No. 1, Inspiration 10 lode, identical with Cor. No. 2, Inspiration 9 lode of this survey; from which
	The cor. of secs. 19, 20, 29 and 30 bears S. $35^{\circ} 17' E.$, 1791.70 ft. dist., previously described.
	Thence west
171.72	Intersect line 3-4, Sur. No. 2175, Joker lode, at a point from which Cor. No. 3 bears N. $47^{\circ} 32' E.$, 600.11 ft. dist.
220.99	Intersect line 4-1, Inspiration 3 lode of this survey.
300.00	Lode line, discovery point bears N., 1450.00 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 1, Inspiration 11 lode of this survey.
	Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 10-2-I 11-1-4443.
	No local bearing objects or trees available.
	Thence north
389.74	Intersect line 4-1, Inspiration 3 lode of this survey.
420.00	Road bears N. $62^{\circ} E.$ and S. $62^{\circ} W.$
1500.00	Cor. No. 3, identical with Cor. No. 4, Inspiration 11 lode; Cor. No. 1, Inspiration 22 lode; Cor. No. 2, Inspiration 21 lode of this survey.
	Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 10-3-I 11-4-I 22-1-I 21-2-4443.
	No local bearing objects or trees available.
	Thence east
300.00	Lode line, discovery point bears S., 50.00 ft. dist.
600.00	Cor. No. 4, identical with Cor. No. 1, Inspiration 21 lode; Cor. No. 2, Inspiration 20 lode; Cor. No. 3, Inspiration 9 lode of this survey.
	Thence south

Survey No. 4443

CHAINS Feet	
380.00	Road bears N. 65° E. and S. 65° W.
1342.83	Intersect line 3-4, Sur. No. 2175, Joker lode at a point from which Cor. No. 3 bears N. 47° 32' E., 367.32 ft. dist.
1500.00	Cor. No. 1 and place of beginning.
INSPIRATION 11 LODE	
	Beginning at Cor. No. 1, Inspiration 11 lode, identical with Cor. No. 2, Inspiration 10 lode of this survey; from which
	The cor. of secs. 19, 20, 29 and 30 bears S. 48° 11' E., 2193.64 ft. dist., previously described.
	Cor. No. 2, Sur. No. 2175, Last Chance lode, bears N. 23° 31' 30" W., 472.30 ft. dist.
	Thence west
114.09	Intersect line 1-2, Sur. No. 2175, Last Chance lode, at a point from which Cor. No. 2 bears N. 9° 45' W., 439.39 ft. dist.
300.00	Lode line, discovery point bears N., 1450.00 ft. dist.
457.53	Intersect line 2-3, Inspiration 3 lode of this survey.
600.00	Cor. No. 2.
	Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 11-2-4443.
	No local bearing objects or trees available.
	Thence north
146.51	Intersect line 2-3, Inspiration 3 lode of this survey.
320.00	Road bears E. and W.
362.34	Intersect line 2-3, Sur. No. 2175, Last Chance lode at a point from which Cor. No. 2 bears N. 80° 15' E., 417.53 ft. dist.
1006.74	Intersect line 4-1, Inspiration 3 lode of this survey.
1500.00	Cor. No. 3, identical with Cor. No. 2, Inspiration 22 lode of this survey.
	Set an iron pipe, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 11-3-I 22-2-4443.
	No local bearing objects or trees available.
	Thence east
300.00	Lode line, discovery point bears S., 50.00 ft. dist.
600.00	Cor. No. 4, identical with Cor. No. 1, Inspiration 22 lode; Cor. No. 2, Inspiration 21 lode; Cor. No. 3, Inspiration 10 lode of this survey.
	Thence south

19

Survey No. 4443

1060.00	Road bears N. 62° E. and S. 62° W.
1110.26	Intersect line 4-1, Inspiration 3 lode of this survey.
1500.00	Cor. No. 1 and place of beginning.

INSPIRATION 12 LODE

Beginning at Cor. No. 1 of Inspiration 12 lode, identical with Cor. No. 3, Inspiration 23 lode; Cor. No. 2, Inspiration 24 lode of this survey.	
Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 12-1, I 23-3, I 24-2-4443; from which	
The cor. of secs. 16, 17, 20 and 21, T. 4 S., R. 16 E., G. & S.R.M. bears N. 32° 11' 48" E., 1115.95 ft. dist., an iron post, 1 in. diam., 16 ins. above ground, firmly set, mkd. and witnessed as described in the official record.	
No local bearing objects or trees available.	
Thence south	
1500.00	Cor. No. 2
Limestone rock in place, 3 1/2 x 4 x 4 ft. above ground, mkd. I 12-2-4443 on north face.	
Thence west	
300.00	Lode line, discovery point bears N. 1450.00 ft. dist.
600.00	Cor. No. 3, identical with Cor. No. 2, Inspiration 13 lode of this survey.
Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 12-3, I 13-2-4443.	
No local bearing objects or trees available.	
Thence north	
1500.00	Cor. No. 4, identical with Cor. No. 1, Inspiration 13 lode; Cor. No. 2, Inspiration 25 lode; Cor. No. 3, Inspiration 24 lode of this survey.
Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 12-4, I 13-1, I 25-2, I 24-3-4443.	
No local bearing objects or bearing trees available.	
Thence east	
300.00	Lode line, discovery point bears S., 50.00 ft. dist.
600.00	Cor. No. 1 and place of beginning.

Survey No. 4443

~~Chains~~
Feet

INSPIRATION 13 LODE

Beginning at Cor. No. 1 of Inspiration 13 lode, identical with Cor. No. 4, Inspiration 12 lode; Cor. No. 2, Inspiration 25 lode; Cor. No. 3, Inspiration 24 lode of this survey; from which

The cor. of secs. 16, 17, 20 and 21 bears N. 15° 40' 24" E., 1522.79 ft. dist., previously described.

Thence south

1500.00 Cor. No. 2, identical with Cor. No. 3, Inspiration 12 lode of this survey.

Thence west

300.00 Lode line, discovery point bears N., 1450.00 ft. dist.

600.00 Cor. No. 3, identical with Cor. No. 2, Inspiration 14 lode of this survey.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 13-3 I 14-2-4443.

No local bearing objects or trees available.

Thence north

1500.00 Cor. No. 4, identical with Cor. No. 1 of the Inspiration 14 lode; Cor. No. 2, Inspiration 26 lode; Cor. No. 3, Inspiration 25 lode of this survey.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 13-4, I 14-1, I 26-2, I 25-3-4443.

No local bearing objects or trees available.

Thence east

300.00 Lode line, discovery point bears S. 50.00 ft. dist.

600.00 Cor. No. 1 and place of beginning.

INSPIRATION 14 LODE

Beginning at Cor. No. 1, Inspiration 14 lode, identical with Cor. No. 4, Inspiration 13 lode; Cor. No. 2, Inspiration 26 lode; Cor. No. 3 Inspiration 25 lode of this survey, from which

The cor. of secs. 16, 17, 20 and 21 bears N. 62° 14' 46" E., 2027.91 ft. dist., previously described.

Thence south

1500.00 Cor. No. 2, identical with Cor. No. 3, Inspiration 13 lode of this survey.

Thence west

300.00 Lode line, discovery point bears N., 1450.00 ft. dist.

600.00 Cor. No. 3, identical with Cor. No. 3, Inspiration 4 lode; Cor. No. 2, Inspiration 15 lode of this survey.

Thence north

21

Survey No. 4443

Feet	
1500.00	Cor. No. 4, identical with Cor. No. 1, Inspiration 15 lode; Cor. No. 2, Inspiration 27 lode; Cor. No. 3, Inspiration 26 lode of this survey. Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 14-4, I 15-1, I 27-2, I 26-3-4443. No local bearing objects or trees available. Thence east
300.00	Lode line, discovery point bears S., 50.00 ft. dist.
600.00	Cor. No. 1 and place of beginning.
INSPIRATION 15 LODE	
	Beginning at Cor. No. 1, Inspiration 15 lode, identical with Cor. No. 4, Inspiration 14 lode; Cor. No. 2, Inspiration 27 lode; Cor. No. 3, Inspiration 26 lode of this survey; from which The cor. of secs. 16, 17, 20 and 21 bears N. 68° 28' 39" E., 2574.09 ft. dist., previously described. Thence south
1500.00	Cor. No. 2, identical with Cor. No. 3, Inspiration 14 lode; Cor. No. 3, Inspiration 4 lode of this survey. Thence west
300.00	Lode line, discovery point bears N., 50.00 ft. dist.
600.00	Cor. No. 3, identical with Cor. No. 2, Inspiration 4 lode; Cor. No. 3, Inspiration 5 lode; Cor. No. 2, Inspiration 16 lode of this survey. Thence north
1300.00	Road bears N. 70° E. and N.
1500.00	Cor. No. 4, identical with Cor. No. 1, Inspiration 16 lode; Cor. No. 2, Inspiration 28 lode; Cor. No. 3, Inspiration 27 lode of this survey. Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 15-4, I 16-1, I 28-2, I 27-3-4443. No local bearing objects or trees available. Thence east
50.00	Road bears N. 45° E. and S. 45° W.
300.00	Lode line, discovery point bears S., 1450.00 ft. dist.
400.00	Road, bears N. 30° E. and S. 30° W.
600.00	Cor. No. 1 and place of beginning.

Survey No. 4443

Chains
Feet

INSPIRATION 16-LODE

Beginning at Cor. No. 1, Inspiration 16 lode, identical with Cor. No. 4, Inspiration 15 lode, Cor. No. 2, Inspiration 28 lode; Cor. No. 3, Inspiration 27 lode of this survey; from which

The cor. of secs. 16, 17, 20 and 21 bears N. $72^{\circ} 29' 50''$ E., 3139.96 ft. dist., previously described.

Thence south

50.00 Road, bears S. and N. 45° E.

1500.00 Cor. No. 2, identical with Cor. No. 3, Inspiration 15 lode; Cor. No. 2, Inspiration 4 lode; Cor. No. 3, Inspiration 5 lode of this survey.

Thence west

300.00 Lode line, discovery point bears N. 50.00 ft. dist.

600.00 Cor. No. 3, identical with Cor. No. 2, Inspiration 5 lode; Cor. No. 3, Inspiration 6 lode, Cor. No. 4, Inspiration 17 lode of this survey.

Thence north

1150.00 Road bears N. 67° E. and S. 67° W.

1500.00 Cor. No. 4, identical with Cor. No. 3, Inspiration 17 lode, Cor. No. 2, Inspiration 29 lode; Cor. No. 3, Inspiration 28 lode of this survey.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 16-4, I 17-3, I 29-2, I 28-3-4443.

No local bearing objects or trees available.

Thence east

275.00 Road, bears N. 15° E. and S. 15° W.

300.00 Lode line, discovery point bears S., 1450.00 ft. dist.

600.00 Cor. No. 1 and place of beginning.

INSPIRATION 17-LODE

Beginning at Cor. No. 1, Inspiration 17 lode, identical with Cor. No. 2, Inspiration 6 lode, Cor. No. 3, Inspiration 7 lode, Cor. No. 4, Inspiration 18 lode of this survey; from which

The cor. of secs. 19, 20, 29 and 30 bears S. $14^{\circ} 28' 49''$ W., 3059.78 ft. dist., previously described.

Thence north

670.00 Road, bears W. and N. 20° E.

1500.00 Cor. No. 2, identical with Cor. No. 3, Inspiration 18 lode; Cor. No. 2, Inspiration 30 lode; Cor. No. 3, Inspiration 29 lode of this survey.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 17-2, I 18-3, I 30-2, I 29-3-4443.

23

Survey No. 4443

Feet

No local bearing objects or trees available.

Thence east.

300.00 Lode line, discovery point bears S., 1450.00 ft. dist.

600.00 Cor. No. 3, identical with Cor. No. 2, Inspiration 29 lode; Cor. No. 3, Inspiration 28 lode; Cor. No. 4, Inspiration 16 lode of this survey.

Thence south

325.00 Road bears N. 67° E. and S. 67° W.

1500.00 Cor. No. 4, identical with Cor. No. 3, Inspiration 16 lode; Cor. No. 2, Inspiration 5 lode; Cor. No. 3, Inspiration 6 lode of this survey.

Thence west

300.00 Lode line, discovery point bears N. 50.00 ft. dist.

600.00 Cor. No. 1 and place of beginning.

INSPIRATION 18 LODE

Beginning at Cor. No. 1, Inspiration 18 lode, identical with Cor. No. 2, Inspiration 7 lode; Cor. No. 4, Inspiration 8 lode; Cor. No. 1, Inspiration 19 lode of this survey; from which

The cor. of secs. 19, 20, 29 and 30 bears S. 3° 11' 22" W., 2967.18 ft. dist., previously described.

Thence north

350.00 Road bears N. 63° W. and S. 63° E.

600.00 Road bears N. 73° E. and S. 73° W.

1500.00 Cor. No. 2, identical with Cor. No. 4, Inspiration 19 lode; Cor. No. 1, Inspiration 31 lode; Cor. No. 3, Inspiration 30 lode of this survey.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 18-2, I 19-4, I 31-1, I 30-3-4443.

No local bearing objects or trees available.

Thence east

300.00 Lode line, discovery point bears S., 1450.00 ft. dist.

600.00 Cor. No. 3, identical with Cor. No. 2, Inspiration 30 lode; Cor. No. 3, Inspiration 29 lode; Cor. No. 2, Inspiration 17 lode of this survey.

Thence south

800.00 Road, bears W. and N. 20° E.

1500.00 Cor. No. 4, identical with Cor. No. 1, Inspiration 17 lode; Cor. No. 2, Inspiration 6 lode; Cor. No. 3, Inspiration 7 lode of this survey.

Thence west

300.00 Lode line, discovery point bears N., 50.00 ft. dist.

600.00 Cor. No. 1 and place of beginning.

Survey No. 4443

Chains Feet	
	INSPIRATION 19 LODE
	Beginning at Cor. No. 1 of Inspiration 19 lode, identical with Cor. No. 1, Inspiration 18 lode; Cor. No. 2, Inspiration 7 lode; Cor. No. 4, Inspiration 8 lode of this survey; from which
	The cor. of secs. 19, 20, 29 and 30 bears S. 3° 11' 22" W., 2967.18 ft. dist., previously described.
	Thence west
300.00	Lode line, discovery point bears N., 50.00 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 3, Inspiration 8 lode; Cor. No. 4, Inspiration 9 lode; Cor. No. 1, Inspiration 20 lode of this survey.
	Thence north
1500.00	Cor. No. 3, identical with Cor. No. 4, Inspiration 20 lode; Cor. No. 1, Inspiration 32 lode; Cor. No. 2, Inspiration 31 lode of this survey.
	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 19-3, I 20-4, I 32-1, I 31-2-4443.
	No local bearing objects or trees available.
	Thence east
300.00	Lode line, discovery point bears S., 1450.00 ft. dist.
600.00	Cor. No. 4, identical with Cor. No. 1, Inspiration 31 lode; Cor. No. 3, Inspiration 30 lode; Cor. No. 2, Inspiration 18 lode of this survey.
	Thence south
875.00	Road, bears N. 73° E. and S. 73° W.
1125.00	Road bears N. 63° W. and S. 63° E.
1500.00	Cor. No. 1 and place of beginning.
	INSPIRATION 20 LODE
	Beginning at Cor. No. 1, Inspiration 20 lode, identical with Cor. No. 2, Inspiration 19 lode; Cor. No. 3, Inspiration 8 lode; Cor. No. 4, Inspiration 9 lode of this survey; from which
	The cor. of secs. 19, 20, 29 and 30 bears S. 8° 21' 5" E., 2994.33 ft. dist., previously described.
	Thence west
300.00	Lode line, discovery point bears N., 50.00 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 3, Inspiration 9 lode; Cor. No. 4, Inspiration 10 lode; Cor. No. 1, Inspiration 21 lode of this survey.
	Thence north

Survey No. 4443

Circuit Feet	
1500.00	<p>Cor. No. 3, identical with Cor. No. 4, Inspiration 21 lode; Cor. No. 1, Inspiration 43 lode; Cor. No. 2, Inspiration 32 lode of this survey.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 20-3, I 21-4, I 43-1, I 32-2-4443.</p>
	<p>No local bearing objects or trees available.</p> <p>Thence east</p>
300.00	<p>Lode line, discovery point bears S., 1450.00 ft. dist.</p>
600.00	<p>Cor. No. 4, identical with Cor. No. 1, Inspiration 32 lode; Cor. No. 2, Inspiration 31 lode; Cor. No. 3, Inspiration 19 lode of this survey.</p> <p>Thence south</p>
1500.00	<p>Cor. No. 1 and place of beginning.</p>
INSPIRATION 21 LODE	
<p>Beginning at Cor. No. 1 of Inspiration 21 lode, identical with Cor. No. 2, Inspiration 20 lode; Cor. No. 3, Inspiration 9 lode; Cor. No. 4, Inspiration 10 lode of this survey; from which</p> <p>The cor. of secs. 19, 20, 29 and 30 bears S. 19° 15' 20" E., 3138.14 ft. dist., previously described.</p>	
300.00	<p>Lode line, discovery point bears N., 50.00 ft. dist.</p>
600.00	<p>Cor. No. 2, identical with Cor. No. 3, Inspiration 10 lode; Cor. No. 4, Inspiration 11 lode; Cor. No. 1, Inspiration 22 lode of this survey.</p> <p>Thence north</p>
1500.00	<p>Cor. No. 3, identical with Cor. No. 4, Inspiration 22 lode, on line 1-2 of Inspiration 43 lode.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 21-3, I 22-4-4443.</p>
<p>No local bearing objects or bearing trees available.</p> <p>Thence east</p>	
300.00	<p>Lode line, discovery point bears S., 1450.00 ft. dist.</p>
600.00	<p>Cor. No. 4, identical with Cor. No. 1, Inspiration 43 lode; Cor. No. 2, Inspiration 32 lode; Cor. No. 3, Inspiration 20 lode of this survey.</p> <p>Thence south</p>
1500.00	<p>Cor. No. 1 and place of beginning.</p>
INSPIRATION 22 LODE	
<p>Beginning at Cor. No. 1 of Inspiration 22 lode, identical with Cor. No. 2, Inspiration 21 lode; Cor. No. 3, Inspiration 10 lode; Cor. No. 4, Inspiration 11 lode of this survey; from which</p>	

Survey No. 4443

Chains Feet	
	<p>The cor. of secs. 19, 20, 29 and 30 bears S. 28° 53' 32" E., 3383.76 ft. dist., previously described.</p> <p>Thence west</p>
300.00	Lode line, discovery point bears N., 50.00 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 3, Inspiration 11 lode of this survey.
	Thence north
1500.00	Cor. No. 3 on line 1-2, Inspiration 43 lode of this survey.
	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 22-3-4443.
	No local bearing objects or trees available.
	Thence east
300.00	Lode line, discovery point bears S., 1450.00 ft. dist.
600.00	Cor. No. 4, identical with Cor. No. 3, Inspiration 21 lode, on line 1-2, Inspiration 43 lode of this survey.
	Thence south
1500.00	Cor. No. 1 and place of beginning.
INSPIRATION 23 LODE	
	Beginning at Cor. No. 1, Inspiration 23 lode, identical with Cor. No. 2, Inspiration 33 lode of this survey; from which
	The cor. of secs. 16, 17, 20 and 21 bears S. 0° 33' 21" W., 555.65 ft. dist., previously described.
	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 23-1, I 33-2-4443.
	No local bearing objects or trees available.
	Thence south
555.60	Intersect the line between secs. 16 and 21 at a point from which cor. of secs. 16, 17, 20 and 21 bears S. 89° 26' 10" W., 5.40 ft. dist.
1500.00	Cor. No. 2.
	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 23-2-4443.
	No local bearing objects or trees available.
	Thence west
300.00	Lode line, discovery point bears N., 1450.00 ft. dist.
600.00	Cor. No. 3, identical with Cor. No. 2, Inspiration 24 lode; Cor. No. 1, Inspiration 12 lode of this survey.

27

Survey No. 4443

1500.00	<p>Thence north</p> <p>Cor. No. 4, identical with Cor. No. 1, Inspiration 24 lode; Cor. No. 2, Inspiration 34 lode; Cor. No. 3, Inspiration 33 lode of this survey.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 23-4, I 24-1, I 34-2, I 33-3-4443.</p> <p>No local bearing objects or bearing trees available.</p>
300.00	<p>Thence east</p> <p>Lode line, discovery point bears S., 50.00 ft. dist.</p>
588.65	<p>Intersect the line between secs. 17 and 16, at a point from which the cor. of secs. 16, 17, 20 and 21 bears S. 0° 36' 50" E., 555.65 ft. dist.</p>
600.00	<p>Cor. No. 1 and place of beginning.</p>
<p>INSPIRATION 24 LODE</p>	
<p>Beginning at Cor. No. 1, Inspiration 24 lode, identical with Cor. No. 2, Inspiration 34 lode; Cor. No. 3, Inspiration 33 lode; Cor. No. 4, Inspiration 23 lode of this survey; from which</p> <p>The cor. of secs. 16, 17, 20 and 21 bears S. 46° 56' 24" E., 813.82 ft. dist., previously described.</p>	
<p>Thence south</p>	
1500.00	<p>Cor. No. 2, identical with Cor. No. 3, Inspiration 23 lode; Cor. No. 1, Inspiration 12 lode of this survey.</p>
<p>Thence west</p>	
300.00	<p>Lode line, discovery point bears N., 1450.00 ft. dist.</p>
600.00	<p>Cor. No. 3, identical with Cor. No. 4, Inspiration 12 lode; Cor. No. 1, Inspiration 13 lode; Cor. No. 2, Inspiration 25 lode of this survey.</p>
<p>Thence north</p>	
1500.00	<p>Cor. No. 4, identical with Cor. No. 1, Inspiration 25 lode; Cor. No. 2, Inspiration 35 lode; Cor. No. 3, Inspiration 34 lode of this survey.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 24-4, I 25-1, I 35-2, I 34-3-4443.</p> <p>No local bearing objects or trees available.</p>
<p>Thence east</p>	
300.00	<p>Lode line, discovery point bears S., 50.00 ft. dist.</p>
600.00	<p>Cor. No. 1 and place of beginning.</p>

Survey No. 4443

Corners
Feet

INSPIRATION 25 LODE

Beginning at Cor. No. 1, Inspiration 25 lode, identical with Cor. No. 2, Inspiration 35 lode; Cor. No. 3, Inspiration 34 lode; Cor. No. 4, Inspiration 24 lode of this survey; from which

The cors. of secs. 16, 17, 20 and 21 bears S. 65° 03' 19" E., 1317.51 ft. dist., previously described.

1500.00 Cor. No. 2, identical with Cor. No. 3, Inspiration 24 lode; Cor. No. 4, Inspiration 12 lode; Cor. No. 1, Inspiration 13 lode of this survey.

Thence west

300.00 Lode line, discovery point bears N., 1450.00 ft. dist.

600.00 Cor. No. 3, identical with Cor. No. 4, Inspiration 13 lode; Cor. No. 1, Inspiration 14 lode; Cor. No. 2, Inspiration 26 lode of this survey.

Thence north

1325.00 Road bears N. 49° E. and S. 49° W.

1500.00 Cor. No. 4, identical with Cor. No. 1, Inspiration 26 lode; Cor. No. 2, Inspiration 36 lode; Cor. No. 3, Inspiration 35 lode of this survey.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 25-4, I 26-1, I 36-2, I 35-3-4443.

No local bearing objects or trees available.

Thence east

100.00 Road, bears S. 30° W. and N. 30° E.

300.00 Lode line, discovery point bears S., 50.00 ft. dist.

600.00 Cor. No. 1 and place of beginning.

INSPIRATION 26 LODE

Beginning at Cor. No. 1, Inspiration 26 lode, identical with Cor. No. 2, Inspiration 36 lode; Cor. No. 3, Inspiration 35 lode; Cor. No. 4, Inspiration 25 lode of this survey; from which

The cor. of secs. 16, 17, 20 and 21 bears S. 72° 47' 47" E., 1878.66 ft. dist., previously described.

Thence south

125.00 Road bears N. 49° E. and S. 49° W.

1500.00 Cor. No. 2, identical with Cor. No. 3, Inspiration 25 lode; Cor. No. 4, Inspiration 13 lode; Cor. No. 1, Inspiration 14 lode of this survey.

Thence west

300.00 Lode line, discovery point bears N., 1485.00 ft. dist.

600.00 Cor. No. 3, identical with Cor. No. 4, Inspiration 14 lode; Cor. No. 1, Inspiration 15 lode; Cor. No. 2, Inspiration 27 lode of this survey.

Survey No. 4443

Chains
Feet

Thence north

775.00 Road bears N. 49° E. and S. 20° W.

1500.00 Cor. No. 4, identical with Cor. No. 1, Inspiration 27 lode; Cor. No. 2, Inspiration 37 lode; Cor. No. 3, Inspiration 36 lode of this survey.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 26-4, I 27-1, I 37-2, I 36-3-4443.

No local bearing objects or trees available.

Thence east

300.00 Lode line, discovery point bears S. 15.00 ft. dist.

600.00 Cor. No. 1 and place of beginning.

INSPIRATION 27 LODE

Beginning at Cor. No. 1, Inspiration 27 lode, identical with Cor. No. 2, Inspiration 37 lode; Cor. No. 3, Inspiration 36 lode; Cor. No. 4, Inspiration 26 lode of this survey; from which

The cor. of secs. 16, 17, 20 and 21 bears S. 76° 56' 10" E., 2458.22 ft. dist., previously described.

Thence south

675.00 Road bears S. 20° W. and N. 49° E.

1500.00 Cor. No. 2, identical with Cor. No. 3, Inspiration 26 lode; Cor. No. 4, Inspiration 14 lode; Cor. No. 1, Inspiration 15 lode of this survey.

Thence west

150.00 Road bears N. 35° E. and S. 35° W.

300.00 Lode line, discovery point bears N., 1450.00 ft. dist.

500.00 Road bears N. 45° E. and S. 45° W.

600.00 Cor. No. 3, identical with Cor. No. 4, Inspiration 15 lode; Cor. No. 1, Inspiration 16 lode; Cor. No. 2, Inspiration 28 lode of this survey.

Thence north

275.00 Road bears N. 74° E. and S. 74° W.

1500.00 Cor. No. 4, identical with Cor. No. 1, Inspiration 28 lode; Cor. No. 2, Inspiration 38 lode; Cor. No. 3, Inspiration 37 lode of this survey.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 27-4, I 28-1, I 38-2, I 37-3-4443.

No local bearing objects or trees available.

Thence east

300.00 Lode line, discovery point bears S., 50.00 ft. dist.

600.00 Cor. No. 1 and place of beginning.

Survey No. 4443

~~XXXX~~
Feet

INSPIRATION 28 LODE

Beginning at Cor. No. 1, Inspiration 28 lode, identical with Cor. No. 2, Inspiration 38 lode; Cor. No. 3, Inspiration 37 lode; Cor. No. 4, Inspiration 27 lode of this survey; from which

The cor. of secs. 16, 17, 20 and 21 bears S. 79° 29' 18" E., 3045.72 ft. dist., previously described.

Thence south

1175.00 Road bears N. 74° E. and S. 74° W.

1500.00 Cor. No. 2, identical with Cor. No. 3, Inspiration 27 lode; Cor. No. 4, Inspiration 15 lode; Cor. No. 1, Inspiration 16 lode of this survey.

Thence west

300.00 Lode line, discovery point bears N., 1450.00 ft. dist.

300.00 Road bears N. 15° E. and S. 15° W.

600.00 Cor. No. 3, identical with Cor. No. 4, Inspiration 16 lode; Cor. No. 3, Inspiration 17 lode; Cor. No. 2, Inspiration 29 lode of this survey.

Thence north

1500.00 Cor. No. 4, identical with Cor. No. 1, Inspiration 29 lode; Cor. No. 2, Inspiration 39 lode; Cor. No. 3, Inspiration 38 lode of this survey.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 28-4, I 29-1, I 39-2, I 38-3-4443.

No local bearing objects or trees available.

Thence east

300.00 Lode line, discovery point bears S., 50.00 ft. dist.

600.00 Cor. No. 1 and place of beginning.

INSPIRATION 29 LODE

Beginning at Cor. No. 1, Inspiration 29 lode, identical with Cor. No. 2, Inspiration 39 lode; Cor. No. 3, Inspiration 38 lode; Cor. No. 4, Inspiration 28 lode of this survey; from which

The cor. of secs. 16, 17, 20 and 21 bears S. 81° 12' 44" E., 3637.30 ft. dist., previously described.

Thence south

1500.00 Cor. No. 2, identical with Cor. No. 3, Inspiration 28 lode; Cor. No. 4, Inspiration 16 lode; Cor. No. 3, Inspiration 17 lode of this survey.

Thence west

300.00 Lode line, discovery point bears N., 1450.00 ft. dist.

600.00 Cor. No. 3, identical with Cor. No. 2, Inspiration 17 lode; Cor. No. 3, Inspiration 18 lode; Cor. No. 2, Inspiration 30 lode of this survey.

Survey No. 4443

Elevations
Feet

	Thence north
1500.00	Cor. No. 4, identical with Cor. No. 1, Inspiration 30 lode; Cor. No. 1, Inspiration 44 lode; Cor. No. 3, Inspiration 39 lode of this survey. Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 29-4, I 30-1, I 44-1, I 39-3-4443. No local bearing objects or trees available.
	Thence east
300.00	Lode line, discovery point bears S., 50.00 ft. dist.
600.00	Cor. No. 1 and place of beginning.
	INSPIRATION 30 LODE
	Beginning at Cor. No. 1, identical with Cor. No. 1 of Inspiration 44 lode; Cor. No. 3, Inspiration 39 lode; Cor. No. 4, Inspiration 29 lode of this survey; from which The cor. of secs. 16, 17, 20 and 21 bears S. 82° 27' 13" E., 4231.25 ft. dist., previously described.
	Thence south
1500.00	Cor. No. 2, identical with Cor. No. 3, Inspiration 29 lode; Cor. No. 2, Inspiration 17 lode; Cor. No. 3, Inspiration 18 lode of this survey.
	Thence west
300.00	Lode line, discovery point bears N., 1450.00 ft. dist.
600.00	Cor. No. 3, identical with Cor. No. 2, Inspiration 18 lode; Cor. No. 4, Inspiration 19 lode; Cor. No. 1, Inspiration 31 lode of this survey.
	Thence north
1500.00	Cor. No. 4, identical with Cor. No. 4, Inspiration 31 lode, on line 1-2 of Inspiration 44 lode of this survey. Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 30-4, I 31-4-4443. No local bearing objects or trees available.
	Thence east
300.00	Lode line, discovery point bears S., 50.00 ft. dist.
600.00	Cor. No. 1 and place of beginning.
	INSPIRATION 31 LODE
	Beginning at Cor. No. 1, Inspiration 31 lode, identical with Cor. No. 3, Inspiration 30 lode; Cor. No. 2, Inspiration 18 lode; Cor. No. 4, Inspiration 19 lode of this survey; from which

Survey No. 4443

CROSS Feet	
	The cor. of secs. 19, 20, 29 and 30 bears S. 2°07' 07" W., 4465.63 ft. dist., previously described.
	Thence west
300.00	Lode line, discovery point bears N., 1450.00 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 3, Inspiration 19 lode; Cor. No. 4, Inspiration 20 lode; Cor. No. 1, Inspiration 32 lode of this survey.
	Thence north
1500.00	Cor. No. 3, identical with Cor. No. 4 of Inspiration 32 lode, on line 1-2 of Inspiration 44 lode of this survey.
	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 31-3, I 32-4-4443.
	No local bearing objects or trees available.
	Thence east
300.00	Lode line, discovery point bears S., 50.00 ft. dist.
600.00	Cor. No. 4, identical with Cor. No. 4, Inspiration 30 lode of this survey.
	Thence south
1500.00	Cor. No. 1 and place of beginning.
	INSPIRATION 32 LODE
	Beginning at Cor. No. 1, Inspiration 32 lode, identical with Cor. No. 2, Inspiration 31 lode; Cor. No. 3, Inspiration 19 lode; Cor. No. 4, Inspiration 20 lode of this survey; from which
	The cor. of secs. 19, 20, 29 and 30 bears S. 5° 33' 59" E., 4483.72 ft. dist., previously described.
	Thence west
300.00	Lode line, discovery point bears N., 1450.00 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 3, Inspiration 20 lode; Cor. No. 4, Inspiration 21 lode; Cor. No. 1, Inspiration 43 lode of this survey.
	Thence north
600.00	Cor. No. 4, Inspiration 43 lode of this survey.
1500.00	Cor. No. 3,
	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 32-3-4443.
	No local bearing objects or trees available.
	Thence east
300.00	Lode line, discovery point bears S., 50.00 ft. dist., identical with Cor. No. 2, Inspiration 44 of this survey.

Survey No. 4443

600.00	Cor. No. 4, identical with Cor. No. 3, Inspiration 31 lode of this survey.
1500.00	Thence south Cor. No. 1 and place of beginning.
INSPIRATION 33 LODE	
	Beginning at Cor. No. 1, Inspiration 33 lode, identical with Cor. No. 1, Inspiration 40 lode of this survey.
	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 33-1, I 40-1-4443; from which
	The ¼ sec. cor. of secs. 16 and 17, T. 4 S., R. 16 E., G. & S. R. M. bears N. 3° 38' 40" W., 518.68 ft. dist., an iron post, 1 in. diam., 16 ins. above ground, firmly set, mkd. and witnessed as described in the official record.
	No local bearing objects or trees available.
	Thence south
540.00	Road bears E. and W.
1500.00	Cor. No. 2, identical with Cor. No. 1, Inspiration 23 lode of this survey.
	Thence west
11.35	Intersect the line between secs. 17 and 16 at a point from which the cor. of secs. 16, 17, 20 and 21 bears S. 0° 36' 50" E., 555.68 ft. dist.
300.00	Lode line, discovery point bears N., 50.00 ft. dist.
600.00	Cor. No. 3, identical with Cor. No. 4, Inspiration 23 lode; Cor. No. 1, Inspiration 24 lode; Cor. No. 2, Inspiration 34 lode of this survey.
	Thence north
940.00	Road bears E. and W.
1500.00	Cor. No. 4, identical with Cor. No. 1, Inspiration 34 lode; Cor. No. 1, Inspiration 41 lode; Cor. No. 2, Inspiration 40 lode of this survey.
	Thence east
300.00	Lode line, discovery point bears S., 1450.00 ft. dist.
572.58	Intersect line between secs. 17 and 16 at a point from which the ¼ sec. cor. of secs. 17 and 16 bears N. 0° 36' 50" W., 517.70 ft. dist.
600.00	Cor. No. 1 and place of beginning.

Survey No. 4443

Check
Feet

INSPIRATION 34 LODE

Beginning at Cor. No. 1, Inspiration 34 lode, identical with Cor. No. 1, Inspiration 41 lode; Cor. No. 2, Inspiration 40 lode; Cor. No. 4, Inspiration 33 lode of this survey; from which

The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. $47^{\circ} 36' 26''$ E., 767.77 ft. dist., previously described.

Thence south

560.00 Road bears E. and W.

1500.00 Cor. No. 2, identical with Cor. No. 3, Inspiration 33 lode; Cor. No. 4, Inspiration 23 lode; Cor. No. 1, Inspiration 24 lode of this survey.

Thence west

300.00 Lode line, discovery point bears N., 50.00 ft. dist.

600.00 Cor. No. 3, identical with Cor. No. 4, Inspiration 24 lode; Cor. No. 1, Inspiration 25 lode; Cor. No. 2, Inspiration 35 lode of this survey.

Thence north

700.00 Road bears N. 56° E. and S. 56° W.

1500.00 Cor. No. 4, identical with Cor. No. 1, Inspiration 35 lode; Cor. No. 1, Inspiration 42 lode; Cor. No. 2, Inspiration 41 lode of this survey.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 34-4, I 35-1, I 42-1, I 41-2-4443.

No local bearing objects or trees available.

Thence east

300.00 Lode line, discovery point bears S., 1450.00 ft. dist.

600.00 Cor. No. 1 and place of beginning.

INSPIRATION 35 LODE

Beginning at Cor. No. 1, Inspiration 35 lode, identical with Cor. No. 1, Inspiration 42 lode; Cor. No. 2, Inspiration 41 lode; Cor. No. 4, Inspiration 34 lode of this survey; from which

The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. $66^{\circ} 04' 49''$ E., 1276.68 ft. dist., previously described.

No local bearing objects or trees available.

Thence south

800.00 Road bears N. 56° E. and S. 56° W.

1500.00 Cor. No. 2, identical with Cor. No. 3, Inspiration 34 lode; Cor. No. 4, Inspiration 24 lode; Cor. No. 1, Inspiration 25 lode of this survey.

Thence west

35

Survey No. 4443

Chains Feet	
300.00	Lode line, discovery point bears N., 50.00 ft. dist.
460.00	Road bears N. 30° E. and S. 30° W.
600.00	Cor. No. 3, identical with cor. No. 4, Inspiration 25 lode; Cor. No. 1, Inspiration 26 lode; Cor. No. 2, Inspiration 36 lode of this survey.
	Thence north
1500.00	Cor. No. 4, identical with Cor. No. 1, Inspiration 36 lode, on line 1-2 of Inspiration 42 lode of this survey.
	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 35-4, I 36-1-4443.
	No local bearing objects or trees available.
	Thence east
300.00	Lode line, discovery point bears S., 1450.00 ft. dist.
600.00	Cor. No. 1 and place of beginning.
	Thence north
	INSPIRATION 36 LODE
	Beginning at Cor. No. 1, Inspiration 36 lode, identical with Cor. No. 4, Inspiration 35 lode of this survey; from which
	The $\frac{1}{2}$ sec. cor. of secs. 17 and 16 bears N. 73° 40' 21" E., 1841.30 ft. dist., previously described.
	Thence south
1500.00	Cor. No. 2, identical with Cor. No. 3, Inspiration 35 lode; Cor. No. 4, Inspiration 25 lode; Cor. No. 1, Inspiration 26 lode of this survey.
	Thence west
300.00	Lode line, discovery point bears N., 50.00 ft. dist.
600.00	Cor. No. 3, identical with Cor. No. 4, Inspiration 26 lode; Cor. No. 1, Inspiration 27 lode; Cor. No. 2, Inspiration 37 lode of this survey.
	Thence north
1500.00	Cor. No. 4, identical with Cor. No. 1, Inspiration 37 lode, on line 1-2 of Inspiration 42 lode of this survey.
	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 36-4, I 37-1-4443.
	No local bearing objects or trees available.
	Thence east
300.00	Lode line, discovery point bears S., 1450.00 ft. dist.
600.00	Cor. No. 1 and place of beginning.
	Thence west

Survey No. 4443

Chains
Feet

INSPIRATION 37 LODE

Beginning at Cor. No. 1, Inspiration 37 lode, identical with Cor. No. 4, Inspiration 36 lode of this survey; from which

The $\frac{1}{4}$ sec. cor. of secs. 17 and 16 bears N. $77^{\circ} 39' 52''$ E., 2422.98 ft. dist., previously described.

Thence south

1500.00 Cor. No. 2, identical with Cor. No. 3, Inspiration 36 lode; Cor. No. 4, Inspiration 26 lode; Cor. No. 1, Inspiration 27 lode of this survey.

Thence west

300.00 Lode line, discovery point bears N., 50.00 ft. dist.

600.00 Cor. No. 3, identical with Cor. No. 4, Inspiration 27 lode; Cor. No. 1, Inspiration 28 lode; Cor. No. 2, Inspiration 38 lode of this survey.

Thence north

1500.00 Cor. No. 4, identical with Cor. No. 1, Inspiration 38 lode of this survey.

Set an iron post, 3 ft. long; 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 37-4, I 38-1-4443.

No local bearing objects or trees available.

Thence east

300.00 Lode line, discovery point bears S., 1450.00 ft. dist., identical with Cor. No. 2, Inspiration 42 lode of this survey.

600.00 Cor. No. 1 and place of beginning.

INSPIRATION 38 LODE

Beginning at Cor. No. 1, Inspiration 38 lode, identical with Cor. No. 4, Inspiration 37 lode of this survey; from which

The $\frac{1}{4}$ sec. cor. of secs. 17 and 16 bears N. $80^{\circ} 06' 13''$ E., 3011.85 ft. dist., previously described.

Thence south

1500.00 Cor. No. 2, identical with Cor. No. 3, Inspiration 37 lode; Cor. No. 4, Inspiration 27 lode; Cor. No. 1, Inspiration 28 lode of this survey.

Thence west

300.00 Lode line, discovery point bears N., 50.00 ft. dist.

600.00 Cor. No. 3, identical with Cor. No. 4, Inspiration 28 lode; Cor. No. 1, Inspiration 29 lode; Cor. No. 2, Inspiration 39 lode of this survey.

Thence north

1500.00 Cor. No. 4, identical with Cor. No. 1, Inspiration 39 lode of this survey.

37

Survey No. 4443

Chains
Feet

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 38-4, I 39-1-4443.

No local bearing objects or trees available.

Thence east

300.00 Lode line, discovery point bears S., 1450.00 ft. dist.

600.00 Cor. No. 1 and place of beginning.

INSPIRATION 39 LODE

Beginning at Cor. No. 1 of Inspiration 39 lode, identical with Cor. No. 4, Inspiration 38 lode of this survey; from which

The $\frac{1}{2}$ sec. cor. of secs. 17 and 16 bears N. $81^{\circ} 44' 35''$ E., 3604.40 ft. dist., previously described.

Thence south

1500.00 Cor. No. 2, identical with Cor. No. 3, Inspiration 38 lode; Cor. No. 4, Inspiration 28 lode; Cor. No. 1, Inspiration 29 lode of this survey.

Thence west

300.00 Lode line, discovery point bears N., 50.00 ft. dist.

600.00 Cor. No. 3, identical with Cor. No. 4, Inspiration 29 lode; Cor. No. 1, Inspiration 30 lode; Cor. No. 1, Inspiration 44 lode of this survey.

Thence north

600.00 Cor. No. 4, Inspiration 44 lode of this survey.

1500.00 Cor. No. 4.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 39-4-4443.

No local bearing objects or trees available.

Thence east

300.00 Lode line, discovery point bears S., 1450.00 ft. dist.

600.00 Cor. No. 1 and place of beginning.

INSPIRATION 40 LODE

Beginning at Cor. No. 1, Inspiration 40 lode, identical with Cor. No. 1, Inspiration 33 lode of this survey; from which

The $\frac{1}{2}$ sec. cor. of secs. 17 and 16 bears N. $3^{\circ} 38' 40''$ W., 518.68 ft. dist.

Thence west

27.42 Intersect line between secs. 17 and 16 at a point from which the $\frac{1}{2}$ sec. cor. of secs. 17 and 16 bears N. $0^{\circ} 36' 50''$ W., 517.70 ft. dist.

Survey No. 4443

Feet	
300.00	Lode line, discovery point bears N., 50.00 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 4, Inspiration 33 lode; Cor. No. 1, Inspiration 34 lode; Cor. No. 1, Inspiration 41 lode of this survey.
Thence north	
1500.00	Cor. No. 3, identical with Cor. No. 4, Inspiration 41 lode of this survey.
Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 40-3, I 41-4-4443.	
No local bearing objects or trees available.	
Thence east	
300.00	Lode line, discovery point bears S., 1450.00 ft. dist.
582.16	Intersect line between secs. 17 and 16 at a point from which the $\frac{1}{2}$ sec. cor. of secs. 17 and 16 bears S. $0^{\circ} 52' 56''$ W., 982.44 ft. dist.
600.00	Cor. No. 4.
Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 40-4-4443.	
No local bearing objects or trees available.	
Thence south	
1500.00	Cor. No. 1 and place of beginning.
INSPIRATION 41 LODE	
Beginning at Cor. No. 1, Inspiration 41 lode, identical with Cor. No. 2, Inspiration 40 lode; Cor. No. 4, Inspiration 33 lode; Cor. No. 1, Inspiration 34 lode of this survey; from which	
The $\frac{1}{2}$ sec. cor. of secs. 16 and 17 bears N. $47^{\circ} 36' 26''$ E., 767.77 ft. dist., previously described.	
Thence west	
300.00	Lode line, discovery point bears N., 50.00 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 4, Inspiration 34 lode; Cor. No. 1, Inspiration 35 lode; Cor. No. 1, Inspiration 42 lode of this survey.
Thence north	
600.00	Cor. No. 4, Inspiration 42 lode of this survey.
1500.00	Cor. No. 3.
Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 41-3-4443.	
No local bearing objects or trees available.	
Thence east	

Survey No. 4443

Chains Feet		
300.00	Lode line, discovery point bears S., 1450.00 ft. dist.	
600.00	Cor. No. 4, identical with Cor. No. 3, Inspiration 40 lode of this survey. Thence south	
1500.00	Cor. No. 1 and place of beginning.	
INSPIRATION 42 LODE		
	Beginning at Cor. No. 1, Inspiration 42 lode, identical with Cor. No. 2, Inspiration 41 lode; Cor. No. 4, Inspiration 34 lode; Cor. No. 1 Inspiration 35 lode of this survey; from which The $\frac{1}{2}$ sec. cor. of secs. 17 and 16 bears N. $66^{\circ} 04' 49''$ E., 1276.68 ft. dist., previously described.	
	Thence west	
600.00	Cor. No. 4, Inspiration 35 lode; Cor. No. 1, Inspiration 36 lode of this survey.	
1200.00	Cor. No. 4, Inspiration 36 lode; Cor. No. 1, Inspiration 37 lode of this survey.	
1500.00	Cor. No. 2. Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 42-2-4443. No local bearing objects or trees available.	
	Thence north	
300.00	Lode line, discovery point bears E., 1400.00 ft. dist.	
600.00	Cor. No. 3. Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 42-3-4443. No local bearing objects or trees available.	
	Thence east	
1500.00	Cor. No. 4, on line 2-3 of Inspiration 41 lode of this survey. Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 42-4-4443. No local bearing objects or trees available.	
	Thence south	
300.00	Lode line, discovery point bears W., 100.00 ft. dist.	
600.00	Cor. No. 1 and place of beginning.	
	Thence east	

Survey No. 4443

Chains Feet	
	INSPIRATION 43 LODE
	Beginning at Cor. No. 1, Inspiration 43 lode, identical with Cor. No. 2, Inspiration 32 lode; Cor. No. 3, Inspiration 20 lode; Cor. No. 4, Inspiration 21 lode of this survey; from which
	The cor. of secs. 19, 20, 29 and 30 bears S. 13° 03' 24" E., 4581.01 ft. dist., previously described.
	Thence west
600.00	Cor. No. 3, Inspiration 21 lode; Cor. No. 4, Inspiration 22 lode of this survey.
1200.00	Cor. No. 3, Inspiration 22 lode of this survey.
1500.00	Cor. No. 2.
	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 43-2-4443.
	No local bearing objects or trees available.
	Thence north
300.00	Lode line, discovery point bears E., 540.00 ft. dist.
600.00	Cor. No. 3.
	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 43-3-4443.
	No local bearing objects or trees available.
	Thence east
1500.00	Cor. No. 4, on line 2-3, Inspiration 32 lode of this survey.
	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 43-4-4443.
	No local bearing objects or trees available.
	Thence south
300.00	Lode line, discovery point bears W., 960.00 ft. dist.
600.00	Cor. No. 1 and place of beginning.
	INSPIRATION 44 LODE
	Beginning at Cor. No. 1, Inspiration 44 lode, identical with Cor. No. 3, Inspiration 39 lode; Cor. No. 4, Inspiration 29 lode; Cor. No. 1, Inspiration 30 lode of this survey; from which
	The cor. of secs. 16, 17, 20 and 21 bears S. 82° 27' 13" E., 4231.25 ft. dist., previously described.
	Thence west
600.00	Cor. No. 4, Inspiration 30 lode; Cor. No. 4, Inspiration 31 lode of this survey.

Survey No. 4443

XXXXX Feet		XXXXX Feet
1200.00	Cor. No. 3, Inspiration 31 lode; Cor. No. 4, Inspiration 32 lode of this survey.	
1500.00	Cor. No. 2. Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 44-2-4443. No local bearing objects or trees available. Thence north	
300.00	Lode line, discovery point bears E., 1475.00 ft. dist.	
600.00	Cor. No. 3; Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 44-3-4443. No local bearing objects or trees available. Thence east	
1500.00	Cor. No. 4, on line 3-4, Inspiration 39 lode of this survey. Set an iron post; 3 ft. long, 2 ins. diam., 18 ins. in the ground, with brass cap mkd. I 44-4-4443. No local bearing objects or trees available. Thence south	
300.00	Lode line, discovery point bears W., 25.00 ft. dist.	
600.00	Cor. No. 1 and place of beginning.	
	AREAS	Acres
	Total area, Christmas No. 1 lode	20.642
	Area in conflict with: Sur. No. 2175, Uranus lode	2.515
	Total area, Christmas No. 2 lode	19.902
	Total area, Inspiration 1 lode	19.902
	Area in conflict with: Inspiration 4 lode of this survey.	7.824
	Inspiration 5 lode of this survey	4.102
	Inspiration 6 lode of this survey	.077
	Total area, Inspiration 2 lode	19.902
	Area in conflict with: Inspiration 6 lode of this survey	7.181
	Inspiration 7 lode of this survey	5.122
	Inspiration 8 lode of this survey	1.067
	Total area, Inspiration 3 lode	20.652
	Area in conflict with: Inspiration 10 lode of this survey	1.696
	Inspiration 11 lode of this survey	9.378
	Inspiration 11 lode of this survey, exclusive of its conflict with Sur. No. 2175, Last Chance lode	3.887

Survey No. 4443

	Acres
XXXXX	
Sur. No. 2175, Last Chance lode	6.024
Sur. No. 2175, Four Aces lode	1.495
Total area, Inspiration 4 lode	20.661
Total area, Inspiration 5 lode	20.661
Total area, Inspiration 6 lode	20.661
Area in conflict with:	
Christmas No. 2 lode of this survey	0.493
Total area, Inspiration 7 lode	20.661
Total area, Inspiration 8 lode	20.661
Area in conflict with:	
Sur. No. 2175, California lode	2.400
Total area, Inspiration 9 lode	20.661
Area in conflict with:	
Sur. No. 2175, California lode	1.443
Sur. No. 2175, Joker lode	2.071
Total area, Inspiration 10 lode	20.661
Area in conflict with:	
Sur. No. 2175, Joker lode	0.310
Total area, Inspiration 11 lode	20.661
Area in conflict with	
Sur. No. 2175, Last Chance lode	4.127
Total area, Inspiration 12 lode	20.661
Total area, Inspiration 13 lode	20.661
Total area, Inspiration 14 lode	20.661
Total area, Inspiration 15 lode	20.661
Total area, Inspiration 16 lode	20.661
Total area, Inspiration 17 lode	20.661
Total area, Inspiration 18 lode	20.661
Total area, Inspiration 19 lode	20.661
Total area, Inspiration 20 lode	20.661
Total area, Inspiration 21 lode	20.661
Total area, Inspiration 22 lode	20.661
Total area, Inspiration 23 lode	20.661
Area in conflict with:	
Arizona State Land, sec. 16, T. 4 S., R. 16 E.	0.107
Total area, Inspiration 24 lode	20.661
Total area, Inspiration 25 lode	20.661
Total area, Inspiration 26 lode	20.661
Total area, Inspiration 27 lode	20.661
Total area, Inspiration 28 lode	20.661
Total area, Inspiration 29 lode	20.661
Total area, Inspiration 30 lode	20.661

43

Survey No. 4443

		Acres
	Total area, Inspiration 31 lode	20.661
	Total area, Inspiration 32 lode	20.661
	Total area, Inspiration 33 lode	20.661
	Area in conflict with:	
	Arizona State Land, sec. 16, T. 4 S., R. 16 E.	0.667
	Total area, Inspiration 34 lode	20.661
	Total area, Inspiration 35 lode	20.661
	Total area, Inspiration 36 lode	20.661
	Total area, Inspiration 37 lode	20.661
	Total area, Inspiration 38 lode	20.661
	Total area, Inspiration 39 lode	20.661
	Total area, Inspiration 40 lode	20.661
	Area in conflict with:	
	Arizona State Land, sec. 16, T. 4 S., R. 16 E.	0.932
	Total area, Inspiration 41 lode	20.661
	Total area, Inspiration 42 lode	20.661
	Total area, Inspiration 43 lode	20.661
	Total area, Inspiration 44 lode	20.661
	LOCATION	
	This survey is located in secs. 16, 17, 18, 19, 20 and 21, T. 4 S., R. 16 E., Gila and Salt River Meridian.	
	The survey of the Christmas Nos. 1 and 2 lodes and Inspiration 1 through 44 lodes, inclusive, is identical with the respective location or amended location as marked on the ground.	
	EXPENDITURES	
	I certify that the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claims by the claimant or its grantors is not less than \$500, and that said improvements consist of:	
No. 1	The discovery cut of Christmas No. 1 lode, the face of which being the discovery point is on the lode line, 550 ft. S. 64° 48' W. from the center of line 3-4, 12 ft. wide, 4 ft. face, running N. 64° 48' E. to face. Value, \$100	
No. 1	The discovery cut of Christmas No. 2 lode, the face of which being the discovery point is on the lode line, 600 ft. S. 64° 48' W. from the center of line 3-4, 6 ft. wide, 10 ft. face, running S., 10 ft. to face. Value, \$100	
No. 1	The discovery shaft of Inspiration 1 lode, the center of which being the discovery point, is on the lode line, 50 ft. N. 64° 48' E. from center of line 1-2, 4x6 ft., 8 ft. deep. Value, \$100	

Survey No. 4443

Chests	
No. 1	The discovery shaft of Inspiration 2 lode, the center of which being the discovery point, is on the lode line, 50 ft. from the center of line 1-2, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 3 lode, the center of which being the discovery point, is on the lode line, 230 ft. from center of line 1-2, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 4 lode, the center of which being the discovery point, is on the lode line, 50 ft. from the center of line 2-3, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 5 lode, the center of which being the discovery point, is on the lode line, 50 ft. from the center of line 2-3, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 6 lode, the center of which being the discovery point, is on the lode line, 50 ft. from the center of line 2-3, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 7 lode, the center of which being the discovery point, is on the lode line, 50 ft. from the center of line 2-3, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 8 lode, the center of which being the discovery point, is on the lode line, 50 ft. from the center of line 3-4, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 9 lode, the center of which being the discovery point, is on the lode line, 50 ft. from the center of line 3-4, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 10 lode, the center of which being the discovery point, is on the lode line, 50 ft. from the center of line 3-4, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 11 lode, the center of which being the discovery point, is on the lode line, 50 ft. from the center of line 3-4, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery cut of Inspiration 12 lode, the face of which being the discovery point, is on the lode line, 50 ft. S. from the center of line 4-1, 4 ft. wide, 6 ft. face, running S., 20 ft. to face. Value, \$100
No. 1	The discovery cut of Inspiration 13 lode, the face of which being the discovery point, is on the lode line, 50 ft. S. from the center of line 4-1, 5 ft. wide, 5 ft. face, running S., 20 ft. to face. Value, \$100
No. 1	The discovery cut of Inspiration 14 lode, the face of which being the discovery point, is on the lode line, 50 ft. S. from the center of line 4-1, 4 ft. wide, 5 ft. face, running S., 20 ft. to face. Value, \$100

45

Survey No. 4443

Chains	
No. 1	The discovery shaft of Inspiration 15 lode, the center of which being the discovery point, is on the lode line, 50 ft. N. from the center of line 2-3, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 16 lode, the center of which being the discovery point, is on the lode line, 50 ft. N. from the center of line 2-3, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 17 lode, the center of which being the discovery point, is on the lode line, 50 ft. N. from the center of line 4-1, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 18 lode, the center of which being the discovery point, is on the lode line, 50 ft. N. from the center of line 4-1, 4x6 ft., 8 ft. deep. Value \$100
No. 1	The discovery shaft of Inspiration 19 lode, the center of which being the discovery point, is on the lode line, 50 ft. N. from the center of line 1-2, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 20 lode, the center of which being the discovery point, is on the lode line, 50 ft. N. from the center of line 1-2, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 21 lode, the center of which being the discovery point, is on the lode line, 50 ft. N. from the center of line 1-2, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 22 lode, the center of which being the discovery point, is on the lode line, 50 ft. N. from the center of line 1-2, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery cut of Inspiration 23 lode, the face of which being the discovery point, is on the lode line, 50 ft. S. from the center of line 4-1, 4 ft. wide, 6 ft. face, running S., 18 ft. to face. Value, \$100
No. 1	The discovery cut of Inspiration 24 lode, the face of which being the discovery point, is on the lode line, 50 ft. S. from the center of line 4-1, 4 ft. wide, 6 ft. face, running S., 20 ft. to face. Value, \$100
No. 1	The discovery cut of Inspiration 25 lode, the face of which being the discovery point, is on the lode line, 50 ft. S. from the center of line 4-1, 4 ft. wide, 10 ft. face, running W., 20 ft. to face. Value, \$100
No. 1	The discovery shaft of Inspiration 26 lode, the center of which being the discovery point, is on the lode line, 15 ft. S. from the center of line 4-1, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 27 lode, the center of which being the discovery point, is on the lode line, 50 ft. S. from the center of line 4-1, 4x6 ft., 8 ft. deep. Value, \$100

Survey No. 4443

CHANGES	
No. 1	The discovery shaft of Inspiration 28 lode, the center of which being the discovery point, is on the lode line, 50 ft. S. from the center of line 401, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 29 lode, the center of which being the discovery point, is on the lode line, 50 ft. S. from the center of line 4-1, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 30 lode, the center of which being the discovery point, is on the lode line, 50 ft. S. from the center of line 4-1, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 31 lode, the center of which being the discovery point, is on the lode line, 50 ft. S. from the center of line 4-1, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 32 lode, the center of which being the discovery point, is on the lode line, 50 ft. S. from the center of line 4-1, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery cut of Inspiration 33 lode, the face of which being the discovery point, is on the lode line, 50 ft. N. from the center of line 2-3, 4 ft. wide, 7 ft. face, running S., 20 ft. to face. Value, \$100
No. 1	The discovery cut of Inspiration 34 lode, the face of which being the discovery point, is on the lode line, 50 ft. N. from the center of line 2-3, 4 ft. wide, 8 ft. face, running S., 15 ft. to face. Value, \$100
No. 1	The discovery cut of Inspiration 35 lode, the face of which being the discovery point, is on the lode line, 50 ft. N. from the center of line 2-3, 4 ft. wide, 7 ft. face, running W., 20 ft. to face. Value, \$100
No. 1	The discovery cut of Inspiration 36 lode, the face of which being the discovery point, is on the lode line, 50 ft. N. from the center of line 2-3, 4 ft. wide, 6 ft. face, running E., 18 ft. to face. Value, \$100
No. 1	The discovery shaft of Inspiration 37 lode, the center of which being the discovery point is on the lode line, 50 ft. N. from the center of line 2-3, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 38 lode, the center of which being the discovery point, is on the lode line, 50 ft. N. from the center of line 2-3, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 39 lode, the center of which being the discovery point, is on the lode line, 50 ft. N. from the center of line 2-3, 4x6 ft., 8 ft. deep. Value, \$100
No. 1	The discovery shaft of Inspiration 40 lode, the center of which being the discovery point, is on the lode line, 50 ft. N. from the center of line 1-2, 4x6 ft., 8 ft. deep. Value, \$100

Survey No. 4443

CHANGES

No. 1 The discovery shaft of Inspiration 41 lode, the center of which being the discovery point, is on the lode line, 50 ft. N. from the center of line 1-2, 4x6 ft., 8 ft. deep.
Value, \$100

No. 1 The discovery cut of Inspiration 42 lode, the face of which being the discovery point, is on the lode line, 100 ft. W. from the center of line 4-1, 5 ft. wide, 6 ft. face, running S., 18 ft. to face.
Value, \$100

No. 1 The discovery shaft of Inspiration 43 lode, the center of which being the discovery point, is on the lode line, 540 ft. E. from the center of line 2-3, 4x6 ft., 8 ft. deep.
Value, \$100

No. 1 The discovery cut of Inspiration 44 lode, the face of which being the discovery point, is on the lode line, 25 ft. W. from the center of line 4-1, 4 ft. wide, 6 ft. face, running S., 20 ft. to face.

An interest in a common improvement described as follows:

A tunnel, 6x8 ft. in size, the portal of which bears N. 9° 10' W., 815 ft. from Cor. No. 1, Inspiration 20 lode, running S. 9° E., 58 ft. to face.

Value of tunnel, \$5,685.00

Value of one-fifth interest, \$1,137.00

This improvement is for the development of Inspiration 20, 21, 22, 32 and 43 lodes of this survey, which are all the contiguous lode claims owned in common within the range of benefit of said tunnel.

Five hundred dollars or over has been expended in this improvement in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore, an undivided one-fifth interest in its value is hereby credited to each of said lodes of this survey.

An interest in a common improvement described as follows:

A tunnel, 10x12 ft. in size, the portal of which bears N. 19° E., 130.00 ft. from Cor. No. 3, Inspiration 7 lode, running S. 19° W., 100.00 ft. to Sta. 1; thence S. 19° W., 290.00 ft. to Sta. 2; thence S. 19° W., 150.00 ft. to S. portal. At Sta. 1 a drift, 10x12 ft. in size runs S. 36° W., 110.00 ft. to pt. A; thence S. 19° W., 65.00 ft. to pt. B, the bottom of a 5x10 ft. shaft; thence S. 19° W., 75.00 ft. to pt. C; thence S. 19° 57' E., 51.20 ft. to Sta. 2. At pt. B there is a raise, 5x10 ft. in size, 80 ft. to the surface.

Value of tunnels, drifts and raise, \$69,060.00

Also an excavation of 111,150 cubic yards of earth adjoining the north portal of the above tunnel made for the purpose of construction of a headframe and hoist to raise ore from the different mining levels of the ore body, which will facilitate the extraction of mineral from the claims.

Value of excavation, \$65,334.00

Total value of above improvements, \$134,394.00

Value of one-forty-sixth interest in the above improvements, \$2,921.60

Survey No. 4443

CHECKED

This improvement is in the course of construction for the development of the 46 lodes of this survey, including Christmas Nos. 1 and 2 lodes and Inspiration 1 through 44 lodes, inclusive, which are all the contiguous lode claims owned in common within the range of benefit of said improvements.

Five hundred dollars or over has been expended in this improvement in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore, an undivided one-forty-sixth interest in its value is hereby credited to each of said lodes of the common group.

Except as above stated, no portion of an interest in this improvement has been credited heretofore as patent expenditure to any lode claim.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Sur. No. 2175, Uranus lode: Cor. No. 2 is a malpais stone and Cor. No. 3 is a granite stone firmly set and properly marked. Cors. Nos. 1 and 4 have been destroyed. Line 2-3 was found to be N. 75° 17' E., 1215.46 ft. dist. instead of N. 75° 06' E., 1225.00 ft. dist. as approved; lines 1-2 and 3-4 are shown as approved.

Sur. No. 2175, Savannah lode: Cor. No. 1 is a malpais stone, 8x10x16 ins. above ground, firmly set and properly marked. Cors. Nos. 2, 3 and 4 are destroyed. Tie from Cor. No. 1 to U.S.L.M. No. 1763 was found to be S. 11° 27' 30" W., 1626.00 ft. dist. instead of S. 11° 49' W., 1642.00 ft. dist. as approved. Bearing on line 4-1, Sur. No. 2175, California lode and line 3-4, Savannah lode are identical. Set Cors. Nos. 2 and 3 from Cor. No. 4, Sur. No. 2175, California lode. Lines 2-3 and 3-4 are shown as approved.

Sur. No. 2175, California lode: Cor. No. 3 is a granite stone, 5x8x14 ins. above ground, firmly set and properly marked. Cors. Nos. 1, 2, and 4 are destroyed. Reset Cors. Nos. 2 and 4 from bearing rocks as approved. Bearing on line 4-1, identical with line 3-4, Sur. No. 2175, Savannah lode. Bearing on line 4-1, Sur. No. 2175, Savannah lode and line 1-2, Sur. No. 2175, California lode and line 2-3, Sur. No. 2175, Joker lode is identical. Line 1-2 was found to be N. 9° 41' W., 1524.78 ft. dist. instead of N. 9° 39' W., 1500.00 ft. as approved. Line 2-3 was found to be N. 64° 48' E., 598.40 ft. dist. instead of N. 64° 46' E., 600.00 ft. as approved. Line 3-4 was found to be S. 9° 37' E., 1524.78 ft. dist. instead of S. 9° 39' E., 1500.00 ft. as approved.

Sur. No. 2175, Joker lode: Cor. No. 3 is a granite stone, 14x10x14 ins. above ground. Cors. Nos. 1, 2 and 4 are destroyed. Cor. No. 2 reset on line 1-2, Sur. No. 2175, California lode. Bearing on line 3-4 and line 2-3, Sur. No. 2175, Alabama lode is identical. Cor. No. 4, identical with Cor. No. 3, Sur. No. 2175, Alabama lode. Line 2-3 was found to be N. 9° 41' W., 1511.93 ft. dist. instead of N. 9° 39' W., 1500.00 ft. dist. as approved. Line 3-4 was found to be S. 47° 32' W., 635.45 ft. dist. instead of S. 47° 40' W., 643.00 ft. dist. as approved.

Sur. No. 2175, Alabama lode: Cor. No. 2 is a granite stone, 12x15x14 ins. above ground. Cor. No. 3, identical with Cor. No. 4, Sur. No. 2175, Joker lode. Line 2-3 was found to be N. 47° 32' E., 600.00 ft. dist. instead of N. 47° 40' E., 600.00 ft. dist. as approved.

49

Survey No. 4443

Chains

Sur. No. 2175, Last Chance lode: Cor. No. 2 is a granite rock in place, 2x2x4 ft. above ground, properly marked. No other corners could be found. Bearing on line 1-2 identical with line 1-2, Sur. No. 2175, Alabama lode. Set Cor. No. 3 at right angles to line 1-2, 600.00 ft. dist. as approved. Line from Cor. No. 2, Sur. No. 2175, Alabama lode to cor. No. 2 was found to be N. 9° 45' W., 874.64 ft. dist. instead of N. 9° 39' W., 878.00 ft. dist. as approved. Line 2-3 was found to be S. 80° 15' W., 600.00 ft. instead of S. 80° 21' W., 600.00 ft. dist. as approved.

Sur. No. 2175, Four Aces lode: Cor. No. 2 is a granite rock, 20x15x18 ins. above ground, firmly set and properly marked. No other corners could be found. Bearing on line 1-2 identical with line 3-4, Sur. No. 2175, Last Chance lode. Line from Cor. No. 3, Sur. No. 2175, Last Chance lode to Cor. No. 2 was found to be N. 9° 38' W., 589.87 ft. dist. instead of N. 9° 39' W., 600.00 ft. dist. as approved.

FIELD ASSISTANTS

Name

Capacity

Milton Pearce

Transitman

Mike Erickson

Chainman

Chester Schulte

Chainman

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

50

CERTIFICATE OF SURVEYOR

Oct. 1, 1958

I, OSCAR T. SMITH,
Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the Office
Cadastral Engineer, at Phoenix, Arizona
dated January 21, 1958, I have faithfully and correctly executed the survey of
the mining claim of Inspiration Consolidated Copper Company,
known as the Christmas No. 1, Christmas No. 2, Inspiration 1 thru 44 lodes, inclusive
(Lode, placer, or mill site)
situate in Banner Mining District, Gila County, Sections 16, 17, 18, 19, 20, and 21,
T. 4 South, R. 16 East, G & S R Meridian, Arizona, and
(State)
designated as Survey No. 4443, which is represented in the foregoing field notes as having been
executed by me and under my direction, and that said survey has been made in strict conformity with said order,
the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner
described in the foregoing field notes, and I do further certify that the labor expended and improvements made
upon or for the benefit of the lode location(s) embraced in the said mining claim by
(Lode or placer)
claimant(s) or its grantors are fully stated in my report therein, and that the character,
extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no
portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Globe, Arizona
(Place)

Oscar T. Smith
(Mineral Surveyor)

CERTIFICATE OF APPROVAL

Bureau of Land Management Survey Office
(Office)

Phoenix, Arizona March 2, 1959
(Place) (Date)

The foregoing field notes of mineral survey No. 4443, in Secs. 16, 17, 18, 19, 20, and 21

Arizona, T. 4 S., R. 16 E., Gila and Salt River Meridian,
(State) executed by Oscar T. Smith, Mineral Surveyor,

under order dated January 21, 1958, having been critically examined and the necessary
corrections made prior to their certification by the surveyor, the field notes and the survey therein described
are hereby approved.

Lester S. Mann
Lester S. Mann
Office Cadastral Engineer
(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. _____
is a true copy of the original field notes.



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
State Office
3022 Federal Building
Phoenix, Arizona 85025

IN REPLY REFER TO:
9183.3 E

2

March 18, 1969

Memorandum

To : Land Office Manager, Arizona
From : State Director, Arizona
Subject: Mineral Survey No. 4443

This memorandum cancels the survey of the following lode claims of Mineral Survey No. 4443:

Inspiration 3	Inspiration 32
Inspiration 8	Inspiration 33
Inspiration 9	Inspiration 34
Inspiration 10	Inspiration 35
Inspiration 11	Inspiration 36
Inspiration 19	Inspiration 37
Inspiration 20	Inspiration 38
Inspiration 21	Inspiration 39
Inspiration 22	Inspiration 40
Inspiration 27	Inspiration 41
Inspiration 28	Inspiration 42
Inspiration 29	Inspiration 43
Inspiration 30	Inspiration 44
Inspiration 31	

The following notation should be made on the plat of Mineral Survey No. 4443:

Survey of Inspiration 3, 8 through 11, 19 through 22, and 27 through 44 lode claims cancelled by State Director's memorandum dated March 18, 1969.

The plat and field notes should remain in the files. This memorandum should be made a part of the original field notes.

A notation of this cancellation should also be made on the Mineral Mining District Sheets.

The above-listed lode claims were abandoned by Inspiration Consolidated Copper Company by Notice of Abandonment of Mining Claims dated June 12, 1968.

Mineral Survey No. 4443 does not appear on any subsisting plats.

The claimant, Inspiration Consolidated Copper Company, has located mill sites on the lands formerly embraced in the above-listed lode claims. These mill sites will be surveyed under Mineral Survey No. 4669.

cc: Director

Raymond C. Clyburn
Acting