

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4495

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

William F. and Irene Foy

Known As The

See reverse side

Pima Mining District,

Pima County, Arizona

Section 1&2, Township 18S, Range 12E, G. & S. R. R. & M.

Surveyed under order dated May 20, 19 59

by Harvey W. Smith
Mineral Surveyor.

Claim located See reverse side, 19

Survey commenced June 1, 19 59

Survey completed Sept. 1, 19 60

Address of claimant P.O. Box 5605
c/o Banner Mining Co.
Tucson, Arizona

DATES OF AMENDED LOCATIONS

See reverse side

PRIVATE CLAIMS
 DEPARTMENT OF COMMERCE
 BUREAU OF PATENT AND TRADEMARKS

<u>NAME OF CLAIM</u>	<u>DATE OF LOCATION</u>	<u>DATE OF AMENDMENTS</u>	<u>DATE RECORDED</u>
Contention	9-1-39		10-11-39
"		4-29-42	4-29-42
{ Contention #2	7-1-41		9-25-41
"		4-29-42	4-29-42
{ Contention No.2		10-1-50	12-22-50
Contention No.3	10-1-50		12-1-50
Contention No.4	10-1-50		12-1-50
Contention No.5	10-1-50		12-1-50

PLAN OF SURVEY NO. 4495

(1)

Chains
Feet

Chains
Feet

This survey was made with a C.L. Berger & Sons transit, No. 1555, with horizontal limb 6 1/2 ins. diam., having two double opposite verniers and full vertical circle, 5 ins. diam. having one double vernier; the verniers read to one minute of arc; the instrument is equipped with a colored eye-shade to be attached for making direct observations on the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian established by the following direct observation on the sun. At 7:45 A.M. on July 24, 1959 at Cor. No. 1 of Contention No. 2 lode, latitude 31° 52' 18.4" N., longitude 111° 04' 33.8" W., turning from a reference point about 500 ft. northeast of the sun in an east direction.

True bearing of reference pt. N. 48° 57' E., 108.1

The lines were measured with a Lufkin steel tape, 300 ft. in length, graduated every foot for 299 ft. and the remaining foot graduated to tenths and hundredths. The tape was compared to a standard at the beginning of the survey and found to be correct within 1 mm. All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 13° 30' E.

CONTENTION LODGE

At Cor. No. 1 of the Contention lode, identical with Cor. No. 1 of Contention No. 2 lode of this survey.

Set a galvanized iron post, 24 ins. long, 2 ins. diam., and a 15 pound concrete rock base, 12 ins. in the ground, with a lead cap, 2 1/2 ins. diam., firmly fastened to the iron post. MS 4495 C 1 C 2 4 X; from which

The S. 1/2 cor. of sec. 1, T. 18S., R. 12E., G. & S. R. 1 bears S. 57° 05' 30" E., 1908. 85 ft. dist.; a stone 6x8 ins. in size, above ground, properly marked; 1/2 X found.

Cor. No. 4, Sur. No. 4493, Unapproved, Taurus #2 lode bears N. 24° 49' E., 337.63 ft. dist.

Cor. No. 2, Sur. No. 4493, unapproved, Taurus lode bears S. 61° 42' W., 433.48 ft. dist.

A monument of stones constructed adjacent to the iron post.

Chains
Feet

Thence N.40° 58' W.

79.34 Intersect line 3-4, Sur. No. 4493, unapproved Taurus lode at a pt. from which Cor. No. 3 bears N. 84° 34' W., 316.

332.55 Intersect line 3-4, Sur. No. 4493, unapproved Taurus #2 lode at a pt. from which Cor. No. 4 bears N. 81° 15' E., 363.93 ft. dist.

918.04 Right bank, dry wash, 10-ft. wide, course N. 75° E.

1373.00 Intersect line 4-1, Contention No. 3 lode of this survey.

1373.35 Intersect line 3-4, Contention No. 3 lode common with line 1-2, Contention No. 5 lode; both of this survey.

1498.04 Cor. No. 2, identical with Cor. No. 3, Contention No. 2 lode of this survey.

Set a galvanized iron post, 24 ins. long, 2 ins. diam. in 15 pound concrete and rock base, 12 ins. in the ground, with a lead cap, 2 1/2 ins. diam., firmly fastened to the iron post mkd. MS 4495 C 2 C 2 3 X; from which

A mound of stones constructed adjacent to the iron post.

Thence N.48° 57' E.

300.0 Lode line; discovery pt. bears S. 40° 58' E., 898.04 ft. dist.

599.68 Cor. No. 3, identical with Cor. No. 4, Contention No. 5 lode of this survey.

Set a galvanized iron post, 24 ins. long, 2 ins. diam., in 15 pound concrete and rock base, 12 ins. in the ground, with a lead cap, 2 1/2 ins. diam., firmly fastened to the iron post mkd. MS 4495 C 3 C 5 4 X; from which

The pt. for the 1/2 cor. of secs. 1 and 2, bears N. 81° 44' 35" W., 516.40 ft. dist. No trace of this cor. could be found.

A mound of stones constructed adjacent to the iron post.

Thence S.40° 59' E.

1070.0 Left bank, dry wash, 20 ft. wide, course N. 40° E.

1498.05 Cor. No. 4

Chains Feet	Set a galvanized iron post, 24 ins. long, 2 ins. diam., in a 15 pound concrete and rock base, 12 ins. in the ground, with a lead cap, 2 1/2 ins. diam., firmly fastened to the iron post mkd. MS 4495 C 4 X; from which
	A mound of stones constructed adjacent to the iron post.
	Thence S. 74° 57' W.
300.0	Lode line; discovery pt. bears N. 40° 58' W., 600.0 ft. dist.
497.84	Intersect line 4-1; Sur. No. 4493 unapproved, Taurus #2 lode at a pt. from which Cor. No. 4 bears N. 15° 07' E., 247.94 ft. dist.
524.55	Intersect line 3-4, Sur. No. 4493 unapproved, Taurus lode at a pt. from which Cor. No. 4 bears S. 84° 34' E., 923.72 ft. dist.
600.0	Cor. No. 1 and place of beginning

CONTENTION NO. 2 LODE

At Cor. No. 1 of the Contention No. 2 lode.

Set a galvanized iron post, 24 ins. long, 2 ins. diam., in a 15 pound concrete and rock base, 12 ins. in the ground, with a lead cap, 2 1/2 ins. diam., firmly fastened to the iron post mkd. MS 4495 C 2 I X; from which

The S. 1/4 cor. of sec. 1, T. 12 S., R. 12 E., G. & S. R. B. & M., bears S. 72° 28' 30" E., 2,149.76 ft. dist.; previously described.

Cor. No. 2, Sur. No. 4493, Taurus lode, unapp. bears N. 19° 39' 20" E., 195.52 ft. dist.

Cor. No. 3, Sur. No. 4493, Taurus lode, unapp. bears N. 9° 33' 20" E., 486.23 ft. dist.

Cor. No. 2, Sur. No. 2030, Senator Morgan lode, bears N. 66° 21' W., 768.58 ft. dist.

A mound of stones constructed adjacent to the iron post.

Thence N. 41° 12' W.

287.74 Intersect line 2-3, Sur. No. 2030, Senator Morgan lode at a pt. from which Cor. No. 3 bears S. 79° 53' E., 992.14 ft. dist.

Chains Feet	
296.46	Intersect line 1-2, Sur. No. 4493 unapproved, Taurus #2 lode at a point from which Cor. No. 2 bears N. 80° 24' W., 553.52 ft. dist.
405.85	Intersect line 4-1, Contention No. 4 lode of this survey.
709.14	Intersect line 3-4, Sur. No. 4493 unapproved, Taurus #2 lode at a pt. from which Cor. No. 4 bears N. 81° 15' E., 1068.65 ft. dist.
715.0	Right bank, dry wash, 10 ft. wide, course S. 70° E.
1248.42	Intersect line 1-2, Contention No. 3 lode, identical with line 3-4, Contention No. 4 lode, both of this survey.
1498.08	Cor. No. 2 Set a galvanized iron post, 24 ins. long, 2 ins. diam., in a 15 pound concrete and rock base, 12 ins. in the ground, with a lead cap, 2½ ins. diam., firmly fastened to the iron post, mkd. MS 4495 C 2 X; from which A mound of stones constructed adjacent to the iron post. Thence N. 48° 57' E.
299.44	Lode line; discovery pt. bears S. 40° 58' E., 498.04 ft. dist.
355.0	Right bank, dry wash, 10 ft. wide, course S. 40° E.
498.82	Intersect line 1-2, Contention No. 5 lode, common with line 3-4, Contention No. 3 lode; both of this survey.
599.44	Cor. No. 3 identical with Cor. No. 2, Contention lode; previously described. Thence S. 40° 58' E.
124.69	Intersect line 1-2, Contention No. 5 lode, common with line 3-4, Contention No. 3 lode; both of this survey.
124.96	Intersect line 4-1, Contention No. 3 lode of this survey.
570.0	Left bank, dry wash, 12 ft. wide, course N. 75° E.
1165.49	Intersect line 3-4, Sur. No. 4493 unapproved, Taurus #2 lode, at a pt. from which Cor. No. 4 bears N. 81° 15' E., 369.93 ft. dist.
1418.70	Intersect line 3-4, Sur. No. 4493 unapproved, Taurus lode at a pt. from which Cor. No. 3 bears N. 84° 34' W., 316.09 ft. dist.

Chains Feet		Miles 1991
1492.04	Cor. No. 4, identical with Cor. No. 1 of the Contention lode; previously described.	
	Thence S. 48° 57' W.	
25.0	Left bank, dry wash, 8 ft. wide, course, east.	
245.0	Unimproved road bears S. 70° E. and N. 70° W.	
300.0	Lode line; discovery pt. bears N. 40° 58' W., 1,000 ft. dist.	
351.01	Intersect line 1-2, Sur. No. 4493 unapproved, Taurus #2 lode at a pt. from which Cor. No. 2 bears N. 80° 24' W., 936.89 ft. dist.	
362.44	Intersect line 2-3, Sur. No. 2030, Senator Morgan lode at a pt. from which Cor. No. 3 bears S. 79° 53' E., 622.76 ft. dist.	
365.46	Intersect line 1-2, Sur. No. 4493 unapproved, Taurus lode at a pt. from which Cor. No. 2 bears N. 71° 59' W., 111.53 ft. dist.	
593.31	Cor. No. 1 and place of beginning.	
	CONTENTION NO. 3 LODE	
	At Cor. No. 1 of the Contention No. 3 lode, identical with Cor. No. 4, Contention No. 4 lode.	
	Set a galvanized iron post, 24 ins. long, 2 ins. diam., in a 15 pound concrete and rock base, 12 ins. in the ground, with a lead cap, 2½ ins. diam., firmly fastened to the iron post mkd. MS 4495 C 3-1 C4 4 X; from which	
	The S. ¼ cor., Sec. 1, T. 18S., R. 12E., G. & S. R. B. & M., bears S. 60° 53' E., 3,247.61 ft. dist.	
	A cement slab bearing marker, 12 ins. diam., 6 ins. thick, 2 ins. above ground, bears S. 78° 09' 30" W., 32.47 ft. dist.; mkd. MS 4495 C3 1 C4 4 BM X;	
	A mound of stones constructed adjacent to the iron post.	
	Thence N. 79° 54' W.	
35.64	Intersect line 1-2, Contention No. 2 lode of this survey.	

Chains Feet	
1497.91	<p>Cor. No. 2, identical with Cor. No. 3, Contention No. 4 lode of this survey.</p> <p>Set a galvanized iron post, 24 ins. long, 2 ins. diam., in a 15 pound concrete and rock base, 12 ins. in the ground, with a lead cap, 2½ ins. diam., firmly fastened to the iron post mkd. MS 4495 C3 2 C4 3 X; from which</p>
	<p>Cor. No. 2, Sur. No. 3753, Calcutta lode, bears S.28 12'E., 286.39 ft. dist.</p>
	<p>Cor. No. 3, identical with Cor. No. 4, Sur. No. 2030, of the Gladstone and Summit lodes respectively, bears S.26° 53'E., 384.02 ft. dist.</p> <p>A mound of stones constructed adjacent to the iron post.</p>
300.0	<p>Lode line; discovery pt. bears S.79° 54'E., 1197.91 ft. dist.</p>
310.0	<p>Right bank, dry wash, 12 ft. wide, course S.53° E.</p>
596.25	<p>Cor. No. 3, identical with Cor. No. 2, Contention No. 5 lode of this survey.</p> <p>Set a galvanized iron post, 24 ins. long, 2 ins. diam., in a 15 pound concrete and rock base, 12 ins. in the ground, with a lead cap, 2½ ins. diam., firmly fastened to the iron post mkd. MS 4495 C3 3 C5 2 X; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence S. 79° 54'E.</p>
822.91	<p>Right bank, dry wash, 8 ft. wide, course, S.40° E.</p>
1337.51	<p>Intersect line 2-3; Contention No. 2 lode of this survey.</p>
1497.62	<p>Intersect line 1-2, Contention lode, common with line 3-4, Contention No. 2 lode both of this survey.</p>
1497.91	<p>Cor. No. 4 identical with Cor. No. 1 of the Contention No. 5 lode of this survey.</p> <p>Set a galvanized iron post, 24 ins. long, 2 ins. diam., in a 15 pound concrete and rock base, 12 ins. in the ground, with a lead cap, 2½ ins. in diam., firmly</p>

SURVEY NO. 4495

(7)

Chains Feet	Description
	fastened to the iron post mkd. MS 4495 C3.4 C5 1 X; from which
	The S. 1/4 cor., Sec. 1, T. 18S., R. 12E., G. & S. R. B. & M., bears S. 50° 21' E., 3,250.35 ft. dist.; previously described.
	A mound of stones constructed adjacent to the iron post.
	Thence S. 34° 08' W.
100.19	Intersect line 1-2; Contention lode common with line 3-4, Contention No. 2 lode both of this survey.
240.0	Left bank, dry wash, 12-ft. wide, course S. 63° E.
296.25	Lode line; discovery pt. bears N. 79° 54' W., 300.0 ft. dist.
596.25	Cor. No. 1 and place of beginning.
CONTENTION NO. 4 LODGE	
	At Cor. No. 1 of the Contention No. 4 lode.
	Set a galvanized iron post, 24 ins. long, 2 ins. diam., in a 15 pound concrete and rock base, 12 ins. in the ground, with a lead cap, 2 1/2 ins. diam., firmly fastened to the iron post mkd. MS 4495 C 4 1 X; from which
	The S. 1/4 cor., Sec. 1, T. 18S., R. 12E., G. & S. R. B. & M. bears S. 68° 55' E., 2,406.15 ft. dist.; previously described.
	Cor. No. 2, Sur. No. 2030, Senator Morgan lode bears N. 79° 57' W., 516.41 ft. dist.
	Cor. No. 9, Sur. No. 4493 unapproved, Taurus #2 lode bears N. 60° 29' 30" W., 570.35 ft. dist.
	A mound of stones constructed adjacent to the iron post.
	Intersect line 3-4, Sur. No. 4493 unapproved, Taurus #2 lode at a pt. from which
	The pt. for the NE. cor. of the SE 1/4 / Sec. 2, T. 18S., R. 12E., G. & S. R. B. & M. bears N. 41° 17' W., 599.63 ft. dist. This is the cor. of a small triangle of patented state land. No trace of this cor. found.
	Thence N. 79° 54' W.
401.08	Intersect the line bet. secs. 1 & 2, T. 18S., R. 12E. at a pt. from which the pt. for the S. 1/16 cor. on the E. boundary of Sec. 2 bears N. 0° 07' W., 380.26 ft. dist. No trace of this cor. was found.

10

SURVEY NO. 4495

(2)

Chains Feet	
518.75	Intersect line 3-4, Sur. No. 2030, Gladstone lode at a pt. from which Cor. No. 4 bears S. 68° 31' E., 2.39 ft. dist.
554.59	Cor. No. 2 Sur. No. 4493 unapproved, Taurus #2 lode.
1497.91	Cor. No. 2 Set a galvanized iron post, 24 ins. long, 2 ins. diam., in a 15 pound concrete and rock base, 12 ins. in the ground, with a lead cap, 2½ ins. diam., firmly fastened to the iron post mkd. MS 4495 C4 2 X; from which A mound of stones constructed adjacent to the iron post.
	Thence N. 39° 38' W.
248.18	Intersect the line bet. the SE¼ SE¼ and the NE¼ SE¼, Sec. 2, T. 18 S., R. 12 E., G. & S. R. B. & M., at a pt. from which the pt. for the S. 1/16 cor. on the E. boundary of Sec. 2 bears S. 89° 51' E., 1237.28 ft. dist.; previously described.
400.09	Intersect line 3-4, Sur. No. 2030, Gladstone lode at a pt. from which Cor. No. 4 bears S. 68° 31' E., 1312.62 ft. dist.
464.15	Lode line; discovery pt. bears S. 79° 54' E., 300.0 ft. dist.
928.29	Cor. No. 3, identical with Cor. No. 2, Contention No. 3 lode of this survey; previously described.
	Thence S. 79° 54' E.
462.27	Intersect line 1-2, Contention No. 2 lode of this survey.
1497.91	Cor. No. 4, identical with Cor. No. 1, Contention No. 3 lode of this survey; previously described.
	Thence S. 39° 38' E.
464.14	Lode line; discovery pt. bears N. 79° 54' W., 1197.91 ft. dist.
510.0	Left bank, dry wash, 8 ft. wide, course S. 70° E.
516.83	Intersect line 3-4, Sur. No. 4493 unapproved, Taurus #2 lode at a pt. from which Cor. No. 3 bears S. 81° 15' W., 236.64 ft. dist.
815.05	Intersect line 1-2, Contention No. 2 lode of this survey.

SURVEY NO. 4495

(9)

Chains Feet	Chains Feet
929.93	Intersect line 1-2, Sur. No. 4493-unapproved; Taurus #2 lode at a pt. from which Cor. No. 2 bears N. 80° 24' W., 548.94 ft. dist.
928.29	Cor. No. 1 and place of beginning.
CONTENTION NO. 5 LODE	
Beginning at Cor. No. 1, Contention No. 5 lode, identical with Cor. No. 4, Contention No. 3 lode; previously described.	
Thence N. 79° 54' W.	
929.29	Intersect line 1-2, Contention lode, common with line 3-4 Contention No. 2 lode; both of this survey.
1601.40	Intersect line 2-3, Contention No. 2 lode of this survey.
605.0	Left bank, dry wash, 8 ft. wide, course S. 40° E.
1497.91	Cor. No. 2, identical with Cor. No. 3, Contention No. 3 lode of this survey; previously described.
306.27	Lode line; discovery pt. bears S. 79° 54' E., 250.0 ft. dist.
379.51	Intersect the line bet. the NE $\frac{1}{4}$ and the SE $\frac{1}{4}$, Sec. 2, T. 18S., R. 12E., G. & S. R. B. & M. at a pt. from which the pt. for the $\frac{1}{4}$ cor. of secs. 1 & 2 bears S. 89° 51' E., 1104.51 ft. dist.; previously described.
612.54	Cor. No. 3
20.9	Set a galvanized iron post, 24 ins. long, 20 ins. diam., in a 15 pound concrete and rock base, 12 ins. in the ground, with a lead cap, 2 $\frac{1}{2}$ ins. diam., firmly fastened to the iron post, mkd. MS 4495 C5 3. X; from which
154.7	A mound of stones constructed adjacent to the iron post,
87.4	Thence S. 79° 54' E. 2.0
978.79	Intersect the line bet. Secs. 1 & 2, T. 18S., R. 12E., G. & S. R. B. & M. at a pt. from which the pt. for the $\frac{1}{4}$ cor. of Secs. 1 & 2 bears S. 0° 07' E., 16.37 ft. dist.; previously described.

Chains Feet	
1497.91	Cor: No. 4, identical with Cor: No. 3, Contention lode of this survey; previously described as follows: Thence S. 37° 11' 30" W.
306.27	Lode line; discovery pt. bears N. 79° 54' W., 1247.91 ft. dist.
612.54	Cor: No. 1, and place of beginning.

SURVEY NO. 4495

AREAS

	Acres
Total area, Contention lode of this survey	20.629
Area in conflict with Sur. No. 4493 unapproved, Taurus lode	0.069
Sur. No. 4493 unapproved, Taurus #2 lode	1.337
exclusive of its conflict with Sur. No. 4493 unapproved, Taurus lode	1.268
Total area Contention No. 2 lode	20.510
Area in conflict with Sur. No. 2030, Senator Morgan lode	0.763
Sur. No. 4493 unapproved, Taurus lode	1.858
Sur. No. 4493 unapproved, Taurus lode exclusive of its conflict with Sur. No. 2030, Senator Morgan lode	1.857
Sur. No. 4493 unapproved, Taurus #2 lode	6.281
Sur. No. 4493, Taurus #2 lode exclusive of its conflict with Sur. No. 4493 unapproved, Taurus lode	4.433
Total area, Contention No. 3 lode	18.726
Area in conflict with Contention lode of this survey	.000
Contention No. 2 lode of this survey	2.655
Total area, Contention No. 4 lode	20.632
Area in conflict with Sur. No. 2030, Gladstone lode	2.906
SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2, T. 18S., R. 12E., G. & S. R. B. & M., Arizona	7.420
SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2, T. 18S., R. 12E., G. & S. R. B. & M., Arizona exclusive of its conflict with Sur. No. 2030, Gladstone lode	4.784
Sur. No. 4493 unapproved, Taurus #2 lode	2.135
Sur. No. 4493 unapproved, Taurus #2 lode exclusive of its conflict with	
(1) Sur. No. 2030, Gladstone lode	2.133
(2) SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2, T. 18S., R. 12E., G. & S. R. B. & M., Arizona	1.541

SURVEY NO. 4495

(11)

Chains
Feet

Aeres

(3) Sur. No.2030 Gladstone lode and SE $\frac{1}{2}$ SE $\frac{1}{2}$ Sec.

2, T.18S., R.12E., G.&S.R.B.&M., Arizona 1.541

Contention No.2 lode of this survey 0.216

Contention No.2 lode of this survey exclusive

of its conflict with Sur. No.4493 unapproved,

Taurus #2 lode 0.187

Total area, Contention No.5 lode 13.752

Area in conflict with

Contention lode of this survey 0.860

Contention No.2 lode of this survey 0.144

NE $\frac{1}{2}$, Sec.2, T.18S., R.12E., G.&S.R.B.&M., Ariz. 2.545

LOCATION

This survey is located in NW $\frac{1}{2}$ & SW $\frac{1}{2}$, Sec.1, NE $\frac{1}{2}$ & SE $\frac{1}{2}$,
Sec.2, T.18S., R.12E., G.&S.R.B.&M.

The survey of the Contention and Contention Nos. 2, 3,
4 & 5 lodes is identical with the respective location or
amended location as marked on the ground.

EXPENDITURES

The improvements and the value of the labor and impro-
vements made upon or for the benefit of each of the lode
locations embraced in said mining claim by the claimant
or its grantors are as follows:

No.1 The discovery monument of the Contention lode is on the
lode line 898.04 ft. from a pt. on line 2-3, 300.0 ft.
from Cor. No.2.

No.2 A pit, the SW cor. of which bears N.15:30'E., 385 ft.
dist. from Cor. No.1 of the Contention lode; 8x8 ft.,
7 ft. deep.

No.3 A pit, the SE. cor. of which bears N.11'W., 365 ft. dist.
from Cor. No.1 of the Contention lode; 20x20 ft., 10
ft. deep.

No.4 A shaft, the SE. cor. of which bears N.15'W., 500 ft.
dist. from Cor. No.1 of the Contention lode; 5x8 ft.,
150 ft. deep.

No.5 A shaft, the SE. cor. of which bears N.12:30'W., 600 ft.
from Cor. No.1 of the Contention lode; 5x8 ft., 200
ft. deep to water.

14

SURVEY NO. 4495

(12)

Chains	
No. 6	A shaft, the SE. cor. of which bears N.24 W., 865 ft. dist. from Cor. No. 1 of the Contention lode; 5x8 ft., 150 ft. deep. Value, \$5,000.
No. 7	A pit, the SE. cor. of which bears N.38 W., 1,015 ft. dist. from Cor. No. 1 of the Contention lode; 8x8 ft., 10 ft. deep. Value, \$350.
No. 1	The discovery cut of the Contention No. 2 lode is on the lode line, 1,000 ft. from a pt. on line 4-1, 300.0 ft. from Cor. No. 4; a pit, 4x20 ft., 5 ft. deep. Value, \$150.
No. 2	A shaft, the SW. cor. of which bears N.85 E., 595 ft. from Cor. No. 2 of the Contention No. 2 lode; 5x8 ft., 200 ft. deep. Value, \$8,000.
No. 3	An open cut, the SW. end of which bears S.81 E., 467 ft. from Cor. No. 2 of the Contention No. 2 lode; 3 ft. wide, 7 ft. deep and running N.50 E., 25 ft. Value, \$200.
No. 4	A pit, the North end of which bears S.69 E., 535 ft. dist. from Cor. No. 2 of the Contention No. 2 lode; 8x10 ft., 16 ft. deep. Value, \$600.
No. 5	An open cut, the South end of which bears S.63 30'E., 485 ft. dist. from Cor. No. 2 of the Contention No. 2 lode; 4 ft. wide, 4 ft. deep and running N.5 W., 80 ft. Value, \$200.
No. 6	A pit, the NW. cor. of which bears S.49 30'E., 130 ft. dist. from Cor. No. 2 of the Contention No. 2 lode; 6x8 ft., 7 ft. deep. Value, \$175.
No. 7	A pit, the SW. cor. of which bears S.87 30'E., 740 ft. dist. from Cor. No. 2 of the Contention No. 2 lode; 6x8 ft., 15 ft. deep. Value, \$125.
No. 8	A pit, the SW. cor. of which bears S.88 E., 755 ft. dist. from Cor. No. 2 of the Contention No. 2 lode; 3x5 ft., 5 ft. deep. Value, \$50.
No. 9	A pit, the SW. cor. of which bears S.89 E., 785 ft. dist. from Cor. No. 2 of the Contention No. 2 lode; 8x9 ft., 8 ft. deep. Value, \$250.

SURVEY NO. 4495

(13)

Chains Feet		Value
No. 10	A pit, the SE. cor. of which bears N.15 30'W., 945 ft. dist. from Cor. No.1 of the Contention No.2 lode; 5x7 ft., 15 ft. deep.	Value, \$300.
No. 11	A pit, the SE. cor. of which bears N.15 W., 940 ft. dist. from Cor. No.1 of the Contention No.2 lode; 7x8 ft., 10 ft. deep.	Value, \$225.
No. 12	An adit, the portal of which bears N.10 W., 940 ft. dist. from Cor. No.1 of the Contention No.2 lode; 4x6 ft. and running N.47 E., 12 ft.	Value, \$150.
No. 13	A diamond drill hole which bears N.6 51'E., 742.71-ft. dist. from Cor. No.1 of the Contention No.2 lode; 2 1/8 ins. diam., 423.75 ft. deep.	Value, \$3,000.
No. 14	A churn drill hole which bears N.30 07'W., 997.33 ft. dist. from Cor. No.1 of the Contention No.2 lode; 6 ins. diam., 200 ft. deep.	Value, \$500.
No. 1	The discovery monument of the Contention No.3 lode is on the lode line 300.0 ft. from a pt. on line 4-1, 296.25 ft. from Cor. No.4.	Value, None.
No. 2	A pit, the SE. cor. of which bears N.48 W., 620 ft. dist. from Cor. No.1 of the Contention No.3 lode; 5x6 ft., 6 ft. deep.	Value, \$125.
No. 3	A pit, the SE. cor. of which bears N.47 W., 705 ft. dist. from Cor. No.1 of the Contention No.3 lode; 8x8 ft., 7 ft. deep.	Value, \$175.
No. 4	A pit, the SE. cor. of which bears N.46 W., 695 ft. dist. from Cor. No.1 of the Contention No.3 lode; 4x6 ft., 6 ft. deep.	Value, \$100.
No. 5	A pit, the SE. cor. of which bears N.16 W., 405 ft. dist. from Cor. No.1 of the Contention No.3 lode; 4x6 ft., 8 ft. deep.	Value, \$160.
No. 1	The discovery cut of the Contention No.5 lode is on the lode line 250 ft. from a pt. on line 2-3, 306.27 ft. from Cor. No.2; a pit, 8x6 ft., 8 ft. deep.	Value, \$185.

16

SURVEY NO. 4495

(14)

Chains
Feet

- No. 2 A pit, the SW. cor. of which bears N. 8° E., 415 ft. from Cor. No. 1 of the Contention No. 5 lode; 6x6 ft., 2 ft. deep.
Value, \$50.
- No. 3 A pit, the SW. cor. of which bears N. 41° E., 260 ft. dist. from Cor. No. 2 of the Contention No. 5 lode; 4x6 ft., 3 ft. deep.
Value, \$50.
- No. 4 A pit, the SW. cor. of which bears N. 45° E., 255 ft. dist. from Cor. No. 2 of the Contention No. 5 lode; 4x6 ft., 6 ft. deep.
Value, \$125.
- No. 5 A pit, the SW. cor. of which bears N. 45° E., 265 ft. dist. from Cor. No. 2 of the Contention No. 5 lode; 4x4 ft., 3 ft. deep.
Value, \$75.
- No. 6 A pit, the SW. cor. of which bears N. 67° E., 550 ft. dist. from Cor. No. 2 of the Contention No. 5 lode; 6x6 ft., 2 ft. deep.
Value, \$50.
- No. 1 The discovery cut of the Contention No. 4 lode is on the lode line, 300.0 ft. from a pt. on line 2-3, 464.15 ft. from Cor. No. 2; 5x6 ft.; 10 ft. deep.
Value, \$200.
- No. 2 A pit, the SW. cor. of which bears N. 9° 30' W., 280 ft. dist. from Cor. No. 2 of the Contention No. 4 lode; 4x4 ft., 10 ft. deep.
Value, \$150.
- No. 3 A pit, the SW. cor. of which bears N. 4° 30' W., 270 ft. dist. from Cor. No. 2 of the Contention No. 4 lode; 6x8 ft., 7 ft. deep.
Value, \$150.
- No. 4 A pit, the SW. cor. of which bears N. 4° 30' W., 250 ft. dist. from Cor. No. 2 of the Contention No. 4 lode; 4x4 ft., 7 ft. deep.
Value, \$125.
- No. 5 A pit, the SW. cor. of which bears N. 2° 30' W., 310 ft. dist. from Cor. No. 2 of the Contention No. 4 lode; 4x7 ft., 10 ft. deep.
Value, \$200.
- No. 6 A pit, the SW. cor. of which bears N. 0° 30' W., 322 ft. dist. from Cor. No. 2 of the Contention No. 4 lode; 6x7 ft., 9 ft. deep.
Value, \$200.

SURVEY NO. 4495

(15)

Chains Feet		MINES 3551
No. 7	A pit, the SW. cor. of which bears N. 2° 30' E., 305 ft. dist. from Cor. No. 2 of the Contention No. 4 lode; 6x7 ft., 8 ft. deep.	Value, \$160.
No. 8	A pit, the SW. cor. of which bears N. 4° 30' E., 290 ft. dist. from Cor. No. 2 of the Contention No. 4 lode; 6x6 ft., 9 ft. deep.	Value, \$180.
No. 9	A pit, the SW. cor. of which bears N. 10° E., 305 ft. dist. from Cor. No. 2 of the Contention No. 4 lode; 11x12 ft., 5 ft. deep.	Value, \$200.
No. 10	A pit, the SW. cor. of which bears N. 9° E., 262 ft. dist. from Cor. No. 2 of the Contention No. 4 lode; 6x8 ft., 10 ft. deep.	Value, \$200.
No. 11	A pit, the SW. cor. of which bears N. 6° 30' W., 340 ft. dist. from Cor. No. 2 of the Contention No. 4 lode; 4x6 ft., 9 ft. deep.	Value, \$160.
No. 12	A pit, the SE. cor. of which bears N. 72° 30' W., 585 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 8x8 ft., 10 ft. deep.	Value, \$250.
No. 13	A pit, the SE. cor. of which bears N. 70° 30' W., 585 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 6x5 ft., 4 ft. deep.	Value, \$75.
No. 14	A pit, the SE. cor. of which bears N. 66° 30' W., 600 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 6x8 ft., 3 ft. deep.	Value, \$60.
No. 15	A pit, the SE. cor. of which bears N. 66° W., 590 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 6x8 ft., 4 ft. deep.	Value, \$75.
No. 16	A pit, the SE. cor. of which bears N. 65° 30' W., 602 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 5x8 ft., 7 ft. deep.	Value, \$150.
No. 17	A pit, the SE. cor. of which bears N. 71° 30' W., 643 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 6x8 ft., 3 ft. deep.	Value, \$60.

Chains Feet		Value
No. 18	A pit, the SE. cor. of which bears N. 71° W., 630 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 4x8 ft., 4 ft. deep.	\$75.
No. 19	A pit, the SE. cor. of which bears N. 69° 30' W., 635 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 6x6 ft., 10 ft. deep.	\$200.
No. 20	A pit, the SE. cor. of which bears N. 69° W., 670 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 6x6 ft., 3 ft. deep.	\$75.
No. 21	A pit, the SE. cor. of which bears N. 67° 30' W., 680 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 6x8 ft., 3 ft. deep.	\$80.
No. 22	A pit, the SE. cor. of which bears N. 65° 30' W., 682 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 8x8 ft., 10 ft. deep.	\$275.
No. 23	A pit, the SE. cor. of which bears N. 64° 30' W., 668 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 6x6 ft., 3 ft. deep.	\$75.
No. 24	A pit, the SE. cor. of which bears N. 63° 30' W., 670 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 6x6 ft., 4 ft. deep.	\$85.
No. 25	A pit, the SE. cor. of which bears N. 64° W., 755 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 4x6 ft., 8 ft. deep.	\$150.
No. 26	A pit, the SE. cor. of which bears N. 55° W., 655 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 6x8 ft., 4 ft. deep.	\$75.
No. 27	A shaft, the SE. cor. of which bears N. 54° W., 900 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 7x8 ft., 40 ft. deep.	\$2,000.
No. 28	A pit, the SE. cor. of which bears N. 53° W., 950 ft. dist. from Cor. No. 1 of the Contention No. 4 lode; 5x5 ft., 6 ft. deep.	\$120.

SURVEY NO. 4495

(17)

Chains
Feet

10000

OTHER IMPROVEMENTS

A frame compressor house and hoist room, the NE. cor. of which bears N. 4° W., 625 ft. dist. from Cor. No. 1 of the Contention lode; 75 ft. long x 25 ft. on the NE. end and 17 ft. on the SW. end. The long sides bear N. 42° E.

Claimant herein.

A frame shower building, the NE. cor. of which bears N. 14° W., 535 ft. dist. from Cor. No. 1 of the Contention lode; 18x10 ft. in size; the long sides bear N. 42° E.

Claimant herein.

A plank ore bin, 10x15 ft., 3 ft. deep, the NE. corner of which bears N. 63° W., 680 ft. dist. from Cor. No. 1 of the Contention lode; the long sides bear N. 42° E.

Claimant herein.

Four water tanks in the vicinity of the compressor and hoist house on Contention No. 1 lode; 7-20 ft. in diam., 7-8 ft. high.

Claimant herein.

OTHER CORNER DESCRIPTIONS &
SUPPLEMENTAL DATA

Sur. No. 2030, Senator Morgan lode, Cor. No. 2, identical with Cor. No. 4, Gladstone lode is a galvanized iron post, 2 ins. diam., 12 ins. above ground with a lead cap, 2½ ins. diam., witnessed as described in the official record. The stone marker apparently has been replaced by this iron post.

Cor. No. 3

Sur. No. 2030, Gladstone lode, identical with Cor. No. 4, Summit lode is a stone marker, loosely set, properly marked and witnessed as described in the official record. Line 3-4, Gladstone lode was found to be S. 68° 31' E., 1488.12 ft. instead of S. 68° 15' E., 1500.0 ft. as approved. Cor. No. 3 of the Summit lode is a stone marker, firmly set, properly marked and witnessed as described in the official record. Line 3-4, Summit lode was found to be S. 68° 12' 30" E., 86.50 ft. instead of S. 68° 15' E., 86.0 ft. as approved.

Cor. No. 3, Senator Morgan lode, identical with Cor. No. 5, Sur. No. 2030, Senator Morgan No. 2 lode is a mound of stones, 3 ft. in diam. at the base, 3 ft. high. The original marker stone apparently has been obliterated therefore I used the center of the monument for the pt. Line 2-3, Senator Morgan lode was found to be S. 79° 53' E., 1514.77 ft. instead of S. 79° E., 1500 ft. as approved.

Sur. No. 3753, Cor. No. 2, Calcutta lode is a stone marker, firmly set, properly marked and witnessed as described in the official record.

Sur. No. 4493, Taurus #2 lode; Cors. 1, 2, 3 & 4 are iron posts, ¾ in. diam., 6 ins. above ground, with brass caps, 2 ins. diam., firmly set, properly marked and witnessed as described in the official record. Line 1-2, 2-3, 3-4 and 4-1 are correct as approved. Cors. 2 and 3, Taurus

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Oct 1, 19 60

I, Harvey W. Smith,
Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the

Cadastral Engineer, at Phoenix, Arizona

dated May 20, 1959, I have faithfully and correctly executed the survey of

the mining claim of William F. and Irene Fox,

known as the Contention and Contention Nos. 2, 3, 4, and 5 Lodes
(Lode, placer, or mill site)

situate in Pima Mining District, Pima County, Secs. 1&2

T. 18S., R. 12E., G. & S. R. & S. R. Meridian, Arizona, and
(State)

designated as Survey No. 4495, which is represented in the foregoing field notes as having been executed by me and under my direction, and that said survey has been made in strict conformity with said order, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes, and I do further certify that the labor expended and improvements made

upon or for the benefit of the Lode location(s) embraced in the said mining claim by
(Lode or placer)

claimant(s) or their grantors are fully stated in my report therein, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Scottsdale, Arizona
(Place)

Harvey W. Smith
(Mineral Surveyor)
Harvey W. Smith

CERTIFICATE OF APPROVAL

Bureau of Land Management, Survey Office
(Office)

Phoenix, Arizona August 23, 1961
(Place) (Date)

The foregoing field notes of mineral survey No. 4495, in Secs. 1 and 2

Arizona, T. 18 S., R. 12 E., G. & S. R. Meridian,

Arizona, executed by Harvey W. Smith, Mineral Surveyor,
(State)

under order dated May 20, 1959, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

Fred J. Weiler
Fred J. Weiler

State Director
(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. _____ is a true copy of the original field notes.

(Title)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

22

CERTIFICATE OF SURVEYOR

<u>Name of Claim</u>	<u>Date of Location</u>	<u>Date of Amendments</u>	<u>Date Recorded</u>
Contention	9-1-39		10-11-39
		4-29-42	4-29-42
Contention #2	7-1-41		9-25-41
		4-29-42	4-29-42
Contention No.2		10-1-50	12-22-50
Contention No.3	10-1-50		12-1-50
Contention No.4	10-1-50		12-1-50
Contention No.5	10-1-50		12-1-50

The foregoing field notes of mineral survey No. _____, which is represented in the foregoing field notes as having been located by the said surveyor, and the said surveyor has been made in strict conformity with the laws of the United States, and in the special manner described in the foregoing field notes and I do further certify that the laws were read and interpreted in accordance with the laws of the United States, and that the same are true and correct as the same are filed in the office of the Surveyor General for the Territory of Arizona, and that the same are true and correct as the same are filed in the office of the Surveyor General for the Territory of Arizona, and that the same are true and correct as the same are filed in the office of the Surveyor General for the Territory of Arizona.

Surveyor W. Smith

CERTIFICATE OF APPROVAL

The foregoing field notes of mineral survey No. _____, which is represented in the foregoing field notes as having been located by the said surveyor, and the said surveyor has been made in strict conformity with the laws of the United States, and in the special manner described in the foregoing field notes and I do further certify that the laws were read and interpreted in accordance with the laws of the United States, and that the same are true and correct as the same are filed in the office of the Surveyor General for the Territory of Arizona, and that the same are true and correct as the same are filed in the office of the Surveyor General for the Territory of Arizona, and that the same are true and correct as the same are filed in the office of the Surveyor General for the Territory of Arizona.

[Signature]

CERTIFICATE OF TRANSPORT

I certify that the foregoing transcript of field notes of the above described mineral survey No. _____ is a true copy of the original field notes.