

Form 4-683
(April 1959)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey Number

4527

State

Arizona

Land District

Arizona

FIELD NOTES

Of the Survey of the Mining Claim of *(Name & address of Claimant)*

Charles W. Lapham
c/o Joseph Morgan
Attorney at Law
322 Luhrs Bldg.
Phoenix, Arizona

Known as the *(Name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Jerry Lode	1/2/00	

Mining District Tiger		County Yavapai	Section 30
Township 10N.	Range 1. W.	Meridian G.&S.R.B.&M.	Surveyed under order dated 5/12/60
Survey commenced 6/1/61	Survey completed 6/13/61	Name of Mineral Surveyor Harvey W. Smith	

FIELD NOTES

On the survey of the Mining Claim of [Name] situated at [Location]
 [Name] [Address]
 [City] [State] [Zip]
 [Date]
 [Surveyor's Name]
 [Surveyor's Address]

DESCRIPTION OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

DATE	LOCATION	NAME OF LOCATION
1/1/58		

Section	County	State	Range	Township	Meridian	Private and other lands
30	Texas					

~~CHANG~~
Feet

This survey was made with a K. & E. transit, No. 51591, with horizontal limb 5.5 ins. diam., having two double verniers, and full vertical circle 4.5 ins. diam., having one double vernier, the verniers read to one minute of arc; the instrument is equipped with a colored eye-shade to be attached for making direct observations on the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian established by direct observation on the sun. At 09:16 a.m. on June 13, 1961 at Cor. No. 1 of the Jerry lode, latitude 34° 10' 59" North, longitude 112° 24' 05" West, turning from a reference pt. about 300 ft. northwest clockwise to the sun in a northwest direction.

True bearing of reference pt.

N. 41° 21' 45" W.

The lines were measured with a Lufkin steel tape, 300 ft. in length graduated every ft. for 299 ft. and the remaining foot graduated to tenths and hundredths. The tape was compared to a standard at the beginning of the survey and found to be correct. All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 14° 30' East.

SURVEY NO. 4527

JERRY LODGE

At cor, No. 1 of the Jerry lode.

Set a galvanized iron post 3/4 in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. M S 4527 J 1 X; from which

The NE. cor. of sec. 30, T.10N., R.1W., G. & S. R. B. & M., bears N. 38° 23' 05" E., 2,262.34 ft. dist.; a boulder, 8x12x14 ins. set on top of a mound of stones. Five slash marks are carved in the stone.

A mound of stones constructed adjacent to the iron post.

Thence S. 63° 00' 30" E.

300.0 Lode line; discovery pt. bears S. 17° 09' W., 752 ft. dist.

600.0 Cor. No. 2

Set a galvanized iron post, 3/4 in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post mkd. M S 4527 J 2 X; from which

	<p>XXXXX Feet.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence S.18°54'30"W.</p>
618.04	Intersect the East-West center section line at a pt. from which the east $\frac{1}{4}$ cor. bears S.89° 29' E., 1,070.46 ft. dist. This $\frac{1}{4}$ cor. was not found.
1388.05	Intersect the east 1/16 line of the SE. $\frac{1}{4}$ of sec. 30 at a pt. from which the pt. for the east 1/16 cor. of the south boundary bears South, 589.29 ft. dist.
1410.0	Right bank, Minnehaha creek, 30 ft. wide, course, N.7°W.
1450.0	Unimproved dirt road bears N.7°W. and S.7°E.
1492.75	Cor. No. 3
	<p>Set a galvanized iron post, $\frac{3}{4}$ in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. M S 4527 J 3 X; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 63°00'30" W..</p>
253.52	Lode line; discovery pt. bears N. 17°09' E., 748 ft. dist.
553.52	Cor. No. 4
	<p>Set a galvanized iron post $\frac{3}{4}$ in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. M S 4527 J 4 X; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 17° 09' E.</p>
608.75	Intersect the East-West center section line at a pt. from which the east $\frac{1}{4}$ cor. bears S.89° 29'E., 1,667.64 ft. dist.
670.0	Left bank of Minnehaha creek, 30 ft. wide, course, N.30°W.
769.78	Unimproved dirt road bears N.10°W. and S.10°E.
1500.0	Cor. No. 1 and the place of beginning.

SURVEY NO. 4527

AREAS

	Acres
Total area Jerry lode	19.569
Area in conflict with NE. $\frac{1}{4}$ and NE $\frac{1}{4}$ of the SE. $\frac{1}{4}$, Sec. 30	12.161

SURVEY NO. 4527

3

Obtain
Feet

LOCATION

This survey is located in the NE. $\frac{1}{4}$ and the SE. $\frac{1}{4}$ of sec. 30, T.10N., R.1W., G.&S.R.B.&M.

The survey of the Jerry lode is identical with its location as marked on the ground.

EXPENDITURES

The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or his grantors are as follows;

No. 1 The discovery pt. of the Jerry lode is on the lode line 752. ft from a pt. on line 1-2, 300.0 ft. from cor. No.1.

Value, None.

No. 2 An adit, the portal of which bears S. 8° E., 695 ft. dist. from cor. No. 1 of the Jerry lode; 4 x $5\frac{1}{2}$ ft. in size and running N. 19° E., 65 ft.; thence East, 20 ft.; thence N. 19° E., 45 ft.

Value, \$2,600.00

No. 3 A cut, the NW. cor. of which bears South, 50 ft. from cor. No. 1 of the Jerry lode; 4 ft. wide, running N. 40° E., 35 ft. to an 8 ft. face.

Value, \$200.00

No. 4 A pit, the SE. cor. of which bears N. 15° W., 220 ft. from cor. No. 3 of the Jerry lode; 5 x 7 ft. in size, $3\frac{1}{2}$ ft. average depth.

Value, \$70.00

No. 5 A cut, the SE. cor. of which bears N. $14^{\circ}30'$ W., 195 ft. from cor. No. 3 of the Jerry lode; 4 ft. wide, running S. 75° W., 15 ft. to a 10 ft. face.

Value, \$200.00

No. 6 A cut, The SE. cor. of which bears N. 20° W., 175 ft. from cor. No. 3 of the Jerry lode; 4 ft. wide, running N. 72° W., 25 ft. to a 12 ft. face.

Value, \$300.00

OTHER IMPROVEMENTS

A frame house, the NE. cor. of which bears S. 6° W., 855 ft. from cor. No. 1 of the Jerry lode; 12 x 24 ft. in size, the long sides bear S. 65° W.

Claimant herein.

Foot

A water well which bears S.8° 30'W., 865 ft. from cor. No. 1 of the Jerry lode; depth unknown.

Claimant herein.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

The East-West center section line and the east 1/16 line of the SE. 1/4 are calculated lines.

FIELD ASSISTANTS

Name	Capacity
Richard Cleveland	Chainman-Axeman


UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

August 15, 1963

I, Harvey W. Smith,
 Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the _____
 _____ Cadastral Engineer _____, at Phoenix, Arizona
 dated May 12, 1960, I have faithfully and correctly executed the survey of
 the mining claim of Charles W. Lapham,
 known as the Jerry lode
(Lode, placer, or mill site)
 situate in the Tiger Mining District, Yavapai County, Sec. 30,
 T. 10 N., R. 1 W., G. & S. R. B. & Meridian, Arizona, and
(State)
 designated as Survey No. 4527, which is represented in the foregoing field notes as having been
 executed by me and under my direction, and that said survey has been made in strict conformity with said order,
 the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner
 described in the foregoing field notes, and I do further certify that the labor expended and improvements made
 upon or for the benefit of the Lode location(s) embraced in the said mining claim by
(Lode or placer)
 claimant(s) or his grantors are fully stated in my report therein, and that the character,
 extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no
 portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate
 of expenditures upon any other claim.


Scottsdale, Arizona
(Place)


 Harvey W. Smith
(Mineral Surveyor)

CERTIFICATE OF APPROVAL

Bureau of Land Management, State Office
(Office)
Phoenix, Arizona November 5, 1963
(Place) (Date)

The foregoing field notes of mineral survey No. 4527, in Tiger Mining District
Section 30, T. 10 N., R. 1 W., G. & S. R. Meridian,
Arizona, executed by Harvey W. Smith, Mineral Surveyor,
(State)
 under order dated May 12, 1960, having been critically examined and the necessary
 corrections made prior to their certification by the surveyor, the field notes and the survey therein described
 are hereby approved.


 Fred J. Weiler
 State Director
(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. _____
is a true copy of the original field notes.

(Title)

CERTIFICATE OF SURVEYOR

I, Surveyor, do hereby certify that in pursuance of an order received from the
Industrial Department at Phoenix, Arizona
dated May 14, 1900, I have faithfully and accurately executed the survey of
the mining claim of _____
known as the _____
situated in _____
_____ and _____
designated as Survey No. _____ which is represented in the foregoing field notes as having been
executed by me and under my direction, and that said survey has been made in strict conformity with said order,
the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner
described in the foregoing field notes, and I do further certify that the labor expended and improvements made
thereon for the benefit of the _____
_____ and _____
_____ are fully stated in my report thereto, and that the same
actual location and correct adjustment are specified therein with particularity and particularity, and that no
portion of or interest in said labor and improvements are claimed to be due or included in the claims
of applicants upon any other claim.

Surveyor
Industrial Department

CERTIFICATE OF APPROVAL

I, _____
_____ of _____
_____ do hereby approve the foregoing field notes of mineral survey No. _____
_____ and _____
_____ made by _____
_____ having been critically examined and the necessary
corrections made prior to their publication by the surveyor, the field notes and the survey therein described
are hereby approved.

CERTIFICATE OF TRANSMITTAL

I certify that the foregoing transcript of field notes of the above described mineral survey No. _____
is a true copy of the original field notes.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 4527
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Jerry lode, Mineral Survey No. 4527, located in section 30, Township 10 North, Range 1 West, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Jerry lode, M.S. 4527, was canceled May 20, 2002, by memo 9605 (956) M.S. 4527, which is now a part of the original field notes."

May 20, 2002
Date



Chief Cadastral Surveyor of Arizona



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
State Office
3022 Federal Building
Phoenix, Arizona 85025

IN REPLY REFER TO:
9183.1 (02940)

Your reference:
A 1721 Ct.
(LO/Mins) and
FS Letter dtd.
10/20/69

October 28, 1969

Memorandum

To : Land Office Manager
From : Chief, Division of Engineering
Subject: Jerry Lode - Mineral Survey #4527

A notation has been made on the plat of Mineral Survey #4527 that the Jerry lode claim has been declared null and void, but no action has been taken to cancel M.S. #4527.

The Forest Service should be notified that we are not taking action to cancel this survey, unless they have a definite need for its cancellation. For your information, we are enclosing copies of the Director's memorandum dated July 14, 1958, setting forth the criteria to be employed in determining whether a mineral survey should be canceled after the claim has been declared invalid, and the Director's memorandum dated November 17, 1960, containing supplemental instructions on cancellation of mineral surveys.

Enclosures

Ken Hansen

RECEIVED
BUREAU OF
LAND MANAGEMENT

1969 OCT 28 PM 12 44 .8

LAND OFFICE
PHOENIX, ARIZONA



UNITED STATES
DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

State Office
4025 Federal Building
Phoenix, Arizona 85033

IN REPLY, PLEASE USE
9783 J (02040)
Your reference:
A 1751 G
(10/11/82) and
12 Letter B/L
10/20/82

Marathon

to : Land Title Manager

from : State Division of Engineering

subject : Survey Job - Mineral Survey #4827

A notation has been made on the plat of Mineral Survey #4827 that the
Jerry Job claim has been declared null and void, and no action has
been taken to cancel B.L. #4827.
The Bureau should be notified that we are not taking action
to cancel the survey, unless they have a definite lead for its
cancellation. For your information, we are enclosing copies of the
Director's memorandum dated July 14, 1982, setting forth the criteria
to be employed in determining whether a mineral survey should be
cancelled. If the claim has been declared invalid, and the Director's
memorandum dated November 17, 1980, containing supplemental instructions
of cancellation of mineral surveys.

Enclosure

Tom Howard

RECEIVED
BUREAU OF LAND MANAGEMENT
PHOENIX, ARIZONA

8 APR 21 11 35 AM '82

RECEIVED
BUREAU OF LAND MANAGEMENT
PHOENIX, ARIZONA

OCT 23 1969

10:40 A.M.
PHOENIX, ARIZONA

UNITED STATES DEPARTMENT OF AGRICULTURE
FOREST SERVICE
Region 3

Handwritten initials and number:
A/S
1721

REPLY TO: 2810 Mining Claims

October 20, 1969

SUBJECT: Prescott - Lapham, Chas. W. - Jerry LMC -
M.S. No. 4527, Ariz.
(Your ref: 9183.1 (E) M.S. 4527)



TO: Manager, Land Office
Bureau of Land Management
3022 Federal Building
Phoenix, Arizona 85025

The above referenced Jerry lode mining claim was declared null and void by decision of Hearing Examiner Paul A. Shepard on November 7, 1968, as the result of a hearing held in connection with Contest No. A-1721 on May 1, 1968, in Phoenix, Arizona. The decision was never appealed and has now become final.

Since the claim has been declared invalid and the land within its limits to be nonmineral in character, we respectfully request that your office cancel the subject mineral survey, No. 4527 Arizona. We think, and are sure you will agree, that a mineral survey on a null and void mining claim is a useless encumbrance on the public land records.

Handwritten signature: John T. Koehn

JOHN T. KOEHN
Assistant Regional Forester
Division of Recreation & Lands

Handwritten note: 11-9-68 H. C. DeLoach Jerry claim null and void appeal.

Handwritten note: 1-7-69 Case closed.

10