

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey Number	1
	4567
State	ARIZONA
Land District	ARIZONA

FIELD NOTES

Of the Survey of the Mining Claim of (Name & address of Claimant)

M. D. Rawls
c/o Elmer C. Coker
Suite 840 Security Bldg., Phoenix, Arizona

Known as the (Name of group, if any)

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
BLUE JAY NO.2 (Placer)	6/15/54	6/26/61

Mining District AA		County Coconino	Section 9
Township 22N.	Range 1W.	Meridian G.&S.R.B.&M.	Surveyed under order dated Apr. 12, 1961 Aug. 1, 1961 Amd.
Survey commenced Apr. 28, 1961	Survey completed Aug. 15, 1961	Name of Mineral Surveyor Harvey W. Smith	

FIELD NOTES

Project Name
Date
Location

Main body of the page containing faint, illegible text and possibly a large diagram or map area.

Section	County	Township	Range
10000	Blaine	10N	10E
10000	Blaine	10N	10E

SURVEY NO. 4567

Chains
Feet

This survey was made with a K. & E. transit No. 51591, with horizontal limb 5.5 ins. diam., having two double opposite verniers and full vertical circle 4.5 ins. diam., having one double vernier, the verniers read to one minute of arc; the instrument is equipped with a colored eye-shade to be attached for making direct observations on the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian established by direct observation on the sun. At 09:00 A. M. on Apr. 28, 1961, at cor. No. 1 of the Blue Jay No. 2 Placer latitude $35^{\circ}18'38''$ North, longitude $112^{\circ}24'10.36''$ West, turning from a reference pt. about 200 ft. southwest, clockwise to the sun in an east direction.

True bearing of reference pt.
S. $7^{\circ}58'35''$ W.

The lines were measured with a Lufkin steel tape, 300 ft. in length graduated every ft. for 299 ft. and the remaining foot graduated to tenths and hundredths. The tape was compared to a standard at the beginning of the survey and found to be correct. All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of $14^{\circ}39'$ East.

SURVEY NO. 4567

BLUE JAY NO. 2 PLACER

At cor. No. 1 of the Blue Jay No. 2 Placer ..

Set a galvanized iron post, 30 ins. long, $3/4$ in. diam., in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS4567 BJ2 1 X; from which

The cor. of secs. 36, 31, 1 & 6, Ts. 22 & 23 N., Rs. 1 & 2 W., G. & S. R. B. & M., bears N. $66^{\circ}21'50''$ W., 13,564.71 ft. dist.; a boulder, 10x12 ins. in size, 18 ins. above ground firmly set, properly marked and witnessed as described in the official record.

A Mound of stones constructed adjacent to the iron post.

Thence N. $84^{\circ}03'35''$ E.

1150.95 Cor. No. 2 ..

Set a galvanized iron post, 30 ins. long, $3/4$ in. diam., in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4567 BJ2 2 X; from which

A mound of stones constructed adjacent to the iron post.

Chain Feet	Description
	Thence S. 0°30'15"W.
96.57	Intersect the center line of the north main line track of the A.T.&S.F. RR. Track bears N. 62°33'45"E. and S. 62°33'45"W.
215.0	Unimproved dirt road bears N. 62°33'E. and S. 62°33'W.
688.56	Cor. No. 3 Set a galvanized iron post, 130 ins. long, 3/4 in. diam. borne in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4567 BJ2 3 X; from which A mound of stones constructed adjacent to the iron post. Thence S. 80°45'55" W.
1160.41	Cor. No. 4 identical with Cor. No. 2; Sur. 4565, unapproved, Blue Jay Placer. Found an iron post, 3/4 in. diam., 12 ins. above ground, firmly set with a brass cap marked MS 4565 BJ2 X to which I add marks MS 4567 BJ2 4, from which A mound of stones sets adjacent to the iron post. Thence N. 0°30'15" E.
50.0	Unimproved dirt road bears N. 62°30'E. and S. 62°W.
184.89	Intersect the center line of the north main line track of the A.T.&S.F. RR. Track bears N. 62°53'E. and S. 63°23'W.
755.63	Cor. No. 1 and the place of beginning.

SURVEY NO. 4566

AREAS

Total area Blue Jay No. 2 Placer Claim

Acres
18.959

LOCATION

This survey is located in the NE 1/4 & NW 1/4 of Sec. 9, T. 22N., R. 1W., G. & S. R. B. & M., Arizona

The survey of the Blue Jay No. 2 Placer is identical with the respective location or amended location as marked on the ground.

EXPENDITURES

The improvements and the value of the labor and improvements made upon or for the benefit of each of the placer locations embraced in said mining claim by the claimant or his grantors are as follows:

SURVEY NO. 4567

Chains X
Feet

No. 1 The discovery cut of the Blue Jay No. 2 Placer is a pit, the NW cor. of which bears S. 44° E., 700.0 ft. dist from cor. No. 1 of the Blue Jay No. 2 Placer; 70 ft. wide, 2½ ft. average depth and running S. 40° W. 125 ft.

Value, \$1,000.

OTHER IMPROVEMENTS

NONE

OTHER CORNER DESCRIPTIONS
AND SUPPLEMENTAL DATA

NONE

FIELD ASSISTANTS

Name	Capacity
Bill Donahue	Chainman

DESCRIPTIVE REPORT

In accordance with Revised Statutes, sec. 2331 (30 U.S.C., sec. 35), the following descriptive report on the Blue Jay No. 2 Placer is made.

This location is at an elevation of about 6050 ft. A thin mantle of soil covers the stone producing numerous cedar trees. There is no other major growth.

There are no streams or other bodies of water on the claims.

A description of all the workings may be found under "Expenditures" in the regular field notes.

Ashfork, Arizona, a small railroad settlement is located approximately 15 miles in a southeast direction. A semi-improved dirt road provides access from there. Williams, Arizona, a small town is situated approximately 15 miles to the Southeast. A good graded dirt road provides access from there.

No lode deposits are known in the area.

Flagstone and other building stones are readily quarried from the claims. Quarrying of the stone is a continuing process.

Little development work is necessary except for clearing the thin mantle of soil and some trees from a quarry area. Unimproved dirt roads provide egress from the quarries to the main travelled roads.

There are no mines, salt licks, salt springs or mill sites on the claims.

Harvey W. Smith
Harvey W. Smith, E.M.
U. S. Mineral Surveyor

GENERAL INSTRUCTIONS

Chains

GENERAL

These instructions are intended to provide a general guide for the use of this form. They are not intended to be a substitute for the instructions on the form itself.

The form is divided into two main sections: "GENERAL INSTRUCTIONS" and "GENERAL".

The "GENERAL INSTRUCTIONS" section contains the following information:

- 1. This form is to be used for the purpose of recording the results of a survey.
- 2. The form should be filled out by the person who conducted the survey.
- 3. The form should be filled out in ink.
- 4. The form should be filled out in a legible hand.
- 5. The form should be filled out in a clear and concise manner.
- 6. The form should be filled out in a timely manner.
- 7. The form should be filled out in a complete manner.
- 8. The form should be filled out in a correct manner.
- 9. The form should be filled out in a proper manner.
- 10. The form should be filled out in a suitable manner.
- 11. The form should be filled out in a convenient manner.
- 12. The form should be filled out in a practical manner.
- 13. The form should be filled out in a useful manner.
- 14. The form should be filled out in a profitable manner.
- 15. The form should be filled out in a successful manner.

The "GENERAL" section contains the following information:

- 1. This section is for the purpose of recording the results of a survey.
- 2. The results of the survey should be recorded in this section.
- 3. The results of the survey should be recorded in a clear and concise manner.
- 4. The results of the survey should be recorded in a timely manner.
- 5. The results of the survey should be recorded in a complete manner.
- 6. The results of the survey should be recorded in a correct manner.
- 7. The results of the survey should be recorded in a proper manner.
- 8. The results of the survey should be recorded in a suitable manner.
- 9. The results of the survey should be recorded in a convenient manner.
- 10. The results of the survey should be recorded in a practical manner.
- 11. The results of the survey should be recorded in a useful manner.
- 12. The results of the survey should be recorded in a profitable manner.
- 13. The results of the survey should be recorded in a successful manner.

[Handwritten signature]
 Date: _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Sept. 1, 1961

I, Harvey W. Smith,
 Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the _____
Cadastral Engineer, at Phoenix, Arizona
Apr. 12, 1961
 dated Aug. 1, 1961 (Amend.), I have faithfully and correctly executed the survey of
 the mining claim of M. D. Rawls,
 known as the Blue Jay No. 2 Placer
(Lode, placer, or mill site)
 situate in AA Mining District, Coconino County, Secs. 9
T. 22 N., R. 1 W., G. & S. R. B. & Meridian, Arizona, and
(State)
 designated as Survey No. 4567, which is represented in the foregoing field notes as having been
 executed by me and under my direction, and that said survey has been made in strict conformity with said order,
 the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner
 described in the foregoing field notes, and I do further certify that the labor expended and improvements made
 upon or for the benefit of the Placer location(s) embraced in the said mining claim by
(Lode or placer)
 claimant(s) or his grantors are fully stated in my report therein, and that the character,
 extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no
 portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate
 of expenditures upon any other claim.

Scottsdale, Arizona
(Place)

Harvey W. Smith
(Mineral Surveyor)
 Harvey W. Smith

CERTIFICATE OF APPROVAL

Bureau of Land Management, Survey Office
(Office)
Phoenix, Arizona Dec. 27, 1961
(Place) (Date)

The foregoing field notes of mineral survey No. 4567, in AA Mining District
Sec. 9, T. 22 N., R. 1 W., G. & S. R. Meridian,
Arizona, executed by Harvey W. Smith, Mineral Surveyor,
(State)
 under order dated Apr. 12, 1961; Aug. 1, 1961 and having been critically examined and the necessary
 corrections made prior to their certification by the surveyor, the field notes and the survey therein described
 are hereby approved.

Fred J. Weiler
(Title)
 State Director

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. _____
 is a true copy of the original field notes.

(Title)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Harvey W. Smith

I, the undersigned, hereby certify that in pursuance of an order received from the
Bureau of Land Management, I have located and surveyed the corner of
the mining claim of _____
known as the _____
situated in _____
T. _____ S. _____ E. _____
which is represented in the foregoing field notes as having been
extended by the said surveyor Harvey W. Smith, and that said survey was made in accordance with said order,
the Manual of Instructions for the Survey of the United States, and in the specific manner
prescribed in the foregoing field notes, and I do further certify that the labor required and improvements made
thereon for the purpose of the _____
location of the _____
_____ and that said claim is of the character
of _____ and that the same will be maintained and the same
will be of interest to said party and improvements as defined in the Manual of Instructions
of the Bureau of Land Management upon any other claim.

CERTIFICATE OF APPROVAL

Bureau of Land Management, Survey Office
Phoenix, Arizona
The foregoing field notes of survey No. _____
of _____
Harvey W. Smith
under date dated _____ 19____
corrected state prior to their certification by the surveyor, the fact notes and the survey therein described
are hereby approved.

CERTIFICATE OF TRANSCRIPT

I certify that the foregoing transcript of field notes of the above-entitled survey No. _____
is a true copy of the original field notes.