

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4568

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

Neel Walker

Known As The

Gold Nugget No. 1, Gold Nugget #2, #3, #4 and #5 lodes

Plomosa Mining District,

Yuma County, Arizona

Section 25, Township 4 North, Range 18 West, G. & S.R.M.

Surveyed under order dated April 25, 1961

by Louis A. Cornejo
Mineral Surveyor.

Claim located Gold Nugget No. 1 & #2 - 10/25/34
Gold Nugget #'s 3, 4, 5 - 12/6/34, 19

Survey commenced May 8, 1961

Survey completed May 27, 1961

Address of claimant P. O. Box 52, Quartzsite, Arizona

DATES OF AMENDED LOCATIONS

All - April 10, 1961

THE UNIVERSITY OF CHICAGO
LIBRARY

1911

1911

1911

1911

1911

1911

1911

1911

1911

Chains
Feet

This survey was made with a Wild T-16 Theodolite No. 54727, with horizontal limb, 3.125 ins. diam., having one optical-reading vernier and a full vertical circle, 3.125 ins. diam., having one optical-reading vernier; the verniers read to 15 seconds of arc; the eyepiece is equipped with a colored shade set in the dust shutter and a reticle with a solar circle for making direct observation upon the sun's center. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by method of deflection angles referred to the meridian determined by the following observation:

May 8, 1961, at Cor. No. 1 of the Gold Nugget No. 1, in latitude $33^{\circ} 37' 14''$ N., and longitude $114^{\circ} 03' 48''$ W., I made a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing the sun's center, and reading the horizontal angle from a reference point about 600 ft. dist. to the right to the sun.

Mean time of observation,
105th meridian standard time = 5h 19m 27s P.M.

Declination of the sun at
mean time of observation = $17^{\circ} 14' 06''$ N.

Mean-observed vertical
angle to the sun's center = $24^{\circ} 52' 19''$

Mean horizontal angle from
reference point to the
sun's center = $229^{\circ} 05' 37''$

True bearing to reference
point = N. $45^{\circ} 44' 19''$ E.

The lines were measured with a K & E steel tape, 301 ft. in length, graduated every ft. for 300 ft., and the remainder graduated in tenths and hundredths; the tape was compared with a Lufkin standard at the time of beginning the survey and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of $14^{\circ} 30'$ E.

Survey No. 4568

GOLD NUGGET NO. 1 LODE

At Cor. No. 1 of the Gold Nugget No. 1 lode, identical with Cor. No. 1 of the Gold Nugget #5 lode of this survey.

Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, upper part mounted in cement, form 6 ins. diam., insert stem of a stainless tablet in cement, tablet, mkd. GN1-1-GN5-1-4568; from which

Chain Feet	
	<p>The east $\frac{1}{2}$ cor. of sec. 25, T. 4 N., R. 18 W., Gila and Salt River Meridian, bears N. $18^{\circ} 56' 41''$ W., 225.53 ft. dist.; an iron post, 1 in. diam., 12 ins. above the ground, firmly set, mkd. and witnessed as described in the official record.</p> <p>A stone monument, 4 ft. diam. at the base and 4 ft. high, bears north, 4 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. $44^{\circ} 15' 41''$ W.</p>
305	A draw, drains west.
370	Road, bears S. 40° W. and N. 40° E.
395	Road, bears east and west.
851	Road, bears N. 55° E., 170 ft. to dead end, and S. 55° W., 225 ft. dist. to intersect other road that runs S. 56° E. and N. 56° W.
1500.00	<p>Cor. No. 2, identical with Cor. No. 2 of Gold Nugget #5 lode, and Cor. No. 1 of Gold Nugget #4 lode, both of this survey.</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, upper part mounted in cement, form 6 ins. diam., insert stem of a stainless tablet in cement, tablet mkd. GN1-2-GN5-2-GN4-1-4568; from which</p> <p>A stone monument, 4 ft. diam., at the base and 4 ft. high bears north, 4 ft. dist.</p> <p>A curve of a road bears S. 10° W., 200 ft. dist., from where a road bears S. 26° E. and S. 47° W.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. $45^{\circ} 44' 19''$ W.</p>
25	Foot of mountain, bears north and south.
100	A wash, drains north.
205	Edge of gravel bank, bears north and south.
300	Lode line; discovery point bears S. $44^{\circ} 15' 41''$ E., 428.09 ft. dist.
525	Road, bears S. 32° E. and N. 23° W.
600.00	<p>Cor. No. 3, identical with Cor. No. 2 of Gold Nugget #4 lode of this survey, on line 4-1 of the Gold Nugget #3 lode of this survey.</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, upper part mounted in cement, form 6 ins. diam., insert stem of a stainless tablet in cement, tablet mkd. GN1-3-GN4-2-4568; from which</p> <p>Thence S. $44^{\circ} 15' 41''$ E.</p>
164.90	Cor. No. 1 of Gold Nugget #2 lode, identical with Cor. No. 1 of Gold Nugget #3 lode, both of this survey.
215	A gravel bank, bears N. 32° E. and S. 8° E.

Chains Feet	
260	Road, bears S. 32° E. and N. 25° W.
300	A wash, drains N. 30° E.
420	Foot of mountain, bears south and N. 30° E.
1180	Road, bears N. 43° E. and S. 39° W.; 108 ft. dist. to intersect other road that bears N. 43° W. and S. 85° E.
1315	Road, bears S. 85° E. and N. 85° W.
1500.00	Cor. No. 4, on line 4-1 of the Gold Nugget #2 lode of this survey. Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, upper part mounted in cement, form 6 ins. diam., insert stem of a stainless tablet in cement, tablet mkd. GN1-4-4568.
	Thence N. 45° 44' 19" E.
150	Road, bears N. 80° W. and N. 48° E.
295	Center of shaft, 5 ft. diam., 10 ft. deep.
300.00	Lode line; discovery point bears N. 44° 15' 41" W., 1071.91 ft. dist.
325	Road, bears S. 45° E. and N. 45° W., forming a turn around.
600.00	Cor. No. 1 and the place of beginning.
	GOLD NUGGET #2 LODE
	At Cor. No. 1 of the Gold Nugget #2 lode, identical with Cor. No. 1 of Gold Nugget #3 lode, both of this survey, on line 3-4 of the Gold Nugget No. 1 lode of this survey.
	Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, upper part mounted in cement, form 6 ins. diam., insert stem of a stainless tablet in cement, tablet mkd. GN2-1-GN3-1-4568; from which
	The E. $\frac{1}{4}$ cor. of sec. 25 bears S. 75° 52' 50" E., 1328.43 ft. dist.
	A stone monument, 4 ft. diam. at the base and 4 ft. high bears north, $\frac{1}{4}$ ft. dist.
	Thence S. 45° 44' 19" W.
300.00	Lode line; discovery point bears S. 44° 15' 41" E., 458.26 ft. dist.
450	Edge of gravel bank, bears N. 5° E. and S. 5° W.
500	Wash, drains N. 5° E.
600.00	Cor. No. 2, identical with Cor. No. 2 of Gold Nugget #3 lode of this survey.
	Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, upper part mounted in cement, form 6 ins. diam., insert stem of a stainless tablet in cement, tablet mkd. GN2-2-GN3-2-4568; from which

Cement Feet	
	<p>A stone monument, 4 ft. diam. at the base and 4 ft. high, bears north, 4 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 44° 15' 41" E.</p>
90	Wash, drains N. 6° E.
130	Edge of gravel bank, bears N. 5° E. and S. 5° W.
500	Edge of gravel bank, bears N. 30° E. and S. 30° W.
600	Wash, drains N. 30° E.
710	Foot of mountain, bears N. 20° E. and S. 20° W.
1500.00	<p>Cor. No. 3</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground upper part mounted in cement, form 6 ins. diam., insert stem of a stainless tablet in cement, tablet mkd. GN2-3-4568; from which</p> <p>A stone monument, 4 ft. diam. at base and 4 ft. high, bears north, 4 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 45° 44' 19" E.</p>
300.00	Lode line; discovery point bears N. 44° 15' 41" W., 1041.74 ft. dist.
479	Center of a shaft, 5 ft. diam. and 6 ft. deep.
600.00	<p>Cor. No. 4.</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground upper part mounted in cement, form 6 ins. diam., insert stem of a stainless tablet in cement, tablet mkd. GN2-4-4568; from which</p> <p>A stone monument, 4 ft. diam. at base and 4 ft. high, bears north, 4 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 44° 15' 41" W.</p>
164.90	Cor. No. 4 of Gold Nugget No. 1 lode of this survey.
349.90	Road, bears S. 85° E. and N. 85° W.
484.90	Road, bears S. 43° W. and N. 43° E.
1244.90	Foot of mountain, bears south and N. 30° E.
1364.90	Wash, drains N. 30° E.
1404.90	Road, bears S. 32° E. and N. 25° W.
1449.90	A gravel bank, bears N. 32° E. and S. 8° E.
1500.00	Cor. No. 1 and place of beginning.

CHAINS
Feet

GOLD NUGGET #3 LODE

At Cor. No. 1 of Gold Nugget #3 lode, identical with Cor. No. 1 of Gold Nugget #2 lode, previously described.

Thence S. 45° 44' 19" W.

300.00 Lode line; discovery point bears N. 44° 15' 41" W., 843.20 ft. dist.

450 Edge of gravel bank, bears N. 5° E. and S. 5° W.

500 Wash, drains N. 5° E.

600.00 Cor. No. 2, identical with Cor. No. 2 of Gold Nugget #2 lode, previously described.

Thence N. 44° 15' 41" W.

820 Road, bears N. 48° E. and S. 48° W.

840 Foot of mountain, bears N. 48° E. and S. 48° W.

1000 Ridge, bears N. 35° E. and S. 35° W.

1320 Ridge, bears S. 35° E. and N. 35° W.

1500.00 Cor. No. 3.

Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, upper part mounted in cement, form 6 ins. diam., insert stem of a stainless tablet in cement, tablet mkd. GN3-3-4568; from which

A stone monument, 4 ft. diam. at base and 4 ft. high, bears north, 4 ft. dist.

No local bearing objects or bearing trees available.

Thence N. 45° 44' 19" E.

280 A draw, drains N. 40° W.

300.00 True point for lode line, falls in a draw; discovery point bears S. 44° 15' 41" E., 656.80 ft. dist.

328.45 Witness cor. for lode line

600.00 Cor. No. 4, on line 2-3 of the Gold Nugget #4 lode of this survey

Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, upper part mounted in cement, form 6 ins. diam., insert stem of a stainless tablet in cement, tablet mkd. GN3-4-4568; from which

A stone monument, 4 ft. diam. at base and 4 ft. high, bears north, 4 ft. dist.

No local bearing objects or bearing trees available.

Thence S. 44° 15' 41" E.

255 Ridge, bears north and S. 5° W.

585 Foot of mountain, bears N. 35° W. and S. 5° W.

605 Road, bears N. 3° E. and S. 3° W.

Feet	
1140	Edge of gravel bank, bears N. 35° E. and S. 35° W.
1335.10	Cor. No. 3 of Gold Nugget No. 1 lode, identical with Cor. No. 2 of Gold Nugget #4 lode, both of this survey.
1500.00	Cor. No. 1 and place of beginning.
GOLD NUGGET #4 LODE	
At Cor. No. 1 of the Gold Nugget #4 lode, identical with Cor. No. 2 of Gold Nugget No. 1 lode and Cor. No. 2 of Gold Nugget #5 lode, both of this survey, previously described; from which	
The E. ¼ cor. of Sec. 25 bears S. 48° 31' E., 1299.73 ft. dist.	
Thence S. 45° 44' 19" W.	
25	Foot of mountain, bears north and south.
100	Wash, drains north.
205	Edge of gravel bank, bears north and south.
300.00	Lode line; discovery point bears N. 44° 15' 41" W., 212.35 ft. dist.
525	Road, bears S. 32° E. and N. 23° W.
600.00	Cor. No. 2, identical with Cor. No. 3 of Gold Nugget No. 1 lode, previously described.
Thence N. 44° 15' 41" W.	
195	Edge of gravel bank, bears N. 35° E. and S. 35° W.
730	Road, bears N. 3° E. and S. 3° W.
750	Foot of mountain, bears N. 35° W. and S. 5° W.
1080	Ridge, bears north and S. 5° W.
1335.10	Cor. No. 4 of Gold Nugget #3 lode:
1500.00	Cor. No. 3.
Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, upper part mounted in cement, form 6 ins. diam., insert stem of a stainless tablet in cement, tablet, mkd. GN4-3-4568; from which	
.A point on top of a basalt boulder, 4 x 3 ft., extending 2 ft. above the surface, bears S. 63° 46' 19" W., 15.88 ft. dist., mkd. XBO-GN4-3-4568.	
A stone monument, 4 ft. diam. at base, 4 ft. high, bears north, 5 ft. dist.	
Thence N. 45° 44' 19" E.	
75	Foot of mountain, bears N. 43° W. and S. 43° E.
197	Road, bears N. 49° W. and S. 49° E.
300.00	Lode line; discovery point bears S. 44° 15' 41" E., 1287.65 ft. dist.

Chas Feet	
475	Gravel bank, bears N. 15° W. and S. 15° E.
600.00	Cor. No. 4. Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, upper part mounted in cement, form 6 ins. diam., insert stem of a stainless tablet in cement, tablet mkd. GN4-4-4568; from which A stone monument, 4 ft. diam. at base, and 4 ft. high, bears north, 4 ft. dist. No local bearing objects or bearing trees available. Thence S. 44° 15' 41" E.
1120	Edge of gravel bank, bears N. 20° E. and S. 20° W.
1270	Edge of gravel bank, bears north and south.
1390	Bottom of wash, drains north.
1480	Foot of mountain, bears north and south.
1500.00	Cor. No. 1 and place of beginning.
GOLD NUGGET #5 LODGE	
	At Cor. No. 1 of Gold Nugget #5 lode, identical with Cor. No. 1 of Gold Nugget No. 1 lode, previously described. Thence N. 44° 15' 41" W.
305	Draw, drains west.
370	Road, bears S. 40° W. and N. 40° E.
395	Road, bears east and west.
851	Road, bears N. 55° E. and S. 55° W.
1500.00	Cor. No. 2, identical with Cor. No. 2 of Gold Nugget No. 1 lode and Cor. No. 1 of Gold Nugget #4 lode, both of this survey, previously described. Thence N. 45° 44' 19" E.
300.00	Lode line; discovery point bears S. 44° 15' 41" E., 741.24 ft. dist.
400	Ridge, bears S. 70° W. and N. 70° E.
465	Draw, drains S. 71° W.
600.00	Cor. No. 3. Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, upper part mounted in cement, form 6 ins. diam., insert stem of a stainless tablet in cement, tablet mkd. GN5-3-4568; from which A stone monument, 4 ft. diam. at base and 4 ft. high, bears north, 5 ft. dist.

<p>XXXXXX Feet</p>	<p>No local bearing objects or bearing trees available. Thence S. 44° 15' 41" E.</p>
75	Draw, drains west.
150	Ridge, bears east and west.
955	Draw, drains S. 55° W.
1055	Ridge, bears S. 55° W. and N. 55° E.
1500.00	Cor. No. 4. Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, upper part mounted in cement, form 6 ins. diam., insert stem of a stainless tablet in cement, tablet mkd. GN5-4-4568; from which A stone monument, 4 ft. diam. at base and 4 ft. high, bears north, 4 ft. dist. No local bearing objects or bearing trees available. Thence S. 45° 44' 19" W.
210	Road, bears east and west.
300.00	Center of draw and point for lode line; discovery point bears N. 44° 15' 41" W., 758.76 ft. dist.
320.08	Witness cor. for lode line.
600.00	Cor. No. 1 and point of beginning.

AREAS

	Acres
Total area of Gold Nugget No. 1 lode	20.661
Total area of Gold Nugget #2 lode	20.661
Total area of Gold Nugget #3 lode	20.661
Total area of Gold Nugget #4 lode	20.661
Total area of Gold Nugget #5 lode	20.661

LOCATION

This survey is located in the NE $\frac{1}{4}$, SE $\frac{1}{4}$ and NW $\frac{1}{4}$ of Sec. 25, T. 4 N., R. 18 W., and the NW $\frac{1}{4}$ and SW $\frac{1}{4}$ of Sec. 30, T. 4 N., R. 17 W., Gila and Salt River Meridian, Arizona.

The survey of these five mining claims is identical with the respective amended locations as marked in the ground.

Claims

EXPENDITURES

The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claims by the claimant or its grantors are as follows:

- No. 1 The discovery shaft of the Gold Nugget No. 1 lode, the center of which being the discovery point, is on the center line, N. 44° 15' 41" W., 1071.91 ft. from the center of line 1-4, 6 x 6 ft., 10 ft. deep.
Value, \$50.
- No. 2 A tunnel, 5 x 6 ft. in size, the portal of which bears S. 56° 45' W. 157 ft. from the discovery point of Gold Nugget No. 1 lode, runs S. 43° 30' E., at 20 ft. a vertical raise, 5 x 5 ft. in size, 15 ft. high, at 170 ft. to breast.
Value of raise and tunnel, \$910.
- No. 3 A shaft, the center of which bears S. 36° 15' W., 229.5 ft. from the discovery point of Gold Nugget No. 1 lode, 5 x 6 ft., 10 ft. deep.
Value, \$50.
- No. 4 An open cut, the mouth of which bears S. 28° 15' W., 60.5 ft. from the discovery point of Gold Nugget No. 1 lode, 4 ft. wide, runs S. 36° 00' E., 26 ft. to the face, 10 ft. high, and portal of tunnel, 5 x 7 ft. in size, runs S. 11° 00' E., 20 ft. to breast.
Value of cut and tunnel, \$145.
- No. 5 A shaft, the center of which bears S. 21° 00' W., 274.5 ft. from the discovery point of Gold Nugget No. 1 lode, 4 x 6 ft., 8 ft. deep.
Value, \$40.
- No. 6 A shaft, the center of which bears S. 17° 45' W., 287.5 ft. from the discovery point of Gold Nugget No. 1 lode, 4 x 6 ft., 10 ft. deep.
Value, \$50.
- No. 7 A shaft, the center of which bears S. 11° 30' E., 205 ft. from the discovery point of Gold Nugget No. 1 lode, 6 x 6 ft., 75 ft. deep.
Value, \$650.
- No. 8 A cut, the mouth of which bears S. 28° 15' E., 352.5 ft. from the discovery point of Gold Nugget No. 1 lode, 4 ft. wide, runs S. 48° W., 90 ft. to 15 ft. face and center of a vertical winze, 6 x 5 ft., 15 ft. deep.
Value of cut and winze, \$200.
- No. 9 A shaft, the center of which bears N. 20° 00' E., 270.5 ft. from Cor. No. 4 of Gold Nugget No. 1 lode, 5 x 6 ft., 85 ft. deep.
Value, \$750.
- No. 1 The discovery shaft of the Gold Nugget #2 lode, the center of which being the discovery point is on the center line, S. 44° 15' 41" E., 458.26 ft. from the center of line 1-2, 6 x 6 ft., 10 ft. deep.
Value, \$50.
- No. 2 A cut, the mouth of which bears N. 61° 45' E., 239 ft. from the discovery point of Gold Nugget # 2 lode, 5 ft. wide, runs N. 70° E., 40 ft. to the face, 10 ft. high.
Value, \$100.

CUTS	
No. 3	A shaft, the center of which bears N. 80° 30' E., 267.5 ft. from the discovery point of Gold Nugget #2 lode, 4 x 6 ft., 10 ft. deep. Value, \$50.
No. 4	A shaft, the center of which bears S. 79° 30' E., 287.5 ft. from the discovery point of Gold Nugget #2 lode, 5 x 6 ft., 21 ft. deep. Value, \$100.
No. 5	A shaft, the center of which bears S. 78° 00' E., 500.5 ft. from the discovery point of Gold Nugget #2 lode, 4 x 6 ft., 40 ft. deep. Value, \$300.
No. 6	A cut, the mouth of which bears S. 73° 00' E., 570 ft. from the discovery point of Gold Nugget #2 lode, 5 ft. wide, runs N. 22° W., 40 ft. to the face, 10 ft. high. Value, \$100.
No. 7	A shaft, the center of which bears S. 68° 30' E., 538.5 ft. from the discovery point of Gold Nugget #2 lode, 6 x 8 ft., 12 ft. deep. Value, \$60.
No. 8	A shaft, the center of which bears N. 80° 30' W., 160 ft. from Cor. No. 4 of the Gold Nugget #2 lode, 4 x 5 ft., 8 ft. deep. Value, \$40.
No. 9	A shaft, the center of which bears N. 84° 00' W., 154.5 ft. from Cor. No. 4 of Gold Nugget #2 lode, 4 x 6 ft., 8 ft. deep. Value, \$40.
No. 1	The discovery cut of Gold Nugget #3 lode, the mouth of which being the discovery point, is on the lode line, N. 44° 15' 41" W., 843.20 ft. from the center of line 1-2, 5 ft. wide, runs N. 44° W., 10 ft. to the face, 10 ft. high, and portal of tunnel, 5 x 6 ft., thence N. 44° W., 15 ft. to breast. Value of cut and tunnel, \$250.
No. 1	The discovery shaft of the Gold Nugget #4 lode, the center of which being the discovery point is on the center line, N. 44° 15' 41" W., 212.35 ft. from the center of line 1-2, 5 x 6 ft., 40 ft. deep, partly timbered. Value, \$550.
No. 1	The discovery cut of the Gold Nugget #5 lode, the mouth of which being the discovery point, is on the center line, S. 44° 15' 14" E., 741.24 ft. from the center of line 2-3, 5 ft. wide, runs S. 48° 30' W., 12 ft. to the face, 10 ft. high. Value, \$60.
No. 2	A cut, the mouth of which bears S. 73° 15' W., 118.5 ft. from the discovery point of the Gold Nugget #5 lode, 5 ft. wide, runs S. 35° E., 15 ft. to the face, 12 ft. high. Value, \$75.
No. 3	A cut, the mouth of which bears S. 72° 00' W., 192 ft. from the discovery point of Gold Nugget #5 lode, 5 ft. wide, runs S. 55° 00' E., 20 ft. to the face, 12 ft. high. Value, \$100.
No. 4	A shaft, the center of which bears S. 12° 00' E., 215.5 ft. from Cor. No. 3 of Gold Nugget #5 lode, 5 x 6 ft., 40 ft. deep. Value, \$400.

~~OTHER~~

No. 5

A shaft, the center of which bears S. 8° 30' E., 204.5 ft. from Cor. No. 3 of Gold Nugget #5 lode, 5 x 6 ft., 12 ft. deep.
Value, \$120.

An interest in a common improvement described as follows:

A shaft, 5 x 10 ft. in size, two compartments, long sides of collar bear N. 36° W., the center of which bears S. 70° 30' E., 305.5 ft. from the discovery point of the Gold Nugget No. 1 lode; thence vertical 115 ft. to Sta. 1; thence S. 53° 15' W., on an inclined line minus 35° 00' from the horizontal, at 90 ft. to Sta. 2, and at 250 ft. to water level.

At Sta. 1, a drift, 5 x 7 ft. in size, runs N. 50° 30' W., 40 ft. to breast.

At Sta. 1, a crosscut, 5 x 7 ft. in size, runs N. 40° 00' E., 20 ft. to breast.

At Sta. 2, a drift, 5 x 7 ft. in size, runs S. 20° 00' E., 49 ft. to point 1; thence S. 12° 15' E., 60 ft. to point 2; thence S. 22° 30' W., 40 ft. to point 3; thence S. 60° 15' E., 14 ft. to point 4; thence S. 47° E., 25 ft. to breast. At point 1, a crosscut, 5 x 7 ft. in size, runs east, 25 ft. to breast, and west 25 ft. to breast. At point 3, a crosscut, 5 x 7 ft. in size, runs N. 63° W., 11 ft. to breast.

At Sta. 2, a drift, 5 x 7 ft. in size, runs N. 25° 15' W., 26 ft. to point 5; thence S. 70° 30' W., 39 ft. to point 6; thence N. 41° 00' W., 29 ft. to point 7; thence N. 30° W., 46 ft. to breast. At point 5, a drift, 5 x 7 ft. in size, runs N. 15° 00' W., 24 ft. to breast. At point 6, a drift, 5 x 7 ft. in size, runs S. 70° W., 30 ft. to breast.

At Sta. 2, a vertical winze, 5 x 8 ft. in size, timbered, two compartments, 90 ft. to water level.

Value of shaft, winze, crosscuts and drifts, \$16,405.

Value of one-twelfth interest, \$1,367.

This improvement is for the development of the five claims of this survey and Gold Nugget No. 6, Gold Nugget No. 7, Gold Nugget No. 8, Gold Nugget No. 9, Gold Nugget No. 14, Gold Nugget No. 15 and Guadalupe No. 1, unsurveyed, which are all contiguous lode claims owned in common within the range of benefit of said excavations.

This development affords the most practical and economical means of developing each of the stated lodes at depth.

Five hundred dollars or over has been expended in this improvement in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore, an undivided one-twelfth interest in its value is hereby credited to each of said lodes and a like interest apportioned to each of the other stated lodes of the common group.

Except as above stated, no portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.

OTHER

OTHER IMPROVEMENTS

The NW. cor. of a stone cabin, 21 x 42 ft., bears N. 68° 55' E., 104.9 ft. dist. from Cor. No. 3 of the Gold Nugget No. 1 lode; the long side bears N. 75° 45' E. Claimant herein.

The NW. cor. of a frame building, 22 x 42 ft., bears S. 81° 00' E., 190.2 ft. dist. from Cor. No. 3 of the Gold Nugget No. 1 lode; the long side bears S. 51° E. Claimant herein.

The NW. cor. of a frame building, 12 x 20 ft., bears S. 55° 50' E., 61.7 ft. from Cor. No. 3 of the Gold Nugget No. 1 lode; the long side bears N. 73° E. Claimant herein.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

The latitude of the E. 1/4 cor. of sec. 25, T. 4 N., R. 18 W., G. & S.R.M. was found to be 33° 37' 16" N., by a direct observation upon the sun. All calculations of this survey are based on this observed latitude, and not on the latitude of 35° 38' 12" N., given on the official township plat at the SE. cor. of T. 4 N., R. 18 W.

The stone cabin described in the official survey of 1915, on sec. 25, T. 4 N., R. 18 W. has been destroyed and a new stone cabin, described in this survey, has been built about 20 ft. south of the site of the old cabin.

FIELD ASSISTANTS

John W. Collins Chainman

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

13

14

CERTIFICATE OF SURVEYOR

June 5, 1961

I, Louis A. Cornejo,

Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the _____
Bureau of Land Management, at Phoenix, Arizona

dated April 25, 1961, I have faithfully and correctly executed the survey of

the mining claim of Gold Nugget No. 1, Gold Nugget # 2, Gold Nugget # 3, Gold Nugget # 4,
known as the and Gold Nugget # 5

(Lode, placer, or mill site)

situate in E 1/2 and NW 1/4 Sec. 25, T. 4 N., R. 18 W. & W 1/2 Sec. 30, T. 4 N., R. 17 W.

T. _____, R. _____, Gila and Salt River Meridian, Arizona, and
(State)

designated as Survey No. 4568, which is represented in the foregoing field notes as having been
executed by me and under my direction, and that said survey has been made in strict conformity with said order,
the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner
described in the foregoing field notes, and I do further certify that the labor expended and improvements made

upon or for the benefit of the Lode location(s) embraced in the said mining claim by
(Lode or placer)

claimant(s) or his grantors are fully stated in my report therein, and that the character,
extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no
portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Parker, Arizona
(Place)

Louis A. Cornejo *Louis A. Cornejo*
(Mineral Surveyor)

CERTIFICATE OF APPROVAL

Bureau of Land Management, Survey Office
(Office)

Phoenix, Arizona August 28, 1961
(Place) (Date)

The foregoing field notes of mineral survey No. 4568, in Sec. 30, T. 4 N., R. 17 W.;

Sec. 25, T. 4N., R. 18 W., G. & S. R. Meridian,

Arizona, executed by Louis A. Cornejo, Mineral Surveyor,
(State)

under order dated April 25, 1961, having been critically examined and the necessary
corrections made prior to their certification by the surveyor, the field notes and the survey therein described
are hereby approved.

Fred J. Weiler
Fred J. Weiler

State Director
(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. _____
is a true copy of the original field notes.

(Title)

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 4568
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Gold Nugget No. 1, Gold Nugget No. 2, Gold Nugget No. 3, Gold Nugget No. 4, and Gold Nugget No. 5 lodes, Mineral Survey No. 4568, located in section 25, Township 4 North, Range 18 West, and section 30, Township 4 North, Range 17 West, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Gold Nugget No. 1, Gold Nugget No. 2, Gold Nugget No. 3, Gold Nugget No. 4 and Gold Nugget No. 5 lodes, M.S. 4568, were canceled March 11, 2002, by memo 9605 (956) M.S. 4568, which is now a part of the original field notes."

March 11, 2002
Date



Chief Cadastral Surveyor of Arizona

