

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey Number

4575

State

ARIZONA

Land District

ARIZONA

FIELD NOTES

Of the Survey of the Mining Claim of (Name & address of Claimant)

Hiram B. Webb
c/o Albert H. Mackenzie
827 Security Bldg.
Phoenix, Arizona

Known as the (Name of group, if any)

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Turkey Track #3	9/1/54	2/14/61
Turkey Track #4	4/13/56	2/14/61
Alta Vista #1	4/25/55	2/14/61
Alta Vista #2	4/25/55	2/14/61
Leo #1	8/12/54	2/14/61
Leo #2	8/12/54	2/14/61
Leo #3	8/12/54	2/14/61
Leo #4	8/12/54	2/14/61

Mining District Winifred		County Maricopa	Section 21&22
Township 4N	Range 3E	Meridian G.&S.R.B.&M.	Surveyed under order dated Aug. 8, 1961
Survey commenced Aug. 8, 1961	Survey completed Sept. 15, 1961	Name of Mineral Surveyor Harvey W. Smith	

FIELD NOTES

General Survey Number

572

Date

ARIZONA

Field Station

ARIZONA

Field Station
of Liberty H. Johnson
and vicinity
Pecos Mts., Arizona

LIST OF LOCALITIES VISITED AND LOCATED

Date	Locality	Remarks
10/11/51	4	Upper Pecos
10/12/51	4	Upper Pecos
10/13/51	4	Upper Pecos
10/14/51	4	Upper Pecos
10/15/51	4	Upper Pecos
10/16/51	4	Upper Pecos
10/17/51	4	Upper Pecos
10/18/51	4	Upper Pecos
10/19/51	4	Upper Pecos
10/20/51	4	Upper Pecos
10/21/51	4	Upper Pecos
10/22/51	4	Upper Pecos
10/23/51	4	Upper Pecos
10/24/51	4	Upper Pecos
10/25/51	4	Upper Pecos
10/26/51	4	Upper Pecos
10/27/51	4	Upper Pecos
10/28/51	4	Upper Pecos
10/29/51	4	Upper Pecos
10/30/51	4	Upper Pecos
10/31/51	4	Upper Pecos

CLASS

Location

Notes

10/11/51

10/11/51

10/11/51

10/11/51

10/11/51

SURVEY NO. 4575

1

XCHANGES
Feet

This survey was made with a K. & E. transit, No. 51591 with horizontal limb 5.5 ins. diam., having two double opposite verniers, and full vertical circle 4.5 ins. diam., having one double vernier; the verniers read to one minute of arc; the instrument is equipped with a colored-eye-shade to be attached for making direct observations on the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian established by direct observation on the sun. At 3:40 P.M. on August 11, 1961 at cor. No. 2 of the Turkey Track #3 lode, latitude $33^{\circ}40'13''$ North, longitude, $112^{\circ}02'52''$ West, turning from a reference pt. about 600 ft. north-east, clockwise to the sun in a west direction.

True bearing of reference pt.
N. $45^{\circ}42'$ E.

The lines were measured with a Lufkin steel tape, 300 ft. in length graduated every ft. for 299 ft. and the remaining ft. graduated to tenths and hundredths. The tape was compared to a standard at the beginning of the survey and found to be correct. All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 14° East.

SURVEY NO. 4575

TURKEY TRACK #3 LODE

At cor. No. 1 of the Turkey Track #3 lode

Set a galvanized iron post, $\frac{3}{4}$ in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 TT 3 1 X; from which

The $\frac{1}{4}$ cor. of secs. 22 & 27, T. 4N., R3E., G.&S.R.B.&M. bears S. $37^{\circ}07'50''$ E., 2155.98 ft. dist; an iron post, 1 in. diam., 12 ins. above ground, firmly set, properly marked and witnessed as described in the official record.

A mound of stones constructed adjacent to the iron post.

Thence S. $45^{\circ}42'$ W.

- 299.99 Lode line; discovery pt. bears N. $17^{\circ}22'10''$ W., 700 ft. dist.
- 350.0 Unimproved dirt road bears N. 44° W. and S. 44° E.
- 394.74 Intersect line 1-2 Sur. No. 3740, South Extension lode, at a pt. from which cor. No. 2 bears S. $51^{\circ}05'$ E., 347.77 ft. dist.
- 599.99 Cor. No. 2

	<p>Chain Feet. Set a galvanized iron post, 3/4 in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 TT3 2 X; from which</p> <p>Cor. No. 2, Sur. No. 3740, South Extension lode identical with cor. No. 4, Santa Rosa lode of the same survey, and cor. No. 3, Sur. No. 4574, Turkey Track #1 Placer bears S. 79° 48' E., 424.18 ft. dist.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 17° 22' 10" W.</p>
367.20	Intersect line 1-2, Sur. No. 3740, South Extension lode at a pt. from which cor. No. 1 bears N. 51° 05' W., 87.66 ft. dist.
900.0	Unimproved dirt road bears N. 40° W. and S. 40° E.
1254.70	Intersect line 2-3, Turkey Track #4 lode of this survey.
1500.0	Cor. No. 3
	<p>Set a galvanized iron post, 3/4 in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 TT3 3 X; from which</p> <p>A wooden post, 4x4 ins., 4 ft. long, set adjacent to the iron post in a mound of stones.</p> <p>Thence N. 45° 42' E.</p>
51.20	Intersect line 1-2, Turkey Track #4 lode of this survey.
300.0	Lode line; discovery pt. bears S. 17° 22' 10" E., 800 ft. dist.
560.0	Unimproved dirt road bears S. 72° W. and East
595.42	Cor. No. 4
	<p>Set a galvanized iron post; 3/4 in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 TT3 4 X; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence S. 17° 31' 25" E.</p>
25.0	Unimproved dirt road bears West and S. 60° E.
1498.01	Cor. No. 1 and the place of beginning.
	<p>TURKEY TRACK #4 LODE</p> <p>At cor. No. 1 of the Turkey Track #4 lode</p>

XCHANGES Feet	Set a galvanized iron post, 3/4 in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 TT4 1 X; from which
	The cor. of secs. 15, 16, 21 & 22, T.4N. R.3E., G.&S.R.B.&M., bears $328^{\circ}25'W.$, 1427.83 ft. dist., an iron post, 2 ins. diam., 12 ins. above ground, firmly set, properly marked and witnessed as described in the official record.
	A mound of stones constructed adjacent to the iron post.
	Thence S. $21^{\circ}19'40''$ E.
84.26	Intersect line 3-4, Leo #4 lode of this survey.
1145.0	Unimproved dirt road bears S. $65^{\circ}W.$ and N. $70^{\circ}E.$
1275.27	Intersect line 3-4, Turkey Track #3 lode of this survey.
1516.71	Cor. No. 2
	Set a galvanized iron post, 3/4 in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 TT4 2; from which
	A mound of stones constructed adjacent to the iron post.
	Thence S. $48^{\circ}24'30''$ W.
68.33	Intersect line 2-3, Turkey Track #3 lode of this survey.
220.0	Unimproved road bears N. $25^{\circ}W.$ and S. $40^{\circ}E.$
248.78	Lode line; discovery pt. bears N. $23^{\circ}08'10''$ W., 25.0 ft.
377.11	Intersect line 1-2, Sur. No. 3740, Red Dog lode, at a pt. from which cor. No. 1 bears N. $36^{\circ}05'15''$ W., 669.58 ft. dist.
548.78	Cor. No. 3
	Set a galvanized iron post, 3/4 in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 TT4 3 X; from which
	Cor. No. 1, Sur. No. 3740, Red Dog lode bears N. $22^{\circ}06'05''$ W., 707.01 ft. dist.
	A mound of stones constructed adjacent to the iron post.
	Thence N. $23^{\circ}08'10''$ W.
703.15	Intersect line 1-2, Sur. No. 3740, Mary Ann lode, identical with line 4-1, Red Dog lode of the same survey, at a pt. from which cor. No. 1 of the Mary Ann lode identical with cor. No. 1 of Red Dog lode bears N. $50^{\circ}32'E.$, 13.31 ft. dist.

Chains Feet	
1469.59	Intersect line 1-2, Sur. No. 3740, Golden Star lode at a pt. from which cor. No. 2 bears S. $25^{\circ}11'20''$ W., 90.01 ft. dist.
1500.0	Cor. No. 4 Set a galvanized iron post, $3/4$ in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 TT4 4 X; from which Cor. No. 2, Sur. No. 3740, Golden Star lode, bears S. $13^{\circ}32'40''$ W., 112.55 ft. dist. Cor. No. 4, Sur. No. 3740, Mary Ann lode, bears N. $22^{\circ}16'50''$ W., 428.68 ft. dist. A wooden post, 4x4 ins., 4ft. long set adjacent to the iron post, in a mound of stones. Thence N. $48^{\circ}24'30''$ E.
9.08	Intersect line 4-1, Sur. No. 3740, Mary Ann lode, at a pt. from which cor. No. 1 bears S. $23^{\circ}26'05''$ E., 796.00 ft. dist.
57.61	Intersect line 1-2, Sur. No. 3740, Golden Star lode, at a pt. from which cor. No. 2 bears S. $25^{\circ}11'20''$ W., 163.17 ft. dist.
300.0	Lode line; discovery pt. bears S. $23^{\circ}08'10''$ E., 1475.0 ft. dist.
487.77	Intersect line 3-4, Leo #4 lode of this survey.
599.26	Cor. No. 1 and the place of beginning.
ALTA VISTA #1 LODE	
	At cor. No. 1 of the Alta Vista #1 lode Set a galvanized iron post, $3/4$ in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 AV1 1 X; from which The $\frac{1}{4}$ cor. of secs. 22 & 27, T.4N., R.3E., G.&S.R.B.&M., bears S. $0^{\circ}45'$ E., 2760.20 ft. dist.; previously described. A mound of stones constructed adjacent to the iron post. Thence N. $87^{\circ}50'30''$ W.
1350.0	Unimproved dirt road bears N. 10° W. and S. 10° E.
1485.06	Cor. No. 2 Set a galvanized iron post, $3/4$ in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 AV1 2 X; from which

SURVEY NO. 4575

xChains
Feet

- A mound of stones constructed adjacent to the iron post.
Thence N. $0^{\circ}45'W$.
- 190.0 Unimproved dirt road bears N. $60^{\circ}W$. and S. $60^{\circ}E$.
- 300.0 Lode line; discovery pt. bears S. $87^{\circ}50'20'' E$.,
700 ft. dist.
- 600.0 Cor. No. 3 identical with cor. No. 4 of the Alta Vista
#2 lode of this survey.
- Set a galvanized iron post, $3/4$ in. diam., 30 ins. long,
in a 15 pound concrete and rock base, 18 ins. in
the ground, with a brass cap, 2 ins. diam.,
firmly fastened within the iron post,
mkd. MS 4575 AV1 3 AV2 4X; from which
- A mound of stones constructed adjacent to
the iron post.
Thence S. $87^{\circ}50'20'' E$.
- 1485.09 Cor. No. 4 identical with cor. No. 3 of the Alta Vista
#2 lode of this survey.
- Set a galvanized iron post, $3/4$ in. diam., 30 ins.
long, in a 15 pound concrete and rock base, 18
ins. in the ground, with a brass cap, 2 ins. diam.,
firmly fastened within the iron post, mkd. MS 4575
AV1 4 AV2 3 X; from which
- A mound of stones constructed adjacent
to the iron post.
Thence S. $0^{\circ}45'E$.
- 300.0 Lode line; discovery pt. bears N. $87^{\circ}50'20'' W$., 785.09
ft. dist.
- 599.94 Cor. No. 1 and the place of beginning.

ALTA VISTA #2 LODE

At cor. No. 1 of the Alta Vista #2 lode identical
with cor. No. 4 of the Leo #2 lode and on line
2-3 of the Leo #3 lode; both of this survey.

Set a galvanized iron post, $3/4$ in. diam., 30 ins. long,
in a 15 pound concrete and rock base, 18 ins. in
the ground, with a brass cap, 2 ins. diam., firmly
fastened within the iron post, mkd. MS 4575 AV2 1
L2 4 X; from which

The cor. of secs. 15, 16, 21 & 22, T.4N.,
R.3E., G.&S.R.B.&M., bears N. 40°
 $16'40'' W$., 1,788.71 ft. dist.; previously
described.

A mound of stones constructed adjacent to
the iron post.

Thence S. $87^{\circ}50'20'' E$.

SURVEY NO. 4575

XXXXXX Feet	
1485.09	Cor. No. 2 identical with cor. No. 3 of the Leo #2 lode of this survey.
	Set a galvanized iron post, 3/4 in. diam., 30 ins. long in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 AV2 2 L2 3 X; from which
	A mound of stones constructed adjacent to the iron post.
	Thence S. 0°45'E.
300.0	Lode line; discovery pt. bears N. 87°50'20" W., 200.0 ft. dist.
600.0	Cor. No. 3 identical with cor. No. 4 of the Alta Vista #1 lode; previously described.
	Thence N. 87°50'20" W.
1485.09	Cor. No. 4 identical with cor. No. 3 of the Alta Vista #1 lode; previously described.
	Thence N. 0°45'W.
300.0	Lode line; discovery pt. bears S. 87°50'20" E., 1285.09 ft. dist.
420.0	Cor. No. 3 of the Leo #3 lode of this survey.
600.0	Cor. No. 1 and the place of beginning.
LEO #2 LODE	
At cor. No. 1	of the Leo #2 lode, identical with cor. No. 4 of the Leo #1 lode, on line 2-3 of the Leo #3 lode; both of this survey.
	Set a galvanized iron post, 3/4 in. diam., 30 ins. long in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 L2 1 L1 4 X; from which
	The cor. of secs. 15, 16, 21 & 22, T.4N., R.3E., G.&S.R.B.&M., bears N. 56°20'40" W., 1379.82 ft. dist., previously described.
	A mound of stones constructed adjacent to the iron post.
	Thence S. 87°49'50" E.
1485.12	Cor. No. 2 identical with cor. No. 3 of the Leo #1 lode of this survey.
	Set a galvanized iron post, 3/4 in. diam., 30 ins. long in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 L2 2 L1 3 X; from which
	A mound of stones constructed adjacent to the iron post.

SURVEY NO. 4575

7

Chain Feet	
300.0	<p>Thence S. 0°45'E.</p> <p>Lode line; discovery pt. bears N. 87°49'50" W., 25.0 ft. dist.</p>
599.76	<p>Cor. No. 3 identical with cor. No. 2 of the Alta Vista #2 lode of this survey; previously described.</p>
1485.09	<p>Thence N. 87°50'20" W.</p> <p>Cor. No. 4 identical with cor. No. 1 of the ALTA VISTA #2 lode, on line 2-3 of the Leo #3 lode, both of this survey; previously described.</p>
300.0	<p>Thence N. 0°45'W.</p> <p>Lode line; discovery pt. bears S. 87°49'50" E., 1460.12 ft. dist.</p>
600.0	<p>Cor. No. 1 and the place of beginning.</p>
LEO #1 LODE	
<p>At cor. No. 1 of the Leo #1 lode, on line 2-3 of Leo #3 lode of this survey.</p>	
<p>Set a galvanized iron post, 3/4 in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 L1 1 X; from which</p>	
<p>The cor. of secs. 15, 16, 21 & 22, T.4N., R.3E., G.&S.R.B.&M., bears N. 81°46'50" W., 1152.51 ft. dist.; previously described.</p>	
<p>A mound of stones constructed adjacent to the iron post.</p>	
1485.12	<p>Thence S. 87°49'50" E.</p> <p>Cor. No. 2</p>
<p>Set a galvanized iron post, 3/4 in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd: MS 4575 L1 2 X; from which</p>	
<p>A mound of stones constructed adjacent to the iron post.</p>	
<p>Thence S. 0°45'E.</p>	
300.0	<p>Lode line; discovery pt. bears N. 87°49'50" W., 225.12 ft. dist.</p>
600.0	<p>Cor. No. 3, identical with cor. No. 2 of the Leo #2 lode of this survey; previously described.</p>
<p>Thence N. 87°49'50" W.</p>	
1485.12	<p>Cor. No. 4 identical with cor. No. 1 of the Leo #2 lode, on line 2-3 of the Leo #3 lode, both of this survey; previously described.</p>
<p>Thence N. 0°45'W.</p>	

XCHANGES Feet	
300.0	Lode line; discovery pt. bears S. $87^{\circ}49'50''$ E., 1260.0 ft. dist.
600.0	Cor. No. 1 and the place of beginning.
	<p style="text-align: center;">LEO #3 LODE</p> <p>At. cor. No. 1 of the Leo #3 lode identical with cor. No. 2 of the Leo #4 lode of this survey.</p> <p>Set a galvanized iron post, $3/4$ in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 L3 1 L4 2 X; from which</p> <p style="padding-left: 40px;">The cor. of secs. 15, 16, 21 & 22, T.4N., R.3E., G.&S.R.B.&M., bears N. $87^{\circ}45'W.$, 540.0 ft. dist.; previously described.</p> <p style="padding-left: 40px;">A mound of stones constructed adjacent to the iron post.</p> <p style="padding-left: 40px;">Thence S. $87^{\circ}45'E.$</p>
300.0	Lode line; discovery pt. bears S. $0^{\circ}45'W.$, 200.0 ft. dist.
600.0	Cor. No. 2
	<p>Set a galvanized iron post, $3/4$ in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 L3 2 X; from which</p> <p style="padding-left: 40px;">A mound of stones constructed adjacent to the iron post.</p> <p style="padding-left: 40px;">Thence S. $0^{\circ}45'E.$</p>
120.0	Cor. No. 1 of the Leo #1 lode of this survey.
720.0	Cor. No. 1 of the Leo #2 lode identical with cor. No. 4 of the Leo #1 lode both of this survey.
1320.0	Cor. No. 1 of the Alta Vista #2 lode identical with cor. No. 4 of the Leo #2 lode, both of this survey.
1500.0	Cor. No. ³ 4 on line 4-1 of the Alta Vista #2 lode of this survey.
	<p>Set a galvanized iron post, $3/4$ in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 L3 3 X; from which</p> <p style="padding-left: 40px;">A mound of stones constructed adjacent to the iron post.</p> <p style="padding-left: 40px;">Thence N. $87^{\circ}45'W.$</p>
300.0	Lode line; discovery pt. bears N. $0^{\circ}45'W.$, 1300.0 ft. dist.
600.0	Cor. No. 4 identical with cor. No. 3 of the Leo #4 lode of this survey.

SURVEY NO. 4575

XXXXX Feet	<p>Set a galvanized iron post, 3/4 in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 L3 4 L4 3X; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 0°45'W.</p> <p>1500.0 Cor. No. 1 and the place of beginning.</p>
	<p style="text-align: center;">LEO #4 LODE</p> <p>At cor. No. 1 of the Leo #4 lode.</p> <p>Set a galvanized iron post, 3/4 in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 L4 1 X; from which</p> <p>The cor. of secs. 15, 16, 21 & 22, T.4N., R.3E., G.&S.R.B.&M., bears S. 87°45'E., 60.0 ft. dist.; previously described.</p> <p>Cor. No. 1, Sur. No. 3740, Golden Star lode, bears S. 6°05'20"E., 1014.21 ft. dist.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence S. 87°45'E.</p>
60.0	The cor. of secs: 15, 16, 21 & 22, T.4N., R.3E., G.&S.R.B.&M.
300.0	Lode line; discovery pt. bears S. 0°45'E., 310.0 ft. dist.
600.0	<p>Cor. No. 2 identical with cor. No. 1 of the Leo #3 lode of this survey; previously described.</p> <p>Thence S. 0°45'E.</p>
1500.0	<p>Cor. No. 3 identical with cor. No. 4 of the Leo #3 lode of this survey; previously described.</p> <p>Thence N. 87°45'W.</p>
300.0	Lode line; discovery pt. bears N. 0°45'W., 1190.0 ft. dist.
442.41	Intersect line 1-2, Turkey track #4 lode of this survey.
556.52	Intersect line 4-1, Turkey Track #4 lode of this survey.
600.0	Cor. No. 4

Chains Feet	<p>Set a galvanized iron post, 3/4 in. diam., 30 ins. long, set in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4575 L4 X; from which</p> <p style="padding-left: 40px;">A mound of stones constructed adjacent to the iron post.</p> <p style="padding-left: 40px;">Thence N. 0°45' W.</p>
296.16	Intersect line 1-2, Sur. No. 3740, Golden Star lode, at a pt. from which cor. No. 1 bears N. 25°11'20" E., 215.75 ft. dist.
513.33	Intersect line 4-1, Sur. No. 3740, Golden Star lode, at a pt. from which cor. No. 1 bears S. 76° 58' E., 97.17 ft. dist.
1500.00	Cor. No. 1 and the place of beginning.

SURVEY NO. 4575

AREAS

	Acres
Total area Turkey Track #3 lode	18.351
Area in conflict with Sur. No. 3740, South Extension lode	0.771
Total area Turkey Track #4 lode	18.750
Area in conflict with Sur. No. 3740, Red Dog lode	1.416
Sur. No. 3740, Mary Ann lode	0.196
Sur. No. 3740, Golden Star lode	0.019
Sur. No. 3740, Golden Star lode exclusive of its conflict with Sur. No. 3740 Mary Ann lode	0.014
Turkey Track #3 lode of this survey	0.306
Leo #4 lode of this survey	0.101
Total area Alta Vista #1 lode	20.429
Total area Alta Vista #2 lode	20.430
Total area Leo #2 lode	20.426
Total area Leo #1 lode	20.430
Total area Leo #3 lode	20.633
Total area Leo #4 lode	20.633
Area in conflict with Sur. No. 3740, Golden Star lode	0.235

LOCATION

This survey is located in the NW $\frac{1}{4}$ and SW $\frac{1}{4}$ of Sec. 22 and the NE $\frac{1}{4}$ of Sec. 21, T. 4N., R. 3E., G. & S. R. B. & M.

The survey of the Turkey Track #s 3 & 4, Alta Vista #s 1 & 2 and the Leo #s 1, 2, 3 & 4 lodes is identical with the respective location or amended location as marked on the ground.

Chains
XXXX
Feet

EXPENDITURES

The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or its grantors are as follows:

No. 1 The discovery pt. of the Turkey Track #3 lode is on the lode line, 700.0 ft. from a pt. on line 1-2, 299.99 ft. from cor. No. 1

Value, None

No. 2 A pit, the SE cor. of which bears N. 28°30'W., 911 ft. dist. from cor. No. 1 of the Turkey Track #3 lode; 4x5 ft. in size, 6 ft. deep.

Value, \$100.00

No. 3 A cut, the SE cor. of which bears N. 28°30'W., 897 ft. dist. from cor. No. 1 of the Turkey Track #3 lode; 8x12 ft. in size, 4 ft. deep.

Value, \$75.00

No. 4 A cut, the SE cor. of which bears N. 30°W., 850 ft. dist. from cor. No. 1 of the Turkey Track #3 lode; 5 ft. wide, 6 ft. at the face, running east 10 ft.

Value, \$100.00

No. 5 An irregular shaped pit, the SE end of which bears N. 73°W., 500 ft. dist. from cor. No. 1 of the Turkey Track #3 lode; 4 ft. average depth, 75 ft. average width and running N. 32°W., 250 ft.

Value, \$4,000.00

Value of $\frac{1}{2}$ Interest, \$2,000.00

This improvement may develop a vein which strikes off the side line to the west and on to the Turkey Track Fraction lode, unsurveyed, which is a contiguous lode owned in common.

Five hundred dollars or over has been expended in this improvement in such a manner as tends to the development of the Turkey Track #3 lode of this survey and the Turkey Track Fraction lode, unsurveyed subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore, an undivided one-half interest in its value is hereby credited to each of the said lodes.

No portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.

No. 1 The discovery pt. of the Turkey Track #4 lode is on the lode line, 25 ft. from a pt. on line 2-3, 248.78 ft. from cor. No. 2

Value, None

No. 2 A pit, the NE cor. of which bears S. 15°45'E., 1443 ft. dist. from cor. No. 1 of the Turkey Track #4 lode; 6x6 ft. in size, 5 ft. deep.

Value, \$125.00

No. 1 The discovery pt. of the Alta Vista #1 is on the lode line, 785.09 ft. from a pt. on line 4-1, 300.0 ft. from cor. No. 4

Value, None

Chains Feet		
No. 2	A cut, the SE cor. of which bears N. $59^{\circ}30'W.$, 626 ft. from cor. No. 1 of the Alta Vista #1 lode; 9 ft. wide, 7 ft. deep and running S. $45^{\circ}W.$, 20 ft.	Value, \$150.00
No. 3	A cut, the SE cor. of which bears N. $76^{\circ}45'W.$, 1209 ft. dist. from cor. No. 1 of the Alta Vista #1 lode; 6 ft. wide, 6 ft. long and 3 ft. deep at the face.	Value, \$50.00
No. 4	A cut, the SE cor. of which bears N. $78^{\circ}15'W.$, 1219 ft. dist. from cor. No. 1 of the Alta Vista #1 lode; 6x7 ft., 4 ft. deep at the face.	Value, \$75.00
No. 5	A cut, the SE cor. of which bears N. $79^{\circ}30'W.$, 1290 ft. dist. from cor. No. 1 of the Alta Vista #1 lode; 5x7 ft. in size, 6 ft. deep at the face.	Value, \$75.00
No. 6	A cut, the SE cor. of which bears N. $80^{\circ}W.$, 1269 ft. dist. from cor. No. 1 of the Alta Vista #1 lode; 5 ft. wide, 6 ft. deep at the face and running west, 20 ft.	Value, \$150.00
No. 7	A cut, the SE cor. of which bears N. $69^{\circ}30'W.$, 1300 ft. dist. from cor. No. 1 of the Alta Vista #1 lode; 8x14 ft. in size, 4 ft. deep at the face.	Value, \$100.00
No. 1	The discovery pt. of the Alta Vista #2 lode is on the lode line, 200 ft. from a pt. on line 2-3, 300.0 ft. from cor. No. 2.	Value, None
No. 2	A cut, the NW cor. of which bears S. $32^{\circ}45'E.$, 576 ft. from cor. No. 1 of the Alta Vista #2 lode; 10 ft. wide, 8 ft. deep at the face and running N. $45^{\circ}E.$, 90 ft.	Value, \$500.00
No. 1	The discovery pt. of the Leo #2 lode is on the lode line 25 ft. from a pt. on line 2-3, 300.0 ft. from cor. No. 2.	Value, None
No. 2	A cut, the NW cor. of which bears S. $65^{\circ}15'E.$, 1214 ft. dist. from cor. No. 1 of the Leo #2 lode; 7 ft. wide, 6 ft. deep and running east, 20 ft.	Value, \$250.00
No. 3	A pit, the NW cor. of which bears S. $61^{\circ}E.$, 1239 ft. from cor. No. 1 of the Leo #2 lode; 4x6 ft. in size, 5 ft. deep.	Value, \$80.00
No. 4	A pit, the NW cor. of which bears S. $86^{\circ}10'E.$, 1359 ft. dist. from cor. No. 1 of the Leo #2 lode; 4x8 ft. in size, 4 ft. deep.	Value, \$75.00
No. 5	A pit, the NW cor. of which bears S. $85^{\circ}E.$, 1390 ft. dist. from cor. No. 1 of the Leo #2 lode; 5x10 ft. in size, 5 ft. deep.	Value, \$150.00

SURVEY NO. 4575

X Chains Feet	
No. 6	A pit, the NW cor. of which bears S. 80°30'E., 1350 ft. dist. from cor. No. 1 of the Leo #2 lode; 6x12 ft. in size, 5 ft. deep. Value, \$170.00
No. 1	The discovery pt. of the Leo #1 lode is on the lode line 225.12 ft. from a pt. on line 2-3, 300.0 ft. from cor. No. 2. Value, None
No. 2	A pit, the NW cor. of which bears S. 74°E., 1196 ft. dist. from cor. No. 1 of the Leo #1 lode; 4x6 ft. in size, 7 ft. deep. Value, \$140.00
No. 3	A pit, the NW cor. of which bears S. 73°30'E., 1162 ft. dist. from cor. No. 1 of the Leo #1 lode; 5x8 ft. in size; 4 ft. deep. Value, \$75.00
No. 4	A pit, the NW cor. of which bears S. 67°30'E., 1370 ft. dist. from cor. No. 1 of the Leo #1 lode; 8x8 ft. in size; 7 ft. deep. Value, \$175.00
No. 5	A pit, the NW cor. of which bears S. 65°E., 1452 ft. dist. from cor. No. 1 of the Leo #1 lode; 7x5 ft. in size, 4 ft. deep. Value, \$60.00
No. 6	A cut, the NW cor. of which bears S. 19°30'E., 190 ft. dist. from cor. No. 1 of the Leo #1 lode; 15x20 ft. in size, 7 ft. deep at the face. Value, \$175.00
No. 7	A cut, the NW cor. of which bears S. 16°30'E., 253 ft. dist. from cor. No. 1 of the Leo #1 lode; 5 ft. wide, 7 ft. deep at the face and running east, 18 ft. Value, \$90.00
No. 8	A cut, the NW cor. of which bears S. 16°45'E., 272 ft. dist. from cor. No. 1 of the Leo #1 lode; 5 ft. wide, 6 ft. deep at the face and running east, 16 ft. Value, \$75.00
No. 9	An adit, the portal of which bears S. 18°45'E., 420 ft. dist. from cor. No. 1 of the Leo #1 lode; 6x6 ft. in size and running S. 45°W., 20 ft. Value, \$500.00
No. 10	A cut, the NE cor. of which bears S. 18°30'E., 492 ft. from cor. No. 1 of the Leo #1 lode; 6 ft. wide, 8 ft. at the face, running S. 45°W., 18 ft. Value, \$125.00
No. 1	The discovery pt. of the Leo #3 lode is on the lode line 200 ft. from a pt. on line 1-2, 300.0 ft. from cor. No. 1. Value, None
No. 2	A pit, the NW cor. of which bears S. 62°E., 357 ft. dist. from cor. No. 1 of the Leo #3 lode; 8x8 ft. in size, 7 ft. deep. Value, \$200.00

~~Feet~~
Feet

- No. 3 A cut, the NW cor. of which bears S. 84° E., 470 ft. dist. from cor. No. 1 of the Leo #3 lode; 5 ft. wide, 5 ft. deep and running S. 45° E., 55 ft.
Value, \$300.00
- No. 4 A cut, the NW cor. of which bears S. 78° E., 540 ft. dist. from cor. No. 1 of the Leo #3 lode; 7 ft. wide, 4 ft. deep at the face running south 30 ft.
Value, \$150.00
- No. 5 A cut, the NW cor. of which bears S. 73° 20' E., 570 ft. dist. from cor. No. 1 of the Leo #3 lode; 10 ft. average width, 7 ft. average depth, and running south 25 ft.
Value, \$300.00
- No. 6 A cut, the NW cor. of which bears S. 43° 30' E., 283 ft. dist. from cor. No. 1 of the Leo #3 lode; 22 ft. wide, 14 ft. at the face and running south 33 ft.
Value, \$400.00
- No. 7 A cut, the NW cor. of which bears S. 40° 15' E., 323 ft. dist. from cor. No. 1 of the Leo #3 lode; 22 ft. wide, 4 ft. deep at the face and running east 40 ft.
Value, \$200.00
- No. 1 The discovery pt. of the Leo #4 lode is on the lode line 310 ft. from a pt. on line 1-2, 300.0 ft. from cor. No. 1.
Value, None

An interest in a common improvement described as follows:

A shaft with concrete collar, the NW cor. of which bears S. 34° E., 190 ft. dist. from cor. No. 1 of the Leo #3 lode; 6x8 ft. in size, depth estimated at 500 ft. Extensive underground workings to the south.

Value of shaft and underground workings \$100,000.
Value of present claimants work 1,500.
Value of 1/3 interest, 500.

This improvement is for the development of the Leo #s 3 & 4 and Turkey Track #4 lodes at depth which are all contiguous lodes owned in common within the range of benefit of said workings.

The surface rises rapidly to the south and the present underground workings extended would be the logical and most economical means of developing these lodes at depth.

Five hundred dollars or over has been expended in this improvement in such a manner as tends to the development of each of the stated lodes subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore, an undivided one-third interest in its value is hereby credited to each of said lodes.

No portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.

~~Chains~~
Feet

OTHER IMPROVEMENTS

A concrete-block house, the NW cor. of which bears S.44° E., 210 ft. dist. from cor. No. 1 of the Leo #3 lode; 15x30 ft. in size, the long sides bears S.85° W. Claimant herein

An untimbered shaft, the NW cor. of which bears S.82° 15' E., 1403 ft. dist. from cor. No. 1 of the Leo #2 lode; 4x5 ft. in size, 20 ft. deep. Claimant unknown

An untimbered shaft, the NW cor. of which bears S.79° 30' E., 1432 ft. dist. from cor. No. 1 of the Leo #2 lode; 4x6 ft. in size, 20 ft. deep. Claimant unknown

An untimbered shaft, the NW cor. of which bears S.78° E., 1472 ft. dist. from cor. No. 1 of the Leo #2 lode; 4x7 ft. in size, 30 ft. deep. Claimant unknown

An untimbered shaft, the NW cor. of which bears S.69° E., 1321 ft. dist. from cor. No. 1 of the Leo #1 lode; 8x4 ft. in size, 60 ft. deep. Claimant unknown

An untimbered shaft, the NW cor. of which bears S.66° E., 1405 ft. dist. from cor. No. 1 of the Leo #1 lode; 6x10 ft. in size, 50 ft. deep. Claimant unknown

A cut and adit, the NE cor. of the cut bears S. 19° E., 455 ft. dist. from cor. No. 1 of the Leo #1 lode; the cut is 8 ft. wide, 6 ft. deep and running S. 45° W., 12 ft., thence an adit, 8x8 ft. in size running S. 45° W., 8 ft. Claimant unknown

OTHER CORNER DESCRIPTIONS
AND SUPPLEMENTAL DATA

The $\frac{1}{4}$ cor. of secs. 21 & 22 is an iron post, firmly set and properly marked.

The line between the cor. of secs. 15, 16, 21 & 22 and the $\frac{1}{4}$ cor. of secs. 21 & 22, T.4N., R.3E., G.&S.R.B. & M. was found to be N. 0°28'50" E., 2,784.27 ft. instead of N. 0°30'E., 2784.54 ft. as approved.

Sur. No. 3740, South Extension lode; cor. No. 2 identical with cor. No. 4, Sur. No. 3740, Santa Rosa lode and cor. No. 1 identical with cor. No. 2, Sur. No. 3740, Red Dog lode are iron posts, firmly set and properly marked. Line 1-2 was found to be S.51°05'E., 765.12 ft. instead of S. 51°14'E., 765.02 ft. as approved.

Sur. No. 3740, Red Dog lode: Cor. No. 1 identical with cor. No. 1, Sur. No. 3740, Mary Ann lode is an iron post, firmly set and properly marked. Cor. No. 2 identical with cor. No. 1, Sur. No. 3740, South Extension lode, described above. Line 1-2 was found to be S. 36°05'15" E., 1395.45 ft. instead of S.36°18'E., 1394.10 ft. as approved. Line 4-1 common with line 1-2, Sur. No. 3740, Mary Ann lode is shown as approved.

CHASOX
Feet

Sur. No. 3740, Mary Ann lode: Cor. No. 4, the remnants of a mound of stones, the center of which I take as the cor. pt. Cor. No. 1 identical with cor. No. 1, Sur. No. 3740, Red Dog lode, described above. Line 4-1 was found to be S. 23°26'05" E., 1221.75 ft. instead of S. 23°37'E., 1219.93 ft. as approved. Line 1-2 common with line 4-1 Sur. No. 3740, Red Dog lode described above.

Sur. No. 3740 Golden Star lode: Cors. Nos. 1 & 2 are iron posts firmly set and properly marked. Line 1-2 was found to be S. 25°11'20" W., 1023.64 ft. instead of S. 24°59'W., 1024.29 ft. as approved. From cor. No. 1, the cor. of secs. 15, 16, 21 & 22 bears N. 2°42'40" W., 1,007.26 ft. instead of N. 2°43'W., 1006.38 ft. as approved.

FIELD ASSISTANTS

Name	Capacity
Richard Cleveland	chainman
Bill Donahue	Axeman

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

20

CERTIFICATE OF SURVEYOR

Oct. 15, 19 61

I, Harvey W. Smith
 Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the _____
 Cadastral Engineer _____, at Phoenix, Arizona
 dated Aug. 8, 1961, I have faithfully and correctly executed the survey of
 the mining claim of Hiram B. Webb
 known as the Turkey Track #s 3&4, Alta Vista #s 1&2 and Leo #s 1,2,3&4 lodes
(Lode, placer, or mill site)
 situate in Winifred Mining District, Maricopa Co., Secs. 21 & 22
 T. 4N., R. 3E, G. & S. R. B. & M. Meridian, Arizona, and
(State)
 designated as Survey No. 4575, which is represented in the foregoing field notes as having been
 executed by me and under my direction, and that said survey has been made in strict conformity with said order,
 the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner
 described in the foregoing field notes, and I do further certify that the labor expended and improvements made
 upon or for the benefit of the lode location(s) embraced in the said mining claim by
(Lode or placer)
 claimant(s) or his grantors are fully stated in my report therein, and that the character,
 extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no
 portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate
 of expenditures upon any other claim.

Scottsdale, Arizona
(Place)

Harvey W. Smith
(Mineral Surveyor)
 Harvey W. Smith

CERTIFICATE OF APPROVAL

Bureau of Land Management, Survey Office
(Office)
Phoenix, Arizona Mar. 21, 1962
(Place) (Date)

The foregoing field notes of mineral survey No. 4575, in Winifred Mining District
 _____, T. 4 N., R. 3 E., G. & S. R. Meridian,
Arizona, executed by Harvey W. Smith, Mineral Surveyor,
(State)
 under order dated August 8, 1961, having been critically examined and the necessary
 corrections made prior to their certification by the surveyor, the field notes and the survey therein described
 are hereby approved.

Raymond C. Cleghorn
 Raymond C. Cleghorn
 Acting State Supervisor
(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. _____
is a true copy of the original field notes.

(Title)

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE

9605 (942)
M.S. 4575

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Turkey Track #3, Alta Vista #'s 1 and 2, and Leo #'s 1-4 lodes, Mineral Survey No. 4575, located in sections 21 and 22, Township 4 North, Range 3 East, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have been declared void by I.B.L.A., U.S. District Court of Arizona and affirmed by the U.S. Court of Appeals for the Ninth Circuit.

This cancellation was necessitated to facilitate a land exchange.

The Mineral Survey Plat should be noted as follows:

"Turkey Track #3, Alta Vista #'s 1 and 2, and Leo #'s 1-4 lodes, M.S. 4575 were canceled June 30, 1992, by memo 9605 (942) M.S. 4575, which is now a part of the original field notes."

June 30, 1992
Date



Chief Cadastral Surveyor of Arizona

THE STATE OF TEXAS,
COUNTY OF [illegible]

WARRANT FOR THE ARREST OF

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952.1)
BUREAU OF LAND MANAGEMENT M.S. 4575
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Turkey Track #4 lode, located in sections 21 and 22, Township 4 North, Range 3 East, Gila and Salt River Meridian, Arizona, is hereby canceled. As of this date, this notice of cancellation will become part of the field notes for Mineral Survey No. 4575, page 30.


This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Turkey Track #4 lode, M.S. 4575 was canceled June 12, 1997, by memo 9605 (952.1) M.S. 4575 which is now a part of the original field notes."

June 12, 1997
Date



Chief Cadastral Surveyor of Arizona

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
DENVER, COLORADO

NOTICE OF CANCELLATION OF MINERAL RIGHTS

The survey tract as shown, located in sections 21 and 22, Township 33 North, Range 12 East, Salt River Meridian, Arizona, is hereby cancelled. As of this date, this tract of cancellation will appear on the title map for Mineral Survey No. 2378, page 10 of the title map.

This cancellation was filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 21, 30 STAT. 1787, 49 U.S.C. 1784.

This cancellation was registered in plain the record.

The original survey map is on file in the office as follows:

Tract 2378 as shown, 1/1/1911 was cancelled January 11, 1911 by the Arizona State Office, Bureau of Land Management, in accordance with Section 21, 30 STAT. 1787, 49 U.S.C. 1784.

[Signature]
District Manager, Bureau of Land Management

June 1, 1911
1911