

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4582.....

..... ARIZONA ..... Land District.

**FIELD NOTES**

Of The Survey Of The Mining Claim Of

..... Howard Hall .....

Known As The

..... Silver Dollar No. 2 Lode .....

..... Walker ..... Mining District,

..... Yavapai ..... County, Arizona .....

Section ..... 33., Township 13 North....., Range 1 West.....

Surveyed under order dated ..... 29 September., 19 61..

by .. Richard L. Merritt ..  
Mineral Surveyor.

Claim located ..... 26 May ....., 19 53..

Survey commenced ..... 7 October ....., 19 61..

Survey completed ..... 21 October ....., 19 61..

Address of claimant Locklear and Wolfinger, Attys.  
Prescott, Arizona

DATES OF AMENDED LOCATIONS

.....  
.....  
.....

UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

WYOMING

Section 10

WYOMING

Section 10

Section 10

Section 10

Section 10

Section 10

Section 10

Section 10

Section 10

Section 10

Section 10

Section 10

Section 10

Section 10

Section 10

~~Chains~~

Feet

This survey was made with a Burger transit No. 17503 with horizontal limb 5 1/8 ins. diam., having two double verniers, and full vertical circle 5 ins. diam., having one double vernier; the verniers read to one minute of arc; a prismatic eyepiece with colored glass was attached to the eyepiece of the transit for making direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in the record were determined by the method of deflection angles referred to the meridian determined by direct observation on the sun.

October 7, 1961, at cor. No. 1 of the Silver Dollar No. 2 lode, in latitude 34°27'35" N., and longitude 112°22'35" W., turning from cor. No. 2 of the Silver Dollar No. 2 lode to the sun.

True bearing of line 1-2 of Silver Dollar No. 2 lode - N.21°54' E. The lines were measured with a Lufkin steel tape 300 ft. in length, graduated every foot, the first and last foot being graduated to tenths and hundredths; the tape was compared with a Lufkin standard tape at the time of beginning the survey and found correct.

All lines and connections of this survey were run by direct methods. The magnetic declination observation at each corner of the survey gave a uniform value of 14°30' E.

## SILVER DOLLAR NO. 2 LODE

At cor. No. 1 of the Silver Dollar No. 2 Lode.

Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd. SD2-1 4582; from which

The southwest cor. sec. 33, T.13 N., R.1 W., Gila and Salt River Meridian, bears S.36°11' W., 960.36 ft. dist., an iron post 2 ins. diam., 6 ins. above ground, marked and witnessed as described in the official record.

Thence N.21°54' E.

685.0 Center of road, bears N.6°50' W., and S.6°50' E.

843.0 Power line, bears N.4°45' W., and S.4°45' E.

1462.0 Center of road, bears N.69°50' E., and S.69°50' W.

1500.0 Cor. No. 2.

Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd. SD2-2 4582; from which

Cor. No. 1 Sur. No. 4031 Yellow Dog lode bears N.62°32'30" W., 168.99 ft. dist.

A pine, 18 ins. diam., bears S.30°00' W., 9.6 ft., mkd. X-SD2-2 4582 BT.

Thence S.68°57' E.

22.0 Center of road, bears N.35°37' E., and S.35°37' W.

132.0 Center of Lynx Creek, 30 ft. wide, course N.38°30' E.

300.0 Lode line, discovery point bears S.21°54' W., 150 ft. dist.

600.0 Cor. No. 3, identical with cor. No. 2 Silver Dollar No. 1 lode, unsurveyed.

Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd SD2-3 4582.

3

~~CHANGES~~  
Feet

Thence S.21°54' W

1500.0

Cor. No. 4, identical with cor. No. 1 Silver Dollar No. 1 lode, un-surveyed.

Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd. SD2-4 4582; from which

Cor. No. 2 Sur. No. 4532 Good Hope placer bears S.67°46'10" W., 343.52 ft. dist.

Cor. No. 2, Sur. No. 1314 Champion lode bears S.40°05'15" E., 266.29 ft. dist.

A granite in place, 2 x 3 ft., 2 ft. above ground bears S.27°02' E. 4.78 ft., mkd. X-SD2-4, 4582 BR.

Thence N.68°57' W.

63.0

Center of road, bears N.19°30' W., and S.19°30' E.

170.0

Power line, bears N.4°45' W., and S.4°45' E.

250.0

Center Lynx Creek, 30 ft. wide, course N.12°20' W.

300.0

Lode line; discovery point bears N.21°54' E., 1350 ft. dist.

600.0

Cor. No. 1, and place of beginning.

AREA

Total area, Silver Dollar No. 2 lode

Acres  
20.659

LOCATION

This survey is located in the SW  $\frac{1}{4}$  sec. 33, T.13 N., R.1 W., of the Gila and Salt River meridian.

The survey of the Silver Dollar No. 2 lode is identical with the respective location or amended location as marked on the ground. The location monuments at the four corners of the lode were rebuilt alongside.

EXPENDITURES

The improvements and the value of the labor and improvements made upon or for the benefit of the lode location embraced in said mining claim by the claimant or his grantors are as follows:

- No. 1 The discovery point of the Silver Dollar No. 2 lode is on the lode line S.21°54' W., 150 ft. from the center of line 2-3.  
No value.
- No. 2 A shaft, the center of which bears S.50°30' E., 306 ft. from cor. No. 2 of the Silver Dollar No. 2 lode, 5 x 6 ft., 35 ft. deep.  
Value, \$700.
- No. 3 A shaft, the center of which bears S.31°30' E., 275 ft. from cor. No. 2 of the Silver Dollar No. 2 lode, 4 x 6 ft., 45 ft. deep.  
Value, \$900.
- No. 4 A well, the center of which bears N.14°30' W., 145 ft. from cor. No. 4 of the Silver Dollar No. 2 lode, 4 x 6 ft., 35 ft. deep.  
Value, \$700.



Chain  
Feet

OTHER IMPROVEMENTS

A combination house trailer and shed, the southeast corner of which bears N.4°00' E., 145 ft. from cor. No. 4 of the Silver Dollar No. 2 lode, 24.5 x 27 ft. in size, the long sides bear N.20°00' W.

Claimant herein.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Survey No. 4031 Yellow Dog lode: Cor. No. 1 is a granite stone, properly marked.

Survey No. 1314 Champion lode: cor. No. 2 is a granite stone, properly marked.

Survey No. 4532 Good Hope placer: Cor. No. 2 is an iron pipe, properly marked.

FIELD ASSISTANTS

Name	Assistants
J. B. Sarvis	Chairman
Keith Bunn	Chairman

Chains

Class  
Year

The following is a list of the names of the persons who have been  
 awarded the Medal of Honor for their gallantry in action during  
 the war between the States. The names are listed in alphabetical  
 order of their last names. The names of the persons who have  
 been awarded the Medal of Honor for their gallantry in action  
 during the war between the States are listed in alphabetical  
 order of their last names. The names of the persons who have  
 been awarded the Medal of Honor for their gallantry in action  
 during the war between the States are listed in alphabetical  
 order of their last names.

Assistant

Chief Clerk

Head

U. S. Marshal

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

21 October, 1961

I, Richard L. Merritt,  
 Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the \_\_\_\_\_  
 \_\_\_\_\_ Cadastral Engineer \_\_\_\_\_, at Phoenix, Arizona  
 dated 29 September 1961, I have faithfully and correctly executed the survey of  
 the mining claim of Howard Hall,  
 known as the Silver Dollar No. 2 lode  
(Lode, placer, or mill site)  
 situate in the S.W. 1/4 sec. 33  
 T. 13 North, R. 1 West, G. and S.R. \_\_\_\_\_ Meridian, Arizona, and  
(State)  
 designated as Survey No. 4582, which is represented in the foregoing field notes as having been  
 executed by me and under my direction, and that said survey has been made in strict conformity with said order,  
 the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner  
 described in the foregoing field notes, and I do further certify that the labor expended and improvements made  
 upon or for the benefit of the lode location(s) embraced in the said mining claim by  
(Lode or placer)  
 claimant(s) or his grantors are fully stated in my report therein, and that the character,  
 extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no  
 portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate  
 of expenditures upon any other claim.

Prescott, Arizona  
(Place)

Richard L. Merritt  
(Mineral Surveyor)

CERTIFICATE OF APPROVAL

Bureau of Land Management, Survey Office  
(Office)  
Phoenix, Arizona November 27, 1961  
(Place) (Date)

The foregoing field notes of mineral survey No. 4582, in Walker Mining District  
SW 1/4, Sec. 33, T. 13 N., R. 1 W., G. & S. R. Meridian,  
Arizona, executed by Richard L. Merritt, Mineral Surveyor,  
(State)  
 under order dated September 29, 1961, having been critically examined and the necessary  
 corrections made prior to their certification by the surveyor, the field notes and the survey therein described  
 are hereby approved.

Fred S. Weiler  
Fred S. Weiler

State Director  
(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. \_\_\_\_\_  
is a true copy of the original field notes.

\_\_\_\_\_  
\_\_\_\_\_  
(Title)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

21 October 1951

I, Richard L. Merritt,  
Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the  
Industrial Division at Phoenix, Arizona  
dated 29 September 1951, I have faithfully and correctly executed the survey of  
the mining claim of Phoenix Hill  
known as the Phoenix Hill L. M. No. 210  
situated in the 2nd 1/4 Sec. 2, T. 13 N., R. 10 E., S. 1 E., Co. 2, Ariz.  
T. 13 North, R. 10 East, S. 1 South, Co. 2 East, Ariz.  
designated as Phoenix Hill, which is represented in the foregoing field notes as having been  
executed by me and under my direction and that said survey has been made in strict conformity with said order,  
the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner  
described in the foregoing field notes, and I do further certify that the labor expended and improvements made  
upon it for the benefit of the Phoenix Hill location(s) embraced in the said mining claim by  
claimant(s) or his grantor are fully stated in my report therein, and that the character,  
extent, location, and financial value thereof are specified therein with particularity and full detail, and that no  
portion of or interest in said labor and improvements so credited to this claim has been included in the estimate  
of expenditures upon any other claim.

Richard L. Merritt  
Mineral Surveyor

CERTIFICATE OF APPROVAL

Richard L. Merritt  
Mineral Surveyor  
The foregoing field notes of mineral survey No. 210  
dated 29 September 1951 at Phoenix, Arizona  
executed by Richard L. Merritt,  
Mineral Surveyor, having been critically examined and the necessary  
corrections made prior to their certification by the Surveyor, the field notes and the survey therein described  
are hereby approved.

Richard L. Merritt  
Mineral Surveyor

CERTIFICATE OF TRANSCRIPT

I certify that the foregoing transcript of field notes of the above described mineral survey No. 210  
is a true copy of the original field notes.

Richard L. Merritt  
Mineral Surveyor