

Form 4-683
(January 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number	4634
State	Arizona
Land District	Prescott

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Archie B. Brown, Box 266, Black Canyon, Arizona 85324

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
"Maggie"	1/1/1900	
"Bellia"	1/1/1900	
Blue Fox	5/9/1942	
Rubey	5/9/1942	
Black Diamond	3/15/1951	
Jim Mine	10/1/1945	

Mining district Black Canyon			County Yavapai	
Section 15, 16, 21 & 22	Township 9 No.	Range 2 East	Meridian Gila & Salt River	Survey under order dated October 28, 1965
Survey commenced Oct. 28, 1965		Survey completed Dec. 8, 1966	Name of Mineral Surveyor Thomas H. Barkdull	

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Project Number	4004
Date	
Collector	
Field Station	
County	

In the vicinity of the mouth of the river and above of canyon

vicinity of drain, Box 200, Black Canyon, Arizona

LOCATIONS OF SPECIMENS AND LOCALITY NAMES

DATE	LOCALITY NAME	COLLECTOR
11/1/50	" "	
11/2/50	" "	
11/3/50	" "	
11/4/50	" "	
11/5/50	" "	
11/6/50	" "	
11/7/50	" "	
11/8/50	" "	
11/9/50	" "	
11/10/50	" "	
11/11/50	" "	
11/12/50	" "	
11/13/50	" "	
11/14/50	" "	
11/15/50	" "	
11/16/50	" "	
11/17/50	" "	
11/18/50	" "	
11/19/50	" "	
11/20/50	" "	
11/21/50	" "	
11/22/50	" "	
11/23/50	" "	
11/24/50	" "	
11/25/50	" "	
11/26/50	" "	
11/27/50	" "	
11/28/50	" "	
11/29/50	" "	
11/30/50	" "	

Project Number	4004
Date	
Collector	
Field Station	
County	

FEET

This survey was made with a Keuffel & Esser light mountain transit No. 5077F, with horizontal limb 5 ins. diam., having opposite direct verniers and full vertical circle 4 ins. diam.; the verniers read to one minute of arc. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observation:

Oct. 25, 1965, at Cor. No. 1 of Black Diamond lode, in latitude $34^{\circ}06'30''$ N., and longitude $112^{\circ}08'40''$ W., I make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reverse positions, observing opposite limbs of the sun, and reading horizontal angle from a reference point about 450 ft. southeastward SE. to the sun.

Mean time of observation, 105th meridian
standard time = $10^{\text{h}} 39^{\text{m}} 28^{\text{s}}$ A.M.

Declination of sun at mean
time of observation = $12^{\circ} 12' 34''$ S.

Mean observed vertical angle
to sun's center = $38^{\circ} 36' 00''$

Mean horizontal angle from
reference point to sun's
center = $24^{\circ} 14' 30''$ SE.

True bearing to reference
point = S. $5^{\circ} 37' 53''$ E.

The lines were measured with a Keuffel & Esser steel tape 300 ft. in length, graduated every foot with the first and last foot graduated in tenths and hundredths; the tape was compared with a standard 100 ft. invar tape at the time of beginning the survey, and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of $14^{\circ}30'$ E.

FEET

Black Diamond Lode

At Cor. No. 1 of the Black Diamond Lode, identical with Cor. No. 1 of the Rubey lode of this survey.

Set a steel post, 5 ft. long, 2 ft. in the ground, to which I secured a pine post, 4 ft. long, 4 ins. square, bearing an aluminum plate stamped BD-1-R-1-MS 4634, from which

The Cor. of Secs. 15, 16, 21 and 22, T.9 N., R. 2 E., G. & S. R. Meridian, bears S. $5^{\circ}37'53''$ E., 451.77 ft. dist.; a G.L.O. iron post, 3 ft. long, 2 ins. diam., 18 ins. in ground, firmly set and marked as described in the official record.

No local bearing objects or bearing trees available.

Thence S. $88^{\circ}24'53''$ E.

63.0	Center of road, bears N. $14^{\circ}00'$ W. and S. $14^{\circ}00'$ E.
300.0	Lode line; discovery point bears S. $7^{\circ}44'18''$ W., 1300 ft. dist.
600.0	Cor. No. 2, identical with Cor. No. 1 of the "Maggie" lode of this survey. Set a steel post, 5 ft. long, 2 ft. in the ground, to which I secured a pine post, 4 ft. long, 4 ins. square, bearing an aluminum plate stamped BD-2-M-1-MS 4634. No local bearing objects or bearing trees available. Thence S. $7^{\circ}44'18''$ W.
692.	North line house, bears N. 73° E. & S. 73° W.
737.	South line same house, bears N. 73° E. & S. 73° W.
975.	Center of road, bears N. 68° W. & S. 68° E.
1500.0	Cor. No. 3, identical with Cor. No. 4 of the "Maggie" lode, Cor. No. 2 of the Jim Mine lode and Cor. No. 1 of the "Bellia" lode of this survey. Set a steel post, 5 ft. long, 2 ft. in the ground, to which I secured a pine post, 4 ft. long, 4 ins. square, bearing an aluminum plate stamped BD-3-M-4-B-1-JM-2-MS 4634. No local bearing objects or bearing trees available. Thence N. $88^{\circ}24'53''$ W.

FEET	
300.0	Lode line; discovery point bears N. 7°44'18" E., 200 ft. dist.
600.0	Cor. No. 4, identical with Cor. No. 1 of the Jim Mine lode, Cor. No. 1 of the Blue Fox lode and Cor. No. 2 of the Rubey lode of this survey.
	Set a steel post, 5 ft. long, 2 ft. in the ground, to which I secured a pine post, 4 ft. long, 4 ins. square, bearing an aluminum plate stamped BD-4-JM-1-BF-1-R-2-MS 4634.
	No local bearing objects or bearing trees available.
	Thence N. 7°44'18" E.
1500.0	Cor. No. 1, and place of beginning.
	Rubey Lode
	Beginning at Cor. No. 1 of the Rubey lode, identical with Cor. No. 1 of the Black Diamond lode of this survey.
	Thence S. 7°44'18" W.
1500.0	Cor. No. 2, identical with Cor. No. 4 of the Black Diamond lode, Cor. No. 1 of the Jim Mine lode and Cor. No. 1 of the Blue Fox lode.
	Thence N. 88°24'53" W.
300.0	Lode line; discovery point bears N. 7°44'18" E., 750 ft. dist.
600.0	Cor. No. 3, identical with Cor. No. 4 of the Blue Fox lode of this survey.
	Set a steel post, 5 ft. long, 2 ft. in the ground, to which I secured a pine post, 4 ft. long, 4 ins. square, bearing an aluminum plate stamped R-3-BF-4-MS 4634.
	No local bearing objects or bearing trees available.
	Thence N. 7°44'18" E.
1500.0	Cor. No. 4.
	Set a steel post, 5 ft. long, 2 ft. in the ground, to which I secured a pine post, 4 ft. long, 4 ins. square, bearing an aluminum plate stamped R-3-BF-4-MS 4634.
	No local bearing objects or bearing trees available.
	Thence S. 88°24'53" E.

(This form bound on left side)

FEET	
300.0	Lode line; discovery point bears S. 7°44'18" W., 750 ft. dist.
600.0	Cor. No. 1, and place of beginning.
Blue Fox Lode	
Beginning at Cor. No. 1 of the Blue Fox lode, identical with Cor. No. 2 of the Rubey lode, Cor. No. 4 of the Black Diamond lode and Cor. No. 1 of the Jim Mine lode of this survey; from which	
The cor. of secs. 15, 16, 21 and 22, bears N. 13°21'50" E., 1065.50 ft. dist.; previously described.	
Thence S. 7°44'18" W.	
1500.0	Cor. No. 2, identical with Cor. No. 4 of the Jim Mine lode of this survey.
Set a steel post, 5 ft. long, 2 ft. in the ground, to which I secured a pine post, 4 ft. long, 4 ins. square, bearing an aluminum plate stamped BF-2-JM-4-MS 4634.	
No local bearing objects or bearing trees available.	
Thence N. 88°24'53" W.	
300.0	Lode line; discovery point bears N. 7°44'18" E., 125 ft. dist.
600.0	Cor. No. 3.
Set a steel post, 5 ft. long, 2 ft. in the ground, to which I secured a pine post, 4 ft. long, 4 ins. square, bearing an aluminum plate stamped Cor. No. 3-BF-MS 4634.	
No local bearing objects or bearing trees available.	
Thence N. 7°44'18" E.	
1500.0	Cor. No. 4, identical with Cor. No. 3 of the Rubey lode of this survey.
Thence S. 88°24'53" E.	
300.0	Lode line; discovery point bears S. 7°44'18" W., 1375 ft. dist.
600.0	Cor. No. 1, and place of beginning.

FEET	
	Jim Mine Lode.
	Beginning at Cor. No. 1 of the Jim Mine lode, identical with Cor. No. 1 of the Blue Fox lode, Cor. No. 2 of the Rubey lode and Cor. No. 4 of the Black Diamond lode of this survey.
	Thence S. 88°24'53" E.
300.0	Lode line; discovery point bears S. 7°44'18" W., 1300 ft. dist.
600.0	Cor. No. 2, identical with Cor. No. 3 of the Black Diamond lode, Cor. No. 4 of the "Maggie" lode and Cor. No. 1 of the "Bellia" lode of this survey.
	Thence S. 7°44'18" W.
1500.0	Cor. No. 3, identical with Cor. No. 4 of the "Bellia" lode of this survey.
	Set a steel post, 5 ft. long, 2 ft. in the ground, to which I secured a pine post, 4 ft. long, 4 ins. square, bearing an aluminum plate stamped JM-3-B-4-MS 4634.
	No local bearing objects or bearing trees available.
	Thence N. 88°24'53" W.
300.0	Lode line; discovery point bears N. 7°44'18" E., 200 ft. dist.
600.0	Cor. No. 4, identical with Cor. No. 2 of the Blue Fox lode of this survey.
	Thence N. 7°44'18" E.
1500.0	Cor. No. 1, and place of beginning.
	"Bellia" Lode
	Beginning at Cor. No. 1 of the "Bellia" lode, identical with Cor. No. 2 of the Jim Mine lode, Cor. No. 3 of the Black Diamond lode and Cor. No. 4 of the "Maggie" lode of this survey; from which
	The cor. of secs. 15, 16, 21 and 22, T. 9 N., R. 2 E., G & S R Meridian, bears N. 18°33' W., 1111.07 ft. dist.; previously described.
	Thence S. 88°24'53" E.
300.0	Lode line; discovery point bears S. 7°44'18" W., 2 ft. dist.
400.	Center of road, bears N. 4°00' E. and S. 4°00' W.

(This form bound on left side)

FEET	
600.0	<p>Cor. No. 2, identical with Cor. No. 3 of the "Maggie" lode of this survey.</p> <p>Set a steel post, 5 ft. long, 2 ft. in the ground, to which I secured a pine post, 4 ft. long, 4 ins. square, bearing an aluminum plate stamped B-2-M-3-MS 4634.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 7°44'18" W.</p>
1500.0	<p>Cor. No. 3.</p> <p>Set a steel post, 5 ft. long, 2 ft. in the ground, to which I secured a pine post, 4 ft. long, 4 ins. square, bearing an aluminum plate, stamped Cor. No. 3-B-MS 4634.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 88°24'53" W.</p>
7.0	<p>Center of road, bears N. 37°00' W. and S. 37°00' E.</p>
300.0	<p>Lode line; discovery point bears N. 7°44'18" E., 1498 ft. dist.</p>
600.0	<p>Cor. No. 4, identical with Cor. No. 3 of the Jim Mine lode of this survey.</p> <p style="text-align: center;">Thence N. 7°44'18" E.</p>
1500.0	<p>Cor. No. 1, and place of beginning.</p>
<p>"Maggie" Lode</p>	
<p>Beginning at Cor. No. 1 of the "Maggie" lode, identical with Cor. No. 2 of the Black Diamond lode of this survey; from which</p> <p style="text-align: center;">The cor. of secs. 15, 16, 21 and 22, T. 9 N., R. 2 E., G & S R Meridian, bears S. 52°03'43" W., 704.27 ft. dist., previously described.</p> <p style="text-align: center;">Thence S. 88°24'53" E.</p>	
300.0	<p>Lode line; discovery point bears S. 7°44'18" W., 1498 ft. dist.</p>
600.0	<p>Cor. No. 2.</p> <p>Set a steel post, 5 ft. long, 2 ft. in the ground, to which I secured a pine post, 4 ft. long, 4 ins. square, bearing an aluminum plate, stamped Cor. No. 2-M-MS 4634.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 7°44'18" W.</p>

FEET	
1500.0	<p>Cor. No. 3, identical with Cor. No. 2 of the "Bellia" lode of this survey.</p> <p style="text-align: center;">Thence N. 88°24'53" W.</p>
200.0	Center of road, bears N. 4°00' E. and S. 4°00' W.
300.0	Lode line; discovery point bears N. 7°44'18" E., 2 ft. dist.
600.0	<p>Cor. No. 4, identical with Cor. No. 1 of the "Bellia" lode, Cor. No. 2 of the Jim Mine lode and Cor. No. 3 of the Black Diamond lode of this survey.</p> <p style="text-align: center;">Thence N. 7°44'18" E.</p>
525.	Center of road, bears N. 68° W. and S. 68° E.
763.	South line of house, bears N. 73° E. and S. 73° W.
808.	North line of same house, bears N. 73° E. and S. 73° W.
1500.0	Cor. No. 1, and place of beginning.
AREAS	
	Acres
	Total area, Black Diamond Lode - - - 20.542
	Total area, Rubey Lode - - - - - 20.542
	Total area, Blue Fox Lode - - - - - 20.542
	Total area, Jim Mine Lode - - - - - 20.542
	Total area, "Bellia" Lode - - - - - 20.542
	Total area, "Maggie" Lode - - - - - 20.542
LOCATION	
	<p>This survey is located in the SW $\frac{1}{4}$, Sec. 15; SE $\frac{1}{4}$, Sec. 16; NE $\frac{1}{4}$, Sec. 21 and the NW $\frac{1}{4}$, Sec. 22, Tp. 9 N., R. 2 E., Gila and Salt River Meridian.</p> <p>The survey of the Black Diamond, Rubey, Blue Fox, Jim Mine, "Bellia" and "Maggie" lodes is identical with the respective location as marked on the ground.</p>

FEET	EXPENDITURES
	<p>The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or its grantors are as follows:</p>
No. 1.	<p>The discovery monument of the Black Diamond lode is on the lode line 1300 ft., S. 7°44'18" W. from the center of line 1-2. No Value.</p>
No. 1.	<p>The discovery monument of the Rubey lode is on the lode line 750 ft., S. 7°44'18" W., from the center of line 4-1. No Value.</p>
No. 2.	<p>A shaft, the center of which bears N. 4°27'10" E., 15 ft. dist. from Cor. No. 2; 6 x 8 Ft., 8 ft. deep. Value, \$150.</p>
No. 1.	<p>The discovery monument of the Blue Fox lode is on the lode line 1375 ft., S. 7°44'18" W., from the center of line 4-1. No Value.</p>
No. 1.	<p>The discovery monument of the Jim Mine lode is on the lode line 1300 ft., S. 7°44'18" W., from the center of line 1-2. No Value.</p>
No. 2.	<p>A cut, the mouth of which bears S. 79°00'45" W., 555 ft. dist. from Cor. No. 2, running West 33 ft. to face, 5 ft. wide, 6 ft. deep. Value, \$250.</p>
No. 3.	<p>A tunnel, 4 x 5 ft. in size, the portal of which is coincident with face of cut, runs West, 21 ft. Value, \$250.</p>
No. 1.	<p>The discovery monument of the "Bellia" lode is on the lode line 2 ft., S. 7°44'18" W., from the center of line 1-2. No Value.</p>
No. 2.	<p>A shaft, the center of which bears S. 23°11'34" E., 274 ft. dist. from Cor. No. 1, 4 x 6 ft., 10 ft. deep. Value, \$150.</p>
No. 3.	<p>A cut, the mouth bears S. 30°14'07" W., 486 ft. dist., from the North End Center, running West, 20 ft. to face, 4 ft. wide, 4 ft. deep. Value, \$200.</p>
No. 4.	<p>A cut, the mouth of which bears North 276 ft. distant from Cor. No. 3, running S. 77°10' E., 31 ft. to face, 4 ft. wide, 10 ft. deep. at face. Value, \$200.</p>

FEET	
No. 1.	<p>The discovery monument of the "Maggie" lode is on the lode line 1498 ft. S. 7°44'18" W. from the center of line 1-2. No Value.</p> <p>An interest in a common improvement as follows:</p> <p>A tunnel, 4 x 5 ft. in size, the portal of which bears S. 6°34'29" E., 769 ft. dist. from Cor. No. 1, "Maggie" lode, runs S. 81° E., a distance of 137 ft. to its heading. A drift runs northerly at right angles a distance of 40 ft. and a drift runs southerly at right angles a distance of 30 ft. A drift runs northerly at right angles a distance of 14 ft., from which a 5 x 5 ft. vertical shaft runs 49 ft. up to the surface. A headframe stands over the collar of the shaft. Value, \$3,600. Value of 1/6 interest, \$600.</p> <p>This improvement is in course of construction for the development of the six lodes of this survey, which are all the contiguous lode claims owned in common within the range of benefit of said tunnel, drifts and shaft.</p> <p>An interest in a common improvement as follows:</p> <p>A tunnel, 5 x 6 ft. in size, the portal of which bears N. 34°56'38" E., 626 ft. dist. from Cor. No. 4, "Maggie" lode, runs N. 85° E., a distance of 52 ft. to its heading. From this tunnel a 4 x 5 ft. tunnel drifts N. 12° E., a distance of 34 ft. where a 5 x 5 ft. vertical shaft runs 30 ft. up to the surface. From the shaft a 4 x 7 ft. tunnel drifts N. 12° E., a distance of 60 ft. to its heading. Tunnel contains 127 ft. of narrow gauge rails. Value, \$3,600. Value of 1/6 interest, \$600.</p> <p>This improvement is in course of construction for the development of the six lodes of this survey, which are all the contiguous lode claims owned in common within the range of benefit of said tunnels, shaft and rails.</p> <p style="text-align: center;">OTHER IMPROVEMENTS</p> <p>A house, whose South End Center bears N. 32°44' 50" W., 929 ft. dist. from Cor. No. 3 of the "Maggie" lode, and which straddles the line between "Maggie" lode and the Black Diamond lode. Claimant herein.</p> <p>A frame house, the most westerly corner of which bears S. 18°01'32" E., 732 ft. from Cor. No. 1 of the Black Diamond lode. Claimant herein.</p>

(This form bound on left side)

FEET

A mill, whose most southerly corner bears N. 35°25'17" W., 726 ft. dist. from Cor. No. 3 of the "Maggie" lode. Equipment in dis-repair.

Claimant herein.

OTHER CORNER DESCRIPTIONS & SUPPLEMENTAL DATA

None.

FIELD ASSISTANTS

Name	Capacity
Bob Lyons	Chainman
Ed Dankel	Chainman
Tom Barkdull, Jr.	Chainman

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor	Date
Thomas H. Barkdull	December 9, 1966

I HEREBY CERTIFY That in pursuance of an order received from the United States Dept. of the Interior, Bureau of Land Management, Phoenix, Arizona dated October 28, 1965, I have carefully executed the survey of the claim of Archie B. Brown known as the (lode, placer, or mill site) "Maggie", "Bellia", Blue Fox, Rubey, Black, situated in Sections 15, 16, 21 & 22 Diamond and Jim Mine. Township 9N., Range 2E., Gila & Salt River ----- Meridian, in the State of Arizona. County of Yavapai

This survey, designated as number 4634, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in the specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) lode location(s) embraced in the said mining claim by claimant(s) or his grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Prescott, Arizona (Location)	 (Signature of Mineral Surveyor)
---------------------------------	---

CERTIFICATE OF APPROVAL

Bureau of Land Management Office Arizona State Office Location Phoenix, Arizona Date April 30, 1968

The foregoing field notes of mineral survey number 4634, in Sections 15, 16, 21 and 22, surveyed unsurveyed Township 9 North, Range 2 East, Gila and Salt River Meridian, in the State of Arizona, executed by Thomas H. Barkdull, Mineral Surveyor, under order dated October 28, 1965, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

 Fred J. Weber (Authorized Signature)	State Director (Title)
--	---------------------------

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of field notes of the above described mineral survey number is a true copy of the original field notes

(Authorized Signature)	(Title)
------------------------	---------

Title 18, U. S. C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

DEPARTMENT OF AGRICULTURE
BUREAU OF PLANT INDUSTRY

October 2, 1904

James M. Bennett

1700-1710, 17th Street, N.W., Washington, D.C.

Dear Sir: I have the honor to acknowledge the receipt of your letter of the 29th inst. regarding the matter of the importation of certain plants from the Hawaiian Islands.

The Department is currently engaged in a study of the problem of the introduction of plants from the Hawaiian Islands into the United States, and your letter has been referred to the appropriate authorities for their consideration.

I am sure that you will understand the necessity of this study, and I am sure that you will be satisfied with the results of the same.

W. H. Bennett


Principal, Bureau

Division of Plant Industry
Bureau of Plant Industry
Department of Agriculture
Washington, D.C.

DEPARTMENT OF AGRICULTURE

Very truly yours,
W. H. Bennett
Principal, Bureau

W. H. Bennett





United States Department of the Interior

1

IN REPLY REFER TO

9183.1 (942)

M.S. #4634

BUREAU OF LAND MANAGEMENT
Arizona State Office
3022 Federal Building
Phoenix, Arizona 85025

MANAGEMENT SERVICES
Initial

Chief /
Safety & Training _____
Personnel _____
Proc. Supply, Prop. _____
Accounts _____
Records 2 Mack _____
Central Files _____
on 11-17-73

November 7, 1973

Memorandum

To : Chief, Branch of Records & Data Management (952)
From : State Director, Arizona
Subject: Mineral Survey No. 4634

This memorandum cancels the survey of the Black Diamond lode claim of Mineral Survey No. 4634.

The following notation should be made on the plat of Mineral Survey No. 4634:

"Survey of Black Diamond lode claim canceled by State Director's memorandum dated November 7, 1973."

The plat and field notes should remain in the files. This memorandum should be made a part of the original field notes.

By Relinquishment of Mining Claim, dated April 26, 1971, the claimant, Carl J. Raestle, relinquished to the United States all right, title and interest in and to the Black Diamond lode mining claim.

Stedman F. Collins
Acting

cc: Director (420)



United States Department of the Interior

Division of Land Management
Washington, D.C.

THE SECRETARY

MEMORANDUM

To: Chief, Division of Land Management
From: [Name]
Subject: [Topic]

The following information is being furnished to you for your information.

On [Date], [Name] was interviewed regarding [Topic].

The interview was held at [Location] and was conducted by [Name].

The results of the interview are summarized in the attached report.

William F. Allen

Special Agent in Charge

cc: [Name]