

Form 3400-11  
(September 1967)  
(formerly 4-683)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number	4679
State	Arizona
Land District	

Of the Survey of the Mining Claim of (name and address of Claimant)

Cyprus Mines Corporation  
c/o Victor H. Verity, Attorney at Law  
Suite 902 Transamerica Bldg.  
Tucson, Arizona 85701

Known as the (name of group, if any)

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
R & R #1	6/17/70	
R & R #3	6/17/70	
R & R #4	6/17/70	
BRUCE #2	5/20/70	
JOS #1	11/3/69	
JOS #2	11/3/69	
JOS #3	11/3/69	6/15/72
JOS #4	11/3/69	
Combine #6	1/1/11	
QUIEN SABE'	3/10/53	4/29/53
Combine No. 2	8/22/68	
L. & W. No. 1	4/30/53	
L. & W. No. 2	4/30/53	
L. & W. No. 6	4/30/53	
L. & W. Fraction	4/30/53	6/15/72
POSSIBILITIES No. 1	4/29/53	

Mining district			County	
Eureka			Yavapai	
Section	Township	Range	Meridian	Survey under order dated
17,18,19&20	14 North	9 West	Salt River	January 3, 1973
Survey commenced		Survey completed	Name of Mineral Surveyor	
February 9, 1973		June 20, 1973	Louis A. Cornejo	

11/17/70

11/18/70

11/19/70

11/20/70

11/21/70

11/22/70

11/23/70

11/24/70

11/25/70

11/26/70

11/27/70

11/28/70

11/29/70

11/30/70

12/1/70

12/2/70

12/3/70

12/4/70

12/5/70

12/6/70

12/7/70

12/8/70

12/9/70

12/10/70

12/11/70

12/12/70

12/13/70

12/14/70

FEET	
	<p>This survey was made with a Wild T-16 Theodolite No. 54727, with horizontal limb 3.125 ins. diam., having one optical-reading vernier and a full vertical circle 3.125 ins. diam., having one optical-reading vernier; the verniers read to 15 seconds of arc; the eyepiece is equipped with a colored shade set in the dust shutter and a reticle with a solar circle for making direct observation upon the sun's center. The instrument was in good condition at the time of the survey and all adjustments were in good order.</p> <p>All azimuths in this record were determined by method of deflection angles referred to the meridian determined by the following observation:</p> <p>February 9, 1973, at the 1/4 cor. of Secs. 18 and 19, Township 14 North, Range 9 West, Gila and Salt River Meridian, in latitude 34°32'40" N., and longitude 113°14'45" W., I make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing the sun's center, and reading the horizontal angle from Cor. No. 1 of the R &amp; R #1 lode, 946.95 ft. dist. to the right to the sun.</p> <p>Mean time of observation, 105th meridian standard time = 2h37m30s p.m.</p> <p>Declination of the sun at mean time of observation = 14°29'56" S.</p> <p>Mean observed vertical angle to sun's center = 34°26'26"</p> <p>Mean horizontal angle from reference point to the sun's center = 4°39'03" S-W.</p> <p>True bearing to reference point = S.28°10'57" W.</p> <p>The lines were measured with a K &amp; E steel tape 501 feet in length, graduated every foot for 500 ft, and the remainder graduated in tenths and hundredths; the tape was compared with a Lufkin standard at the time of beginning the survey, and found correct.</p> <p>All lines and connections of this survey were run by direct methods.</p>

(This form bound on left side)

FEET	
	<p>The magnetic declination observed at each corner of the survey gave a uniform value of 14°30' E.</p>
	<p style="text-align: center;">Survey No. 4679</p>
	<p style="text-align: center;">R &amp; R #1 LODE</p>
	<p>At Cor. No. 1 of the R &amp; R #1 lode, identical with Cor. No. 1 of the BRUCE #2, and Cor. No. 1 of the JOS #4 lodes of this survey.</p>
	<p>Set an iron post, 26 ins. long 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. RR1-1-B2-1-J4-1-4679; from which</p>
	<p>The 1/4 cor. of secs. 18 and 19, T. 14 N., R. 9 W., G. &amp; S. R. M., bears N. 28°10'57" E., 946.95 ft. dist., an iron post, 1 in. diam., 12 ins. above the ground, firmly set, marked and witnessed as described in the official record.</p>
	<p>A stone monument, 3 ft. diam. at the base, 30 ins. high, bears West, 3 ft. dist.</p>
	<p>No local bearing objects or bearing trees available.</p>
	<p style="text-align: center;">Thence N. 50°33'30° E.</p>
380	<p>Gully, 7 ft. wide, bears N. 6° W., drains S. 6° E.</p>
714.79	<p>Intersect the common line 4-1 JOS #2 and R &amp; R #3 lodes of this survey</p>
1500.0	<p>Cor. No. 2.</p>
	<p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. RR1-2-4679; from which</p>
	<p>A stone monument, 3 ft. diam. at the base, 30 ins. high, bears West, 3 ft. dist.</p>
	<p>No local bearing objects or bearing trees available.</p>
	<p style="text-align: center;">Thence N. 40°23'47" W.</p>
300.0	<p>Lode line; discovery point bears S.50°33'30" W., 1012 ft. dist.</p>
418.84	<p>Intersect line 4-3 R &amp; R #3 lode of this survey.</p>
568.0	<p>Top of a bank, 8 ft. high, set an iron</p>

FEET	
	<p>post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, for witness Cor. No. 3, mkd. WC-RR1-3-4679.</p>
600.0	<p>Cor. No. 3.</p> <p>This corner falls at the center of a gully, 7 ft. wide, bears N. 21° E., drains S. 21° W.; impractical to set a permanent monument.</p> <p>Thence S. 50°33'30" W.</p>
1500.0	<p>Cor. No. 4, indential with Cor. No. 4 of the BRUCE #2 lode of this survey.</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. RR1-4-B2-4-4679; from which</p> <p>A stone monument, 3 ft. diam. at the base, 30 ins. high, bears West, 3 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 40°23'47" E.</p>
300.0	<p>Lode line; discovery point bears N. 50°33'30" E., 488 ft. dist.</p>
590.64	<p>Intersect line 4-3 JOS #2 lode of this survey.</p>
600.0	<p>Cor. No. 1, and place of beginning.</p>
<p>R &amp; R #3 LODE</p>	
<p>At Cor. No. 1 of the R &amp; R #3 lode, indential with Cor. No. 1 of the R &amp; R #4 lode, Cor. No. 1 of the JOS #1 lode, and Cor. No. 1 of the JOS #2 lode, all of this survey.</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. RR3-1-RR4-1-J1-1-J2-1-4679; from which</p> <p>The 1/4 cor. of secs. 18 and 19 bears N. 41°43'56" W., 709.58 ft. dist.; previously described.</p> <p>A stone monument, 3 ft. diam. at the base, 30 ins. high, bears West, 4 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 35°13'30" E.</p>	

(This form bound on left side)

1443.0 <sup>FEET</sup>	<p>Cor. No. 2, identical with Cor. No. 2 of the R &amp; R #4 lode of this survey.</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. RR3-2-RR4-2-4679; from which</p> <p>A stone monument, 3 ft. diam. at the base, 30 ins. high, bears West, 4 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 67°56'30" W.</p>
300.0	<p>Lode line; discovery point bears S. 35°13'30" W., 1092 ft. dist.</p>
600.0	<p>Cor. No. 3.</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. RR3-3-4679; from which</p> <p>A stone monument, 3 ft. diam. at the base, 30 ins. high, bears West, 3 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 35°13'30" W.</p>
535.38	<p>Intersect line 3-2 of the R &amp; R #1 lode of this survey.</p>
1150	<p>Gully, 8 ft. wide, bears N. 8° E., drains S. 8° W.,</p>
1443.0	<p>Cor. No. 4, identical with Cor. No. 4 of the JOS #2 lode of this survey.</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. RR3-4-J2-4-4679; from which</p> <p>A stone monument, 3 ft. diam. at the base, 3 ft. high, bears North, 3 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 67°56'30" E.</p>
80	<p>Gully, 8 ft. wide, bears N. 35° E., drains S. 35° W.</p>
203.43	<p>Intersect line 2-1 R &amp; R #1 lode of this survey.</p>
300.0	<p>Lode line; discovery point bears N. 35°13'30" E., 351 ft. dist.</p>

FEET	
600.00	Cor. No. 1, and place of beginning.
	R & R #4
	Beginning at Cor. No. 1 of the R & R #4 lode, identical with Cor. No. 1 of the R & R #3, Cor. No. 1 of the JOS #1 and Cor. No. 1 of the JOS #2 lodes, all of this survey; from which
	Cor. No. 3, Sur. No. 1685 A, YOUNG DICK lode bear No. 52°11'54" E, 742.09 ft. dist.
	Thence N. 35°13'30" E.
1443.0	Cor. No. 2, identical with Cor. No. 2 of the R & R #3 lode of this survey.
	Thence S. 67°56'30" E.
157.21	Intersect line 3-4 Sur. No. 1685 A, YOUNG DICK lode at a point from which Cor. No. 3 bears S. 30°30'02" W., 771.66 ft. dist.
300.0	Lode line; discovery point bears S. 35°13'30" W., 1352 ft. dist.
600.0	Cor. No. 3, identical with Cor. No. 1 of the Combine No. 2 and Cor. No. 1 of the POSSIBILITIES No. 1 lodes of this survey.
	Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. RR4-3-C2-1-P1-1-4679; from which
	The 1/4 cor. of secs. 18 and 19 bears S. 77°09'57" W., 1908.39 ft. dist.; previously described.
	No local bearing objects or bearing trees available.
	Thence S. 35°13'30" W.
748.96	Intersect line 2-3 Sur. No. 1685 A, YOUNG DICK lode at a point from which Cor. No. 3 bears N. 72°59'09" W., 386.98 ft. dist.
1443.0	Cor. No. 4, identical with Cor. No. 4 of the POSSIBILITIES No. 1 lode, Cor. No. 3 of the L. & W. No. 6 lode and Cor. No. 4 of the JOS #1 lode, all of this survey.
	Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. RR4-4-P1-4-LW6-3-J1-4-4679; from which
	A stone monument, 3 ft. diam. at the base, 30 ins. high, bears West, 3 ft. dist.
	No local bearing objects or bearing trees available.
	Thence N. 67°56'30" W.

FEET	
300.0	Lode line; discovery point bears N. 35°13'30" E., 91 ft. dist.
600.0	Cor. No. 1, and place of beginning.
BRUCE #2 LODE	
	Beginning at Cor. No. 1 of the BRUCE #2 lode, identical with Cor. No. 1 of the R & R #1 and Cor. No. 1 of the JOS #4 lodes, both of this survey.
	Thence S. 50°33'30" W.
34.29	Intersect line 3-4 JOS #2 lode of this survey.
1500.0	Cor. No. 2, identical with Cor. No. 2 of the JOS #4 lode of this survey.
	Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. B2-2-J4-2-4679; from which
	A stone monument, 3 ft. diam. at the base, 30 ins. high, bears West, 3 ft. dist.
	No local bearing objects or bearing trees available.
	Thence No. 40°23'47" W.
300.0	Lode line; discovery point bears N. 50°33'30" E., 37 ft. dist.
600.0	Cor. No. 3.
	Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. B2-3-4679; from which
	A stone monument, 3 ft. diam. at the base, 3 ft. high, bears West, 3 ft. dist.
	No local bearing objects or bearing trees available.
	Thence No. 50°33'30" E.
1500.0	Cor. No. 4, identical with Cor. No. 4 of the R & R #1 lode of this survey.
	Thence S. 40°23'47" E.
300.0	Lode line; discovery point bears S. 50°33'30" W., 1463 ft. dist.
590.64	Intersect line 3-4 JOS #2 lode of this survey.
600.0	Cor. No. 1, and place of beginning.



FEET	
	<p>JOS #1 LODE</p> <p>Beginning at Cor. No. 1 of the JOS #1 lode, identical with Cor. No. 1 of the JOS #2, Cor. No. 1 of the R &amp; R #3 and Cor. No. 1 of the R &amp; R #4 lodes, all of this survey.</p> <p>Thence S. 35°13'30" W.</p>
927.12	Intersect line 4-1 JOS #4 lode of this survey.
950.71	Intersect the common line 4-3 JOS #4 and JOS #3 lodes of this survey.
1500.0	<p>Cor. No. 2, identical with Cor. No. 2 of the JOS #2 lode of this survey.</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. J1-2-J2-2-4679; from which</p> <p>A stone monument, 2 ft. diam. at the base, 30 ins. high, bears West, 3 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 67°56'30" E.</p>
220	Gully, 8 ft. wide, bears N. 12°30' E., drains S. 12° W.
300.0	Lode line; discovery point bears N. 35°13'30" E., 1451 ft. dist.
517.36	Intersect line 2-1 JOS #3 lode which is common and identical with line 3-2 L. & W. No. 2 lode, both of this survey.
600.0	<p>Cor. No. 3 identical with Cor. No. 2 of the L. &amp; W. No. 6 lode of this survey.</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. J1-3-LW6-2-4679; from which</p> <p>A stone monument, 3 ft. diam. at the base 26 ins. high, bears West, 3 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 35°13'30" E.</p>
274.64	Intersect line 2-1 JOS #3 lode which is common and identical with line 3-2 L. & W. No. 2 lode, both of this survey.
286.44	Intersect line 4-1 JOS #3 lode of this survey.

(This form bound on left side)

FEET	
1500.0	<p>Cor. No. 4, identical with Cor. No. 4 of the R &amp; R #4, Cor. No. 4 of the POSSIBILITIES No. 1 and Cor. No. 3 of the L. &amp; W. No. 6 lodes, all of this survey.</p> <p>Thence N. 67°56'30" W.</p>
300.0	<p>Lode line; discovery point bears S. 35°13'30" W., 49 ft. dist.</p>
600.0	<p>Cor. No. 1, and place of beginning.</p>
JOS #2 LODE	
	<p>Beginning at Cor. No. 1 of the JOS #2 lode, identical with Cor. No. 1 of the R &amp; R #3, Cor. No. 1 of the R &amp; R #4, and Cor. No. 1 of the JOS #1 lodes, all of this survey.</p> <p>Thence S. 35°13'30" W.</p>
927.12	<p>Intersect line 4-1 JOS #4 lode of this survey.</p>
950.71	<p>Intersect the common line 4-3 JOS #3 and JOS #4 lodes of this survey.</p>
1500.0	<p>Cor. No. 2, Identical with Cor. No. 2 of the JOS #1 lode of this survey.</p> <p>Thence N. 67°56'30" W.</p>
165.28	<p>Intersect the common line 4-3 JOS #3 and JOS #4 lodes of this survey.</p>
300.0	<p>Lode line; discovery point bears N. 35°13'30" E., 1446 ft. dist.</p>
600.0	<p>Cor. No. 3</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. J2-3-4679; from which</p> <p>A stone monument, 3 ft. diam at the base, 30 ins. high, bears West, 4 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 35°13'30" E.</p>
823.94	<p>Intersect the common line 2-1 BRUCE #2 and JOS #4 lodes of this survey.</p>
859.33	<p>Intersect the common line 4-1 BRUCE #2 and R &amp; R #1 lodes of this survey.</p>
1500.0	<p>Cor. No. 4, identical with Cor. No. 4 of the R &amp; R #3 lode of this survey.</p> <p>Thence S. 67°56'30" E.</p>

FEET	
80	Gully, 8 ft. wide, bears N. 35° E., drains S. 35° W.
203.43	Intersect line 2-1 R & R #1 lode of this survey.
300.0	Lode line; discovery point bears S. 35°13'30" W., 54 ft. dist.
600.0	Cor. No. 1, and place of beginning.
JOS #3 LODE	
At Cor. No. 1 of the JOS #3 lode, identical with Cor. No. 2 of the L. & W. No. 2 lode of this survey.	
Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. J3-1-LW2-2-4679; from which	
The 1/4 cor. of secs. 18 and 19, bears N. 10°42'07" W., 1779.53 ft. dist.; previously described.	
A stone monument, 3 ft. diam. at the base, 3 ft. high, bears West, 3 ft. dist.	
No local bearing objects or bearing trees available.	
Thence S. 50°33'30" W.	
11.43	Intersect line 4-3 JOS #1 lode, which is common and identical with line 3-2 L. & W. No. 6 lode, both of this survey.
315.72	Intersect line 3-2 JOS #1 lode of this survey.
830	Gully, 8 ft. wide, bears N. 33° E., drains S. 34° W.
1500.0	Cor. No. 2, identical with Cor. No. 3, of the L. & W. No. 2 lode of this survey.
Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. J3-2-LW2-3-4679; from which	
A stone monument, 3 ft. diam. at the base, 30 ins. high, bears West, 4 ft. dist.	
No local bearing objects or bearing trees available.	
Thence N. 40°23'47" W.	
300.00	Lode line; discovery point bears N. 50°33'30" E., 29 ft. dist.

(This form bound on left side)

FEET	
600.00	<p>Cor. No. 3, identical with Cor. No. 3 of the JOS #4 lode of this survey.</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. J3-3-J4-3-4679; from which</p> <p>A stone monument, 3 ft. diam. at the base, 3 ft. high, bears West, 3 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 50°33'30" E.</p>
868.54	<p>Intersect line 3-2 JOS #2 lode of this survey.</p>
1455.0	<p>Point for witness Cor. No. 4, identical with witness Cor. No. 4 of the JOS #4 lode of this survey.</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. WC-J3-4-J4-4-4679.</p>
1477.14	<p>Intersect the common line 2-1 JOS #1 and JOS #2 lodes of this survey.</p>
1500.0	<p>Cor. No. 4, identical with Cor. No. 4 of the JOS #4 lode of this survey.</p> <p>This corner falls at the center of a gully, 8 ft. wide, bears N. 6° W., drains S. 12°30' W. where a permanent monument can not be established.</p> <p>Thence S. 40°23'47" E.</p>
300.0	<p>Lode line; discovery point bears S. 50°33'30" W., 1471 ft. dist.</p>
596.88	<p>Intersect line 4-3 JOS #1 lode, which is common and identical with line 3-2 L. &amp; W. No. 6 lode, both of this survey.</p>
600.0	<p>Cor. N. 1, and place of beginning.</p>
<p>JOS #4 LODE</p>	
<p>Beginning at Cor. No. 1 of the JOS #4 lode, identical with Cor. No. 1 of the BRUCE #2 and Cor. No. 1 of the R &amp; R #1 lodes of this survey.</p>	
<p>Thence S. 50°33'30" W.</p>	
34.29	<p>Intersect line 4-3 JOS #2 lode of this survey.</p>
1500.0	<p>Cor. No. 2, identical with Cor. No. 2 of the BRUCE #2 lode of this survey.</p>

Survey No. 4679		11
FEET		
	Thence S. 40°23'47" E.	
300.0	Lode line; discovery point bears N. 50°33'30" E., 36 ft. dist.	
600.0	Cor. No. 3, identical with Cor. No. 3 of the JOS #3 lode of this survey.	
	Thence N. 50°33'30" E.	
868.54	Intersect line 2-3 JOS #2 lode of this survey.	
1455.0	Witness Cor. No. 4, identical with witness Cor. No. 4 of the JOS #3 lode of this survey.	
1477.14	Intersect the common line 1-2 JOS #1 and JOS #2 lodes of this survey.	
1500.0	Cor. No. 4, identical with Cor. No. 4 of the JOS #3 lode of this survey.	
	Thence N. 40°23'47" W.	
6.24	Intersect the common line 1-2 JOS #1 and JOS #2 lodes of this survey.	
300.0	Lode line; discovery point bears S. 50°33'30" W., 1464 ft. dist.	
600.0	Cor. No. 1, and place of beginning.	
COMBINE # 6 LODE		
	At Cor. No. 1 of the Combine #6 lode, identical with Cor. No. 2 of the L. & W. Fraction lode of this survey.	
	Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. C6-1-LWF-2-4679; from which	
	The 1/4 cor. of sec. 18 and 19 bears N. 34° 35'12" W., 3226.39 ft. dist., previously described.	
	A stone monument, 3 ft. diam. at the base 3 ft. high, bears West, 3 ft. dist.	
	No local bearing objects or bearing trees available.	
	Thence N. 67°56'30" W.	
80	Gully, 8 ft. wide, bears N. 45° E., drains S. 45° W.	
300.0	Lode line; the discovery point bears N. 35°13'30" E., 1220 ft. dist.	
600.0	Cor. No. 2, identical with Cor. No. 2 of the QUEIN SABE lode and on line 2-1 of the L. & W.	

FEET		
	<p>Fraction lode, both of this survey.</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. C6-2-QS-2-4679; from which</p> <p style="padding-left: 40px;">A stone monument, 3 ft. diam. at the base, 3 ft. high, bears West, 3 ft. dist.</p> <p style="padding-left: 40px;">No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 35°13'30" E.</p>	
560	Gully, 6 ft. wide, bears N. 67° E., drains S. 40° W.	
1470	Gully, 6 ft. wide, bears N. 35° W., drains S. 36° E.	
1500.0	<p>Cor. No. 3, identical with Cor. No. 3 of the QUIEN SABE Lode of this survey, Cor. No. 3 Sur. No. 4413 COMBINE #3 lode, and Cor. No. 2 Sur. No. 1684 A, 1st South Ext. of OLD DICK lode.</p> <p>An iron post, 1 1/2 ins. diam., 20 ins. above ground, firmly set, marked and witnessed as described in the official record; secured on the post an aluminum plate, 3 1/2 ins. square, mkd. C6-3-QS-3-4679; from which</p> <p style="padding-left: 40px;">A stone monument, 3 ft. diam. at the base, 3 ft. high, bears West, 3 ft. dist.</p> <p style="padding-left: 40px;">No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 67°56'30" E.</p>	
300.0	Lode line; discovery point bears S. 35°13'30" W., 280 ft. dist.	
360	Road, bears North and South.	
600.0	<p>Cor. No. 4, identical with Cor. No. 3 Sur. No. 1684 A, 1st South Ext. of OLD DICK lode.</p> <p>A granite stone, 16 x 12 x 8 ins., firmly set, marked and witnessed as described in the official record; secured to the rock an aluminum plate, 2 x 3 ins., mkd. C6-4-4679; from which</p> <p style="padding-left: 40px;">A stone monument, 3 ft. diam. at the base, 3 ft. high, bears West, 3 ft. dist.</p> <p style="padding-left: 40px;">No local bearing objects or bearing trees available</p>	

FEET		
	Thence S. 35°13'30" W.	
40	Road, bears N. 60° W. and S. 65° E.	
940	Gully, 6 ft. wide, bears N. 75° E., drains S. 74° W.	
1500.0	Cor. No. 1, and place of beginning.	
	QUIEN SABE' LODE	
	At Cor. No. 1 of the QUIEN SABE lode, identical with Cor. No. 1 of the L. & W. Fraction, Cor. No. 1 of the L. & W. No. 1, Cor. No. 1 of the L. & W. No. 2, and Cor. No. 1 of the L. & W. No. 6 lodes, all of this survey.	
	Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, with a brass cap, mkd. QS-1-LWF-1-LW1-1-LW2-1-LW6-1-4679; from which	
	The 1/4 cor. of secs. 18 and 19 bears N. 18°03'47" W., 2319.86 ft. dist.; previously described.	
	A stone monument, 3 ft. diam. at the base, 3 ft. high, bears West, 3 ft. dist.	
	No local bearing objects or bearing trees available.	
	Thence S. 67°56'30" E.	
270	Gully, 8 ft. wide, bears N. 12° W., drains S. 12° E.	
300.0	Lode line; discovery point bears N. 35°13'30" E., 50 ft. dist.	
550	Gully, 6 ft. wide, bears N. 24° E., drains S. 70° W.	
600.0	Cor. No. 2, identical with Cor. No. 2 of the Combine #6 lode of this survey.	
	Thence N. 35°13'30" E.	
560	Gully, 6 ft. wide, bears N. 67° E., drains S. 40° W.	
1470	Gully, 6 ft. wide, bears N. 35° W., drains S. 36° E.	
1500.0	Cor. No. 3, identical with Cor. No. 3 of the Combine #6 lode of this survey, Cor. No. 3 Sur. No. 4413 COMBINE #3 lode, and Cor. No. 2 Sur. No. 1684 A. 1st. South Ext. of OLD DICK lode; previously described.	
	Thence N. 67°56'30" W.	
20	Road, bears N. 47° E. and N. 82° W.	

(This form bound on left side)

FEET	
300.0	Lode line; discovery point bears S. 35°13'30" W., 1450 ft. dist.
600.0	Cor. No. 4, identical with Cor. No. 4 of the L. & W. No. 6 lode, Cor. No. 3 of the POSSIBILITIES No. 1 lode, both of this survey, and Cor. No. 4 Sur. No. 4413 COMBINE #3 lode.
	An iron post, 1 1/2 ins. diam., 20 ins. above ground, firmly set, marked and witnessed as described in the official record; secured on the post, an aluminum plate, 3 1/2 ins. square, mkd. QS-4-LW6-4-P1-3-4679.
	Thence S. 35°13'30" W.
170	Road, bears S. 82° E. and S. 83° W.
550	Gully, 6 ft. wide, bears N. 20° E., drains S. 2° W.
1500.0	Cor. No. 1, and place of beginning.
	COMBINE No. 2 LODE
	Beginning at Cor. No. 1 of the Combine No. 2 lode, identical with Cor. No. 1 of the POSSIBILITIES No. 1 and Cor. No. 3 of the R & R #4 lodes of this survey; previously described.
	Thence S. 67°56'30" E.
139.30	Intersect line 2-1 Sur. No. 1685 A, YOUNG DICK lode at a point from which Cor. No. 1 bears N. 30°31'23" E., 728.85.
300.0	Lode line; discovery point bears N. 22°33'30" E., 300 ft. dist.
416.04	High-water mark of reservoir, set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, for witness Cor. No. 2 of the Combine No. 2 and witness Cor. No. 2 of the POSSIBILITIES No. 1 lodes of this survey, insert an aluminum cap, mkd. WC-C2-2-P1-2-4679.
600.0	Cor. No. 2, identical with Cor. No. 2 of the POSSIBILITIES No. 1 lode of this survey, Cor. No. 1 Sur. No. 4413 COMBINE #3 lode and Cor. No. 4 Sur. No. 4413 COMBINE #1 lode.
	This corner falls inside of a reservoir on the Easterly side where a permanent monument can not be established.
	Thence N. 22°33'30" E.
220	High-water mark of reservoir.
510	Road, bears N. 62° E. and S. 62° W.



FEET		
945	Road, bears N. 58° E. and S. 58° W.	
1100	Road, bears East and West.	
1492.99	<p>Cor. No. 3, on line 2-1 Sur. No. 4413 COMBINE No. 1 lode.</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. C2-3-4679; from which</p> <p>Cor. No. 2 Sur. No. 4413 COMBINE No. 1 lode bears S. 67°56'30" E., 582.75 ft. dist.</p> <p>A stone monument, 3 ft. diam. at the base, 3 ft. high, bears SE., 2 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 67°56'30" W.</p>	
4.25	Cor. No. 1 Sur. No. 4413 COMBINE No. 1 lode.	
155	Gully, 8 ft. wide, bears S. 25° W., drains N. 25° E.	
300.0	Lode line; discovery point bears S. 22°33'30" W., 1192.99 ft. dist.	
600.0	<p>Cor. No. 4.</p> <p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. C2-4-4679; from which</p> <p>A stone monument, 3 ft. diam. at the base, 3 ft. high, bears South, 3 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 22°33'30" W.</p>	
670	Road, bears S. 84° E. and N. 84° W.	
793.60	Intersect line 4-1 Sur. No. 1685 A, YOUNG DICK lode at a point from which Cor. No. 1 bears S. 73°03'35" E., 241.47 ft. dist.	
860	Road, bears N. 86° E. and N. 44° W.	
1492.99	Cor. No. 1, and place of beginning.	
	<p>L. &amp; W. No. 1 LODE</p> <p>Beginning at Cor. No. 1 of the L. &amp; W. No. 1 lode, identical with Cor. No. 1 of the QUIEN SABÉ lode, Cor. No. 1 of the L. &amp; W. Fraction lode, Cor. No. 1 of the L. &amp; W. No. 2 lode, and Cor. No.</p>	

(This form bound on left side)

FEET	
	<p>1 of the L. &amp; W. No. 6 lode, all of this survey.</p>
	<p>Thence S. 40°23'47" E.</p>
300.0	<p>Lode line; discovery point bears S. 50°33'30" W., 200 ft. dist.</p>
350	<p>Gully, 8 ft. wide, bears N. 29° E., drains S. 29° W.</p>
600.0	<p>Cor. No. 2.</p>
	<p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. LW1-2-4679; from which</p>
	<p>A stone monument, 3 ft. diam. at the base, 3 ft. high, bears West, 3 ft. dist.</p>
	<p>No local bearing objects or bearing trees available.</p>
	<p>Thence S. 50°33'30" W.</p>
349.05	<p>Intersect line-4-3 L. &amp; W. Fraction lode of this survey.</p>
545	<p>Gully, 8 ft. wide, bears N. 17° E., drains S. 19° W.</p>
1500.0	<p>Cor. No. 3.</p>
	<p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. LW1-3-4679; from which</p>
	<p>A stone monument, 3 ft. diam at the base, 3 ft. high, bears West, 3 ft. dist.</p>
	<p>No local bearing objects or bearing trees available.</p>
	<p>Thence N. 40°23'47" W.</p>
300.0	<p>Lode line; discovery point bears N. 50°33'30" E., 1300 ft. dist.</p>
600.0	<p>Cor. No. 4, identical with Cor. No. 4 of the L. &amp; W. No. 2 lode of this survey.</p>
	<p>Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. LW1-4-LW2-4-4679; from which</p>
	<p>A stone monument, 3 ft. diam. at the base, 3 ft. high, bears West, 3 ft. dist.</p>
	<p>No local bearing objects or bearing trees available.</p>

FEET	
	Thence N. 50°33'30" E.
510	Road, bears N. 62° E. and S. 71° W.
1440	Road, bears N. 25° W. and S. 25° E.
1500.0	Cor. No. 1, and place of beginning.
L. & W. No. 2 LODE	
	Beginning at Cor. No. 1 of the L. & W. No. 2 lode, identical with Cor. No. 1 of the QUIEN SABE lode, Cor. No. 1 of the L. & W. Fraction lode, Cor. No. 1 of the L. & W. No. 1 lode and Cor. No. 1 of the L. & W. No. 6 lode, all of this survey.
	Thence N. 40°23'47" W.
50	Road, bears N. 30° E. and S. 30° W.
300.0	Lode line; discovery point bears S. 50°33'30" W., 100 ft. dist.
600.0	Cor. No. 2, identical with Cor. No. 1 of the JOS #3 lode of this survey.
	Thence S. 50°33'30" W.
11.43	Intersect line 4-3 JOS #1 lode, which is common and identical with line 3-2 L. & W. No. 6 lode, both of this survey.
315.72	Intersect line 3-2 JOS #1 lode of this survey.
830	Gully, 8 ft. wide, bears N. 33° E., drains S. 34° W.
1500.0	Cor. No. 3, identical with Cor. No. 2 JOS #3 lode of this survey.
	Thence S. 40°23'47" E.
200	Gully, 8 ft. wide, bears N. 34° E., drains S. 33° W.
300.0	Lode line; discovery point bears N. 50°33'30" E., 1400 ft. dist.
410	Road, bears N. 70° E. and S. 70° W.
600.0	Cor. No. 4, identical with Cor. No. 4 of the L. & W. No. 1 lode of this survey.
	Thence N. 50°33'30" E.
510	Road, bears N. 62° E. and S. 71° W.
1440	Road, bears N. 25° W. and S. 25° E.
1500.0	Cor. No. 1, and place of beginning.

(This form bound on left side)

FEET	
	<b>L. &amp; W. No. 6 LODE</b>
	Beginning at Cor. No. 1 of the L. & W. No. 6 lode, identical with Cor. No. 1 of the QUIEN SABE' lode, Cor. No. 1 of the L. & W. Fraction lode, Cor. No. 1 of the L. & W. No 1 lode, and Cor. No. 1 of the L. & W. No. 2 lode, all of this survey.
	Thence N. 67°56'30" W.
50	Road, bears N. 30° E. and S. 30° W.
300.0	Lode line; discovery point bears N. 35°13'30" E., 1380 ft. dist.
600.0	Cor. No. 2, identical with Cor. No. 3 of the JOS #1 lode of this survey.
	Thence N. 35°13'30" E.
274.64	Intersect line 2-1 JOS #3 lode which is common and identical with line 3-2 L. & W. No. 2 lode, both of this survey.
286.44	Intersect line 4-1 JOS #3 lode of this survey.
1500.0	Cor. No. 3, identical with Cor. No. 4 of the JOS #1 lode, Cor. No. 4 of the R & R #4 lode, and Cor. No. 4 of the POSSIBILITIES No. 1 lode, all of this survey.
	Thence S. 67°56'30" E.
300.0	Lode line; discovery point bears S. 35°13'30" W., 120 ft. dist.
600.0	Cor. No. 4, identical with Cor. No. 3 of the POSSIBILITIES No. 1 lode and Cor. No. 4 of the QUIEN SABE' lode, both of this survey, and Cor. No. 4 Sur. No. 4413 COMBINE #3 lode.
	Thence S. 35°13'30" W.
170	Road, bears S. 82° E. and S. 83° W.
550	Gully, 6 ft. wide, bears N. 20° E., drains S. 2° W.
1500.0	Cor. No. 1, and place of beginning.
	<b>L. &amp; W. FRACTION LODE</b>
	Beginning at Cor. No. 1 of the L. & W. Fraction lode, identical with Cor. No. 1 of the QUIEN SABE' lode, Cor. No. 1 of the L. & W. No. 1 lode, Cor. No. 1 of the L. & W. No. 2 lode, and Cor. No. 1 of the L. & W. No. 6 lode, all of this survey.
	Thence S. 67°56'30" E.

FEET	
270	Gully, 8 ft. wide, bears N. 12° W., drains S. 12° E.
550	Gully, 6 ft. wide, bears N. 24° E., drains S. 70° W.
600.0	Cor. No. 2 of the QUIEN SABE lode, identical with Cor. No. 2 of the Combine #6 lode of this survey.
1120	Gully, 8 ft. wide, bears N. 45° E., drains S. 45° W.
1200.0	Cor. No. 2, identical with Cor. No. 1 of the Combine #6 lode of this survey. Thence S. 35°13'30" W.
300.0	Lode line; discovery point bears N. 67°56'30" W., 598 ft. dist.
600.0	Cor. No. 3.  Set an iron post, 26 ins. long, 1 in. diam., 20 ins. in the ground, insert an aluminum cap, mkd. LWF-3-4679; from which  A stone monument, 3 ft. diam. at the base, 3 ft. high, bears West, 3 ft. dist.  No local bearing objects or bearing trees available.  Thence N. 67°56'30" W.
330	Gully, 8 ft. wide, bears N. 59° E., drains S. 60° W.
697.91	Intersect line 3-2 L. & W. No. 1 lode of this survey.
808	Gully, 8 ft. wide, bears N. 29° E., drains S. 17° W.
1200.0	Cor. No. 4.  Set an iron post, 26 ins. long, 1 ins. diam., 20 ins. in the ground, insert an aluminum cap, mkd. LWF-4-4679; from which  A stone monument, 3 ft. diam at the base, 3 ft. high, bears West, 3 ft. dist.  No local bearing objects or bearing trees available.  Thence N. 35°13'30" E.
135	Road, bears N. 59° E. and S. 60° W.
300.0	Lode line; discovery point bears S. 67°56'30" E., 602 ft. dist.

(This form bound on left side)

FEET	
540	Road, bears N. 25° W. and S. 25° E.
600.0	Cor. No. 1, and place of beginning.
POSSIBILITIES No. 1 LODE	
	Beginning at Cor. No. 1 of the POSSIBILITIES No. 1 lode, identical with Cor. No. 1 of the Combine No. 2 lode and Cor. No. 3 of the R & R #4 lode, both of this survey; previously described.
	Thence S. 67°56'30" E.
139.30	Intersect line 2-1 Sur. No. 1685 A, YOUNG DICK lode at a point from which Cor. No. 2 bears S. 30°31'23" W., 719.09 ft. dist.
300.0	Lode line; discovery point bears S. 35°13'30" W., 1263 ft. dist.
416.04	High-water mark of reservoir and point for witness Cor. No. 2, identical with witness Cor. No. 2 of the Combine No. 2 lode of this survey; previously described.
600.0	Cor. No. 2, identical with Cor. No. 2 of the Combine No. 2 lode of this survey.
	Thence S. 35°13'30" W.
91.5	High-water mark of reservoir.
1443.0	Cor. No. 3, identical with Cor. No. 4 of the QUIEN SABE lode and Cor. No. 4 of the L. & W. No. 6 lode, both of this survey and Cor. No. 4 Sur. No. 4413 COMBINE #3 lode.
	Thence N. 67°56'30" W.
300.0	Lode line; discovery point bears N. 35°13'30" E., 180 ft. dist.
600.0	Cor. No. 4, identical with Cor. No. 3 of the L. & W. No. 6 lode, Cor. No. 4 of the JOS #1 lode and Cor. No. 4 of the R. & R #4 lode, all of this survey.
	Thence N. 35°13'30" E.
694.04	Intersect line 3-2 Sur. No. 1685 A, YOUNG DICK lode at a point from which Cor. No. 2 bears S. 72°59'09" E., 204.84 ft. dist.
1443.0	Cor. No. 1, and place of beginning.

FEET		
	<b>AREAS</b>	
		Acres.
	Total area, R & R #1 lode-----	20.658
	Area in conflict with-	
	JOS #2 lode of this survey-----	1.533
	R & R #3 lode of this survey-----	5.838
	Total area, R & R #3 lode-----	19.353
	Total area, R & R #4 lode-----	19.353
	Area in conflict with-	
	Sur. No. 1685A, YOUNG DICK lode-----	7.039
	Total area, BRUCE #2 lode-----	20.658
	Total area JOS #1 lode-----	20.118
	Area in conflict with-	
	JOS #4 lode of this survey-----	0.001
	JOS #3 lode of this survey-----	5.507
	L. & W. No. 2 lode of this survey---	0.253
	Total area, JOS #2 lode-----	20.118
	Area in conflict with-	
	BRUCE #2 lode of this survey-----	0.003
	JOS #4 lode of this survey-----	8.585
	JOS #3 lode of this survey-----	1.014
	Total area, JOS #3 lode-----	20.658
	Total area, JOS #4 lode-----	20.658
	Total area, Combine #6 lode----	20.118
	Total area, QUIEN SABE lode----	20.118
	Total area, Combine No. 2 lode-	20.563
	Area in conflict with-	
	Survey No. 1685A, YOUNG DICK lode---	3.082
	Sur. No. 4413 COMBINE No. 1 lode---	0.072
	Total area, L. & W. No. 1 lode-	20.658
	Total area, L. & W. No. 2 lode-	20.658
	Total area, L. & W. No. 6 lode-	20.118
	Area in conflict with-	
	JOS #3 lode of this survey-----	0.000
	L. & W. No. 2 lode of this survey---	1.920
	Total area L. & W. Fraction	
	lode-----	16.094
	Area in conflict with-	
	L. & W. No. 1 lode of this survey---	5.770
	Total area, POSSIBILITIES	
	No. 1 lode-----	19.353
	Area in conflict with-	
	Survey No. 1685A, YOUNG DICK lode---	2.810
	<b>LOCATION</b>	
	<p>This survey is located in Lot 3 and Lot 4, Sec. 17; Lot 5, Lot 6, N E 1/4 S E 1/4 and S E 1/4 S W 1/4, Sec. 18; Lot 1, Lot 2, Lot 3, Lot 4, Lot 5, S W 1/4 N E 1/4, E 1/2 N W 1/4, N E 1/4 S W 1/4 and S E 1/4, Sec. 19; Lot 3 and Lot 4, Sec. 20, T. 14 N., R. 9 W., Gila and Salt River Meridian.</p>	
	<p>The survey of these 16 lode claims is identical with the respective locations as marked in the ground by stone monuments.</p>	

(This form bound on left side)

FEET	EXPENDITURES
	The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or its grantors are as follows:
No. 1	The discovery point of the R & R # 1 lode is on the lode line, N. 50°33'30" E., 488 ft. from the center of line 4-1. Value, none.
No. 2	A cut, the south end of which bears N. 23°15' E., 498.5 from Cor. No. 1 R & R #1 lode, 14 ft. wide, runs N. 43° W., 25 ft. to face, 6 ft. high. Value, \$200.
No. 3	A cut, the south end of which bears N. 33°46' E., 575.4 ft., from Cor. No. 1 R & R #1 lode, 14 ft. wide, runs N. 69°03' W., 15 ft. to face, 8 ft. high. Value, \$200.
No. 4	A shaft, the center of which bears N. 28°13' E., 631.3 ft., from Cor. No. 1 R & R #1 lode, 7 x 7 ft., 12 ft. deep. Value, \$400.
No. 5	A drift, 5 x 6 ft. in size, the portal of which bears N. 33°32' E., 648.6 ft. from Cor. No. 1 R & R #1 lode, runs N. 75° 06' W., 30 ft. to breast; partly caved. Value, \$800.
No. 1	The discovery point of the R & R #3 lode is on the lode line, N. 35°13'30" E., 351 ft. from the center of line 4-1. Value, none.
No. 2	A trench, the west end of which bears N. 14°35' W., 325.7 ft., from Cor. No. 1 R & R #3 lode, 14 ft. wide, runs S. 66°03' E., 35 ft., 8 ft. deep. Value, \$350.
No. 1	The discovery cut of the R & R #4 lode, the face of which being the discovery point, is on the lode line, N. 35°13'30" E., 91 ft. from the center of line 4-1, 12 ft. wide, 8 ft. face, runs N.35°05'E., 55 ft. to face. Value, \$350.
No. 1	The discovery cut of the BRUCE #2 lode, the face of which being the discovery point, is on the lode line, N. 50°33'30" E., 37 ft., from the center of line 3-2, 20 ft. wide, 8 ft. face, runs S. 50° W., 35 ft. to face. Value, \$350.
No. 2	A cut, the north end of which bears N. 35°12' E., 651.2 ft. from Cor. No. 2



FEET	
	BRUCE #2 lode, 10 ft. wide, runs S. 50° E., 35 ft. to face, 5 ft. high. Value, \$300.
No. 1	The discovery point of JOS #1 lode, is on the lode line, S. 35°13'30" W., 49 ft. from the center of line 4-1. Value, none.
No. 2	A cut, the south end of which bears S. 52°30' E., 389.3 ft., from Cor. No. 1, JOS #1 lode, 12 ft wide, runs N. 45°03' E., 65 ft. to face, 6 ft. high. Value, \$350.
No. 1	The discovery cut of the JOS #2 lode, the face of which is the discovery point, is on the lode line, S. 35°13'30" W., 54 ft. from the center of line 4-1, 12 ft. wide, 5 ft. face, runs N. 34° E., 40 ft. to face. Value, \$350.
No. 1	The discovery cut of the JOS #3 lode, the face of which being the discovery point, is on the lode line, N. 50°33'30" E., 29 ft. from the center of line 3-2, 14 ft. wide, 6 ft. face, runs N. 53°23' W., 43 ft. to face. Value, \$350.
No. 1	The discovery cut of the JOS #4 lode, the face of which being the discovery point, is on the lode line, N. 50°33'30" E., 36 ft. from the center of line 3-2, 14 ft. wide, 6 ft. face, runs N. 45°03' W., 35 ft. to face. Value, \$350.
No. 2	A trench, the north end of which bears N. 30°13' E., 149.5 ft. from Cor. No. 3 JOS #4 lode, 30 ft. wide, runs S. 60° 03' E., 55 ft, 5 ft. deep. Value, \$300.
No. 1	The discovery cut of the Combine #6 lode, the face of which is the discovery point, is on the lode line, S 35°13'30" W., 280 ft. from the center of Line 4-3, 10 ft. wide, 8 ft. face, runs S 70°E., 20 ft. to face. Value, \$350.
No. 2	A shaft, the center of which bears S. 20°30' W., 243.9 ft. from Cor. No. 3 of the Combine No. 6 lode, 7 x 7 ft., 85 ft. deep, partly caved. Value, \$2,000.
No. 1	The discovery point of the QUIEN SABE' lode, is on the lode line, N. 35°13'30" E., 50 ft., from the center of line 1-2. Value, none.
No. 2	A cut, the west end of which bears S. 78°32' E., 273.8 ft., from Cor. No. 1

(This form bound on left side)

FEET		
	of the QUIEN SABE' lode, 4 ft. wide, runs S. 70° E., 10 ft. to face, 8 ft. high. Value, \$200.	
No. 3	A trench, the north end of which bears S. 16°46' E., 543.7 ft., from Cor. No. 4 QUIEN SABE' lode, 12 ft. wide, 10 ft. deep, runs S. 4°03' E., 125 ft. Value, \$600.	
No. 4	A cut, the west end of which, bears N. 52°03' E., 838.3 ft., from Cor. No. 1 QUIEN SABE' lode, 20 ft. wide, runs N. 34°15' E., 65 ft to face, 6 ft. high. Value, \$360.	
No. 5	A shaft, the center of which bears N. 70°26' E., 783.7 ft., from Cor. No. 1 QUIEN SABE' lode, 6 x 6 ft., 10 ft. deep. Value, \$200.	
No. 6	A shaft, the center of which bears N. 71°55' E., 769.5 ft. from Cor. No. 1 QUIEN SABE' lode, 7 x 7 ft. 10 ft. deep. Value, \$200.	
No. 7	A trench, the north end of which bears N. 70°30' E., 705.6 ft. from Cor. No. 1 QUIEN SABE' lode, 12 ft. wide, runs S. 40°15' E., 30 ft, 5 ft. deep. Value, \$200.	
No. 8	A shaft, the center of which bears N. 75°05' E., 564.9 ft. from Cor. No. 1 QUIEN SABE' lode, 6 x 6 ft. 4 ft. deep. Value, \$50.	
No. 9	A cut, the west end of which bears N. 57°15' E., 595.7 ft. from Cor. No. 1 QUIEN SABE' lode, 12 ft. wide, runs S. 60° E., 25 ft. to face, 5 ft. high. Value, \$150.	
No. 10	A shaft, the center of which bears S. 83°30' E., 369.6 ft. from Cor. No. 1 QUIEN SABE' lode, 6 x 6 ft., 4 ft. deep. Value, \$50.	
No. 11	A cut, the west end of which bears N. 82° 15' E., 245.3 ft. from Cor. No. 1 QUIEN SABE' lode, 5 ft. wide, runs S. 68°10' E., 10 ft. to face, 8 ft. high. Value, \$200.	
No. 1	The discovery shaft of the Combine No. 2 lode, the center of which is the discovery point, is on the lode line, N. 22°33' 30" E., 300 ft. from the center of line 2-1; 4 x 4 ft., 5 ft. deep. Value, \$50.	
No. 2	A shaft, the center of which bears N. 26° 30' E., 780.5 ft. from Cor. No. 1 Combine No. 2 lode; 7 x 7 ft., 6 ft. deep. Value, \$75.	

FEET	
No. 3	A cut, the west end of which bears N. 26°45' E., 1007.8 ft. from Cor. No. 1 Combine No. 2 lode, 8 ft. wide, runs N. 70° E., 25 ft. to face, 5 ft. high. Value, \$100.
No. 4	A shaft, the center of which bears N. 29°46' E., 1046.3 ft. from Cor. No. 1 Combine No. 2 lode, 7 x 7 ft., 20 ft. deep. Value, \$400.
No. 5	A cut, the south end of which bears N. 78°45" E., 460.8 ft. from Cor. No. 1 Combine No. 2 lode, 12 ft. wide, runs N. 68°47' W., 62 ft. to face, 5 ft. high. Value, \$300.
No. 1	The discovery point of the L. & W. No. 1 lode, is on the lode line S. 50°33'30" W., 200 ft. from the center of line 2-1. Value, none.
No. 2	A shaft, the center of which bears S. 1°30'E., 324.6 ft., from Cor. No. 1 L. & W. No. 1 lode, 6 x 6 ft., 6 ft. deep. Value, \$200.
No. 3	A trench, the south end of which bears S. 0°30'W., 211.5 ft. from Cor. No. 1 L. & W. No. 1 lode, 5 ft. wide, runs N. 45° W., 46 ft., 4 ft. deep. Value, \$100.
No. 4	A cut, the south end of which bears S. 15°55' W., 354 ft. from Cor. No. 1, L. & W. No. 1 lode, 5 ft. wide, runs N. 37°10' W., 15 ft. to face, 5 ft. high. Value, \$100.
No. 5	A shaft, the center of which bears S. 38°05' W., 997.8 ft. from Cor. No. 1 L. & W. No. 1 lode, 8 x 8 ft., 75 ft. deep, partly caved. Value, \$2,000.
No. 6	A diamond drill hole, 1 1/2 ins. diam., 744 ft. deep, bears S. 34°30' W., 633.3 ft. from Cor. No. 1 L. & W. No. 1 lode. Value, \$5,000.
No. 1	The discovery point of the L. & W. No. 2 lode is on the lode line, S. 50°33'30" W., 100 ft. from the center of line 2-1. Value, none.
No. 2	A cut, the west end of which bears N. 60° 45' W., 301.6 ft., from Cor. No. 1 L. & W. No. 2 lode, 30 ft. wide, runs S. 85°05' E., 45 ft. to face, 5 ft. high. Value, \$300.
No. 3	A cut, the west end of which bears N. 49°15'W., 318.6 ft. from Cor. No. 1

(This form bound on left side)

FEET		
	L. & W. No. 2 lode, 20 ft. wide, runs S. 64°03' E., 40 ft. to face, 5 ft. high. Value, \$300.	
No. 4	A trench, the west end of which bears S. 56°15' W., 275.8 ft. from Cor. No. 1 L. & W. No. 2 lode, 14 ft. wide, runs S. 83°45' E., 55 ft., 5 ft. deep. Value, \$360.	
No. 5	A diamond drill hole, the collar of which bears S. 74°46' W., 638 ft. from Cor. No. 1 L. & W. No. 2 lode, 1 1/2 ins. diam. 1128 ft. deep. Value, \$10,125.	
No. 6	A diamond drill hole, the collar of which bears S. 74°15' W., 641 ft. from Cor. No. 1 L. & W. No. 2 lode, 1 1/2 ins. diam. 630 ft. deep. Value, \$5,270.	
No. 7	A diamond drill hole, the collar of which bears S. 72°55' W., 1031.5 ft. from Cor. No. 1 L. & W. No. 2 lode, 1 1/2 ins. diam. 2106 ft. deep. Value, \$26,900.	
No. 1	The discovery shaft of the L. & W. No. 6 lode, the center of which is the discovery point, bears S. 35°13'30" W., 120 ft. from the center of line 4-3; 7 x 7 ft., 7 ft. deep. Value, \$300.	
No. 1	The discovery point of the L. & W. Fraction is on the lode line, N. 67°56' 30" W., 598 ft. from the center of line 3-2. Value, none.	
No. 2	A cut, the south end of which bears S. 46°05' E., 549.9 ft. from Cor. No. 1 L. & W. Fraction lode, 6 ft. wide, runs N. 20° 05' W., 15 ft. to face, 6 ft. high. Value, \$250.	
No. 1	The discovery point of the POSSIBILITIES No. 1 lode is on the lode line, N. 35°13'30" E., 180 ft. from the center of line 4-3. Value, none.	
No. 2	A shaft, the center of which bears N. 45° W., 315.7 ft. from Cor. No. 3 POSSIBILITIES No. 1 lode, 6 x 6 ft., 6 ft. deep. Value, \$175.	
No. 3	A cut, the north end of which bears N. 19°15' W., 86.3 ft. from Cor. No. 3 POSSIBILITIES No. 1 lode, 12 ft. wide, runs S. 20°36' E., 25 ft. to face, 6 ft. high. Value, \$300.	

FEET	
No. 4	<p>A cut, the east end of which bears S. 54°45' E., 396.2 ft. from Cor. No. 1 POSSIBILITIES No. 1 lode, 30 ft. wide, runs N. 70° W., 30 ft. to face, 8 ft. high. Value, \$300.</p> <p>An interest in a common improvement described as follows:</p> <p>A diamond drill hole, 1 1/2 ins diam., 2055 ft. deep, the collar of which bears N. 38°15' E., 181.8 ft. from corner No. 3 JOS #4 lode. Value of drill hole, \$32,400. Value of one-sixteenth interest, \$2,025.</p> <p>This improvement is for the development of the 16 lodes of this survey, which are all contiguous locations owned in common with the range of benefit of said drill hole. This development affords the most practical an economical means of developing each of the stated lodes at depth.</p> <p>Five hundred dollars or over has been expended in this improvement, in such a manner as tends to the development of each lode of this survey subsequent to its location, and to the time since which common ownership and contiguity have prevailed; therefore an undivided one sixteenth interest in its value is hereby credited to each of said lodes.</p> <p>No portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.</p> <p style="text-align: center;">OTHER IMPROVEMENTS</p> <p>A diamond drill hole, 1 1/2 ins. diam., 2183 ft. deep, the collar of which bears N. 38°35' E., 779.2 ft. from Cor. No. 4 POSSIBILITIES No. 1 lode. claimant herein.</p> <p style="text-align: center;">OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA</p> <p>Sur. No. 4413 COMBINE No. 1 lode; Cor. No. 1 is an iron post 1 1/2 ins. diam., 18 ins. above the ground, firmly set, witnessed and marked as described in the official record; corner No. 2 an iron post 1 1/2 ins. diam. firmly set and properly marked; Line 4-1 was found to be N. 22°23'43" E., 1492.96 ft., instead of N. 22°33'20" E., 1500.0 ft. as approved, owing to the absence of Cor. No. 4, the apparent error in bearing and distance, could not be verified. Line 1-2 was found to be correct as approved.</p>

(This form bound on left side)

FEET

Line 4-3 COMBINE #3 lode, was found to be correct as approved.

Survey No. 1685 A YOUNG DICK lode: Cor. No. 1, No. 2, No. 3, and No. 4 are stones, firmly set and properly marked as described in the official record. Line 1-2 was found to be S. 30°31'23" W., 1447.94 ft. instead of S. 30°45' W., 1500 ft. as approved. Line 2-3 was found to be N. 72° 59' 09" W., 591.82 ft., instead of N. 73° 00' W., 600 ft. as approved. Line 3-4 was found to be N. 30°30'02" E., 1447.02 ft., instead of N. 30°45' E., 1500 ft. as approved. Line 4-1 was found to be S. 73°03'35" E., 592.59 ft., instead of S. 73°00' E., 600. ft. as approved.

Sur. No. 1684 A 1st South Ext. of OLD DICK lode line 2-3 was found to be S. 67°56'30" E., 600.0 ft., instead of S. 67°40' E., 600.0 ft. as approved.

No. evidence of the Cor. of Sec. 17, 18, 19, and 20 could be found.

FIELD ASSISTANTS

Name	Capacity
Terry Owens-----	Chainman
Richard Escobedo-----	Chainman

OTHER IMPROVEMENT

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor <i>Louis A. Cornejo</i>	Date <i>June 30, 1973</i>
---	------------------------------

I HEREBY CERTIFY That in pursuance of an order received from the *Bureau of Lane Management*, at *Phoenix, Arizona*, dated *January 3, 19 73*, I have carefully executed the survey of the claim of *Cyprus Mines Corporation* known as the *(lode, placer, or mill site) \*(see below)* situated in *Secs. 17,18,19 and 20*, Township *14 N*, Range *9 W*, *Gila & Salt River* Meridian, in the State of *Arizona*.

This survey, designated as number *4679*, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the *(lode or placer) lode* location(s) embraced in the said mining claim by claimant(s) or *its* grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

R & R #1	JOS #3	Combine No. 2	L. & W. Fraction
R & R #3	JOS #4	L. & W. No. 1	POSSIBILITIES No. 1
R & R #4	Combine #6	L. & W. No. 2	
BRUCE #2	QUIEN SABE'	L. & W. No. 6	
JOS #1			
JOS #2			

*Parker, Arizona*  
(Location)

*Louis A. Cornejo*  
(Signature of Mineral Surveyor)

CERTIFICATE OF APPROVAL

Office <i>Arizona State Office</i>
Location <i>Phoenix, Arizona</i>
Date <i>January 17, 1974</i>

The foregoing field notes of mineral survey number *4679*, in *Secs. 17, 18, 19 and 20* Range *9 W.*, *Gila & Salt River* Meridian, in the State of *Arizona*,  surveyed  unsurveyed Township *14 N.*, executed by *Louis A. Cornejo*, Mineral Surveyor, under order dated *January 3, 19 73*, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

*Joe T. Fallini*  
Joe T. Fallini (Authorized Signature)

State Director  
(Title)

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number \_\_\_\_\_ is a true copy of the original field notes.

(Authorized Signature)

(Title)

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10

Page 10 of 10