

Form 4-683
(January 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey number
4686
State
Arizona
Land District
Arizona

FIELD NOTES

Of the Survey of the Mining Claim of *(name and address of Claimant)*
Cities Service Company (a Delaware Corporation)
c/o Morris & Malott, Attorneys at Law,
P. O. Box 351
Globe, Arizona 85501

Known as the, *(name of group, if any)*

Pinto Valley Millsites

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Pinto Valley No. 1	3/20/70	
Pinto Valley No. 2	3/20/70	
Pinto Valley No. 3	3/20/70	
Pinto Valley No. 4	3/20/70	
Pinto Valley No. 5	3/20/70	
Pinto Valley No. 6	3/20/70	
Pinto Valley No. 7	3/20/70	
Pinto Valley No. 8	3/20/70	
Pinto Valley No. 9	3/20/70	
Pinto Valley No. 10	3/20/70	
Pinto Valley No. 11	3/20/70	
Pinto Valley No. 12	3/20/70	
Pinto Valley No. 13	3/20/70	
Pinto Valley No. 14	3/20/70	
Pinto Valley No. 15	3/20/70	
Pinto Valley No. 16	3/20/70	
Pinto Valley No. 17	3/20/70	
Pinto Valley No. 18	3/20/70	
Pinto Valley No. 19	3/20/70	
Pinto Valley No. 20	3/20/70	
Pinto Valley No. 21	3/20/70	
Pinto Valley No. 22	3/20/70	
Pinto Valley No. 23	3/20/70	

(Cont'd. on Page 2)

Mining district		Globe	County	Gila
(Uns)	Section S	Township (Uns)	Range	Meridian
	29,30,31 & 32	1 North	14 East	Gila & Salt River
Survey commenced		Survey completed		Name of Mineral Surveyor
March 22, 1971		April 8, 1971		O. T. Smith
				Survey under order dated
				March 9, 1971

STATE OF NEW YORK

IN SENATE
January 12, 1910.

REPORT OF THE COMMISSIONERS OF THE LAND OFFICE
IN ANSWER TO A RESOLUTION PASSED BY THE SENATE
MAY 11, 1899.

ALBANY: JAMES BROWN PUBLISHER, 1899.

PRINTED BY THE STATE PRINTING OFFICE, ALBANY, N. Y.

RECEIVED JAN 15 1910

Year	Amount	Balance
1899	1,000,000	500,000
1900	1,200,000	600,000
1901	1,400,000	700,000
1902	1,600,000	800,000
1903	1,800,000	900,000
1904	2,000,000	1,000,000
1905	2,200,000	1,100,000
1906	2,400,000	1,200,000
1907	2,600,000	1,300,000
1908	2,800,000	1,400,000
1909	3,000,000	1,500,000
1910	3,200,000	1,600,000

FIELD NOTES

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Pinto Valley No. 24	3/20/70	
Pinto Valley No. 25	3/20/70	
Pinto Valley No. 26	3/20/70	
Pinto Valley No. 27	3/20/70	
Pinto Valley No. 228	2/10/71	
Pinto Valley No. 229	2/10/71	
Pinto Valley No. 230	2/10/71	
Pinto Valley No. 231	2/10/71	
Pinto Valley No. 232	2/10/71	
Pinto Valley No. 233	2/10/71	
Pinto Valley No. 234	2/10/71	
Pinto Valley No. 235	2/10/71	
Pinto Valley No. 236	2/10/71	
Pinto Valley No. 237	2/10/71	
Pinto Valley No. 238	2/10/71	
Pinto Valley No. 239	2/10/71	
Pinto Valley No. 240	2/10/71	
Pinto Valley No. 241	2/10/71	
Pinto Valley No. 242	2/10/71	
Pinto Valley No. 243	2/10/71	
Pinto Valley No. 244	2/10/71	
Pinto Valley No. 245	2/10/71	

10

FEET

This survey was made with a Th 43 Zeiss transit No. 70868 with horizontal limb 3.86 ins. diam., having one double vernier, and full vertical circle 3.35 ins. diam., having one single vernier reading 0° to 360°; the verniers read to one minute of arc est. to .1 minute; the eyepiece is equipped with an eyepiece prisms for making direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths of this record were determined by the method of deflection angles referred to the meridian determined by the following observation:

March 24, 1971 at cor. Nos. 1 of the Pinto Valley Nos. 237 and 238 millsites, latitude 33° 23' 21.6" N., and longitude 110° 58' 57.5" W., I make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angle from a reference point 660 ft. east clockwise to the sun.

Mean time of observation
105th. meridian Standard
time. = 3h36m P.M.

Declination of sun mean
time of observation. = 1° 27' 00.2" N.

Mean observed vertical
angle to sun's center. = 36° 19' 30"

Mean horizontal angle
from reference point
to sun's center. = 153° 28' 30" S-W.

True bearing to refer-
ence point. = N. 89° 59' 39" E.

The lines were measured with a Lufkin steel tape 500 feet in length graduated every foot for 500 feet, with first and last foot graduated in tenths and hundredths and a steel tape 8 feet in length, graduated in feet, tenths and hundredths; both tapes were compared with a Lufkin Ranger standardize tape at the time of beginning the survey and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 12° 45' E.

PINTO VALLEY NO. 237 MILLSITE

FEET		
	<p>At cor. No. 1 of the Pinto Valley No. 237 mill-site, identical with cor. No. 1 of the Pinto Valley No. 238 and on line 4 - 1 of the Pinto Valley No. 242 millsites of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV237-1-PV238-1-4686; from which</p> <p>The standard cor. of secs. 36 and 31, of T. 1 N., Rs. 13 and 14 E., G. & S. R. M., bears S. 26° 53' 05" W., 5,165.43 ft. dist. a 6x10 in. rock 12 ins. above ground, firmly set, marked and witnessed as described in the official record.</p> <p>U. S. G. S. B. M. "stamped 7M 1944-3912, bears S. 19° 52' 40" E., 112.81 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence West</p>	
420.00	Center of road, bears N. 75° 30' W. and S. 75° 30' E.	
660.00	<p>Cor. No. 2, identical with cor. No. 4 of the Pinto Valley No. 242 millsite of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap mkd. PV237-2-PV242-4-4686.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence North</p>	
330.00	<p>Cor. No. 3, identical with cor. No. 2 of Pinto Valley No. 1 millsite of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV237-3-PV1-2-4686, from which</p> <p>A Juniper, 10 ins. diam., bears S. 45° 26' W., 91.2 ft. dist., mkd. +-4686-BT.</p> <p>Thence East</p>	
300.00	Center of road, bears N. 32° E. and S. 32° W.	
330.00	Intersect cor. Nos. 1 of the Pinto Valley Nos. 1 and 2 millsites of this survey.	
360.00	Witness cor. to cor. No. 1 of the Pinto Valley Nos. 1 and 2 Millsites, hereinafter described.	
660.00	<p>Cor. No. 4, identical with cor. Nos. 4, 2 and 2 of Pinto Valley Nos. 2, 3 and 238 millsites of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV237-4-PV2-4-PV3-2-PV238-2-4686.</p>	

FEET		
	<p>No local bearing objects or bearing trees available.</p> <p>Thence South</p> <p>330.00 Cor. No. 1, and the place of beginning.</p>	
	<p>PINTO VALLEY NO. 238 MILLSITE</p> <p>Beginning at cor. No. 1 of the Pinto Valley No. 238 mill-site identical with cor. No. 1 of the Pinto Valley No. 237 millsite of this survey.</p> <p>Thence North</p> <p>330.00 Cor. No. 2, identical with cor. Nos. 4, 4 and 2 of the Pinto Valley Nos. 237, 2 and 3 millsites of this survey.</p> <p>Thence East</p> <p>330.00 Intersect cor. Nos. 1 of the Pinto Valley Nos. 3 and 4 millsites of this survey.</p> <p>390.00 Center of road, bears N. 50° W. and S. 50° E.</p> <p>660.00 Cor. No. 3, identical with cor. Nos. 4, 2 and 3 of Pinto Valley Nos. 4, 5 and 239 millsites of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV238-3-PV4-4-PV5-2-PV239-3-4686.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence South</p> <p>170.00 Center of road, bears N. 73° E. and S. 73° W.</p> <p>330.00 Cor. No. 4, identical with cor. No. 2 Pinto Valley No. 239 and on line 4 - 1 Pinto Valley No. 242 millsites of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV238-4-PV239-2-4686.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence West</p> <p>300.00 Center of road, bears N. 62° E. and S. 62° W.</p> <p>660.00 Cor. No. 1, and the place of beginning.</p>	
	<p>PINTO VALLEY NO. 239 MILLSITE</p> <p>Beginning at cor. No. 1 of the Pinto Valley No. 239 mill-site, identical with cor. Nos. 1 of the Pinto Valley Nos. 240, 243 and 242 millsites of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV239-1-PV240-1-PV243-1-PV242-1-4686, from which</p> <p>The standard cor. of Secs. 36 and 31, T. 1 N., Rs. 13 and 14 E. bears S. 38° 25' 56" W., 5881.37 ft. dist., previously described.</p>	

FEET		
	<p>No local bearing objects or bearing trees available.</p> <p>Thence West</p>	
660.00	<p>Cor. No. 2, identical with cor. No. 4 of the Pinto Valley No. 238 millsite of this survey.</p> <p>Thence North</p>	
160.00	<p>Center of road, bears N. 73° E. and S. 73° W.</p>	
330.00	<p>Cor. No. 3, identical with cor. Nos. 3, 4 and 2 of the Pinto Valley Nos. 238, 4 and 5 millsites of this survey.</p> <p>Thence East</p>	
275.00	<p>Center of road, bears North and South.</p>	
330.00	<p>Intersect cor. Nos. 1 of the Pinto Valley Nos. 5 and 6 millsites of this survey.</p>	
660.00	<p>Cor. No. 4, identical with cor. Nos. 4, 2 and 2 of the Pinto Valley Nos. 6, 7 and 240 millsites of this survey.</p> <p>Set an iron pin 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV239-4-PV6-4-PV7-2-PV240-2-4686.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence South</p>	
330.00	<p>Cor. No. 1, and the place of beginning.</p>	
PINTO VALLEY NO. 240 MILLSITE		
	<p>Beginning at cor. No. 1 of the Pinto Valley No. 240 millsite, identical with cor. Nos. 1, of the Pinto Valley Nos. 243, 242 and 239 millsites of this survey.</p> <p>Thence North</p>	
330.00	<p>Cor. No. 2, identical with cor. Nos. 4, 4 and 2 of the Pinto Valley Nos. 239, 6 and 7 millsites of this survey.</p> <p>Thence East</p>	
330.00	<p>Intersect cor. Nos. 1 of the Pinto Valley Nos. 7 and 8 millsites, of this survey.</p>	
340.00	<p>Center of road, bears North and South.</p>	
570.00	<p>Center of creek, course S. 10° W.</p>	
660.00	<p>Cor. No. 3, identical with cor. Nos. 4, 2 and 2 of the Pinto Valley Nos. 8, 9 and 241 millsites of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV240-3-PV8-4-PV9-2-PV241-2-4686.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence South</p>	

FEET	
330.00	<p>Cor. No. 4, identical with cor. No. 1 of the Pinto Valley No. 241 millsite of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd PV240-4-PV241-1-4686.</p> <p style="text-align: center;">No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence West</p>
200.00	Center of creek, course S. 35° W.
425.00	Center of road, bears N. 53° E. and S. 53° W.
660.00	Cor. No. 1, and the place of beginning.
PINTO VALLEY NO. 242 MILLSITE	
	<p>Beginning at cor. No. 1 of the Pinto Valley No. 242 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 239, 240 and 243 millsites of this survey.</p> <p style="text-align: center;">Thence South</p>
110.00	<p>Cor. No. 2, identical with cor. No. 4 of the Pinto Valley No. 243 millsites of this survey.</p> <p>Set an iron pin, 18 ins. long 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV242-2-PV243-4-4686.</p> <p style="text-align: center;">No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence West</p>
1,115.00	Center of road, bears N. 63° E. and S. 63° W.
1,460.00	Center of road, bears N. 56° 20' W. And S. 56° E.
1,980.00	<p>Cor. No. 3.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 11 ins. in the ground, with aluminum cap, mkd. PV242-3-4686, from which</p> <p style="text-align: center;">A Pinon Pine, 5 ins. diam., bears N. 72° 30' E., 14.6 ft. dist., mkd. +-4686-BT.</p> <p style="text-align: center;">Thence North</p>
110.00	<p>Cor. No. 4, identical with cor. No. 2 of the Pinto Valley No. 237 millsites of this survey.</p> <p style="text-align: center;">Thence East</p>
240.00	Center of road, bears N. 75° 30' W. and S. 75° 30' E.
660.00	Intersect cor. Nos. 1 of the Pinto Valley Nos. 237 and 238 millsites of this survey.
1,020.00	Center of road, bears N. 62° E., and S. 62° W.
1,320.00	Intersect cor. Nos. 4 and 2 of the Pinto Valley Nos. 238 and 239 millsites of this survey.
1,980.00	Cor. No. 1 and the place of beginning.
PINTO VALLEY NO. 243 MILLSITE	
	<p>Beginning at cor. No. 1 of the Pinto Valley No. 243, millsite identical with cor. Nos. 1 of</p>

FEET	
	<p>the Pinto Valley Nos. 242, 239 and 240 mill-sites of this survey.</p> <p style="text-align: center;">Thence East</p>
235.00	Center of road, bears N. 53° E. and S. 53° W.
460.00	Center of creek, course S. 35° W.
660.00	Intersect cor. Nos. 4 and 1 of the Pinto Valley Nos. 240 and 241 millsites of this survey.
1,155.00	<p>Cor. No. 2, identical with cor. No. 4 of the Pinto Valley No. 241 millsite of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV243-2-PV241-4-4686.</p> <p style="text-align: center;">No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence South</p>
110.00	<p>Cor. No. 3.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV243-3-4686, from which</p> <p style="padding-left: 40px;">A Juniper, 12 ins. diam., bears N. 10° 20' E. 30.6 ft. dist., mkd. +4686-BT.</p> <p style="text-align: center;">Thence West</p>
760.00	Center of creek, course S. 25° W.
980.00	Center of road, bears N. 10° W. and S. 10° E.
1,155.00	Cor. No. 4, identical with corner No. 2 of the Pinto Valley No. 242 millsite of this survey.
	Thence North
110.00	Cor. No. 1, and the place of beginning.
	PINTO VALLEY NO. 241 MILLSITE
	<p>Beginning at cor. No. 1 of the Pinto Valley No. 241 millsite, identical with cor. No. 4 Pinto Valley No. 240 and on line 1 - 2 of the Pinto Valley No. 243 millsites of this survey, from which</p> <p style="padding-left: 40px;">The standard cor. of secs. 36 and 31, T. 1 N., Rs. 13 and 14 E., bears S. 43° 07' 48" W., 6312.83 ft. dist., previously described.</p> <p style="text-align: center;">Thence North</p>
330.00	Cor. No. 2, identical with cor. Nos. 3, 4 and 2 of the Pinto Valley Nos. 240, 8 and 9 mill-sites of this survey.
	Thence East
330.00	Intersect cor. Nos. 1 and 4 of the Pinto Valley Nos. 9 and 244 millsites of this survey.
495.00	Cor. No. 3 identical with cor. No. 3 of the Pinto Valley No. 244 millsite of this survey.
	<p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV241-3-PV244-3-4686.</p>

FEET	
	No local bearing objects or bearing trees available.
	Thence South
330.00	Cor. No. 4, identical with cor. No. 2 of the Pinto Valley No. 243 millsite of this survey.
	Thence West
495.00	Cor. No. 1, and the place of beginning.
PINTO VALLEY NO. 1 MILLSITE	
Beginning at cor. No. 1 of the Pinto Valley No. 1 millsite, identical with cor. No. 1 of the Pinto Valley No. 2 and on line 3 - 4 of the Pinto Valley No. 237 millsites of this survey.	
This cor. falls in a grader ditch along the east side of the County Road.	
Set an iron pin, 14 ins. long, 5/8 in. diam., 4 ins. below the bottom of the ditch, with aluminum cap, mkd. PVL-1-PV2-1-4686, from which	
The standard cor. of secs. 36 and 31, T. 1 N. Rs. 13 and 14 E., bears S. 22° 06' 37" W., 5329.03 ft. dist., previously described.	
An iron pin, 18 ins. long, 5/8 ins. in diam., 14 ins. in the ground, bears East 30.00 ft. dist. with aluminum cap, mkd. +-4686-WC.	
No local bearing objects or bearing trees available.	
Thence West	
30.00	Center of road, bears N. 32° E. and S. 32° W.
330.00	Cor. No. 2, identical with cor. No. 3 of the Pinto Valley No. 237 millsite of this survey.
Thence North	
335.00	Center of creek, course West.
660.00	Cor. No. 3, identical with cor. No. 3 of the Pinto Valley No. 18 millsite of this survey.
Set an iron pin, 18 ins. long, 5/8 in. diam., 6 ins. in the ground, with aluminum cap, mkd. PVL-3-PVL8-3-4686, from which	
A Pinon Pine, 10 ins. diam., bears N. 11° 50' W., 90.9 ft. dist., mkd. +-4686-BT.	
Thence East	
285.00	Center of road, bears N. 28° W. and S. 28' E.

(This form bound on left side)

FEET	
330.00	<p>Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 18, 17 and 2 mill-sites of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV1-4-PV18-2-PV17-4-PV2-2-4686.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence South</p>
72.00	Center of road, bears N. 32° W. and S. 32° E.
370.00	Center of creek, course S. 86° W.
630.00	Center of road, bears N. 81° E. and S. 81° W.
660.00	Cor. No. 1 and the place of beginning
PINTO VALLEY NO. 2 MILLSITE	
<p>Beginning at cor. No. 1 of the Pinto Valley No. 2 millsite, identical with cor. No. 1 of the Pinto Valley No. 1 millsite of this survey.</p> <p>Thence North</p>	
30.00	Center of road, bears N. 81° E. and S. 81° W.
290.00	Center of creek, course S. 86° W.
588.00	Center of road, bears N. 32° W. and S. 32° E.
660.00	<p>Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 1, 18 and 17 mill-sites of this survey.</p> <p>Thence East</p>
330.00	<p>Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 17, 16 and 3 millsites of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV2-3-PV17-3-PV16-3-PV3-3-4686.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence South</p>
370.00	Center of creek, course S. 76° W.
580.00	Center of road, bears N. 60° W., and S. 60° E.
660.00	<p>Cor. No. 4, identical with cor. Nos. 2, 2 and 4 of the Pinto Valley Nos. 3, 238 and 237 mill-sites of this survey.</p> <p>Thence West</p>

FEET	
300.00	Witness cor. to cor. Nos. 1 of the Pinto Valley Nos. 1 and 2 millsites, previously described.
330.00	Cor. No. 1, and the place of beginning.
PINTO VALLEY NO. 3 MILLSITE	
Beginning at cor. No. 1 of the Pinto Valley No. 3 millsite, identical with cor. No. 1 of the Pinto Valley No. 4 and on line 2 - 3 of the Pinto Valley No. 238 millsites of this survey.	
Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV3-1-FV4-1-4686, from which	
The standard cor. of Secs. 36 and 31 T. 1 N., Rs. 13 and 14 E., bears S. 28° 22' W., 5610.86 ft. dist., previously described.	
No local bearing objects or bearing trees available.	
Thence West	
330.00	Cor. No. 2, identical with cor. Nos. 2, 4, and 4 of the Pinto Valley Nos. 238, 237 and 2 millsites of this survey.
Thence North	
80.00	Center of road, bears N. 60° W., and S. 60° E.
290.00	Center of creek, course S. 76° W.
660.00	Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 2, 17 and 16 millsites of this survey.
Thence East	
330.00	Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 16, 15 and 4 millsites of this survey.
Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV3-4-PV16-2-PV15-4-PV4-2-4686.	
No local bearing objects or bearing trees available.	
Thence South	
230.00	Center of creek, course S. 75° W.
610.00	Center of road, bears N. 60° W., and S. 60° E.
660.00	Cor. No. 1 and the place of beginning.
PINTO VALLEY NO. 4 MILLSITE	
Beginning at cor. No. 1 of the Pinto Valley No. 4 millsite, identical with cor. No. 1 of the Pinto Valley No. 3 millsite of this survey.	

FEET	
50.00 430.00	<p style="text-align: center;">Thence North</p> Center of road, bears N. 60° W., and S. 60° E. Center of creek, course S. 75° W.
660.00	Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 3, 16 and 15 mill-sites of this survey.
330.00	<p style="text-align: center;">Thence East</p> Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 15, 14 and 5 mill-sites of this survey. Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV4-3-PV15-3-PV14-3-PV5-3-4686.
110.00	<p style="text-align: center;">No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence South</p> Center of creek, course West.
660.00	Cor. No. 4, identical with cor. Nos. 2, 3 and 3 of the Pinto Valley Nos. 5, 239 and 238 mill-sites of this survey.
330.00	<p style="text-align: center;">Thence West</p> Cor., No. 1, and the place of beginning.
	<p style="text-align: center;">PINTO VALLEY NO. 5 MILLSITE</p>
	Beginning at cor. No. 1 of the Pinto Valley No. 5 millsite, identical with cor. No. 1 of the Pinto Valley No. 6 and on line 3 - 4 of the Pinto Valley No. 239 millsites of this survey.
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV5-1-PV6-1-4686, from which
	<p style="text-align: center;">The standard cor. of secs. 36 and 31, T. 1 N. Rs. 13 and 14 E., bears S. 33° 57' 55" W., 5952.83 ft. dist., previously described.</p>
	<p style="text-align: center;">No local bearing objects or bearing trees available.</p>
	<p style="text-align: center;">Thence West</p>
55.00	Center of road, bears North and South.
330.00	Cor. No. 2, identical with cor. Nos. 3, 3 and 4 of the Pinto Valley Nos. 239, 238 and 4 mill-sites of this survey.
550.00	<p style="text-align: center;">Thence North</p> Center of creek, course West.
660.00	Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 4, 15 and 14 mill-sites

FEET	
	of this survey.
	Thence East
330.00	Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 14, 13 and 6 mill-sites of this survey.
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV5-4-PV14-2-PV13-4-PV6-2-4686.
	No local bearing objects or bearing trees available.
	Thence South
240.00	Center of creek, course N. 57° W.
595.00	Center of road, bears N. 80° E. and S. 80° W.
660.00	Cor. No. 1, and the place of beginning.
PINTO VALLEY NO. 6 MILLSITE	
	Beginning at cor. No. 1 of the Pinto Valley No. 6 millsite, identical with cor. No. 1 of the Pinto Valley No. 5 millsite of this survey.
	Thence North
65.00	Center of road, bears N. 80° E. and S. 80° W.
420.00	Center of creek, course N. 57° W.
660.00	Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 5, 14 and 13 mill-sites of this survey.
	Thence East
330.00	Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 13, 12, and 7 millsites of this survey.
	This cor. falls on the edge of a rock ledge.
	Set an iron pin, 18 ins. long, 5/8 in. diam., in mound of stone & concrete, with aluminum cap, mkd. PV6-3-PV13-3-PV12-3-PV7-3-4686.
	No local bearing objects or bearing trees available.
	Thence South
315.00	Center of creek, course N. 63° W.
485.00	Center of road, bears N. 80° E. and N. 70° W.
660.00	Cor. No. 4, identical with cor. Nos. 2, 2 and 4 of the Pinto Valley Nos. 7, 240 and 239 mill-sites of this survey.

FEET		
	Thence West	
330.00	Cor. No. 1, and the place of beginning.	
	PINTO VALLEY NO. 7 MILLSITE	
	Beginning at cor. No. 1 of the Pinto Valley No. 7 millsite, identical with cor. No. 1 of the Pinto Valley No. 8 and on line 2 - 3 of the Pinto Valley No. 240 millsites of this survey.	
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV7-1-PV8-1-4686, from which	
	The standard cor. of Secs. 36 and 31 T. 1 N., Rs. 13 and 14 E., bears S. 38° 54' 51" W., 6345.22 ft. dist., previously described.	
	No local bearing objects or bearing trees available.	
	Thence West	
330.00	Cor. No. 2, identical with cor. Nos. 2, 4 and 4 of the Pinto Valley Nos. 240, 239 and 6 millsites of this survey.	
	Thence North	
175.00	Center of road, bears N. 80° E. and N. 70° W.	
345.00	Center of creek, course N. 63° W.	
660.00	Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 6, 13 and 12 millsites of this survey.	
	Thence East	
330.00	Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 12, 11 and 8 millsites of this survey.	
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV7-4-PV12-2-PV11-4-PV8-2-4686.	
	No local bearing objects or bearing trees available.	
	Thence South	
480.00	Center of road, bears N. 40° E. and S. 86° W.	
660.00	Cor. No. 1, and the place of beginning.	
	PINTO VALLEY NO. 8 MILLSITE	
	Beginning at cor. No. 1 of the Pinto Valley No. 8 millsite, identical with cor. No. 1 of the Pinto Valley No. 7 millsite of this survey.	

FEET	
	Thence North
180.00	Center of road, bears N. 40° E. and S. 86° W.
660.00	Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 7, 12 and 11 mill-sites of this survey.
	Thence East
105.00	Center of road, bears N. 22° E. and S. 22° W.
330.00	Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 11, 10 and 9 mill-sites of this survey.
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV8-3-PV11-3-PV10-3-PV9-3-4686.
	No local bearing objects or bearing trees available.
	Thence South
100.00	Center of road, bears N. 39° E. and S. 39° W.
545.00	Center of creek, course S. 75° W.
660.00	Cor. No. 4, identical with cor. Nos. 2, 2 and 3 of the Pinto Valley Nos. 9, 241 and 240 mill-sites of this survey.
	Thence West
90.00	Center of creek, course S. 10° W.
320.00	Center of road, bears North and South.
330.00	Cor. No. 1, and the place of beginning.
	PINTO VALLEY NO. 9 MILLSITE
	Beginning at cor. No. 1 of the Pinto Valley No. 9 millsite, identical with cor. No. 4 of the Pinto Valley No. 244 and on line 2 - 3 of the Pinto Valley No. 241 millsites of this survey.
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV9-1-PV244-4-4686, from which
	The standard cor. of secs. 36 and 31 T. 1 N., Rs. 13 and 14 E., bears S. 43° 15' 31" W., 6779.29 ft. dist., previously described.
	Thence West
330.00	Cor. No. 2, identical with cor. Nos. 2, 3 and 4 of the Pinto Valley Nos. 241, 240 and 8 mill-sites of this survey.
	Thence North

FEET		
115.00	Center of creek, course S. 75° W.	
560.00	Center of road, bears N. 39° E. and S. 39° W.	
660.00	Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 8, 11 and 10 millsites of this survey.	
	Thence East	
315.00	Center of road, bears N. 62° E. and S. 62° W.	
330.00	Cor. No. 4, identical with cor. No. 2 of the Pinto Valley No. 10 and on line 4 - 1 of the Pinto Valley No. 244 millsites of this survey.	
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd PV9-4-PV10-2-4686.	
	No local bearing objects or bearing trees available.	
	Thence South	
465.00	Center of creek, course S. 69° W.	
660.00	Cor. No. 1, and the place of beginning.	
	PINTO VALLEY NO. 244 MILLSITE	
	Beginning at cor. No. 1 of the Pinto Valley No. 244 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 10, 27 and 245 millsites of this survey.	
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV244-1-PV10-1-PV27-1-PV245-1-4686, from which	
	The standard cor. of secs. 36 and 31, T. 1 N., Rs. 13 and 14 E., bears S. 36° 35' 35" W., 7793.28 ft. dist., previously described.	
	No local bearing objects or bearing trees available.	
	Thence East	
165.00	Cor. No. 2, identical with cor. No. 4 of the Pinto Valley No. 245 millsite of this survey.	
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV244-2-PV245-4-4686.	
	No local bearing objects or bearing trees available.	
	Thence South	
670.00	Center of road, bears N. 37° E. and S. 60° W.	

FEET	
1,100.00	Center of creek, course S. 75° W.
1,320.00	Cor. No. 3, identical with cor. No. 3 of the Pinto Valley No. 241 millsite of this survey.
	Thence West
165.00	Cor. No. 4, identical with cor. No. 1 of the Pinto Valley No. 9 millsite of this survey.
	Thence North
195.00	Center of creek, course S. 69° W.
660.00	Intersect cor. Nos. 4 and 2 of the Pinto Valley Nos. 9 and 10 millsites of this survey.
680.00	Center of road, bears N. 62° E. and S. 62° W.
1,320.00	Cor. No. 1, and the place of beginning.
	PINTO VALLEY NO. 10 MILLSITE
	Beginning at cor. No. 1 of the Pinto Valley No. 10 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 27, 245 and 244 millsites of this survey.
	Thence South
640.00	Center of road, bears N. 62° E. and S. 62° W.
660.00	Cor. No. 2, identical with cor. No. 4 of the Pinto Valley No. 9 millsite of this survey.
	Thence West
15.00	Center of road, bears N. 62° E. and S. 62° W.
330.00	Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 9, 8 and 11 millsites of this survey.
	Thence North
240.00	Center of road, bears North and S. 35° W.
400.00	Center of road, bears South and N. 39° E.
660.00	Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 11, 26 and 27 millsites of this survey.
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV10-4-PV11-2-PV26-4-PV27-2-4686.
	No local bearing objects or bearing trees available.
	Thence East
25.00	Center of road, bears North and South.

(This form bound on left side)

FEET	
330.00	Cor. No. 1, and the place of beginning.
<p>PINTO VALLEY NO. 27 MILLSITE</p>	
<p>Beginning at cor. No. 1 of the Pinto Valley No. 27 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 245, 244 and 10 millsites, of this survey.</p>	
<p>Thence West</p>	
305.00	Center of road, bears North and South.
330.00	Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 10, 11 and 26 millsites of this survey.
<p>Thence North</p>	
460.00	Center of road, bears N. 60° E. and S. 60° W.
660.00	Cor. No. 3, identical with cor. Nos. 3, 3 and 1 of the Pinto Valley Nos. 26, 229 and 228 millsites of this survey.
<p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV27-3-PV26-3-PV229-3-PV228-1-4686.</p>	
<p>No local bearing objects or bearing trees available.</p>	
<p>Thence East</p>	
330.00	Cor. No. 4, identical with cor. No. 4 of the Pinto Valley No. 228 and on line 1 - 2 of the Pinto Valley No. 245 millsites of this survey.
<p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV27-4-PV228-4-4686.</p>	
<p>No local bearing objects or bearing trees available.</p>	
<p>Thence South</p>	
660.00	Cor. No. 1, and the place of beginning.
<p>PINTO VALLEY NO. 245 MILLSITE</p>	
<p>Beginning at cor. No. 1 of the Pinto Valley No. 245 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 244, 10 and 27 millsites of this survey.</p>	
<p>Thence North</p>	
660.00	Intersect cor. Nos. 4 of the Pinto Valley Nos. 27 and 228 millsites of this survey.

FEET		
1,320.00	<p>Cor. No. 2, identical with cor. No. 3 of the Pinto Valley No. 228 millsite of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV245-2-PV228-3-4686.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence East</p>	
165.00	<p>Cor. No. 3.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV245-3-4686.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence South</p>	
1,320.00	<p>Cor. No. 4, identical with cor. No. 2 of the Pinto Valley No. 244 millsite of this survey.</p> <p>Thence West</p>	
165.00	<p>Cor. No. 1, and the place of beginning.</p>	
<p>PINTO VALLEY NO. 11 MILLSITE</p>		
<p>Beginning at cor. No. 1 of the Pinto Valley No. 11 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 12, 25 and 26 millsites of this survey.</p>		
<p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV11-1-PV12-1-PV25-1-PV26-1-4686, from which</p>		
<p>The standard cor. of secs. 36 and 31, T. 1 N., Rs. 13 and 14 E., bears S. 32° 29' 50" W., 7418.78 ft. dist., previously described.</p>		
<p>No local bearing objects or bearing trees available.</p>		
<p>Thence East</p>		
330.00	<p>Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 26, 27 and 10 millsites of this survey.</p> <p>Thence South</p>	
260.00	<p>Center of road, bears N. 39° E. and South.</p>	
420.00	<p>Center of road, bears S. 35° W. and North.</p>	
660.00	<p>Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 10, 9 and 8 millsites of this survey.</p>	

FEET	
	Thence West
225.00	Center of road, bears N. 22° E. and S. 22° W.
330.00	Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 8, 7 and 12 mill-sites of this survey.
	Thence North
250.00	Center of road, bears N. 83° W. and S. 83° E.
360.00	Center of road, bears N. 57° W. and S. 57° E.
660.00	Cor. No. 1, and the place of beginning.
	PINTO VALLEY NO. 12 MILLSITE
	Beginning at cor. No. 1 of the Pinto Valley No. 12 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 25, 26 and 11 millsites of this survey.
	Thence South
300.00	Center of road, bears N. 57° W. and S. 57° E.
410.00	Center of road, bears N. 83° W. and S. 83° E.
660.00	Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 11, 8 and 7 millsites of this survey.
	Thence West
330.00	Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 7, 6 and 13 millsites of this survey.
	Thence North
660.00	Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 13, 24 and 25 mill-sites of this survey.
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV12-4-PV13-2-PV24-4-PV25-2-4686.
	No local bearing object or bearing trees available.
	Thence East
330.00	Cor. No. 1, and the place of beginning.
	PINTO VALLEY NO. 25 MILLSITE
	Beginning at cor. No. 1 of the Pinto Valley No. 25 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 26, 11 and 12 millsites of this survey.

FEET	
	Thence West
330.00	Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 12, 13 and 24 mill-sites of this survey.
	Thence North
540.00	Center of road, bears N. 34° E. and S. 34° W.
660.00	Cor. No. 3, identical with cor. Nos. 3, 2 and 4 of the Pinto Valley Nos. 24, 231 and 229 mill-sites of this survey.
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV25-3-PV24-3-PV231-2-PV229-4-4686.
	No local bearing objects or bearing trees available.
	Thence East
55.00	Center of road, bears N. 12° E. and S. 12° W.
330.00	Cor. No. 4, identical with cor. No. 2 of the Pinto Valley No. 26 and on line 3 - 4 of the Pinto Valley No. 229 millsites of this survey.
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV25-4-PV26-2-4686.
	No local bearing objects or bearing trees available.
	Thence South
660.00	Cor. No. 1, and the place of beginning.
	PINTO VALLEY NO. 26 MILLSITE
	Beginning at cor. No. 1 of the Pinto Valley No. 26 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 11, 12 and 25 millsites of this survey.
	Thence North
660.00	Cor. No. 2, identical with cor. No. 4 of the Pinto Valley No. 25 millsite of this survey.
	Thence East
190.00	Center of road, bears N. 45° E. and S. 45° W.
330.00	Cor. No. 3, identical with cor. Nos. 3, 1 and 3 of the Pinto Valley Nos. 229, 228 and 27 mill-sites of this survey.
	Thence South
200.00	Center of road, bears N. 60° E. and S. 60° W.

FEET	
660.00	<p>Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 27, 10 and 11 mill-sites of this survey.</p> <p style="text-align: center;">Thence West</p>
330.00	<p>Cor. No. 1, and the place of beginning.</p>
<p>PINTO VALLEY NO. 13 MILLSITE</p>	
<p>Beginning at cor. No. 1 of the Pinto Valley No. 13 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 14, 23 and 24 millsites of this survey.</p>	
<p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 in. in the ground, with aluminum cap, mkd. PV13-1-PV14-1-PV23-1-PV24-1-4686, from which</p>	
<p>The standard cor. of secs. 36 and 31 T. 1 N., Rs. 13 and 14 E., bears S. 27° 59' 29" W., 7086.09 ft. dist., previously described.</p>	
<p style="text-align: center;">No local bearing objects or bearing trees available.</p>	
<p>Thence East</p>	
330.00	<p>Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 24, 25 and 12 mill-sites of this survey.</p>
<p>Thence South</p>	
660.00	<p>Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 12, 7 and 6 millsites of this survey.</p>
<p>Thence West</p>	
330.00	<p>Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 6, 5 and 14 mill-sites of this survey.</p>
<p>Thence North</p>	
660.00	<p>Cor. No. 1, and the place of beginning.</p>
<p>PINTO VALLEY NO. 14 MILLSITE</p>	
<p>Beginning at cor. No. 1 of the Pinto Valley No. 14 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 23, 24 and 13 millsites of this survey.</p>	
<p>Thence South</p>	
660.00	<p>Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 13, 6 and 5 millsites of this survey</p>
<p>Thence West</p>	

FEET		
330.00	<p>Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 5, 4 and 15 millsites of this survey.</p> <p style="text-align: center;">Thence North</p>	
660.00	<p>Cor No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 15, 22 and 23 millsites of this survey.</p>	
	<p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV14-4-PV15-2-PV22-4-PV23-2-4686.</p>	
	<p style="text-align: center;">No local bearing objects or bearing trees available.</p>	
	<p style="text-align: center;">Thence East</p>	
330.00	<p>Cor. No. 1, and the place of beginning.</p>	
<p>PINTO VALLEY NO. 23 MILLSITE</p>		
	<p>Beginning at cor. No. 1 of the Pinto Valley No. 23 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 24, 13 and 14 millsites of this survey.</p>	
	<p style="text-align: center;">Thence West</p>	
330.00	<p>Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 14, 15 and 22 millsites of this survey.</p>	
	<p style="text-align: center;">Thence North</p>	
258.00	<p>Center of road, bears N. 89° E. and S. 89° W.</p>	
470.00	<p>Center of creek, course S. 82° W.</p>	
660.00	<p>Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 22, 233 and 231 millsites of this survey.</p>	
	<p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV23-3-PV22-3-PV233-3-PV231-3-4686.</p>	
	<p style="text-align: center;">No local bearing objects or bearing trees available.</p>	
	<p style="text-align: center;">Thence East</p>	
330.00	<p>Cor. No. 4, identical with cor. No. 2 of the Pinto Valley No. 24 and on line 2 - 3 of the Pinto Valley No. 231 millsites of this survey.</p>	
	<p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV23-4-PV24-2-4686.</p>	
	<p style="text-align: center;">No local bearing objects or bearing trees available.</p>	

FEET		
	Thence South	
235.00	Center of creek, course S. 82° W.	
462.00	Center of road, bears N. 59° W. and S. 59° E.	
660.00	Cor. No. 1, and the place of beginning.	
PINTO VALLEY NO. 24 MILLSITE		
Beginning at cor. No. 1 of the Pinto Valley No. 24 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 13, 14 and 23 millsites of this survey.		
	Thence North	
198.00	Center of road, bears N. 59° W. and S. 59° E.	
425.00	Center of creek, course S. 82° W.	
660.00	Cor. No. 2, identical with cor. No. 4 of the Pinto Valley No. 23, millsite of this survey.	
	Thence East	
250.00	Center of creek, course S. 46° W.	
330.00	Cor. No. 3, identical with cor. Nos. 2, 4 and 3 of the Pinto Valley Nos. 231, 229 and 25 millsites of this survey.	
	Thence South	
120.00	Center of road, bears N. 34° E. and S. 34° W.	
660.00	Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 25, 12 and 13 millsites of this survey.	
	Thence West	
330.00	Cor. No. 1, and the place of beginning.	
PINTO VALLEY NO. 15 MILLSITE		
Beginning at cor. No. 1 of the Pinto Valley No. 15 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 16, 21 and 22 millsites of this survey		
Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV15-1-PV16-1-PV21-1-PV22-1-4686, from which		
The standard cor. of secs. 36 and 31, T. 1 N. Rs. 13 and 14 E., bears S. 23° 04' 33" W., 6801.34 ft. dist., previously described.		
No local bearing objects or bearing trees available.		
	Thence East	

FEET	
330.00	<p>Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 22, 23 and 14 millsites of this survey.</p> <p style="text-align: center;">Thence South</p>
660.00	<p>Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 14, 5 and 4 millsites of this survey.</p> <p style="text-align: center;">Thence West</p>
330.00	<p>Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 4, 3 and 16 millsites of this survey.</p> <p style="text-align: center;">Thence North</p>
660.00	<p>Cor. No. 1, and the place of beginning.</p>
<p>PINTO VALLEY NO. 16 MILLSITE</p>	
<p>Beginning at cor. No. 1 of the Pinto Valley No. 16 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 21, 22 and 15 millsites of this survey.</p>	
<p>Thence South</p>	
660.00	<p>Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 15, 4 and 3 millsites of this survey.</p> <p style="text-align: center;">Thence West</p>
330.00	<p>Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 3, 2 and 17 millsites of this survey.</p> <p style="text-align: center;">Thence North</p>
660.00	<p>Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 17, 20 and 21 millsites of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV16-4-PV17-2-PV20-4-PV21-2-4686.</p> <p style="text-align: center;">No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence East</p>
330.00	<p>Cor. No. 1, and the place of beginning.</p>
<p>PINTO VALLEY NO. 21 MILLSITE</p>	
<p>Beginning at cor. No. 1 of the Pinto Valley No. 21 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 22, 15 and 16 millsites of this survey.</p>	

FEET		
	Thence West	
330.00	Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 16, 17 and 20 mill-sites of this survey.	
	Thence North	
145.00	Center of road, bears N. 72° E. and S. 72° W.	
250.00	Center of creek, course S. 72° W.	
660.00	Cor. No. 3, identical with cor. Nos. 3, 2 and 4 of the Pinto Valley Nos. 20, 235 and 233 mill-sites of this survey.	
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap. mkd. PV21-3-PV20-3-PV235-2-PV233-4-4686.	
	No local bearing objects or bearing trees available.	
	Thence East	
330.00	Cor. No. 4, identical with cor. No. 2 of the Pinto Valley No. 22 and on line 3 - 4 Pinto Valley No. 233 millsites of this survey.	
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV21-4-PV22-2-4686.	
	No local bearing objects or bearing trees available.	
	Thence South	
220.00	Center of creek, course S. 58° W.	
435.00	Center of road, bears N. 77° E. and S. 77° W.	
660.00	Cor. No. 1, and the place of beginning.	
	PINTO VALLEY NO. 22 MILLSITE	
	Beginning at cor. No. 1 of the Pinto Valley No. 22 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 15, 16 and 21 millsites of this survey.	
	Thence North	
225.00	Center of road, bears N. 77° E., and S. 77° W.	
440.00	Center of creek, course S. 58° W.	
660.00	Cor. No. 2, identical with cor. No. 4 of the Pinto Valley No. 21 millsite of this survey.	
	Thence East	

FEET	
330.00	<p>Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 233, 231 and 23 millsites of this survey.</p> <p style="text-align: center;">Thence South</p>
190.00	Center of creek, course S. 82° W.
402.00	Center of road, bears N. 89° E. and S. 89° W.
660.00	<p>Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 23, 14 and 15 millsites of this survey.</p> <p style="text-align: center;">Thence West</p>
330.00	Cor. No. 1, and the place of beginning.
<p>PINTO VALLEY NO. 17 MILLSITE</p> <p>Beginning at cor. No. 1 of the Pinto Valley No. 17 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 18, 19 and 20 millsites of this survey.</p> <p>This cor. falls in the County Road.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 4 ins. below the surface of the ground, with aluminum cap, mkd. PV17-1-PV18-1-PV19-1-PV20-1-4686, from which</p> <p style="padding-left: 40px;">The standard cor. of secs. 36 and 31, T. 1 N., Rs. 13 and 14 E., bears S. 17° 46' 26" W., 6570.77 ft. dist., previously described.</p> <p style="padding-left: 40px;">An iron pin, 12 ins. long, 5/8 in. diam., 8 ins. in the ground, bears North 30 ft. dist. with aluminum cap, mkd. +4686-WC.</p> <p style="padding-left: 40px;">A Pinon Pine, 16 ins. diam., bears S. 49° 06' W., 24.4 ft. dist., mkd. +4686-BT</p> <p style="text-align: center;">Thence East</p>	
160.00	Center of road, bears N. 40° E. and S. 40° W.
330.00	<p>Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 20, 21 and 16 millsites of this survey.</p> <p style="text-align: center;">Thence South</p>
660.00	<p>Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 16, 3 and 2 millsites of this survey.</p> <p style="text-align: center;">Thence West</p>
330.00	<p>Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 2, 1 and 18 millsites of this survey.</p>

FEET		
	Thence North	
380.00	Center of road, bears N. 49° E. and S. 49° W.	
645.00	Center of road, bears N. 57° W. and S. 57° E.	
660.00	Cor. No. 1, and the place of beginning.	
PINTO VALLEY NO. 18 MILLSITE		
Beginning at cor. No. 1 of the Pinto Valley No. 18 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 19, 20 and 17 millsites of this survey.		
	Thence South	
15.00	Center of road, bears N. 57° W. and S. 57° E.	
280.00	Center of road bears N. 49° E. and S. 49° W.	
660.00	Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 17, 2 and 1 millsites of this survey.	
	Thence West	
45.00	Center of road, bears N. 28° W. and S. 28° E.	
330.00	Cor. No. 3, identical with cor. No. 3 of the Pinto Valley No. 1 millsite of this survey.	
	Thence North	
660.00	Cor. No. 4, identical with cor. No. 2 of the Pinto Valley No. 19 millsite of this survey.	
Set an iron pin, 18 ins. long, 5/8 in. diam., 11 ins. in the ground, with aluminum cap, mkd. PV18-4-PV19-2-4686, from which		
A Pinon Pine, 10 ins. diam., bears S. 65° 40' E., 90.8 ft. dist., mkd. +-4686-BT.		
A Juniper, 6 ins. diam., bears S. 29° 43' E. 25.0 ft. dist., mkd. +-4686-BT.		
A Juniper, 6 ins. diam., bears N. 73° W., 18.0 ft. dist., mkd. +-4686-BT.		
	Thence East	
60.00	Center of creek, course N. 40° W.	
245.00	Center of creek, course S. 50° W.	
315.00	Center of road, bears N. 57° W. and S. 57° E.	
330.00	Cor. No. 1, and the place of beginning.	
PINTO VALLEY NO. 19 MILLSITE		

FEET	
	Beginning at cor. No. 1 of the Pinto Valley No. 19 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 20, 17 and 18 millsites of this survey.
	Thence West
15.00	Center of road, bears N. 57° W. and S. 57° E.
85.00	Center of creek, course S. 50° W.
270.00	Center of creek, course N. 40° W.
330.00	Cor. No. 2, identical with cor. No. 4 of the Pinto Valley No. 18 millsite of this survey.
	Thence North
60.00	Center of creek, course N. 75° W.
660.00	Cor. No. 3, identical with cor. No. 3 of the Pinto Valley No. 235 millsite of this survey.
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV19-3-PV235-3-4686, from which
	A Pinon Pine 12 ins. diam., bears S. 46° E., 40.76 ft. dist., mkd. +-4686-BT.
	Thence East
210.00	Center of road, bears N. 7° E. and S. 7° W.
330.00	Cor. No. 4, identical with cor. No. 2 of the Pinto Valley No. 20 and on line 2 - 3 of the Pinto Valley No. 235 millsites of this survey.
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV19-4-PV20-2-4686.
	No local bearing objects or bearing trees available.
	Thence South
30.00	Center of road, bears N. 71° E. and S. 71° W.
580.00	Center of creek, course bears S. 59° W.
630.00	Witness cor. to cor. Nos. 1 of the Pinto Valley Nos. 17, 18, 19 and 20 millsites previously described.
660.00	Cor. No. 1, and the place of beginning
	PINTO VALLEY NO. 20 MILLSITE
	Beginning at cor. No. 1 of the Pinto Valley No. 20 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 17, 18 and 19 millsites of this survey.

FEET		
	Thence North	
30.00	Witness cor. to cor. Nos. 1 of the Pinto Valley Nos. 17, 18, 19 and 20 millsites, previously described.	
80.00	Center of creek, course bears S. 59° W.	
630.00	Center of road, bears N. 71° E. and S. 71° W.	
660.00	Cor. No. 2, identical with cor. No. 4 of the Pinto Valley No. 19 millsite of this survey.	
	Thence East	
100.00	Center of road, bears N. 45° E. and S. 71° W.	
330.00	Cor. No. 3, identical with cor. Nos. 2, 4 and 3 of the Pinto Valley Nos. 235, 233 and 21 millsites of this survey.	
	Thence South	
410.00	Center of creek, course S. 72° W.	
515.00	Center of road, bears N. 72° E. and S. 72° W.	
660.00	Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 21, 16 and 17 millsites of this survey.	
	Thence West	
170.00	Center of road, bears N. 40° E. and S. 40° W.	
330.00	Cor. No. 1, and the place of beginning.	
	PINTO VALLEY NO. 235 MILLSITE	
	Beginning at cor. No. 1 of the Pinto Valley No. 235 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 236, 234 and 233 millsites of this survey.	
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV235-1-PV236-1-PV234-1-PV233-1-4686, from which	
	The standard cor. of secs. 36 and 31, T. 1 N., Rs. 13 and 14 E., bears S. 17° 51' 52" W., 7614.26 ft. dist., previously described.	
	No local bearing objects or bearing trees available.	
	Thence South	
330.00	Cor. No. 2, identical with cor. Nos. 4, 3 and 3 of the Pinto Valley Nos. 233, 21 and 20 millsites of this survey.	
	Thence West	

FEET	
230.00	Center of road, bears N. 45° E. and S. 71° W.
330.00	Intersect cor. Nos. 2 and 4 of the Pinto Valley Nos. 20 and 19 millsites of this survey.
450.00	Center of road, bears N. 7° E. and S. 7° W.
660.00	Cor. No. 3, identical with cor. No. 3 of the Pinto Valley No. 19 millsite of this survey.
	Thence North
285.00	Center of road, bears N. 87° E. and S. 62° W.
330.00	Cor. No. 4, identical with cor. No. 2 of the Pinto Valley No. 236 millsite of this survey.
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV235-4-PV236-2-4686, from which
	A Juniper, 10 ins. diam., bears N. 11° 23' W., 18.3 ft. dist., mkd. +-4686-BT.
	Thence East
260.00	Center of road, bears S. 48° W. and S. 21° E.
600.00	Center of road, bears N. 9° E. and S. 9° W.
660.00	Cor. No. 1, and the place of beginning.
PINTO VALLEY NO. 236 MILLSITE	
	Beginning at cor. No. 1 of the Pinto Valley No. 236 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 234, 233 and 235 millsites of this survey.
	Thence West
60.00	Center of road, bears N. 9° E. and S. 9° W.
400.00	Center of road, bears S. 21° E. and S. 48° W.
660.00	Cor. No. 2, identical with cor. No. 4 of the Pinto Valley No. 235 millsite of this survey.
	Thence North
330.00	Cor. No. 3.
	Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV236-3-4686, from which
	A Pinon Pine, 10 ins. diam., bears N. 29° 42' W., 50.0 ft. dist., mkd. +-4686-BT.
	A Juniper, 8 ins. diam., bears N. 58° 30' E., 58.7 ft. dist., mkd. +-4686-BT.
	Thence East

FEET	
660.00	<p>Cor. No. 4, identical with cor. No. 2 of the Pinto Valley No. 234 millsite of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV236-4-PV234-2-4686, from which</p> <p>A Pinon Pine, 9 ins. diam., bears S. 54° 30' W., 33.2 ft. dist., mkd. +-4686-BT.</p> <p>Thence South</p>
293.00	Center of road, bears N. 73° E. and S. 73° W.
330.00	Cor. No. 1, and the place of beginning.
PINTO VALLEY NO. 234 MILLSITE	
<p>Beginning at cor. No. 1 of the Pinto Valley No. 234 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 233, 235 and 236 millsites of this survey.</p> <p>Thence North</p>	
37.00	Center of road, bears N. 73° E. and S. 73° W.
330.00	<p>Cor. No. 2, identical with cor. No. 4 of the Pinto Valley No. 236 millsite of this survey.</p> <p>Thence East</p>
405.00	Center of road, bears N. 80° E. and S. 80° W.
660.00	<p>Cor. No. 3, identical with cor. No. 3 of the Pinto Valley No. 232 millsite of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV234-3-PV232-3-4686, from which</p> <p>A Pinon Pine, 14 ins. diam., bears S. 7° E., 27.2 ft. dist., mkd. +-4686-BT.</p> <p>Thence South</p>
330.00	<p>Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 232, 231 and 233 millsites of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV234-4-PV232-2-PV231-4-PV233-2-4686.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence West</p>
660.00	Cor. No. 1, and the place of beginning.
PINTO VALLEY NO. 233 MILLSITE	

FEET	
	<p>Beginning at cor. No. 1 of the Pinto Valley No. 233 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 235, 236 and 234 millsites of this survey.</p> <p style="text-align: center;">Thence East</p>
660.00	<p>Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 234, 232 and 231 millsites of this survey.</p> <p style="text-align: center;">Thence South</p>
330.00	<p>Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 231, 23 and 22 millsites of this survey.</p> <p style="text-align: center;">Thence West</p>
330.00	<p>Intersect cor. Nos. 2 and 4 of the Pinto Valley Nos. 22 and 21 millsites of this survey.</p>
660.00	<p>Cor. No. 4, identical with cor. Nos. 3, 3 and 2 of the Pinto Valley Nos. 21, 20 and 235 millsites of this survey.</p> <p style="text-align: center;">Thence North</p>
330.00	<p>Cor. No. 1, and the place of beginning.</p>
<p>PINTO VALLEY NO. 231 MILLSITE</p>	
	<p>Beginning at cor. No. 1 of the Pinto Valley No. 231 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 232, 230 and 229 millsites of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV231-1-PV232-1-PV230-1-PV229-1-4686, from which</p> <p style="text-align: center;">The standard cor. of secs. 36 and 31, T. 1 N., Rs. 13 and 14 E. bears S. 26° 46' 07" W., 8117.01 ft. dist., previously described.</p> <p style="text-align: center;">No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence South</p>
115.00	<p>Center of road, bears N. 20° W. and S. 20° E.</p>
330.00	<p>Cor. No. 2, identical with cor. Nos. 4, 3 and 3 of the Pinto Valley Nos. 229, 25 and 24 millsites of this survey.</p> <p style="text-align: center;">Thence West</p>
80.00	<p>Center of creek, course S. 46° W.</p>
330.00	<p>Intersect cor. Nos. 2 and 4 of the Pinto Valley Nos. 24 and 23 millsites of this survey.</p>

FEET	
660.00	<p>Cor. No. 3, identical with cor. Nos. 3 of the Pinto Valley Nos. 23, 22 and 233 millsites of this survey.</p> <p style="text-align: center;">Thence North</p>
330.00	<p>Cor. No. 4, identical with cor. Nos. 2, 4 and 2 of the Pinto Valley Nos. 233, 234 and 232 millsites of this survey.</p> <p style="text-align: center;">Thence East</p>
590.00	Center of creek, course S. 3° W.
630.00	Center of road, bears N. 20° W. and S. 20° E.
660.00	Cor. No. 1, and the place of beginning.
PINTO VALLEY NO. 232 MILLSITE	
<p>Beginning at cor. No. 1 of the Pinto Valley No. 232 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 230, 229 and 231 millsites of this survey.</p> <p style="text-align: center;">Thence West</p>	
30.00	Center of road, bears N. 20° W. and S. 20° E.
70.00	Center of creek, course S. 3° W.
660.00	<p>Cor. No. 2, identical with cor. Nos. 4, 2 and 4 of the Pinto Valley Nos. 231, 233 and 234 millsites of this survey.</p> <p style="text-align: center;">Thence North</p>
330.00	<p>Cor. No. 3, identical with cor. No. 3 of the Pinto Valley No. 234 millsite of this survey.</p> <p style="text-align: center;">Thence East</p>
465.00	Center of road, bears N. 21° W. and S. 21° E.
535.00	Center of creek, course S. 19° E.
660.00	<p>Cor. No. 4, identical with cor. No. 2 of the Pinto Valley No. 230 millsite of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV232-4-PV230-2-4686.</p> <p style="text-align: center;">No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence South</p>
330.00	Cor. No. 1, and the place of beginning.
PINTO VALLEY NO. 230 MILLSITE	

FEET	
	<p>Beginning at cor. No. 1 of the Pinto Valley No. 230 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 229, 231 and 232 millsites of this survey.</p> <p style="text-align: center;">Thence North</p>
330.00	<p>Cor. No. 2, identical with cor. No. 4 of the Pinto Valley No. 232 millsite of this survey.</p> <p style="text-align: center;">Thence East</p>
255.00	Center of road, bears N. 7° E. and S. 7° W.
660.00	<p>Cor. No. 3, identical with cor. No. 2 of the Pinto Valley No. 228 millsite of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV230-3-PV228-2-4686.</p> <p style="text-align: center;">No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence South</p>
315.00	Center of road, bears N. 54° E. and S. 54° W.
330.00	<p>Cor. No. 4, identical with cor. No. 2 of the Pinto Valley No. 229 and on line 1 - 2 of the Pinto Valley No. 228 millsites of this survey.</p> <p>Set an iron pin, 18 ins. long, 5/8 in. diam., 14 ins. in the ground, with aluminum cap, mkd. PV230-4-PV229-2-4686.</p> <p style="text-align: center;">No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence West</p>
20.00	Center of road, bears N. 54° E. and S. 54° W.
225.00	Center of road, bears N. 26° W. and S. 26° E.
660.00	Cor. No. 1, and the place of beginning.
PINTO VALLEY NO. 229 MILLSITE	
	<p>Beginning at cor. No. 1 of the Pinto Valley No. 229 millsite, identical with cor. Nos. 1 of the Pinto Valley Nos. 231, 232 and 230 millsites of this survey.</p> <p style="text-align: center;">Thence East</p>
435.00	Center of road, bears N. 26° W. and S. 26° E.
640.00	Center of road, bears N. 54° E. and S. 54° W.
660.00	Cor. No. 2, identical with cor. No. 4 of the Pinto Valley No. 230 millsite of this survey.

FEET		
	Thence South	
155.00	Center of road, bears N. 21° E. and S. 21° W.	
330.00	Cor. No. 3, identical with cor. Nos. 1, 3 and 3 of the Pinto Valley Nos. 228, 27 and 26 mill-sites of this survey.	
	Thence West	
140.00	Center of road, bears N. 45° E. and S. 45° W.	
330.00	Intersect cor. Nos. 2 and 4 of the Pinto Valley Nos. 26 and 25 millsites of this survey.	
605.00	Center of road, bears N. 12° E. and S. 12° W.	
660.00	Cor. No. 4, identical with cor. Nos. 3, 3 and 2 of the Pinto Valley Nos. 25, 24 and 231 mill-sites of this survey.	
	Thence North	
215.00	Center of road, bears N. 20° W. and S. 20° E.	
330.00	Cor. No. 1, and the place of beginning.	
PINTO VALLEY NO. 228 MILLSITE		
Beginning at cor. No. 1 of the Pinto Valley No. 228 millsite, identical with cor. Nos. 3 of the Pinto Valley Nos. 27, 26 and 229 mill-sites of this survey, from which		
The standard cor. of secs. 36 and 31, T. 1 N., Rs. 13 and 14 E. bears S. 31° 57' 40" W., 8153.09 ft. dist., previously described.		
	Thence North	
175.00	Center of road, bears N. 21° E. and S. 21° W.	
330.00	Intersect cor. Nos. 2 and 4 of the Pinto Valley Nos. 229 and 230 millsites of this survey.	
345.00	Center of road, bears N. 54° E. and S. 54° W.	
660.00	Cor. No. 2, identical with cor. No. 3 of the Pinto Valley No. 230 millsite of this survey.	
	Thence East	
330.00	Cor. No. 3, identical with cor. No. 2 of the Pinto Valley No. 245 millsite of this survey.	
	Thence South	
660.00	Cor. No. 4, identical with cor. No. 4 of the Pinto Valley No. 27 millsite of this survey	
	Thence West	
330.00	Cor. No. 1, and the place of beginning.	

FEET	AREAS	Acres
	Total Area, Pinto Valley No. 237 Millsite	5.000
	Total Area, Pinto Valley No. 238 Millsite	5.000
	Total Area, Pinto Valley No. 239 Millsite	5.000
	Total Area, Pinto Valley No. 240 Millsite	5.000
	Total Area, Pinto Valley No. 242 Millsite	5.000
	Total Area, Pinto Valley No. 243 Millsite	2.917
	Total Area, Pinto Valley No. 241 Millsite	3.750
	Total Area, Pinto Valley No. 1 Millsite	5.000
	Total Area, Pinto Valley No. 2 Millsite	5.000
	Total Area, Pinto Valley No. 3 Millsite	5.000
	Total Area, Pinto Valley No. 4 Millsite	5.000
	Total Area, Pinto Valley No. 5 Millsite	5.000
	Total Area, Pinto Valley No. 6 Millsite	5.000
	Total Area, Pinto Valley No. 7 Millsite	5.000
	Total Area, Pinto Valley No. 8 Millsite	5.000
	Total Area, Pinto Valley No. 9 Millsite	5.000
	Total Area, Pinto Valley No. 244 Millsite	5.000
	Total Area, Pinto Valley No. 10 Millsite	5.000
	Total Area, Pinto Valley No. 27 Millsite	5.000
	Total Area, Pinto Valley No. 245 Millsite	5.000
	Total Area, Pinto Valley No. 11 Millsite	5.000
	Total Area, Pinto Valley No. 12 Millsite	5.000
	Total Area, Pinto Valley No. 25 Millsite	5.000
	Total Area, Pinto Valley No. 26 Millsite	5.000
	Total Area, Pinto Valley No. 13 Millsite	5.000
	Total Area, Pinto Valley No. 14 Millsite	5.000
	Total Area, Pinto Valley No. 23 Millsite	5.000
	Total Area, Pinto Valley No. 24 Millsite	5.000
	Total Area, Pinto Valley No. 15 Millsite	5.000
	Total Area, Pinto Valley No. 16 Millsite	5.000
	Total Area, Pinto Valley No. 21 Millsite	5.000
	Total Area, Pinto Valley No. 22 Millsite	5.000
	Total Area, Pinto Valley No. 17 Millsite	5.000
	Total Area, Pinto Valley No. 18 Millsite	5.000
	Total Area, Pinto Valley No. 19 Millsite	5.000
	Total Area, Pinto Valley No. 20 Millsite	5.000
	Total Area, Pinto Valley No. 235 Millsite	5.000
	Total Area, Pinto Valley No. 236 Millsite	5.000
	Total Area, Pinto Valley No. 234 Millsite	5.000
	Total Area, Pinto Valley No. 233 Millsite	5.000
	Total Area, Pinto Valley No. 231 Millsite	5.000
	Total Area, Pinto Valley No. 232 Millsite	5.000
	Total Area, Pinto Valley No. 230 Millsite	5.000
	Total Area, Pinto Valley No. 229 Millsite	5.000
	Total Area, Pinto Valley No. 228 Millsite	5.000
	LOCATION	
	<p>This survey is located in the S.W. $\frac{1}{4}$ of sec. 29 and S. $\frac{1}{2}$ of sec. 30 and N. $\frac{1}{2}$ of sec. 31 and N.W. $\frac{1}{4}$ of sec. 32, T. 1 N., R. 14 E., G. & S. R. M., unsurveyed.</p>	
	<p>The location cors. of the Pinto Valley Nos. 1 thru 27 and 228 thru 245 were pine post 2 x 2 ins. square and approximately 4 ft. above ground, with mound of rock. The survey of the Pinto Valley Nos. 1 thru 27 and 228 thru 245 millsites are wholly within the respective locations as marked on the ground.</p>	

(This form bound on left side)

FEET	EXPENDITURES	
	None	
	OTHER IMPROVEMENTS	
	None	
	OTHER DESCRIPTIONS AND SUPPLEMENTAL DATA	
	None	
	FIELD ASSISTANTS	
	Name	Capacity
	Dave Peterson	chainman
	Mike Smith	chainman

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT


CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor O. T. SMITH	Date June 9, 1971
---	----------------------

I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management State Director, at Phoenix, Arizona, dated March 9, 1971, I have carefully executed the survey of the claim of Cities Service Company known as the (lode, placer, or mill site) Pinto Valley Nos. 1 thru 27 and 228 thru 245 situated in Globe Mining District, Township 1 N Range 14 E, Gila and Salt River Meridian, in the State of Arizona

This survey, designated as number 4686, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) location(s) embraced in the said mining claim by claimant(s) or grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.


Globe, Arizona (Location)	 (Signature of Mineral Surveyor)
------------------------------	---

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT

Office Arizona State Office
Location Phoenix, Arizona
Date September 15, 1971

The foregoing field notes of mineral survey number 4686, in (Unsurveyed) Sections 29, 30, 31 and 32, Range 14 E, Gila & Salt River Meridian, in the State of Arizona, surveyed unsurveyed Township 1 N, executed by O. T. Smith, Mineral Surveyor, under order dated March 9, 1971, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

 (Authorized Signature)	Acting State Director (Title)
---	----------------------------------

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above described mineral survey number is a true copy of the original field notes.

(Authorized Signature)	(Title)
------------------------	---------

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

02

1971

1971

1971

1971

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (942)
BUREAU OF LAND MANAGEMENT M.S. 4686
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Pinto Valley No. 27, Pinto Valley No. 228, Pinto Valley No. 230 and Pinto Valley No. 245 millsites, Mineral Survey No. 4686, located in Township 1 North, Range 14 East, Gila and Salt River Meridian, Arizona, are hereby canceled. As of this date, this notice of cancellation will become part of the field notes for Mineral Survey No. 4686, page 39.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Pinto Valley No. 27, Pinto Valley No. 228, Pinto Valley No. 230 and Pinto Valley No. 245 millsites, M.S. 4686 were canceled January 31, 1995, by memo 9605 (942) M.S. 4686, which is now a part of the original field notes."

January 31, 1995
Date


Acting Chief Cadastral Surveyor of Arizona

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE

9605 (942)

January 31, 1995

Memorandum


To: Branch of Lands and Minerals Operations
From: Office Chief, Branch of Cadastral Survey
Subject: Verification of Recording of Mining Claims

Please verify whether the lodes mentioned below are recorded as required under FLPMA (or not) and whether their annual assessment work is up-to-date (or not), in order that they may be either retained or canceled, accordingly. These lodes are located in unsurveyed T. 1 N., R. 14 E., G&SRM, Arizona.

Mineral Survey No. 2667, Arbitration lode

4685 L E H
Mineral Survey No. ~~4408~~, Pinto Valley Nos. 27, 228, 230, and 245 millsites

If you have any questions, please contact Willard Hoffman or Lester Fischer at 265-7591.



James Werdel

February 1, 1995

The mining claim microfiche do not indicate that the above-identified mining claims within T. 1 N., R. 14 E., were ever filed with the BLM under Sec. 314 of FLPMA. We have no objection to cancelation of the Mineral Surveys for these claims.



Thomas E. Reitmeyer

