

Form 3400-11
(September 1967)
(formerly 4-683)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey number	4693 A & B
State	Arizona
Land District	Arizona

FIELD NOTES

Of the Survey of the Mining Claim of (name and address of Claimant)

Inspiration Consolidated Copper Company
c/o G. Henry Ladendorff, Atty. at Law
716 Arizona Bank Bldg.,
Phoenix, Arizona 85003

Known as the (name of group, if any)

INSPIRATION GROUP

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
BUSY BEE	2/26/41	5/25/71
CLAY No. 3	4/8/65	5/25/71
INSPIRATION MILL SITE NO. IL 175	7/20/67	
INSPIRATION MILL SITE NO. IL 177	7/18/67	
INSPIRATION MILL SITE NO. IL 179	7/18/67	
INSPIRATION MILL SITE NO. IL 181	7/18/67	
INSPIRATION MILL SITE NO. IL 183	7/18/67	
INSPIRATION MILL SITE NO. IL 185	7/18/67	
INSPIRATION MILL SITE NO. IL 189	7/18/67	
INSPIRATION MILL SITE NO. IL 191	7/18/67	
INSPIRATION MILL SITE NO. IL 193	7/18/67	
INSPIRATION MILL SITE NO. IL 195	7/18/67	
IL 188	7/18/67	3/15/71
IL 190	7/18/67	3/15/71
IL 192	7/18/67	3/15/71
IL 194	7/18/67	3/15/71
IL 196	7/18/67	3/15/71
IL 310	3/15/71	

Mining district			County	
Globe			Gila	
Sections (Units)	Township	Range	Meridian	Survey under order dated
33 and 34	1 North	14 East	Gila & Salt River	June 21, 1971
Survey commenced		Survey completed	Name of Mineral Surveyor	
November 17, 1971		January 28, 1972	Travis L. Gant	

[Faint, illegible text, possibly bleed-through from the reverse side of the page. The text is arranged in several lines and appears to be a list or a set of instructions.]

FEET

This survey was made with a W. & L. E. Gurley transit, No. 57289, equipped with horizontal limb $6\frac{1}{2}$ ins. diam., having two double opposite verniers, and a full vertical circle 5 ins. diam., having one double vernier; the horizontal verniers read to 30 secs. of arc; the vertical vernier reads to one minute of arc. This instrument was used in all-purpose taping and alignment procedures where great distances were not involved. Distances greater than 500 feet were measured in many cases using electronic distance measuring equipment, i.e., the Hewlett-Packard Model 3800 Distance Meter, Ser. No. 0987 A 00472, having a range of 10,000 feet and an absolute accuracy of 0.01 feet plus the distance measured divided by 100,000 in the normal operating temperature range. In all instances wherein the distance meter was used, vertical angles were measured with a Kern theodolite, Model DKM 2 AE, Ser. No. 145997, with microscopic angle-reading capabilities enabling the instrument man to read angles, either horizontal or vertical, to 1 sec. of arc. All three of these instruments were in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observation:

November 20, 1971, at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 183, in latitude $33^{\circ} 22' 47''$ N., and longitude $110^{\circ} 55' 40''$ W., (as determined by scaling from U.S.G.S. quadrangle INSPIRATION, dated 1945) I make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the theodolite telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angles from a reference point approximately 1200 feet southwesterly clockwise to the sun.

Mean time of observation, 105th
meridian, standard time = 10:40 a.m.

Declination of sun at mean
time of observation = $19^{\circ} 39' 34''$ S.

Mean observed vertical angle
to sun's center, corrected for
refraction and parallax = $32^{\circ} 45' 52''$

Mean horizontal angle from
reference point to sun's center,
turned clockwise and to the
right to sun's center = $154^{\circ} 33' 37''$

True bearing to reference point
= N. $0^{\circ} 00' 53''$ E.

FEET

The lines were measured with either a Lufkin steel tape or with the aforementioned electronic distance meter. The tape was 500 feet in length, graduated every foot for 500 feet, with an added foot on the zero end graduated in tenths and hundredths; the tape was compared with a standard 100.00 foot tape at the time of the beginning of the survey and found to be correct. The distance meter was compared with a taped course, 1200 feet in length, measured as a base-line with a standard 100.00 tape, and found to be precise and accurate.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 13° 30' E.

Note concerning monumentation: With the exception of those corners which were not monumented for reasons given in each case, or which were monumented as otherwise described herein, I have set iron posts at each corner of each lode claim and each mill site claim comprising this survey. Each iron post consists of a 3/4-inch nominal inside diam. galvanized water pipe having a 1 ins. exterior diam.; each pipe has been placed in the ground in a foundation consisting of not less than 1/2 cu. ft. of high early strength portland cement concrete mixed at the site. Brass caps have been securely attached and marked as described, using 1/8-in. steel dies for stamping. Alongside every corner monument I have erected a rock monument having a base two feet minimum diam., and a height of not less than two feet.

SURVEY NO. 4693 A

BUSY BEE Lode

At the true point for Cor. No. 1 of the BUSY BEE lode, identical with Cor. No. 4 of the IL 190 mill site of this survey, established on line 3-4 Sur. No. 4698 Bill Shaft No. 8 lode.

This corner falls in a graded access road where a permanent monument cannot be established; witnessed N. 30° 29' 50" E., 33.37 ft. dist., hereinafter described. Road bears N. 60° W. and S. 70° E.

FEET		
	<p>Set a temporary point for Cor. No. 1; from which</p> <p>The standard $\frac{1}{4}$ sec. cor. of sec. 34, T. 1 N., R. 14 E., G. & S. R. M., bears S. $21^{\circ} 32' 51''$ E., 1134.23 ft. dist., an iron post, 2 ins. diam., surrounded by a mound of stone raised to base of brass cap, marked as described in the official record.</p> <p>Cor. No. 4 Sur. No. 4698 Bill Shaft No. 8 lode, identical with Cor. No. 3 Sur. No. 4698 Crow No. 2 lode, bears S. $30^{\circ} 29' 50''$ W., 255.99 ft. dist.</p> <p>Thence N. $75^{\circ} 08' 53''$ W.</p>	
25	Road, bears N. 50° W. and S. 60° E.	
176	Enter ore storage area undergoing treatment with sulfuric acid for the extraction of copper-bearing solutions, hereinafter referred to as ore-heap; toe of heap bears N. 50° E. and S. 50° W.	
933.66	Intersect the true point for Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 189 and the IL 190 mill site, and Cor. No. 4 of the IL 188 mill site of this survey.	
1,499.17	<p>The true point for Cor. No. 2, identical with Cor. No. 3 of the IL 188 mill site of this survey.</p> <p>This corner falls in the slope of an ore-heap where a monument cannot be established.</p> <p>Thence N. $30^{\circ} 29' 50''$ E.</p>	
308.59	Lode line; discovery point bears S. $75^{\circ} 12'$ E., 297 ft. dist.	
615.63	Intersect the true point for Cors. Nos. 2 of the IL 188 and IL 310 mill sites of this survey, established on line 2-3 Sur. No. 4698 Bill Shaft no. 7 lode at a point from which Cor. No. 3, identical with Cor. No. 4 Sur. No. 4698 Bill Shaft No. 5 lode, bears S. $74^{\circ} 43' 32''$ E., 690.53 ft. dist.	
618.66	<p>The true point for Cor. No. 3.</p> <p>This corner falls in an active ore-heap where a monument cannot be established.</p> <p>Thence S. $75^{\circ} 11' 55''$ E.</p>	
468	Leave ore-heap area; toe of heap bears NW and SE	

FEET	
689.68	Intersect line 3-4 Sur. No. 4698 Bill Shaft no. 7 and line 4-1 Sur. No. 4698 Bill Shat No. 5 lodes at a point from which Cors. Nos. 3 and 4 bear S. 14° 48' 15" W., 8.61 ft. dist.
1,247	Road, bears N. and S.
1,499.54	<p>Cor. No. 4, established on line 3-4 Sur. No. 4698 Bill Shaft No. 4 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. BB-4-4693A; from which</p> <p style="padding-left: 40px;">Cor. No. 3 Sur. No. 4698 Bill Shaft No. 4 lode bears N. 30° 29' 50" E., 321.75 ft. dist.</p> <p style="padding-left: 40px;">Cor. No. 4 Sur. No. 4698 Bill Shat No. 5 lode, identical with Cor. No. 3 Sur. No. 4698 Bill Shaft no. 7 lode, bears N. 75° 48' 28" W., 809.91 ft. dist.</p> <p style="padding-left: 80px;">Thence S. 30° 29' 50" W.</p>
10.12	Intersect line 3-4 Sur. No. 4698 Bill Shat No. 5 lode at a point from which Cor. No. 4, identical with Cor. No. 3 Sur. No. 4698 Bill Shaft no. 7 lode, bears N. 75° 07' 05" W., 807.12 ft. dist.
278.04	Intersect Cor. No. 4 Sur. No. 4698 Bill Shaft No. 4 lode, identical with Cor. No. 3 Sur. No. 4698 Bill Shaft No. 8 lode.
310.03	Lode line; discovery point bears N. 75° 12' W., 1202.56 ft. dist.
312.04	Road, bears N. 25° W. and S. 55° E.
520.04	Road, bears N. 70° W. and S. 70° E.
586.66	<p>A point selected for witness Cor. No. 1, identical with witness Cor. No. 4 of the IL 190 mill site of this survey, established on line 3-4 Sur. No. 4698 Bill Shaft No. 8 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. WC BB-1-4693A, and IL 190-4-4693B.</p>
620.03	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">CLAY No. 3 Lode</p> <p>At the true point for Cor. No. 1 of the CLAY No. 3 lode.</p> <p>This corner falls in the unconsolidated slope of an active ore-heap where a monument cannot be established.</p>

FEET	
	<p>From the true point for Cor. No. 1</p> <p>The $\frac{1}{4}$ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G. & S. R. M., identical with Cors. Nos. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 170 and IL 168 Mill Site, bears N. $27^{\circ} 19' 42''$ E. 676.12 ft. dist.; an iron post, 1 ins. diam., 13 ins. above ground, firmly set, with a brass cap marked as described in the official record, and in the record of Mineral Survey No. 4706.</p> <p>Cor. No. 1 Sur. No. 3950 Standard No. 14 lode bears N. $24^{\circ} 16' 05''$ E., 501.98 ft. dist.</p> <p>Cor. No. 4 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 170, identical with Cor. No. 4 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 172, bears N. $48^{\circ} 58' 08''$ E., 411.37 ft. dist.</p> <p>Cor. No. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 172, identical with Cor. No. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 174, and Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 175 and Cor. No. 4 of the IL 310 mill site of this survey, bears S. $79^{\circ} 06' 50''$ E., 315.91 ft. dist.</p> <p>Thence N. $14^{\circ} 49' 50''$ E.</p>
155	Leave ore-heap area; toe of slope bears westerly and southeasterly.
279.02	Intersect lines 3-4 Sur. No. 4706 INSPIRATION MILL SITE NOs. IL 172 and IL 170 at a point from which Cors. Nos. 4 bear N. $89^{\circ} 55' 22''$ E., 238.90 ft. dist.
292	Centerline of major haul road, 30 ft. wide, bears N. 75° E. and S. 55° W.
543.75	Intersect line 1-2 Sur. No. 3950 Standard No. 14 lode at a point from which Cor. No. 1 bears S. $44^{\circ} 37' 47''$ E., 95.57 ft. dist.
620.53	Intersect lines 1-2 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 170 and IL 168 Mill Site at a point from which Cors. Nos. 1, also being the $\frac{1}{4}$ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G. & S. R. M., bear N. $89^{\circ} 41' 46''$ E., 151.57 ft. dist.
699.13	Intersect line 4-1 Sur. No. 4706 IL 168 Mill Site at a point from which Cor. No. 1, identical with Cor. No. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 170, also being the $\frac{1}{4}$ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G. & S. R. M., bears S. $60^{\circ} 13' 56''$ E., 151.43 ft. dist.

FEET	
1,241.04	Intersect line 3-4 Sur. No. 3950 Standard No. 14 lode and line 1-2 Sur. No. 3950 Standard No. 3 lode at a point from which Cor. No. 4 and Cor. No. 1 bear S. 44° 38' 15" E., 449.28 ft. dist., and 350.53 ft., dist, respectively.
1,499.78	<p>Cor. No. 2.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. CLAY 3-2-4693A; from which</p> <p>Cor. No. 1 Sur. No. 3950 Standard No. 3 lode bears S. 19° 49' 30" E., 530.99 ft. dist.</p> <p>Cor. No. 4 Sur. No. 3950 Standard No. 14 lode bears S. 23° 38' 30" E., 622.02 ft. dist.</p> <p>Thence S. 75° 11' 45" E.</p>
298.45	Lode line; discovery point bears S. 14° 48' 15" W., 960 ft. dist.
588.83	Intersect line 3-4 Sur. No. 3950 Standard No/ 3 lode, and line 1-2 Sur. No. 3950 Picnic lode at a point from which Cor. No. 4 and Cor. No. 1 bear S. 37° 44' 49" E., 304.18 ft. dist., and 12.81 ft. dist., respectively.
598.14	Intersect line 2-3 Sur. No. 3950 Picnic No. 2 lode at a point from which Cor. No. 2 bears S. 8° 32' W., 12.29 ft. dist.
598.45	<p>Cor. No. 3, identical with Cor. No. 4 Sur. No. 4698 NEEDLE lode.</p> <p>To the surface of the existing 2 ins. diam. brass cap monument described in the official record of Sur. No. 4698, I add the following: CLAY 3-3-3693A; from which</p> <p>Cor. No. 1 Sur. No. 3950 Picnic lode, on line 2-3 Sur. No. 3950 Picnic No. 2 lode, and on line 3-4 Sur. No. 3950 Standard No. 3 lode, bears S. 10° 47' W., 7.81 ft. dist.</p> <p>Cor. No. 2 Sur. No. 3950 Picnic No. 2 lode bears S. 9° 58' W., 12.25 ft. dist.</p> <p>Cor. No. 4 Sur. No. 3950 Standard No. 3 lode bears S. 36° 37' E., 296.60 ft. dist.</p> <p>Thence S. 14° 48' 15" W.</p>

FEET	
2.80	Intersect line 2-3 Sur. No. 3950 Picnic No. 2 lode at a point from which Cor. No. 2 bears S. 8° 32' W., 9.47 ft. dist.
7.37	Intersect line 1-2 Sur. No. 3950 Picnic lode and line 3-4 Sur. No. 3950 Standard No. 3 lode at a point from which Cor. No. 1 and Cor. No. 4 bear S. 37° 44' 49" E., 0.69 ft. dist., and 292.06 ft. dist., respectively.
295.50	Intersect line 4-1 Sur. No. 3950 Standard No. 3 lode at a point from which Cor. No. 1, on line 3-4 Sur. No. 3950 Standard No. 14 lode, bears S. 79° 18' 55" W., 328.69 ft. dist.
599.03	Intersect Cors. Nos. 1 Sur. No. 4698 NEEDLE and Bill Shaft no. 7 lodes.
649.03	Enter open pit of Ox Hide Mine at top of cut-slope; pit perimeter is irregular and curves northeasterly and southwesterly.
669.03	Centerline of major haul road, 30 ft. wide; bears N. 83° E. and S. 83° W.
862.03	Leave open pit of Ox Hide Mine at top of cut-slope; pit perimeter bears irregularly NW. and SE.
1,197.00	Intersect Cor. No. 2 Sur. No. 4698 Bill Shaft no. 7 lode, and line 1-2 of the IL 310 mill site of this survey.
1,278	Centerline of haul road, 20 ft. wide, bears N. 65° E. and S. 75° W.
1,330	Enter ore-heap area; toe of heap bears N. 70° E. and S. 70° W.
1,402.39	Intersect line 3-4 of the IL 310 mill site and line 1-2 of the INSPIRATION MILL SITE NO. IL 175 of this survey.
1,499.79	The true point for Cor. No. 4. This corner falls in an active ore-heap where a monument cannot be established. Thence N. 75° 11' 45" W.
201	Leave ore-heap area; contact line between ore-heap and natural ground bears northerly and southerly.
240	Centerline of haul road, 20 ft. wide, bears N. and S.

(This form bound on left side)

FEET	
278.26	Intersect line 4-1 of the INSPIRATION MILL SITE NO. IL 175 of this survey, and line 4-1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 174 at a point from which Cors. Nos. 1, identical with Cor. No. 4 of the IL 310 mill site of this survey and Cor. No. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 172 bear N. 0° 00' 53" E., 22.33 ft. dist.
300	Lode line; discovery point bears N. 14° 48' 15" E., 539.79 ft. dist.
365.56	Intersect lines 1-2 Sur. No. 4706 INSPIRATION MILL SITES NOs. IL 172 and IL 174 at a point from which Cors. Nos. 1, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 175 and Cor. No. 4 of the IL 310 mill site of this survey, bear N. 89° 59' 04" E., 84.41 ft. dist.
550	Enter ore-heap area; toe of heap bears N. and S.
599.14	Cor. No. 1, and place of beginning.
SURVEY NO. 4693 B	
INSPIRATION MILL SITE NO. IL 175	
At the true point for Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 175, identical with Cor. No. 4 of the IL 310 mill site of this survey and Cors. Nos. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 172 and INSPIRATION MILL SITE NO. IL 174.	
This corner falls on the near-vertical face of a cut bank for a haul road which runs N. and S. approximately 30 ft. east of the corner, and is therefore inaccessible for monumenting; witnessed S. 0° 00' 53" W., 124.85 ft. dist., hereinafter described.	
From the true point for Cor. No. 1,	
The $\frac{1}{4}$ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G. & S. R. M., bears N. 0° 00' 53" E., 660.32 ft. dist., previously described.	
Thence N. 89° 51' 25" E.	
30	Centerline of haul road, 20 ft. wide, bears N. and S.

FEET	
74	Enter ore-heap area; toe of heap bears NNE. and SSW.
293.91	Intersect line 3-4 of the CLAY No. 3 lode of this survey.
656.33	<p>The true point for Cor. No. 2, identical with Cor. No. 1 of the IL 188 mill site and Cor. No. 3 of the IL 310 mill site of this survey.</p> <p>This corner falls in an active ore-heap where a monument cannot be established.</p> <p style="text-align: center;">Thence S. 0° 05' 07" E.</p>
330.00	<p>The true point for Cor. No. 3, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 177, on line 5-1 of the IL 188 mill site of this survey.</p> <p>This corner falls in an active ore-heap where a monument cannot be established.</p> <p style="text-align: center;">Thence S. 89° 51' 25" W.</p>
550	Leave ore-heap area; contact line between ore-heap and natural ground bears northwesterly and southeasterly.
625	Centerline of haul road, 20 ft. wide, bears N. 45° W. and S. 65° E.
656.91	<p>The true point for Cor. No. 4, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 177 of this survey and Cors. Nos. 4 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 174 and INSPIRATION MILL SITE NO. IL 176.</p> <p>This corner falls on the southwesterly edge of a haul road where a permanent monument cannot be established; witnessed S. 0° 00' 53" W., 125.02 ft. dist., hereinafter described. Road bears N. and SE.</p> <p style="text-align: center;">Thence N. 0° 00' 53" E.</p>
80	Leave haul road, northwesterly shoulder bears NNE. and SSW.
205.15	<p>Witness Cor. No. 1, identical with witness Cor. No. 4 of the IL 310 mill site of this survey, and witness Cors. Nos. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 172 and INSPIRATION MILL SITE NO. IL 174.</p> <p>To the surface of the 2 ins. diam. brass cap monument described in the official record of Sur. No. 4706, I add the following: WC IL 175-1-4693B and IL 310-4-4693B.</p>

(This form bound on left side)

FEET	
307.67	Intersect line 4-1 of the CLAY No. 3 lode of this survey.
330.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. IL 177	
At the true point for Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 177, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 175 of this survey, and Cors. Nos. 4 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 174 and INSPIRATION MILL SITE NO. IL 176.	
This corner falls on the southwesterly edge of a haul road where a permanent monument cannot be established; witnessed S. 0° 00' 53" W., 125.02 ft. dist., hereinafter described. Road bears N. and SE.; from which	
The $\frac{1}{4}$ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G. & S. R. M., bears N. 0° 00' 53" E., 990.32 ft. dist., previously described.	
Thence N. 89° 51' 25" E.	
31.91	Centerline of haul road, 20 ft. wide, bears N. 45° W. and S. 65° E.
106.91	Enter ore-heap area; contact line between ore-heap and natural ground bears northwesterly and southeasterly.
656.91	The true point for Cor. No. 2, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 175, on line 5-1 of the IL 188 mill site of this survey; not monumented for reasons previously given for this point.
Thence S. 0° 05' 07" E.	
165	Leave ore-heap area; toe of heap bears WNW. and ESE.
188	Centerline of haul road, 20 ft. wide; bears N. 80° W. and S. 80° E.
330.00	Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 179, Cor. No. 5 of the IL 188 mill site, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 189 of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 177-3, IL 179-3, IL 188-5, and IL 189-2-4693B.	

FEET	
	<p>Thence S. 89° 51' 25" W.</p>
310	<p>Road, bears S. 45° E. and N. 45° W.</p>
657.48	<p>Cor. No. 4, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 179 of this survey and Cors. Nos. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 176 and INSPIRATION MILL SITE NO. IL 178.</p> <p>To the surface of the 2 ins. diam. brass cap monument described in the official record of Sur. No. 4706, I add the following: IL 177-4 and IL 179-2-4693B.</p>
	<p>Thence N. 0° 00' 53" E.</p>
134	<p>Centerline of haul road, 30 ft. wide, bears N. 70° E. and S. 55° W.</p>
204.98	<p>Witness Cor. No. 1, identical with witness Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 175 of this survey, and witness Cors. Nos. 4 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 174 and INSPIRATION MILL SITE NO. IL 176.</p>
	<p>To the surface of the 2 ins. diam. brass cap monument described in the official record of Sur. No. 4706, I add the following: WC IL 177-1 and IL 175-4-4693B.</p>
330.00	<p>Cor. No. 1, and place of beginning.</p>
	<p>INSPIRATION MILL SITE NO. IL 179</p> <p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 179, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 181 of this survey, and Cors. Nos. 4 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 178 and INSPIRATION MILL SITE NO. IL 180.</p> <p>To the surface of the 2 ins. diam. brass cap monument described in the official record of Sur. No. 4706, I add the following: IL 179-1 and IL 181-2-4693B; from which</p> <p>The standard sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G. & S. R. M., identical with Cor. No. 1 INSPIRATION MILL SITE NO. IL 185 of this survey, and Cor. No. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 184 and Cor. No. 2 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 95, bears S. 0° 00' 53" W., 986.69 ft. dist.; an iron post, 2 ins. diam., 14 ins. above ground, firmly set, with brass cap marked as described in the official record, and in the record of Mineral Survey No. 4706.</p> <p>Thence N. 0° 00' 53" E.</p>

(This form bound on left side)

FEET	
90	Center of local drainage, 8 ft. wide, course N. 45° E.
328.64	Cor. No. 2, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 177 of this survey and Cors. Nos. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 176 and INSPIRATION MILL SITE NO. IL 178. Thence N. 89° 51' 25" E.
347.48	Road, bears N. 45° W. and S. 45° E.
657.48	Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 177, Cor. No. 5 of the IL 188 mill site, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 189 of this survey. Thence S. 0° 05' 07" E.
311.22	A point selected for witness Cor. No. 4, identical with witness Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 181 and witness Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 189 and INSPIRATION MILL SITE NO. IL 191 of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. WC IL 179-4, IL 181-3, IL 189-1, and IL 191-1-4693B.
327.96	The true point for Cor. No. 4, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 181 and Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 189 and INSPIRATION MILL SITE NO. IL 191 of this survey. This corner falls on the shoulder of a graded road where a permanent monument cannot be maintained. Set a temporary spike in the road surface at the true corner. Thence S. 89° 47' 53" W.
17	Road, bears N. 40° W. and S. 30° E.
456	Center of local drainage, 8 ft. wide, course S. 35° E.
658.06	Cor. No. 1, and place of beginning.

FEET	
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 181</p> <p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 181, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 183 of this survey, and Cors. Nos. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 180 and INSPIRATION MILL SITE NO. IL 182.</p> <p>To the surface of the 2 ins. diam. brass cap monument described in the official record of Sur. No. 4706, I add the following: IL 181-1-4693B and IL 183-2-4693B; from which</p> <p style="padding-left: 40px;">The standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G. & S. R. M., bears S. 0° 00' 53" W., 657.66 ft. dist., previously described.</p> <p style="padding-left: 80px;">Thence N. 0° 00' 53" E.</p>
329.03	<p>Cor. No. 2, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 179 of this survey and Cors. Nos. 4 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 178 and INSPIRATION MILL SITE NO. IL 180.</p> <p style="padding-left: 80px;">Thence N. 89° 47' 53" E.</p>
202.06	<p>Center of local drainage, 8 ft. wide, course S. 35° E.</p>
641.06	<p>Road; bears N. 40° W. and S. 30° E.</p>
658.06	<p>The true point for Cor. No. 3 identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 179 and Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 189 and INSPIRATION MILL SITE NO. IL 191 of this survey; not monumented for reasons previously given for this point; witnessed N. 0° 05' 07" W., 16.74 ft. dist., previously described.</p> <p style="padding-left: 80px;">Thence S. 0° 05' 07" E.</p>
44	<p>Road; bears N. 25° W. and S. 25° E.</p>
330.00	<p>Cor. No. 4, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 183, Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 191, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 193 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 181-4 IL 183-3, IL 191-4, and IL 193-2-4693B.</p> <p style="padding-left: 80px;">Thence S. 89° 52' 57" W.</p>

FEET	
241	Center of local drainage, 10 ft. wide, course S. 15° E.
658.63	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. IL 183	
At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 183, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 185 of this survey, and Cors. Nos. 2 of Sur. No. 4706 INSPIRATION MILL SITE NO. IL 182 and INSPIRATION MILL SITE NO. IL 184.	
To the surface of the 2 ins. diam. brass cap monument described in the official record of Sur. No. 4706, I add the following: IL 183-1-4693B and IL 185-2-4693B; from which	
The standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G. & S. R. M., bears S. 0° 00' 53" W., 329.24 ft. dist., previously described.	
Thence N. 0° 00' 53" E.	
328.42	Cor. No. 2, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 181 of this survey and Cors. No. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 180 and INSPIRATION MILL SITE NO. IL 182.
Thence N. 89° 52' 57" E.	
417.63	Center of local drainage, 10 ft. wide, course S. 15° E.
658.63	Cor. No. 3, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 181 and INSPIRATION MILL SITE NO. IL 191 and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 193 of this survey.
Thence S. 0° 05' 07" E.	
62	Center of local drainage, 10 ft. wide, course EAST.
329.15	Cor. No. 4, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 185 and Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 193 and INSPIRATION MILL SITE NO. IL 195 of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 183-4, IL 185-3, IL 193-1, and IL 195-1-4693B.	

FEET	
659.20	<p>Thence S. 89° 56' 46" W. Cor. No. 1, and place of beginning.</p>
329.24	<p>INSPIRATION MILL SITE NO. IL 185</p> <p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 185, identical with Cor. No. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 184 and Cor. No. 2 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 95; also identical with the standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G. & S. R. M.</p> <p>To the outer rim of the existing 2½ ins. diam. brass cap marking the standard corner, I add the following information, using steel dies for stamping: IL 185-1-4693B.</p> <p>Thence N. 0° 00' 53" E.</p> <p>Cor. No. 2, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 183 of this survey and Cors. Nos. 2 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 182 and INSPIRATION MILL SITE NO. IL 184.</p>
659.20	<p>Thence N. 89° 56' 46" E.</p> <p>Cor. No. 3, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 183 and Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 193 and INSPIRATION MILL SITE NO. IL 195 of this survey.</p>
328.86	<p>Thence S. 0° 05' 07" E.</p> <p>Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 195 of this survey, established on line 1-2 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 96.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 185-4, and IL 195-4-4693B; from which</p> <p>Cor. No. 2 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 96, identical with Cor. No. 4 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 106, bears N. 89° 54' 46" E., 398.24 ft. dist.</p>
259.84	<p>Thence S. 89° 54' 46" W. Intersect Cor. No. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 96, identical with Cor. No. 3 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 95.</p>
659.78	<p>Cor. No. 1, and place of beginning.</p>

FEET

INSPIRATION MILL SITE NO. IL 189

Beginning at the true point for Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 189, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 179, Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 181, and Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 191 of this survey; not monumented for reasons previously given for this point.

From the temporary spike set at the true corner

The standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G. & S. R. M., bears S. 33° 38' 55" W., 1188.07 ft. dist., previously described.

Thence N. 0° 05' 07" W.

16.74	Witness Cor. No. 1, previously described.
327.96	Cor. No. 2, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 177 and INSPIRATION MILL SITE NO. IL 179, and Cor. No. 5 of the IL 188 mill site of this survey. Thence S. 88° 22' 35" E.
256	Enter ore-heap area; contact line between ore-heap and natural ground bears NNW. and SSE.
659.32	The true point for Cor. No. 3, identical with Cor. No. 4 of the IL 188 mill site, and Cor. No. 3 of the IL 190 mill site, on line 1-2 of the BUSY BEE lode of this survey. This corner falls in an active ore-heap where a monument cannot be established. Thence S. 0° 05' 07" E.
189	Leave ore-heap area; toe of heap bears WNW. and ESE.
308.73	Cor. No. 4, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 191, the IL 190 mill site, and the IL 192 mill site of this survey. Set a brass tablet, 2 ins. diam., 2½ ins. stem, grouted into ledge rock, and mkd. IL 189-4, IL 191-2, IL 190-2, and IL 192-2-4693B. Thence S. 89° 57' 08" W.
659.03	Cor. No. 1, and place of beginning.

FEET	
	<p>INSPIRATION MILL SITE NO. IL 191</p> <p>Beginning at the true point for Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 191, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 179, Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 181, and Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 189 of this survey; not monumented for reasons previously given for this point; witnessed N. 0° 05' 07" W., 16.74 ft. dist., previously described.</p> <p style="text-align: center;">Thence N. 89° 57' 08" E.</p>
659.03	<p>Cor. No. 2, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 189, and Cors. Nos. 2 of the IL 190 and IL 192 mill sites of this survey.</p> <p style="text-align: center;">Thence S. 0° 05' 07" E.</p>
328.66	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 193, and the IL 192 and IL 194 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 191-3, IL 193-3, IL 192-3, and IL 194-3-4693B.</p> <p style="text-align: center;">Thence S. 89° 50' 08" W.</p>
451.03	<p>Road; bears N. 35° W. and S. 25° E.</p>
659.03	<p>Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 181, Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 183, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 193 of this survey.</p> <p style="text-align: center;">Thence N. 0° 05' 07" W.</p>
286	<p>Road; bears N. 25° W. and S. 25° E.</p>
330.00	<p>Cor. No. 1, and place of beginning.</p>
	<p>INSPIRATION MILL SITE NO. IL 193</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 193, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 183, Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 185, and Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 195 of this survey; from which</p> <p style="text-align: center;">The standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G. & S. R. M., bears S. 63° 25' 12" W., 737.20 ft. dist., previously described.</p> <p style="text-align: center;">Thence N. 0° 05' 07" W.</p>

(This form bound on left side)

FEET	
267.15	Center of local drainage, 10 ft. wide, course East.
329.15	Cor. No. 2, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 181 and INSPIRATION MILL SITE NO. IL 191, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 183 of this survey. Thence N. 89° 50' 08" E.
208	Road; bears N. 35° W. and S. 25° E.
659.03	Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 191, and the IL 192 and IL 194 mill sites of this survey. Thence S. 0° 05' 07" E.
328.88	Cor. No. 4, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 195, and the IL 194 and IL 196 mill site of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 193-4, IL 195-2, IL 194-2, and IL 196-2-4693B. Thence S. 89° 48' 44" W.
377.03	Road; bears N. 22° W. and S. 45° E.
484.03	Center of local drainage, 10 ft. wide, course S. 12° E.
659.03	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. IL 195	
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 195, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 183, Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 185, and Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 193 of this survey. Thence N. 89° 48' 44" E.
175	Center of local drainage, 10 ft. wide, course S. 12° E.
282	Road; bears N. 22° W. and S. 45° E.
659.03	Cor. No. 2, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 193, and Cors. Nos. 2 of the IL 194 and IL 196 mill sites of this survey. Thence S. 0° 05' 07" E.

FEET	
274.84	<p>A point selected for witness Cor. No. 3, identical with witness Cor. No. 3 of the IL 196 mill site of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. WC IL 195-3, and IL 196-3-4693B.</p>
330.02	<p>The true point for Cor. No. 3, identical with Cor. No. 3 of the IL 196 mill site of this survey, established on line 4-1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 106.</p> <p>This corner falls in the surface of a graded road where a permanent monument cannot be maintained.</p> <p>Set a temporary spike in the road surface at the true corner; from which</p> <p style="padding-left: 40px;">Cor. No. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 106 bears N. 89° 54' 46" E., 398.17 ft. dist.</p> <p style="padding-left: 40px;">Thence S. 89° 54' 46" W.</p>
30	<p>Leave graded road surface; shoulder bears N. 85° E. and S. 85° W.</p>
224.59	<p>The witness cor. monument for Cor. No. 4 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 106, identical with witness Cor. No. 2 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 96.</p>
260.79	<p>The true point for Cor. No. 4 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 106, identical with Cor. No. 2 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 96; cor. falls in a road, bearing N. and S.</p>
268.87	<p>Road; bears N. and S.</p>
315	<p>Center of local drainage, 10 ft. wide, course S. 10° W.</p>
659.03	<p>Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 185 of this survey; established on line 1-2 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 96.</p> <p style="padding-left: 40px;">Thence N. 0° 05' 07" W.</p>
328.86	<p>Cor. No. 1, and place of beginning.</p>
<p>IL 188 Mill Site</p>	
<p>Beginning at the true point for Cor. No. 1 of the IL 188 mill site, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 175 and Cor. No. 3 of the IL 310 mill site of this survey.</p>	

FEET	
324	<p>This corner falls in an active ore-heap where a monument cannot be established; from the true point for Cor. No. 1</p> <p>The $\frac{1}{4}$ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G. & S. R. M., bears N. $44^{\circ} 53' 25''$ W., 929.73 ft. dist., previously described.</p> <p>Thence S. $89^{\circ} 33' 40''$ E.</p> <p>Road across ore-heap; bears S. 15° E. and N. 15° W.</p>
425.87	<p>The true point for Cor. No. 2, identical with Cor. No. 2 of the IL 310 mill site of this survey, established at the intersection of line 2-3 of the BUSY BEE lode of this survey with line 2-3 Sur. No. 4698 Bill Shaft no. 7 lode, from which intersection point Cor. No. 3 Sur. No. 4698 Bill Shaft no. 7 lode bears S. $74^{\circ} 43' 32''$ E., 690.53 ft. dist.</p> <p>This corner falls in an active ore-heap where a monument cannot be established.</p> <p>Thence S. $30^{\circ} 29' 50''$ W.</p>
615.63	<p>The true point for Cor. No. 3, identical with Cor. No. 2 of the BUSY BEE lode of this survey.</p> <p>This corner falls in an active ore-heap where a monument cannot be established.</p> <p>Thence S. $75^{\circ} 08' 53''$ E.</p>
565.51	<p>The true point for Cor. No. 4, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 189 and the IL 190 mill site, on line 1-2 of the BUSY BEE lode of this survey; not monumented for reasons previously given for this point.</p> <p>Thence N. $88^{\circ} 22' 35''$ W.</p>
403.32	<p>Leave ore-heap area; contact line between ore-heap and natural ground bears NNW. and SSE.</p>
659.32	<p>Cor. No. 5, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 177 and INSPIRATION MILL SITE NO. IL 179, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 189 of this survey.</p> <p>Thence N. $0^{\circ} 05' 07''$ W.</p>
142	<p>Centerline of haul road, 20 ft. wide; bears N. 80° W. and S. 80° E.</p>
165	<p>Enter ore-heap area; toe of heap bears WNW. and ESE.</p>

FEET	
330.00	Intersect the true point for Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 177, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 175.
660.00	Cor. No. 1, and place of beginning.
IL 190 Mill Site	
At Cor. No. 1 of the IL 190 mill site, identical with Cor. No. 1 of the IL 192 mill site of this survey, established on line 3-4 Sur. No. 4698 Bill Shaft No. 8 lode.	
Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 190-1, and IL 192-1-4693B; from which	
The standard $\frac{1}{4}$ sec. cor. of sec. 34, T. 1 N., R. 14 E., G. & S. R. M., bears S. $24^{\circ} 53' 57''$ E., 1086.54 ft. dist., previously described.	
Cor. No. 3 Sur. No. 4698 Bill Shaft No. 8 lode, identical with Cor. No. 4 Sur. No. 4698 Bill Shaft No. 4 lode, bears N. $30^{\circ} 29' 50''$ E., 422.55 ft. dist.	
Thence WEST	
150	Center of Needle Creek, 10 ft. wide, course SOUTH.
861.12	Cor. No. 2, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 189, and Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 191 and of the IL 192 mill site of this survey.
Thence N. $0^{\circ} 05' 07''$ W.	
119.73	Enter ore-heap area; toe of heap bears WNW. and ESE.
308.73	The true point for Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 189 and Cor. No. 4 of the IL 188 mill site, on line 1-2 of the BUSY BEE lode of this survey; not monumented for reasons previously given for this point.
Thence S. $75^{\circ} 08' 53''$ E.	
757.66	Leave ore-heap area; toe of heap bears N. 50° E. and S. 50° W.
908.66	Road; bears N. 50° W. and S. 60° E.

(This form bound on left side)

FEET	
933.66	<p>The true point for Cor. No. 4, identical with Cor. No. 1 of the BUSY BEE lode of this survey, on line 3-4 Sur. No. 4698 Bill Shaft No. 8 lode.</p>
7	<p>This corner falls in a graded access road where a permanent monument cannot be established; witnessed N. 30° 29' 50" E., 33.37 ft. dist., previously described.</p>
80.56	<p style="text-align: center;">Thence S. 30° 29' 50" W.</p> <p>Road; bears N. 60° W. and S. 70° E.</p> <p>Cor. No. 1, and place of beginning.</p>
150	<p style="text-align: center;">IL 192 Mill Site</p> <p>Beginning at Cor. No. 1 of the IL 192 mill site, identical with Cor. No. 1 of the IL 190 mill site of this survey, on line 3-4 Sur. No. 4698 Bill Shaft No. 8 lode.</p>
861.12	<p style="text-align: center;">Thence WEST</p> <p>Center of Needle Creek, 10 ft. wide, course SOUTH.</p> <p>Cor. No. 2, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 189, and Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 191 and of the IL 190 mill site of this survey.</p>
328.66	<p style="text-align: center;">Thence S. 0° 05' 07" E.</p> <p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 191, INSPIRATION MILL SITE NO. IL 193, and of the IL 194 mill site of this survey.</p>
737.66	<p style="text-align: center;">Thence N. 81° 41' E.</p> <p>Cor. No. 4, identical with Cor. No. 4 of the IL 194 mill site of this survey, established on line 2-3 Sur. No. 4698 Crow No. 2 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 192-4, and IL 194-4-4693B; from which</p> <p style="text-align: center;">Cor. No. 2 Sur. No. 4698 Crow No. 2 lode, identical with Cor. No. 2 Sur. No. 4698 CROW No. 1 lode, bears S. 30° 29' 50" W., 516.38 ft. dist.</p>
	<p style="text-align: center;">Thence N. 30° 29' 50" E.</p>

FEET	
69.17	The witness cor. monument for Cor. No. 3 Sur. No. 4698 Crow No. 2 lode, identical with witness Cor. No. 4 Sur. No. 4698 Bill Shaft No. 8 lode.
82.17	Intersect the true point for Cor. No. 3 Sur. No. 4698 Crow No. 2 lode, identical with Cor. No. 4 Sur. No. 4698 Bill Shaft No. 8 lode.
110.15	Center of Needle Creek, 15 ft. wide, course S. 75° E.
257.59	Cor. No. 1, and place of beginning.
<p>IL 194 Mill Site</p> <p>At Cor. No. 1 of the IL 194 mill site, identical with Cor. No. 1 of the IL 196 mill site of this survey, established on line 2-3 Sur. No. 4698 Crow No. 2 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 194-1, and IL 196-1-4693B; from which</p> <p>The standard $\frac{1}{4}$ sec. cor. of sec. 34, T. 1 N., R. 14 E., G. & S. R. M., bears S. 64° 09' 11" E., 897.28 ft. dist., previously described.</p> <p>Cor. No. 2 Sur. No. 4698 Crow No. 2 lode, identical with Cor. No. 2 Sur. No. 4698 CROW No. 1 lode, bears S. 30° 29' 50" W., 84.19 ft. dist.</p> <p>Thence S. 82° 56' 22" W.</p>	
513.98	Cor. No. 2, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 193, and Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 195 and of the IL 196 mill site of this survey.
<p>Thence N. 0° 05' 07" W.</p>	
328.88	Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 191, INSPIRATION MILL SITE NO. IL 193, and of the IL 192 mill site of this survey.
<p>Thence N. 81° 41' E.</p>	
737.66	Cor. No. 4, identical with Cor. No. 4 of the IL 192 mill site of this survey, on line 2-3 Sur. No. 4698 Crow No. 2 lode.
<p>Thence S. 30° 29' 50" W.</p>	
432.19	Cor. No. 1, and place of beginning.

FEET	
	IL 196 Mill Site
	Beginning at Cor. No. 1 of the IL 196 mill site, identical with Cor. No. 1 of the IL 194 mill site of this survey, on line 2-3 Sur. No. 4698 Crow No. 2 lode.
	Thence S. 82° 56' 22" W.
513.98	Cor. No. 2, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 193, and Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 195 and of the IL 194 mill site of this survey
	Thence S. 0° 05' 07" E.
274.84	Witness Cor. No. 3, previously described.
330.02	The true point for Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 195 of this survey, on line 4-1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 106; not monumented for reasons previously given for this point.
	Thence N. 89° 54' 46" E.
250	Leave graded road surface; shoulder bears NW. and SE.
278.26	The true point for Cor. No. 4, established at the intersection of line 4-1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 106 with line 2-3 Sur. No. 4698 CROW No. 1 lode.
	This corner falls on the face of a near-vertical cut-bank above a road and is inaccessible for monumentation; from which
	Cor. No. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 106 bears N. 89° 54' 46" E., 119.91 ft. dist.
	Cor. No. 3 Sur. No. 4698 CROW No. 1 lode bears S. 30° 29' 50" W., 227.16 ft. dist.
	Thence N. 30° 29' 50" E.
371.64	Intersect Cors. Nos. 2 Sur. No. 4698 CROW No. 1 and Crow No. 2 lodes.
455.83	Cor. No. 1, and place of beginning.
	IL 310 Mill Site
	At Cor. No. 1 of the IL 310 mill site, established on line 4-1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 172.

FEET	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 310-1-4693B; from which</p> <p>The $\frac{1}{4}$ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G. & S. R. M., bears N. $0^{\circ} 00' 53''$ E., 366.44 ft. dist., previously described.</p> <p>Cor. No. 4 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 172, identical with Cor. No. 4 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 170, bears N. $0^{\circ} 00' 53''$ E., 35.83 ft. dist.</p> <p>Thence S. $74^{\circ} 43' 32''$ E.</p>
358.99	Intersect Cor. No. 2 Sur. No. 4698 Bill Shaft no. 7 lode, and line 3-4 of the CLAY No. 3 lode of this survey.
436	Centerline of haul road, 20 ft. wide, bears N. 60° E. and S. 60° W.
509	Enter ore-heap area; toe of heap bears irregularly ENE. and WSW.
1,009	Road across ore-heap; bears N. 5° E. and S. 5° W.
1,121.73	<p>The true point for Cor. No. 2, identical with Cor. No. 2 of the IL 188 mill site of this survey, established at the intersection of line 2-3 of the BUSY BEE lode of this survey with line 2-3 Sur. No. 4698 Bill Shaft no. 7 lode; not monumented for reasons previously given for this point.</p> <p>Thence N. $89^{\circ} 33' 40''$ W.</p>
101.87	Road across ore-heap; bears S. 15° E. and N. 15° W.
425.87	<p>The true point for Cor. No. 3, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 175 and Cor. No. 1 of the IL 188 mill site of this survey; not monumented for reasons previously given for this point.</p> <p>Thence S. $89^{\circ} 51' 25''$ W.</p>
362.42	Intersect line 3-4 of the CLAY No. 3 lode of this survey.
582.33	Leave ore-heap area; toe of heap bears NNE. and SSW.
626.33	Centerline of haul road, 20 ft. wide, bears N. and S.

FEET																																																															
656.33	<p>The true point for Cor. No. 4, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 175 of this survey and Cors. Nos. 1 Sur. No. 4706 INSPIRATION MILL SITE NO. IL 172 and INSPIRATION MILL SITE NO. IL 174 ; not monumented for reasons previously given for this point; witnessed S. 0° 00' 53" W., 124.85 ft. dist., previously described.</p> <p style="text-align: center;">Thence N. 0° 00' 53" E.</p>																																																														
293.88	<p>Cor. No. 1, and place of beginning.</p>																																																														
SURVEY NO. 4693 A and B :																																																															
	<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;">AREAS</th> <th style="text-align: right;">acres</th> </tr> </thead> <tbody> <tr> <td>Total area, BUSY BEE lode</td> <td style="text-align: right;">20.526</td> </tr> <tr> <td>Area in conflict with--</td> <td></td> </tr> <tr> <td>Sur. No. 4698 Bill Shat No. 5 lode</td> <td style="text-align: right;">0.170</td> </tr> <tr> <td>Sur. No. 4698 Bill Shaft no. 7 lode</td> <td style="text-align: right;">0.091</td> </tr> <tr> <td>Total area, CLAY No. 3 lode</td> <td style="text-align: right;">20.617</td> </tr> <tr> <td>Area in conflict with--</td> <td></td> </tr> <tr> <td>Sur. No. 3950 Picnic lode</td> <td style="text-align: right;">0.001</td> </tr> <tr> <td>Sur. No. 3950 Picnic No. 2 lode</td> <td style="text-align: right;">0.000</td> </tr> <tr> <td>Sur. No. 3950 Picnic No. 2 lode, exclusive of its conflict with:</td> <td></td> </tr> <tr> <td> (1) Sur. No. 3950 Picnic lode</td> <td style="text-align: right;">0.000</td> </tr> <tr> <td>Sur. No. 3950 Standard No. 3 lode</td> <td style="text-align: right;">4.904</td> </tr> <tr> <td>Sur. No. 3950 Standard No. 14 lode</td> <td style="text-align: right;">3.756</td> </tr> <tr> <td>Sur. No. 4706 IL 168 Mill Site</td> <td style="text-align: right;">0.132</td> </tr> <tr> <td>Sur. No. 4706 IL 168 Mill Site, exclusive of its conflict with:</td> <td></td> </tr> <tr> <td> (1) Sur. No. 3950 Standard No. 14 lode</td> <td style="text-align: right;">0.000</td> </tr> <tr> <td>Sur. No. 4706 INSPIRATION MILL SITE NO. IL 170</td> <td style="text-align: right;">1.480</td> </tr> <tr> <td>Sur. No. 4706 INSPIRATION MILL SITE NO. IL 170, exclusive of its conflict with:</td> <td></td> </tr> <tr> <td> (1) Sur. No. 3950 Standard No. 14 lode</td> <td style="text-align: right;">1.112</td> </tr> <tr> <td>Sur. No. 4706 INSPIRATION MILL SITE NO. IL 172</td> <td style="text-align: right;">1.971</td> </tr> <tr> <td>Sur. No. 4706 INSPIRATION MILL SITE NO. IL 174</td> <td style="text-align: right;">0.022</td> </tr> <tr> <td>INSPIRATION MILL SITE NO. IL 175 of this survey</td> <td style="text-align: right;">0.386</td> </tr> <tr> <td>IL 310 mill site of this survey</td> <td style="text-align: right;">1.838</td> </tr> <tr> <td>Total area, INSPIRATION MILL SITE NO. IL 175</td> <td style="text-align: right;">4.974</td> </tr> <tr> <td>Total area, INSPIRATION MILL SITE NO. IL 177</td> <td style="text-align: right;">4.979</td> </tr> <tr> <td>Total area, INSPIRATION MILL SITE NO. IL 179</td> <td style="text-align: right;">4.957</td> </tr> <tr> <td>Total area, INSPIRATION MILL SITE NO. IL 181</td> <td style="text-align: right;">4.980</td> </tr> <tr> <td>Total area, INSPIRATION MILL SITE NO. IL 183</td> <td style="text-align: right;">4.973</td> </tr> <tr> <td>Total area, INSPIRATION MILL SITE NO. IL 185</td> <td style="text-align: right;">4.982</td> </tr> <tr> <td>Total area, INSPIRATION MILL SITE NO. IL 189</td> <td style="text-align: right;">4.816</td> </tr> <tr> <td>Total area, INSPIRATION MILL SITE NO. IL 191</td> <td style="text-align: right;">4.983</td> </tr> </tbody> </table>	AREAS	acres	Total area, BUSY BEE lode	20.526	Area in conflict with--		Sur. No. 4698 Bill Shat No. 5 lode	0.170	Sur. No. 4698 Bill Shaft no. 7 lode	0.091	Total area, CLAY No. 3 lode	20.617	Area in conflict with--		Sur. No. 3950 Picnic lode	0.001	Sur. No. 3950 Picnic No. 2 lode	0.000	Sur. No. 3950 Picnic No. 2 lode, exclusive of its conflict with:		(1) Sur. No. 3950 Picnic lode	0.000	Sur. No. 3950 Standard No. 3 lode	4.904	Sur. No. 3950 Standard No. 14 lode	3.756	Sur. No. 4706 IL 168 Mill Site	0.132	Sur. No. 4706 IL 168 Mill Site, exclusive of its conflict with:		(1) Sur. No. 3950 Standard No. 14 lode	0.000	Sur. No. 4706 INSPIRATION MILL SITE NO. IL 170	1.480	Sur. No. 4706 INSPIRATION MILL SITE NO. IL 170, exclusive of its conflict with:		(1) Sur. No. 3950 Standard No. 14 lode	1.112	Sur. No. 4706 INSPIRATION MILL SITE NO. IL 172	1.971	Sur. No. 4706 INSPIRATION MILL SITE NO. IL 174	0.022	INSPIRATION MILL SITE NO. IL 175 of this survey	0.386	IL 310 mill site of this survey	1.838	Total area, INSPIRATION MILL SITE NO. IL 175	4.974	Total area, INSPIRATION MILL SITE NO. IL 177	4.979	Total area, INSPIRATION MILL SITE NO. IL 179	4.957	Total area, INSPIRATION MILL SITE NO. IL 181	4.980	Total area, INSPIRATION MILL SITE NO. IL 183	4.973	Total area, INSPIRATION MILL SITE NO. IL 185	4.982	Total area, INSPIRATION MILL SITE NO. IL 189	4.816	Total area, INSPIRATION MILL SITE NO. IL 191	4.983
AREAS	acres																																																														
Total area, BUSY BEE lode	20.526																																																														
Area in conflict with--																																																															
Sur. No. 4698 Bill Shat No. 5 lode	0.170																																																														
Sur. No. 4698 Bill Shaft no. 7 lode	0.091																																																														
Total area, CLAY No. 3 lode	20.617																																																														
Area in conflict with--																																																															
Sur. No. 3950 Picnic lode	0.001																																																														
Sur. No. 3950 Picnic No. 2 lode	0.000																																																														
Sur. No. 3950 Picnic No. 2 lode, exclusive of its conflict with:																																																															
(1) Sur. No. 3950 Picnic lode	0.000																																																														
Sur. No. 3950 Standard No. 3 lode	4.904																																																														
Sur. No. 3950 Standard No. 14 lode	3.756																																																														
Sur. No. 4706 IL 168 Mill Site	0.132																																																														
Sur. No. 4706 IL 168 Mill Site, exclusive of its conflict with:																																																															
(1) Sur. No. 3950 Standard No. 14 lode	0.000																																																														
Sur. No. 4706 INSPIRATION MILL SITE NO. IL 170	1.480																																																														
Sur. No. 4706 INSPIRATION MILL SITE NO. IL 170, exclusive of its conflict with:																																																															
(1) Sur. No. 3950 Standard No. 14 lode	1.112																																																														
Sur. No. 4706 INSPIRATION MILL SITE NO. IL 172	1.971																																																														
Sur. No. 4706 INSPIRATION MILL SITE NO. IL 174	0.022																																																														
INSPIRATION MILL SITE NO. IL 175 of this survey	0.386																																																														
IL 310 mill site of this survey	1.838																																																														
Total area, INSPIRATION MILL SITE NO. IL 175	4.974																																																														
Total area, INSPIRATION MILL SITE NO. IL 177	4.979																																																														
Total area, INSPIRATION MILL SITE NO. IL 179	4.957																																																														
Total area, INSPIRATION MILL SITE NO. IL 181	4.980																																																														
Total area, INSPIRATION MILL SITE NO. IL 183	4.973																																																														
Total area, INSPIRATION MILL SITE NO. IL 185	4.982																																																														
Total area, INSPIRATION MILL SITE NO. IL 189	4.816																																																														
Total area, INSPIRATION MILL SITE NO. IL 191	4.983																																																														

FEET	
	<p>Total area, INSPIRATION MILL SITE NO. IL 193 4.978</p> <p>Total area, INSPIRATION MILL SITE NO. IL 195 4.984</p> <p>Total area, IL 188 mill site 4.437</p> <p>Total area, IL 190 mill site 3.883</p> <p>Total area, IL 192 mill site 4.948</p> <p>Total area, IL 194 mill site 4.777</p> <p>Total area, IL 196 mill site 3.186</p> <p>Total area, IL 310 mill site 3.618</p>
	<p>LOCATION</p>
	<p>This survey is located in Uns. secs. 33 and 34, T. 1 N., R. 14 E., of the Gila and Salt River Meridian, Gila County, Arizona.</p> <p>The survey of the two (2) lode claims and the sixteen (16) mill site claims embraced in this order for mineral survey and described herein is identical with the respective locations or amended locations as marked on the ground, except as limited by current mining activity.</p>
	<p>EXPENDITURES</p>
	<p>The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant are as follows:</p>
No. 1	<p>The discovery point of the BUSY BEE lode is on the lode line 297 feet from a point on line 2-3, 308.59 ft. from Cor. No. 2. Value, none.</p>
No. 2	<p>A diamond drill hole bears N. 10° 51' W., 320 ft. from Cor. No. 1 BUSY BEE lode, 3½ ins. diam., 117 ft. depth. Value, \$1053.00</p>
No. 3	<p>A diamond drill hole bears N. 20° 35' W., 131 ft. from Cor. No. 1 BUSY BEE lode, 3½ ins. diam., 134 ft. depth. Value, \$1206.00</p>
No. 4	<p>A diamond drill hole bears N. 39° 46' W., 411 ft. from Cor. No. 1 BUSY BEE lode, 3½ ins. diam., 120 ft. depth. Value, \$1080.00</p>
No. 1	<p>The discovery point of the CLAY No. 3 lode is on the lode line 960 feet from a point on line 2-3, 298.45 ft. from Cor. No. 2. Value, none.</p>

FEET	
No. 2	<p>A churn drill hole bears N. 7° 45½ ' E., 598 ft. from Cor. No. 4 CLAY No. 3 lode, 12 ins. diam., 355 ft. depth. Value, \$2485.00</p>
No. 3	<p>A churn drill hole bears S. 21° 51' W., 541 ft. from Cor. No. 3 CLAY No. 3 lode, 12 ins. diam., 730 ft. depth. Value, \$5110.00</p>
No. 4	<p>A portion of the Ox Hide Mine Open Pit extends into the CLAY No. 3 lode as shown on the plat; at time of survey approximately 35,000 cubic yards of ore and waste material had been removed from said portion of the Pit. Value, \$14,000.00</p>
	<p>An interest in a common improvement described as follows: A network of graded access and haulage roads has been constructed throughout the area occupied by the two lode claims and the sixteen mill site claims of this group. Total value of access roads, \$14,750.00.</p>
	<p>Value of access roads on the two lode claims, \$5800.00 Value of one-half interest, \$2900.00</p>
	<p>This improvement is for the development of the two lode claims of this survey and was made subsequent to the location of each lode and to the time since which common ownership and contiguity have prevailed; therefore an undivided one-half interest in its value is hereby credited to each of said lodes of the common group.</p>
	<p>OTHER IMPROVEMENTS</p>
	<p>Clearing, grubbing, soil-treatment of hill-sides and valleys to receive ore for acid-treatment in areas as shown on the plat. Value, \$82,400.00.</p>
	<p>A copper-bearing solution collection system consisting of perforated and non-perforated pipe-lines underlies ore-heaps as outlined on the plat. Value of all permanently placed pipe-lines, \$74,500.00.</p>

FEET

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Sur. No. 3950 Picnic lode: Cors. Nos. 1 and 2 are 4 ins. x 4 ins. wooden posts, firmly set and properly marked with galvanized identification plates. Line 1-2 was found to be N. 37° 44' 49" W., 666.36 ft., instead of N. 37° 47' W., 665.2 ft., as approved. The line connecting Cor. No. 1 with Cor. No. 4 Sur. No. 3950 Standard No. 3 lode was found to be S. 37° 44' 49" E., 291.37 ft. dist., instead of S. 37° 47' E., 291.2 ft. dist., as approved. From Cor. No. 1 the standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G. & S. R. M., bears S. 11° 04' 50" W., 3387.43 ft. dist., instead of S. 11° 05' 50" W., 3385.9 ft. dist., as approved.

Sur. No. 3950 Picnic No. 2 lode: Cor. No. 2 is a 4 ins. x 4 ins. wooden post, firmly set and properly marked; Cor. No. 3 has been destroyed. Line 2-3 is shown as approved.

Sur. No. 3950 Standard No. 3 lode: Cors. Nos. 1, 3, and 4 are 4 ins. x 4 ins. wooden posts, firmly set and properly marked with galvanized identification plates. Cor. No. 2 could not be found and is presumed to have been destroyed; since Cor. No. 2 was originally established on line 3-4 Sur. No. 3950 Standard No. 14 lode, as was Cor. No. 1, the bearing of said line 3-4 and the bearing of line 1-2 Sur. No. 3950 Standard No. 3 lode are presumed to be the same value although in opposite directions; consequently, line 1-2 was found to bear N. 44° 38' 15" W., instead of N. 44° 39' W., as approved. Line 3-4 was found to be S. 37° 44' 49" E., 957.73 ft., instead of S. 37° 47' E., 956.4 ft., as approved. Line 4-1 was found to be S. 79° 18' 55" W., 585.56 ft., instead of S. 79° 21' W., 585.6 ft., as approved. The line connecting Cor. No. 1 with Cor. No. 4 Sur. No. 3950 Standard No. 14 lode bears S. 44° 38' 15" E., 98.75 ft. dist., instead of S. 44° 39' E., 99.5 ft. dist., as approved. From Cor. No. 1 the standard cor. of secs. 33 and 34 bears S. 4° 52' 05" W., 2996.10 ft. dist., instead of S. 4° 52' 40" W., 2995.1 ft. dist., as approved.

Sur. No. 3950 Standard No. 14 lode: Cors. Nos. 1, 3, and 4 are 4 ins. x 4 ins. wooden posts, firmly set and properly marked with galvanized identification plates. Cor. No. 2 was restored by me during the execution of Sur. No. 4706 and is a 4½ ins. diam., iron post, 18 ins. above ground, painted white, with brass top surface mkd. as described in

FEET

the official record of Sur. No. 4706. Line 1-2 was found to be N. 44° 37' 47" W., 1501.62 ft., instead of N. 44° 39' W., 1499.2 ft., as approved; line 3-4 was found to be S. 44° 38' 15" E., 1501.25 ft., instead of S. 44° 39' E., 1499.2 ft., as approved; line 4-1 was found to be S. 45° 18' 42" W., 600.63 ft., instead of S. 45° 21' W., 600 ft., as approved. From Cor. No. 1 the standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G. & S. R. M., bears S. 2° 22' 32" E., 2494.75 ft. dist., instead of S. 2° 21' 40" E., 2494.5 ft. dist., as approved.

Sur. No. 4698 NEEDLE, Bill Shaft no. 7, Bill Shaft No. 5, Bill Shaft No. 4, Bill Shaft No. 8, Crow No. 2, and CROW No. 1 lodes: All corners and witness corners were found firmly set and properly marked, having been set by this mineral surveyor in the fall of 1971 and winter of 1972. Since no discrepancies are known to exist between Sur. No. 4698 and subject mineral survey, all lines are correct as approved.

Sur. No. 4706 IL 168 Mill Site and INSPIRATION MILL SITES NOS. IL 170, IL 172, IL 174, IL 176, IL 178, IL 180, IL 182, IL 184, IL 95, IL 96, and IL 106: All corners and witness corners were found firmly set and properly marked, having been set by this mineral surveyor in the year 1971. Since no discrepancies are known to exist between Sur. No. 4706 and subject mineral survey, all lines are correct as approved.

The line between the standard $\frac{1}{4}$ sec. cor. of sec. 33 and the standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., bears N. 89° 51' 04" E., 2638.82 ft. dist., instead of EAST, 2640 ft. dist., as approved, 1906 Resurvey.

The line between the standard cor. of secs. 33 and 34 and the standard $\frac{1}{4}$ sec. cor. of sec. 34, T. 1 N., R. 14 E., bears N. 89° 54' 46" E., 2635.92 ft. dist., instead of EAST, 2640 ft. dist., as approved, 1906 Resurvey.

The line between the standard cor. of secs. 33 and 34, and the $\frac{1}{4}$ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., bears N. 0° 00' 53" E., 2635.57 ft. dist., instead of N. 0° 02' W., 2640 ft. dist., as approved, 1923 Survey.

FIELD ASSISTANTS

Name	Capacity
Loren E. Bunney	Instrumentman
Joseph E. Cummings	Chainman

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor Travis L. Gant	Date April 26, 1972
--	------------------------

I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management, at Phoenix, Arizona, dated June 21, 1971, I have carefully executed the survey of the claim of Inspiration Consolidated Copper Company known as the (lode, placer, or mill site) *(see below) situated in sections 33 and 34 (Unsurveyed), Township 1 North, Range 14 East, Gila & Salt River Meridian, in the State of Arizona.

This survey, designated as number 4693 A&B, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) LODE location(s) embraced in the said mining claim by claimant(s) or its grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

* BUSY BEE Lode, CLAY No. 3 lode, INSPIRATION MILL SITES NOs. IL 175, IL 177, IL 179, IL 181, IL 183, IL 185, IL 189, IL 191, IL 193, IL 195, and the IL 188 mill site, IL 190 mill site, IL 192 mill site, IL 194 mill site, IL 196 mill site, and IL 310 mill site.

Globe, Arizona (Location)	<i>Travis L. Gant</i> (Signature of Mineral Surveyor)
------------------------------	--

CERTIFICATE OF APPROVAL

Office Arizona State Office
Location Phoenix, Arizona
Date December 13, 1972

The foregoing field notes of mineral survey number 4693 A&B, in Sections 33 & 34, Range 14 E., Gila & Salt River Meridian, in the State of Arizona, surveyed unsurveyed Township 1 N., executed by Travis L. Gant, Mineral Surveyor, under order dated June 21, 1971, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

<i>Edward J. Hoffmann</i> Edward J. Hoffmann (Authorized Signature)	Acting State Director (Title)
--	----------------------------------

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number is a true copy of the original field notes.

(Authorized Signature)	(Title)
------------------------	---------

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

John J. Green

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor Travis L. Gant	Date July 23, 1973
--	-----------------------

I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management, at Phoenix, Arizona Amended, dated June 25, 1973, I have carefully executed the survey of the claim of Inspiration Consolidated Copper Company known as the (lode, placer, or mill site) See below* situated in Unsurveyed Sections 33 and 34, Township 1 North Range 14 East, Gila & Salt River Meridian, in the State of Arizona Amd.

This survey, designated as number 4693 A&B/, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) lode location(s) embraced in the said mining claim by claimant(s) or its grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

BUSY BEE Lode, CLAY No. 3 lode, INSPIRATION MILL SITES NOs. IL 175, IL 177, IL 179, IL 181, IL 183, IL 185, IL 189, IL 191, IL 193, IL 195, and the IL 188 Mill site, IL 190 mill site, IL 192 mill site, IL 194 mill site, IL 196 mill site, and IL 310 mill site.

Globe, Arizona (Location)	<i>Travis L. Gant</i> (Signature of Mineral Surveyor)
------------------------------	--

CERTIFICATE OF APPROVAL

Office Arizona State Office
Location Phoenix, Arizona
Date April 10, 1974

Amd.
The foregoing field notes of mineral survey number 4693 A&B/, in Sections 33 & 34 (Uns.) Range 14 E., Gila & Salt River Meridian, in the State of Arizona, surveyed unsurveyed Township 1 N., executed by Travis L. Gant, Mineral Surveyor, under order dated June 25, 1973, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

<i>Joe T. Fallon</i> Joe T. Fallon (Authorized Signature)	State Director (Title)
--	---------------------------

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number is a true copy of the original field notes.

(Authorized Signature)	(Title)
------------------------	---------

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

38

66

1871

1872

1873

1874

1875

1876

1877

1878

1879

1880

1881

1882

1883

1884

1885

1886

1887

FEET

As stipulated in Amended Order for Mineral Survey, dated June 25, 1973, the following information has been prepared and is herewith submitted:

Requirement:

1. To clarify the situation regarding the portion of the unsurveyed Needle lode claim excluded from the Standard No. 3 lode claim, Sur. No. 3950, and now included as a part of the CLAY No. 3 lode claim, Sur. No. 4693 A & B, and to designate that area as Tract 1.
2. To provide an amended portion of field notes providing information pertinent to the situation regarding Tract 1.
3. To revise the original plat to show Tract 1.

Discussion:

Tract 1 consists of a conflict between the CLAY No. 3 lode of this survey and a portion of the unsurveyed Needle lode as it is described in the official Field Notes of Mineral Survey No. 3950 Standard No. 3 lode. This conflict had been excluded from Sur. No. 3950 Standard No. 3 lode at time of patent in favor of the unsurveyed Needle lode as it existed at that time and prior to amendment of said Needle lode, dated July 2, 1957. After amendment of said Needle lode, the conflicting portion of its original location still situated within the boundaries of Sur. No. 3950 Standard No. 3 lode but lying outside and to the west of the amended NEEDLE lode was abandoned, to be included later as a part of the CLAY No. 3 lode of this survey. The above-described area is now designated Tract 1 and the Field Notes of Sur. No. 4693 A & B are amended as follows:

Field Note
Page No.

Pg. 6.

(Insert tie from Cor. No. 3, identical with Cor. No. 4 Sur. No. 4698 NEEDLE lode, to NW. Cor. Needle lode unsurveyed, as follows:)

NW. Cor. Needle lode unsurveyed, identical with NW Cor. Tract 1 of this survey, bears S. 84° 40' W., 35.27 ft. dist.

FEET

Field Note
Page No.

Pg. 7.

(Insert on line 3-4, following distance 7.37 feet:)

12.21

Intersect the northwesterly side-line of Needle lode, unsurveyed location now abandoned, at a point from which the NW. Cor. thereof, identical with the NW. Cor. Tract 1 of this survey, bears N. 75° 04' 34" W., 33.11 ft. dist., and Cor. No. 2 Sur. No. 3950 Picnic No. 2 lode bears S. 75° 04' 35" E., 1.03 ft. dist. This intersection also functions as the NE. Cor. Tract 1 of this survey.

Pg. 7.

(On line 3-4 at distance 295.50, embellish the description of the intersection occurring at this point to include the following statement:)

This intersection also functions as the SE. Cor. Tract 1 of this survey, from which the SW. Cor. Tract 1, situated at the intersection of line 4-1 Sur. No. 3950 Standard No. 3 lode and the westerly end-line of the Needle lode, unsurveyed location now abandoned, bears S. 79° 18' 55" W., 34.73 ft. dist.

Pg. 26.

(Insert the following AREA under CLAY No. 3 lode:)

Area in conflict with--	Acres
Tract 1 of this survey, hereinafter described.	0.215

Pg. 26.

(Insert the following AREA under CLAY No. 3 lode:)

Area in conflict with--	Acres
Sur. No. 3950 Standard No. 3 lode, exclusive of its conflict with:	
(1) Tract 1 of this survey	4.689

Pg. 27.

(Insert the following paragraph after the listing of areas and before LOCATION:)

Tract 1

That portion of Sur. No. 3950 Standard No. 3 lode in conflict with CLAY No. 3 lode of this survey, excluded by said Standard No. 3 lode in favor of the Needle location now abandoned, is bounded and described as follows:

F E E T

Beginning at Cor. No. 3 CLAY No. 3 lode--

Thence S. 14° 48' 15" W., 12.21 feet to northerly side-line of Needle location, now abandoned, and the true place of beginning;

Thence N. 75° 04' 35" W., 33.11 feet to NW.

Cor. said Needle location from which Cor. No. 4 Sur. No. 3950 Standard No. 3 lode bears S. 42° 05' E., 316.35 ft. dist;

Thence S. 14° 28' W. 298.30 ft. along the westerly end-line of said Needle location to line 4-1 Sur. No. 3950 Standard No. 3 lode;

Thence N. 79° 18' 55" E. along line 4-1 Sur. No. 3950 Standard No. 3 lode, a distance of 34.73 ft. to line 3-4 CLAY No. 3 lode;

Thence N. 14° 48' 15" E., 283.29 ft. to the northerly side-line of said Needle location and the true place of beginning.

FEET

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)
BUREAU OF LAND MANAGEMENT M.S. 4693 A
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Busy Bee lode, Mineral Survey No. 4693 A, located in section 34, Township 1 North, Range 14 East, Gila and Salt River Meridian, Arizona, is hereby canceled.


This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Busy Bee lode, M.S. 4693 A was canceled March 9, 1999, by memo 9605 (952) M.S. 4693 A, which is now a part of the original field notes."

March 9, 1999
Date


Kenny L. Rawnikar
Chief Cadastral Surveyor of Arizona

