

Form 3400-11  
(September 1967)  
(formerly 4-683)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Mineral Survey number  
4717

State  
Arizona

Land District  
Arizona

FIELD NOTES

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Anamax Mining Company  
P.O. Box 127  
Sahuarita, Arizona 85629

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
ALACHUA	11/28/55	12/30/76
The Alta No. 1	1/26/29	5/10/52
America No. 1	1/26/29	5/10/52
America No. 2	1/26/29	5/10/52
Apricot	1/26/29	5/10/52
The Axe	9/25/50	12/30/76
BAKER	11/28/55	
BOSTON	12/21/60	
Cherry	1/26/29	5/10/52
FLAT TOP	11/17/55	12/30/76
French King	1/26/29	5/10/52
Italian Queen	1/26/29	5/10/52
LIBERTY	11/28/55	
ROUND TOP	9/15/55	12/30/76
Ruby	9/25/50	
Shovel	1/26/29	5/10/52
SUZY	1/2/56	12/30/76
Walthum	1/31/56	12/30/76
Four Queens	9/25/50	

Mining district Helvetia		County Pima	
Section 14, 15, 22 & 23	Township 18 South	Range 15 East	Meridian Gila & Salt River
Survey commenced March 28, 1972		Survey completed November 10, 1977	Survey under order dated 3/28/72 and 5/2/77
Name of Mineral Surveyor Harvey W. Smith, E.M.			

Faint header text, possibly containing a title or date.

First main section of faint text, possibly a paragraph or list.

Second main section of faint text, possibly a paragraph or list.

Third main section of faint text, possibly a paragraph or list.

Fourth main section of faint text, possibly a paragraph or list.

Fifth main section of faint text, possibly a paragraph or list.

Sixth main section of faint text, possibly a paragraph or list.

Seventh main section of faint text, possibly a paragraph or list.

Eighth main section of faint text, possibly a paragraph or list.

Faint footer text, possibly containing a page number or reference.

FEET	
	<p>This survey was made with a Swiss Kern theodolite, Model DKM 1, No. 77769, having horizontal and vertical circles, 50 mm. in diam. The circles are graduated in degrees and 20-minute increments. An optical micrometer, adjustable to the vertical and horizontal circles, permits the reading of angles direct to ten-second accuracy and estimating to one-second accuracy. The instrument was in good condition at the time of the survey and all adjustments were in good order.</p> <p>All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian determined by the following observation:</p> <p>March 30, 1972, at Cor. No. 1 of the ROUND TOP lode, in latitude <math>31^{\circ}51'47.4''</math> N., and longitude <math>110^{\circ}47'26.3''</math> W., elevation 4,300 ft. above sea level, and temperature <math>65^{\circ}</math> F., make a series of six altitude observations on the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angle from a reference point about 900 ft. northwestward SE. to the sun.</p> <p style="margin-left: 40px;">Mean time of observation, 105th meridian standard time = <math>9^h49^m30^s</math> a.m.</p> <p style="margin-left: 40px;">Declination of sun at mean time of observation = <math>3^{\circ}59'42.4''</math> N.</p> <p style="margin-left: 40px;">Mean observed vertical angle to sun's center = <math>38^{\circ}45'50''</math></p> <p style="margin-left: 40px;">Mean horizontal angle from reference point to sun's center = <math>120^{\circ}02'28''</math></p> <p style="margin-left: 40px;">True bearing to reference point = <math>N.6^{\circ}50'38''</math> W.</p> <p>The lines were measured with a Lufkin steel tape, 300 ft. in length, graduated every foot for 299 ft. and the remaining foot graduated to tenths and hundredths; the tape was compared to an Invar standard tape at the beginning of the survey and found to be correct.</p> <p>All lines and connections of this survey were run by direct methods.</p> <p>The magnetic declination observed at each corner of the survey gave a uniform value of <math>13^{\circ}30'</math> East.</p>

FEET	Mineral Survey No. 4717
	<p style="text-align: center;"><b>ITALIAN QUEEN LODE</b></p> <p>At Cor. No. 1 of the Italian Queen lode, identical with Cor. No. 2 of the French King lode of this survey.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X I.Q. 1 Fr.K. 2 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">The cor. of secs. 14, 15, 22 and 23, T. 18 S., R. 15 E., G&amp;SRM, bears S. 34°56'06" E., 3,061.53 ft. dist.; monumented with an iron post, 2 ins. diam., 12 ins. above ground, firmly set, with a brass cap, properly mkd.</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 33°38'06" W.</p>
19.96	Intersect line 2-3 America No. 2 lode of this survey.
300.00	Lode line; discovery pt. bears N. 28°45'30" W., 305 ft. dist.
574.14	<p>Cor. No. 2.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X I.Q. 2 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 28°45'30" W.</p>
195.19	Intersect line 2-3 Apricot lode of this survey.
1,393.77	<p>Cor. No. 3.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X I.Q. 3 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p>

FEET	
	Thence N.33°38'06"E.
274.14	Lode line; discovery pt. bears S.28°45'30"E., 1,088.77 ft. dist.
574.14	Cor. No. 4, on line 2-3 French King lode of this survey.  Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X I.Q. 4 U.S.M.S. 4717; from which  A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.  No local bearing objects or bearing trees available.
	Thence S.28°45'30"E.
471.60	Intersect line 3-4 America No. 2 lode of this survey.
1,382.75	Intersect line 3-4 Apricot lode of this survey.
1,393.77	Cor. No. 1, and place of beginning.
	FRENCH KING LODE
	At Cor. No. 1 of the French King lode, identical with Cor. No. 1 of the Shovel lode and Cor. No. 3 of the America No. 1 lode, both of this survey.  Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X Fr.K. 1 Sh. 1 Am. 1 3 U.S.M.S. 4717; from which  The cor. of secs. 14, 15, 22 and 23 bears S.25°09'59"E., 3,300.56 ft. dist.; heretofore described.  Cor. No. 6, M.S. No. 1305 Peach lode, identical with Cor. No. 1 of the America No. 2 lode and Cor. No. 3 of The Alta No. 1 lode, both of this survey, bears S.40°19'36"E., 622.97 ft. dist.  A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.  No local bearing objects or bearing trees available.
	Thence S.36°13'01"W.
300.00	Lode line; discovery pt. bears N.28°45'30"W., 15.0 ft. dist.
588.10	Intersect line 3-4 Apricot lode of this survey.

(This form bound on left side)

FEET	
591.74	<p>Cor. No. 2, identical with Cor. No. 1 of the Italian Queen lode of this survey.</p> <p style="text-align: center;">Thence N.28°45'30"W.</p>
11.02	Intersect line 3-4 Apricot lode of this survey.
922.17	Intersect line 3-4 America No. 2 lode of this survey.
1,393.77	Cor. No. 4 of the Italian Queen lode of this survey.
1,410.36	Intersect line 5-6, M.S. No. 606, Lot No. 41 Bull Docer lode, at a point from which Cor. No. 6 bears S.55°43'33"E., 14.63 ft. dist.
1,413.77	<p>Cor. No. 3.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X Fr.K. 3 U.S.M.S. 4717; from which</p> <p style="text-align: center;">Cor. No. 6, M.S. No. 606, Lot No. 41 Bull Docer lode, bears S.50°43'16"E., 17.74 ft. dist.</p> <p style="text-align: center;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N.36°13'01"E.</p>
291.74	Lode line; discovery pt. bears S.28°45'30"E., 1,398.77 ft. dist.
292.56	Intersect the south boundary of the N 1/2 NE 1/4 sec. 15, T.18 S., R.15 E., at a point from which the point for the N. 1/16 sec. cor. of secs. 14 and 15, bears N.89°55'51"E., 2,250.12 ft. dist. Enter patented land.
533.66	Intersect line 1-2, M.S. No. 606, Lot No. 41 Bull Docer lode, at a point from which Cor. No. 1 bears S.34°09'57"W., 233.4 ft. dist.
591.74	<p>Cor. No. 4.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X Fr.K. 4 U.S.M.S. 4717; from which</p> <p style="text-align: center;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p>

FEET	
	Thence S.28°45'30"E.
20.00	Cor. No. 2 of the Shovel lode of this survey.
274.91	Intersect the south boundary of the N 1/2 NE 1/4 sec. 15 at a point from which the true point for the N 1/16 sec. cor. of secs. 14 and 15, bears N.89°55'51"E., 1,941.09 ft. dist. Leave patented land.
1,402.67	Intersect line 4-1 America No. 2 lode of this survey.
1,413.77	Cor. No. 1, and place of beginning.
	SHOVEL LODE
	Beginning at Cor. No. 1 of the Shovel lode, identical with Cor. No. 1 of the French King lode and Cor. No. 3 of the America No. 1 lode, both of this survey.
	Thence N.28°45'30"W.
11.10	Intersect line 4-1 America No. 2 lode of this survey.
1,138.86	Intersect the south boundary of the N 1/2 NE 1/4 sec. 15 at a point from which the true point for the N 1/16 sec. cor. of secs. 14 and 15, bears N.89°55'51"E., 1,941.09 ft. dist. Enter patented land.
1,393.77	Cor. No. 2, on line 4-1 French King lode of this survey.
	Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X Sh. 2 U.S.M.S. 4717; from which
	A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.47°57'09"E.
300.00	Lode line; discovery pt. bears S.28°45'30"E., 698.77 ft. dist.
600.00	Cor. No. 3.
	Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X Sh. 3 U.S.M.S. 4717; from which
	A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.

(This form bound on left side)



FEET		
	No local bearing objects or bearing trees available.	
	Thence S.28°45'30"E.	
712.38	Intersect the south boundary of the N 1/2 NE 1/4 sec. 15 at a point from which the true point for the N 1/16 sec. cor. of secs. 14 and 15, bears N.89°55'51"E., 1,275.44 ft. dist. Leave patented land.	
1,393.77	Cor. No. 4, identical with Cor. No. 4 of the America No. 1 lode and Cor. No. 2 of the Cherry lode, both of this survey.	
	Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X Sh. 4 Am. 1 4 C. 2 U.S.M.S. 4717; from which	
	A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.	
	No local bearing objects or bearing trees available.	
	Thence S.47°57'09"W.	
300.00	Lode line; discovery pt. bears N.28°45'30"W., 695. ft. dist.	
597.81	Intersect line 4-1 America No. 2 lode of this survey.	
600.00	Cor. No. 1, and place of beginning.	
CHERRY LODE		
	At Cor. No. 1 of the Cherry lode, identical with Cor. No. 1 of the America No. 1 lode of this survey.	
	This point falls on the west edge of a dirt road where it would soon be obliterated; from this true point	
	The cor. of secs. 14, 15, 22 and 23 bears S.1°39'41"E., 2,187.42 ft. dist.; heretofore described.	
	Thence N.36°38'40"W.	
2.01	Intersect line 2-3 Four Queens lode of this survey.	
1,498.85	Cor. No. 2, identical with Cor. No. 4 of the America No. 1 lode and Cor. No. 4 of the Shovel lode, both of this survey.	
	Thence N.47°57'09"E.	
300.00	Lode line; discovery pt. bears S.36°38'40"E., 1,403.85 ft. dist.	
600.00	Cor. No. 3.	



FEET	
	<p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X C.3 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S.36°38'40"E.</p>
760.	Unimproved dirt road, bears North and South.
1,494.24	Intersect line 2-3 Four Queens lode of this survey.
1,498.85	Cor. No. 4.
	<p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X C.4 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S.47°57'09"W.</p>
300.00	Lode line; discovery pt. bears N.36°38'40"W., 95. ft. dist.
553.48	<p>A point for witness Cor. No. 1, identical with witness Cor. No. 1 of the America No. 1 lode of this survey.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X W.C. Am. 1 1 C. 1 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p>
590.	Unimproved dirt road bears N.1°E. and S.2°W.
600.00	Cor. No. 1, and place of beginning.
<hr/> <p>AMERICA No. 1 LODE</p>	
<p>Beginning at Cor. No. 1 of the America No. 1 lode, identical with Cor. No. 1 of the Cherry lode of this survey.</p>	

FEET	
	Thence S.47°57'09"W.
300.00	Lode line; discovery pt. bears N.36°38'40"W., 745. ft. dist.
330.42	Intersect line 3-4 Ruby lode of this survey.
600.00	Cor. No. 2, identical with Cor. No. 2 of the Four Queens lode of this survey.  Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X Am. 1 2 F.Q. 2 U.S.M.S. 4717; from which  A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.  No local bearing objects or bearing trees available.
	Thence N.36°38'40"W.
106.33	Intersect line 4-1 The Alta No. 1 lode of this survey.
203.48	Intersect line 2-3 Ruby lode of this survey.
845.45	Intersect line 6-1, M.S. No. 1305, Peach lode, at a point from which Cor. No. 6, identical with Cor. No. 1 of the America No. 2 lode and Cor. No. 3 of The Alta No. 1 lode, both of this survey, bears N.14°55'57"E., 51.03 ft. dist.
846.43	Intersect line 2-3 The Alta No. 1 lode of this survey.
872.29	Intersect line 1-2 America No. 2 lode of this survey.
893.24	Intersect line 5-6, M.S. No. 1305, Peach lode, at a point from which Cor. No. 6, identical with Cor. No. 1 of the America No. 2 lode and Cor. No. 3 of The Alta No. 1 lode, both of this survey, bears N.75°15'20"E., 43.09 ft. dist.
1,498.85	Cor. No. 3, identical with Cor. No. 1 of the French King lode and Cor. No. 1 of the Shovel lode, both of this survey.  Thence N.47°57'09"E.
2.19	Intersect line 4-1 America No. 2 lode of this survey.
300.00	Lode line; discovery pt. bears S.36°38'40"E., 753.85 ft. dist.
600.00	Cor. No. 4, identical with Cor. No. 4 of the Shovel lode and Cor. No. 2 of the Cherry lode, both of this survey.

FEET	
	<p style="text-align: center;">Thence S. 36°38'40" E.</p>
1,496.84	Intersect line 2-3 Four Queens lode of this survey.
1,498.85	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">AMERICA No. 2 LODE</p> <p>Beginning at Cor. No. 1 of the America No. 2 lode, identical with Cor. No. 6, M.S. No. 1305 Peach lode, and Cor. No. 3 of The Alta No. 1 lode of this survey.</p> <p>Fd. the original wood post, 4 x 4 ins., 2 ft. above ground. I was able to partially identify the M.S. No. scribed on the post. To make a more permanent monument, I removed the post and</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X P. 6 M.S. 1305 Am. 2 1 Al. 1 3 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">The cor. of secs. 14, 15, 22 and 23 bears S. 21°44'38" E., 2,703.70 ft. dist.; heretofore described.</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 46°23'32" W.</p>
40.28	Intersect line 2-3 America No. 1 lode of this survey.
297.46	Lode line; discovery pt. bears N. 40°07'22" W., 255 ft. dist.
597.46	Cor. No. 2.
	<p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X Am. 2 2 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 40°07'22" W.</p>

(This form bound on left side)

FEET	
255.10	Intersect line 3-4, M.S. No. 1305 Peach lode, common with line 4-1 Apricot lode of this survey, at a point from which Cor. No. 4 of the Peach lode bears N. 15°01'14" E., 66.75 ft. dist.
514.00	Intersect line 1-2 Italian Queen lode of this survey.
685.71	Intersect line 3-4 Apricot lode of this survey.
1,411.39	<p>Cor. No. 3.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X Am. 2 3 U.S.M.S. 4717; from which</p> <p>A rock cairn stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 46°23'32" E.</p>
201.24	Intersect line 4-1 Italian Queen lode, common with line 2-3 French King lode, both of this survey.
300.00	Lode line; discovery pt. bears S. 40°07'22" E., 1,156.39 ft. dist.
597.46	<p>Cor. No. 4.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X Am. 2 4 U.S.M.S. 4717; from which</p> <p>A rock cairn stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 40°07'22" E.</p>
777.54	Intersect line 4-1 French King lode, common with line 1-2 Shovel lode, both of this survey.
788.35	Intersect line 4-1 Shovel lode, common with line 3-4 America No. 1 lode, both of this survey.
1,411.39	Cor. No. 1, and place of beginning.
<b>APRICOT LODGE</b>	
Beginning at Cor. No. 1 of the Apricot lode, identical with Cor. No. 3, M.S. No. 1305 Peach lode, and Cor. No. 4, M.S. No. 1305 South End lode.	

FEET	
	<p>Fd. the original wood post, 4 x 4 ins., 2 ft. above ground. I was able to partially identify the M.S. No. scribed on the post. To make a more permanent monument, I removed the post and</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X P. 3 S.E. 4 M.S. 1305 Ap. 1 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">The cor. of secs. 14, 15, 22 and 23 bears S. 65°13'35" E., 2,169.96 ft. dist.; heretofore described.</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="padding-left: 40px;">Thence N. 47°56'21" W.</p>
300.00	Lode line; discovery pt. bears N. 15°01'14" E., 1,044.77 ft. dist.
588.70	<p>Cor. No. 2.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X Ap. 2 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="padding-left: 40px;">Thence N. 15°01'14" E.</p>
474.85	Intersect line 3-4 LIBERTY lode of this survey.
930.07	Intersect line 2-3 Italian Queen lode of this survey.
1,499.77	<p>Cor. No. 3.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X Ap. 3 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="padding-left: 40px;">Thence S. 47°56'21" E.</p>
191.98	Intersect line 2-3 America No. 2 lode of this survey.

FEET	
288.70	Lode line; discovery pt. bears S. 15°01'14" W., 455 ft. dist.
348.83	Intersect line 4-1 Italian Queen lode, common with line 2-3 French King lode, both of this survey.
358.87	Intersect line 1-2 French King lode of this survey.
588.70	<p>Cor. No. 4, on line 3-4, M.S. No. 1305 Peach lode.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X Ap. 4 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">Cor. No. 4, M.S. No. 1305 Peach lode, bears N. 15°01'14" E., 1.0 ft. dist.</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="padding-left: 40px;">Thence S. 15°01'14" W.</p>
65.75	Intersect line 2-3 America No. 2 lode of this survey.
902.58	Intersect line 4-1 LIBERTY lode of this survey.
1,499.77	Cor. No. 1, and place of beginning.
	<p style="text-align: center;"><b>LIBERTY LODE</b></p> <p>At Cor. No. 1 of the LIBERTY lode, on line 1-2 of the ALACHUA lode of this survey.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X L. 1 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">The cor. of secs. 14, 15, 22 and 23 bears S. 80°19'59" E., 1,826.38 ft. dist.; heretofore described.</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="padding-left: 40px;">Thence N. 89°20'53" W.</p>
6.96	Intersect line 3-4, M.S. No. 1305 South End lode, at a point from which Cor. No. 4, identical with Cor. No. 3 of the Peach lode of the same survey and Cor. No. 1 of the Apricot lode of this survey, bears N. 15°07'28" W., 624.14 ft. dist.



FEET		
35.0	Cor. No. 1 of the ALACHUA lode, identical with Cor. No. 1 of the BAKER lode, both of this survey.	
297.83	Lode line; discovery pt. bears N.0°43'51"W., 100 ft. dist.	
597.20	<p>Cor. No. 2, on line 4-1 BAKER lode of this survey.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X L. 2 U.S.M.S. 4717; from which</p> <p>Cor. No. 4, M.S. No. 1305, South End lode, identical with Cor. No. 3 of the Peach lode of the same survey and Cor. No. 1 of the Apricot lode of this survey, bears N.35°39'02"E., 733.22 ft. dist.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N.0°43'51"W.</p>	
1,450.43	<p>Cor. No. 3.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X L. 3 U.S.M.S. 4717; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S.89°20'53"E.</p>	
131.85	Intersct line 2-3 Apricot lode of this survey.	
299.37	Lode line; discovery pt. bears S.0°43'51"E., 1,350.43 ft. dist.	
597.20	<p>Cor. No. 4.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X L. 4 U.S.M.S. 4717; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S.0°43'51"E.</p>	

(This form bound on left side)



FEET	
270.95	Intersect line 4-1 Apricot lode of this survey, common with line 3-4, M.S. No. 1305, Peach lode, at a point from which Cor. No. 3 of the Peach lode, identical with Cor. No. 4 of the South End lode of the same survey and Cor. No. 1 of the Apricot lode of this survey, bears S.15°01'14"W., 597.19 ft. dist.
522.35	Intersect line 3-4 ROUND TOP lode of this survey.
804.90	Intersect line 2-3, M.S. No. 1305, Peach lode, identical with line 4-5 South End lode of the same survey, at a point from which Cor. No. 3 of the Peach lode, identical with Cor. No. 4 of the South End lode and Cor. No. 1 of the Apricot lode of this survey, bears S.75°08'20"W., 167.17 ft. dist.
1,073.96	Intersect line 1-2 ROUND TOP lode of this survey.
1,450.43	Cor. No. 1, and place of beginning.
ROUND TOP LODE	
At Cor. No. 1 of the ROUND TOP lode.	
Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X R.T.1 U.S.M.S. 4717; from which	
The cor. of secs. 14, 15, 22 and 23 bears S.29°39'01"E., 762.70 ft. dist.; heretofore described.	
Cor. No. 1, M.S. No. 1305, Gap lode, bears S.20°08'11"W., 256.28 ft. dist.	
Cor. No. 6, M.S. No. 1305, Monitor lode, bears N.61°32'44"W., 640.20 ft. dist.	
A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.	
No local bearing objects or bearing trees available.	
Thence N.89°11'09"W.	
92.80	Intersect line 6-1, M.S. No. 1305, Gap lode, at a point from which Cor. No. 1 bears S.1°04'50"E., 241.98 ft. dist.
385.29	Intersect line 6-1, M.S. No. 1305, Monitor lode, at a point from which Cor. No. 6 bears N.30°39'53"W., 348.25 ft. dist.
537.05	Intersect line 2-3 FLAT TOP lode of this survey.

FEET	
694.06	Intersect line 3-4, M.S. No. 1305, Gap lode, at a point from which Cor. No. 3 bears S.1°00'45"E., 265.43 ft. dist.
906.23	Intersect line 6-1, M.S. No. 1305, South End lode, at a point from which Cor. No. 6, identical with Cor. No. 1, M.S. No. 1305, Peach lode, bears N.15°00'57"W., 401.89 ft. dist.
1,045.89	Intersect line 4-5, M.S. No. 1305, Monitor lode, at a point from which Cor. No. 5 bears N.59°E., 263.39 ft. dist.
1,428.02	Intersect line 4-1 LIBERTY lode of this survey.
1,446.32	Cor. No. 2.  Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X R.T. 2 U.S.M.S. 4717; from which  A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.  No local bearing objects or bearing trees available.  Thence N.0°48'55"E.
265.86	Intersect line 4-5, M.S. No. 1305, South End lode, common with line 2-3, M.S. No. 1305, Peach lode, at a point from which Cor. No. 6 of the South End lode, identical with Cor. No. 1 of the Peach lode, bears N.75°08'20"E., 447.09 ft. dist.
274.30	Lode line; discovery pt. bears S.89°11'09"E., 600 ft. dist.
551.42	Cor. No. 3.  Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X R.T. 3 U.S.M.S. 4717; from which  Cor. No. 1, M.S. No. 1305, Peach lode, identical with Cor. No. 6, M.S. No. 1305, South End lode, bears S.68°14'22"E., 460.91 ft. dist.  A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.  No local bearing objects or bearing trees available.  Thence S.89°11'09"E.
3.41	Intersect line 4-1 LIBERTY lode of this survey.

FEET	
450.97	Intersect line 2-3 The Alta No. 1 lode of this survey.
471.89	Intersect line 6-1, M.S. No. 1305, Peach lode, at a point from which Cor. No. 1, identical with Cor. No. 6, M.S. No. 1305, South End lode, bears S.14°55'57"W., 169.89 ft. dist.
734.82	Intersect line 3-4, M.S. No. 1305, Gap lode, at a point from which Cor. No. 4 bears N.1°00'45"W., 365.74 ft. dist.
913.48	Intersect line 3-4 FLAT TOP lode of this survey.
1,058.41	Intersect line 4-1 The Alta No. 1 lode of this survey.
1,267.28	Intersect line 4-1 FLAT TOP lode, common with line 1-2 Ruby lode, both of this survey.
1,334.56	Intersect line 6-1, M.S. No. 1305, Gap lode, at a point from which Cor. No. 6 bears N.1°04'50"W., 388.47 ft. dist.
1,446.32	<p>Cor. No. 4.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X R.T. 4 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S.0°48'55"W.</p>
277.12	<p>Lode line; discovery pt. bears N.89°11'09"W., 846.32 ft. dist. and</p> <p>Intersect line 1-2 Ruby lode, common with line 4-1 FLAT TOP lode, both of this survey.</p>
551.42	Cor. No. 1, and place of beginning.
<b>BAKER LODGE</b>	
<p>At Cor. No. 1 of the BAKER lode, identical with Cor. No. 1 of the ALACHUA lode and on line 1-2 of the LIBERTY lode, both of this survey.</p>	
<p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X B. 1 AL. 1 U.S.M.S. 4717; from which</p>	

FEET		
	<p>The cor. of secs. 14, 15, 22 and 23 bears S. 80° 30'07" E., 1,860.96 ft. dist.; heretofore described.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 0° 39'07" W.</p>	
1,420.	Unimproved dirt road bears East and West.	
1,442.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ALACHUA lode of this survey.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X B. 2 AL. 4 U.S.M.S. 4717; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 89° 20'53" W.</p>	
297.83	Lode line; discovery pt. bears N. 0° 39'07" E., 1,342 ft. dist.	
597.20	<p>Cor. No. 3.</p> <p>This cor. falls in the center of a dirt road where a permanent monument cannot be established. Dirt road, 20 ft. wide, bears S. 80° W. and N. 80° E.</p> <p>Thence N. 0° 39'07" E.</p>	
20.0	<p>A point for witness Cor. No. 3.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X W.C. B. 3 U.S.M.S. 4717; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p>	
1,442.0	<p>Cor. No. 4.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X B. 4 U.S.M.S. 4717; from which</p>	

FEET	
	<p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 89° 20' 53" E.</p>
35.0	Cor. No. 2 of the LIBERTY lode of this survey.
299.37	Lode line; discovery pt. bears S. 0° 39' 07" W., 100 ft. dist.
597.20	Cor. No. 1, and place of beginning.
<b>ALACHUA LODGE</b>	
	<p>Beginning at Cor. No. 1 of the ALACHUA lode, identical with Cor. No. 1 of the BAKER lode and on line 1-2 of the LIBERTY lode, both of this survey.</p> <p>Thence S. 89° 20' 53" E.</p>
28.04	Intersect line 3-4, M.S. No. 1305 South End lode, at a point from which Cor. No. 3 bears S. 15° 07' 28" E., 768.72 ft. dist.
35.0	Cor. No. 1 of the LIBERTY lode of this survey.
299.71	Lode line; discovery pt. bears S. 0° 39' 07" W., 742 ft. dist.
498.56	Cor. No. 4 of the SUZY lode of this survey.
588.10	Intersect line 3-4, M.S. No. 1305 Monitor lode, at a point from which Cor. No. 3 bears S. 31° E., 801.68 ft. dist.
598.43	Cor. No. 2, on line 4-1 SUZY lode of this survey.
	<p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X AL. 2 U.S.M.S. 4717; from which</p> <p>Cor. No. 1, M.S. No. 1305 South End lode, bears S. 19° 52' 18" E., 617.36 ft. dist.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 0° 39' 07" W.</p>
16.76	Intersect line 3-4, M.S. No. 1305 Monitor lode, at a point from which Cor. No. 3 bears S. 31° E., 781.99 ft. dist.

FEET	
638.68	Intersect line 1-2, M.S. No. 1305, South End lode, common with line 4-1 BOSTON lode of this survey, and line 3-4, M.S. No. 1388A, BOSTON lode, at a point from which Cor. No. 2 of the South End lode bears S.75°01'44"W., 75.25 ft. dist. and Cor. No. 3, M.S. No. 1388A, BOSTON lode, bears S.75°01'44"W., 233.72 ft. dist.
1,003.23	Intersect line 2-3, M.S. No. 1388A, BOSTON lode, at a point from which Cor. No. 3 bears N.36°05'34"W., 376.39 ft. dist.
1,065.47	Intersect line 3-4 BOSTON lode of this survey.
1,442.00	Cor. No. 3, on line 2-3 SUZY lode of this survey.  Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X AL. 3 U.S.M.S. 4717; from which  A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.  No local bearing objects or bearing trees available.  Thence N.89°20'53"W.
99.87	Cor. No. 3 of the SUZY lode of this survey.
270.	Unimproved dirt road bears N.70°W. and S.70°E.
298.72	Lode line; discovery pt. bears N.0°39'07"E., 700. ft. dist.
598.43	Cor. No. 4, identical with Cor. No. 2 of the BAKER lode of this survey.  Thence N.0°39'07"E.
22.	Unimproved dirt road bears East and West.
1,442.0	Cor. No. 1, and place of beginning.
	SUZY LODE
	At Cor. No. 1 of the SUZY lode.  Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S. 1 U.S.M.S. 4717; from which  The cor. of secs. 14, 15, 22 and 23 bears S.69°26'28"E., 840.48 ft. dist.; heretofore described.



FEET	
	<p>Cor. No. 3, M.S. No. 1305, Monitor lode, bears S.3°59'16"W., 683.59 ft. dist.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S.0°39'07"W.</p>
404.95	Intersect line 4-1 Waltham lode of this survey.
658.18	Intersect line 2-3, M.S. No. 1305, Monitor lode, at a point from which Cor. No. 3 bears S.59°17'04"W., 46.59 ft. dist.
670.51	Intersect line 3-4 Waltham lode, common with line 1-2 BOSTON lode, both of this survey, and line 4-1, M.S. No. 1388A, BOSTON lode, at a point from which Cor. No. 4 bears N.36°05'34"W., 162.77 ft. dist.
1,220.	Unimproved dirt road bears N.40°E. and S.45°W.
1,442.0	<p>Cor. No. 2.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S. 2 U.S.M.S. 4717; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N.89°20'53"W.</p>
122.55	Intersect line 2-3, M.S. No. 1388A, BOSTON lode, at a point from which Cor. No. 2 bears S.36°05'34"E., 413.33 ft. dist.
169.11	Intersect line 3-4 BOSTON lode of this survey.
200.	Unimproved dirt road bears N.45°E. and S.45°W.
275.0	Lode line; discovery pt. bears N.0°39'07"E., 642. ft. dist.
450.13	Cor. No. 3 of the ALACHUA lode of this survey.
550.0	<p>Cor. No. 3, on line 3-4 ALACHUA lode of this survey.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.3 U.S.M.S. 4717; from which</p>



FEET	
	<p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N.0°39'07"E.</p>
510.29	Intersect line 3-4 BOSTON lode of this survey.
572.54	Intersect line 2-3, M.S. No. 1388A BOSTON lode, at a point from which Cor. No. 3 bears N.36°05'34"W., 209.46 ft. dist.
775.59	Intersect line 4-1 BOSTON lode of this survey, common with line 2-3, M.S. No. 1305 South End lode, and line 3-4, M.S. No. 1388A BOSTON lode, at a point from which Cor. No. 2 of the South End lode bears N.75°01'44"E., 28.45 ft. dist. and Cor. No. 4 of the BOSTON lode bears N.75°01'44"E., 469.98 ft. dist.
1,442.0	<p>Cor. No. 4, on line 1-2 ALACHUA lode of this survey.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.4 U.S.M.S. 4717; from which</p> <p style="text-align: center;">Cor. No. 1, M.S. No. 1305, South End lode, bears S.28°01'50"E., 659.05 ft. dist.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S.89°20'53"E.</p>
89.54	Intersect line 3-4, M.S. No. 1305, Monitor lode, at a point from which Cor. No. 3 bears S.31°E., 801.68 ft. dist.
99.87	Cor. No. 2 of the ALACHUA lode of this survey.
154.11	Intersect line 6-1, M.S. No. 1305 South End lode, at a point from which Cor. No. 1 bears S.15°00'57"E., 600.49 ft. dist.
275.00	Lode line; discovery pt. bears S.0°39'07"W., 800. ft. dist.
550.0	Cor. No. 1, and place of beginning.
	BOSTON LODE

FEET	
	<p>At Cor. No. 1 of the BOSTON lode, identical with Cor. No. 4, M.S. No. 1388A BOSTON lode, and on line 3-4 Walthum lode of this survey.</p> <p>Fd. the original wood post, 4 x 4 ins., 2 ft. above ground. I was able to partially identify the M.S. No. scribed on the post. To make a more permanent monument, I removed the post and</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X B0. 1 U.S.M.S. 4717 B0. 4 M.S. 1388A; from which</p> <p>The cor. of secs. 14, 15, 22 and 23 bears N.74°41'25"E., 923.24 ft. dist.; heretofore described.</p> <p>Cor. No. 3, M.S. No. 1305, Monitor lode, bears S.21°22'34"E., 153.58 ft. dist.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S.36°05'34"E.</p>
152.17	Intersect line 2-3, M.S. No. 1305, Monitor lode, at a point from which Cor. No. 3 bears S.59°17'04"W., 39.18 ft. dist.
162.77	Intersect line 1-2 SUZY lode of this survey.
530.	Unimproved dirt road, bears N.30°E. and S.45°W.
970.44	Intersect line 2-3, M.S. No. 1388A TELEPHONE lode, at a point from which Cor. No. 3 bears N.1°24'W., 200.65 ft. dist.
1,337.29	<p>Cor. No. 2, identical with Cor. No. 1, M.S. No. 1388A BOSTON lode, and on line 3-4 Walthum lode of this survey.</p> <p>Fd. the original wood post, 4 x 4 ins., 2 ft. above ground. I was able to partially identify the M.S. No. scribed on the post. To make a more permanent monument, I removed the post and</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X B0. 2 U.S.M.S. 4717 B0. 1 M.S. 1388A; from which</p> <p>Cor. No. 3, M.S. No. 1388A, TELEPHONE lode, bears N.23°58'22"W., 543.95 ft. dist.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p>

FEET	
	<p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S.75°01'44"W.</p>
214.80	Intersect line 2-3, M.S. No. 1388A, TELEPHONE lode, at a point from which Cor. No. 3 bears N.1°24'W., 552.69 ft. dist.
250.	Unimproved dirt road, bears N.80°W. and S.85°E.
320.0	Lode line; discovery pt. bears N.36°05'34"W., 337.29 ft. dist.
600.0	Cor. No. 2, M.S. No. 1388A BOSTON lode.
640.0	Cor. No. 3.
	<p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X B0. 3 U.S.M.S. 4717; from which</p> <p style="text-align: center;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p>
	<p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N.36°05'34"W.</p>
320.	Unimproved dirt road bears N.85°W. and S.85°E.
426.77	Intersect line 2-3 SUZY lode of this survey.
460.	Unimproved dirt road, bears N.45°E. and S.45°W.
896.66	Intersect line 2-3 ALACHUA lode of this survey.
1,063.59	Intersect line 3-4 SUZY lode of this survey.
1,337.29	Cor. No. 4, on line 2-3, M.S. No. 1305, South End lode.
	<p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X B0. 4 U.S.M.S. 4717; from which</p> <p style="text-align: center;">Cor. No. 3, M.S. No. 1305, South End lode, bears S.75°01'44"W., 101.53 ft. dist.</p> <p style="text-align: center;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p>
	<p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N.75°01'44"E.</p>

FEET	
40.0	Cor. No. 3, M.S. No. 1388A, BOSTON lode.
170.02	Intersect line 3-4 SUZY lode of this survey.
273.72	Intersect line 2-3 ALACHUA lode of this survey.
320.0	Lode line; discovery pt. bears S.36°05'34"E., 1,000. ft. dist.
498.47	Cor. No. 1, M.S. No. 1305, South End lode.
613.29	Intersect line 3-4, M.S. No. 1305 Monitor lode, at a point from which Cor. No. 3 bears S.31°E., 158.79 ft. dist.
640.0	Cor. No. 1, and place of beginning.
WALTHUM LODE	
At Cor. No. 1 of the Walthum lode.	
Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X W. 1 U.S.M.S. 4717; from which	
The cor. of secs. 14, 15, 22 and 23 bears S.72°58'04"E., 471.99 ft. dist.; heretofore described.	
Cor. No. 1, M.S. No. 1305, Monitor lode, bears S.31°14'52"E., 255.73 ft. dist.	
Cor. No. 3, M.S. No. 1388A, ELGIN lode, bears S.18°36'52"W., 392.20 ft. dist.	
A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.	
No local bearing objects or bearing trees available.	
Thence S.36°05'34"E.	
27.37	Intersect line 6-1, M.S. No. 1305, Monitor lode, at a point from which Cor. No. 1 bears S.30°39'53"E., 228.43 ft. dist.
230.	Unimproved dirt road, bears N.17°E. and S.17°W.
256.86	Intersect line 3-4, M.S. No. 1388A, ELGIN lode, at a point from which Cor. No. 3 bears S.59°18'26"W., 321.65 ft. dist. and Cor. No. 1, M.S. No. 1305, Monitor lode bears S.59°18'26"W., 21.80 ft. dist.
327.58	Intersect line 1-2 FLAT TOP lode of this survey.
1,177.06	Intersect line 3-4, M.S. No. 1388A, TELEPHONE lode, at a point from which Cor. No. 1, M.S. No. 2061, SUNSETE lode, bears S.88°36'W., 28.86 ft. dist.; thence S.88°14'13"W., 293.21 ft. dist. to Cor. No. 2, M.S. No. 2061 SUNSETE lode; thence S.88°53'11"W., 243.94 ft. to Cor. No. 3 of the TELEPHONE lode.

FEET	
1,234.15	Intersect line 2-3, M.S. No. 1388A, ELGIN lode, at a point from which Cor. No. 4, M.S. No. 2061, SUNSETE lode, bears N.53°44'W., 77.15 ft. dist.; thence N.53°33'52"W., 328.28 ft. dist. to Cor. No. 3, M.S. No. 2061, SUNSETE lode; thence N.53°46'25"W., 651.52 ft. dist. to Cor. No. 3 of the ELGIN lode.
1,444.31	Cor. No. 2.  This cor. falls in a dirt road which bears N.45°W. and S.45°E., where a permanent monument cannot be established; from this point Cor. No. 3, M.S. No. 1388A, TELEPHONE lode, bears N.74°25'57"W., 750.79 ft. dist. and Cor. No. 1, M.S. No. 2061, SUNSETE lode, bears N.40°52'29"W., 284.67 ft. dist.  Thence S.53°54'36"W.
16.28	A point for witness Cor. No. 2.  Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X W.C. W. 2 U.S.M.S. 4717; from which  A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.  No local bearing objects or bearing trees available.
290.00	Lode line; discovery pt. bears N.36°05'34"W., 465. ft. dist.
450.	Unimproved dirt road, bears N.67°E. and S.67°W.
579.94	Cor. No. 3.  Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X W. 3 U.S.M.S. 4717; from which  A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.  No local bearing objects or bearing trees available.  Thence N.36°05'34"W.
30.	Unimproved dirt road, bears N.67°E. and S.70°W.
57.02	Cor. No. 2 of the BOSTON lode of this survey, identical with Cor. No. 1, M.S. No. 1388A, BOSTON lode.
423.87	Intersect line 2-3, M.S. No. 1388A, TELEPHONE lode, at a point from which Cor. No. 3 bears N.1°24'W., 200.65 ft. dist.

(This form bound on left side)

FEET	
864.31	Unimproved dirt road, bears N.30°E. and S.45°W.
1,231.54	Intersect line 1-2 SUZY lode of this survey.
1,242.14	Intersect line 2-3, M.S. No. 1305, Monitor lode, at a point from which Cor. No. 2 bears N.59°17'04"E., 260.97 ft. dist.
1,394.31	Cor. No. 1 of the BOSTON lode of this survey, identical with Cor. No. 4, M.S. No. 1388A, BOSTON lode.
1,444.31	<p>Cor. No. 4.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X W. 4 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N.53°54'36"E.</p>
158.85	Intersect line 1-2 SUZY lode of this survey.
289.94	Lode line; discovery pt. bears S.36°05'34"E., 979.31 ft. dist.
469.64	Intersect line 2-3 FLAT TOP lode of this survey.
579.94	Cor. No. 1, and place of beginning.
FOUR QUEENS LODE	
At Cor. No. 1 of the Four Queens lode.	
Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X F.Q. 1 U.S.M.S. 4717; from which	
<p style="padding-left: 40px;">The cor. of secs. 14, 15, 22 and 23 bears S.4°33'10"E., 1,345.72 ft. dist.; heretofore described.</p>	
<p style="padding-left: 40px;">Cor. No. 3, M.S. No. 1388A, CHANCE lode, bears N.35°33'18"W., 86.9 ft. dist.</p>	
<p style="padding-left: 40px;">A rock cairn stands adjacent to the iron post.</p>	
No local bearing objects or bearing trees available.	
Thence N.42°13'16"W.	

FEET	
51.98	Intersect line 2-3, M.S. No. 1388A, CHANCE lode, at a point from which Cor. No. 3 bears N.25°50'49"W., 35.78 ft. dist.
120.	Unimproved dirt road, bears N.10°E. and S.10°W.
298.44	Lode line; discovery pt. bears N.47°45'42"E., 400. ft. dist.
598.44	Cor. No. 2, identical with Cor. No. 2 of the America No. 1 lode of this survey.  Thence N.47°45'42"E.
269.74	Intersect line 3-4 Ruby lode of this survey.
600.19	Intersect line 4-1 America No. 1 lode, common with line 1-2 Cherry lode, both of this survey.
610.	Unimproved dirt road, bears N.1°E. and S.2°W.
1,200.49	Intersect line 3-4 Cherry lode of this survey.
1,497.90	Cor. No. 3.  Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X F.Q. 3 U.S.M.S. 4717; from which  A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.  No local bearing objects or bearing trees available.  Thence S.42°13'16"E.
300.	Lode line; discovery pt. bears S.47°45'42"W., 1,097.90 ft. dist.
362.96	Intersect line 2-3 The Axe lode of this survey.
598.44	Cor. No. 4.  Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X F.Q. 4 U.S.M.S. 4717; from which  A rock cairn stands adjacent to the iron post.  No local bearing objects or bearing trees available.  Thence S.47°45'42"W.
1,192.96	Intersect line 3-4, M.S. No. 1388A, CHANCE lode, at a point from which Cor. No. 3 bears S.64°04'44"W., 307.20 ft. dist.

(This form bound on left side)



FEET	
1,335.54	Intersect line 3-4 Ruby lode of this survey.
1,369.25	Intersect line 1-2 The Axe lode of this survey.
1,497.90	Cor. No. 1, and place of beginning.
THE AXE LODGE	
At cor. No. 1 of The Axe lode.	
Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X T.A. 1 U.S.M.S. 4717; from which	
The cor. of secs. 14, 15, 22 and 23 bears S.4°56'19"W., 1,193.98 ft. dist.; heretofore described.	
Cor. No. 3, M.S. No. 1388A, CHANCE lode, bears N.49°26'36"W., 342.39 ft. dist.	
A rock cairn stands adjacent to the iron post.	
No local bearing objects or bearing trees available.	
Thence N.25°37'34"W.	
264.42	Intersect line 4-1 Four Queens lode of this survey.
278.11	Lode line; discovery pt. bears N.50°39'34"E., 650. ft. dist.
313.95	Intersect line 3-4, M.S. No. 1388A, CHANCE lode, at a point from which Cor. No. 3 bears S.64°04'44"W., 138.29 ft. dist.
488.68	A point for witness Cor. No. 2.
Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X W.C. T.A. 2 U.S.M.S. 4717; from which	
A rock cairn stands adjacent to the iron post.	
No local bearing objects or bearing trees available.	
558.	Unimproved dirt road, bears N.10°E. and S.10°W.
561.01	Intersect line 3-4 Ruby lode of this survey.
578.11	Cor. No. 2.
This cor. falls on the west edge of a dirt road were a monument cannot be established.	

FEET	
	Thence N.50°39'34"E.
8.	Unimproved dirt road, bears N.10°E. and S.10°W.
1,280.87	Intersect line 3-4 Four Queens lode of this survey.
1,386.88	Cor. No. 3.  Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X T.A. 3 U.S.M.S. 4717; from which  A rock cairn stands adjacent to the iron post.  No local bearing objects or bearing trees available.
	Thence S.25°37'34"E.
300.0	Lode line; discovery pt. bears S.50°39'34"W., 736.88 ft. dist.
578.11	Cor. No. 4.  Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X T.A. 4 U.S.M.S. 4717; from which  A rock cairn stands adjacent to the iron post.  No local bearing objects or bearing trees available.
	Thence S.50°39'34"W.
34.12	Intersect line 3-4, M.S. No. 1388A, CHANCE lode, at a point from which Cor. No. 3 bears S.64°04'44"W., 1,452.47 ft. dist.
1,323.61	Intersect line 3-4 Ruby lode of this survey.
1,386.88	Cor. No. 1, and place of beginning.
	RUBY LODE
	At Cor. No. 1 of the Ruby lode, on line 4-1 of the FLAT TOP lode of this survey.  Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X R. 1 U.S.M.S. 4717; from which  The cor. of secs. 14, 15, 22 and 23 bears S.11°53'14"E., 524.55 ft. dist.; heretofore described.

FEET	
	<p>Cor. No. 4, M.S. No. 1304, Newman lode, bears N.81°39'31"W., 255.12 ft. dist.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N.32°02'57"W.</p>
118.55	Intersect line 3-4, M.S. No. 1304, Newman lode, at a point from which Cor. No. 4 bears S.71°29'W., 199.86 ft. dist.
360.	Unimproved dirt road, bears N.15°E. and S.20°W.
500.0	Intersect line 4-1 ROUND TOP lode of this survey.
698.54	Intersect line 6-1, M.S. No. 1305, Gap lode, at a point from which Cor. No. 6 bears N.1°04'50"W., 498.90 ft. dist.
829.92	Intersect line 3-4 ROUND TOP lode of this survey.
1,021.94	Cor. No. 4 of the FLAT TOP lode of this survey.
1,101.42	Intersect line 4-1 The Alta No. 1 lode of this survey.
1,278.70	Intersect line 5-6, M.S. No. 1305, Gap lode, at a point from which Cor. No. 6 bears N.88°38'36"E., 298.84 ft. dist.
1,493.26	<p>Cor. No. 2.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X R. 2 U.S.M.S. 4717; from which</p> <p style="text-align: center;">Cor. No. 6, M.S. No. 1305, Gap lode, bears S.67°02'33"E., 448.10 ft. dist.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N.57°57'03"E.</p>
300.0	Lode line; discovery pt. bears S.32°02'57"E., 1,193.26 ft. dist.
318.21	Intersect line 2-3 America No. 1 lode of this survey.
432.96	Intersect line 4-1 The Alta No. 1 lode of this survey.

FEET	
600.0	<p>Cor. No. 3.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X R. 3 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S.32°02'57"E.</p>
155.11	Intersect line 2-3 Four Queens lode of this survey.
156.02	Intersct line 1-2 America No. 1 lode of this survey.
474.37	Intersect line 1-2 The Axe lode of this survey.
477.	Unimproved dirt road, bears N.10°E. and S.10°W.
722.85	Intersect line 3-4, M.S. No. 1388A, CHANCE lode, at a point from which Cor. No. 3 bears S.64°04'44"W., 166.06 ft. dist.
763.14	Intersect line 4-1 Four Queens lode of this survey.
1,023.83	Intersect line 4-1 The Axe lode of this survey.
1,322.42	Intersect line 1-2, M.S. No. 1388A, CHANCE lode, common with line 3-4, M.S. No. 1388A, BLACK HAWK lode, at a point from which Cor. No. 2, identical with Cor. No. 3 of the BLACK HAWK lode, bears S.64°04'W., 230.84 ft. dist.
1,493.26	<p>Cor. No. 4.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X R. 4 U.S.M.S. 4717; from which</p> <p style="padding-left: 40px;">Cor. No. 3, M.S. No. 1388A, BLACK HAWK lode, identical with Cor. No. 2, M.S. No. 1388A, CHANCE lode, bears N.81°38'09"W., 301.46 ft. dist.</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S.57°57'03"W.</p>
107.44	Intersect line 3-4, M.S. No. 1304, Newman lode, at a point from which Cor. No. 4 bears S.71°29'W., 706.48 ft. dist.

(This form bound on left side)

FEET	
250.47	Intersect line 2-3, M.S. No. 1388A BLACK HAWK lode, at a point from which Cor. No. 3, identical with Cor. No. 2, M.S. No. 1388A, CHANCE lode, bears N.25°56'W., 196.56 ft. dist.
300.00	Lode line; discovery pt. bears N.32°02'57"W., 300. ft. dist.
600.00	Cor. No. 1, and place of beginning.
<p>FLAT TOP LODE</p> <p>At Cor. No. 1 of the FLAT TOP lode.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X F.T.1 U.S.M.S. 4717; from which</p> <p>The cor. of secs. 14, 15, 22 and 23 bears S.48°34'14"W., 183.24 ft. dist.; heretofore described.</p> <p>Cor. No. 6, M.S. No. 1304, Newman lode, bears S.72°09'06"W., 348.09 ft. dist.</p> <p>Cor. No. 1, M.S. No. 1305, Gap lode, bears N.63°30'20"W., 674.01 ft. dist.</p> <p>Cor. No. 4, M.S. No. 1388A, ELGIN lode, bears S.76°13'25"W., 204.09 ft. dist.</p> <p>Cor. No. 3, M.S. No. 1388A, GENERAL lode bears S.75°21'07"W., 194.99 ft. dist.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S.57°57'17"W.</p>	
168.36	Intersect line 2-3, M.S. No. 1388A, GENERAL lode common with line 4-1, M.S. No. 1388A, ELGIN lode, at a point from which Cor. No. 3 of the GENERAL lode bears N.53°44'W., 64.85 ft. dist. and Cor. No. 4 of the ELGIN lode bears N.53°44'W., 68.85 ft. dist.
300.0	Lode line; discovery pt. bears N.32°02'57"W., 400. ft. dist.
466.87	Intersect line 1-2 Walthum lode of this survey.
523.71	<p>A point for witness Cor. No. 2.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X W.C. F.T. 2 U.S.M.S. 4717; from which</p>

FEET	
	<p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p>
580.	Unimproved dirt road, bears N.17°E. and S.17°W.
595.	Left bank of local drainage, 10 ft. wide, course S.2°W.
600.0	<p>This point falls in a local drainage where a permanent monument would soon be obliterated. From this point, Cor. No. 1, M.S. No. 1305, Monitor lode, bears N.23°07'29"E., 129.76 ft. dist.</p> <p style="text-align: center;">Thence N.32°02'57"W.</p>
73.56	Intersect line 3-4, M.S. No. 1388A, ELGIN lode, common with line 1-2, M.S. No. 1305, Monitor lode, at a point from which Cor. No. 4 bears N.59°18'26"E., 406.27 ft. dist. and Cor. No. 1 of the Monitor lode bears N.59°18'26"E., 106.47 ft. dist.
318.98	Intersect line 4-1 Waltham lode of this survey.
722.56	Intersect line 1-2, M.S. No. 1305, Gap lode, at a point from which Cor. No. 1 bears N.88°36'21"E., 289.14 ft. dist.
1,023.51	Intersect line 1-2 ROUND TOP lode of this survey.
1,291.76	Intersect line 5-6, M.S. No. 1305, Monitor lode, at a point from which Cor. No. 6 bears N.59°E., 135.95 ft. dist.
1,325.99	Intersect line 3-4, M.S. No. 1305, Gap lode, at a point from which Cor. No. 3 bears S.1°00'45"E., 519.08 ft. dist.
1,484.44	<p>Cor. No. 3.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X F.T. 3 U.S.M.S. 4717; from which</p> <p style="text-align: center;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N.57°57'17"E.</p>
95.34	Intersect line 3-4, M.S. No. 1305, Gap lode, at a point from which Cor. No. 3 bears S.1°00'45"E., 704.00 ft. dist.



FEET	
99.47	Intersect line 1-2 The Alta No. 1 lode of this survey.
300.00	Lode line; discovery pt. bears S.32°02'57"E., 1,084.44 ft. dist.
302.74	Intersect line 3-4 ROUND TOP lode of this survey.
512.91	Intersect line 4-1 The Alta No. 1 lode of this survey.
600.00	Cor. No. 4, on line 1-2 Ruby lode of this survey.
	Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X F.T. 4 U.S.M.S. 4717; from which
	A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence S.32°02'57"E.
192.02	Intersect line 3-4 ROUND TOP lode of this survey.
323.40	Intersect line 6-1, M.S. No. 1305, Gap lode, at a point from which Cor. No. 1 bears S.1°04'50"E., 683.56 ft. dist.
521.94	Intersect line 4-1 ROUND TOP lode of this survey.
661.94	Unimproved dirt road, bears N.15°E. and S.20°W.
903.39	Intersect line 3-4, M.S. No. 1304, Newman lode, at a point from which Cor. No. 4 bears S.71°29'W., 199.86 ft. dist.
1,021.94	Cor. No. 1 of the Ruby lode of this survey.
1,457.45	Intersect line 6-1, M.S. No. 1304, Newman lode, common with line 3-4, M.S. No. 1388A, GENERAL lode, at a point from which Cor. No. 3 of the GENERAL lode bears S.67°46'14"W., 195.18 ft. dist. and Cor. No. 6 of the Newman lode bears S.67°46'14"W., 342.47 ft. dist.
1,484.44	Cor. No. 1, and place of beginning.
	THE ALTA No. 1 LODE
	At Cor. No. 1 of The Alta No. 1 lode.

FEET	
	<p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X AL. 1 1 U.S.M.S. 4717; from which</p> <p>The cor. of sec. 14, 15, 22 and 23 bears S.35°52'05"E., 1,352.53 ft. dist.; heretofore described.</p> <p>Cor. No. 4, M.S. No. 1305, Gap lode, bears N.30°50'27"W., 575.29 ft. dist.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N.86°15'07"W.</p>
283.71	Intersect line 3-4 FLAT TOP lode of this survey.
287.14	Intersect line 3-4, M.S. No. 1305, Gap lode, at a point from which Cor. No. 4 bears No. 1°00'45"W., 475.24 ft. dist.
300.0	Lode line; discovery pt. bears N.15°48'16"E., 685.14 ft. dist.
577.81	Intersect line 6-1, M.S. No. 1305, Peach lode, at a point from which Cor. No. 1, identical with Cor. No. 6, M.S. No. 1305, South End lode, bears S.14°55'57"W., 72.38 ft. dist.
600.0	<p>Cor. No. 2.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X AL. 1 2 U.S.M.S. 4717; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N.15°48'16"E.</p>
96.73	Intersect line 3-4 ROUND TOP lode of this survey.
1,379.71	Intersect line 2-3 America No. 1 lode of this survey.
1,430.14	Cor. No. 3, identical with Cor. No. 6, M.S. No. 1305, Peach lode, and Cor. No. 1 of the America No. 2 lode of this survey.

FEET	
	Thence S.86°15'07"E.
300.0	Lode line; discovery pt. bears S.15°48'16"W., 745. ft. dist.
600.0	Cor. No. 4.  Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X AL. 1 4 U.S.M.S. 4717; from which  A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.  No local bearing objects or bearing trees available.
	Thence S.15°48'16"W.
482.55	Intersect line 2-3 Ruby lode of this survey.
626.33	Intersect line 2-3 America No. 1 lode of this survey.
906.52	Intersect line 4-5-6, M.S. No. 1305, Gap lode, at a point from which Cor. No. 4 bears S.88°38'36"W., 437.80 ft. dist.
1,066.49	Intersect line 1-2 Ruby lode of this survey.
1,182.88	Intersect line 3-4 FLAT TOP lode of this survey.
1,301.62	Intersect line 3-4 ROUND TOP lode of this survey.
1,430.14	Cor. No. 1, and place of beginning.
AREAS	
	Acres
	Total area, America No. 1 lode --- 20.553
	Area in conflict with --
	M.S. No. 1305, Peach lode ----- 0.022
	Total area, The Alta No. 1 lode -- 19.264
	Area in conflict with --
	M.S. No. 1305, Gap lode ----- 4.075
	M.S. No. 1305, Peach lode ----- 0.356
	America No. 1 lode of this survey----- 4.559
	America No. 1 lode of this survey, exclusive of its conflict with M.S. No. 1305, Peach lode ----- 4.554
	Total area, Shovel lode ----- 18.683
	Area in conflict with --
	N 1/2 NE 1/4 sec. 15, T.18 S., R.15 E., G.& S.R.M. ----- 6.483

FEET	
	Acres
	Total area, French King lode ----- 17.403
	Area in conflict with --
	M.S. No. 606, Lot 41 Bull Docer lode --- 0.113
	N 1/2 NE 1/4 sec. 15, T.18 S., R.15 E.-- 0.855
	N 1/2 NE 1/4 sec. 15, T.18 S., R.15 E., exclusive of its conflict with M.S. No. 606, Lot 41 Bull Docer lode --- 0.832
	Total area, Italian Queen lode ---- 16.279
	Total area, Apricot lode ----- 18.053
	Area in conflict with --
	French King lode of this survey ----- 0.001
	Italian Queen lode of this survey ----- 3.236
	Total area, Cherry lode ----- 20.553
	Total area, America No. 2 lode ---- 19.322
	Area in conflict with --
	M.S. No. 1305, Peach lode ----- 2.145
	America No. 1 lode of this survey ----- 0.303
	America No. 1 lode, exclusive of its conflict with M.S. No. 1305, Peach lode ----- 0.294
	French King lode of this survey ----- 9.274
	Italian Queen lode of this survey ----- 2.256
	Shovel lode of this survey ----- 0.001
	Apricot lode of this survey ----- 0.267
	Apricot lode of this survey, exclusive of its conflict with:
	(1) French King lode of this survey - 0.266
	(2) Italian Queen lode of this survey 0.222
	(3) French King lode and Italian Queen lode, both of this survey --- 0.222
	Total area, Ruby lode ----- 20.568
	Area in conflict with --
	M.S. No. 1304, Newman lode ----- 0.670
	M.S. No. 1305, Gap lode ----- 1.710
	M.S. No. 1388A, CHANCE lode ----- 2.716
	M.S. No. 1388A, BLACK HAWK lode ----- 1.012
	M.S. No. 1388A, BLACK HAWK lode, exclusive of its conflict with M.S. No. 1304, Newman lode ----- 0.957
	America No. 1 lode of this survey ----- 1.131
	The Alta No. 1 lode of this survey ----- 1.947
	The Alta No. 1 lode of this survey, exclusive of its conflict with:
	(1) M.S. No. 1305, Gap lode ----- 1.705
	(2) America No. 1 lode of this survey 1.820
	(3) M.S. No. 1305, Gap lode and America No. 1 lode, both of this survey ----- 1.578
	Four Queens lode of this survey ----- 2.968
	Four Queens lode of this survey, exclusive of its conflict with:
	(1) M.S. No. 1388A, CHANCE lode ----- 2.730
	(2) America No. 1 lode of this survey 2.965
	(3) M.S. No. 1388A, CHANCE lode and America No. 1 lode, of this survey ----- 2.722

FEET	Acres
Total area, Four Queens lode -----	20.578
Area in conflict with --	
M.S. No. 1388A, CHANCE lode -----	0.308
America No. 1 lode of this survey -----	0.014
Cherry lode of this survey -----	0.049
Total area, The Axe lode -----	17.881
Area in conflict with --	
M.S. No. 1388A, CHANCE lode -----	4.736
Four Queens lode of this survey -----	8.178
Four Queens lode of this survey, exclusive of its conflict with M.S. No. 1388A CHANCE lode -----	8.082
Ruby lode of this survey -----	0.391
Ruby lode of this survey, exclusive of its conflict with:	
(1) M.S. No. 1388A, CHANCE lode -----	0.078
(2) Four Queens lode of this survey -	0.286
(3) M.S. No. 1388A, CHANCE lode and Four Queens lode of this survey -	0.000
Total area, ROUND TOP lode -----	18.308
Area in conflict with --	
M.S. No. 1305, Gap lode -----	7.614
M.S. No. 1305, Monitor lode -----	2.252
M.S. No. 1305, South End lode -----	3.711
M.S. No. 1305, Peach lode -----	2.302
M.S. No. 1305, Monitor lode, exclusive of its conflict with:	
(1) M.S. No. 1305, Gap lode -----	0.864
(2) M.S. No. 1305, South End lode ---	2.134
(3) M.S. No. 1305, Gap lode and South End lode -----	0.746
The Alta No. 1 lode of this survey -----	1.517
The Alta No. 1 lode of this survey, exclusive of its conflict with:	
(1) M.S. No. 1305, Gap lode -----	0.696
(2) M.S. No. 1305, Peach lode -----	1.470
(3) M.S. No. 1305, Gap lode and Peach lode -----	0.649
Ruby lode of this survey -----	0.569
Ruby lode of this survey, exclusive of its conflict with M.S. No. 1305, Gap lode -----	0.484
Total area, FLAT TOP lode -----	20.446
Area in conflict with --	
M.S. No. 1304, Newman lode -----	3.433
M.S. No. 1305, Gap lode -----	9.580
M.S. No. 1305, Monitor lode -----	3.390
M.S. No. 1305, Monitor lode, exclusive of its conflict with M.S. No. 1305, Gap, lode -----	1.607
M.S. No. 1388A, ELGIN lode -----	0.660
M.S. No. 1388A, ELGIN lode, exclusive of its conflict with M.S. No. 1304, Newman lode -----	0.659
M.S. No. 1388A, GENERAL lode -----	0.176
The Alta No. 1 lode of this survey -----	0.787
The Alta No. 1 lode, exclusive of its conflict with M.S. No. 1305, Gap lode -----	0.000
ROUND TOP lode of this survey -----	7.805

FEET	Acres
ROUND TOP lode, exclusive of its conflict with:	
(1) M.S. No. 1305, Gap lode -----	0.982
(2) M.S. No. 1305, Monitor lode -----	6.868
(3) The Alta No. 1 lode of this survey	7.213
(4) M.S. No. 1305, Gap lode and Monitor lode and the Alta No. 1 lode of this survey -----	0.982
Total area, BAKER lode -----	19.769
Total area, ALACHUA lode -----	19.810
Area in conflict with --	
M.S. No. 1305, South End lode -----	7.492
M.S. No. 1305, Monitor lode -----	0.002
M.S. No. 1305, South End lode, exclusive of its conflict with the Monitor lode	7.490
M.S. No. 1388A, BOSTON lode -----	0.942
Total area, LIBERTY lode -----	19.879
Area in conflict with --	
M.S. No. 1305, Peach lode -----	0.994
M.S. No. 1305, South End lode -----	1.249
Apricot lode of this survey -----	7.899
ROUND TOP lode of this survey -----	0.137
ROUND TOP lode of this survey, exclusive of its conflict with:	
(1) M.S. No. 1305, Peach lode -----	0.090
(2) M.S. No. 1305, South End lode ---	0.047
(3) M.S. No. 1305, Peach lode and South End lode -----	0.000
Total area, SUZY lode -----	18.207
Area in conflict with:	
M.S. No. 1305, Monitor lode -----	3.907
M.S. No. 1305, South End lode -----	3.442
M.S. No. 1305, South End lode, exclusive of its conflict with the Monitor lode	3.300
M.S. No. 1388A, BOSTON lode -----	7.777
ALACHUA lode of this survey -----	3.306
ALACHUA lode of this survey, exclusive of its conflict with:	
(1) M.S. No. 1305, South End lode ---	1.810
(2) M.S. No. 1305, Monitor lode -----	3.304
(3) M.S. No. 1305, South End lode and Monitor lode -----	1.810
(4) M.S. No. 1388A, BOSTON lode ----	2.655
(5) M.S. No. 1305, South End and Monitor lodes and M.S. No. 1388A, BOSTON lode -----	1.159
Total area, Walthum lode -----	19.228
Area in conflict with	
M.S. No. 1305, Monitor lode -----	2.998
M.S. No. 1388A, ELGIN lode -----	3.581
M.S. No. 1388A, TELEPHONE lode -----	5.895
M.S. No. 1388A, TELEPHONE lode, exclusive of its conflict with the ELGIN lode of the same survey -----	5.878
M.S. No. 2061, SUNSETE lode -----	0.684
FLAT TOP lode of this survey -----	0.902
FLAT TOP lode of this survey, exclusive of its conflict with:	

(This form bound on left side)



FEET	Acres
(1) M.S. No. 1305, Monitor lode -----	0.273
(2) M.S. No. 1388A, ELGIN lode -----	0.684
(3) M.S. Nos. 1305 and 1388A, Monitor lode and ELGIN lode -----	0.057
SUZY lode of this survey -----	0.387
SUZY lode of this survey, exclusive of its conflict with M.S. No. 1305, Monitor lode -----	0.001
Total area, BOSTON lode -----	18.328
Area in conflict with --	
M.S. No. 1305, Monitor lode -----	0.115
M.S. No. 1388A, TELEPHONE lode -----	0.843
M.S. No. 1388A, BOSTON lode -----	17.182
ALACHUA lode of this survey -----	1.291
ALACHUA lode of this survey, exclusive of its conflict with M.S. No. 1388A, BOSTON lode -----	0.350
SUZY lode of this survey -----	8.355
SUZY lode of this survey, exclusive of its conflict with:	
(1) ALACHUA lode of this survey -----	7.562
(2) M.S. No. 1305, Monitor lode -----	8.241
(3) M.S. No. 1388A, BOSTON lode -----	0.578
(4) M.S. No. 1305, Monitor lode, M.S. No. 1388A, BOSTON lode and ALACHUA lode of this survey -----	0.435
M.S. No. 1388A, BOSTON lode, exclusive of its conflict with:	
(1) M.S. No. 1305, Monitor lode -----	17.068
(2) M.S. No. 1388A, TELEPHONE lode --	16.339
(3) M.S. Nos. 1305 and 1388A, Monitor and TELEPHONE lode, respectively	16.224
LOCATION	
This survey is located in the NW 1/4 and SW 1/4 sec. 14, NE 1/4, NW 1/4 and SE 1/4 sec. 15, NE 1/4 sec. 22 and NW 1/4 sec. 23, T.18 S., R.15 E., G. & S.R.M.	
The survey of the ALACHUA, The Alta No. 1, America Nos. 1 and 2, Apricot, The Axe, BAKER, BOSTON, Cherry, FLAT TOP, French King, Italian Queen, LIBERTY, ROUND TOP, Ruby, Shovel, SUZY, Walthum and Four Queens lodes is identical with the respective location or amended location as marked on the ground.	
EXPENDITURES	
The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or its grantors are as follows:	
No. 1	The discovery point of the Italian Queen is on the lode line, 305 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1. Value: None.
No. 1	The discovery point of the French King lode is on the lode line, 15 ft. from a point on line 1-2, 300 ft. from Cor. No. 1. Value: None



FEET		
No. 1	The discovery point of the Shovel lode is on the lode line, 695. ft. from a point on line 4-1, 300. ft. from Cor. No. 4. Value: None.	
No. 1	The discovery point of the America No. 1 lode is on the lode line, 745. ft. from a point on line 1-2, 300. ft. from Cor. No. 1. Value: None.	
No. 1	The discovery point of the Cherry lode is on the lode line, 95. ft. from a point on line 4-1, 300. ft. from Cor. No. 1. Value: None.	
No. 1	The discovery point of the America No. 2 lode is on the lode line, 255. ft. from a point on line 1-2, 297.46 ft. from Cor. No. 1. Value: None.	
No. 1	The discovery point of the Apricot lode is on the lode line, 455. ft. from a point on line 3-4, 288.70 ft. from Cor. No. 3. Value: None.	
No. 1	The discovery point of the LIBERTY lode is on the lode line, 100. ft. from a point on line 1-2, 297.83 ft. from Cor. No. 1. Value: None.	
No. 1	The discovery point of the ROUND TOP lode is on the lode line, 600. ft. from a point on line 2-3, 274.30 ft. from Cor. No. 2. Value: None.	
No. 1	The discovery point of the BAKER lode is on the lode line, 100. ft. from a point on line 4-1, 299.37 ft. from Cor. No. 4. Value: None.	
No. 1	The discovery point of the ALACHUA lode is on the lode line, 700. ft. from a point on line 3-4, 298.72 ft. from Cor. No. 3. Value: None.	
No. 1	The discovery point of the SUZY lode is on the lode line, 800. ft. from a point on line 4-1, 275.0 ft. from Cor. No. 4. Value: None.	
No. 1	The discovery point of the BOSTON lode is on the lode line, 1,000. ft. from a point on line 4-1, 320. ft. from Cor. No. 4. Value: None.	
No. 1	The discovery point of the Walthum lode is on the lode line, 465. ft. from a point on line 2-3, 290. ft. from Cor. No. 2. Value: None.	
No. 1	The discovery point of the FLAT TOP lode is on the lode line, 400. ft. from a point on line 1-2, 300. ft. from Cor. No. 1. Value: None.	

FEET	
No. 1	<p>The discovery point of the Ruby lode is on the lode line, 300. ft. from a point on line 4-1, 300. ft. from Cor. No. 4. Value: None.</p>
No. 1	<p>The discovery point of The Alta No. 1 lode is on the lode line, 745. ft. from a point on line 3-4, 300 ft. from Cor. No. 3. Value: None.</p>
No. 1	<p>The discovery point of the Four Queens lode is on the lode line, 400. ft. from a point on line 1-2, 298.44 ft. from Cor. No. 1. Value: None.</p>
No. 1	<p>The discovery point of The Axe lode is on the lode line, 650. ft. from a point on line 1-2, 278.11 ft. from Cor. No. 1. Value: None.</p>
	<p>An interest in a common improvement described as follows:</p>
	<p>A diamond drilling program to delineate a subsurface ore body on this group of claims. All drilling was done subsequent to the location of the lode claims. The location and description of the drill holes follow:</p>
	<p>A drill hole, No. 1463, bears S.14°32'27"E., 1,155. ft. from Cor. No. 1 of the ALACHUA lode; size BX, depth 75. ft. Value: \$412.50.</p>
	<p>A drill hole, No. A714, bears N.47°39'44"W., 615. ft. from Cor. No. 1 of The Alta No. 1 lode; size NX-BX, depth 501. ft. Value: \$2,326.20.</p>
	<p>A drill hole, No. A772, bears N.6°38'26"W., 1,177. ft. from Cor. No. 1 of The Alta No. 1 lode; size NX, depth 231. ft. Value: \$2,230.49.</p>
	<p>A drill hole, No. A716, bears N.32°07'26"W., 1,142. ft. from Cor. No. 2 of the America No. 1 lode; size NX, depth 423. ft. Value: \$1,977.25.</p>
	<p>A drill hole, No. A797, bears N.35°22'42"E., 43. ft. from Cor. No. 2 of the America No. 1 lode; size BX, depth 240. ft. Value: \$2,779.92.</p>
	<p>A drill hole, No. A793, bears N.24°38'48"W., 237. ft. from Cor. No. 2 of the America No. 1 lode; size BX, depth 280. ft. Value: \$1,869.30.</p>
	<p>A drill hole, No. A799, bears N.59°19'03"W., 322. ft. from Cor. No. 1 of the America No. 2 lode; size BX, depth 169. ft. Value: \$1,395.55.</p>

FEET	
	<p>A drill hole, No. A798, bears N.12°07'22"E., 1,490. ft. from Cor. No. 1 of the Apricot lode; size BX, depth 170. ft. Value: \$1,273.00.</p>
	<p>A drill hole, No. A755, bears N.48°12'21"E., 1,377. ft. from Cor. No. 1 of The Axe lode; size NX, depth 92. ft. Value: \$553.72.</p>
	<p>A drill hole, No. A795, bears N.18°01'57"E., 474. ft. from Cor. No. 1 of The Axe lode; size BX, depth 125. ft. Value: \$882.50.</p>
	<p>A drill hole, No. A701, bears S.21°11'37"E., 589. ft. from Cor. No. 1 of the BOSTON lode; size NX, depth 231. ft. Value: \$1,042.90.</p>
	<p>A drill hole, No. A732, bears S.5°36'21"E., 545 ft. from Cor. No. 1 of the BOSTON lode; size NX, depth 142. ft. Value: \$832.20.</p>
	<p>A drill hole, No. G-32, bears S.7°20'28"W., 268. ft. from Cor. No. 1 of the BOSTON lode; size NX, depth 300. ft. Value: \$1,620.00.</p>
	<p>A drill hole, No. A794, bears S.30°21'14"E., 1,166. ft. from Cor. No. 1 of the BOSTON lode; size BX, depth 120. ft. Value: \$603.60.</p>
	<p>A drill hole, No. A881, bears N.30°41'34"W., 1,474. ft. from Cor. No. 1 of the Cherry lode; size BX, depth 97. ft. Value: \$762.87.</p>
	<p>A drill hole, No. G27, bears S.76°11'49"W., 452. ft. from Cor. No. 1 of the FLAT TOP lode; size NX, depth 344. ft. Value: \$1,857.60.</p>
	<p>A drill hole, No. 1464, bears S.43°02'35"W., 531. ft. from Cor. No. 1 of the French King lode; size BX, depth 247. ft. Value: \$1,804.00.</p>
	<p>A drill hole, No. 1466, bears S.50°42'14"W., 111. ft. from Cor. No. 1 of the Italian Queen lode; size BX, depth 179. ft. Value: \$1,344.00.</p>
	<p>A drill hole, No. A796, bears N.61°47'51"W., 336. ft. from Cor. No. 1 of the LIBERTY lode; size BX, depth 112. ft. Value: \$692.50.</p>
	<p>A drill hole, No. A727, bears N.27°40'54"W., 481. ft. from Cor. No. 1 of the Ruby lode; size BX, depth 40. ft. Value: \$216.00.</p>

FEET	
	<p>A drill hole, No. A759, bears N.25°51'24"W., 502. ft. from Cor. No. 1 of the Ruby lode; size NX, depth 238. ft. Value: \$1,427.30.</p>
	<p>A drill hole, No. 1459, bears S.19°53'20"W., 601. ft. from Cor. No. 1 of the SUZY lode; size BX, depth 387. ft. Value: \$2,879.50.</p>
	<p>A drill hole, No. A731, bears S.16°28'26"W., 527. ft. from Cor. No. 1 of the SUZY lode; size NX, depth 108. ft. Value: \$789.10.</p>
	<p>A drill hole, No. G5, bears S.7°35'31"E., 673. ft. from Cor. No. 1 of the Walthum lode; size NX, depth 278. ft. Value: \$1,468.20.</p>
	<p>A drill hole, No. G15, bears S.17°43'54"E., 954. ft. from Cor. No. 1 of the Walthum lode; size NX, depth 206. ft. Value: \$944.10.</p>
	<p>A drill hole, No. G30, bears S.14°04'28"W., 672. ft. from Cor. No. 1 of the Walthum lode; size NX, depth 300. ft. Value: \$1,857.60.</p>
	<p>A drill hole, No. A756, bears N.38°50'43"E., 1,243. ft. from Cor. No. 1 of the Four Queens lode; size NX, depth 389. ft. Value: \$2,235.67.</p>
	<p>A drill hole, No. G38, bears N.5°22'15"W., 577. ft. from Cor. No. 1 of the Four Queens lode; size NX, depth 540. ft. Value: \$3,315.30.</p>
	<p>Value of drill holes, \$41,392.87 Value of one-nineteenth interest, \$2,178.57</p>
	<p>This improvement was designed to delineate a subsurface ore body on these claims. The ore body is of such magnitude that drilling was the most economical method to explore and define the ore.</p>
	<p>Five hundred dollars or over has been expended in this improvement in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore, an undivided one-nineteenth interest in its value is hereby credited to each lode of this survey.</p>
	<p>No portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.</p>

FEET

OTHER IMPROVEMENTS

None

OTHER CORNER DESCRIPTIONS  
AND SUPPLEMENTAL DATA

M.S. No. 606, Lot 41 Bull Docer lode: Cor. No. 1 is a wood post, 4 x 4 ins., 4 ft. above ground, inscribed B.D. 1M No. 1. Cors. Nos. 2 and 6 are wood posts, 4 x 4 ins., 4 ft. above ground, with white rock mounments. Cor. No. 3 is a stone monument with the remnants of a wood post. Cor. No. 5 is a wood post, 4 x 4 ins., 4 ft. above ground. Line 1-2 was found to be N.34°09'57"E., 299.27 ft., instead of N.34°E., 300 ft., as approved. Line 2-3 was found to be N.55°44'23"W., 1,500.20 ft., instead of N.56°W., 1,500 ft., as approved. Line 5-6 was found to be S.55°43'33"E., 1,498.37 ft., instead of S.56°E., 1,500. ft., as approved. Line 6-1 was found to be N.34°26'16"E., 301.50 ft., instead of N.34°E., 300 ft., as approved. The above corner monuments are not the original posts; they are located properly in relation to the improvements described in the original field notes and they have been accepted as the corners for several years. Therefore, I accepted the above monuments as the true corners.

M.S. No. 1304, Newman lode: Cors. Nos. 1, 4 and 6 are wood posts, 4 x 4 ins., 2 ft. above ground, standing in a mound of stones. The posts are generally loose in the ground or stones. The inscribed data are partially identifiable. Cors. Nos. 2, 3 and 5 were not found. Line 4-5-6 was found to be S.17°15'50"E., 561.03 ft., instead of S.17°30'E., 560. ft., as approved. Line 6-1 was found to be N.67°46'14"E., instead of N.67°41'E., as approved. Line 3-4 is shown as approved.

M.S. No. 1305, Gap lode: Cors. Nos. 1, 3, 4 and 6 are wood posts, 4 x 4 ins., 2 ft. above ground, standing in a mound of stones. The posts are generally loose in the ground or stones. The inscribed data are partially identifiable. Cors. Nos. 2 and 5 were not found. Line 1-2-3 was found to be S.88°36'21"W., 600.96 ft., instead of S.88°45'W., 600. ft. as approved. Line 3-4 was found to be N.1°00'45"W., 1,182.86 ft., instead of N.1°15'W., 1,180.0 ft., as approved. Line 4-5-6 was found to be N.88°38'36"E., 599.45 ft., instead of N.88°45'E., 600 ft., as approved. Line 6-1 was found to be S.1°04'50"E., 1,182.46 ft., instead of S.1°15'E., 1,180. ft. as approved.

M.S. No. 1305, Peach lode: Cors. Nos. 1 and 4 are wood posts, 4 x 4 ins., 2 ft. above ground, standing in a mound of stones, the former identical with Cor. No. 6 of the South End lode of the same survey. The posts are generally loose in the ground or stones. The

FEET

inscribed data are partially identifiable. Cors. Nos. 3 and 6 described above. Cors. Nos. 2 and 5, the former identical with Cor. No. 5 of the South End lode of the same survey, were not found. Line 1-2-3, common with line 4-5-6 South End lode of the same survey, was found to be S.75°08'20"W., 602.79 ft.; line 3-4, N.15°01'14"E., 1,500.77 ft.; line 4-5-6, N.75°15'20"E., 599.44 ft.; and line 6-1, S.14°55'57"W., 1,498.04 ft., instead of S.75°W., 600 ft.; N.13°50'E., 1,500. ft.; N.75°E., 600.ft.; and S.13°50'W., 1,500. ft., respectively, as approved.

M.S. No. 1305, South End lode: Cors. Nos. 4, 5 and 6 described above. Cors. Nos. 1 and 3 are wood posts, 4 x 4 ins., 2 ft. above ground, standing in a mound of stones. The posts are generally loose in the ground or stones. The inscribed data are partially identifiable. Cor. No. 2 was not found. Line 1-2-3 was found to be S.75°01'44"W., 600. ft.; line 3-4 was found to be N.15°07'28"W., 1,392.86 ft.; line 4-5-6 described above; line 6-1 was found to be S.15°00'57"E., 1,391.69 ft., instead of S.75°W., 600. ft.; N.15°W., 1,392. ft. and S.15°E., 1,392. ft., respectively, as approved.

M.S. No. 1305, Monitor lode: Cors. Nos. 2, 3 and 6 are wood posts, 4 x 4 ins., 2 ft. above ground, standing in a mound of stones. Cor. No. 2 is identical with Cor. No. 3, M.S. No. 1388A, ELGIN lode. The posts are generally loose in the ground or stones. The inscribed data are partially identifiable. Cors. Nos. 1, 4 and 5 were not found. Line 2-3 was found to be S.59°17'04"W., 300.15 ft., instead of S.59°W., 300. ft., as approved. The point for Cor. No. 1, on line 3-4, M.S. No. 1388A, ELGIN lode, was calculated at 299.85 ft. on a bearing of N.59°18'26"E. from Cor. No. 2, instead of S.59°W., 300.0 ft., as approved. Lines 3-4 and 4-5-6 are shown as approved. Line 6-1 was found to be S.30°39'53"E., 1,218.66 ft., instead of S.31°E., 1,218.0 ft., as approved.

M.S. No. 1388A, CHANCE lode: Cor. No. 2, identical with Cor. No. 3 of the BLACK HAWK lode of the same survey, and Cors. Nos. 3 and 4 are wood posts, 4 x 4 ins., 2 ft. above ground, standing in a mound of stones. The posts are generally loose in the ground or stones. The inscribed data are partially identifiable. Line 1-2, identical with line 3-4 BLACK HAWK lode of the same survey, is shown as approved. Line 2-3 was found to be N.25°50'49"W., 596.19 ft., instead of N.25°56'W., 600. ft., as approved. Line 3-4 was found to be N.64°04'44"E., 1,495.99 ft., instead of N.64°04'E., 1,500. ft., as approved.

M.S. No. 1388A, ELGIN lode: Cor. No. 3 identical with Cor. No. 2, M.S. No. 1305, Monitor lode, described above. Cor. No. 4 is a wood post, 4 x 4 ins., 2 ft. above ground, standing in a mound of stones. The post is loose in the ground or stones. The inscribed data are partially identifiable. Line 2-3 is

FEET

is shown as approved from Cor. No. 2 to Cor. No. 4, M.S. No. 2061 SUNSETE lode. From Cor. No. 4 of the SUNSETE lode to Cor. No. 3 of the same lode, common with line 2-3 of the ELGIN lode, it was found to be N.53°33'52"W., 328.28 ft., instead of N.53°44'W., 328.3 ft., as approved. From Cor. No. 3 of the SUNSETE lode to Cor. No. 3 of the ELGIN lode, it was found to be N.53°46'25"W., 651.52 ft., instead of N.53°44'W., 651.7 ft., as approved. Line 3-4, common with line 1-2, M.S. No. 1305, Monitor lode, was found to be N.59°18'26"E., 599.65 ft., instead of N.59°E., 600. ft., as approved. Line 4-1, common with line 2-3 GENERAL lode of the same survey, is shown as approved.

M.S. No. 1388A, GENERAL lode: Cor. No. 3 could not be found. Cor. No. 4 is a wood post, 4 x 4 ins., 2 ft. above ground, standing slightly loose in a mound of stones. The inscribed data are partially identifiable. Line 2-3 described above. Line 3-4, based on a calculated point for Cor. No. 3 and Cor. No. 4, was found to be N.67°46'14"E., 701.33 ft., instead of N.67°41'E., as approved.

M.S. No. 1388A, TELEPHONE lode: Cor. No. 3 is a wood post, 4 x 4 ins., 2 ft. above ground, standing slightly loose in a mound of stones. The inscribed data are partially identifiable. Line 2-3 is shown as approved. Line 3-4, described as follows: In part common with line 1-2, M.S. No. 2061, SUNSETE lode. From Cor. No. 3 to Cor. No. 2 of the SUNSETE lode was found to be N.88°53'11"E., 243.94 ft., instead of N.88°36'E., 241.9 ft. From Cor. No. 2 to Cor. No. 1 of the SUNSETE lode was found to be N.88°14'13"E., 293.21 ft., instead of N.88°36'E., 293.3 ft., as approved. From Cor. No. 1 of the SUNSETE lode to Cor. No. 4 of the TELEPHONE lode, the line is shown as approved.

M.S. No. 1388A, BOSTON lode: Cors. Nos. 1 and 4 described above. Cors. Nos. 2 and 3 are wood posts, 4 x 4 ins., 2 ft. above ground, standing in a mound of stones. The posts are generally loose in the ground or stones. The inscribed data are partially identifiable. Lines 1-2, 3-4 and 4-1 described above. Line 2-3 was found to be N.36°05'34"W., 1,337.29 ft., instead of N.36°10'W., 1,337.00 ft., as approved.

M.S. No. 2061, SUNSETE lode: Cors. Nos. 1, 2, 3 and 4 are wood posts, 4 x 4 ins., 2 ft. above ground, standing slightly loose in a mound of stones. The inscribed data are partially identifiable. Lines 1-2 and 3-4 described above. Line 2-3 was found to be N.8°04'20"E., 206.23 ft., instead of N.8°03'E., 203.6 ft., as approved. Line 4-1 is shown as approved.

South Boundary N 1/2 NE 1/4 sec. 15: The cor. of secs. 14, 15, 22 and 23 described above. The cors. of secs. 10, 11, 14 and 15; 9, 10, 15 and 16, and 15, 16, 21 and 22, T.18 S., R.15 E., G. & S.R.M., are stones, firmly set, marked and witnessed as described in the official record.



FEET	<p>The 1/4 cors. of the following sections were not found: 14-15, 10-15, 15-16 and 15-22. The boundaries of sec. 15 were found to be: East--N.0°10'56"W., 2,663.98 ft. and N.0°04'59"W., 2,648.08 ft., calculated by proportion; North--N.89°56'38"E., 5,287.33 ft.; West--S.0°03'41"E., 5,285. ft.; and South--N.89°45'48"W., 5,294.03 ft., instead of: East--N.0°07'W., 2,655.84 ft., N.0°01'W., 2,640. ft.; North--West, 5,280. ft.; West S.0°02'E., 5,280. ft.; South--S.89°48"E., 5,286.6 ft., as approved. From the above bearings and distances, the south boundary of the N 1/2 NE 1/4 sec. 15 was found to be S.89°55'51"W., 2,643.33 ft.</p>						
	<p>FIELD ASSISTANTS</p> <table style="width: 100%; border: none;"> <thead> <tr> <th style="text-align: left;">Name</th> <th style="text-align: left;">Capacity</th> </tr> </thead> <tbody> <tr> <td>Theodore Hilbrands</td> <td>Instrumentman</td> </tr> <tr> <td>George Erickson</td> <td>Chainman</td> </tr> </tbody> </table>	Name	Capacity	Theodore Hilbrands	Instrumentman	George Erickson	Chainman
Name	Capacity						
Theodore Hilbrands	Instrumentman						
George Erickson	Chainman						

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

49

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor

Harvey W. Smith, E.M.

Date

November 10, 1977


I HEREBY CERTIFY That in pursuance of an order received from the Chief, Branch of Cadastral Survey, Bureau of Land Management Amended, at Phoenix, Arizona, dated March 28, 1972 and May 2, 1977, I have carefully executed the survey of the claim of Anamax Mining Company known as the (lode, placer, or mill site) See back of page situated in Helvetia Mining District, Pima County, Secs. 14, 15, 22 & 23, Township 18 South, Range 15 East, Gila & Salt River Meridian, in the State of Arizona

This survey, designated as number 4717, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) lode location(s) embraced in the said mining claim by claimant(s) or their grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Paradise Valley, Arizona

(Location)



Harvey W. Smith, E.M.

(Signature of Mineral Surveyor)

CERTIFICATE OF APPROVAL

Office

Arizona State Office


Location

Phoenix, Arizona

Date

August 28, 1979

The foregoing field notes of mineral survey number 4717, in Secs. 14, 15, 22 & 23, Range 15 E, Gila and Salt River Meridian, in the State of Arizona,  surveyed  unsurveyed Township 18 S., executed by Harvey W. Smith Amended, Mineral Surveyor, under order dated Mar. 28, 1972 & May 2, 1977, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.



(Authorized Signature)

Chief, Br. of Cadastral Survey

(Title)

~~Boyd S. Owens~~

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number is a true copy of the original field notes.

(Authorized Signature)

(Title)

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

ALACHUA lode	11/28/55	12/30/76
The Alta No. 1 lode	1/26/29	5/10/52
America No. 1 lode	1/26/29	5/10/52
America No. 2 lode	1/26/29	5/10/52
Apricot lode	1/26/29	5/10/52
The Axe lode	9/25/50	12/30/76
BAKER lode	11/28/55	
BOSTON lode	12/21/60	
Cherry lode	1/26/29	5/10/52
FLAT TOP lode	11/17/55	12/30/76
French King lode	1/26/29	5/10/52
Italian Queen lode	1/26/29	5/10/52
LIBERTY lode	11/28/55	
ROUND TOP lode	9/15/55	12/30/76
Ruby lode	9/25/50	
Shovel lode	1/26/29	5/10/52
SUZY lode	1/2/56	12/30/76
Walthum lode	1/31/56	12/30/76
Four Queens lode	9/25/50	