

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number	4764
State	Arizona
Land District	Arizona


Of the Survey of the Mining Claim of *(name and address of Claimant)*

Ludwig G. Rosenkranz  
Box 2756  
Apache Junction, Arizona 85220

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Lazy Doc	11/27/46	11/7/47

Mining district			County	
Goldfield			Maricopa	
Section (Uns.)	Township	Range	Meridian	Survey under order dated
30	2 N. 	9 E.	G&SR	September 10, 1973
Survey commenced		Survey completed	Name of Mineral Surveyor	
October 1, 1973		October 26, 1973	Harvey W. Smith	

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

BLM FORM 100-107

THIS IS TO CERTIFY THAT THE ABOVE DESCRIBED LAND IS

HEREBY OFFERED FOR SALE

TO THE HIGHEST BIDDING PARTY

AT THE PUBLIC AUCTION TO BE HELD AT

THE FOLLOWING PLACE AND DATE

Section	Range	Township	County	State

FEET	<p>This survey was made with a Lietz theodolite, Model TM-20C, No. 104847, having a horizontal circle 80 mm. in diam. and a vertical circle 70 mm. in diameter. The circles are graduated in degrees and 20-minute increments. An optical micrometer, adjustable to the horizontal and vertical circles, permits the reading of angles direct to 20 seconds' accuracy and estimating to 5-second accuracy. The instrument was in good condition at the time of the survey and all adjustments were in good order.</p> <p>All azimuths in the record were determined by the method of horizontal-angles-right referred to the meridian established by direct observation. At 9:35:30 a.m. on October 1, 1973, at Cor. No. 4 of the Lazy Doc lode, latitude <math>33^{\circ} 29' 19.5''</math> N., longitude <math>111^{\circ} 28' 04.5''</math> W., turning from a reference point about 600 ft. northwesterly clockwise to the sun in a southeasterly direction.</p> <p style="text-align: center;">True bearing of reference point: N. <math>27^{\circ} 07' 13''</math> W.</p> <p>The lines were measured with a Lufkin steel tape, 300 ft. in length, graduated every foot for 299 ft. and the remaining foot graduated to tenths and hundredths. The tape was compared to a standard and found to be correct. All lines and connections of this survey were run by direct methods.</p> <p>The magnetic declination observed at each corner of the survey gave a uniform value of <math>14^{\circ}</math> E.</p>
	SURVEY NO. 4764
	<p style="text-align: center;">Lazy Doc LODE</p> <p>At Cor. No. 1 of the Lazy Doc lode.</p> <p>Set an iron post, <math>3/4</math> in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. L.D. 1 X U.S.M.S. 4764, from which</p> <p>The cor. of secs. 25, 36, 30 and 31, T. 2 N., Rs. 8 and 9 E., G&amp;SRM (secs. 25, 30 and 31 unsurveyed), bears S. <math>30^{\circ} 00' 20''</math> W., 3,660.83 ft. dist.; an iron post, 2 ins. diam., 12 ins. above ground, firmly set, marked and witnessed as described in the official record.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p>

(This form bound on left side)

FEET	
	Thence N. 6° 00' 58" E.
1,499.5	Cor. No. 2.  Set an iron post, 3/4 in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. L.D. 2 X U.S.M.S. 4764, from which  A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.
	Thence S. 87° 11' 35" E.
299.5	Lode line; discovery point bears S. 6° 00' 58" W., 749.5 ft. dist.
599.5	Cor. No. 3.  Set an iron post, 3/4 in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. L.D. 3 X U.S.M.S. 4764, from which  A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.
	Thence S. 6° 00' 58" W.
795.	Unimproved road, bears N. 42° W. and N. 86° E.
1,499.5	Cor. No. 4.  Set an iron post, 3/4 in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. L.D. 4 X U.S.M.S. 4764, from which  A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.
	Thence N. 87° 11' 35" W.
300.0	Lode line; discovery point bears N. 6° 00' 58" E., 750.0 ft. dist.
599.5	Cor. No. 1, and place of beginning.
SURVEY NO. 4764	
AREAS	
	<u>Acres</u>
	Total area Lazy Doc lode 20.605

FEET		
	<p>LOCATION</p>	
	<p>This survey is located in the NW 1/4 sec. 30 (Unsurveyed), T. 2 N., R. 9 E., G&amp;SRM.</p>	
	<p>The survey of the Lazy Doc lode is identical with the amended location as marked on the ground.</p>	
	<p>EXPENDITURES</p>	
	<p>The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or his grantors are as follows:</p>	
No. 1	<p>The discovery point of the Lazy Doc lode is on the lode line 750 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4.</p>	<p>Value: None</p>
No. 2	<p>An untimbered shaft with a concrete collar, the NE. cor. of which bears N. 6° 58' W., 726 ft. dist. from Cor. No. 4 of the Lazy Doc lode; 6 x 10 ft. in size, inclined 55° N. 80° W., 60 ft. deep with a drift, 5 x 6 ft. in size, running south 140 ft. at the bottom.</p>	<p>Value: \$9,000.00</p>
No. 3	<p>An untimbered shaft, the NE. cor. of which bears N. 6° 33' W., 713 ft. dist. from Cor. No. 4 of the Lazy Doc lode; 6 x 10 ft. in size, inclined 60° S. 80° W., 16 ft. deep with a drift, 5 x 6 ft. in size, running 25 ft. south at the bottom.</p>	<p>Value: \$2,000.00</p>
No. 4	<p>A cut, the NE. cor. of which bears N. 11° 30' W., 754 ft. dist. from Cor. No. 4 of the Lazy Doc lode; 4 ft. wide, 3 ft. deep, running S. 75° W., 11 ft.</p>	<p>Value: \$100.00</p>
No. 5	<p>A pit, the NE. cor. of which bears N. 11° 30' W., 898 ft. dist. from Cor. No. 4 of the Lazy Doc lode; 7 x 8 ft. in size, 7 ft. deep.</p>	<p>Value: \$250.00</p>
No. 6	<p>A cut, the NE. cor. of which bears N. 11° 30' W., 922 ft. dist. from Cor. No. 4 of the Lazy Doc lode; 5 ft. wide, 4 ft. deep, running N. 16° W., 15 ft.</p>	<p>Value: \$250.00</p>
No. 7	<p>An untimbered shaft, the NE. cor. of which bears N. 11° W., 998 ft. dist. from Cor. No. 4 of the Lazy Doc lode; 10 x 10 ft. in size, 43 ft. deep with a cross-cut, 5 x 6 ft. in size running west, 25 ft.</p>	<p>Value: \$5,300.00</p>

FEET

## OTHER IMPROVEMENTS

A frame well house, the SE. cor. of which bears N. 2° 21' W., 806 ft. dist. from Cor. No. 4 of the Lazy Doc lode; 8 x 10 ft. in size, the long sides bear N. 2° W.

Claimant herein.

An untimbered shaft, the NE. cor. of which bears N. 9° 16' W., 717 ft. dist. from Cor. No. 4 of the Lazy Doc lode; 5 x 6 ft. in size, 10 ft. deep.

Claimant unknown.

A frame shed, the NE. cor. of which bears N. 5° 06' W., 676 ft. dist. from Cor. No. 4 of the Lazy Doc lode; 8 1/2 x 12 ft. in size, the long sides bear N. 75° W.

Claimant herein.

A pit, the NE. cor. of which bears N. 5° 24' W., 825 ft. dist. from Cor. No. 4 of the Lazy Doc lode; 10 x 15 ft. in size, 9 ft. deep. The long sides bear S. 61° W.

Claimant unknown.

A well with pump and tank bears N. 13° 25' W., 991 ft. from Cor. No. 4 of the Lazy Doc lode.

Claimant herein.

OTHER CORNER DESCRIPTIONS  
AND SUPPLEMENTAL DATA

None.

## FIELD ASSISTANTS

Name

Capacity

Kent Miller

Instrument man

Charles Najarian

Chainman-axeman

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor Harvey W. Smith	Date Oct. 29, 1973
---	-----------------------

I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management, at Phoenix, Arizona, dated September 10, 1973, I have carefully executed the survey of the claim of Ludwig G. Rosenkranz known as the (lode, placer, or mill site) Lazy Doc lode (Uns.) situated in Goldfield Mining Dist., Maricopa County, Sec. 30/ Township 2 N., Range 9 E., G&SRM Meridian, in the State of Arizona.

This survey, designated as number 4764, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) Lazy Doc Lode location(s) embraced in the said mining claim by claimant(s) or his grantors are fully stated in my report. The character, extent, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Scottsdale, Arizona  
(Location)

*Harvey W. Smith*  
(Signature of Mineral Surveyor)

CERTIFICATE OF APPROVAL

Office Arizona State Office
Location Phoenix, Arizona
Date June 4, 1974

The foregoing field notes of mineral survey number 4764, in Section 30, Range 9 E., Gila and Salt River Meridian, in the State of Arizona,  surveyed  unsurveyed Township 2 N., executed by Harvey W. Smith, Mineral Surveyor, under order dated September 10, 1973, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

*Joe T. Rollins*  
Joe T. Rollins (Signature)

State Director  
(Title)

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above described mineral survey number is a true copy of the original field notes.

(Authorized Signature)

(Title)

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

THE UNIVERSITY OF CHICAGO  
DIVISION OF THE PHYSICAL SCIENCES  
DEPARTMENT OF CHEMISTRY

MEMORANDUM FOR THE RECORD  
DATE: [illegible]  
TO: [illegible]  
FROM: [illegible]  
SUBJECT: [illegible]

[The following text is extremely faint and largely illegible, appearing to be a detailed report or letter.]

[illegible signature]

[illegible text]

[illegible text]

[illegible text]

[illegible text]

[illegible text]



UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)  
BUREAU OF LAND MANAGEMENT M.S. 4764  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Lazy Doc lode, Mineral Survey No. 4764, located in section 30, Township 2 North, Range 9 East, Gila and Salt River Meridian, Arizona, is hereby canceled.


This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Lazy Doc lode, M.S. 4764 was canceled April 13, 1999, by memo 9605 (952) M.S. 4764, which is now a part of the original field notes."

April 13, 1999  
Date

  
\_\_\_\_\_  
Chief Cadastral Surveyor of Arizona

