

Form 3400-11  
(September 1967)  
(formerly 4-683)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number	4766
State	Arizona
Land District	Arizona

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Inspiration Consolidated Copper Company  
c/o G. Henry Ladendorff, Attorney at Law  
Suite 716 Arizona Bank Building  
Phoenix, Arizona 85003

Known as the *(name of group, if any)*

Eder Group

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Tip Top	03/02/29	11/18/71
Tip Top 2	03/02/29	11/18/71
Tip Top #1	08/01/30	
Eder #12	04/21/69	
Rim Rock 3	01/05/22	10/27/71
Eder #13	04/25/69	
Annex 6	08/01/30	10/22/71
Annex #5	08/01/30	09/19/73
Cap 130	07/24/30	
Eder 27	09/11/73	
Tip Top 3	03/10/29	10/22/71
Rim Rock 2	09/25/21	10/27/71
Rim Rock 4	07/16/22	08/13/73
Annex 7	08/01/30	09/19/73
Eder 31	06/12/73	
Eder 32	06/12/73	
Eder 62	09/07/73	
Eder 63	09/07/73	
Cap 131	07/25/30	
Tip Top #4	08/01/30	
Rim Rock 1	09/25/21	10/27/71
Rim Rock #5	08/01/30	09/19/73

Mining district		County	
Pioneer & Globe		Pinal & Gila	
Section 34, 35, 36	Township 1 N.	Range 13 East	Meridian
1, 2, 11 & 12	1 South	13 East	Gila & Salt River
Survey commenced	Survey completed	Name of Mineral Surveyor	
November 17, 1973	December 6, 1975	Travis L. Gant	
		Survey under order dated	
		October 31, 1973	

1  
 1950  
 1951  
 1952  
 1953  
 1954  
 1955  
 1956  
 1957  
 1958  
 1959  
 1960

1950  
 1951  
 1952  
 1953  
 1954  
 1955  
 1956  
 1957  
 1958  
 1959  
 1960

1950  
 1951  
 1952  
 1953  
 1954  
 1955  
 1956  
 1957  
 1958  
 1959  
 1960

1950

Year	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
1950	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
1951	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
1952	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
1953	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
1954	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
1955	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
1956	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
1957	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
1958	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
1959	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
1960	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960

1950  
 1951  
 1952  
 1953  
 1954  
 1955  
 1956  
 1957  
 1958  
 1959  
 1960

FIELD NOTES

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Eder 34	06/14/73	
Eder 35	06/14/73	
Eder 36	06/14/73	
Eder 64	09/07/73	
Eder 65	09/07/73	
Eder #11	04/21/69	
Rim Rock	12/15/15	10/27/71
Eder 38	06/13/73	
Eder 39	06/13/73	
Eder 40	06/14/73	
Eder #23	01/04/73	
EDER 22	09/27/71	
Eder 66	09/07/73	
Eder 67	09/07/73	
Eder #10	04/21/69	
Sixty Four Extension	01/01/12	08/13/73
Eder 42	06/13/73	
Eder 43	06/13/73	
Eder 44	06/14/73	
EDER 14	09/27/71	
EDER 15	09/27/71	
Eder 68	09/07/73	
Eder 69	09/07/73	
Eder 70	09/24/73	
Eder 45	06/13/73	
Eder 46	06/13/73	
Eder 47	06/13/73	
Eder 48	06/13/73	09/19/73
EDER 16	09/27/71	09/19/73
EDER 17	09/27/71	09/19/73
EDER 18	09/27/71	

STATE OF TEXAS

01/15/12	01/15/12	01/15/12	01/15/12
01/16/12	01/16/12	01/16/12	01/16/12
01/17/12	01/17/12	01/17/12	01/17/12
01/18/12	01/18/12	01/18/12	01/18/12
01/19/12	01/19/12	01/19/12	01/19/12
01/20/12	01/20/12	01/20/12	01/20/12
01/21/12	01/21/12	01/21/12	01/21/12
01/22/12	01/22/12	01/22/12	01/22/12
01/23/12	01/23/12	01/23/12	01/23/12
01/24/12	01/24/12	01/24/12	01/24/12
01/25/12	01/25/12	01/25/12	01/25/12
01/26/12	01/26/12	01/26/12	01/26/12
01/27/12	01/27/12	01/27/12	01/27/12
01/28/12	01/28/12	01/28/12	01/28/12
01/29/12	01/29/12	01/29/12	01/29/12
01/30/12	01/30/12	01/30/12	01/30/12
01/31/12	01/31/12	01/31/12	01/31/12
02/01/12	02/01/12	02/01/12	02/01/12
02/02/12	02/02/12	02/02/12	02/02/12
02/03/12	02/03/12	02/03/12	02/03/12
02/04/12	02/04/12	02/04/12	02/04/12
02/05/12	02/05/12	02/05/12	02/05/12
02/06/12	02/06/12	02/06/12	02/06/12
02/07/12	02/07/12	02/07/12	02/07/12
02/08/12	02/08/12	02/08/12	02/08/12
02/09/12	02/09/12	02/09/12	02/09/12
02/10/12	02/10/12	02/10/12	02/10/12
02/11/12	02/11/12	02/11/12	02/11/12
02/12/12	02/12/12	02/12/12	02/12/12
02/13/12	02/13/12	02/13/12	02/13/12
02/14/12	02/14/12	02/14/12	02/14/12
02/15/12	02/15/12	02/15/12	02/15/12
02/16/12	02/16/12	02/16/12	02/16/12
02/17/12	02/17/12	02/17/12	02/17/12
02/18/12	02/18/12	02/18/12	02/18/12
02/19/12	02/19/12	02/19/12	02/19/12
02/20/12	02/20/12	02/20/12	02/20/12
02/21/12	02/21/12	02/21/12	02/21/12
02/22/12	02/22/12	02/22/12	02/22/12
02/23/12	02/23/12	02/23/12	02/23/12
02/24/12	02/24/12	02/24/12	02/24/12
02/25/12	02/25/12	02/25/12	02/25/12
02/26/12	02/26/12	02/26/12	02/26/12
02/27/12	02/27/12	02/27/12	02/27/12
02/28/12	02/28/12	02/28/12	02/28/12
02/29/12	02/29/12	02/29/12	02/29/12
02/30/12	02/30/12	02/30/12	02/30/12

FIELD NOTES

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Eder 49	06/12/73	
Eder 50	06/12/73	
Eder 51	06/12/73	
Eder 52	06/12/73	
Eder 53	06/12/73	
Eder 54	06/13/73	
Eder 55	06/13/73	
Eder 56	06/13/73	
Eder 57	06/12/73	09/19/73
EDER 19	09/27/71	09/20/73
Eder 59	06/14/73	
Providence	07/01/28	10/19/71
Promoter	11/14/29	09/19/73
Stars and Stripes	01/01/02	09/27/71
"Moon Rise"	2/15/1899	



FEET

This survey was made with a Kern theodolite, Model DKM-2AE, Ser. No. 145997, featuring automatic vertical indexing and microscopic angle-reading capabilities which enable the instrument man to read angles, either horizontal or vertical, to 1 sec. of arc. This instrument was used in conjunction with electronic distance-measuring equipment, i.e., a Hewlett-Packard Model 3800 Distance Meter, Ser. No. 0987 A 00472, which has a range of 10,000 feet and an absolute accuracy of 0.01 feet plus the distance measured divided by 100,000 when operated in normal temperature ranges. Also available for use by the instrument man was a W. & L. E. Gurley transit, Ser. No. 57289, equipped with horizontal limb 6½ ins. diam., having two double opposite verniers, and a full vertical circle 5 ins. diam., having one double vernier; the horizontal verniers read to 30 secs. of arc; the vertical vernier reads to one minute of arc. This instrument was used for short-distance taping and alignment procedures and for topographic detail where great distances were not involved.

All bearings in this record were determined by the method of deflection angles referred to the meridian determined by the following solar observation:

October 27, 1975, at Cor. No. 4 of the EDER 15 lode in latitude 33° 22' 49" N., and longitude 110° 59' 30" W., as determined by scaling from U.S.G.S. quadrangle INSPIRATION, ARIZONA, dated 1945, make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the theodolite telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angles from a reference point approximately 1500 feet southerly clockwise to the sun.

Mean time of observation, 105th meridian, standard time = 4:09:18 p.m.

Declination of sun at mean time of observation = 12° 49' 04" S.

Mean observed vertical angle to sun's center, corrected for refraction and parallax = 16° 29' 04"

Mean horizontal angle from reference point to sun's center, turned clockwise and to the right to sun's center = 62° 46' 17"

True bearing to reference point = S. 0° 56' 20" E.

FEET

The lines were measured with either a Lufkin steel tape or with the aforementioned electronic distance meter. The tape was 500 feet in length, graduated every foot for 500 feet, with an added foot on the zero end, graduated in tenths and hundredths; the tape was compared with a standard 100.00 foot tape at the time of the beginning of the survey and found to be correct. The distance meter was compared with a course 1200.00 feet in length, previously measured as a base-line with a standard 100.00 foot tape, and found to be precise and accurate.

All lines and connections of this survey were run by direct methods where the lines were accessible. The inaccessible lines were run by traverse methods and their courses calculated as shown by calculations herewith submitted.

The magnetic declination observed at each corner of the survey gave a uniform value of 14° E.

Note concerning monumentation: Except in those few individual cases described herein, every corner and witness corner of this survey was monumented with an iron post and brass cap. Each iron post consists of a 3/4-inch nominal inside diam. galvanized water pipe having a 1 ins. exterior diam.; each pipe was placed in the ground in a foundation consisting of not less than 1/2 cu. ft. of portland cement concrete, mixed at the site; the lower end of each pipe was deformed to preclude removal from the concrete base. A brass cap having a disc 2 ins. diam. and a stem 2 1/2 ins. in length was securely cemented into the top of each pipe and was marked as described herein; 1/8-in. steel dies were used for lettering and numbering. Alongside every corner monument so set I caused to have erected a rock monument having a base at least 2 1/2 ft. in diam. and a height not less than two feet.

FEET	
	<p>Tip Top Lode</p> <p>At Cor. No. 1 of the Tip Top lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. TT-1-4766; from which</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 11 and 12, T. 1 S., R. 13 E., G. &amp; S. R. M., bears N. <math>51^{\circ} 13' 13''</math> W., 1150.39 ft. dist.; a cross "+" on the top surface of an up-right dacite boulder approx. 9 ft. x 5 ft. x <math>3\frac{1}{2}</math> ft. above ground, mkd. as described in the official record of the 1905 survey.</p> <p style="text-align: center;">Thence EAST</p>
190.	Center of local drainage, 4 ft. wide, course S. $50^{\circ}$ W.
296.	Lode line; discovery point bears N. $0^{\circ} 06' 53''$ E., 1464.00 ft. dist.
591.63	Cor. No. 2.
	Set a brass disc, 2 ins. diam., $2\frac{1}{2}$ ins. stem, grouted into a pre-drilled hole in ledge-rock, with disc mkd. TT-2-4766.
	Thence N. $0^{\circ} 14' 37''$ E.
292.	Center of local drainage, 3 ft. wide, course S. $60^{\circ}$ W.
1,250.	Edge of rim rock, bears WNW. and ESE.; descend sharply.
1,499.01	Cor. No. 3, identical with Cora. Nos. 3 of the Rim Rock 3 and Eder #13 lodes of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. TT-3-4766, RR 3-3-4766, and EDER 13-3-4766.
	Thence WEST
299.	Lode line; discovery point bears S. $0^{\circ} 06' 53''$ W., 35.00 ft. dist.
353.	Edge of rim rock, bears NW. and SE.
597.80	Cor. No. 4, identical with Cors. Nos. 4 of the Eder #12 and Rim Rock 3 lodes of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. TT-4-4766, EDER 12-4-4766, and RR 3-4-4766.
	Thence S. $0^{\circ} 00' 28''$ W.
1,499.00	Cor. No. 1, and place of beginning.

FEET	
	<p>Tip Top 2 Lode</p> <p>At Cor. No. 1 of the Tip Top 2 lode, identical with Cors. Nos. 1 of the Eder 27, Tip Top 3, and Tip Top #1 lodes of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. TT 2-1, EDER 27-1, TT 3-1, and TT 1-1-4766; from which</p> <p>The cor. of secs. 1, 2, 11, and 12, T. 1 S., R. 13 E., G. &amp; S. R. M., bears N. 50° 21' 53" E., 580.23 ft. dist.; an iron post, 1 ins. diam., with brass cap mkd. as herein-after described. (See OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA.)</p> <p style="text-align: center;">Thence WEST</p>
299.05	Lode line; discovery point bears S. 0° 52' E., 1348.67 ft. dist.
598.05	Cor. No. 2, identical with Cor. No. 1 of the Cap 130 lode and Cor. No. 2 of the Eder 27 lode of this survey.
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. TT 2-2-4766, CAP 130-1-4766, and EDER 27-2-4766.</p> <p style="text-align: center;">Thence S. 0° 49' 41" E.</p>
1,498.66	Cor. No. 3.
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. TT 2-3-4766.</p> <p style="text-align: center;">Thence EAST</p>
300.	Lode line; discovery point bears N. 0° 52' W., 150.00 ft. dist.
434.38	A point selected for witness Cor. No. 4, identical with witness Cor. No. 4 of the Tip Top #1 lode of this survey. This point falls on the top surface of a water retention dam for a stock tank; dam bears NW. and SE.
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. W.C. - TT 2-4-4766 and TT 1-4-4766.</p>
460.	Present water-line of stock tank, shore bears NW. and SE.
599.64	The true point for Cor. No. 4, identical with Cor. No. 4 of the Tip Top #1 lode of this survey.
	<p>This corner falls in the water of the aforementioned stock tank and is inaccessible for monumenting.</p>

FEET	
	Thence N. 0° 53' 20" W.
210.	Present water-line of stock tank, shore bears NW. and SE.
780.	Saddle; ridges rise WNW. and ESE.
1,498.68	Cor. No. 1, and place of beginning.
Tip Top #1 Lode	
Beginning at Cor. No. 1 of the Tip Top #1 lode, identical with Cors. Nos. 1 of the Tip Top 2, Eder 27, and Tip Top 3 lodes of this survey.	
Thence EAST	
22.	Center of local drainage, 4 ft. wide, course North.
262.	Center of road, 12 ft. wide, bears S. 20° E. and North.
300.	Lode line; discovery point bears S. 0° 52' 39" E., 1448.68 ft. dist.
598.56	Cor. No. 2, identical with Cors. Nos. 2 of the Tip Top 3, Rim Rock 2, and Eder #12 lodes of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. TT 1-2, TT 3-2, RR 2-2, and EDER 12-2-4766.	
Thence S. 0° 53' 39" E.	
494.	Center of local drainage and roadway, 12 ft. wide, course of stream N. 50° W., roadway bears N. 45° W. and S. 45° E.
900.	Crest of ridge bearing NW. and SE.
1,498.68	Cor. No. 3, identical with Cor. No. 3 of the Eder #12 lode of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. TT 1-3-4766 and EDER 12-3-4766.	
Thence WEST	
299.	Lode line; discovery point bears N. 0° 52' 39" W., 50.0 ft. dist.
417.	Present water-line of stock tank, shore bears northeasterly and southwesterly.

FEET	
598.70	<p>The true point for Cor. No. 4, previously described; witnessed WEST, 165.26 ft. dist.</p> <p style="text-align: center;">Thence N. 0° 53' 20" W.</p>
210.	<p>Present water-line of stock tank, shore bears NW. and SE.</p>
780.	<p>Saddle; ridges rise WNW. and ESE.</p>
1,498.68	<p>Cor. No. 1, and place of beginning.</p>
<p>Eder #12 Lode</p>	
<p>At Cor. No. 1 of the Eder #12 lode, identical with Cors. Nos. 1 of the Rim Rock 2, Rim Rock 4, and Rim Rock 3 lodes of this survey.</p>	
<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 12-1, RR 2-1, RR 4-1, and RR 3-1-4766; from which</p>	
<p>The cor. of secs. 1, 2, 11, and 12 bears N. 63° 45' 15" W., 835.99 ft. dist., heretofore described.</p>	
<p>Thence WEST</p>	
298.	<p>Lode line; discovery point bears S. 0° 49' 20" E., 50.0 ft. dist.</p>
392.	<p>Edge of rim rock, bears NW. and SE.</p>
597.88	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Tip Top #1, Tip Top 3, and Rim Rock 2 lodes of this survey.</p>
<p>Thence S. 0° 53' 39" E.</p>	
494.	<p>Center of local drainage and roadway, 12 ft. wide, course of stream N. 50° W., roadway bears N. 45° W. and S. 45° E.</p>
900.	<p>Crest of ridge bearing NW. and SE.</p>
1,498.68	<p>Cor. No. 3, identical with Cor. No. 3 of the Tip Top #1 lode of this survey.</p>
<p>Thence EAST</p>	
298.	<p>Lode line; discovery point bears N. 0° 49' 20" W., 1448.65 ft. dist.</p>
598.20	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Rim Rock 3 and Tip Top lodes of this survey.</p>
<p>Thence N. 0° 54' 23" W.</p>	
765.	<p>Edge of rim rock, bears WNW. and ESE.</p>
1,498.69	<p>Cor. No. 1, and place of beginning.</p>

FEET	
	Rim Rock 3 Lode
	Beginning at Cor. No. 1 of the Rim Rock 3 lode, identical with Cors. Nos. 1 of the Eder #12, Rim Rock 2, and Rim Rock 4 lodes of this survey.
	Thence EAST
298.	Lode Line; discovery point bears S. 0° 56' 13" E., 200.0 ft. dist.
528.	Center of road, 14 ft. wide, bears S. 25° W. and North.
597.50	Cor. No. 2, identical with Cors. Nos. 2 of the Rim Rock 4, Annex 7, and Eder #13 lodes of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. RR3-2, RR 4-2, ANNEX 7-2, and EDER 13-2-4766.
	Thence S. 0° 55' 05" E.
34.	Center of local drainage, 3 ft. wide, course N. 50° E.
119.	Center of road, 14 ft. wide, bears E. and W.
192.	Center of road, 10 ft. wide, bears N. 70° W. and S. 75° E.
1,498.69	Cor. No. 3, identical with Cors. Nos. 3 of the Eder #13 and Tip Top lodes of this survey.
	Thence WEST
299.	Lode line; discovery point bears N. 0° 56' 13" W., 1298.70 ft. dist.
353.	Edge of rim rock, bears NW. and SE.
597.80	Cor. No. 4, identical with Cors. Nos. 4 of the Tip Top and Eder #12 lodes of this survey.
	Thence N. 0° 54' 23" W.
765	Edge of rim rock, bears WNW. and ESE.
1,498.69	Cor. No. 1, and place of beginning.
	Eder #13 Lode
	At the true point for Cor. No. 1 of the Eder #13 lode, identical with Cor. No. 1 of the Annex 7 lode, and with Cors. Nos. 2 of the Eder 31 and Annex 6 lodes of this survey.

(This form bound on left side)

FEET		
	<p>This corner falls in the center of a mining access road which bears NW. and SE., where a permanent monument cannot be maintained.</p> <p>Set a temporary spike for Cor. No. 1; from which</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 1 and 12, T. 1 S., R. 13 E., G. &amp; S. R. M., bears N. <math>61^{\circ} 24'</math> E., 677.67 ft. dist.; a stone 12 ins. x 5 ins., projecting 11 ins. above ground surface, mkd. as described in the official record, 1905 survey.</p> <p style="text-align: center;">Thence WEST</p>	
16.39	<p>A point selected for witness Cor. No. 1, identical with witness Cor. No. 1 of the Annex 7 lode, and witness Cors. Nos. 2 of the Eder 31 and Annex 6 lodes of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. W.C. - EDER 13-1, ANNEX 7-1, EDER 31-2, and ANNEX 6-2-4766.</p>	
299.	Lode line; discovery point bears S. $0^{\circ} 55' 38''$ E., 50.0 ft. dist.	
560.	Center of local drainage, 4 ft. wide, course N. $60^{\circ}$ E.	
598.76	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Rim Rock 3, Rim Rock 4, and Annex 7 lodes of this survey.</p> <p style="text-align: center;">Thence S. <math>0^{\circ} 55' 05''</math> E.</p>	
34.	Center of local drainage, 4 ft. wide, course N. $50^{\circ}$ E.	
119.	Center of road, 14 ft. wide, bears E. and W.	
192.	Center of road, 10 ft. wide, bears N. $70^{\circ}$ W., and S. $75^{\circ}$ E.	
1,498.69	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Tip Top and Rim Rock 3 lodes of this survey.</p> <p style="text-align: center;">Thence EAST</p>	
300.	Lode line; discovery point bears N. $0^{\circ} 55' 38''$ W., 1448.70 ft. dist.	
599.40	<p>Cor. No. 4, identical with Cor. No. 3 of the Annex 6 lode of this survey.</p> <p>Set an iron post, 2 ft. long 1 ins. diam., 12 ins. in the ground, with brass cap mkd. EDER 13-4-4766 and ANNEX 6-3-4766.</p> <p style="text-align: center;">Thence N. <math>0^{\circ} 56' 33''</math> W.</p>	

FEET	
270.	Center of road, 14 ft. wide, bears E. and W.
448.	Center of local drainage, 3 ft. wide, course N. 60° E.
537.	Center of local drainage, 3 ft. wide, course East.
1,116.	Center of road, 14 ft. wide, bears N. 45° E. and S. 45° W.
1,302.	Center of road, 14 ft. wide, bears N. 45° W. and S. 45° E.
1,379.	Center of road, 12 ft. wide, bears N. 65° W. and S. 75° E.
1,498.70	Cor. No. 1, and place of beginning.
Annex 6 Lode	
At Cor. No. 1 of the Annex 6 lode, identical with Cors. Nos. 1 of the Eder 31, Eder 32, and Annex #5 lodes of this survey.	
Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. ANNEX 6-1, EDER 31-1, EDER 32-1, and ANNEX 5-1-4766; from which	
The $\frac{1}{4}$ sec. cor. of secs. 1 and 12 bears N. 0° 33' W., 324.41 ft. dist., heretofore described.	
Thence WEST	
299.	Lode line; discovery point bears S. 0° 51' 45" E., 170.0 ft. dist.
552.	Center of road, 12 ft. wide, bears N. 40° W. and S. 40° E.
598.09	The true point for Cor. No. 2, identical with Cors. Nos. 1 of the Eder #13 and Annex 7 lodes, and Cor. No. 2 of the Eder 31 lode of this survey, previously described; witnessed WEST, 16.39 ft. dist.
Thence S. 0° 56' 33" E.	
119.70	Center of road, 12 ft. wide, bears N. 65° W. and S. 75° E.
196.70	Center of road, 14 ft. wide, bears N. 45° W. and S. 45° E.
382.70	Center of road, 14 ft. wide, bears N. 45° E. and S. 45° W.

FEET	
961.70	Center of local drainage, 3 ft. wide, course East.
1,050.70	Center of local drainage, 3 ft. wide, course N. 60° E.
1,228.70	Center of road, 14 ft. wide, bears E. and W.
1,498.70	Cor. No. 3, identical with Cor. No. 4 of the Eder #13 lode of this survey.
Thence EAST	
231.	Center of road, 14 ft. wide, bears N. 25° W. and S. 25° E.
297.	Lode line; discovery point bears N. 0° 51' 45" W., 1328.67 ft. dist.
513.	Center of local drainage, 3 ft. wide, course N. 60° E.
594.62	Cor. No. 4, identical with Cor. No. 4 of the Annex #5 lode of this survey.
Set a brass disc, 2 ins. diam., 2½ ins. stem, grouted into a pre-drilled hole in ledge-rock, with disc mkd. ANNEX 6-4-4766 and ANNEX 5-4-4766.	
Thence N. 0° 48' 35" W.	
50.	Center of local drainage, 3 ft. wide, course N. 60° E.
1,068.	Center of local drainage, 5 ft. wide, course N. 55° E.
1,498.65	Cor. No. 1, and place of beginning.
Annex #5 Lode	
Beginning at Cor. No. 1 of the Annex #5 lode, identical with Cors. Nos. 1 of the Annex 6, Eder 31, and Eder 32 lodes of this survey.	
Thence EAST	
299.	Lode line; discovery point bears S. 0° 52' 20" E., 50.0 ft. dist.
364.	Center of road, 12 ft. wide, bears N. 8° E. and S. 23° W.
507.95	A point selected for witness Cor. No. 2, identical with witness Cors. Nos. 2 of the Eder 32 and Eder 62 lodes of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. W.C. - ANNEX 5-2-4766, EDER 32-2-4766, and EDER 62-2-4766.	

FEET	
597.95	<p>The true point for Cor. No. 2, identical with Cors. Nos. 2 of the Eder 32 and Eder 62 lodes of this survey.</p> <p>This corner falls in the watercourse of Powers Gulch, 12 ft. wide, where a permanent monument cannot be maintained; course of Powers Gulch N. 25° E.</p> <p style="text-align: center;">Thence S. 0° 51' 40" E.</p>
269.	Center of Powers Gulch, 10 ft. wide, course West.
507.	Center of road, 12 ft. wide, bears N. 50° E. and S. 50° W.
1,498.67	<p>Cor. No. 3.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. ANNEX 5-3-4766.</p> <p style="text-align: center;">Thence WEST</p>
260.	Center of local drainage, 5 ft. wide, course N. 60° W.
299.50	Lode line; discovery point bears N. 0° 52' 20" W., 1448.67 ft. dist.
599.29	<p>Cor. No. 4, identical with Cor. No. 4 of the Annex 6 lode of this survey.</p> <p style="text-align: center;">Thence N. 0° 48' 35" W.</p>
50.	Center of local drainage, 3 ft. wide, course N. 60° E.
1,068.	Center of local drainage, 5 ft. wide, course N. 55° E.
1,498.65	Cor. No. 1, and place of beginning.
<p>Cap 130 Lode</p>	
<p>Beginning at Cor. No. 1 of the Cap 130 lode, identical with Cors. Nos. 2 of the Eder 27 and Tip Top 2 lodes of this survey; from which</p>	
<p>The cor. of secs. 1, 2, 11, and 12 bears N. 70° 29' 40" E., 1108.52 ft. dist., heretofore described.</p>	
<p>Thence WEST</p>	
300.	Lode line; discovery point bears N. 1° 11' 41" W., 1473.82 ft. dist.

(This form bound on left side)

FEET	
599.02	<p>Cor. No. 2.</p> <p>Set a brass disc, 2 ins. diam., 2½ ins. stem, grouted into a pre-drilled hole in ledge-rock, with disc mkd. CAP 130-2-4766.</p> <p>Thence N. 1° 11' 38" W.</p>
852.	Center of road, 14 ft. wide, bears N. 65° E. and S. 55° W.
903.	Center of dry wash, 6 ft. wide, course West.
1,498.83	<p>Cor. No. 3.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. CAP 130-3-4766.</p> <p>Thence EAST</p>
198.	Center of road, 14 ft. wide, bears S. 35° W. and N. 25° E.
299.00	Lode line; discovery point bears S. 1° 11' 41" E., 25.0 ft. dist.
599.00	<p>Cor. No. 4, identical with Cor. No. 2 of the Cap 131 lode and Cor. No. 3 of the Eder 27 lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. CAP 130-4-4766, CAP 131-2-4766, and EDER 27-3-4766.</p> <p>Thence S. 1° 11' 41" E.</p>
502.	Center of road, 12 ft. wide, bears N. 65° W. and S. 65° E.
650.	Center of dry wash, 8 ft. wide, course N. 85° W.
1,498.82	Cor. No. 1, and place of beginning.
Eder 27 Lode	
Beginning at Cor. No. 1 of the Eder 27 lode, identical with Cors. 1 of the Tip Top 3, Tip Top #1, and Tip Top 2 lodes of this survey.	
Thence WEST	
299.05	Lode line; discovery point bears N. 1° 11' 06" W., 650.0 ft. dist.
598.05	Cor. No. 2, identical with Cor. No. 2 of the Tip Top 2 lode and Cor. No. 1 of the Cap 130 lode of this survey.

FEET	
	Thence N. 1° 11' 41" W.
848.82	Center of dry wash, 8 ft. wide, course N. 85° W.
996.82	Center of road, 12 ft. wide, bears N. 65° W. and S. 65° E.
1,498.82	Cor. No. 3, identical with Cor. No. 4 of the Cap 130 lode and Cor. No. 2 of the Cap 131 lode of this survey.
	Thence EAST
299.25	Lode line; discovery point bears S. 1° 11' 06" E., 848.82 ft. dist.
599.25	Cor. No. 4, identical with Cor. No. 1 of the Cap 131 lode and Cors. Nos. 4 of the Tip Top #4 and Tip Top 3 lodes of this survey.
	Set a brass tablet, 2 ins. diam., with 2½ ins. stem grouted into solid bedrock, with disc. mkd. EDER 27-4, CAP 131-1, TT 4-4, and TT 3-4-4766. Raise a mound of stone 3 ft. base, 3 ft. high alongside.
	Thence S. 1° 08' 56" E.
582.	Center of road, 10 ft. wide, bears N. 70° E. and S. 70° W.
758.	Center of local drainage, 4 ft. wide, course S. 85° W.
1,350.	Center of local drainage, 4 ft. wide, course N. 20° W.
1,498.80	Cor. No. 1, and place of beginning.
	Tip Top 3 Lode
	Beginning at Cor. No. 1 of the Tip Top 3 lode, identical with Cors. Nos. 1 of the Tip Top #1, Tip Top 2, and Eder 27 lodes of this survey.
	Thence EAST.
22.	Center of local drainage, 4 ft. wide, course North.
262.	Center of road, 12 ft. wide, bears S. 20° E. and North.
300.	Lode line; discovery point bears N. 1° 08' 31" W., 875.0 ft. dist.

FEET	
598.56	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Rim Rock 2, Eder #12, and Tip Top #1 lodes of this survey.</p> <p>Thence N. 1° 08' 36" W.</p>
350.	Center of road, 12 ft. wide, bears S. 60° W. and N. 30° E.
472.	Center of road, 12 ft. wide, bears S. 65° E. and N. 75° W.
740.	Edge of rim rock, bears NW. and SE.; descend sharply.
1,498.80	<p>Cor. No. 3, identical with Cors. Nos. 1 of the Tip Top #4 and Rim Rock 1 lodes, and Cor. No. 3 of the Rim Rock 2 lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. TT 3-3, TT 4-1, RR 1-1, and RR 2-3-4766.</p> <p>Thence WEST</p>
299.70	Lode Line; discovery point bears S. 1° 08' 31" E., 623.80 ft. dist.
350.	Edge of rim rock, bears N. and S.
598.70	<p>Cor. No. 4, identical with Cor. No. 4 of the Eder 27 lode, Cor. No. 1 of the Cap 131 lode, and Cor. No. 4 of the Tip Top #4 lode of this survey.</p> <p>Thence S. 1° 08' 56" E.</p>
582.	Center of road, 10 ft. wide, bears N. 70° E. and S. 70° W.
758.	Center of dry wash, 4 ft. wide, course S. 85° W.
1,350.	Center of local drainage, 4 ft. wide, course N. 20° W.
1,498.80	Cor. No. 1, and place of beginning.
	<p>Rim Rock 2 Lode</p> <p>Beginning at Cor. No. 1 of the Rim Rock 2 lode, identical with Cors. Nos. 1 of the Rim Rock 4, Rim Rock 3, and Eder #12 lodes of this survey.</p> <p>Thence WEST</p>
298.	Lode line; discovery point bears N. 1° 08' 31" W., 1248.80 ft. dist.

FEET	
392.	Northeasterly edge of rim rock, bears WNW. and ESE.
597.88	Cor. No. 2, identical with Cors. Nos. 2 of the Eder #12, Tip Top #1, and Tip Top 3 lodes of this survey.  Thence N. 1° 08' 36" W.
350.	Center of road, 12 ft. wide, bears S. 60° W. and N. 30° E.
472.	Center of road, 12 ft. wide, bears S. 65° E. and N. 75° W.
740.	Edge of rim rock, bears NW. and SE.: descend sharply.
1,498.80	Cor. No. 3, identical with Cor. No. 3 of the Tip Top 3 lode, and Cors. Nos. 1 of the Tip Top #4 and Rim Rock 1 lodes of this survey.  Thence EAST
299.92	Lode line; discovery point bears S. 1° 08' 31" E., 250.0 ft. dist.
332.	Center of road, 14 ft. wide, bears N. 30° E. and S. 30° W.
599.92	Cor. No. 4, identical with Cors. Nos. 4 of the Rim Rock 1, Rim Rock #5, and Rim Rock 4 lodes of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. RR 2-4, RR 1-4, RR 5-4, and RR 4-4-4766.  Thence S. 1° 03' 56" E.
448.	Center of road, 14 ft. wide, bears East and West.
976.	Center of local drainage, 3 ft. wide, course N. 80° E.
1,498.76	Cor. No. 1, and place of beginning.
Rim Rock 4 Lode	
Beginning at Cor. No. 1 of the Rim Rock 4 lode, identical with Cors. Nos. 1 of the Rim Rock 3, Eder #12, and Rim Rock 2 lodes of this survey.	
Thence EAST	
298.	Lode line; discovery point bears N. 1° 03' 56" W., 1248.76 ft. dist.

(This form bound on left side)

FEET	
528.	Center of road, 14 ft. wide, bears S. 25° W. and North.
597.50	Cor. No. 2, identical with Cors. Nos. 2 of the Annex 7, Eder #13, and Rim Rock 3 lodes of this survey.  Thence N. 1° 05' 49" W.
81.	Center of local drainage, 3 ft. wide, course S. 70° E.
158.	Center of road, 14 ft. wide, bears N. 60° E. and S. 60° W.
618.	Center of road, 14 ft. wide, bears East and West.
828.	Center of road, 10 ft. wide, bears N. 65° E. and S. 65° W.
890.	Center of local drainage, 4 ft. wide, course N. 50° E.
1,235.	Center of road, 10 ft. wide, bears N. 30° W. and S. 20° E.
1,354.	Center of road, 14 ft. wide, bears N. 60° E. and S. 50° W.
1,498.77	Cor. No. 3, identical with Cors. Nos. 1 of the Rim Rock #5 and Eder 34 lodes, and Cor. No. 3 of the Annex 7 lode of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. RR 4-3, RR 5-1, EDER 34-1, and ANNEX 7-3-4766.  Thence WEST
298.68	Lode line; discovery point bears S. 1° 03' 56' E., 250.0 ft. dist.
596.68	Cor. No. 4, identical with Cors. Nos. 4 of the Rim Rock 2, Rim Rock 1, and Rim Rock #5 lodes of this survey.  Thence S. 1° 03' 56" E.
448.	Center of road, 14 ft. wide, bears East and West.
976.	Center of local drainage, 3 ft. wide, course N. 80° E.
1,498.76	Cor. No. 1, and place of beginning.

FEET	
	Annex 7 Lode
	Beginning at the true point for Cor. No. 1 of the Annex 7 lode, identical with Cors. Nos. 2 of the Eder 31 and Annex 6 lodes, and Cor. No. 1 of the Eder #13 lode of this survey, previously described.
	Thence WEST.
16.39	Witness Cor. No. 1, previously described.
299.	Lode line; discovery point bears N. 1° 09' 25" W., 50.0 ft. dist.
560.	Center of local drainage, 4 ft. wide, course N. 60° E.
598.76	Cor. No. 2, identical with Cors. Nos. 2 of the Eder #13, Rim Rock 3, and Rim Rock 4 lodes of this survey.
	Thence N. 1° 05' 49" W.
81.	Center of local drainage, 3 ft. wide, course S. 70° E.
158.	Center of road, 14 ft. wide, bears N. 60° E. and S. 60° W.
618.	Center of road, 14 ft. wide, bears East and West.
828.	Center of road, 10 ft. wide, bears N. 65° E. and S. 65° W.
890.	Center of local drainage, 4 ft. wide, course N. 50° E.
1,235.	Center of road, 10 ft. wide, bears N. 30° W. and S. 20° E.
1,354.	Center of road, 14 ft. wide, bears N. 60° E. and S. 50° W.
1,498.77	Cor. No. 3, identical with Cor. No. 3 of the Rim Rock 4 lode, and Cors. Nos. 1 of the Rim Rock #5 and Eder 34 lodes of this survey.
	Thence EAST.
298.19	Lode line; discovery point bears S. 1° 09' 25" E., 1448.81 ft. dist.
475.	Center of road, 12 ft. wide, bears N. 40° E. and S. 45° W.
598.19	Cor. No. 4, identical with Cors. Nos. 4 of the Eder 34 and Eder 35 lodes, and Cor. No. 3 of the Eder 31 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. ANNEX 7-4, EDER 34-4, EDER 35-4, and EDER 31-3-4766.

(This form bound on left side)

FEET	
	Thence S. 1° 07' 07" E.
114.	Center of local drainage, 5 ft. wide, course East.
1,170.79	Center of local drainage, 4 ft. wide, course N. 70° E.
1,445.79	Center of road, 10 ft. wide, bears N. 40° W. and S. 40° E.
1,498.79	Cor. No. 1, and place of beginning.
	Eder 31 Lode
	Beginning at Cor. No. 1 of the Eder 31 lode, identical with Cors. Nos. 1 of the Eder 32, Annex #5, and Annex 6 lodes of this survey.
	Thence WEST.
299.	Lode line; discovery point bears N. 1° 09' 37" W. 300.0 ft. dist.
552.	Center of road, 12 ft. wide, bears N. 40° W. and S. 40° E.
598.09	The true point for Cor. No. 2, identical with Cor. No. 2 of the Annex 6 lode, and Cors. Nos. 1 of the Eder #13 and Annex 7 lodes of this survey, witnessed WEST, 16.39 ft. dist., previously described.
	Thence N. 1° 07' 07" W.
53.	Center of road, 10 ft. wide, bears N. 40° W. and S. 40° E.
328.	Center of local drainage, 4 ft. wide, course N. 70° E.
1,384.79	Center of local drainage, 5 ft. wide, course East.
1,498.79	Cor. No. 3, identical with Cors. Nos. 4 of the Annex 7, Eder 34, and Eder 35 lodes of this survey.
	Thence EAST.
298.	Lode line; discovery point bears S. 1° 09' 37" E., 1198.81 ft. dist.
338.	Center of local drainage, 5 ft. wide, course N. 35° E.

FEET	
597.20	<p>Cor. No. 4, identical with Cors. Nos. 1 of the Eder 35 and Eder 36 lodes, and Cor. No. 4 of the Eder 32 lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 31-4, EDER 35-1, EDER 36-1, and EDER 32-4-4766.</p> <p>Thence S. 1° 09' 10" E.</p>
1,124.	<p>Center of local drainage, 5 ft. wide, course N. 60° E.</p>
1,498.80	<p>Cor. No. 1, and place of beginning.</p>
<p>Eder 32 Lode</p>	
<p>Beginning at Cor. No. 1 of the Eder 32 lode, identical with Cors. Nos. 1 of the Annex #5, Annex 6, and Eder 31 lodes of this survey.</p>	
<p>Thence EAST.</p>	
299.	<p>Lode line; discovery point bears N. 1° 09' 04" W., 150.0 ft. dist.</p>
364.	<p>Center of road, 12 ft. wide, bears N. 8° E. and S. 23° W.</p>
507.95	<p>Witness Cor. No. 2, previously described.</p>
597.95	<p>The true point for Cor. No. 2, identical with Cors. Nos. 2 of the Eder 62 and Annex #5 lodes of this survey, previously described; also the center of Powers Gulch, 12 feet wide, course N. 25° E.</p>
<p>Thence N. 1° 08' 35" W.</p>	
652.	<p>Center of dry wash, 8 ft. wide, course N. 70° E., joins Powers Gulch, 100 ft. dist.</p>
1,498.80	<p>Cor. No. 3, identical with Cors. Nos. 4 of the Eder 36 and Eder 64 lodes, and Cor. No. 3 of the Eder 62 lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 32-3, EDER 36-4, EDER 64-4, and EDER 62-3-4766.</p> <p>Thence WEST.</p>
300.	<p>Lode line; discovery point bears S. 1° 09' 04" E., 1348.80 ft. dist.</p>
415.	<p>Center of road, 12 ft. wide, bears N. 10° W. and S. 20° E.</p>

(This form bound on left side)

FEET	
598.20	Cor. No. 4, identical with Cor. No. 4 of the Eder 31 lode, and Cors. Nos. 1 of the Eder 35 and Eder 36 lodes of this survey.
	Thence S. 1° 09' 10" E.
1,124.	Center of local drainage, 5 ft. wide, course N. 60° E.
1,498.80	Cor. No. 1, and place of beginning.
	Eder 62 Lode
	At Cor. No. 1 of the Eder 62 lode, identical with Cor. No. 1 of the Eder 63 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 62-1-4766, and EDER 63-1-4766; from which
	The $\frac{1}{4}$ sec. cor. of secs. 1 and 12 bears N. 74° 52' 02" W., 1242.65 ft. dist., heretofore described.
	Thence WEST.
299.50	Lode line; discovery point bears N. 1° 10' 53" W., 1448.82 ft. dist.
598.50	The true point for Cor. No. 2, identical with Cors. No. 2 of the Annex #5 and Eder 32 lodes of this survey, witnessed WEST 90.00 ft. dist., previously described; also the center of Powers Gulch, 12 ft. wide, course N. 25° E.
	Thence N. 1° 08' 35" W.
652.	Center of dry wash, 8 ft. wide, course N. 70° E., joins Powers Gulch, 100 ft. dist.
1,498.80	Cor. No. 3, identical with Cor. No. 3 of the Eder 32 lode, and Cors. Nos. 4 of the Eder 36 and Eder 64 lodes of this survey.
	Thence EAST.
124.	Center of Powers Gulch, 14 ft. wide, course N. 20° E.
298.	Lode line; discovery point bears S. 1° 10' 53" E., 50.0 ft. dist.
597.88	Cor. No. 4, identical with Cors. Nos 1 of the Eder 64 and Eder 65 lodes, and Cor. No. 4 of the Eder 63 lode of this survey.

FEET		
1,498.81	<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 62-4, EDER 64-1, EDER 65-1, and EDER 63-4-4766.</p> <p>Thence S. 1° 10' 00" E.</p> <p>Cor. No. 1, and place of beginning.</p>	
90.	<p>Eder 63 Lode</p> <p>Beginning at Cor. No. 1 of the Eder 63 lode, identical with Cor. No. 1 of the Eder 62 lode of this survey.</p> <p>Thence EAST.</p> <p>Crest of ridge, bears NNE. and SSW.</p>	
300.	<p>Lode line; discovery point bears N. 1° 10' 32" W., 1448.82 ft. dist.</p>	
573.10	<p>Cor. No. 2.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. EDER 63-2-4766.</p> <p>Thence N. 0° 13' 47" W.</p>	
240.	<p>Center of local drainage, 3 ft. wide, course N. 45° E.</p>	
1,498.51	<p>Cor. No. 3, identical with Cor. No. 4 of the Eder 65 lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. EDER 63-3-4766 and EDER 65-4-4766.</p> <p>Thence WEST.</p>	
169.	<p>Crest of ridge, bears NNW. and SSE.</p>	
298.	<p>Lode line; discovery point bears S. 1° 10' 32" E., 50.0 ft. dist.</p>	
597.61	<p>Cor. No. 4, identical with Cor. No. 4 of the Eder 62 lode, and Cors. Nos. 1 of the Eder 64 and Eder 65 lodes of this survey.</p> <p>Thence S. 1° 10' 00" E.</p>	
1,498.81	<p>Cor. No. 1, and place of beginning.</p>	

(This form bound on left side)

FEET	
	Cap 131 Lode
	Beginning at Cor. No. 1 of the Cap 131 lode, identical with Cors. Nos. 4 of the Tip Top #4, Tip Top 3, and Eder 27 lodes of this survey; from which
	The cor. of sec. 1, 2, 11, and 12 bears S. 22° 54' 40" E., 1225.01 ft. dist., heretofore described.
	Thence WEST.
300.	Lode line; discovery point bears N. 0° 48' 20" W., 100.0 ft. dist.
599.25	Cor. No. 2, identical with Cor. No. 3 of the Eder 27 lode and Cor. No. 4 of the Cap 130 lode of this survey.
	Thence N. 0° 43' 03" W.
1,193.	Center of local drainage, 4 ft. wide, course N. 50° W.
1,483.83	Cor. No. 3, identical with Cor. No. 3 of the Eder #11 lode of this survey.
	Set a brass tablet, 2 ins. diam., with stem 2½ ins. long, cemented into a pre-drilled hole in solid ledge rock, with disc mkd. CAP 131-3-4766 and EDER 11-3-4766.
	Thence EAST.
296.97	Lode line; discovery point bears S. 0° 48' 20" E., 1383.86 ft. dist.
469.25	Triangulation Station PG-30, a steel pin, 1 ins. diam., grouted into solid rock, pin projecting 12 ins. above ground.
473.22	A point selected for witness Cor. No. 4, identical with witness Cor. No. 2 of the Eder #11 lode, and witness Cors. Nos. 3 of the Rim Rock and Tip Top #4 lodes of this survey.
	Set an iron post, 2 ft. long, ins. diam., in a formed concrete base, poured into a crevasse in rim rock, with brass cap mkd. W.C. - CAP 131-4, EDER 11-2, RR-3, TT 4-3-4766.
476.	Easterly edge of rim rock, bears NNW. and SSE.; descend precipitously over vertical and broken dacite cliffs.

FEET	
594.97	<p>The true point for Cor. No. 4, identical with Cor. No. 2 of the Eder #11 lode and Cors. Nos. 3 of the Rim Rock and Tip Top #4 lodes of this survey.</p>
	<p>This corner falls at an inaccessible point on the face of a fractured cliff where a monument cannot be established.</p>
	<p>Thence S. 0° 52' 58" E.</p>
800.	<p>Easterly edge of rim rock, bears WNW. and ESE.</p>
1,483.89	<p>Cor. No. 1, and place of beginning.</p>
<p>Tip Top #4 Lode</p>	
<p>Beginning at Cor. No. 1 of the Tip Top #4 lode, identical with Cor. No. 1 of the Rim Rock 1 lode, and Cors. Nos. 3 of the Rim Rock 2 and Tip Top 3 lodes of this survey; from which</p>	
<p>The cor. of secs. 1, 2, 11 and 12 bears S. 6° 09' 39" W., 1134.92 ft. dist., heretofore described.</p>	
<p>Thence N. 0° 53' 26" W.</p>	
864.	<p>Center of road, 14 ft. wide, bears N. 25° W. and S. 25° E.</p>
1,483.89	<p>Cor. No. 2, identical with Cor. No. 4 of the Rim Rock lode, Cor. No. 3 of the Eder 38 lode, and Cor. No. 2 of the Rim Rock 1 lode of this survey.</p>
<p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. TT4-2, RR-4, EDER 38-3, and RR 1-2-4766.</p>	
<p>Thence WEST.</p>	
163.	<p>Center of road, 14 ft. wide, bears N. 20° W. and S. 20° E.</p>
298.50	<p>Lode line; discovery point bears S. 0° 50' 39" E., 50.0 ft. dist.</p>
520.	<p>Base of broken-rock cliff, bears NNW. and SSE.</p>
598.50	<p>The true point for Cor. No. 3, identical with Cor. No. 4 of the Cap 131 lode, Cor. No. 2 of the Eder #11 lode, and Cor. No. 3 of the Rim Rock lode of this survey, witnessed WEST, 121.75 ft. dist., previously described.</p>
<p>Thence S. 0° 52' 58" E.</p>	

FEET	
800.	Easterly edge of rim rock, bears WNW. and ESE.
1,483.89	Cor. No. 4, identical with Cors. Nos. 4 of the Tip Top 3 and Eder 27 lodes, and Cor. No. 1 of the Cap 131 lode of this survey.  Thence EAST.
248.70	Edge of rim rock, bears N. and S.
299.	Lode line; discovery point bears N. 0° 50' 39" W., 1433.87 ft. dist.
598.70	Cor. No. 1, and place of beginning.
Rim Rock 1 Lode	
Beginning at Cor. No. 1 of the Rim Rock 1 lode, identical with Cors. Nos. 3 of the Rim Rock 2 and Tip Top 3 lodes, and Cor. No. 1 of the Tip Top #4 lode of this survey.	
Thence N. 0° 53' 26" W.	
864.	Center of road, 14 ft. wide, bears N. 25° W. and S. 25° E.
1,483.89	Cor. No. 2, identical with Cor. No. 2 of the Tip Top #4 lode, Cor. No. 4 of the Rim Rock lode, and Cor. No. 3 of the Eder 38 lode of this survey.  Thence EAST.
270.	Center of road, 14 ft. wide, bears N. and S.
300.	Lode line, discovery point bears S. 0° 53' 14" E., 50.0 ft. dist.
369.	Center of local drainage, 3 ft. wide, course S. 45° E.
551.	Center of road, 12 ft. wide, bears N. 60° W. and S. 60° E.
598.13	Cor. No. 3, identical with Cor. No. 4 of the Eder 38 lode, and Cors. Nos. 3 of the Eder 39 and Rim Rock #5 lodes of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. RR 1-3, EDER 38-4, EDER 39-3, and RR 5-3-4766.  Thence S. 0° 57' 34" E.
33.	Center of road, 12 ft. wide, bears N. 70° W. and S. 80° E.

FEET	
163.	Center of local drainage, 3 ft. wide, course S. 80° E.
276.	Center of local drainage, 3 ft. wide, course N. 70° E.
630.	Center of local drainage, 4 ft. wide, course N. 50° E.
1,483.92	Cor. No. 4, identical with Cors. Nos. 4 of the Rim Rock #5, Rim Rock 4, and Rim Rock 2 lodes of this survey.  Thence WEST.
267.92	Center of road, 14 ft. wide, bears N. 30° E. and S. 30° W.
300.	Lode line; discovery point bears N. 0° 53' 14" W., 1433.89 ft. dist.
599.92	Cor. No. 1, and place of beginning.
Rim Rock #5 Lode	
Beginning at Cor. No. 1 of the Rim Rock #5 lode, identical with Cor. No. 1 of the Eder 34 lode, and Cors. Nos. 3 of the Annex 7 and Rim Rock 4 lodes of this survey; from which	
The $\frac{1}{4}$ sec. cor. of secs. 1 and 12 bears S. 46° 09' 19" E., 1694.95 ft. dist., heretofore described.	
Thence N. 0° 53' 53" W.	
1,066.	Center of local drainage, 4 ft. wide, course N. 60° E.
1,452.	Center of local drainage, 4 ft. wide, course N. 55° E.
1,483.89	Cor. No. 2, identical with Cor. No. 4 of the Eder 39 lode, Cor. No. 3 of the Eder 40 lode, and Cor. No. 2 of the Eder 34 lode of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. RR 5-2, EDER 39-4, EDER 40-3, and EDER 34-2-4766.  Thence WEST.
299.	Lode line; discovery point bears S. 0° 54' 38" E., 50.0 ft. dist.
464.	Center of road, 12 ft. wide, bears N. 55° E. and S. 55° W.

FEET	
598.27	Cor. No. 3, identical with Cor. No. 3 of the Rim Rock 1 lode, Cor. No. 4 of the Eder 38 lode, and Cor. No. 3 of the Eder 39 lode of this survey.  Thence S. 0° 57' 34" E.
33.	Center of road, 12 ft. wide, bears N. 70° W. and S. 80° E.
163.	Center of local drainage, 3 ft. wide, course S. 80° E.
276.	Center of local drainage, 3 ft. wide, course N. 70° E.
630.	Center of local drainage, 4 ft. wide, course N. 50° E.
1,483.92	Cor. No. 4, identical with Cors. Nos. 4 of the Rim Rock 4, Rim Rock 2, and Rim Rock 1 lodes of this survey.  Thence EAST.
298.	Lode line; discovery point bears N. 0° 54' 38" W., 1433.90 ft. dist.
596.68	Cor. No. 1, and place of beginning.
Eder 34 Lode	
Beginning at Cor. No. 1 of the Eder 34 lode, identical with Cors. Nos. 3 of the Annex 7 and Rim Rock 4 lodes, and with Cor. No. 1 of the Rim Rock #5 lode of this survey.  Thence N. 0° 53' 53" W.	
1,066.	Center of local drainage, 4 ft. wide, course N. 60° E.
1,452.	Center of local drainage, 4 ft. wide, course N. 55° E.
1,483.89	Cor. No. 2, identical with Cor. No. 2 of the Rim Rock #5 lode, Cor. No. 4 of the Eder 39 lode, and Cor. No. 3 of the Eder 40 lode of this survey.  Thence EAST.
40.	Center of local drainage, 4 ft. wide, course N. 40° E.
299.02	Lode line; discovery point bears S. 0° 51' 58" E., 558.88 ft. dist.
486.	Center of dry wash, 6 ft. wide, course N. 50° E.

FEET	
598.02	<p>Cor. No. 3, identical with Cors. Nos. 2 of the Eder 40 and Eder #23 lodes, and Cor. No. 3 of the Eder 35 lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. EDER 34-3, EDER 40-2, EDER 23-2, and EDER 35-3-4766.</p> <p>Thence S. 0° 54' 17" E.</p>
59.	Center of road, 12 ft. wide, course NE. and SW.
198.	Center of road, 12 ft. wide, bears E. and W.
1,074.	Center of local drainage, 3 ft. wide, course N. 35° E.
1,228.	Center of road, 12 ft. wide, bears N. 27° E. and S. 20° W.
1,483.90	<p>Cor. No. 4, identical with Cor. No. 4 of the Eder 35 lode, Cor. No. 3 of the Eder 31 lode, and Cor. No. 4 of the Annex 7 lode of this survey.</p> <p>Thence WEST.</p>
123.19	Center of road, 12 ft. wide, bears N. 40° E. and S. 45° W.
300.	Lode line; discovery point bears N. 0° 51' 58" W., 925.0 ft. dist.
598.19	Cor. No. 1, and place of beginning.
Eder 35 Lode	
<p>Beginning at Cor. No. 1 of the Eder 35 lode, identical with Cor. No. 1 of the Eder 36 lode, and Cors. Nos. 4 of the Eder 32 and Eder 31 lodes of this survey; from which</p>	
<p>The ¼ sec. cor. of secs. 1 and 12 bears S. 1° 19' 09" E., 1174.41 ft. dist., heretofore described.</p>	
Thence N. 0° 53' 05" W.	
214.	Center of dry wash, 6 ft. wide, course N. 70° E.
433.	Center of local drainage, 3 ft. wide, course N. 45° E.
717.	Center of road, 12 ft. wide, bears N. 70° E. and S. 55° W.
873.	Center of road, 12 ft. wide, bears N. 75° E. and S. 75° W.
1,080.	Center of local drainage, 6 ft. wide, course N. 60° E.

(This form bound on left side)

FEET	
1,483.89	<p>Cor. No. 2, identical with Cors. Nos. 3 of the Eder #23 and EDER 22 lodes, and Cor. No. 2 of the Eder 36 lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 35-2, EDER 23-3, EDER 22-3, and EDER 36-2-4766.</p> <p>Thence WEST.</p>
300.	<p>Lode line; discovery point bears S. 0° 54' 56" E., 683.90 ft. dist.</p>
558.	<p>Center of road, 14 ft. wide, curves sharply southwesterly and northwesterly.</p>
597.72	<p>Cor. No. 3, identical with Cor. No. 3 of the Eder 34 lode, and Cors. Nos. 2 of the Eder 40 and Eder #23 lodes of this survey.</p> <p>Thence S. 0° 54' 17" E.</p>
59.	<p>Center of road, 12 ft. wide, bears NE. and SW.</p>
198.	<p>Center of road, 12 ft. wide, bears E. and W.</p>
1,074.	<p>Center of local drainage, 3 ft. wide, course N. 35° E.</p>
1,228.	<p>Center of road, 12 ft. wide, bears N. 27° E. and S. 20° W.</p>
1,483.90	<p>Cor. No. 4, identical with Cor. No. 3 of the Eder 31 lode, and Cors. Nos. 4 of the Annex 7 and Eder 34 lodes of this survey.</p> <p>Thence EAST.</p>
298.	<p>Lode line; discovery point bears N. 0° 54' 56" W., 800.0 ft. dist.</p>
338.	<p>Center of local drainage, 5 ft. wide, course N. 35° E.</p>
597.20	<p>Cor. No. 1, and place of beginning.</p>
214.	<p style="text-align: center;">Eder 36 Lode</p> <p>Beginning at Cor. No. 1 of the Eder 36 lode, identical with Cors. Nos. 4 of the Eder 32 and Eder 31 lodes, and Cor. Nos. 1 of the Eder 35 lode of this survey.</p> <p>Thence N. 0° 53' 05" W.</p> <p>Center of dry wash, 6 ft. wide, course N. 70° E.</p>

FEET	
433.	Center of local drainage, 3 ft. wide, course N. 45° E.
717.	Center of road, 12 ft. wide, bears N. 70° E. and S. 55° W.
873.	Center of road, 12 ft. wide, bears N. 75° E. and S. 75° W.
1,080.	Center of local drainage, 6 ft. wide, course N. 60° E.
1,483.89	Cor. No. 2, identical with Cor. No. 2 of the Eder 35 lode, and Cors. Nos. 3 of the Eder #23 and EDER 22 lodes of this survey.
	Thence EAST.
300.	Lode line; discovery point bears S. 0° 48' 55" E., 50.0 ft. dist.
597.82	Cor. No. 3, identical with Cors. Nos. 4 of the EDER 22 and Eder 66 lodes, and Cor. No. 3 of the Eder 64 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 36-3, EDER 22-4, EDER 66-4, and EDER 64-3-4766.
	Thence S. 0° 53' 58" E.
236.	Center of local drainage, 3 ft. wide, course N. 70° E.
690.	Center of local drainage, 4 ft. wide, course N. 60° E.
1,120.	Center of dry wash, 6 ft. wide, course S. 75° E.
1,483.89	Cor. No. 4, identical with Cor. No. 4 of the Eder 64 lode, and Cors. Nos. 3 of the Eder 62 and Eder 32 lodes of this survey.
	Thence WEST.
300.	Lode line; discovery point bears N. 0° 48' 55" W., 1433.86 ft. dist.
415.	Center of road, 12 ft. wide, bears N. 10° W. and S. 20° E.
598.20	Cor. No. 1, and place of beginning.
	<p>Eder 64 Lode</p> <p>Beginning at Cor. No. 1 of the Eder 64 lode, identical with Cor. No. 1 of the Eder 65 lode, and Cors. Nos. 4 of the Eder 63 and Eder 62 lodes of this survey; from which</p>

FEET	
	<p>The <math>\frac{1}{4}</math> sec. cor. of secs. 1 and 12 bears S. <math>44^{\circ} 52' 35''</math> W., 1656.85 ft. dist., heretofore described.</p> <p>Thence N. <math>0^{\circ} 50' 58''</math> W.</p>
878.	Center of dry wash, 9 ft. wide, course N. $70^{\circ}$ W.
1,390.	Center of local drainage, 5 ft. wide, course S. $35^{\circ}$ W.
1,483.87	<p>Cor. No. 2, identical with Cors. Nos. 3 of the Eder 66 and Eder 67 lodes, and Cor. No. 2 of the Eder 65 lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 64-2, EDER 66-3, EDER 67-3, and EDER 65-2-4766.</p> <p>Thence WEST.</p>
300.	Lode line; discovery point bears S. $0^{\circ} 51' 15''$ E., 300.0 ft. dist.
462.	Center of Powers Gulch, 15 ft. wide, course N. $10^{\circ}$ W.
599.17	<p>Cor. No. 3, identical with Cor. No. 3 of the Eder 36 lode, and Cors. Nos. 4 of the EDER 22 and Eder 66 lodes of this survey.</p> <p>Thence S. <math>0^{\circ} 53' 58''</math> E.</p>
236.	Center of local drainage, 3 ft. wide, course N. $70^{\circ}$ E.
690.	Center of local drainage, 4 ft. wide, course N. $60^{\circ}$ E.
1,120.	Center of dry wash, 6 ft. wide, course S. $75^{\circ}$ E.
1,483.89	<p>Cor. No. 4, identical with Cors. Nos. 3 of the Eder 62 and Eder 32 lodes, and Cor. No. 4 of the Eder 36 lode of this survey.</p> <p>Thence EAST.</p>
124.	Center of Powers Gulch, 14 ft. wide, course N. $20^{\circ}$ E.
298.	Lode line; discovery point bears N. $0^{\circ} 51' 15''$ W., 1183.87 ft. dist.
597.88	Cor. No. 1, and place of beginning.

FEET		
	Eder 65 Lode	
	Beginning at Cor. No. 1 of the Eder 65 lode, identical with Cors. Nos. 4 of the Eder 63 and Eder 62 lodes, and Cor. No. 1 of the Eder 64 lode of this survey.	
	Thence N. 0° 50' 58" W.	
878.	Center of dry wash, 9 ft. wide, course N. 70° W.	
1,390.	Center of local drainage, 5 ft. wide, course S. 35° W.	
1,483.87	Cor. No. 2, identical with Cor. No. 2 of the Eder 64 lode, and Cors. Nos. 3 of the Eder 66 and Eder 67 lodes of this survey.	
	Thence EAST.	
139.23	Center of local drainage, 3 ft. wide, course S. 15° W.	
300.	Lode line discovery point bears S. 0° 50' 26" E., 50.0 ft. dist.	
599.23	Cor. No. 3, identical with Cor. No. 2 of the Eder 67 lode of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. EDER 65-3-4766, and EDER 67-2-4766.	
	Thence S. 0° 47' 13" E.	
82.	Center of local drainage, 3 ft. wide, course S. 60° W.	
441.	Center of local drainage, 4 ft. wide, course S. 65° W.	
1,300.	Center of dry wash, 6 ft. wide, course N. 45° W.	
1,483.85	Cor. No. 4, identical with Cor. No. 3 of the Eder 63 lode of this survey.	
	Thence WEST.	
169.	Crest of ridge, bears NNW. and SSE.	
298.	Lode line; discovery point bears N. 0° 50' 26" W., 1433.87 ft. dist.	
597.61	Cor. No. 1, and place of beginning.	

(This form bound on left side)

FEET	
	Eder #11 Lode
	At Cor. No. 1 of the Eder #11 lode, identical with Cor. No. 4 of the Eder #10 lode, Cor. No. 3 of the Sixty Four Extension lode, and Cor. No. 2 of the Rim Rock lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 11-1, EDER 10-4, SFE-3, and RR-2-4766; from which
	The Standard cor. of secs. 35 and 36, T. 1 N., R. 13 E., G. & S. R. M., bears N. 66° 54' 29" E., 2743.30 ft. dist.; a stone 12 x 7 ins., projecting 6 ins. above ground and mkd. as described in the official 1905 survey record. I reconstruct mound of stone north of corner.
	Thence S. 0° 49' 05" E.
635.	Center of road, 14 ft. wide, bears N. 35° W. and S. 35° E.
1,330.	Base of rock cliff, bears NNW. and SSE.
1,465.73	The true point for Cor. No. 2, identical with Cors. Nos. 3 of the Rim Rock and Tip Top #4 lodes, and Cor. No. 4 of the Cap 131 lode of this survey, not monumented for reasons previously given.
	Thence WEST.
	Ascend face of cliff over broken rock.
118.97	Easterly edge of rim rock, bears NNW. and SSE.
121.75	Witness Cor. No. 2, previously described.
125.72	Triangulation Station PG-30, previously described.
298.	Lode line; discovery point bears N. 0° 49' 35" W., 1415.73 ft. dist.
594.97	Cor. No. 3, identical with Cor. No. 3 of the Cap 131 lode of this survey.
	Thence N. 0° 56' 41" W.
1,465.78	Cor. No. 4, identical with Cor. No. 3 of the Eder #10 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. EDER 11-4-4766 and EDER 10-3-4766.
	Thence EAST.

FEET	
222.	Center of road, 10 ft. wide, bears N. 30° W. and S. 30° E.
300.	Lode line; discovery point bears S. 0° 49' 35" E., 50.0 ft. dist.
354.	Center of road, 14 ft. wide, bears N. 27° W. and S. 27° E.
598.21	Cor. No. 1, and place of beginning.
<p style="text-align: center;">Rim Rock Lode</p> <p>At the true point for Cor. No. 1 of the Rim Rock lode, identical with Cor. No. 2 of the Sixty Four Extension lode, Cor. No. 3 of the Eder 42 lode, and Cor. No. 2 of the Eder 38 lode of this survey.</p> <p>This corner falls in an access road where a permanent monument cannot be maintained.</p> <p>Set a temporary spike for Cor. No. 1; from which</p> <p style="padding-left: 40px;">The Standard cor. of secs. 35 and 36, bears N. 60° 46' 43" E., 2203.98 ft. dist., heretofore described.</p> <p style="text-align: center;">Thence WEST.</p>	
10.45	A point selected for witness Cor. No. 1, identical with witness Cor. No. 2 of the Sixty Four Extension lode, witness Cor. No. 3 of the Eder 42 lode, and witness Cor. No. 2 of the Eder 38 lode of this survey.
<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. W.C. - RR-1, SFE-2, EDER 42-3, and EDER 38-2-4766.</p>	
300.	Lode line; discovery point bears S. 0° 49' 05" E., 650.0 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 1 of the Eder #11 lode, Cor. No. 4 of the Eder #10 lode, and Cor. No. 3 of the Sixty Four Extension lode of this survey.
<p style="text-align: center;">Thence S. 0° 49' 05" E.</p>	
635.	Center of road, 14 ft. wide, bears N. 35° W. and S. 35° E.
1,330.	Base of rock cliff, bears NNW. and SSE.

FEET	
1,465.73	<p>The true point for Cor. No. 3, identical with Cor. No. 3 of the Tip Top #4 lode, Cor. No. 4 of the Cap 131 lode, and Cor. No. 2 of the Eder #11 lode of this survey; witnessed WEST, 121.75 ft. dist., previously described.</p> <p style="text-align: center;">Thence EAST.</p>
78.50	Base of broken-rock cliff, bears NNW. and SSE.
300.	Lode line; discovery point bears N. 0° 49' 05" W., 815.73 ft. dist.
435.50	Center of road, 14 ft. wide, bears N. 20° W. and S. 20° E.
598.50	<p>Cor. No. 4, identical with Cor. No. 3 of the Eder 38 lode, and Cors. Nos. 2 of the Rim Rock 1 and Tip Top #4 lodes of this survey.</p> <p style="text-align: center;">Thence N. 0° 45' 35" W.</p>
998.	Center of road, 12 ft. wide, bears N. 70° W. and S. 70° E.
1,402.	Center of road, 12 ft. wide, bears N. 6° E. and S. 12° W.
1,465.71	Cor. No. 1, and place of beginning.
<p>Eder 38 Lode</p>	
<p>At the true point for Cor. No. 1, identical with Cor. No. 2 of the Eder 42 lode, Cor. No. 3 of the Eder 43 lode, and Cor. No. 2 of the Eder 39 lode of this survey.</p>	
<p>This corner falls in the center of an access road, 12 ft. wide, curving southwesterly and southeasterly, where a permanent monument cannot be maintained; witnessed S. 1° 00' 57" E., 16.19 ft. dist., hereinafter described.</p>	
<p>Set a temporary spike for Cor. No. 1; from which</p>	
<p style="text-align: center;">The Standard cor. of secs. 35 and 36 bears N. 51° 04' 06" E., 1712.22 ft. dist., heretofore described.</p>	
<p>Thence WEST.</p>	
174.	Center of local drainage, 3 ft. wide, course N. 15° E.
300.	Lode line; discovery point bears S. 1° 05' 20" E., 550.0 ft. dist.
342.	Center of road, 12 ft. wide, bears N. 20° W. and S. 20° E.

FEET	
590.	Center of road, 12 ft. wide, bears N. 5° E. and S. 5° W.
591.57	The true point for Cor. No. 2, identical with Cor. No. 1 of the Rim Rock lode, Cor. No. 2 of the Sixty Four Extension lode, and Cor. No. 3 of the Eder 42 lode of this survey, witnessed WEST, 10.45 ft. dist., previously described.  Thence S. 0° 45' 35" E.
63.71	Center of road, 12 ft. wide, bears N. 6° E. and S. 12° W.
467.71	Center of road, 12 ft. wide, bears N. 70° W. and S. 70° E.
1,465.71	Cor. No. 3, identical with Cors. Nos. 2 of the Rim Rock 1 and Tip Top #4 lodes, and Cor. No. 4 of the Rim Rock lode of this survey.  Thence EAST.
270.	Center of road, 14 ft. wide, bears N. and S.
300.	Lode line; discovery point bears N. 1° 05' 20" W., 915.84 ft. dist.
369.	Center of local drainage, 3 ft. wide, course S. 45° E.
551.	Center of road, 12 ft. wide, bears N. 60° W. and S. 60° E.
598.13	Cor. No. 4, identical with Cors. Nos. 3 of the Eder 39, Rim Rock #5, and Rim Rock 1 lodes of this survey.  Thence N. 1° 00' 57" W.
1,018.	Center of local drainage, 3 ft. wide, course N. 60° E.
1,449.62	A point selected for witness Cor. No. 1, identical with witness Cor. No. 2 of the Eder 42 lode, witness Cor. No. 3 of the Eder 43 lode, and witness Cor. No. 2 of the Eder 39 lode of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. W.C. - EDER 38-1, EDER 42-2, EDER 43-3- and EDER 39-2-4766.
1,465.81	Cor. No. 1, and place of beginning.

FEET	
	Eder 39 Lode
	At Cor. No. 1 of the Eder 39 lode, identical with Cor. No. 2 of the Eder 43 lode, Cor. No. 3 of the Eder 44 lode, and Cor. No. 4 of the Eder 40 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 39-1, EDER 43-2, EDER 44-3, and EDER 40-4-4766; from which
	The Standard cor. of secs. 35 and 36 bears N. 34° 14' 20" E., 1301.50 ft. dist., heretofore described.
	Thence WEST.
128.	Center of road, 10 ft. wide, curves northwesterly and southwesterly.
165.23	Triangulation Station PG-16, a steel pin, 1 ins. diam., projecting 12 ins. above a concrete foundation.
300.	Lode line; discovery point bears S. 1° 00' 04" E., 1415.80 ft. dist.
374.	Center of local drainage, 4 ft. wide, course North.
599.65	The true point for Cor. No. 2, identical with Cor. No. 1 of the Eder 38 lode, Cor. No. 2 of the Eder 42 lode, and Cor. No. 3 of the Eder 43 lode of this survey, previously described. Corner falls in center of road, 12 ft. wide, curving southwesterly and southeasterly.
	Thence S. 1° 00' 57" E.
16.19	Witness Cor. No. 2, previously described.
447.81	Center of local drainage, 3 ft. wide, course N. 60° E.
1,465.81	Cor. No. 3, identical with Cors. Nos. 3 of the Rim Rock #5 and Rim Rock 1 lodes, and Cor. No. 4 of the Eder 38 lode of this survey.
	Thence EAST.
134.27	Center of road, 12 ft. wide, bears N. 55° E. and S. 55° W.
299.27	Lode line; discovery point bears N. 1° 00' 04" W., 50.0 ft. dist.
598.27	Cor. No. 4, identical with Cor. No. 3 of the Eder 40 lode, and Cors. Nos. 2 of the Eder 34 and Rim Rock #5 lodes of this survey.

FEET	
	Thence N. 0° 57' 43" W.
386.	Center of road, 12 ft. wide, bears N. 80° E. and S. 85° W.
720.	Center of road, 12 ft. wide, bears East and N. 45° W.
1,465.79	Cor. No. 1, and place of beginning.
	Eder 40 Lode
	At Cor. No. 1 of the Eder 40 lode, identical with Cors. Nos. 4 of the Eder 44 and EDER 14 lodes, and Cor. No. 1 of the Eder #23 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 40-1, EDER 44-4, EDER 14-4, and EDER 23-1-4766; from which
	The Standard cor. of secs. 35 and 36 bears N. 7° 09' 14" E., 1084.39 ft. dist., heretofore described.
	Thence S. 0° 59' 33" E.
297	Center of local drainage, 3 ft. wide, course N. 55° E.
577.	Center of local drainage, 3 ft. wide, course N. 40° E.
1,189.	Center of road, 16 ft. wide, bears West and N. 85° E.
1,251.	Center of local drainage, 4 ft. wide, course S. 80° E.
1,336.	Center of dry wash, 6 ft. wide, course N. 45° E.
1,391.	Center of road, 12 ft. wide, bears E. and W.
1,465.80	Cor. No. 2, identical with Cor. No. 2 of the Eder #23 lode, and Cors. Nos. 3 of the Eder 35 and Eder 34 lodes of this survey.
	Thence WEST.
112.02	Center of dry wash, 6 ft. wide, course N. 50° E.
299.	Lode line; discovery point bears N. 1° 00' 07" W., 665.80 ft. dist.
558.02	Center of local drainage, 4 ft. wide, course N. 40° E.

FEET	
598.02	<p>Cor. No. 3, identical with Cors. Nos. 2 of the Eder 34 and Rim Rock #5 lodes, and Cor. No. 4 of the Eder 39 lode of this survey.</p> <p>Thence N. 0° 57' 43" W.</p>
386.	<p>Center of road, 12 ft. wide, bears N. 80° E. and S. 85° W.</p>
720.	<p>Center of road, 12 ft. wide, bears East and N. 45° W.</p>
1,465.79	<p>Cor. No. 4, identical with Cor. No. 1 of the Eder 39 lode, Cor. No. 2 of the Eder 43 lode, and Cor. No. 3 of the Eder 44 lode of this survey.</p> <p>Thence EAST.</p>
223.	<p>Center of local drainage, 3 ft. wide, course N. 45° E.</p>
298.	<p>Lode line; discovery point bears S. 1° 00' 07" E., 800.0 ft. dist.</p>
597.24	<p>Cor. No. 1, and place of beginning.</p>
<p>Eder #23 Lode</p>	
<p>Beginning at Cor. No. 1 of the Eder #23 lode, identical with Cor. No. 1 of the Eder 40 lode, and Cors. Nos. 4 of the Eder 44 and EDER 14 lodes of this survey.</p>	
<p>Thence S. 0° 59' 33" E.</p>	
297.	<p>Center of local drainage, 3 ft. wide, course N. 55° E.</p>
577.	<p>Center of local drainage, 3 ft. wide, course N. 40° E.</p>
1,189.	<p>Center of road, 16 ft. wide, bears West and N. 85° E.</p>
1,251.	<p>Center of local drainage, 4 ft. wide, course S. 80° E.</p>
1,336.	<p>Center of dry wash, 6 ft. wide, course N. 45° E.</p>
1,391.	<p>Center of road, 12 ft. wide, bears E. and W.</p>
1,465.80	<p>Cor. No. 2, identical with Cors. Nos. 3 of the Eder 35 and Eder 34 lodes, and Cor. No. 2 of the Eder 40 lode of this survey.</p> <p>Thence EAST.</p>

FEET	
39.72	Center of road, 14 ft. wide, curves sharply southwesterly and northwesterly.
297.72	Lode line; discovery point bears N. 0° 55' 46" W., 1415.77 ft. dist.
597.72	Cor. No. 3, identical with Cor. No. 3 of the EDER 22 lode, and Cors. Nos. 2 of the Eder 36 and Eder 35 lodes of this survey.  Thence N. 0° 58' 07" W.
331.	Center of dry wash, 8 ft. wide, course N. 70° E.
1,465.79	Cor. No. 4, identical with Cor. No. 3 of the EDER 14 lode, and Cors. Nos. 2 of the EDER 15 and EDER 22 lodes of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. EDER 23-4, EDER 14-3, EDER 15-2, and EDER 22-2-4766.  Thence WEST.
168.	Center of road, 16 ft. wide, bears N. 10° W. and S. 5° E.
299.	Lode line; discovery point bears S. 0° 55' 46" E., 50.0 ft. dist.
323.	Center of local drainage, 5 ft. wide, course N. 25° E.
598.33	Cor. No. 1, and place of beginning.
EDER 22 Lode	
At Cor. No. 1 of the EDER 22 lode, identical with Cors. Nos. 3 of the EDER 15 and Eder 68 lodes, and Cor. No. 1 of the Eder 66 lode of this survey.	
Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 22-1, EDER 15-3, EDER 68-3, and EDER 66-1-4766; from which	
The Standard cor. of secs. 35 and 36 bears N. 44° 35' 33" W., 1510.91 ft. dist., heretofore described.	
Thence WEST.	
297.46	Lode line; discovery point bears S. 0° 58' 07" E., 1015.79 ft. dist.
484.	Center of Powers Gulch, 16 ft. wide, course N. 15° E.

FEET	
597.46	<p>Cor. No. 2, identical with Cor. No. 4 of the Eder #23 lode, Cor. No. 3 of the EDER 14 lode, and Cor. No. 2 of the EDER 15 lode of this survey.</p> <p style="text-align: center;">Thence S. 0° 58' 07" E.</p>
1,134.79	<p>Center of dry wash, 8 ft. wide, course N. 70° E.</p>
1,465.79	<p>Cor. No. 3, identical with Cors. Nos. 2 of the Eder 36 and Eder 35 lodes, and Cor. No. 3 of the Eder #23 lode of this survey.</p> <p style="text-align: center;">Thence EAST.</p>
300.	<p>Lode line; discovery point bears N. 0° 58' 07" W., 450.0 ft. dist.</p>
597.82	<p>Cor. No. 4, identical with Cor. No. 4 of the Eder 66 lode, and Cors. Nos. 3 of the Eder 64 and Eder 36 lodes of this survey.</p> <p style="text-align: center;">Thence N. 0° 58' 58" W.</p>
373.	<p>Center of Powers Gulch, 18 ft. wide, course N. 45° W.</p>
1,375.	<p>Center of local drainage, 5 ft. wide, course S. 55° W.</p>
1,465.80	<p>Cor. No. 1, and place of beginning.</p>
<p>Eder 66 Lode</p>	
<p>Beginning at Cor. No. 1 of the Eder 66 lode, identical with Cor. No. 1 of the EDER 22 lode, and Cors. Nos. 3 of the EDER 15 and Eder 68 lodes of this survey.</p>	
<p>Thence EAST.</p>	
68.	<p>Center of local drainage, 5 ft. wide, course S. 40° W.</p>
300.	<p>Lode line; discovery point bears S. 0° 57' E., 50.0 ft. dist.</p>
334.	<p>Center of local drainage, 4 ft. wide, course N. 50° W.</p>
597.75	<p>Cor. No. 2, identical with Cor. No. 2 of the Eder 68 lode, Cor. No. 3 of the Eder 69 lode, and Cor. No. 4 of the Eder 67 lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 66-2, EDER 68-2, EDER 69-3, and EDER 67-4-4766.</p>

FEET		
	Thence S. 1° 02' 18" E.	
95.	Center of local drainage, 3 ft. wide, course N. 80° W.	
1,057.	Center of local drainage, 4 ft. wide, course S. 40° W.	
1,465.82	Cor. No. 3, identical with Cor. No. 3 of the Eder 67 lode, and Cors. Nos. 2 of the Eder 65 and Eder 64 lodes of this survey.	
	Thence WEST.	
300.	Lode line; discovery point bears N. 0° 57' W., 1415.78 ft. dist.	
462.	Center of Powers Gulch, 15 ft. wide, course N. 10° W.	
599.17	Cor. No. 4, identical with Cors. Nos. 3 of the Eder 64 and Eder 36 lodes, and Cor. No. 4 of the EDER 22 lode of this survey.	
	Thence N. 0° 58' 58" W.	
373.	Center of Powers Gulch, 18 ft. wide, course N. 45° W.	
1,375.	Center of local drainage, 5 ft. wide, course S. 55° W.	
1,465.80	Cor. No. 1, and place of beginning.	
Eder 67 Lode		
At Cor. No. 1 of the Eder 67 lode, identical with Cors. Nos. 4 of the Eder 69 and Eder 70 lodes of this survey.		
Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 67-1-4766, EDER 69-4-4766, and EDER 70-4-4766; from which		
The Standard ¼ sec. cor. of sec. 36, T. 1 N., R. 13 E., G. & S. R. M., bears N. 18° 57' 06" E., 1092.65 ft. dist.; a stone 10 x 5 ins., projecting 7 ins. above ground and mkd as described in the official 1905 survey record.		
	Thence S. 1° 03' 39" E.	
918.	Center of local drainage, 3 ft. wide, course West.	

FEET	
1,465.83	<p>Cor. No. 2, identical with Cor. No. 3 of the Eder 65 lode of this survey.</p> <p>Thence WEST.</p>
299.23	<p>Lode line; discovery point bears N. 1° 04' 38" W., 140.0 ft. dist.</p>
460.	<p>Center of local drainage, 3 ft. wide, course S. 15° W.</p>
599.23	<p>Cor. No. 3, identical with Cors. Nos. 2 of the Eder 65 and Eder 64 lodes, and Cor. No. 3 of the Eder 66 lode of this survey.</p> <p>Thence N. 1° 02' 18" W.</p>
408.82	<p>Center of local drainage, 4 ft. wide, course S. 40° W.</p>
1,370.82	<p>Center of local drainage, 3 ft. wide, course N. 80° W.</p>
1,465.82	<p>Cor. No. 4, identical with Cors. Nos. 2 of the Eder 66 and Eder 68 lodes, and Cor. No. 3 of the Eder 69 lode of this survey.</p> <p>Thence EAST.</p>
299.	<p>Lode line; discovery point bears S. 1° 04' 38" E., 1325.84 ft. dist.</p>
598.65	<p>Cor. No. 1, and place of beginning.</p>
<p>Eder #10 Lode</p>	
<p>At Cor. No. 1 of the Eder #10 lode, identical with Cor. No. 1 of the Eder 45 lode, and Cors. Nos. 4 of the Eder 46 and Sixty Four Extension lodes of this survey.</p>	
<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 10-1, EDER 45-1, EDER 46-4, and SFE-4-4766; from which</p>	
<p>The Standard cor. of secs. 35 and 36, bears S. 80° 46' 13" E., 2585.89 ft. dist., heretofore described.</p>	
<p>Thence WEST.</p>	
299.	<p>Lode line; discovery point bears S. 1° 08' 30" E., 1441.01 ft. dist.</p>
468.	<p>Center of local drainage, 3 ft. wide, course N. 30° E.</p>

FEET	
598.85	<p>Cor. No. 2, identical with Cor. No. 2 of the Eder 45 lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. EDER 10-2-4766 and EDER 45-2-4766.</p> <p>Thence S. 1° 08' 08" E.</p>
1,470.	<p>Center of road, 14 ft. wide, bears N. 50° E. and S. 50° W.</p>
1491.00	<p>Cor. No. 3, identical with Cor. No. 4 of the Eder #11 lode of this survey.</p> <p>Thence EAST.</p>
222.	<p>Center of road, 10 ft. wide, bears N. 30° W. and S. 30° E.</p>
300.	<p>Lode line; discovery point bears N. 1° 08' 30" W., 500ft. dist.</p>
354.	<p>Center of road, 14 ft. wide, bears N. 27° W. and S. 27° E.</p>
598.21	<p>Cor. No. 4, identical with Cor. No. 3 of the Sixty Four Extension lode, Cor. No. 2 of the Rim Rock lode, and Cor. No. 1 of the Eder #11 lode of this survey.</p> <p>Thence N. 1° 06' 40" W.</p>
1,490.99	<p>Cor. No. 1, and place of beginning.</p>
<p>Sixty Four Extension Lode</p>	
<p>At Cor. No. 1 of the Sixty Four Extension lode, identical with Cor. No. 1 of the Eder 46 lode, and Cors. Nos. 4 of the Eder 47 and Eder 42 lodes of this survey.</p>	
<p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. SFE-1, EDER 46-1, EDER 47-4, EDER 42-4-4766; from which</p>	
<p>The Standard cor. of secs. 35 and 36 bears S. 78° 00' 35" E., 1996.49 ft. dist., heretofore described.</p>	
<p>Thence S. 1° 07' 52" E.</p>	
772.	<p>Center of local drainage, 3 ft. wide, course N. 30° E.</p>
1,212.	<p>Center of road, 12 ft. wide, bears N. 65° W. and S. 65° E.</p>
1,348.	<p>Center of road, 12 ft. wide, bears N. 20° W. and S. 10° E.</p>

FEET	
1,491.00	<p>The true point for Cor. No. 2, identical with Cor. No. 3 of the Eder 42 lode, Cor. No. 2 of the Eder 38 lode, and Cor. No. 1 of the Rim Rock lode of this survey, previously described.</p>
	<p>Thence WEST.</p>
10.45	<p>Witness Cor. No. 2, previously described.</p>
300.	<p>Lode line; discovery point bears N. 1° 06' 40" W., 950.99 ft. dist.</p>
600.00	<p>Cor. No. 3, identical with Cor. No. 2 of the Rim Rock lode, Cor. No. 1 of the Eder #11 lode, and Cor. No. 4 of the Eder #10 lode of this survey.</p>
	<p>Thence N. 1° 06' 40" W.</p>
1,490.99	<p>Cor. No. 4, identical with Cors. Nos. 1 of the Eder #10 and Eder 45 lodes, and Cor. No. 4 of the Eder 46 lode of this survey.</p>
	<p>Thence EAST.</p>
300.	<p>Lode line; discovery point bears S. 1° 06' 40" E., 540.0 ft. dist.</p>
599.48	<p>Cor. No. 1, and place of beginning.</p>
	<p>Eder 42 Lode</p>
	<p>At Cor. No. 1 of the Eder 42 lode, identical with Cor. No. 1 of the Eder 47 lode, and Cors. Nos. 4 of the Eder 48 and Eder 43 lodes of this survey.</p>
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 42-1, EDER 47-1, EDER 48-4, and EDER 43-4-4766; from which</p>
	<p>The Standard cor. of secs. 35 and 36 bears S. 72° 58' 55" E., 1417.17 ft. dist., heretofore described.</p>
	<p>Thence S. 0° 53' 27" E.</p>
948.	<p>Center of local drainage, 3 ft. wide, course East.</p>
1,145.	<p>Center of local drainage, 4 ft. wide, course N. 30° E.</p>

FEET		
1,490.89	<p>The true point for Cor. No. 2, identical with Cor. No. 3 of the Eder 43 lode, Cor. No. 2 of the Eder 39 lode, and Cor. No. 1 of the Eder 38 lode of this survey, previously described; witnessed S. 1° 00' 57" E., 16.19 ft. dist. Corner falls in center of road, 12 ft. wide, curving southwesterly and southeasterly.</p> <p style="text-align: center;">Thence WEST.</p>	
174.	<p>Center of local drainage, 3 ft. wide, course N. 15° E.</p>	
300.	<p>Lode line; discovery point bears N. 0° 53' 02" W., 300.0 ft. dist.</p>	
342.	<p>Center of road, 12 ft. wide, bears N. 20° W. and S. 20° E.</p>	
590.	<p>Center of road, 12 ft. wide, bears N. 5° E. and S. 5° W.</p>	
591.57	<p>The true point for Cor. No. 3, identical with Cor. No. 2 of the Eder 38 lode, Cor. No. 1 of the Rim Rock lode, and Cor. No. 2 of the Sixty Four Extension lode of this survey, previously described; witnessed WEST, 10.45 ft. dist.</p> <p style="text-align: center;">Thence N. 1° 07' 52" W.</p>	
143.	<p>Center of road, 12 ft. wide, bears N. 20° W. and S. 10° E.</p>	
279.	<p>Center of road, 12 ft. wide, bears N. 65° W. and S. 65° E.</p>	
719.	<p>Center of local drainage, 3 ft. wide, course N. 30° E.</p>	
1,491.00	<p>Cor. No. 4, identical with Cors. Nos. 1 of the Sixty Four Extension and Eder 46 lodes, and Cor. No. 4 of the Eder 47 lode of this survey.</p> <p style="text-align: center;">Thence EAST.</p>	
298.	<p>Lode line; discovery point bears S. 0° 53' 02" E., 1190.89 ft. dist.</p>	
531.	<p>Center of local drainage, 4 ft. wide, course N. 15° E.</p>	
597.82	<p>Cor. No. 1, and place of beginning.</p>	

FEET	
	Eder 43 Lode
	At the true point for Cor. No. 1 of the Eder 43 lode, identical with Cor. No. 1 of the Eder 48 lode, and Cors. Nos. 2 of the EDER 16 and Eder 44 lodes of this survey.
	This corner falls in loose sand near the south-westerly bank of Powers Gulch Creek in a location subject to flooding and erosion where a permanent monument cannot be maintained; witnessed WEST, 32.29 ft. dist., hereinafter described.
	Set a temporary spike for Cor. No. 1; from which
	The Standard cor. of secs. 35 and 36 bears S. 61° 16' 21" E., 862.94 ft. dist., heretofore described.
	Thence S. 0° 56' 21" E.
40.	Center of road, 12 ft. wide, bears N. 55° W. and S. 55° E.
516.	Center of road, 10 ft. wide, bears N. 30° E. and S. 30° W.
1,490.91	Cor. No. 2, identical with Cor. No. 3 of the Eder 44 lode, Cor. No. 4 of the Eder 40 lode, and Cor. No. 1 of the Eder 39 lode of this survey.
	Thence WEST.
128.	Center of road, 10 ft. wide, curves north-westerly and southwesterly.
165.23	Triangulation Station PG-16, a steel pin 1 ins. diam., projecting 12 ins. above a concrete foundation.
300.	Lode line; discovery point bears N. 0° 54' 57" W., 200.0 ft. dist.
374.	Center of local drainage, 4 ft. wide, course North.
599.65	The true point for Cor. No. 3, identical with Cor. No. 2 of the Eder 39 lode, Cor. No. 1 of the Eder 38 lode, and Cor. No. 2 of the Eder 42 lode of this survey, previously described; witnessed S. 1° 00' 57" E., 16.19 ft. dist. Corner falls in center of road, 12 ft. wide, curving southwesterly and southeasterly.
	Thence N. 0° 53' 27" W.
345.89	Center of local drainage, 4 ft. wide, course N. 30° E.

FEET	
542.89	Center of local drainage, 3 ft. wide, course East.
1,490.89	Cor. No. 4, identical with Cors. Nos. 1 of the Eder 42 and Eder 47 lodes, and Cor. No. 4 of the Eder 48 lode of this survey.
	Thence EAST.
299.	Lode line; discovery point bears S. 0° 54' 57" E., 1290.90 ft. dist.
468.	Center of dry wash, 6 ft. wide, course North.
538.	Center of road, 12 ft. wide, bears N. 70° W. and S. 60° E.
566.10	A point selected for witness Cor. No. 1, identical with witness Cor. No. 1 of the Eder 48 lode, and witness Cors. Nos. 2 of the EDER 16 and Eder 44 lodes of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. W.C. - EDER 43-1, EDER 48-1, EDER 16-2, and EDER 44-2-4766.
598.39	Cor. No. 1, and place of beginning.
	Eder 44 Lode
	At Cor. No. 1 of the Eder 44 lode, identical with Cors. Nos. 1 of the EDER 16, EDER 17, and EDER 14 lodes of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. EDER 44-1, EDER 16-1, EDER 17-1, and EDER 14-1-4766; from which
	The Standard cor. of secs. 35 and 36 bears S. 20° 51' 54" E., 443.87 ft. dist., heretofore described.
	Thence WEST.
275.	Center of local drainage, 4 ft. wide, course S. 70° W.
300.	Lode line; discovery point bears S. 0° 54' 54" E., 1440.90 ft. dist.
540.	Center of Powers Gulch, 20 ft. wide, course N. 60° W.

FEET	
598.63	<p>The true point for Cor. No. 2, identical with Cors. Nos. 1 of the Eder 43 and Eder 48 lodes, and Cor. No. 2 of the EDER 16 lode of this survey, previously described; witnessed WEST, 32.29 ft. dist.</p> <p style="text-align: center;">Thence S. 0° 56' 21" E.</p>
40.	Center of road, 12 ft. wide, bears N. 55° W. and S. 55° E.
516.	Center of road, 10 ft. wide, bears N. 30° E. and S. 30° W.
1,490.91	<p>Cor. No. 3, identical with Cor. No. 4 of the Eder 40 lode, Cor. No. 1 of the Eder 39 lode, and Cor. No. 2 of the Eder 43 lode of this survey.</p> <p style="text-align: center;">Thence EAST.</p>
223.	Center of local drainage, 3 ft. wide, course N. 45° E.
298.	Lode line; discovery point bears N. 0° 54' 54" W., 50.0 ft. dist.
597.24	<p>Cor. No. 4, identical with Cor. No. 4 of the EDER 14 lode, and Cors. Nos. 1 of the Eder #23 and Eder 40 lodes of this survey.</p> <p style="text-align: center;">Thence N. 0° 53' 09" W.</p>
953.	Center of Powers Gulch, 20 ft. wide, course N. 60° W.
1,141.	Center of road, 14 ft. wide, bears N. 70° W. and S. 80° E.
1,490.89	Cor. No. 1, and place of beginning.
EDER 14 Lode	
<p>Beginning at Cor. No. 1 of the EDER 14 lode, identical with Cors. Nos. 1 of the Eder 44, EDER 16, and EDER 17 lodes of this survey.</p> <p style="text-align: center;">Thence EAST.</p>	
298.	Lode line; discovery point bears S. 0° 56' 13" E., 100.0 ft. dist.
412.	Center of local drainage, 3 ft. wide, course S. 10° W.
596.38	<p>Cor. No. 2, identical with Cor. No. 2 of the EDER 17 lode, and Cors. Nos. 1 of the EDER 18 and EDER 15 lodes of this survey.</p>

52

FEET		
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. EDER 14-2, EDER 17-2, EDER 18-1, and EDER 15-1-4766.</p> <p>Thence S. 0° 57' 39" E.</p>	
388.	Center of road, 14 ft. wide, bears East and West.	
762.	Center of dry wash, 5 ft. wide, course S. 70° W.	
1,018.	Center of Powers Gulch, 18 ft. wide, course N. 75° W.	
1,490.92	<p>Cor. No. 3, identical with Cors. Nos. 2 of the EDER 15 and EDER 22 lodes, and Cor. No. 4 of the Eder #23 lode of this survey.</p> <p>Thence WEST.</p>	
168.	Center of road, 16 ft. wide, bears N. 10° W. and S. 5° E.	
299.	Lode line; discovery point bears N. 0° 56' 13" W., 1390.91 ft. dist.	
323.	Center of local drainage, 5 ft. wide, course N. 25° E.	
598.33	<p>Cor. No. 4, identical with Cors. Nos. 1 of the Eder #23 and Eder 40 lodes, and Cor. No. 4 of the Eder 44 lode of this survey.</p> <p>Thence N. 0° 53' 09" W.</p>	
953.	Center of Powers Gulch, 20 ft. wide, course N. 60° W.	
1,141.	Center of road, 14 ft. wide, bears N. 70° W. and S. 80° E.	
1,490.89	Cor. No. 1, and place of beginning.	
<p>EDER 15 Lode</p> <p>Beginning at Cor. No. 1 of the EDER 15 lode, identical with Cors. Nos. 2 of the EDER 14 and EDER 17 lodes, and Cor. No. 1 of the EDER 18 lode of this survey; from which</p> <p>The Standard cor. of secs. 35 and 36 bears S. 46° 34' 47" W., 603.43 ft. dist., heretofore described.</p> <p>Thence S. 0° 57' 39" E.</p>		

FEET	
388.	Center of road, 14 ft. wide, bears East and West.
762.	Center of dry wash, 5 ft. wide, course S. 70° W.
1,018.	Center of Powers Gulch, 18 ft. wide, course N. 75° W.
1,490.92	Cor. No. 2, identical with Cor. No. 2 of the EDER 22 lode, Cor. No. 4 of the Eder #23 lode, and Cor. No. 3 of the EDER 14 lode of this survey.  Thence EAST.
113.46	Center of Powers Gulch, 16 ft. wide, course N. 15° W.
300.	Lode line; discovery point bears N. 1° 02' 11" W., 500.0 ft. dist.
597.46	Cor. No. 3, identical with Cor. No. 3 of the Eder 68 lode, and Cors. Nos. 1 of the Eder 66 and EDER 22 lodes of this survey.  Thence N. 0° 56' 20" W.
776.	Center of dry wash, 5 ft. wide, course S. 50° W.
870.	Center of road, 14 ft. wide, bears East and West.
1,080.73	Intersect the southwesterly side-line of the LOST KNIFE #2 lode, Uns., at a point from which the SW. cor. thereof bears S. 31° 39' 34" E., 268.14 ft. dist.
1,490.91	Cor. No. 4, identical with Cor. No. 4 of the Eder 68 lode of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 15-4-4766 and EDER 68-4-4766.  Thence WEST.
198.08	Intersect Cor. No. 4 EDER 18 lode of this survey.
246.18	Intersect the southwesterly side-line of the LOST KNIFE #2 lode, Uns., at a point from which the SW. cor. thereof bears S. 31° 39' 34" E., 749.97 ft. dist.
300.	Lode line; discovery point bears S. 1° 02' 11" E., 990.95 ft. dist.
548.	Center of road, 12 ft. wide, bears N. 35° E. and S. 35° W.
598.03	Cor. No. 1, and place of beginning.

FEET	
	<p>Eder 68 Lode</p> <p>At Cor. No. 1 of the Eder 68 lode, identical with Cor. No. 2 of the Eder 69 lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 68-1-4766 and EDER 69-2-4766; from which</p> <p style="padding-left: 40px;">The Standard <math>\frac{1}{4}</math> sec. cor. of sec. 36, T. 1 N., R. 13 E., G. &amp; S. R. M., bears S. 64° 55' 41" E., 1079.14 ft. dist.; heretofore described.</p> <p style="text-align: center;">Thence S. 0° 55' 14" E.</p>
248.33	Intersect the southwesterly side-line of the LOST KNIFE #1 lode, Uns., and the northeasterly side-line of the LOST KNIFE #2 lode, Uns., at a point from which the SW. and SE. Cors. thereof respectively bear S. 32° 01' E., 174.42 ft. dist.
435.83	Intersect the southeasterly end-line of the LOST KNIFE #2 lode, Uns., at a point from which the SE. Cor. thereof, identical with the SW. Cor. of the LOST KNIFE #1 lode, Uns., bears N. 66° 07' 42" E., 97.83 ft. dist.
601.	Center of local drainage, 3 ft. wide, course S. 80° W.
614.	Center of road, 12 ft. wide, bears N. 60° E. and S. 60° W.
804.	Center of dry wash, 4 ft. wide, course N. 75° W.
1,490.90	Cor. No. 2, identical with Cor. No. 3 of the Eder 69 lode, Cor. No. 4 of the Eder 67 lode, and Cor. No. 2 of the Eder 66 lode of this survey.
	Thence WEST.
263.75	Center of local drainage, 4 ft. wide, course N. 50° W.
297.75	Lode line; discovery point bears N. 0° 58' 30" W., 50.0 ft. dist.
529.75	Center of local drainage, 5 ft. wide, course S. 40° W.
597.75	Cor. No. 3, identical with Cors. Nos. 1 of the Eder 66 and EDER 22 lodes, and Cor. No. 3 of the EDER 15 lode of this survey.
	Thence N. 0° 56' 20" W.

(This form bound on left side)

FEET	
776.	Center of dry wash, 5 ft. wide, course S. 50° W.
870.	Center of road, 14 ft. wide, bears East and West
1,080.73	Intersect the southwesterly side-line of the LOST KNIFE #2 lode, Uns., at a point from which the SW. Cor. thereof bears S. 31° 39' 34" E., 268.14 ft. dist.
1,490.91	Cor. No. 4, identical with Cor. No. 4 of the EDER 15 lode of this survey; from which  The SW. Cor. of the LOST KNIFE #2 lode, Uns., bears S. 13° 00' 25" E., 655.17 ft. dist.  Thence EAST.
299.	Lode line; discovery point bears S. 0° 58' 30" E., 1440.93 ft. dist.
446.96	Intersect the northeasterly side-line of the LOST KNIFE #2 lode, Uns., and the southwesterly side-line of the LOST KNIFE # 1 lode, Uns., at a point from which the SW. and SE. Cors. thereof respectively bear S. 32° 01' E., 467.26 ft. dist.
598.23	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">Eder 69 Lode</p> <p>At Cor. No. 1 of the Eder 69 lode, identical with Cor. No. 1 of the Eder 70 lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. EDER 69-1-4766 and EDER 70-1-4766; from which</p> <p style="padding-left: 40px;">The Standard <math>\frac{1}{4}</math> sec. cor. of sec. 36 bears S. 39° 39' 14" E., 593.95 ft. dist., heretofore described.</p> <p style="padding-left: 40px;">The SE. Cor. of the LOST KNIFE #1 lode, Uns., bears S. 11° 48' 15" E., 117.68 ft. dist.</p> <p style="padding-left: 40px;">The SW. Cor. of the DEW lode, Uns., bears S. 42° 24' W., 155.01 ft. dist.</p> <p style="text-align: center;">Thence WEST.</p>
47.69	Intersect the northeasterly side-line of the LOST KNIFE #1 lode, Uns., at a point from which the SE. Cor. thereof bears S. 31° 55' 25" E., 135.73 ft. dist.

FEET		
104.	Center of road, 12 ft. wide, bears N. 10° E. and S. 10° W.	
157.37	Intersect the westerly end-line of the DEW lode, Uns., at a point from which the SW. Cor. thereof bears S. 24° 47' E., 126.08 ft. dist.	
300.	Lode Line; discovery point bears S. 0° 56' 32" E., 1440.91 ft. dist.	
598.43	Cor. No. 2, identical with Cor. No. 1 of the Eder 68 lode of this survey; from which  The SW. Cor. of the LOST KNIFE #1 lode, Uns., identical with the SE. Cor. of the LOST KNIFE #2 lode, Uns., bears S. 13° 41' E., 407.76 ft. dist.  Thence S. 0° 55' 14" E.	
248.33	Intersect the southwesterly side-line of the LOST KNIFE #1 lode, Uns., and the northeasterly side-line of the LOST KNIFE #2 lode, Uns., at a point from which the SW. and SE Cors. thereof respectively bear S. 32° 01' E., 174.42 ft. dist.	
435.83	Intersect the southeasterly end-line of the LOST KNIFE #2 lode, Uns., at a point from which the SE. Cor. thereof, identical with the SW. Cor. of the LOST KNIFE #1 lode, Uns., bears N. 66° 07' 42" E., 97.83 ft. dist.	
601.	Center of local drainage, 3 ft. wide, course S. 80° W.	
614.	Center of road, 12 ft. wide, bears N. 60° E. and S. 60° W.	
804.	Center of dry wash, 4 ft. wide, course N. 75° W.	
1,490.90	Cor. No. 3, identical with Cor. No. 4 of the Eder 67 lode, and Cors. Nos. 2 of the Eder 66 and Eder 68 lodes of this survey.  Thence EAST.	
299.	Lode line; discovery point bears N. 0° 56' 32" W., 50.0 ft. dist.	
598.65	Cor. No. 4, identical with Cor. No. 4 of the Eder 70 lode and Cor. No. 1 of the Eder 67 lode of this survey.  Thence N. 0° 55' 44" W.	
433.	Center of local drainage, 3 ft. wide, course N. 80° W.	

(This form bound on left side)

FEET	
1,307.	Center of local drainage, 3 ft. wide, course N. 65° W.
1,326.07	Intersect the southwesterly side-line of the DEW lode, Uns., at a point from which the SW. Cor. thereof bears N. 64° 50' 20" W., 118.43 ft. dist.
1,363.93	Intersect the southeasterly end-line of the LOST KNIFE #1 lode, Uns., at a point from which the SE. Cor. thereof bears N. 61° 53' 27" E., 24.96 ft. dist.
1,412.30	Intersect the northeasterly side-line of the LOST KNIFE #1 lode, Uns., at a point from which the SE. Cor. thereof bears S. 31° 55' 25" E., 43.12 ft. dist.
1,433.	Center of road, 10 ft. wide, bears N. 80° E. and S. 80° W.
1,490.91	Cor. No. 1, and place of beginning.
Eder 70 Lode	
Beginning at Cor. No. 1 of the Eder 70 lode, identical with Cor. No. 1 of the Eder 69 lode of this survey.	
Thence EAST.	
63.	Center of road, 10 ft. wide, bears N. 20° E. and S. 20° W.
284.	Center of road, 10 ft. wide, bears N. 15° E. and S. 15° W.
298.	Lode line; discovery point bears S. 0° 59' 03" E., 1440.93 ft. dist.
597.12	Cor. No. 2.
Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. EDER 70-2-4766; from which	
Cor. No. 2, M.S. No. 2667 Pine Tree lode, on line 3-4 M.S. No. 2667 Hal and Al lode, bears S. 68° 11' 30" E., 279.70 ft. dist.	
Cor. No. 3, M.S. No. 2667 Hal and Al lode, bears S. 7° 00' 40" W., 607.04 ft. dist.	
Thence S. 0° 58' 47" E.	
280.	Center of road, 10 ft. wide, bears N. 55° W. and S. 55° E.

FEET	
447.71	Intersect the southwesterly side-line of the DEW lode, Uns. at a point from which the SW. Cor. thereof bears N. 64° 50' 20" W., 783.65 ft. dist.
479.63	Intersect line 3-4, M.S. No. 2667 Hal and Al lode, at a point from which Cor. No. 3 bears S. 33° 48' W., 147.94 ft. dist.
659.75	Intersect line 2-3, M.S. No. 2667 Hal and Al lode, at a point from which Cor. No. 3 bears N. 56° 12' W., 102.74 ft. dist.
1,230.	Center of local drainage, 3 ft. wide, course West.
1,490.93	Cor. No. 3.  Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 70-3-4766.
	Thence WEST.
295.	Center of local drainage, 3 ft. wide, course N. 35° W.
299.	Lode line; discovery point bears N. 0° 59' 03" W., 50.0 ft. dist.
598.44	Cor. No. 4, identical with Cor. No. 1 of the Eder 67 lode and Cor. No. 4 of the Eder 69 lode of this survey.
	Thence N. 0° 55' 44" W.
433.	Center of local drainage, 3 ft. wide, course N. 80° W.
1,307.	Center of local drainage, 3 ft. wide, course N. 65° W.
1,326.07	Intersect the southwesterly side-line of the DEW lode, Uns., at a point from which the SW. Cor. thereof bears N. 64° 50' 20" W., 118.43 ft. dist.
1,363.93	Intersect the southeasterly end-line of the LOST KNIFE #1 lode, Uns., at a point from which the SE. Cor. thereof bears N. 61° 53' 27" E., 24.96 ft. dist.
1,412.30	Intersect the Northeasterly side-line of the LOST KNIFE #1 lode, Uns., at a point from which the SE. Cor. thereof bears S. 31° 55' 25" E., 43.12 ft. dist.
1,433.	Center of road, 10 ft. wide, bears N. 80° E. and S. 80° W.
1,490.91	Cor. No. 1, and place of beginning.

(This form bound on left side)

FEET	
	Eder 45 Lode
	Beginning at Cor. No. 1 of the Eder 45 lode, identical with Cors. Nos. 4 of the Eder 46 and Sixty Four Extension lodes, and Cor. No. 1 of the Eder #10 lode of this survey.
	Thence WEST.
299.	Lode line; discovery point bears N. 0° 36' 56" W., 50.0 ft. dist.
468.	Center of local drainage, 3 ft. wide, course N. 30° E.
598.85	Cor. No. 2, identical with Cor. No. 2 of the Eder #10 lode of this survey.
	Thence N. 0° 25' 45" W.
539.44	Intersect line 4-1 Eder 53 lode of this survey.
960.	Center of local drainage, 4 ft. wide, course N. 20° W.
1,072.	Center of road, 12 ft. wide, bears S. 50° W. and N. 50° E.
1,177.27	Intersect line 2-3 Eder 53 lode and line 1-2 Eder 52 lode of this survey.
1,263.	Center of Sycamore Creek, 10 ft. wide, course N. 50° E.
1,490.04	Cor. No. 3.  Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 45-3-4766.
	Thence EAST.
124.	Center of Sycamore Creek, 10 ft. wide, course N. 40° E.
239.	Center of road, 12 ft. wide, bears South and N. 50° E.
295.	Lode line; discovery point bears S. 0° 36' 56" E., 1440.09 ft. dist.
591.03	Cor. No. 4, identical with Cor. No. 3 of the Eder 46 lode of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 45-4-4766 and EDER 46-3-4766.
	Thence S. 0° 43' 47" E.

FEET	
94.64	Intersect line 1-2 Eder 52 lode and line 2-3 Eder 53 lode of this survey.
208.	Center of road, 12 ft. wide, curves southwesterly and southeasterly.
731.33	Intersect line 4-1 Eder 53 lode of this survey.
1,490.12	Cor. No. 1, and place of beginning.
Eder 46 Lode	
Beginning at Cor. No. 1 of the Eder 46 lode, identical with Cors. Nos. 4 of the Eder 47 and Eder 42 lodes, and Cor. No. 1 of the Sixty Four Extension lode of this survey.	
Thence N. 1° 04' 36" W.	
500.	Center of local drainage, 3 ft. wide, course N. 65° E.
705.26	Center of road, 12 ft. wide, bears N. 35° W. and S. 35° E.
977.31	Intersect line 4-1 Eder 53 lode of this survey.
1,175.	Center of Powers Gulch in box canyon, 10 ft. wide, course S. 85° W.
1,490.26	Cor. No. 2, identical with Cor. No. 3 of the Eder 47 lode of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 46-2-4766 and EDER 47-3-4766.	
Thence WEST.	
264.	Center of Powers Gulch in box canyon, 12 ft. wide, course N. 25° W.
295.	Lode line; discovery point bears S. 0° 54' 15" E., 750.0 ft. dist.
333.34	Intersect line 2-3 Eder 53 lode and line 1-2 Eder 52 lode of this survey.
590.46	Cor. No. 3, identical with Cor. No. 4 of the Eder 45 lode of this survey.
Thence S. 0° 43' 47" E.	
94.64	Intersect line 1-2 Eder 52 lode and line 2-3 Eder 53 lode of this survey.
208.	Center of road, 12 ft. wide, curves southwesterly and southeasterly.

FEET	
731.33	Intersect line 4-1 Eder 53 lode of this survey.
1,490.12	Cor. No. 4, identical with Cor. No. 4 of the Sixty Four Extension lode, and Cors. Nos. 1 of the Eder #10 and Eder 45 lodes of this survey.
	Thence EAST.
300.	Lode line; discovery point bears N. 0° 54' 15" W., 740.19 ft. dist.
599.48	Cor. No. 1, and place of beginning.
	Eder 47 Lode
	Beginning at Cor. No. 1 of the Eder 47 lode, identical with Cors. Nos. 4 of the Eder 48 and Eder 43 lodes, and Cor. No. 1 of the Eder 42 lode of this survey.
	Thence N. 1° 03' 40" W.
276.	Center of road, 12 ft. wide, bears East and West.
451.	Center of Powers Gulch, 20 ft. wide, course N. 65° W.
1,197.23	Intersect line 4-1 Eder 57 lode of this survey.
1,490.26	Cor. No. 2, identical with Cor. No. 3 of the Eder 48 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 47-2-4766 and EDER 48-3-4766.
	Thence WEST.
299.	Lode line; discovery point bears S. 1° 01' 47" E., 1440.24 ft. dist.
537.07	Intersect the common line 1-2 Eder 57 and Eder 53 lodes of this survey.
598.22	Cor. No. 3, identical with Cor. No. 2 of the Eder 46 lode of this survey.
	Thence S. 1° 04' 36" E.
315.26	Center of Powers Gulch in box canyon, 10 ft. wide, course S. 85° W.
512.95	Intersect line 4-1 Eder 53 lode of this survey.
785.	Center of road, 12 ft. wide, bears N. 35° W. and S. 35° E.
990.26	Center of local drainage, 3 ft. wide, course N. 65° E.

FEET	
1,490.26	Cor. No. 4, identical with Cor. No. 4 of the Eder 42 lode, and Cors. Nos. 1 of the Sixty Four Extension and Eder 46 lodes of this survey.
	Thence EAST.
298.	Lode line; discovery point bears N. 1° 01' 47" W., 50.0 ft. dist.
531.	Center of local drainage, 4 ft. wide, course N. 15° E.
597.82	Cor. No. 1, and place of beginning.
Eder 48 Lode	
	Beginning at the true point for Cor. No. 1 of the Eder 48 lode, identical with Cors. Nos. 2 of the EDER 16 and Eder 44 lodes, and Cor. No. 1 of the Eder 43 lode of this survey previously described; witnessed WEST, 32.29 ft. dist.
	Thence N. 1° 04' 34" W.
31.	Center of Powers Gulch, 20 ft. wide, course N. 60° W.
223.	Center of local drainage, 4 ft. wide, course S. 45° W.
1,417.28	Intersect line 4-1 Eder 57 lode of this survey.
1,490.26	Cor. No. 2, identical with Cor. No. 3 of the EDER 16 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 48-2-4766 and EDER 16-3-4766.
	Thence WEST.
299.	Lode line; discovery point bears S. 1° 03' 40" E., 990.26 ft. dist.
598.00	Cor. No. 3, identical with Cor. No. 2 of the Eder 47 lode of this survey.
	Thence S. 1° 03' 40" E.
293.03	Intersect line 4-1 Eder 57 lode of this survey.
1,039.26	Center of Powers Gulch, 20 ft. wide, course N. 65° W.
1,214.26	Center of road, 12 ft. wide, bears East and West.

FEET	
1,490.26	Cor. No. 4, identical with Cor. No. 4 of the Eder 43 lode and Cors. Nos. 1 of the Eder 42 and Eder 47 lodes of this survey.
	Thence EAST.
299.	Lode line; discovery point bears N. 1° 03' 40" W., 500.0 ft. dist.
468.	Center of dry wash, 6 ft. wide, course North.
538.	Center of road, 12 ft. wide, bears N. 70° W. and S. 60° E.
566.10	Witness Cor. No. 1, previously described.
598.39	Cor. No. 1, and place of beginning.
	EDER 16 Lode
	Beginning at Cor. No. 1 of the EDER 16 lode, identical with Cors. Nos. 1 of the EDER 17, EDER 14, and Eder 44 lodes of this survey.
	Thence WEST.
275.	Center of local drainage, 4 ft. wide, course S. 70° W.
300.	Lode line; discovery point bears N. 1° 01' 25" W., 100.0 ft. dist.
540.	Center of Powers Gulch, 20 ft. wide, course N. 60° W.
598.63	The true point for Cor. No. 2, identical with Cor. No. 2 of the Eder 44 lode, and Cors. Nos. 1 of the Eder 43 and Eder 48 lodes of this survey, previously described; witnessed WEST, 32.29 ft. dist.
	Thence N. 1° 04' 34" W.
31.	Center of Powers Gulch, 20 ft. wide, course N. 60° W.
223.	Center of local drainage, 4 ft. wide, course S. 45° W.
1,417.28	Intersect line 4-1 Eder 57 lode of this survey.
1,490.26	Cor. No. 3, identical with Cor. No. 2 of the Eder 48 lode of this survey.
	Thence EAST.
16.00	Intersect Cor. No. 2 of the Eder 59 lode of this survey.

FEET	
198.36	Intersect line 4-1 Eder 57 lode of this survey.
300.	Lode line; discovery point bears S. 1° 01' 25" E., 1390.24 ft. dist.
564.	Center of road, 10 ft. wide, bears N. 13° E. and S. 10° W.
597.79	Cor. No. 4, identical with Cor. No. 4 of the EDER 17 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 16-4-4766 and EDER 17-4-4766.
	Thence S. 1° 06' 30" E.
266.	Center of road, 12 ft. wide, bears N. 40° W. and S. 35° E.
410.78	Intersect line 1-2 Eder 59 lode of this survey.
1,272.	Center of local drainage, 4 ft. wide, course West.
1,490.28	Cor. No. 1, and place of beginning.
EDER 17 Lode	
Beginning at Cor. No. 1 of the EDER 17 lode, identical with Cors. Nos. 1 of the EDER 14, Eder 44, and EDER 16 lodes of this survey.	
Thence EAST.	
298.	Lode line; discovery point bears N. 1° 02' W., 100.0 ft. dist.
412.	Center of local drainage, 3 ft. wide, S. 10° W.
596.38	Cor. No. 2, identical with Cors. Nos. 1 of the EDER 18 and EDER 15 lodes, and Cor. No. 2 of the EDER 14 lode of this survey; from which
	The NW Cor. of the LOST KNIFE #2 lode, Uns., bears N. 3° 31' 38" W., 635.18 ft. dist.
	The SW Cor. of the MANGANESE CAP lode, Uns., bears N. 9° 36' 40" W., 616.29 ft. dist.
	Thence N. 1° 02' 53" W.
370.	Center of local drainage, 3 ft. wide, course S. 45° W.
588.15	Intersect the southwesterly side-line of the LOST KNIFE #2 lode at a point from which the NW. Cor. thereof bears N. 31° 39' 34" W., 53.96 ft. dist.

FEET	
630.98	Intersect the southerly side-line of the MANGANESE CAP lode, Uns., at a point from which the SW. Cor. thereof bears S. 75° 44' 04" W., 94.26 ft. dist.
646.50	Intersect the northwesterly end-line of the LOST KNIFE #2 lode Uns., at a point from which the NW. Cor. thereof bears S. 65° 30' W., 29.95 ft. dist.
797.	Center of road, 12 ft. wide, bears N. 75° W. and S. 60° E.
1,150.00	Intersect line 1-2 EDER 19 lode of this survey.
1,242.70	Intersect the northerly side-line of the MANGANESE CAP lode, Uns., and the southerly side-line of the GALENA lode, Uns., at a point from which the NW. and SW. Cors. thereof respectively bear S. 75° 47' 47" W., 270.16 ft. dist.
1,286.	Center of road, 10 ft. wide, bears East and West.
1,490.25	<p>Cor. No. 3, identical with Cor. No. 2 of the EDER 18 lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 17-3-4766 and EDER 18-2-4766; from which</p> <p style="padding-left: 40px;">The SW. Cor. of the GALENA lode, Uns., identical with the NW. Cor. of the MANGANESE CAP lode, Uns., bears S. 39° 21' 30" W., 405.85 ft. dist.</p> <p style="padding-left: 40px;">Thence WEST.</p>
142.38	Intersect line 3-4 Eder 59 lode of this survey.
298.	Lode Line; discovery point bears S. 1° 02' E., 1390.24 ft. dist.
356.08	Intersect the westerly end-line of the GALENA lode, Uns., at a point from which the SW. Cor. thereof, identical with the NW. Cor. of the MANGANESE CAP lode, Uns., bears S. 17° 27' 41" E., 328.96 ft. dist.
480.54	Intersect line 1-2 EDER 19 lode of this survey.
570.	Center of local drainage, 2 ft. wide, course North.
597.95	<p>Cor. No. 4, identical with Cor. No. 4 of the EDER 16 lode of this survey.</p> <p style="padding-left: 40px;">Thence S. 1° 06' 30" E.</p>
266.	Center of road, 12 ft. wide, bears N. 40° W. and S. 35° E.

FEET	
410.78	Intersect line 1-2 Eder 59 lode of this survey.
1,272.	Center of local drainage, 4 ft. wide, course West.
1,490.28	Cor. No. 1, and place of beginning.
EDER 18 Lode	
Beginning at Cor. No. 1 of the EDER 18 lode, identical with Cor. No. 1 of the EDER 15 lode, and Cors. Nos. 2 of the EDER 14 and EDER 17 lodes of this survey.	
Thence N. 1° 02' 53" W.	
370.	Center of local drainage, 3 ft. wide, course S. 45° W.
588.15	Intersect the southwesterly side-line of the LOST KNIFE #2 lode at a point from which the NW. Cor. thereof bears N. 31° 39' 34" W., 53.96 ft. dist.
630.98	Intersect the southerly side-line of the MANGANESE CAP lode, Uns., at a point from which the SW. Cor. thereof bears S. 75° 44' 04" W., 94.26 ft. dist.
646.50	Intersect the northwesterly end-line of the LOST KNIFE #2 lode Uns., at a point from which the NW. Cor. thereof bears S. 65° 30' W., 29.95 ft. dist.
797.	Center of road, 12 ft. wide, bears N. 75° W. and S. 60° E.
1,150.00	Intersect line 1-2 EDER 19 lode of this survey.
1,242.70	Intersect the northerly side-line of the MANGANESE CAP lode, uns., and the southerly side-line of the GALENA lode, Uns., at a point from which the NW. and SW. Cors. thereof respectively bear S. 75° 47' 47" W., 270.16 ft. dist.
1,286.	Center of road, 10 ft. wide, bears East and West.
1,490.25	Cor. No. 2, identical with Cor. No. 3 of the EDER 17 lode of this survey.
Thence EAST.	
49.71	Intersect line 4-1 EDER 19 lode of this survey.

(This form bound on left side)

FEET	
100.	Lode line; discovery point bears S. 1° 02' 53" E., 1390.25 ft. dist.
296.	Center of local drainage, 3 ft. wide, course N. 45° W.
398.07	Cor. No. 3.  Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 18-3-4766.
	Thence S. 1° 07' 13" E.
147.20	Intersect the southerly side-line of the GALENA lode, Uns., and the northerly side-line of the MANGANESE CAP lode, Uns., at a point from which the SW. and NW. Cors. thereof respectively bear S. 75° 47' 47" W., 679.08 ft. dist.
301.	Center of road, 10 ft. wide, bears N. 70° W. and S. 70° E.
663.44	Intersect the northwesterly end-line of the LOST KNIFE #2 lode, Uns., at a point from which the NW. Cor. thereof bears S. 65° 30' W., 464.70 ft. dist.
758.29	Intersect the southerly side-line of the MANGANESE CAP lode, Uns., at a point from which the SW. Cor. thereof bears S. 75° 44' 04" W., 504.08 ft. dist.
1,490.28	Cor. No. 4, established on line 4-1 of the EDER 15 lode of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 18-4-4766.
	Thence WEST.
48.10	Intersect the southwesterly side-line of the LOST KNIFE #2 lode, Uns., at a point from which the NW. Cor. thereof bears N. 31° 39' 34" W., 744.82 ft. dist.
299.95	Lode line; discovery point bears N. 1° 02' 53" W., 100.0 ft. dist.
349.92	Center of road, 12 ft. wide, bears N. 35° E. and S. 35° W.
399.95	Cor. No. 1, and place of beginning.

FEET	
	Eder 49 Lode
	At Cor. No. 1 of the Eder 49 lode, identical with Cor. No. 4 of the Eder 51 lode, Cor. No. 3 of the Eder 52 lode, and Cor. No. 1 of the Eder 50 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 49-1, EDER 51-4, EDER 52-3, and EDER 50-1-4766; from which
	The Standard cor. of sec. 35 and 36 bears S. 59° 55' 05" E., 4139.53 ft. dist., heretofore described.
	Thence S. 69° 42' 47" W.
1,499.09	Cor. No. 2, identical with Cor. No. 2 of the Eder 50 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 49-2-4766 and EDER 50-2-4766.
	Thence N. 20° 20' W.
299.	Lode line; discovery point bears N. 69° 41' 01" E. 999.09 ft. dist.
311.	Center of dry wash, 10 ft. wide, course N. 85° E.
598.56	Cor. No. 3.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 49-3-4766.
	Thence N. 69° 40' E.
1,499.09	Cor. No. 4, identical with Cor. No. 3 of the Eder 51 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 49-4-4766 and EDER 51-3-4766.
	Thence S. 20° 20' E.
68.	Center of dry wash, 12 ft. wide, course N. 75° E.
300	Lode line; discovery point bears S. 69° 41' 01" W., 500.0 ft. dist.
599.77	Cor. No. 1, and place of beginning.

FEET	
	Eder 50 Lode
	Beginning at Cor. No. 1 of the Eder 50 lode, identical with Cor. No. 1 of the Eder 49 lode, Cor. No. 4 of the Eder 51 lode, and Cor. No. 3 of the Eder 52 lode of this survey.
	Thence S. 69° 42' 47" W.
1,499.09	Cor. No. 2, identical with Cor. No. 2 of the Eder 49 lode of this survey.
	Thence S. 20° 20' E.
299.	Lode line; discovery point bears N. 69° 43' 21" E., 1019.09 ft. dist.
597.62	Cor. No. 3.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 50-3-4766.
	Thence N. 69° 46' 31" E.
670.	Center of Sycamore Creek, 10 ft. wide, course N. 60° E.
850.	Center of Sycamore Creek, 10 ft. wide, course S. 60° E.
1,499.09	Cor. No. 4, identical with Cor. No. 2 of the Eder 52 lode and Cor. No. 3 of the Eder 53 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 50-4-4766, EDER 52-2-4766, and EDER 53-3-4766.
	Thence N. 20° 20' W.
300.	Lode line; discovery point bears S. 69° 43' 21" W., 480.0 ft. dist.
599.25	Cor. No. 1, and place of beginning.
	Eder 51 Lode
	At Cor. No. 1 of the Eder 51 lode, identical with Cor. No. 1 of the Eder 55 lode, and Cors. Nos. 4 of the Eder 56 and Eder 52 lodes of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 51-1, EDER 55-1, EDER 56-4, and EDER 52-4-4766; from which
	The Standard cor. of secs. 35 and 36 bears S. 39° 58' 55" E., 3385.21 ft. dist., heretofore described.

FEET	
	Thence N. 20° 20' W.
230.	Center of road, 12 ft. wide, bears N. 60° E. and S. 70° W.
300.	Lode line; discovery point bears S. 69° 44' 28" W., 1099.50 ft. dist.
511.	Center of local drainage, 3 ft. wide, course West.
597.45	Cor. No. 2, identical with Cor. No. 1 of the Eder 54 lode and Cor. No. 2 of the Eder 55 lode of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 51-2-4766, EDER 54-1-4766, and EDER 55-2-4766.
	Thence S. 69° 50' 19" W.
866.	Center of Powers Gulch, 24 ft. wide, course North.
1,038.	Center of road, 12 ft. wide, bears N. 10° W. and S. 20° E., and center of dry wash, 12 ft. wide, course N. 15° E.
1,499.51	Cor. No. 3, identical with Cor. No. 4 of the Eder 49 lode of this survey.
	Thence S. 20° 20' E.
68.	Center of dry wash, 12 ft. wide, course N. 75° E.
300.	Lode line; discovery point bears N. 69° 44' 28" E., 400 ft. dist.
599.77	Cor. No. 4, identical with Cor. No. 3 of the Eder 52 lode, Cors. Nos. 1 of the Eder 50 and Eder 49 lodes of this survey.
	Thence N. 69° 45' E.
658.	Center of road, 12 ft. wide, bears N. 10° W. and S. 5° E.
784.	Center of Powers Gulch, 22 ft. wide, course N. 10° W.
1,499.50	Cor. No. 1, and place of beginning.
	Eder 52 Lode
	At Cor. No. 1 of the Eder 52 lode, identical with Cor. No. 1 of the Eder 56 lode and Cors. Nos. 2 of the Eder 57 and Eder 53 lodes of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 52-1, EDER 56-1, EDER 57-2, and EDER 53-2-4766; from which

FEET	
	The Standard cor. of secs. 35 and 36 bears S. 44° 03' 31" E., 2829.08 ft. dist.  Thence S. 69° 42' 23" W.
308.	Center of Powers Gulch, in box canyon, 13 ft. wide, course N. 25° W.
369.91	Intersect line 2-3 Eder 46 lode of this survey.
642.76	Intersect line 3-4 Eder 46 lode and line 4-1 Eder 45 lode of this survey.
1,084.	Center of road, 12 ft. wide, bears N. 40° E. and S. 40° W.
1,271.69	Intersect line 2-3 Eder 45 lode of this survey.
1,330.	Center of Sycamore Creek, 10 ft. wide, course N. 20° E.
1,499.50	Cor. No. 2, identical with Cor. No. 3 of the Eder 53 lode and Cor. No. 4 of the Eder 50 lode of this survey.  Thence N. 20° 20' W.
300.	Lode line; discovery point bears N. 69° 44' 26" E., 100.0 ft. dist.
599.25	Cor. No. 3, identical with Cors. Nos. 1 of the Eder 50 and Eder 49 lodes, and Cor. No. 4 of the Eder 51 lode of this survey.  Thence N. 69° 45' E.
658.	Center of road, 12 ft. wide, bears N. 10° W and S. 5° E.
784.	Center of Powers Gulch, 22 ft. wide, course N. 10° W.
1,499.50	Cor. No. 4, identical with Cors. Nos. 1 of the Eder 51 and Eder 55 lodes, and Cor. No. 4 of the Eder 56 lode of this survey.  Thence S. 20° 20' E.
130.	Center of road, 10 ft. wide, bears N. 70° E. and S. 70° W.
299.	Lode line; discovery point bears S. 69° 44' 26" W., 1399.50 ft. dist.
408.	Center of dry wash in ravine, 6 ft. wide, course S. 55° W.
598.11	Cor. No. 1, and place of beginning.

FEET	
	Eder 53 Lode
	At the true point for Cor. No. 1 of the Eder 53 lode, identical with Cor. No. 1 of the Eder 57 lode of this survey.
	This corner falls in the box canyon of Powers Gulch where a permanent monument cannot be maintained; from which
	The Standard cor. of secs. 35 and 36 bears S. 50° 06' 11" E., 2292.53 ft. dist., heretofore described.
	Thence N. 20° 20' W.
25.	Center of Powers Gulch in box canyon, 8 ft. wide, course N. 5° E.
116.	Center of Powers Gulch in box canyon, 10 ft. wide, course N. 35° W.
273.35	A point selected for witness Cor. No. 1, identical with witness Cor. No. 1 of the Eder 57 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. W.C. - EDER 53-1-4766 and EDER 57-1-4766.
300.	Lode line; discovery point bears S. 69° 42' 23" W., 1498.50 ft. dist.
463.18	Intersect line 2-3 of Eder 47 lode of this survey.
600.00	Cor. No. 2, identical with Cors. Nos. 1 of the Eder 52 and Eder 56 lodes, and Cor. No. 2 of the Eder 57 lode of this survey.
	Thence S. 69° 42' 23" W.
308.	Center of Powers Gulch, in box canyon, 13 ft. wide, course N. 25° W.
369.91	Intersect line 2-3 Eder 46 lode of this survey.
642.76	Intersect line 3-4 Eder 46 lode and line 4-1 Eder 45 lode of this survey.
1,084.	Center of road, 12 ft. wide, bears N. 40° E. and S. 40° W.
1,271.69	Intersect line 2-3 Eder 45 lode of this survey.
1,330.	Center of Sycamore Creek, 10 ft. wide, course N. 20° E.
1,499.50	Cor. No. 3, identical with Cor. No. 4 of the Eder 50 lode and Cor. No. 2 of the Eder 52 lode of this survey.

FEET	
	Thence S. 20° 20' E.
108.	Center of Sycamore Creek, 10 ft. wide, course N. 70° E.
160.	Center of road, 12 ft. wide, bears N. 50° E. and S. 60° W.
300.	Lode line; discovery point bears N. 69° 42' 23" E., 1.0 ft. dist.
599.88	Cor. No. 4.  Set a brass tablet, 2 ins. diam., with 2½ ins. stem grouted into solid ledge-rock, with disc mkd. EDER 53-4-4766. Raise a mound of stone 3 ft. base, 3 ft. high alongside.  Thence N. 69° 42' 40" E.
10.66	Intersect line 2-3 Eder 45 lode of this survey.
121.	Center of local drainage, 3 ft. wide, course N. 20° W.
643.12	Intersect line 4-1 Eder 45 lode, and line 3-4 Eder 46 lode of this survey.
1,055.	Center of road, 12 ft. wide, bears N. 45° W. and S. 45° E.
1,272.99	Intersect line 1-2 Eder 46 lode, and line 3-4 Eder 47 lode of this survey.
1,470.	Center of Powers Gulch in box canyon, 8 ft. wide, course N. 20° E.
1,499.50	Cor. No. 1, and place of beginning.
	Eder 54 Lode
	Beginning at Cor. No. 1 of the Eder 54 lode, identical with Cors. Nos. 2 of the Eder 55 and Eder 51 lodes of this survey; from which  The Standard cor. of sec. 35 and 36 bears S. 37° 04' 08" E., 3952.98 ft. dist., heretofore described.  Thence N. 20° 20' W.
299.	Lode line; discovery point bears N. 69° 41' 47" E., 500.0 ft. dist.

274

FEET	
598.06	<p>Cor. No. 2.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 54-2-4766.</p> <p style="text-align: center;">Thence N. 69° 39' 38" E.</p>
585.	<p>Center of local drainage, 3 ft. wide, course N. 20° W.</p>
1,108.	<p>Center of dry wash, 4 ft. wide, course N. 85° W.</p>
1,499.10	<p>Cor. No. 3.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 54-3-4766.</p> <p style="text-align: center;">Thence S. 20° 20' E.</p>
52.	<p>Center of local drainage, 3 ft. wide, course S. 80° W.</p>
300.	<p>Lode line; discovery point bears S. 69° 41' 47" W., 999.10 ft. dist.</p>
350.72	<p>Intersect line 2-3 Promoter lode of this survey.</p>
494.	<p>Center of local drainage, 3 ft. wide, course N. 60° W.</p>
599.05	<p>Cor. No. 4, identical with Cor. No. 3 of the Eder 55 lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 54-4-4766 and EDER 55-3-4766.</p> <p style="text-align: center;">Thence S. 69° 41' 54" W.</p>
473.12	<p>Intersect line 1-2 Promoter lode of this survey.</p>
1,499.10	<p>Cor. No. 1, and place of beginning.</p>
<p>Eder 55 Lode</p>	
<p>Beginning at Cor. No. 1 of the Eder 55 lode, identical with Cors. Nos. 4 of the Eder 56 and Eder 52 lodes, and Cor. No. 1 of the Eder 51 lode of this survey.</p>	
<p>Thence N. 20° 20' W.</p>	
230.	<p>Center of road, 12 ft. wide, bears N. 60° E. and S. 70° W.</p>
300.	<p>Lode line; discovery point bears N. 69° 45' 28" E., 300.0 ft. dist.</p>
511.	<p>Center of local drainage, 3 ft. wide, course West.</p>

(This form bound on left side)

FEET	
597.45	<p>Cor. No. 2, identical with Cor. No. 2 of the Eder 51 lode and Cor. No. 1 of the Eder 54 lode of this survey.</p> <p>Thence N. 69° 41' 54" E.</p>
1,025.98	Intersect line 1-2 Promoter lode of this survey.
1,499.10	<p>Cor. No. 3, identical with Cor. No. 4 of the Eder 54 lode of this survey.</p> <p>Thence S. 20° 20' E.</p>
299.	Lode line; discovery point bears S. 69° 45' 28" W., 1199.10 ft. dist.
598.80	<p>Cor. No. 4, identical with Cors. Nos. 3 of the EDER 19 and Eder 56 lodes of this survey.</p> <p>Thence S. 69° 45' W.</p>
87.63	Intersect line 1-2 Promoter lode of this survey.
394.	Center of road, 10 ft. wide, bears East and N. 80° W.
553.	Center of local drainage, 3 ft. wide, course South.
1,390.	Center of road, 10 ft. wide, bears N. 20° W. and S. 20° E.
1,499.10	Cor. No. 1, and place of beginning.
	Eder 56 Lode
	<p>Beginning at Cor. No. 1 of the Eder 56 lode, identical with Cors. Nos. 2 of the Eder 57 and Eder 53 lodes, and Cor. No. 1 of the Eder 52 lode of this survey.</p> <p>Thence N. 69° 45' 22" E.</p>
944.	Center of local drainage, 3 ft. wide, course North.
1,277.53	Intersect lines 2-3 EDER 19 and Eder 59 lodes of this survey.
1,428.04	Intersect line 3-4 Eder 59 lode of this survey.
1,499.10	<p>Cor. No. 2, identical with Cor. No. 3 of the Eder 57 lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 56-2-4766 and EDER 57-3-4766.</p>

76

FEET	
	Thence N. 20° 20' W.
300.	Lode line; discovery point bears S. 69° 43' 20" W., 200.0 ft. dist.
382.	Center of dry wash, 6 ft. wide, course N. 60° W.
462.25	Intersect line 1-2 Promoter lode of this survey.
519.	Center of road, 10 ft. wide, bears S. 75° W.
598.27	Cor. No. 3, identical with Cor. No. 4 of the Eder 55 lode and Cor. No. 3 of the EDER 19 lode of this survey.
	Thence S. 69° 45' W.
87.63	Intersect line 1-2 Promoter lode of this survey.
394.	Center of road, 10 ft. wide, bears East and N. 80° W.
553.	Center of local drainage, 3 ft. wide, course South.
1,390.	Center of road, 10 ft. wide, bears N. 20° W. and S. 20° E.
1,499.10	Cor. No. 4, identical with Cor. No. 4 of the Eder 52 lode, and Cors. Nos. 1 of the Eder 51 and Eder 55 lodes of this survey.
	Thence S. 20° 20' E.
130.	Center of road, 10 ft. wide, bears N. 70° E. and S. 70° W.
299.	Lode line; discovery point bears N. 69° 43' 20" E., 1299.10 ft. dist.
408.	Center of dry wash in ravine, 6 ft. wide, course S. 55° W.
598.11	Cor. No. 1, and place of beginning.
	Eder 57 Lode
	Beginning at the true point for Cor. No. 1 of the Eder 57 lode, identical with Cor. No. 1 of the Eder 53 lode of this survey, previously described.
	Thence N. 20° 20' W.
25.	Center of Powers Gulch in box canyon, 8 ft. wide course N. 5° E.
116.	Center of Powers Gulch in box canyon, 10 ft. wide, course N. 35° W.

(This form bound on left side)

FEET	
273.35	Witness Cor. No. 1, identical with witness Cor. No. 1 of the Eder 53 lode, previously described.
300.	Lode line; discovery point bears N. 69° 40' 47" E., 500.0 ft. dist.
463.18	Intersect line 2-3 Eder 47 lode of this survey.
600.00	Cor. No. 2, identical with Cor. No. 2 of the Eder 53 lode, and Cors. Nos. 1 of the Eder 52 and Eder 56 lodes of this survey.  Thence N. 69° 45' 22" E.
944.	Center of local drainage, 3 ft. wide, course North.
1,277.53	Intersect lines 2-3 EDER 19 and Eder 59 lodes of this survey.
1,428.04	Intersect line 3-4 Eder 59 lode of this survey.
1,499.10	Cor. No. 3, identical with Cor. No. 2 of the Eder 56 lode of this survey.  Thence S. 20° 20" E.
101.81	Intersect line 3-4 Eder 59 lode of this survey.
298.	Lode line; discovery point bears S. 69° 40' 47" W., 999.10 ft. dist.
437.00	Intersect line 1-2 EDER 19 lode of this survey.
597.86	Cor. No. 4.  Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 57-4-4766.  Thence S. 69° 40' 28" W.
248.76	Intersect line 3-4 EDER 16 lode of this survey.
375.71	Intersect line 1-2 Eder 59 lode of this survey.
458.83	Intersect line 2-3 EDER 16 lode and line 1-2 Eder 48 lode of this survey.
1,092.21	Intersect line 3-4 Eder 48 lode and line 1-2 Eder 47 lode of this survey.
1,499.10	Cor. No. 1, and place of beginning.

FEET	
	<p style="text-align: center;">EDER 19 Lode</p> <p>At Cor. No. 1 of the EDER 19 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 19-1-4766; from which</p> <p>The Standard cor. of secs. 35 and 36 bears S. 16° 42' 57" W., 1601.87 ft. dist, heretofore described.</p> <p>The NW. Cor. of the MANGANESE CAP lode, Uns., identical with the SW. Cor. of the GALENA lode, Uns., bears N. 79° 31' 27" W., 312.29 ft. dist.</p> <p style="text-align: center;">Thence N. 55° 03' 05" W.</p>
53.05	Intersect line 1-2 EDER 18 lode, and line 2-3 EDER 17 lode of this survey.
146.14	Intersect line 4-1 Eder 59 lode of this survey.
172.38	Intersect the northerly side-line of the MANGANESE CAP lode, Uns., and the southerly side-line of the GALENA lode, Uns., at a point from which the NW. and SW. Cors. thereof respectively bear S. 75° 47' 47" W., 171.02 ft. dist.
205.	Center of road, 12 ft. wide, bears N. 55° E. and S. 55° W.
452.29	Intersect the westerly end-line of the GALENA lode, Uns., at a point from which the SW. Cor. thereof, identical with the NW. Cor. of the MANGANESE CAP lode, Uns., bears S. 17° 27' 41" E., 212.08 ft. dist.
646.92	Intersect line 3-4 EDER 17 lode of this survey.
768.	Center of local drainage, 3 ft. wide, course N. 5° E.
814.	Center of road, 14 ft. wide, bears N. 15° E. and S. 20° W.
1,061.06	Intersect line 3-4 Eder 57 lode of this survey.
1,499.94	<p>Cor. No. 2, on line 2-3 Eder 59 lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 19-2-4766.</p> <p style="text-align: center;">Thence NORTH.</p>
81.69	Intersect line 2-3 Eder 57 lode and line 1-2 Eder 56 lode of this survey.

FEET	
231.86	Intersect Cor. No. 3 Eder 59 lode of this survey.
360.	Lode line; discovery point bears S. 55° 03' 33" E., 500.0 ft. dist.
548.	Center of dry wash, 6 ft. wide, course West.
627.29	Intersect line 1-2 Promoter lode of this survey.
633.	Center of road, 10 ft. wide, bears S. 80° W. and N. 80° E.
719.35	Cor. No. 3, identical with Cor. No. 3 of the Eder 56 lode and Cor. No. 4 of the Eder 55 lode of this survey.
	Thence S. 55° 04' 46" E.
88.	Center of road, 12 ft. wide, bears N. 50° E. and S. 55° W.
457.	Center of road, 12 ft. wide, bears N. 35° W. and S. 35° E.
590.	Center of local drainage, 3 ft. wide, course West.
624.28	Intersect line 3-4 Stars and Stripes lode of this survey.
735.13	Intersect line 4-1 Promoter lode of this survey.
1,456.22	Intersect the northerly side-line of the GALENA lode, Uns., at a point from which the NW. Cor. thereof bears S. 75° 06' 47" W., 466.11 ft. dist.
1,499.43	<p data-bbox="548 1548 1328 1575">Cor. No. 4.</p> <p data-bbox="548 1588 1328 1682">Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 19-4-4766; from which</p> <p data-bbox="613 1723 1328 1790">The NW. Cor. of the GALENA lode, Uns., bears S. 78° 56' 09" W., 495.10 ft. dist.</p> <p data-bbox="740 1830 943 1857">Thence SOUTH.</p>
72.49	Intersect line 2-3 Stars and Stripes lode of this survey.
170.	Center of local drainage, 3 ft. wide, course N. 75° W.
349.67	Intersect line 2-3 EDER 18 lode of this survey.
360.	Lode line; discovery point bears N. 55° 03' 33" W., 999.80 ft. dist.
550.	Center of road, 12 ft. wide, bears N. 85° W. and S. 85° E.

FEET	
585.74	Intersect the southerly side-line of the GALENA lode, Uns., and the northerly side-line of the MANGANESE CAP lode, Uns., at a point from which the SW. and NW. Cors. thereof respectively bear S. 75° 47' 47" W., 316.77 ft. dist.
720.25	Cor. No. 1, and place of beginning.
Eder 59 Lode	
At Cor. No. 1 of the Eder 59 lode.	
Set an iron post, 2 ft. long, 1 ins. diam., 14 ins in the ground, with brass cap mkd. EDER 59-1-4766; from which	
The Standard cor. of secs. 35 and 36 bears S. 16° 45' 44" W., 1182.21 ft. dist., heretofore described.	
The NW. Cor. of the MANGANESE CAP lode, Uns., identical with the SW. Cor. of the GALENA lode, Uns., bears N. 22° 11' 54" W., 495.73 ft. dist.	
Thence N. 55° 08' 45" W.	
63.61	Intersect the westerly end-line of the MANGANESE CAP lode, Uns., at a point from which the NW. Cor. thereof, identical with the SW. Cor. of the GALENA lode, Uns., bears N. 17° 43' 35" W., 443.70 ft. dist.
633.58	Intersect lines 4-1 EDER 17 and EDER 16 lodes of this survey.
1,275.08	Intersect line 4-1 Eder 57 lode of this survey.
1,352.24	Cor. No. 2, established on line 3-4 EDER 16 lode of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 59-2-4766.	
Thence NORTH.	
360.	Lode line; discovery point bears S. 55° 22' 30" E., 540.0 ft. dist.
488.65	Intersect Cor. No. 2 EDER 19 lode of this survey.
570.34	Intersect line 2-3 Eder 57 lode and line 1-2 Eder 56 lode of this survey.
720.51	Cor. No. 3, established on line 2-3 EDER 19 lode of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 59-3-4766.	

(This form bound on left side)

FEET	
	Thence S. 55° 13' 03" E.
171.94	Intersect line 1-2 Eder 56 lode and line 2-3 Eder 57 lode of this survey.
296.18	Intersect line 3-4 Eder 57 lode of this survey.
613.	Center of road, 12 ft. wide, bears N. 20° W. and S. 20° E.
750.	Center of local drainage, 3 ft. wide, course North.
930.10	Intersect the westerly end-line of the GALENA lode, Uns. at a point from which the SW. Cor. thereof, identical with the NW. Cor. of the MANGANESE CAP lode, Uns., bears S. 17° 27' 41" E., 528.05 ft. dist.
965.	Center of local drainage, 4 ft. wide, course S. 50° W.
1,263.03	Intersect line 3-4 EDER 17 lode of this survey.
1,351.06	Cor. No. 4.  Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. EDER 59-4-4766; from which  The SW. Cor. of the GALENA lode, Uns., identical with the NW. Cor. of the MANGANESE CAP lode, Uns., bears S. 35° 23' 50" W., 323.35 ft. dist.  Thence SOUTH.
186.	Center of road, 12 ft. wide, bears N. 80° E. and S. 80° W.
216.17	Intersect the southerly side-line of the GALENA lode, Uns., and the northerly side-line of the MANGANESE CAP lode, Uns., at a point from which the SW. and NW. Cors. thereof respectively bear S. 75° 47' 47" W., 193.20 ft. dist.
236.64	Intersect line 1-2 EDER 19 lode of this survey.
356.	Lode line; discovery point bears N. 55° 22' 30" W., 808.50 ft. dist.
613.	Center of road, 12 ft. wide, bears N. 50° W. and S. 50° E.
722.57	Cor. No. 1, and place of beginning.

FEET	
	Providence Lode
	At Cor. No. 1 of the Providence lode, identical with Cor. No. 4 of the Promoter lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. PROV-1-4766 and PROM-4-4766; from which
	The Standard cor. of secs. 35 and 36 bears S. 3° 21' 57" W., 3056.48 ft. dist., heretofore described.
	Thence N. 34° 14' E.
109.	Center of road, 12 ft. wide, bears N. 55° W. and S. 35° E.
300.	Lode line; discovery point bears N. 53° 05' 12" W., 200.0 ft. dist.
580.48	Intersect line 2-3 "Moon Rise" lode of this survey.
600.00	Cor. No. 2.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. PROV-2-4766.
	Thence N. 53° 05' 12" W.
146.	Center of local drainage, 3 ft. wide, course N. 85° E.
1,210.	Crest of sharp ridge, rises southwesterly and falls northeasterly.
1,499.97	Cor. No. 3.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. PROV-3-4766.
	Thence S. 34° 14' W.
300.	Lode line; discovery point bears S. 53° 05' 12" E., 1299.97 ft. dist.
600.07	Cor. No. 4, identical with Cor. No. 3 of the Promoter lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. PROV-4-4766 and PROM-3-4766.
	Thence S. 53° 05' 23" E.
1,223.	Center of road, 12 ft. wide, bears E. and W.
1,407.64	Intersect line 3-4 "Moon Rise" lode of this survey.
1,499.97	Cor. No. 1, and place of beginning.

(This form bound on left side)

FEET		
	Promoter Lode	
	At Cor. No. 1 of the Promoter lode.	
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. PROM-1-4766; from which	
	The Standard cor. of secs. 35 and 36 bears S. 5° 07' 37" E., 2630.56 ft. dist., heretofore described.	
	Thence N. 53° 06' W.	
114.41	Intersect line 3-4 Stars and Stripes lode of this survey.	
144.	Center of road, 12 ft. wide, bears N. and S.	
200.	Center of local drainage, 4 ft. wide, course N. 40° W.	
412.	Center of dry wash, 6 ft. wide, course N. 85° W.	
608.21	Intersect line 2-3 Eder 56 lode of this survey.	
667.31	Intersect line 2-3 EDER 19 lode of this survey.	
677.	Center of road, 10 ft. wide, bears N. 75° E. and S. 75° W.	
770.12	Intersect line 3-4 Eder 56 lode and line 4-1 Eder 55 lode of this survey.	
1,482.39	Intersect line 2-3 Eder 55 lode and line 4-1 Eder 54 lode of this survey.	
1,500.00	Cor. No. 2.	
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. PROM-2-4766.	
	Thence N. 43° 52' 21" E.	
299.	Lode line; discovery point bears S. 53° 06' E., 1325.0 ft. dist.	
444.	Center of local drainage, 3 ft. wide, course N. 50° W.	
536.07	Intersect line 3-4 Eder 54 lode of this survey.	
598.38	Cor. No. 3, identical with Cor. No. 4 of the Providence lode of this survey.	
	Thence S. 53° 05' 23" E.	
1,223.	Center of road, 12 ft. wide, bears E. and W.	

FEET	
1,407.64	Intersect line 3-4 "Moon Rise" lode of this survey.
1,499.97	Cor. No. 4, identical with Cor. No. 1 of the Providence lode of this survey.  Thence S. 43° 52' 21" W.
7.22	Intersect lines 4-1 "Moon Rise" and Stars and Stripes lodes of this survey.
277.	Center of road, 10 ft. wide, bears N. 65° W. and S. 65° E.
299.11	Lode line; discovery point bears N. 53° 06' W., 175.0 ft. dist.
429.	Center of local drainage, 3 ft. wide, course N. 60° W.
498.36	Intersect line 3-4 EDER 19 lode of this survey.
598.11	Cor. No. 1, and place of beginning.
<p>Stars and Stripes Lode</p> <p>At Cor. No. 1 of the Stars and Stripes lode, identical with Cor. No. 1 of the "Moon Rise" lode of this survey.</p> <p>To a 3 ins. diam. iron pipe standing vertically in a pyramidal concrete base into the top surface of which the number "83" has been scribed, I firmly attach a 2 ins. x 3 ins. copper plate mkd. SAS-1-4766 and MR-1-4766; from which</p> <p>The Standard <math>\frac{1}{4}</math> sec. cor. of sec. 36 bears S. 27° 18' 16" E., 2670.34 ft. dist., heretofore described.</p> <p>The N. Cor. of the Brewery lode, Uns., bears N. 58° 47' 37" W., 120.46 ft. dist.</p> <p>The NE. Cor. of the GALENA lode, Uns., bears N. 49° 17' 35" W., 239.61 ft. dist.</p> <p>Thence S. 46° 17' 12" W.</p>	
140.67	Intersect the easterly end-line of the GALENA lode, Uns., at a point from which the NE. Cor. thereof bears N. 17° 30' 26" W., 265.79 ft. dist.
277.97	Intersect the northwesterly end-line of the Brewery lode, Uns., at a point from which the N. Cor. thereof bears N. 21° 02' 20" E., 272.68 ft. dist.

FEET	
311.10	Lode line; discovery point bears N. 59° 30' W., 300.0 ft. dist.
483.	Center of road, 10 ft. wide, on ridge crest, bears N. 15° W. and S. 15° E.
622.25	<p>Cor. No. 2.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. SAS-2-4766; from which</p> <p style="padding-left: 40px;">The NE. Cor. of the GALENA lode, Uns., bears N. 24° 34' 36" E., 644.68 ft. dist.</p> <p style="padding-left: 40px;">Thence N. 59° 25' W.</p>
165.	Center of road, 12 ft. wide, bears N. 32° W. and S. 32° E.
553.58	Intersect line 4-1 EDER 19 lode of this survey.
698.16	Intersect the northerly side-line of the GALENA lode, at a point from which the NE. Cor. thereof bears N. 75° 06' 47" E., 899.35 ft. dist.
1,447.	Center of local drainage, 4 ft. wide, course N. 20° W.
1,499.26	<p>Cor. No. 3.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. SAS-3-4766.</p> <p style="padding-left: 40px;">Thence N. 46° 17' 12" E.</p>
12.	Center of local drainage, 4 ft. wide, course N. 45° W.
37.10	Intersect line 1-2 Promoter lode of this survey.
133.57	Intersect line 3-4 EDER 19 lode of this survey.
147.	Center of local drainage, 3 ft. wide, course West.
308.88	Lode line; discovery point bears S. 59° 30' E., 1199.87 ft. dist.
325.	Center of road, 12 ft. wide, bears N. 70° W. and S. 75° E.
621.34	<p>Cor. No. 4, identical with Cor. No. 4 of the "Moon Rise" lode of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. SAS-4-4766 and MR -4-4766; from which</p>

FEET	
	<p>A 3 ins. diam. iron pipe and concrete base similar to that marking Cor. No. 1, described above, but having the number "92" scribed into the concrete, bears N. 57° 30' W., 1.19 ft. dist.</p> <p style="text-align: center;">Thence S. 59° 27' E.</p>
91.41	Intersect line 4-1 Promoter lode of this survey.
886.	Center of road, 12 ft. wide, bears N. and S.
946.	Center of local drainage, 3 ft. wide, course N. 45° E.
993.	Center of road, 12 ft. wide, bears N. 70° E. and S. 70° W.
1,222.03	Intersect the northerly side-line of the GALENA lode, Uns., at a point from which the NE. Cor. thereof bears N. 75° 06' 47" E. 59.30 ft. dist.
1,310.67	Intersect the easterly end-line of the GALENA lode, Uns., at a point from which the NE. Cor. thereof bears N. 17° 30' 26" W., 63.22 ft. dist.
1,379.28	Intersect the northwesterly end-line of the Brewery lode, Uns., at a point from which the N. Cor. thereof bears N. 21° 02' 20" E., 1.40 ft. dist.
1,499.50	Cor. No. 1, and place of beginning
	<p>"Moon Rise" Lode</p> <p>Beginning at Cor. No. 1 of the "Moon Rise" lode, identical with Cor. No. 1 of the Stars and Stripes lode of this survey.</p> <p style="text-align: center;">Thence N. 34° 55' 04" E.</p>
0.84	Intersect the northeasterly side-line of the Brewery lode at a point from which the N. Cor. thereof bears N. 59° 11' 30" W., 120.51 ft. dist.
280.	Center of road, 12 ft. wide, bears N. 70° W. and S. 70° E.
298.	Lode line; discovery point bears N. 59° 29' 20" W., 200.0 ft. dist.
588.01	Cor. No. 2.
	<p>To a 3 ins. diam. iron pipe standing vertically in a pyramidal concrete base into which the number "85" has been scribed, I firmly attach a 2 ins. x 3 ins. copper plate mkd. MR-2-4766.</p>

FEET	
	Thence N. 59° 27' W.
212.	Center of local drainage, 4 ft. wide, course N. 85° E.
650.	Center of road, 10 ft. wide, bears N. 50° E. and S. 50° W.
1,316.	Center of local drainage, 3 ft. wide, course N. 10° E.
1,413.91	Intersect line 1-2 Providence lode of this survey.
1,499.50	Cor. No. 3.  This corner falls on the southeast side of a pyramidal concrete block which forms the base of a 3 ins. diam pipe monument, and the surface of the concrete block bears the scribed number "91". I chisel an "X" on the side of the block at the exact corner and firmly attach to the 3 ins. diam. pipe monument a copper plate mkd. MR-3-4766.
	Thence S. 34° 55' 04" W.
291.	Lode line; discovery point bears S. 59° 29' 20" E., 1299.94 ft. dist.
463.	Center of road, 12 ft. wide, bears N. 70° W. and S. 65° E.
570.71	Intersect line 4-1 Providence lode and line 3-4 Promoter lode of this survey.
588.01	Cor. No. 4, identical with Cor. No. 4 of the Stars and Stripes lode of this survey.
	Thence S. 59° 27' E.
91.41	Intersect line 4-1 Promoter lode of this survey.
886.	Center of road, 12 ft. wide, bears N. and S.
946.	Center of local drainage, 3 ft. wide, course N. 45° E.
993.	Center of road, 12 ft. wide, bears N. 70° E. and S. 70° W.
1,222.03	Intersect the northerly side-line of the GALENA lode, Uns., at a point from which the NE. Cor. thereof bears N. 75° 06' 47" E., 59.30 ft. dist.
1,310.67	Intersect the easterly end-line of the GALENA lode, Uns., at a point from which the NE. Cor. thereof bears N. 17° 30' 26" W., 63.22 ft. dist.
1,379.28	Intersect the northwesterly end-line of the Brewery lode, Uns., at a point from which the N. Cor. thereof bears N. 21° 02' 20" E., 1.40 ft. dist.
1,499.50	Cor. No. 1, and place of beginning.

	FEET	AREAS	Acres
		Total area, Tip Top lode	20.466
		Total area, Tip Top 2 lode	20.601
		Total area, Tip Top #1 lode	20.593
		Total area, Eder #12 lode	20.573
		Total area, Rim Rock 3 lode	20.560
		Total area, Eder #13 lode	20.609
		Total area, Annex 6 lode	20.515
		Total area, Annex #5 lode	20.593
		Total area, Cap 130 lode	20.606
		Total area, Eder 27 lode	20.594
		Total area, Tip Top 3 lode	20.593
		Total area, Rim Rock 2 lode	20.603
		Total area, Rim Rock 4 lode	20.540
		Total area, Annex 7 lode	20.588
		Total area, Eder 31 lode	20.559
		Total area, Eder 32 lode	20.574
		Total area, Eder 62 lode	20.578
		Total area, Eder 63 lode	20.137
		Total area, Cap 131 lode	20.338
		Total area, Tip Top #4 lode	20.389
		Total area, Rim Rock 1 lode	20.404
		Total area, Rim Rock #5 lode	20.351
		Total area, Eder 34 lode	20.372
		Total area, Eder 35 lode	20.350
		Total area, Eder 36 lode	20.369
		Total area, Eder 64 lode	20.387
		Total area, Eder 65 lode	20.383
		Total area, Eder #11 lode	20.072
		Total area, Rim Rock lode	20.162

(This form bound on left side)

FEET		
	Total area, Eder 38 lode	20.014
	Total area, Eder 39 lode	20.152
	Total area, Eder 40 lode	20.107
	Total area, Eder #23 lode	20.121
	Total area, EDER 22 lode	20.108
	Total area, Eder 66 lode	20.135
	Total area, Eder 67 lode	20.151
	Total area, Eder #10 lode	20.483
	Total area, Sixty Four Extension lode	20.524
	Total area, Eder 42 lode	20.352
	Total area, Eder 43 lode	20.500
	Total area, Eder 44 lode	20.463
	Total area, EDER 14 lode	20.443
	Total area, EDER 15 lode	20.456
	Area in conflict with --	
	LOST KNIFE #2 lode, Uns.	1.159
	Total area, Eder 68 lode	20.464
	Area in conflict with --	
	LOST KNIFE #1 lode, Uns.	0.431
	LOST KNIFE #2 lode, Uns.	6.903
	Total area, Eder 69 lode	20.483
	Area in conflict with --	
	LOST KNIFE #1 lode, Uns.	3.676
	LOST KNIFE #2 lode, Uns.	0.194
	DEW lode, Uns.	0.408
	DEW lode, Uns., exclusive of its conflict	
	with	
	(1) LOST KNIFE #1 lode, Uns.	0.059
	Total area, Eder 70 lode	20.457
	Area in conflict with --	
	M.S. No. 2667 Hal and Al lode	0.174
	LOST KNIFE #1 lode, Uns.	0.012
	DEW lode, Uns.	4.199
	DEW lode, Uns., exclusive of its	
	conflict with	
	(1) LOST KNIFE #1 lode, Uns.	4.186
	Total area, Eder 45 lode	20.350
	Area in conflict with --	
	Eder 52 lode of this survey	2.766
	Eder 53 lode of this survey	8.686

FEET	
	Total area, Eder 46 lode 20.351
	Area in conflict with --
	Eder 52 lode of this survey 0.279
	Eder 53 lode of this survey 8.179
	Total area, Eder 47 lode 20.456
	Area in conflict with --
	Eder 53 lode of this survey 1.564
	Eder 57 lode of this survey 3.969
	Total area, Eder 48 lode 20.462
	Area in conflict with --
	Eder 57 lode of this survey 2.512
	Total area, EDER 16 lode 20.462
	Total area, EDER 17 lode 20.426
	Area in conflict with --
	LOST KNIFE #2 lode, Uns. 0.018
	GALENA lode, Uns. 2.030
	MANGANESE CAP lode, Uns. 2.492
	MANGANESE CAP lode, Uns., exclusive of its conflict with
	(1) LOST KNIFE #2 lode, Uns. 2.484
	Total area, EDER 18 lode 13.648
	Area in conflict with --
	LOST KNIFE #2 lode, Uns. 4.380
	GALENA lode, Uns. 1.804
	MANGANESE CAP lode, Uns. 5.595
	MANGANESE CAP lode, Uns., exclusive of its conflict with
	(1) LOST KNIFE #2 lode, Uns. 5.090
	Total area, Eder 49 lode 20.620
	Total area, Eder 50 lode 20.595
	Total area, Eder 51 lode 20.606
	Total area, Eder 52 lode 20.609
	Total area, Eder 53 lode 20.652
	Total area, Eder 54 lode 20.599
	Area in conflict with --
	Promoter lode of this survey 1.456
	Total area, Eder 55 lode 20.584
	Area in conflict with --
	Promoter lode of this survey 3.854
	Total area, Eder 56 lode 20.586
	Area in conflict with --
	Promoter lode of this survey. 0.137
	EDER 19 lode of this survey 1.522
	EDER 19 lode of this survey, exclusive of its conflict with
	(1) Promoter lode of this survey 1.472

FEET		
	Total area, Eder 57 lode	20.612
	Area in conflict with --	
	EDER 16 lode of this survey	0.166
	EDER 19 lode of this survey	1.449
	Total area, EDER 19 lode	20.316
	Area in conflict with --	
	Stars and Stripes lode of this survey	1.993
	Promoter lode of this survey	1.395
	Promoter lode of this survey, exclusive of its conflict with	
	(1) Stars and Stripes lode of this survey	1.145
	GALENA lode, Uns.	5.191
	GALENA lode, Uns., exclusive of its conflict with	
	(1) Stars and Stripes lode of this survey	5.053
	MANGANESE CAP lode, Uns.	0.218
	EDER 17 lode of this survey	1.876
	EDER 17 lode of this survey, exclusive of its conflict with	
	(1) GALENA lode, Uns.	0.262
	(2) MANGANESE CAP lode, Uns.	1.774
	(3) GALENA and MANGANESE CAP lodes, Uns.	0.159
	EDER 18 lode of this survey	0.379
	EDER 18 lode of this survey, exclusive of its conflict with	
	(1) GALENA lode, Uns.	0.264
	(2) MANGANESE CAP lode, Uns.	0.115
	(3) GALENA and MANGANESE CAP lodes, Uns.	0.000
	Total area, Eder 59 lode	18.381
	Area in conflict with --	
	GALENA lode, Uns.	2.027
	MANGANESE CAP lode, Uns.	1.286
	EDER 16 lode of this survey	2.743
	EDER 17 lode of this survey	7.059
	EDER 17 lode of this survey, exclusive of its conflict with	
	(1) GALENA lode, Uns.	5.498
	(2) MANGANESE CAP lode, Uns.	5.773
	(3) GALENA and MANGANESE CAP lodes, Uns.	4.212
	EDER 19 lode of this survey	5.967
	EDER 19 lode of this survey, exclusive of its conflict with	
	(1) GALENA lode, Uns.	4.356
	(2) MANGANESE CAP lode, Uns.	5.962
	(3) GALENA and MANGANESE CAP lodes, Uns.	4.351
	(4) EDER 17 lode of this survey	4.658
	(5) EDER 17 lode of this survey and GALENA lode, Uns.	4.192
	(6) EDER 17 lode of this survey, GALENA lode, Uns., and MANGANESE CAP lode, Uns.	4.192
	(7) Eder 56 lode of this survey	5.724
	(8) Eder 57 lode of this survey	4.602
	(9) Eder 56 and Eder 57 lodes of this survey	4.358

	FEET		
		(10) Eder 56, Eder 57, EDER 17 lodes of this survey, and exclusive of GALENA and MANGANESE CAP lodes, Uns.	2.582
		Eder 56 lode of this survey	0.243
		Eder 56 lode of this survey, exclusive of its conflict with	
		(1) EDER 19 lode of this survey	0.000
		Eder 57 lode of this survey	4.432
		Eder 57 lode of this survey, exclusive of its conflict with	
		(1) EDER 16 lode of this survey	4.339
		(2) EDER 19 lode of this survey	3.066
		(3) EDER 16 and EDER 19 lodes of this survey	2.974
		Total area, Providence lode	20.639
		Area in conflict with --	
		"Moon Rise" lode of this survey	1.174
		Total area, Promoter lode	20.448
		Area in conflict with --	
		"Moon Rise" lode of this survey	0.026
		Stars and Stripes lode of this survey	1.360
		Total area, Stars and Stripes lode	20.602
		Area in conflict with --	
		Brewery lode, Uns.	0.369
		Total area, "Moon Rise" lode	20.183
		Area in conflict with --	
		Brewery lode, Uns.	0.003
 <b>LOCATION</b>  			
<p>This survey is located in the SE<math>\frac{1}{4}</math> of Uns. sec. 34, Uns. sec. 35 and in the NW<math>\frac{1}{4}</math>, SW<math>\frac{1}{4}</math>, and SE<math>\frac{1}{4}</math> of Uns. sec. 36, T. 1 N., R. 13 E.; also in Uns. sec. 1, in the NE<math>\frac{1}{4}</math> and SE<math>\frac{1}{4}</math> Uns. sec. 2, in the NE<math>\frac{1}{4}</math> of Uns. sec. 11, and in the NW<math>\frac{1}{4}</math>, NE<math>\frac{1}{4}</math>, and SW<math>\frac{1}{4}</math> sec. 12, T. 1 S., R. 13 E., Gila and Salt River Meridian, Gila and Pinal Counties, Arizona.</p> <p>The survey of the sixty-eight (68) lode claims embraced in this order for mineral survey and described herein is identical with the respective locations and amended locations as marked on the ground.</p>			

FEET	
	<b>EXPENDITURES</b>
	The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant are as follows:
No. 1	The discovery point of the Tip Top lode is on the lode line 35 ft. from a point on line 3-4, 299 ft. from Cor. No. 3. Value, none.
No. 1	The discovery point of the Tip Top 2 lode is on the lode line 150 ft. from a point on line 3-4, 300 ft. from Cor. No. 3. Value, none.
No. 1	The discovery point of the Tip Top #1 lode is on the lode line 50 ft. from a point on line 3-4, 299 ft. from Cor. No. 3. Value, none.
No. 1	The discovery point of the Eder #12 lode is on the lode line 50 ft. from a point on line 1-2, 298 ft. from Cor. No. 1. Value, none.
No. 2	A diamond drill hole, known as H.C. 10, bears S. 7° 19' E., 528 ft. from Cor. No. 2 Eder #12 lode; 2 ins. diam., 1,111 ft. depth. Value, \$8,931.
No. 1	The discovery point of the Rim Rock 3 lode is on the lode line 200 ft. from a point on line 1-2, 298 ft. from Cor. No. 1. Value, none.
No. 2	A churn drill hole, known as CDH-1, bears S. 56° 32' W., 123 ft. from Cor. No. 2 Rim Rock 3 lode; 12 ins. diam., 190 ft. depth. Value, \$1,824.
No. 1	The discovery point of the Eder #13 lode is on the lode line 50 ft. from a point on line 1-2, 299 ft. from Cor. No. 1. Value, none.
No. 2	A diamond drill hole, known as H.C.-11, bears S. 26° 24' E., 214 ft. from Cor. No. 2 Eder #13 lode; 2 ins. diam., 203 ft. depth. Value, \$2450.60
No. 1	The discovery point of the Annex 6 lode is on the lode line 170 ft. from a point on line 1-2, 299 ft. from Cor. No. 1. Value, none.
No. 1	The discovery point of the Annex #5 lode is on the lode line 50 ft. from a point on line 1-2, 299 ft. from Cor. No. 1. Value, none.

94

FEET	
No. 1	<p>The discovery point of the Cap 130 lode is on the lode line 25 ft. from a point on line 3-4, 299 ft. from Cor. No. 3. Value, none.</p>
No. 1	<p>The discovery point of the Eder 27 lode is on the lode line 650 ft. from a point on line 1-2, 299.05 ft. from Cor. No. 1. Value, none.</p>
No. 2	<p>A diamond drill hole, known as H.C. 7, bears S. 20° 37' W., 690 ft. from Cor. No. 4 Eder 27 lode, 2 ins. diam., 1,254 ft. depth. Value, \$10,331.05</p>
No. 1	<p>The discovery point of the Tip Top 3 lode is on the lode line 875 ft. from a point on line 1-2, 300 ft. from Cor. No. 1. Value, none.</p>
No. 2	<p>A diamond drill hole, known as H.C. 8, bears S. 18° 50' E., 653 ft. from Cor. No. 4 Tip Top 3 lode, 2 ins. diam.; 1,070 ft. depth. Value, \$9,153.</p>
No. 1	<p>The discovery point of the Rim Rock 2 lode is on the lode line 250 ft. from a point on line 3-4, 299.92 ft. from Cor. No. 3. Value, none.</p>
No. 2	<p>A diamond drill hole, known as H.C. 9, bears N. 8° 14' E., 410 ft. from Cor. No. 2 Rim Rock 2 lode; 2 ins. diam.; 1,104 ft. depth. Value, \$9,216.</p>
No. 1	<p>The discovery point of the Rim Rock 4 lode is on the lode line 250 ft. from a point on line 3-4, 298.68 ft. from Cor. No. 3. Value, none.</p>
No. 2	<p>A churn drill hole, known as CDH-3, bears N. 13° 16' W., 147 ft. from Cor. No. 2 Rim Rock 4 lode; 12 ins. diam.; 200 ft. depth. Value, \$1,548.</p>
No. 3	<p>A churn drill hole, known as CDH-11, bears S. 0° 40' W., 378 ft. from Cor. No. 3 Rim Rock 4 lode; 12 ins. diam.; 91 ft. depth. Value, \$794.</p>
No. 4	<p>A churn drill hole, known as CDH-5, bears S. 1° 44' W., 680 ft. from Cor. No. 3 Rim Rock 4 lode; 12 ins. diam., 190 ft. depth. Value, \$1,581.</p>
No. 1	<p>The discovery point of the Annex 7 lode is on the lode line 50 ft. from a point on line 1-2, 299 ft. from Cor. No. 1. Value, none.</p>
No. 2	<p>A churn drill hole, known as CDH-9, bears N. 46° 13' W., 234 ft. dist. from Cor. No. 1 Annex 7 lode; 12 ins. diam., 183 ft. depth. Value, \$1,534.</p>

(This form bound on left side)

FEET	
No. 3	A churn drill hole, known as CDH-8, bears N. 2° 01' W., 521 ft. from Cor. No. 1 Annex 7 lode; 12 ins. diam., 105 ft. depth. Value, \$913.
No. 4	A churn drill hole, known as CDH-12, bears N. 58° 37' E., 253 ft. from Cor. No. 2 Annex 7 lode; 12 ins. diam., 97 ft. depth. Value, \$913.
No. 5	A churn drill hole, known as CDH-10, bears N. 14° 18' E., 816 ft. from Cor. No. 2 Annex 7 lode; 12 ins. diam., 175 ft. depth. Value, \$1,489.
No. 6	A churn drill hole, known as CDH-4, bears N. 33° 41' E., 524 ft. from Cor. No. 2 Annex 7 lode; 12 ins. diam., 210 ft. depth. Value, \$1,667.
No. 7	A churn drill hole, known as CDH-2, bears N. 6° 14' E., 619 ft. from Cor. No. 2 Annex 7 lode; 12 ins. diam., 240 ft. depth. Value, \$2,009.
No. 8	A churn drill hole, known as CDH-6, bears S. 25° 13' E., 523 ft. from Cor. No. 3 Annex 7 lode; 12 ins. diam., 135 ft. depth. Value, \$1,120.
No. 9	A churn drill hole, known as CDH-7, bears S. 17° 25' W., 712 ft. from Cor. No. 4 Annex 7 lode; 12 ins. diam., 105 ft. depth. Value, \$942.
No. 1	The discovery point of the Eder 31 lode is on the lode line 300 ft. from a point on line 1-2, 299 ft. from Cor. No. 1. Value, none.
No. 1	The discovery point of the Eder 32 lode is on the lode line 150 ft. from a point on line 1-2, 299 ft. from Cor. No. 1. Value, none.
No. 1	The discovery point of the Eder 62 lode is on the lode line 50 ft. from a point on line 3-4, 298 ft. from Cor. No. 3. Value, none.
No. 1	The discovery point of the Eder 63 lode is on the lode line 50 ft. from a point on line 3-4, 298 ft. from Cor. No. 3. Value, none.
No. 1	The discovery point of the Cap 131 lode is on the lode line 100 ft. from a point on line 1-2, 300 ft. from Cor. No. 1. Value, none.

FEET	
No. 1	The discovery point of the Tip Top #4 lode is on the lode line 50 ft. from a point on line 2-3, 298.50 ft. from Cor. No. 2. Value, none.
No. 1	The discovery point of the Rim Rock 1 lode is on the lode line 50 ft. from a point on line 2-3, 300 ft. from Cor. No. 2. Value, none.
No. 1	The discovery point of the Rim Rock #5 lode is on the lode line 50 ft. from a point on line 2-3, 299 ft. from Cor. No. 2. Value, none.
No. 1	The discovery point of the Eder 34 lode is on the lode line 925 ft. from a point on line 4-1, 300 ft. from Cor. No. 4. Value, none.
No. 1	The discovery point of the Eder 35 lode is on the lode line 800 ft. from a point on line 4-1, 298 ft. from Cor. No. 4. Value, none.
No. 1	The discovery point of the Eder 36 lode is on the lode line 50 ft. from a point on line 2-3, 300 ft. from Cor. No. 2. Value, none.
No. 1	The discovery point of the Eder 64 lode is on the lode line 300 ft. from a point on line 2-3, 300 ft. from Cor. No. 2. Value, none.
No. 1	The discovery point of the Eder 65 lode is on the lode line 50 ft. from a point on line 2-3, 300 ft. from Cor. No. 2. Value, none.
No. 1	The discovery point of the Eder #11 lode is on the lode line 50 ft. from a point on line 4-1, 300 ft. from Cor. No. 4. Value, none.
No. 2	A diamond drill hole, known as H.C. 6, bears S. 78° 38' E., 261 ft. from Cor. No. 4 Eder #11 lode; 2 ins. diam., 1,400 ft. depth. Value, \$11,803.
No. 1	The discovery point of the Rim Rock lode is on the lode line 650 ft. from a point on line 1-2, 300 ft. from Cor. No. 1. Value, none.
No. 1	The discovery point of the Eder 38 lode is on the lode line 550 ft. from a point on line 1-2, 300 ft. from Cor. No. 1. Value, none.

(This form bound on left side)

FEET		
No. 1	The discovery point of the Eder 39 lode is on the lode line 50 ft. from a point on line 3-4, 299.27 ft. from Cor. No. 3. Value, none.	
No. 1	The discovery point of the Eder 40 lode is on the lode line 800 ft. from a point on line 4-1, 298 ft. from Cor. No. 4. Value, none.	
No. 1	The discovery point of the Eder #23 lode is on the lode line 50 ft. from a point on line 4-1, 299 ft. from Cor. No. 4. Value, none.	
No. 1	The discovery point of the EDER 22 lode is on the lode line 450 ft. from a point on line 3-4, 300 ft. from Cor. No. 3. Value, none.	
No. 1	The discovery point of the Eder 66 lode is on the lode line 50 ft. from a point on line 1-2, 300 ft. from Cor. No. 1. Value, none.	
No. 1	The discovery point of the Eder 67 lode is on the lode line 140 ft. from a point on line 2-3, 299.23 ft. from Cor. No. 2. Value, none.	
No. 1	The discovery point of the Eder #10 lode is on the lode line 50 ft. from a point on line 3-4, 300 ft. from Cor. No. 3. Value, none.	
No. 2	A diamond drill hole, known as H.C. 5, bears N. 30° 01' E., 316 ft. from Cor. No. 3 Eder #10 lode; 2 ins. diam., 1,404 ft. depth. Value, \$9,993.	
No. 1	The discovery point of the Sixty Four Extension lode is on the lode line 540 ft. from a point on line 4-1, 300 ft. from Cor. No. 4. Value, none.	
No. 2	A diamond drill hole, known as H.C. 13, bears N. 41° 03' W., 38 ft. from Cor. No. 2 Sixty Four Extension lode; 2 ins. diam., 403 ft. depth. Value, \$5,828.	
No. 1	The discovery point of the Eder 42 lode is on the lode line 300 ft. from a point on line 2-3, 300 ft. from Cor. No. 2. Value, none.	

FEET		
No. 2	<p>A diamond drill hole, known as H.C. 12, bears N. 18° 28' E., 598 ft. from Cor. No. 3 Eder 42 lode; 2 ins. diam., 200 ft. depth. Value, \$2,498.</p>	
No. 1	<p>The discovery point of the Eder 43 lode is on the lode line 200 ft. from a point on line 2-3, 300 ft. from Cor. No. 2. Value, none.</p>	
No. 1	<p>The discovery point of the Eder 44 lode is on the lode line 50 ft. from a point on line 3-4, 298 ft. from Cor. No. 3. Value, none.</p>	
No. 1	<p>The discovery point of the EDER 14 lode is on the lode line 100 ft. from a point on line 1-2, 298 ft. from Cor. No. 1. Value, none.</p>	
No. 1	<p>The discovery point of the EDER 15 lode is on the lode line 500 ft. from a point on line 2-3, 300 ft. from Cor. No. 2. Value, none.</p>	
No. 1	<p>The discovery point of the Eder 68 lode is on the lode line 50 ft. from a point on line 2-3, 297.75 ft. from Cor. No. 2. Value, none.</p>	
No. 1	<p>The discovery point of the Eder 69 lode is on the lode line 50 ft. from a point on line 3-4, 299 ft. from Cor. No. 3. Value, none.</p>	
No. 1	<p>The discovery point of the Eder 70 lode is on the lode line 50 ft. from a point on line 3-4, 299 ft. from Cor. No. 3. Value, none.</p>	
No. 1	<p>The discovery point of the Eder 45 lode is on the lode line 50 ft. from a point on line 1-2, 299 ft. from Cor. No. 1. Value, none.</p>	
No. 1	<p>The discovery point of the Eder 46 lode is on the lode line 750 ft. from a point on line 2-3, 295 ft. from Cor. No. 2. Value, none.</p>	
No. 1	<p>The discovery point of the Eder 47 lode is on the lode line 50 ft. from a point on line 4-1, 298 ft. from Cor. No. 4. Value, none.</p>	
No. 1	<p>The discovery point of the Eder 48 lode is on the lode line 500 ft. from a point on line 4-1, 299 ft. from Cor. No. 4. Value, none.</p>	

FEET	
No. 1	The discovery point of the EDER 16 lode is on the lode line 100 ft. from a point on line 1-2, 300 ft. from Cor. No. 1. Value, none.
No. 1	The discovery point of the EDER 17 lode is on the lode line 100 ft. from a point on line 1-2, 298 ft. from Cor. No. 1. Value, none.
No. 1	The discovery point of the EDER 18 lode is on the lode line 100 ft. from a point on line 4-1, 299.95 ft. from Cor. No. 4. Value, none.
No. 1	The discovery point of the Eder 49 lode is on the lode line 500 ft. from a point on line 4-1, 300 ft. from Cor. No. 4. Value, none.
No. 1	The discovery point of the Eder 50 lode is on the lode line 480 ft. from a point on line 4-1, 300 ft. from Cor. No. 4. Value, none.
No. 1	The discovery point of the Eder 51 lode is on the lode line 400 ft. from a point on line 3-4, 300 ft. from Cor. No. 3. Value, none.
No. 1	The discovery point of the Eder 52 lode is on the lode line 100 ft. from a point on line 2-3, 300 ft. from Cor. No. 2. Value, none.
No. 1	The discovery point of the Eder 53 lode is on the lode line 1 ft. from a point on line 3-4, 300 ft. from Cor. No. 3. Value, none.
No. 2	A diamond drill hole, known as H.C. 2, bears N. 77° 04' E., 81 ft. from Cor. No. 3 Eder 53 lode; 2 ins. diam., 114 ft. depth. Value, \$1,025.
No. 1	The discovery point of the Eder 54 lode is on the lode line 500 ft. from a point on line 1-2, 299 ft. from Cor. No. 1. Value, none.
No. 1	The discovery point of the Eder 55 lode is on the lode line 300 ft. from a point on line 1-2, 300 ft. from Cor. No. 1. Value, none.
No. 1	The discovery point of the Eder 56 lode is on the lode line 200 ft. from a point on line 2-3, 300 ft. from Cor. No. 2. Value, none.

FEET	
No. 1	<p>The discovery point of the Eder 57 lode is on the lode line 500 ft. from a point on line 1-2, 300 ft. from Cor. No. 1. Value, none.</p>
No. 1	<p>The discovery point of the EDER 19 lode is on the lode line 500 ft. from a point on line 2-3, 360 ft. from Cor. No. 2. Value, none.</p>
No. 1	<p>The discovery point of the Eder 59 lode is on the lode line 540 ft. from a point on line 2-3, 360 ft. from Cor. No. 2. Value, none.</p>
No. 1	<p>The discovery point of the Providence lode is on the lode line 200 ft. from a point on line 1-2, 300 ft. from Cor. No. 1. Value, none.</p>
No. 1	<p>The discovery point of the Promoter lode is on the lode line 175 ft. from a point on line 4-1, 299.11 ft. from Cor. No. 4. Value, none.</p>
No. 1	<p>The discovery point of the Stars and Stripes lode is on the lode line 300 ft. from a point on line 1-2, 311.10 ft. from Cor. No. 1. Value, none.</p>
No. 1	<p>The discovery point of the "Moon Rise" lode is on the lode line 200 ft. from a point on line 1-2, 298 ft. from Cor. No. 1. Value, none.</p>
	<p>An interest in certain common improvements described as follows:</p>
	<p>A diamond drill hole, known as H.C. 1, bears S. 11° 28' W., 75 ft. from Cor. No. 2 Eder 51 lode; 2 ins. diam., 2,509 ft. depth. Value of drill hole, \$20,270. Value of one-fifth interest, \$4,054.</p>
	<p>This improvement is for the development of the Eder 51, Eder 52, Eder 54, Eder 55, and Eder 56 lodes of this survey and was made subsequent to the location of each lode and to the time since which common ownership and contiguity have prevailed; therefore an undivided one-fifth interest in its value is hereby credited to each of said lodes.</p>
	<p>A diamond drill hole, known as H.C. 3, bears N. 5° 30' E., 1028 ft. from Cor. No. 3 Eder 51 lode; 2 ins. diam., 2728 ft. depth, drilled on -55° slant, S. 25° 00' E. Value of drill hole, \$27,631.75 Value of one-fifth interest, \$5,525.35</p>

(This form bound on left side)

FEET

This improvement is for the development of the Eder 51, Eder 52, Eder 53, and Eder 45 and Eder 46 lodes of this survey and was made subsequent to the location of each lode and to the time since which common ownership and contiguity have prevailed; therefore an undivided one-fifth interest in its value is hereby credited to each of said lodes.

A diamond drill hole, known as H.C. 4, bears S. 81° 10' E., 562 ft. from Cor. No. 3 Eder 50 lode; 2 ins. diam., 1723 ft. depth, drilled on -55° slant, N. 37° W.

Value of drill hole, \$15,803.40

Value of one-half interest, \$7,901.70

This improvement is for the development of the Eder 49 and Eder 50 lodes of this survey and was made subsequent to the location of each lode and to the time since which common ownership and contiguity have prevailed; therefore an undivided one-half interest in its value is hereby credited to each of said lodes.

A network of new roads and accessory drill hole sites constructed to provide access for drilling equipment and to be used as haulage roads for supplying water used in the drilling of holes, located as shown on the mineral survey plat.

Value of road network, paid to a construction firm engaged for this purpose, \$34,520.47.

Value of one-sixty-eighth interest, \$507.65.

This improvement is for the development of the combined sixty-eight lodes of this survey and was made subsequent to the location of each lode and to the time since which common ownership and contiguity have prevailed; therefore an undivided one-sixty-eighth interest in its value is hereby credited to each of said lodes of the common group.

#### OTHER IMPROVEMENTS

A diamond drill hole, known as DDH-8, bears N. 28° 37' W., 576 ft. from Cor. No. 2 Rim Rock 4 lode, 2 ins. diam., depth unknown.

A diamond drill hole, known as DDH-9, bears S. 18° 48' E., 458 ft. from Cor. No. 4 Rim Rock 4 lode; 2 ins. diam., depth unknown.

Claimant herein.

FEET

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

M.S. No. 2667 Hal and Al lode: No cors. could be found, However, Cor. No. 2 M.S. No. 2667 Pine Tree lode was found to be a 4x4 post, firmly set, with identification markings still legible in spite of great age. Since said Cor. No. 2 is known to be on line 3-4 M.S. No. 2667 Hal and Al lode, it was possible to re-establish Cors. Nos. 3 and 2 in accordance with approved course information; thus, line 2-3 and a portion of line 3-4 are shown as approved.

Certain prior locations which may be subject to exclusion from the Eder Group. The corners of these unsurveyed locations are described as follows:

Brewery, LOST KNIFE #1, LOST KNIFE #2, GALENA, MANGANESE CAP, and DEW lodes; all four corners of each of these lode claims are 2 ins. x 2 ins. wooden posts, firmly set in the ground, and surrounded by a mound of stones, each post identified by a strip of aluminum stating the claim's name and corner description.

Brewery lode, Uns. -- The southwesterly side-line bears N. 62° 54' 02" W., 1321.08 ft. dist. The northwesterly end-line bears N. 21° 02' 20" E., 497.63 ft. dist. The northeasterly side-line bears S. 59° 11' 30" E., 1347.22 ft. dist. The southeasterly end-line bears S. 23° 00' 00" W., 408.75 ft. dist.

LOST KNIFE #1 lode, Uns. -- The southwesterly side-line bears N. 32° 01' W., 1502.61 ft. dist. The northwesterly end-line bears N. 61° 33' 49" E., 598.61 ft. dist. The northeasterly side-line bears S. 31° 55' 25" E., 1505.87 ft. dist. The southeasterly end-line bears S. 61° 53' 27" W., 596.39 ft. dist.

LOST KNIFE #2 lode, Uns. -- The southwesterly side-line bears N. 31° 39' 34" W., 1494.79 ft. dist. The northwesterly end-line bears N. 65° 30' E., 588.13 ft. dist. The northeasterly side-line bears S. 32° 01' E., 1502.61 ft. dist. The southeasterly end-line bears S. 66° 07' 42" W., 598.42 ft. dist.

GALENA lode, Uns. -- The westerly end-line bears N. 17° 27' 41" W., 595.91 ft. dist. The northerly side-line bears N. 75° 06' 47" E., 1273.34 ft. dist. The easterly end-line bears S. 17° 30' 26" E., 611.15 ft. dist. The southerly side-line bears S. 75° 47' 47" W., 1274.60 ft. dist.

FEET

MANGANESE CAP lode, Uns. -- The westerly end-line bears S. 17° 43' 35" E., 596.90 ft. dist. The southerly side-line bears N. 75° 44' 04" E., 1268.05 ft. dist. The easterly end-line bears N. 17° 06' 18" W., 595.16 ft. dist. The northerly side-line bears S. 75° 47' 47" W., 1274.60 ft. dist.

DEW lode, Uns. -- The westerly end-line bears S. 24° 47' E., 852.89 ft. dist. The south-westerly side-line bears S. 64° 50' 20" E., 1503.65 ft. dist.

The line between the standard cor. of secs. 35 and 36 and the standard  $\frac{1}{4}$  sec. cor. of sec. 36 bears S. 89° 04' 02" E., 2,612.35 ft. dist., instead of S. 89° 17' E., 2616.2 ft., as approved.

The cor. of secs. 1, 2, 11, and 12 has been destroyed by erosion due to many small water-courses in the immediate vicinity. I find a pinon pine bearing tree clearly mkd. as described in the official record, 1905 cadastral survey, and from this B.T. I measure off 26.4 ft. (40 lks.) on a bearing of S. 5° 20' W., re-establishing the missing corner monument. I set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground and in a concrete base, with brass cap mkd. in accordance with instructions given in Section 4--31 of the Manual of Surveying Instructions, 1973 Edition, with the exception that the additional markings: LS-5703 which indicates my Arizona State Land Surveyor Registration number, were stamped into the northerly rim of the brass cap. I erect a mound of stone surrounding the corner monument.

The line between the  $\frac{1}{4}$  sec. cor. of secs. 11 and 12, T. 1 S., R. 13 E., and the cor. of secs. 1, 2, 11, and 12 was found to bear N. 2° 40' 32" E., 2650.00 ft. dist., instead of N. 0° 01' W., 2640.0 ft., as approved.

The line between the cor. of secs. 1 and 12 on the east boundary of the twp. and the  $\frac{1}{4}$  sec. cor. of secs. 1 and 12 was found to bear N. 89° 41' 47" W., 2,651.16 ft. dist., instead of N. 89° 45' W., 2645.3 ft. dist., as approved.

The line between the  $\frac{1}{4}$  sec. cor. of secs. 1 and 12 and the cor. of secs. 1, 2, 11, and 12 was found to bear N. 88° 58' 08" W., 2,541.24 ft. dist., instead of N. 89° 45' W., 2,645.3 ft. dist., as approved.

## FIELD ASSISTANTS

Name	Capacity
Loren E. Bunney	Instrumentman
Edward E. Zaragoza	Chainman

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor  Travis L. Gant	Date  7-9-76
--	--------------------

I HEREBY CERTIFY That in pursuance of an order received from the U. S. Bureau of Land Management, at Phoenix, Arizona, dated October 31, 1973, I have carefully executed the survey of the claim of Inspiration Consolidated Copper Company known as the (lode, placer, or mill site) Eder Group (\*See below) situated in Secs. 35 & 36, 1, 2, 11, and 12 Range 13 E.13 E., Gila & Salt River Meridian, in the State of Arizona, Township 1 N. 1 S.

This survey, designated as number 4766, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) lode location(s) embraced in the said mining claim by claimant(s) or its grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Eder #10 thru Eder #13, Eder #23, Eder 14 thru Eder 19, Eder 22, Eder 27, Eder 31, Eder 32, Eder 34 thru Eder 36, Eder 38 thru Eder 40, Eder 42 thru Eder 57, Eder 59, Eder 62 thru Eder 70, Tip Top, Tip Top 2, Tip Top #1, Tip Top 3, Tip Top #4, Rim Rock, Rim Rock 1 thru Rim Rock 4, Rim Rock #5, Annex #5, Annex 6, Annex 7, Cap 130, Cap 131, Sixty Four Extension, Providence, Promoter, Stars and Stripes, "Moon Rise" lodes.

Globe, Arizona  
(Location)

*Travis L. Gant*  
(Signature of Mineral Surveyor)

CERTIFICATE OF APPROVAL

Office Arizona State Office
Location Phoenix, Arizona
Date April 10, 1978

The foregoing field notes of mineral survey number 4766, in Secs. 35 & 36, 1, 2, 11 & 12 Range 13 E., Gila and Salt River Meridian, in the State of Arizona,  surveyed  unsurveyed Township 1 N. 1 S., executed by Travis L. Gant, Mineral Surveyor, under order dated October 31, 1973, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

*Boyd S. Owens*  
Boyd S. Owens (Authorized Signature)

Chief, Branch of Cadastral Survey  
(Title)

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above described mineral survey number is a true copy of the original field notes.

(Authorized Signature)

(Title)

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

[The page contains extremely faint and illegible text, likely bleed-through from the reverse side of the document. No specific words or phrases can be discerned.]