

Form 3400-11
(September 1967)
(formerly 4-683)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey number

4771

State

Arizona

Land District

Arizona

FIELD NOTES

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Kerr-McGee Corporation
P.O. Box 870
Patagonia, Arizona 85624

Known as the *(name of group, if any)*

Red Mountain Project

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
United Verde No. 1	2/20/13	10/12/71
United Verde No. 2	2/20/13	10/12/71
United Verde No. 3	2/25/13	11/9/73
United Verde No. 4	2/25/13	10/12/71
United Verde No. 5	2/25/13	10/12/71
South Red Mountain No. 1	5/31/61	10/12/71
South Red Mountain No. 2	5/31/61	10/12/71
South Red Mountain No. 3	5/31/61	10/12/71
South Red Mountain No. 4	5/31/61	10/12/71
South Red Mountain 5	5/31/61	10/12/71
South Red Mountain No. 6	5/31/61	10/12/71
South Red Mountain No. 7	5/31/61	10/12/71
South Red Mountain No. 8	5/31/61	10/12/71
• Elnor	10/27/19	10/12/71
Dorfee	10/27/19	10/12/71
• Charlotte	10/27/19	10/12/71
• Heaveyside	10/27/19	10/12/71
• Heaveyside No. 2	10/27/19	10/12/71
Joco No. 19	5/16/61	10/12/71
Joco No. 20	5/16/61	10/12/71
Joco No. 39	5/16/61	10/12/71
Joco No. 40	10/19/62	10/12/71
Joco No. 41	10/19/62	10/12/71

Mining district	Patagonia	County	Santa Cruz
Section 16,17, 18,19,20,21,29 & 30	Township 22 S.	Range 16 E.	Meridian Gila & Salt River
Survey commenced Dec. 3, 1973	Survey completed Feb 8, 1974	Survey under order dated Nov. 15, 1973	
		Name of Mineral Surveyor Robert Lenon	

[The text in this section is extremely faint and largely illegible. It appears to be a list or a series of entries, possibly names or dates, arranged in a structured format.]

Form 3400-11
(September 1967)
(formerly 4-683)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey number
4771

State
Arizona

Land District
Arizona

FIELD NOTES

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Kerr-McGee Corporation
P. O. Box 870
Patagonia, Arizona 85624


Known as the *(name of group, if any)*

Red Mountain Project

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Hank No. 1	10/19/62	10/12/71
Hank No. 2	10/19/62	10/12/71
Hank No. 10	10/19/62	10/12/71
Hank No. 11	10/19/62	10/12/71
Hank No. 12	10/19/62	10/12/71
Hank No. 13	10/19/62	10/12/71
Hank No. 14	10/19/62	10/12/71
Hank No. 15	10/19/62	10/13/71
Hank No. 16	10/19/62	10/13/71
Hank No. 8	10/19/62	10/12/71
Hank No. 22	10/19/62	10/13/71
Hank No. 17	10/19/62	10/13/71
Hank No. 18	10/19/62	10/13/71
Hank No. 19	10/19/62	10/13/71
Hank No. 20	10/19/62	10/13/71
Hank No. 21	10/19/62	10/13/71
Hank No. 24	10/19/62	10/13/71
Hank No. 27	10/19/62	10/12/71
Hank No. 28	10/19/62	10/13/71
Hank No. 30	10/19/62	10/12/71
Andes No. 1	7/25/69	2/24/72
Andes No. 2	7/25/69	2/24/72
Aagh No. 1	10/13/71	

Mining district Patagonia		County Santa Cruz		
Section 16, 17, 18, 19, 20, 21, 29 & 30	Township 22 S.	Range 16 E.	Meridian Gila & Salt River	Survey under order dated Nov. 15, 1973
Survey commenced Dec. 3, 1973		Survey completed Feb. 8, 1974		Name of Mineral Surveyor Robert Lenon



Form 3400-11
(September 1967)
(formerly 4-683)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number	4771
State	Arizona
Land District	Arizona

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Kerr-McGee Corporation
P. O. Box 870
Patagonia, Arizona 85624


Known as the *(name of group, if any)*

Red Mountain Project

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Aagh No. 7	10/13/71	
Aagh No. 8	10/13/71	
Aagh No. 9	10/13/71	
Aagh No. 19	10/13/71	
AAGH No. 21	1/18/73	11/9/73
Aagh No. 16	10/13/71	
Aagh No. 17	10/13/71	
Aagh No. 10	10/14/71	
Aagh No. 18	10/13/71	
Aagh No. 20	10/13/71	
Ten Grand No. 98	2/9/61	10/12/71
Ten Grand No. 103	2/9/61	10/12/71
Ten Grand No. 1.19	3/22/61	11/9/73
Ten Grand No. 120	3/22/61	11/9/73
Ten Grand No. 121	3/22/61	11/9/73
Ten Grand No. 122	3/22/61	11/9/73
Ten Grand No. 123	3/22/61	10/12/71
Ten Grand No. 124	3/22/61	10/12/71
Ten Grand No. 125	3/22/61	10/12/71
Ten Grand No. 126	3/22/61	10/12/71
Ten Grand No. 127	4/6/61	10/12/71
Ten Grand No. 128	4/6/61	10/12/71
Ten Grand No. 129	4/6/61	11/9/73
Ten Grand No. 130	4/6/61	11/9/73

Mining district		County	
Patagonia		Santa Cruz	
Section 16,17, 18,19,20,21,29&30	Township 22 S.	Range 16 E.	Meridian Gila & Salt River
Survey commenced Dec. 3, 1973		Survey completed Feb. 8, 1974	Survey under order dated Nov. 15, 1973
		Name of Mineral Surveyor Robert Lenon	



Form 3400-11
(September 1967)
(formerly 4-683)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey number
4771

State
Arizona

Land District
Arizona

FIELD NOTES

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Kerr-McGee Corporation
P. O. Box 870
Patagonia, Arizona 85624

Known as the *(name of group, if any)*

Red Mountain Project

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
TEN GRAND NO. 113.	3/21/61	11/9/73
TEN GRAND NO. 114.	3/21/61	11/9/73
TEN GRAND NO. 115.	3/21/61	11/9/73
TEN GRAND NO.. 116	3/21/61	11/9/73
TEN GRAND NO.. 117	3/21/61	11/9/73
TEN GRAND NO. 118.	3/21/61	11/9/73
TEN GRAND NO. 131	4/6/61	11/9/73
TEN GRAND NO. 132.	4/6/61	11/9/73
TEN GRAND NO. 133.	4/6/61	11/9/73
Fox No. 2	5/16/61	10/12/71
Fox No. 4	5/16/61	10/12/71
Fox No. 5	5/16/61	10/12/71
Gem No. 1	7/25/69	2/24/72
Gem No. 2	7/25/69	2/24/72
Terry No. 1	12/2/62	10/12/71
Joco No. 15	5/16/61	10/12/71
Joco No. 17	5/16/61	10/12/71
Joco No. 36	5/16/61	10/12/71
Joco No. 37	5/16/61	10/12/71
Joco No. 38	5/16/61	10/12/71
Joco No. 16	5/16/61	10/12/71
Joco No. 18	5/16/61	10/12/71
Hank No. 23	10/19/62	10/13/71

Mining district Patagonia		County Santa Cruz	
Section 16,17, 18,19,20,21,29&30	Township 22 S.	Range 16 E.	Meridian Gila & Salt River
Survey commenced Dec. 3, 1973		Survey completed Feb. 8, 1974	Survey under order dated Nov. 15, 1973
		Name of Mineral Surveyor Robert Lenon	

Year	Month	Day	Event	Location	Remarks
1950	Jan	1
1950	Jan	2
1950	Jan	3
1950	Jan	4
1950	Jan	5
1950	Jan	6
1950	Jan	7
1950	Jan	8
1950	Jan	9
1950	Jan	10
1950	Jan	11
1950	Jan	12
1950	Jan	13
1950	Jan	14
1950	Jan	15
1950	Jan	16
1950	Jan	17
1950	Jan	18
1950	Jan	19
1950	Jan	20
1950	Jan	21
1950	Jan	22
1950	Jan	23
1950	Jan	24
1950	Jan	25
1950	Jan	26
1950	Jan	27
1950	Jan	28
1950	Jan	29
1950	Jan	30
1950	Jan	31

Form 3400-11
(September 1967)
(formerly 4-683)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number
4771

State
Arizona

Land District
Arizona

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Kerr-McGee Corporation
P.O. Box 870
Patagonia, Arizona 85624

Known as the *(name of group, if any)*

Red Mountain Project

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Red Hawk No. 6	8/23/56	10/12/71
La Tuna No. 1	8/23/56	10/12/71
Cowboy	7/2/38	10/12/71
Steam Shovel	3/20/13	10/12/71
Esther	1/1/16	10/12/71
Log Cabin	7/2/38	11/9/73
St. Louis	7/2/38	10/12/71
Old Boy Roger	7/2/38	10/12/71
Border Side	6/5/61	10/12/71
Blue Eagle No. 1	7/1/40	10/12/71
Wild Pig No. 16	5/16/61	10/12/71
Lime Bank No. 5	6/1/43	10/12/71
Lime Bank No. 4	6/1/43	10/12/71
Hope No. 1	6/5/61	10/12/71
Hope No. 2	6/5/61	10/12/71
Hope No. 3	6/5/61	10/12/71
Hope No. 4	6/5/61	10/12/71
Hank No. 9	10/19/62	10/12/71
Aagh No. 6	10/13/71	

Mining district Patagonia		County Santa Cruz	
Section 16, 17, 18, 19, 20, 21, 29 & 30	Township 22 S.	Range 16 E.	Meridian Gila & Salt River
Survey commenced Dec. 3, 1973		Survey completed Feb. 8, 1974	Survey under order dated Nov. 15, 1973
		Name of Mineral Surveyor Robert Lenon	

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

and in
and in

FEET

This survey was made with a Lietz Precise Transit No. 65718, with horizontal limb 5-1/2 ins. diam., having two double opposite verniers reading to 20 seconds of arc; and full vertical circle 4-1/2 ins. diam., having one double vernier reading to 1 minute of arc; the eyepiece has a removable colored glass for making direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were referred to the meridian of the Kerr-McGee Red Mountain Project triangulation-system, set out on a local plane grid, rotated from Transverse Mercator grid bearings, as checked by me and found to be correct by the observations set out below:

January 19, 1974, at Cor. No. 2 of the Fox No. 2 lode of this survey, in latitude 31°30'50" N., and longitude 110°44'50" W., I make a series of four altitude observations upon the sun for azimuth at approximately equal time intervals, two each with the telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angles from Cor. No. 4 of the Andes No. 1 lode of this survey, Southeasterly to the sun.

	(1)	(2)
Mean time of observation, 105th meridian standard time:	9h45 ^m a.m.	9h52 ^m a.m.
Declination of sun at mean time of observation:		20°18'30" S.
Mean observed vertical angles to sun's center:	24°06'	25°07'
Mean horizontal angles from reference point to sun's center:	5°24'50"	4°01'30"
True bearing of Line 4-1, Andes No. 1 lode of this survey:		N. 38°30'55" E.

The lines were measured with a Hewlett-Packard distance-meter, and a Chicago steel tape, 300 feet in length, graduated every foot, with the end feet graduated to tenths; which was compared with a Lufkin standard at the time of beginning the survey and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 13°15' E.

FEET	Mineral Survey No. 4771
	FOX NO. 5 LODE
	At Cor. No. 1 of the Fox No. 5 lode.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-F5-1-4771; from which
	The cor. of secs. 17, 18, 19 and 20, T. 22 S., R. 16 E., G. & S.R.M., Arizona, bears N. 38°45'25" E., 544.9 ft. dist., monumented with an iron post, 2 ins. diam., 12 ins. above ground, firmly set, with brass cap properly mkd.
	Thence S. 51°29'05" E.
451.34	Intersect line 1-2 Joco No. 39 lode, common with line 4-1 Joco No. 19 lode, of this survey.
528.75	Intersect line 3-4 Joco No. 19 lode, common with line 1-2 Joco No. 40 lode, of this survey.
1488.55	Cor. No. 2.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-F5-2-4771.
	Thence S. 38°30'55" W.
0.96	Intersect line 3-4 Joco No. 40 lode, common with line 2-3 Hank No. 1 lode, of this survey.
200.00	Lode line; discovery point bears N. 51°29'05" W., 988.55 ft. dist.
400.00	Cor. No. 3, identical with Cor. No. 2 of the Fox No. 4 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-F5-3-F4-2-4771.
	Thence N. 51°29'05" W.
499.24	Intersect line 2-3 Hank No. 1 lode, common with line 3-4 Joco No. 40 lode, of this survey.
717.50	Intersect line 4-1 Joco No. 40 lode of this survey.
910.	Gulch, 2 ft. wide, course S. 65° W.
1460.25	Intersect line 2-3 Joco No. 39 lode of this survey.
1488.55	Cor. No. 4, identical with Cor. Nos. 1 and 3 of the Fox No. 4 and Fox No. 2 lodes, respectively, of this survey.

Mineral Survey No. 4771

FEET		
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-F5-4-F4-1-F2-3-4771.</p> <p style="text-align: center;">Thence N. 38°30'55" E.</p>	
200.00	Lode line; discovery point bears S. 51°29'05" E., 509.0 ft. dist.	
400.00	Cor. No. 1, and place of beginning.	
FOX NO. 4 LODE		
	<p>Beginning at Cor. No. 1 of the Fox No. 4 lode, identical with Cor. Nos. 3 and 4 of the Fox No. 2 and Fox No. 5 lodes, respectively, of this survey; from which</p> <p style="text-align: center;">The cor. of secs. 17, 18, 19 and 20, bears N. 38°39'15" E., 944.9 ft. dist., heretofore described.</p> <p style="text-align: center;">Thence S. 51°29'05" E.</p>	
28.30	Intersect line 2-3 Joco No. 39 lode of this survey.	
578.55	Gulch, 2 ft. wide, course S. 65° W.	
771.05	Intersect line 4-1 Joco No. 40 lode of this survey.	
989.31	Intersect line 3-4 Joco No. 40 lode, common with line 2-3 Hank No. 1 lode, of this survey.	
1488.55	Cor. No. 2, identical with Cor. No. 3 of the Fox No. 5 lode of this survey.	
	Thence S. 38°30'55" W.	
150.00	Lode line; discovery point bears N. 51°29'05" W., 988.55 ft. dist.	
300.00	<p>Cor. No. 3, identical with Cor. Nos. 2 and 4, M.S. No. 4767 Red Castle No. 8 and Red Castle No. 5 lodes, respectively.</p> <p>Found an iron pin, 5/8 in. diam., 6 ins. above ground, stone mound alongside, with aluminum cap mkd. X-RC8-2-RC5-4-4767, to which I added: F4-3-4771.</p> <p style="text-align: center;">Thence N. 51°29'05" W.</p>	
477.71	Intersect line 1-2 Hank No. 1 lode of this survey.	
889.	Aztec Gulch, 10 ft. wide, course N. 30° W.	
1039.	Aztec Gulch, 10 ft. wide, course N. 70° W.	

(This form bound on left side)

FEET	
1488.55	<p>Cor. No. 4, identical with Cor. No. 4 of the Fox No. 2 lode of this survey, and with Cor. Nos. 3 and 2, M.S. No. 4767 Red Castle No. 5 and Red Castle No. 6 lodes, respectively.</p> <p>Found an iron pin, 5/8 in. diam., 6 ins. above ground, stone mound alongside, with aluminum cap mkd. X-RC5-3-RC6-2-4767, to which I added: F4-4-F2-4-4771.</p> <p style="text-align: center;">Thence N. 38°30'55" E.</p>
150.00	Lode line; discovery point bears S. 51°29'05" E., 500.0 ft. dist.
277.38	Intersect line 2-3 Joco No. 39 lode of this survey.
300.00	Cor. No. 1, and place of beginning.
FOX NO. 2 LODE	
<p>At Cor. No. 1 of the Fox No. 2 lode, identical with Cor. Nos. 1 and 2, M.S. No. 4767 Red Castle No. 6 and Red Castle No. 7 lodes, respectively.</p>	
<p>Found an iron pin, 5/8 in. diam., 6 ins. above ground, stone mound alongside, with aluminum cap mkd. X-RC6-1-RC7-2-4767, to which I added: F2-1-4771; from which</p>	
<p>The 1/4 sec. cor. of secs. 18 and 19, T. 22 S. R. 16 E., G. & S.R.M., Arizona, bears N. 82°31'40" W., 815.58 ft. dist., monumented with an iron post, 1 in. diam., 10 ins. above ground, firmly set, with brass cap properly mkd., stone mound alongside.</p>	
Thence N. 38°30'55" E.	
150.00	Lode line; discovery point bears S. 51°29'05" E., 370.0 ft. dist.
300.00	Cor. No. 2.
<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-F2-2-4771.</p>	
Thence S. 51°29'05" E.	
256.37	Intersect line 3-4 Joco No. 37 lode, common with line 2-3 Joco No. 38 lode, of this survey.
395.	Gulch, 2 ft. wide, course N. 45° E.
472.88	Intersect line 1-2 Joco No. 38 lode, common with line 4-1 Joco No. 39 lode, of this survey.
1405.58	<p>Cor. No. 3, identical with Cor. Nos. 4 and 1 of the Fox No. 5 and Fox No. 4 lodes, respectively, of this survey.</p> <p style="text-align: center;">Thence S. 38°30'55" W.</p>

FEET	
22.62	Intersect line 2-3 Joco No. 39 lode of this survey.
150.00	Lode line; discovery point bears N. 51°29'05" W. 1035.58 ft. dist.
300.00	Cor. No. 4, identical with Cor. No. 4 of the Fox No. 4 lode of this survey, and with Cor. Nos. 3 and 2, M.S. No. 4767 Red Castle No. 5 and Red Castle No. 6 lodes, respectively. Thence N. 51°29'05" W.
347.04	Intersect line 2-3 Joco No. 39 lode of this survey.
520.	Gulch, 2 ft. wide, course South.
909.42	Intersect line 3-4 Joco No. 39 lode of this survey.
1308.05	Intersect line 4-1 Joco No. 37 lode of this survey.
1405.58	Cor. No. 1, and place of beginning.
ANDES NO. 1 LODE	
At Cor. No. 1 of the Andes No. 1 lode, identical with Cor. No. 4, M.S. No. 4767 Red Castle No. 6 lode, and on line 2-3, M.S. No. 4767 Red Castle No. 7 lode.	
Found an iron pin, 5/8 in. diam., 6 ins. above ground, stone mound alongside, with aluminum cap mkd. X-RC6-4-RC7-4767, to which I added: AN1-1-4771; from which	
The 1/4 sec. cor. of secs. 18 and 19, bears N. 37°05' W., 721.44 ft. dist., heretofore described.	
The Northeast cor., Wild Pig No. 4 lode, identical with the Southeast cor., Wild Pig No. 2 lode, both Uns., bears S. 54°51' E., 49.98 ft. dist.	
Thence S. 51°29'05" E.	
46.22	Intersect the Southerly sideline, Wild Pig No. 2 lode, common with the Northerly sideline, Wild Pig No. 4 lode, both Uns., at a point from which the Southeast and Northeast cors., respectively, bear N. 89°52'50" E., 4.7 ft. dist.
52.24	Intersect the Easterly endline, Wild Pig No. 4 lode, at a point from which the southeast cor. bears S. 0°07'10" E., 596.24 ft. dist.
300.	Gulch, 2 ft. wide, course S. 35° W.
865.	Aztec Gulch, 12 ft. wide, course S. 65° W.

FEET	
1065.	Road, 12 ft. wide, bears East and West.
1405.58	<p>Cor. No. 2, identical with Cor. Nos. 3, 2 and 4, M. S. No. 4767 Red Castle No. 6, Red Castle No. 5 and Red Castle No. 3 lodes, respectively.</p> <p>Found an iron pin, 5/8 in. diam., 6 ins. above ground, stone mound alongside, with aluminum cap mkd. X-RC6-3-RC5-2-RC3-4-4767, to which I added: AN1-2-4771.</p> <p style="text-align: center;">Thence S. 38°30'55" W.</p>
300.00	Lode line; discovery point bears N. 51°29'05" W., 1395.58 ft. dist.
600.00	<p>Cor. No. 3, identical with Cor. No. 2 of the Gem No. 1 lode of this survey, and with Cor. Nos. 3 and 4, M.S. No. 4767 Red Castle No. 3 and Red Castle No. 2 lodes, respectively.</p> <p>Found an iron pin, 5/8 in. diam., 6 ins. above ground, stone mound alongside, with aluminum cap mkd. X-RC3-3-RC2-4-4767, to which I added: AN1-3-G1-2-4771.</p> <p style="text-align: center;">Thence N. 51°29'05" W.</p>
710.	Road, 12 ft. wide, bears N. 45° E. and S. 45° W.
740.	Road, 12 ft. wide, bears N. 10° E. and S. 10° W.
840.	Road, 12 ft. wide, bears N. 50° E. and S. 70° W.
870.	Aztec Gulch, 12 ft. wide, course S. 60° W.
1149.02	Intersect the Southerly sideline, Wild Pig No. 4 lode, Uns., at a point from which the Southeast cor. bears N. 89°52'50" E., 215.0 ft. dist.
1365.	Gulch, 3 ft. wide, course S. 60° W.
1405.58	<p>Cor. No. 4, identical with Cor. No. 1 of the Gem No. 1 lode of this survey, and on line 2-3, M.S. No. 4767 Red Castle No. 7 lode.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AN1-4-G1-1-4771; from which</p> <p style="text-align: center;">The Southeast cor., Wild Pig No. 4 lode, Uns., bears S. 69°02' E., 445.22 ft. dist.</p> <p style="text-align: center;">Thence N. 38°30'55" E.</p>
300.00	Lode line; discovery point bears S. 51°29'05" E., 10.0 ft. dist.
563.04	Intersect the Northerly sideline, Wild Pig No. 4 lode, common with the Southerly sideline, Wild Pig No. 2 lode, both Uns., at a point from which the Northeast and Southeast cors., respectively, bear N. 89°52'50" E., 63.87 ft. dist.
600.00	Cor. No. 1, and place of beginning.

FEET	<p style="text-align: center;">GEM NO. 1 LODE</p> <p>Beginning at Cor. No. 1 of the Gem No. 1 lode, identical with Cor. No. 4 of the Andes No. 1 lode of this survey, and on line 2-3, M.S. No. 4767 Red Castle No. 7 lode; from which</p> <p style="padding-left: 40px;">The 1/4 sec. cor. of secs. 18 and 19, bears N. 3°21'40" W., 1046.8 ft. dist., heretofore described.</p> <p style="text-align: center;">Thence S. 51°29'05" E.</p> <p>40.58 Gulch, 3 ft. wide, course S. 60° W.</p> <p>256.56 Intersect the Southerly sideline, Wild Pig No. 4 lode, Uns., at a point from which the Southeast cor. bears N. 89°52'50" E., 215.0 ft. dist.</p> <p>535.58 Aztec Gulch, 12 ft. wide, course S. 60° W.</p> <p>565.58 Road, 12 ft. wide, bears N. 50° E. and S. 70° W.</p> <p>665.58 Road, 12 ft. wide, bears N. 10° E. and S. 10° W.</p> <p>695.58 Road, 12 ft. wide, bears N. 45° E. and S. 45° W.</p> <p>1405.58 Cor. No. 2, identical with Cor. No. 3 of the Andes No. 1 lode of this survey, and with Cor. Nos. 3 and 4, M.S. No. 4767 Red Castle No. 3 and Red Castle No. 2 lodes, respectively.</p> <p style="text-align: center;">Thence S. 38°30'55" W.</p> <p>95. Road, 12 ft. wide, bears N. 77° W. and S. 77° E.</p> <p>285. Road, 12 ft. wide, bears N. 5° W. and S. 5° E.</p> <p>300.00 Lode line; discovery point bears N. 51°29'05" W., 1395.58 ft. dist.</p> <p>340. Road, 12 ft. wide, bears N. 70° E. and S. 70° W.</p> <p>500. Road, 12 ft. wide, bears N. 15° W. and S. 15° E.</p> <p>520. Gulch, 7 ft. wide, course S. 75° W.</p> <p>600.00 Cor. No. 3, identical with cor. Nos. 4 and 2 of the Andes No. 2 and Gem No. 2 lodes, respectively, of this survey, and with Cor. No. 3, M.S. No. 4767 Red Castle No. 2 lode.</p> <p>Found an iron pin, 5/8 in. diam., 6 ins. above ground, stone mound alongside, with aluminum cap mkd. X-RC2-3-4767, to which I added: G1-3-AN2-4-G2-2-4771.</p> <p style="text-align: center;">Thence N. 51°29'05" W.</p> <p>45. Gulch, 7 ft. wide, course S. 70° W.</p> <p>235. Gulch, 2 ft. wide, course S. 80° W.</p> <p>470. Gulch, 2 ft. wide, course West.</p>
------	--

(This form bound on left side)

FEET	
1405.58	<p>Cor. No. 4, identical with Cor. No. 1 of the Gem No. 2 lode of this survey, and on line 2-3, M.S. No. 4767 Red Castle No. 1 lode.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-G1-4-G2-1-4771.</p> <p style="text-align: center;">Thence N. 38°30'55" E.</p>
155.	Road, 12 ft. wide, bears N. 85° W. and S. 85° E.
200.	Aztec Gulch, 15 ft. wide, course N. 85° W.
300.00	<p>Lode line; discovery point bears S. 51°29'05" E., 10.0 ft. dist., and Cor. Nos. 2 and 3, M.S. No. 4767 Red Castle No. 1 and Red Castle No. 7 lodes, respectively.</p> <p>Found an iron pin, 5/8 in. diam., 6 ins. above ground, stone mound alongside, with aluminum cap mkd. X-RC1-2-RC7-3-4767, to which I added: G1-4771.</p>
394.93	<p>Intersect the Southerly sideline, Wild Pig No. 4 lode, Uns., at a point from which the Southeast cor. bears N. 89°52'50" E., 543.44 ft. dist.</p>
415.	Gulch, 5 ft. wide, course S. 80° W.
600.00	Cor. No. 1, and place of beginning.
GEM NO. 2 LODE	
<p>Beginning at Cor. No. 1 of the Gem No. 2 lode, identical with Cor. No. 4 of the Gem No. 1 lode of this survey, and on line 2-3, M.S. No. 4767 Red Castle No. 1 lode; from which</p> <p style="text-align: center;">The 1/4 sec. cor. of secs. 18 and 19, bears N. 11°39' E., 1546.32 ft. dist., heretofore described.</p> <p style="text-align: center;">Thence S. 51°29'05" E.</p>	
935.58	Gulch, 2 ft. wide, course West.
1170.58	Gulch, 2 ft. wide, course S. 80° W.
1360.58	Gulch, 7 ft. wide, course S. 70° W.
1405.58	<p>Cor. No. 2, identical with Cor. Nos. 3 and 4 of the Gem No. 1 and Andes No. 2 lodes, respectively of this survey, and with Cor. No. 3, M.S. No. 4767 Red Castle No. 2 lode.</p> <p style="text-align: center;">Thence S. 38°30'55" W.</p>
135.	Andes Gulch, 7 ft. wide, course N. 45° W.
300.00	Lode line; discovery point bears N. 51°29'05" W., 1395.58 ft. dist.

FEET		
600.00	<p>Cor. No. 3, identical with Cor. Nos. 3 and 4 of the Andes No. 2 and Terry No. 1 lodes, respectively, of this survey, and with Cor. No. 2, M.S. No. 4767 Red Castle No. 4 lode.</p> <p>Found an iron pin, 5/8 in. diam., 6 ins. above ground, stone mound alongside, with aluminum cap mkd. X-RC4-2-4767, to which I added: G2-3-AN2-3-T1-4-4771.</p> <p style="text-align: center;">Thence N. 51°29'05" W.</p>	
430.	<p>Gulch, 2 ft. wide, course N. 15° W.</p>	
760.	<p>Gulch, 2 ft. wide, course N. 40° E.</p>	
1405.58	<p>Cor. No. 4, identical with Cor. No. 1, M.S. No. 4757 Red Castle No. 4 lode, and on line 2-3, M.S. No. 4757 Red Castle No. 1 lode.</p> <p>Found an iron pin, 5/8 in. diam., 6 ins. above ground, stone mound alongside, with aluminum cap mkd. X-RC4-1-RC1-4767, to which I added: G2-4-4771.</p> <p style="text-align: center;">Thence N. 38°30'55" E.</p>	
300.00	<p>Lode line; discovery point bears S. 51°29'05" E., 10.0 ft. dist.</p>	
405.	<p>Andes Gulch, 10 ft. wide, course N. 55° W.</p>	
600.00	<p>Cor. No. 1, and place of beginning.</p>	
ANDES NO. 2 LODE		
<p>At Cor. No. 1 of the Andes No. 2 lode, identical with Cor. No. 2, M.S. No. 4767 Red Castle No. 2 lode.</p>		
<p>Found an iron pin, 5/8 in. diam., 6 ins. above ground, stone mound alongside, with aluminum cap mkd. X-RC2-2-4767, to which I added: AN2-1-4771; from which</p>		
<p style="text-align: center;">The 1/4 sec. cor. of secs. 19 and 20, T. 22 S. R. 16 E., G. & S.R.M., Arizona, bears N. 48°47'15" E., 977.66 ft. dist., monumented with an iron post, 1 in. diam., 10 ins. above ground, firmly set, with brass cap properly mkd., stone mound alongside.</p>		
<p style="text-align: center;">Thence S. 38°30'55" W.</p>		
90.	<p>Gulch, 5 ft. wide, course N. 15° W.</p>	
152.33	<p>Intersect line 3-4 South Red Mountain No. 2 lode, common with line 3-4 South Red Mountain No. 1 lode, of this survey.</p>	
300.00	<p>Lode line; discovery point bears N. 51°29'05" W., 1478.55 ft. dist.</p>	

FEET	
465.	Road, 12 ft. wide, bears N. 55° W. and S. 35° E.
600.00	Cor. No. 2, identical with Cor. No. 1 of the Terry No. 1 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AN2-2-T1-1-4771.
	Thence N. 51°29'05" W.
332.16	Intersect line 2-3 South Red Mountain No. 1 lode of this survey.
985.	Andes Gulch, 6 ft. wide, course North.
1488.55	Cor. No. 3, identical with Cor. Nos. 3 and 4 of the Gem No. 2 and Terry No. 1 lodes, respectively, of this survey, and with Cor. No. 2, M.S. No. 4767 Red Castle No. 4 lode.
	Thence N. 38°30'55" E.
300.00	Lode line; discovery point bears S. 51°29'05" E., 10.0 ft. dist.
465.	Andes Gulch, 7 ft. wide, course N. 45° W.
600.00	Cor. No. 4, identical with Cor. Nos. 2 and 3 of the Gem No. 2 and Gem No. 1 lodes, respectively, of this survey, and with Cor. No. 3, M.S. No. 4767 Red Castle No. 2 lode.
	Thence S. 51°29'05" E.
29.	Road, 12 ft. wide, bears N. 35° E. and S. 35° W.
1214.69	Intersect line 4-1 Aagh No. 7 lode of this survey.
1369.	Gulch, 5 ft. wide, course N. 15° W.
1404.	Road, 12 ft. wide, bears N. 5° W. and S. 45° W.
1419.33	Intersect line 2-3 Aagh No. 7 lode, common with line 4-1 South Red Mountain No. 2 lode, of this survey.
1464.	Gulch, 3 ft. wide, course West.
1488.55	Cor. No. 1, and place of beginning.
TERRY NO. 1 LODE	
Beginning at Cor. No. 1 of the Terry No. 1 lode, identical with Cor. No. 2 of the Andes No. 2 lode of this survey; from which	
The 1/4 sec. cor. of secs. 19 and 20, bears N. 44°53' E., 1571.69 ft. dist., heretofore described.	
Thence S. 38°30'55" W.	

FEET		
165.	Gulch, 2 ft. wide, course N. 60° W.	
300.00	Lode line; discovery point bears N. 51°29'05" W., 1478.55 ft. dist.	
460.	Andes Gulch, 4 ft. wide, course N. 25° W.	
600.00	Cor. No. 2.	
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-T1-2-4771.	
	Thence N. 51°29'05" W.	
595.14	Intersect line 2-3 South Red Mountain No. 1 lode, common with line 4-1 Aagh No. 6 lode, of this survey.	
848.74	Intersect line 2-3 Aagh No. 19 lode of this survey.	
859.68	Intersect line 2-3 Aagh No. 6 lode of this survey.	
1330.	Gulch, 2 ft. wide, course N. 80° W.	
1375.	Gulch, 2 ft. wide, course S. 75° W.	
1488.55	Cor. No. 3, identical with Cor. No. 3, M.S. No. 4767 Red Castle No. 4 lode.	
	Found an iron pin, 5/8 in. diam., 6 ins. above ground, stone mound alongside, with aluminum cap mkd. X-RC4-3-4767, to which I added: T1-3-4771.	
	Thence N. 38°30'55" E.	
300.00	Lode line; discovery point bears S. 51°29'05" E., 10.0 ft. dist.	
419.86	Intersect line 1-2 Aagh No. 19 lode of this survey.	
600.00	Cor. No. 4, identical with Cor. Nos. 3 and 3 of the Gem No. 2 and Andes No. 2 lodes, respectively of this survey, and with Cor. No. 2, M.S. No. 4767 Red Castle No. 4 lode.	
	Thence S. 51°29'05" E.	
503.55	Andes Gulch, 6 ft. wide, course North.	
1156.39	Intersect line 2-3 South Red Mountain No. 1 lode of this survey.	
1488.55	Cor. No. 1, and place of beginning.	
	AAGH NO. 19 LODE	
	At Cor. No. 1 of the Aagh No. 19 lode, identical with Cor. No. 2 of the Lime Bank No. 5 lode of this survey.	

(This form bound on left side)

FEET	
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA19-1-LB5-2-4771, from which</p> <p>The 1/4 sec. cor. of secs. 18 and 19, bears N. 0°51'30" E., 2913.61 ft. dist., heretofore described.</p> <p>Cor. No. 3, M.S. No. 4767 Red Castle No. 4 lode, identical with Cor. No. 3 Terry No. 1 lode of this survey, bears S. 11°25' E., 423.79 ft. dist.</p> <p>Thence S. 75°52'40" E.</p>
300.00	Lode line; discovery point bears S. 0°13'30" E., 800.0 ft. dist.
356.11	Intersect line 2-3, M.S. No. 4767 Red Castle No. 4 lode, common with line 3-4 Terry No. 1 lode of this survey, at a point from which Cor. Nos. 3 and 3, respectively, bears S. 38°30'55" W., 419.86 ft. dist.
600.00	Cor. No. 2.
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA19-2-4771.</p> <p>Thence S. 0°13'30" E.</p>
656.12	Intersect line 2-3 Aagh No. 6 lode of this survey.
667.43	Intersect line 2-3 Terry No. 1 lode of this survey.
929.51	Intersect line 4-1 Aagh No. 6 lode, common with line 2-3 South Red Mountain No. 1 lode, of this survey.
1040.	Gulch, 2 ft. wide, course S. 55° W.
1098.57	Intersect line 1-2 South Red Mountain No. 1 lode, common with line 3-4 Border Side lode, of this survey.
1105.	Gulch, 3 ft. wide, course N. 70° W.
1500.00	Cor. No. 3.
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA19-3-4771.</p> <p>Thence N. 75°52'40" W.</p>
102.69	Intersect line 4-1 Wild Pig No. 16 lode of this survey.
300.00	Lode line; discovery point bears N. 0°13'30" W., 700.0 ft. dist.

Mineral Survey No. 4771

13

FEET		
600.00	<p>Cor. No. 4, identical with Cor. No. 3 of the Lime Bank No. 5 lode of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA19-4-LB5-3-4771.</p> <p>Thence N. 0°13'30" W.</p>	
117.99	<p>Intersect line 2-3 Border Side lode of this survey.</p>	
240.	<p>Gulch, 5 ft. wide, course S. 70° W.</p>	
260.46	<p>Intersect line 3-4 Wild Pig No. 16 lode of this survey.</p>	
1010.	<p>Gulch, 3 ft. wide, course West.</p>	
1150.26	<p>Intersect line 3-4, M.S. No. 4767 Red Castle No. 4 lode, at a point from which Cor. No. 3, identical with Cor. No. 3 Terry No. 1 lode of this survey, bears S. 51°29'05" E., 105.45 ft. dist.</p>	
1500.00	<p>Cor. No. 1, and place of beginning.</p>	
LIME BANK NO. 5 LODE		
<p>At Cor. No. 1 of the Lime Bank No. 5 lode, identical with Cor. No. 2 of the Lime Bank No. 4 lode of this survey, and with the Southeast cor., Aagh No. 3 lode, Uns.</p>		
<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-LB5-1-LB4-2-4771; from which</p>		
<p>The 1/4 sec. cor. of secs. 18 and 19, bears N. 12°44'20" E., 2836.71 ft. dist., heretofore described.</p>		
Thence S. 75°52'40" E.		
300.00	<p>Lode line; discovery point bears S. 0°13'30" E., 10.0 ft. dist.</p>	
600.00	<p>Cor. No. 2, identical with Cor. No. 1 of the Aagh No. 19 lode of this survey.</p> <p>Thence S. 0°13'30" E.</p>	
349.74	<p>Intersect line 3-4, M.S. No. 4767 Red Castle No. 4 lode, at a point from which Cor. No. 3, identical with Cor. No. 3, Terry No. 1 lode of this survey, bears S. 51°29'05" E., 105.45 ft. dist.</p>	
490.	<p>Gulch, 3 ft. wide, course West.</p>	
1239.54	<p>Intersect line 3-4 Wild Pig No. 16 lode of this survey.</p>	
1260.	<p>Gulch, 5 ft. wide, course S. 70° W.</p>	
1382.01	<p>Intersect line 2-3 Border Side lode of this survey.</p>	

(This form bound on left side)

FEET	
1500.00	Cor. No. 3, identical with Cor. No. 4 of the Aagh No. 19 lode of this survey. Thence N. 75°52'40" W.
156.45	Intersect line 2-3 Border Side lode of this survey.
300.00	Lode line; discovery point bears N. 0°13'30" W., 1490.0 ft. dist.
445.	Gulch, 5 ft. wide, course S. 60° W.
600.00	Cor. No. 4, identical with Cor. No. 3 of the Lime Bank No. 4 lode of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-LB5-4-LB4-3-4771. Thence N. 0°13'30" W.
111.77	Intersect line 3-4 Wild Pig No. 16 lode of this survey.
430.	Gulch, 2 ft. wide, course N. 75° W.
750.	Gulch, 5 ft. wide, course S. 60° W.
1467.93	Intersect line 3-4, M.S. No. 4767 Red Castle No. 4 lode, at a point from which Cor. No. 3, identical with Cor. No. 3 Terry No. 1 lode of this survey, bears S. 51°29'05" E., 850.69 ft. dist.
1500.00	Cor. No. 1, and place of beginning.
LIME BANK NO. 4 LODGE	
At Cor. No. 1 of the Lime Bank No. 4 lode, identical with the Northeast cor., Lime Bank No. 3 lode, Uns., and on the Southerly sideline, Aagh No. 3 lode, Uns.	
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-LB4-1-4771; from which	
The cor. of secs. 13, 18, 19 and 24, T. 22 S., Rs. 15 and 16 E., G. & S.R.M., Arizona, bears N. 26°49'10" W., 2924.48 ft. dist., monumented with a sandstone, 14 x 8 x 7 ins. above ground firmly set, and properly mkd.	
Cor. No. 3, M.S. No. 4767 Red Castle No. 1 lode, identical with Cor. No. 4, M.S. No. 4767 Red Castle No. 4 lode, bears N. 41°30'10" E., 223.07 ft. dist.	
Thence S. 75°52'40" E.	
300.00	Lode line; discovery point bears S. 0°13'30" E., 10.0 ft. dist.
539.44	Intersect line 3-4, M.S. No. 4767 Red Castle No. 4 lode, at a point from which Cor. No. 4,

Mineral Survey No. 4771

FEET		
	identical with Cor. No. 3, M.S. No. 4767 Red Castle No. 1 lode, bears N. 51°29'05" W., 479.66 ft. dist.	
600.00	Cor. No. 2, identical with Cor. No. 1 of the Lime Bank No. 5 lode of this survey, and with the Southeast cor., Aagh No. 3 lode, Uns. Thence S. 0°13'30" E.	
32.07	Intersect line 3-4, M.S. No. 4767 Red Castle No. 4 lode, at a point from which Cor. No. 4, identical with Cor. No. 3, M.S. No. 4767 Red Castle No. 1 lode, bears N. 51°29'05" W., 554.89 ft. dist.	
750.	Gulch, 5 ft. wide, course S. 60° W.	
1070.	Gulch, 2 ft. wide, course N. 75° W.	
1388.23	Intersect line 3-4 Wild Pig No. 16 lode of this survey.	
1500.00	Cor. No. 3, identical with Cor. No. 4 of the Lime Bank No. 5 lode of this survey. Thence N. 75°52'40" W.	
300.00	Lode line; discovery point bears N. 0°13'30" W., 1490.0 ft. dist.	
353.64	Intersect line 3-5, M.S. No. 352 Garfield lode, at a point from which Cor. No. 5 bears N. 32°42' W., 476.43 ft. dist.	
355.	Alum Gulch, 30 ft. wide, course N. 25° E.	
450.99	Cor. No. 3 Wild Pig No. 16 lode of this survey, identical with the Northeast cor., Lime Bank lode, Uns.	
600.00	Cor. No. 4, identical with the Southeast cor., Lime Bank No. 3 lode, Uns., and on the Northerly sideline, Lime Bank lode, Uns. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-LB4-4-4771; from which Cor. No. 5, M.S. No. 352 Garfield lode, bears N. 3°06'25" W., 341.31 ft. dist. Thence N. 0°13'30" W.	
313.92	Intersect line 3-5, M.S. No. 352 Garfield lode, at a point from which Cor. No. 5 bears N. 32°42' W., 31.96 ft. dist.	
340.	Alum Gulch, 25 ft. wide, course N. 70° W.	
700.	Gulch, 3 ft. wide, course S. 50° W.	
1500.00	Cor. No. 1, and place of beginning.	

(This form bound on left side)

FEET		
	WILD PIG NO. 16 LODE	
	At Cor. No. 1 of the Wild Pig No. 16 lode.	
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-WP16-1-4771; from which	
	The cor. of secs. 19, 20, 29, and 30, T. 22 S. R. 16 E., G. & S.R.M., Arizona, bears S. 77°05' E., 2282.45 ft. dist., monumented with an iron post, 2 ins. diam., 10 ins. above ground, firmly set, with brass cap properly mkd., stone mound alongside.	
	Thence S. 89°46'30" W.	
61.84	Intersect line 1-2 Aagh No. 8 lode, common with line 4-1 Border Side lode, of this survey.	
1283.66	Intersect line 1-2 Border Side lode, common with line 1-2 Blue Eagle No. 1 lode, of this survey.	
1357.21	Intersect line 4-1 Blue Eagle No. 1 lode of this survey, common with the Southerly sideline, Aagh No. 5 lode, Uns., at a point from which the Southeast cor., Aagh No. 5 lode, Uns., identical with Cor. Nos. 2 and 1, Border Side lode and Blue Eagle No. 1 lode, respectively, of this survey, bears N. 62°10'50" E., 65.14 ft. dist.	
1500.00	Cor. No. 2, identical with the Southeast cor., Lime Bank lode, Uns.	
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-WP16-2-4771; from which	
	Cor. No. 2 Border Side lode, identical with Cor. No. 1 Blue Eagle No. 1 lode, of this survey, and with the Southeast cor., Aagh No. 5 lode, Uns., bears N. 81°13' E., 202.78 ft. dist.	
	Thence N. 0°13'30" W.	
85.	Alum Gulch, 30 ft. wide, course N. 30° E.	
300.00	Lode line; discovery point bears N. 89°46'30" E., 100.0 ft. dist.	
375.	Alum Gulch, 30 ft. wide, course N. 25° W.	
391.92	Intersect line 2-3, M.S. No. 352 Garfield lode, at a point from which Cor. No. 3 bears N. 63°23' E., 179.33 ft. dist.	
412.63	Intersect the Easterly endline, Aagh No. 5 lode, Uns., at a point from which the Southeast cor., identical with Cor. Nos. 2 and 1, Border Side lode and Blue Eagle No. 1 lode, respectively, bears S. 27°53'40" E., 431.83 ft. dist.	
480.	Alum Gulch, 30 ft. wide, course N. 50° E.	

FEET	
1275.	Gulch, 5 ft. wide at junction. N. branch 4 ft. wide, course West to here; S. branch 2 ft. wide, course N. 55° W. to here; course of combined channels is West below this point.
1500.00	<p>Cor. No. 3, identical with Cor. Nos. 1 and 2 of the Aagh No. 6 and South Red Mountain No. 1 lodes respectively, of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-BS-3-AA6-1-SRM1-2-4771.</p> <p>Thence S. 27°53'40" E.</p>
100.	Gulch, 2 ft. wide, course S. 55° W.
149.83	Intersect line 2-3 Aagh No. 19 lode of this survey.
170.	Gulch, 3 ft. wide, course N. 70° W.
300.00	Lode line; discovery point bears S. 62°10'50" W., 1490.0 ft. dist.
600.00	<p>Cor. No. 4, identical with Cor. No. 1 of the South Red Mountain No. 1 lode, and on line 1-2 United Verde No. 3 lode of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-BS-4-SRM1-1-4771.</p> <p>Thence S. 62°10'50" W.</p>
253.30	Cor. Nos. 1 and 2 United Verde No. 3 and Aagh No. 8 lodes, respectively, of this survey.
348.14	Intersect line 4-1 Wild Pig No. 16 lode of this survey.
417.92	Intersect line 1-2 Wild Pig No. 16 lode of this survey.
916.84	Intersect line 1-2 St. Louis lode of this survey.
1030.	Gulch, 2 ft. wide, course S. 85° W.
1079.76	Intersect line 4-1 St. Louis lode of this survey.
1135.	Gulch, 2 ft. wide, course West.
1500.00	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">AAGH NO. 8 LODE</p> <p>Beginning at Cor. No. 1 of the Aagh No. 8 lode, identical with Cor. No. 1 of the Border Side lode, and on line 1-2 Blue Eagle No. 1 lode, of this survey; from which</p> <p>The 1/4 sec. cor. of secs. 19 and 30, bears N. 87°53'35" E., 472.9 ft. dist., heretofore described.</p> <p style="text-align: center;">Thence N. 62°10'50" E.</p>

FEET	
1265.	Gulch, 2 ft. wide, course N. 45° E.
1415.	Gulch, 2 ft. wide, course S. 80° E.
1488.76	Cor. No. 4, identical with the North cor., Blue Eagle No. 2 lode, and on the Southerly sideline, Aagh No. 5 lode, both Uns. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-BE1-4-4771. Thence N. 62°10'50" E.
300.00	Lode line; discovery point bears S. 27°53'40" E., 10.0 ft. dist.
330.	Alum Gulch, 30 ft. wide, course North.
534.86	Intersect line 1-2 Wild Pig No. 16 lode of this survey.
600.00	Cor. No. 1, and place of beginning.
<p>BORDER SIDE LODE</p> <p>At Cor. No. 1 of the Border Side lode, identical with Cor. No. 1 of the Aagh No. 8 lode, and on line 1-2 Blue Eagle No. 1 lode, of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-ES-1-AA8-1-4771; from which</p> <p>The 1/4 sec. cor. of secs. 19 and 30, bears N. 87°53'35" E., 472.9 ft. dist., heretofore described.</p> <p>Thence N. 27°53'40" W.</p>	
190.	Gulch, 3 ft. wide, course S. 70° W.
300.00	Lode line; discovery point bears N. 62°10'50" E. 10.0 ft. dist.
565.93	Intersect line 1-2 Wild Pig No. 16 lode of this survey.
600.00	Cor. No. 2, identical with Cor. No. 1 of the Blue Eagle No. 1 lode of this survey, and with the Southeast cor., Aagh No. 5 lode, Uns. Thence N. 62°10'50" E.
165.	Gulch, 2 ft. wide, course N. 70° W.
751.60	Intersect line 3-4 Lime Bank No. 5 lode of this survey.
922.63	Intersect line 2-3 Lime Bank No. 5 lode, common with line 4-1 Aagh No. 19 lode, of this survey.
1230.23	Intersect line 3-4 Wild Pig No. 16 lode of this survey.

FEET	
	<p>The 1/4 sec. cor. of secs. 19 and 30, T. 22 S., R. 16 E., G. & S.R.M., Arizona, bears S. 55°45' E., 911.32 ft. dist., monumented by an iron post, 1 in. diam., 10 ins. above ground, firmly set, with brass cap properly mkd., stone mound alongside.</p> <p>Thence S. 27°53'40" E.</p>
34.07	Intersect line 1-2 Wild Pig No. 16 lode of this survey.
410.	Gulch, 3 ft. wide, course S. 70° W.
600.00	Cor. Nos. 1 and 1 Border Side and Aagh No. 8 lodes respectively, of this survey.
874.08	Intersect line 4-1 Old Boy Roger lode of this survey.
1030.	Gulch, 2 ft. wide, course S. 60° W.
1044.38	Cor. Nos. 4 and 4 Aagh No. 8 and Aagh No. 9 lodes respectively, of this survey.
1365.	Gulch, 5 ft. wide, course S. 45° W.
1488.76	<p>Cor. No. 2, identical with Cor. No. 3 of the Aagh No. 9 lode, and on line 4-1 Aagh No. 20 lode of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-BE1-2-AA9-3-4771.</p> <p>Thence S. 62°10'50" W.</p>
253.30	Cor. No. 4 Aagh No. 20 lode of this survey.
270.92	Intersect line 3-4 Old Boy Roger lode, common with line 1-2 Aagh No. 10 lode, of this survey.
300.00	Lode line; discovery point bears N. 27°53'40" W., 1478.76 ft. dist.
455.	Alum Gulch, 30 ft. wide, course N. 35° W.
495.	Gulch, 3 ft. wide, course N. 10° E.
560.	Gulch, 2 ft. wide, course S. 80° E.
600.00	<p>Cor. No. 3, identical with the East cor., Blue Eagle No. 2 lode, Uns.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-BE1-3-4771.</p> <p>Thence N. 27°53'40" W.</p>
20.	Gulch, 2 ft. wide, course N. 85° E.
223.36	Intersect line 4-1 Aagh No. 10 lode of this survey.
1040.	Gulch, 3 ft. wide, course N. 60° E.

FEET	
600.00	<p>Cor. No. 3, identical with the Northeast cor., Lime Bank lode, Uns., and on line 3-4 of the Lime Bank No. 4 lode of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-WP16-3-4771; from which</p> <p>Cor. No. 3, M.S. No. 352 Garfield lode, bears S. 51°36' E., 205.64 ft. dist.</p> <p>The Northeast cor., Aagh No. 5 lode, Uns., bears S. 63°34'20" W., 87.04 ft. dist.</p> <p>Thence N. 89°46'30" E.</p>
78.94	<p>Intersect line 3-5, M.S. No. 352 Garfield lode, at a point from which Cor. No. 3 bears S. 32°42' E., 152.16 ft. dist.</p>
105.	<p>Alum Gulch, 30 ft. wide, course N. 25° E.</p>
436.93	<p>Intersect line 2-3 Lime Bank No. 4 lode, common with line 4-1 Lime Bank No. 5 lode, of this survey.</p>
1018.21	<p>Intersect line 2-3 Lime Bank No. 5 lode, common with line 4-1 Aagh No. 19 lode of this survey.</p>
1240.	<p>Gulch, 5 ft. wide, course S. 75° W.</p>
1290.32	<p>Intersect line 2-3 Border Side lode of this survey.</p>
1350.	<p>Gulch, 2 ft. wide, course N. 55° W.</p>
1500.00	<p>Cor. No. 4.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-WP15-4-4771.</p> <p>Thence S. 0°13'30" E.</p>
300.00	<p>Lode line; discovery point bears S. 89°46'30" W., 1400.0 ft dist.</p>
383.70	<p>Intersect line 3-4 Aagh No. 19 lode of this survey.</p>
567.68	<p>Intersect line 4-1 Border Side lode, common with line 1-2 Aagh No. 3 lode, of this survey.</p>
600.00	<p>Cor. No. 1, and place of beginning.</p>
<p>BLUE EAGLE NO. 1 LODE</p>	
<p>At Cor. No. 1 of the Blue Eagle No. 1 lode, identical with Cor. No. 2 of the Border Side lode of this survey, and with the Southeast cor., Aagh No. 5 lode, Uns.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-BE1-1-BS-2-4771; from which</p>	

Mineral Survey No. 4771

FEET		
365.	Gulch, 2 ft. wide, course West.	
420.24	Intersect line 4-1 St. Louis lode of this survey.	
470.	Gulch, 2 ft. wide, course S. 85° W.	
583.16	Intersect line 1-2 St. Louis lode of this survey.	
1082.08	Intersect line 1-2 Wild Pig No. 16 lode of this survey.	
1151.86	Intersect line 4-1 Wild Pig No. 16 lode of this survey.	
1246.70	Cor. No. 2, identical with Cor. No. 1 of the United Verde No. 3 lode, and on line 4-1 Border Side lode, of this survey.	
	Set an iron pin, 5/8 in. diam., 24 ins. long. 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA8-2-UV3-1-4771.	
	Thence S. 27°53'40" E.	
222.00	Lode line; discovery point bears S. 62°10'50" W. 10.0 ft. dist.	
444.38	Cor. No. 3, identical with Cor. No. 1 of the Aagh No. 9 lode, and on line 4-1 United Verde No. 3 lode, of this survey.	
	Set an iron pin, 5/8 in. diam., 24 ins. long. 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA8-3-AA9-1-4771.	
	Thence S. 62°10'50" W.	
374.05	Intersect line 1-2 St. Louis lode of this survey.	
1090.58	Intersect line 3-4 St. Louis lode, common with line 1-2 Old Boy Roger lode, of this survey.	
1246.70	Cor. No. 4, identical with Cor. No. 4 of the Aagh No. 9 lode, and on line 1-2 Blue Eagle No. 1 lode, of this survey.	
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA8-4-AA9-4-4771.	
	Thence N. 27°53'40" W.	
14.38	Gulch, 2 ft. wide, course S. 60° W.	
170.30	Intersect line 4-1 Old Boy Roger lode of this survey.	
222.38	Lode line, discovery point bears N. 62°10'50" E., 1236.7 ft. dist.	
444.38	Cor. No. 1, and place of beginning.	

(This form bound on left side)

FEET

AAGH NO. 9 LODE

Beginning at Cor. No. 1 of the Aagh No. 9 lode, identical with Cor. No. 3 of the Aagh No. 8 lode, and on line 4-1 United Verde No. 3 lode, of this survey; from which

The 1/4 sec. cor. of secs. 19 and 30, bears S. 78°25'15" W., 855.34 ft. dist., heretofore described.

Thence S. 27°53'40" E.

15.	Gulch, 2 ft. wide, course S. 10° W.
165.	Gulch, 2 ft. wide, course S. 50° W.
222.38	Lode line; discovery point bears S. 62°10'50" W., 10.0 ft. dist.
444.38	Cor. No. 2, identical with Cor. No. 1 of the Aagh No. 20 lode, and on line 4-1 United Verde No. 3 lode, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA9-2-AA20-1-4771.
	Thence S. 62°10'50" W.
84.56	Intersect line 1-2 St. Louis lode of this survey.
785.	Gulch, 3 ft. wide, course S. 20° W.
801.09	Intersect line 3-4 St. Louis lode, common with line 1-2 Old Boy Roger lode, of this survey.
955.	Gulch, 3 ft. wide, course West.
1246.70	Cor. No. 3, identical with Cor. No. 2 of the Blue Eagle No. 1 lode, and on line 4-1 Aagh No. 20 lode, of this survey. Thence N. 27°53'40" W.
123.76	Gulch, 5 ft. wide, course S. 45° W.
222.00	Lode line; discovery point bears N. 62°10'50" E., 1236.7 ft. dist.
444.38	Cor. No. 4, identical with Cor. No. 4 of the Aagh No. 8 lode, and on line 1-2 Blue Eagle No. 1 lode of this survey. Thence N. 62°10'50" E.
156.12	Intersect line 1-2 Old Boy Roger lode, common with line 3-4 St. Louis lode, of this survey.
872.65	Intersect line 1-2 St. Louis lode of this survey.
1246.70	Cor. No. 1, and place of beginning.

FEET	
	AAGH NO. 20 LODE
	Beginning at Cor. No. 1 of the Aagh No. 20 lode, identical with Cor. No. 2 of the Aagh No. 9 lode and on line 4-1 United Verde No. 3 lode, of this survey; from which
	The 1/4 sec. cor. of secs. 19 and 30, bears N. 72°03'55" W., 1068.94 ft. dist., heretofore described.
	Thence S. 27°53'40" E.
129.81	Intersect line 1-2 St. Louis lode of this survey
265.	Gulch, 2 ft. wide, course S. 30° W.
300.00	Lode line; discovery point bears S. 62°10'50" W. 1490.0 ft. dist.
361.94	Intersect line 2-3 St. Louis lode of this survey.
600.00	Cor. No. 2, identical with Cor. Nos. 4, 4 and 2 of the United Verde No. 3, United Verde No. 4, and Esther lodes, respectively, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA20-2-UV3-4-UV4-4-ES-2-4771.
	Thence S. 62°10'50" W.
350.	Gulch, 3 ft. wide, course S. 10° E.
365.00	Intersect line 2-3 St. Louis lode of this survey.
410.22	Intersect line 3-4 St. Louis lode, common with line 1-2 Old Boy Roger lode, of this survey.
600.00	Cor. No. 1 Esther lode of this survey.
1126.75	Intersect line 3-4 Old Boy Roger lode, common with line 1-2 Aagh No. 10 lode, of this survey.
1500.00	Cor. No. 3.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA20-3-4771.
	Thence N. 27°53'40" W.
250.	Gulch, 3 ft. wide, course S. 30° W.
300.00	Lode line; discovery point bears N. 62°10'50" E. 10.0 ft. dist.
572.96	Intersect line 1-2 Aagh No. 10 lode, common with line 3-4 Old Boy Roger lode, of this survey.
600.00	Cor. No. 4, on line 2-3 Blue Eagle No. 1 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA20-4-4771.

(This form bound on left side)

FEET	
	Thence N. 62°10'50" E.
253.30	Cor. Nos. 2 and 3 Blue Eagle No. 1 and Aagh No. 9 lodes, respectively, of this survey.
545.	Gulch, 3 ft. wide, course West.
698.91	Intersect line 1-2 Old Boy Roger lode, common with line 3-4 St. Louis lode, of this survey.
715.	Gulch, 3 ft. wide, course S. 20° W.
1415.44	Intersect line 1-2 St. Louis lode of this survey.
1500.00	Cor. No. 1, and place of beginning.
ST. LOUIS LODE	
	At Cor. No. 1 of the St. Louis lode.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SL-1-4771; from which
	The 1/4 sec. cor. of secs. 19 and 30, bears S. 6°38'10" E., 300.01 ft. dist., heretofore described.
	Thence S. 60°57'15" E.
89.06	Intersect line 4-1 Border Side lode, common with line 1-2 Aagh No. 8 lode, of this survey.
619.74	Intersect line 3-4 Aagh No. 8 lode, common with line 4-1 Aagh No. 9 lode, of this survey.
850.	Gulch, 2 ft. wide, course S. 35° W.
885.	Gulch, 2 ft. wide, course S. 55° W.
1150.42	Intersect line 2-3 Aagh No. 9 lode, common with line 4-1 Aagh No. 20 lode, of this survey.
1305.44	Intersect line 1-2 Aagh No. 20 lode, common with line 4-1 United Verde No. 3 lode, of this survey.
1420.	Gulch, 2 ft. wide, course S. 30° W.
1500.00	Cor. No. 2.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SL-2-4771.
	Thence S. 29°02'45" W.
126.63	Intersect line 4-1 United Verde No. 3 lode, common with line 1-2 Aagh No. 20 lode, of this survey.
300.00	Lode line; discovery point bears N. 60°57'15" W., 1490.0 ft. dist.
550.	Gulch, 3 ft. wide, course S. 10° E.

FEET	
562.14	Intersect line 2-3 Aagh No. 20 lode, common with line 1-2 Esther lode, of this survey.
600.00	Cor. No. 3, identical with Cor. Nos. 1 and 2 Aagh No. 18 and Old Boy Roger lodes, respectively, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SL-3-AA18-1-OBR-2-4771. Thence N. 60°57'15" W.
24.72	Intersect line 1-2 Esther lode, common with line 2-3 Aagh No. 20 lode, of this survey.
730.	Gulch, 3 ft. wide, course S. 30° W.
741.26	Intersect line 4-1 Aagh No. 20 lode, common with line 2-3 Aagh No. 9 lode, of this survey.
915.	Gulch, 2 ft. wide, course S. 50° W.
950.	Gulch, 2 ft. wide, course S. 25° W.
1271.94	Intersect line 4-1 Aagh No. 9 lode, common with line 3-4 Aagh No. 8 lode, of this survey.
1330.	Gulch, 2 ft. wide, course S. 45° W.
1500.00	Cor. No. 4, identical with Cor. No. 1 of the Old Boy Roger lode of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SL-4-OBR-1-4771. Thence N. 29°02'45" E.
300.00	Lode line; discovery point bears S. 60°57'15" E., 10.0 ft. dist.
435.	Gulch, 2 ft. wide, course West.
463.58	Intersect line 1-2 Aagh No. 8 lode, common with line 4-1 Border Side lode, of this survey.
485.	Gulch, 2 ft. wide, course S. 85° W.
600.00	Cor. No. 1, and place of beginning.
<p>OLD BOY ROGER LODE</p> <p>At Cor. No. 1 of the Old Boy Roger lode, identical with Cor. No. 4 of the St. Louis lode, of this survey; from which</p> <p>The 1/4 sec. cor. of secs. 19 and 30, bears N. 55°12'10" E., 396.96 ft. dist., heretofore described.</p> <p>Thence S. 60°57'15" E.</p>	
170.	Gulch, 2 ft. wide, course S. 45° W.

(This form bound on left side)

FEET	
228.06	Intersect line 3-4 Aagh No. 8 lode, common with line 4-1 Aagh No. 9 lode, of this survey.
550.	Gulch, 2 ft. wide, course S. 25° W.
585.	Gulch, 2 ft. wide, course S. 50° W.
758.74	Intersect line 2-3 Aagh No. 9 lode, common with line 4-1 Aagh No. 20 lode, of this survey.
770.	Gulch, 3 ft. wide, course S. 30° W.
1475.28	Intersect line 2-3 Aagh No. 20 lode, common with line 1-2 Esther lode, of this survey.
1500.00	Cor. No. 2, identical with Cor. Nos. 3 and 1 of the St. Louis and Aagh No. 18 lodes, respectively, of this survey.
	Thence S. 29°02'45" W.
242.53	Intersect line 4-1 Esther lode of this survey.
300.00	Lode line; discovery point bears N. 60°57'15" W., 1490.0 ft. dist.
410.	Gulch, 2 ft. wide, course S. 20° W.
600.00	Cor. No. 3, identical with Cor. No. 4 of the Aagh No. 18 lode, and on line 1-2 Log Cabin lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-OBR-3-AA18-4-4771.
	Thence N. 60°57'15" W.
350.00	Cor. No. 1 Log Cabin lode, identical with Cor. No. 2 Aagh No. 10 lode, of this survey.
416.39	Intersect line 2-3 Aagh No. 20 lode of this survey.
680.	Gulch, 2 ft. wide, course West.
700.	Gulch, 2 ft. wide, course S. 55° W.
1100.62	Intersect line 3-4 Aagh No. 20 lode of this survey.
1132.91	Intersect line 2-3 Blue Eagle No. 1 lode of this survey.
1325.	Alum Gulch, 30 ft. wide, course N. 20° E.
1500.00	Cor. No. 4, identical with Cor. No. 1 of the Aagh No. 10 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-OBR-4-AA10-1-4771.
	Thence N. 29°02'45" E.
75.	Alum Gulch, 30 ft. wide, course N. 75° W.

FEET	
300.00	Lode line; discovery point bears S. 60°57'15" E. 10.0 ft. dist.
345.	Gulch, 3 ft. wide, course West.
562.16	Intersect line 1-2 Blue Eagle No. 1 lode, common with line 4-1 Aagh No. 8 lode, of this survey.
600.00	Cor. No. 1, and place of beginning.
AAGH NO. 10 LODE	
	Beginning at Cor. No. 1 of the Aagh No. 10 lode, identical with Cor. No. 4 of the Old Boy Roger lode of this survey; from which
	The 1/4 sec. cor. of secs. 19 and 30, bears N. 39°24'55" E., 972.19 ft. dist., heretofore described.
	Cor. No. 3 Blue Eagle No. 1 lode of this survey, identical with the East cor., Blue Eagle No. 2 lode, Uns., bears S.5°08'30" E., 333.14 ft. dist.
	Thence S. 60°57'15" E.
175.	Alum Gulch, 30 ft. wide, course N. 20° E.
367.09	Intersect line 2-3 Blue Eagle No. 1 lode of this survey.
399.38	Intersect line 3-4 Aagh No. 20 lode of this survey.
800.	Gulch, 2 ft. wide, course S. 55° W.
820.	Gulch, 2 ft. wide, course West.
1083.61	Intersect line 2-3 Aagh No. 20 lode of this survey.
1150.00	Cor. No. 2, identical with Cor. No. 1 of the Log Cabin lode, and on line 3-4 Old Boy Roger lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA10-2-L.C-1-4771.
	Thence S. 29°02'45" W.
208.00	Lode line; discovery point bears N. 60°57'15" W., 10.0 ft. dist.
416.50	Cor. No. 3, on line 4-1 Log Cabin lode of this survey, and on the Easterly endline, Aagh No. 13 lode, Uns.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA10-3-4771; from which

(This form bound on left side)

FEET	The East cor., St. Patrick lode, Uns., bears N. 5°52'40" W., 82.0 ft. dist.
	Thence N. 60°57'15" W.
40.50	Intersect the Southerly sideline, St. Patrick lode, Uns., at a point from which the East cor. bears N. 23°34' E., 67.54 ft. dist.
120.25	The North cor., Aagh No. 13 lode, Uns.
400.	Alum Gulch, 25 ft. wide, course N. 5° W.
405.14	The East cor., Aagh No. 11 lode, Uns.
643.25	Intersect the Northerly sideline, St. Patrick lode, Uns., at a point from which the North cor., identical with the East cor., North Star lode, Uns., bears N. 23°34' E., 10.05 ft. dist.
644.71	Intersect the Southerly sideline, North Star lode Uns., at a point from which the East cor., identical with the North cor., St. Patrick lode, Uns. bears N. 31°55'45" E., 10.0 ft. dist.
805.14	The North cor., Aagh No. 11 lode, Uns.
915.	Gulch, 3 ft. wide, course N. 55° E.
1054.79	Intersect the Southerly endline, Blue Eagle No. 2 lode, Uns., at a point from which the East cor., identical with Cor. No. 3 Blue Eagle No. 1 lode of this survey, bears N. 62°10'50" E., 168.29 ft. dist.
1150.00	<p data-bbox="548 1413 727 1448">Cor. No. 4.</p> <p data-bbox="548 1475 1321 1575">Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA10-4-4771; from which</p> <p data-bbox="597 1602 1321 1701">The East cor., North Star lode, identical with the North cor., St. Patrick lode, both Uns., bears S. 62°05'10" E., 505.89 ft. dist.</p> <p data-bbox="597 1728 1305 1800">The North cor., North Star lode, Uns., bears N. 37°41' W., 101.72 ft. dist.</p> <p data-bbox="727 1827 1078 1865">Thence N. 29°02'45" E.</p>
15.	Gulch, 2 ft. wide, course N. 75° E.
35.48	Intersect the Easterly endline, North Star lode, Uns., at a point from which the East cor., identical with the North cor., St. Patrick lode, Uns., bears S. 58°04'15" E., 506.44 ft. dist.
208.50	Lode line; discovery point bears S. 60°57'15" E., 1140.0 ft. dist.
262.77	Intersect the Easterly sideline, Blue Eagle No. 2 lode, Uns., common with line 3-4 Blue Eagle No. 1 lode of this survey.
416.50	Cor. No. 1, and place of beginning.

FEET	
	AAGH NO. 18 LODE
	Beginning at Cor. No. 1 of the Aagh No. 18 lode, identical with Cor. Nos. 2 and 3 of the Old Boy Roger and St. Louis lodes, respectively, of this survey; from which
	The 1/4 sec. cor. of secs. 19 and 30, bears N. 45°54'10" W., 1372.08 ft. dist., heretofore described.
	Thence S. 60°57'15" E.
25.	Gulch, 3 ft. wide, course S. 5° W.
220.	Gulch, 2 ft. wide, course S. 55° W.
680.	Gulch, 5 ft. wide, course South.
727.27	Intersect line 2-3 Esther lode, common with line 3-4 United Verde No. 4 lode, of this survey.
925.	Gulch, 4 ft. wide, course S. 60° W.
1150.00	Cor. No. 2. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA18-2-4771.
	Thence S. 29°02'45" W.
275.14	Intersect line 3-4 United Verde No. 4 lode, common with line 2-3 Esther lode, of this survey.
290.	Gulch, 3 ft. wide, course S. 65° W.
300.00	Lode line; discovery point bears N. 60°57'15" W., 1140.0 ft. dist.
325.	Gulch, 2 ft. wide, course N. 75° W.
600.00	Cor. No. 3, identical with Cor. No. 2 of the Log Cabin lode of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA18-3-LC-2-4771.
	Thence N. 60°57'15" W.
250.	Gulch, 2 ft. wide, course N. 40° W.
315.	Gulch, 4 ft. wide, course S. 85° W.
425.	Gulch, 7 ft. wide, course S. 35° W.
540.	Gulch, 2 ft. wide, course S. 40° W.
600.80	Intersect line 4-1 Esther lode of this survey.
1020.	Gulch, 2 ft. wide, course S. 45° W.
1140.	Gulch, 5 ft. wide, course S. 30° W.

FEET	
1150.00	Cor. No. 4, identical with Cor. No. 3 of the Old Boy Roger lode, and on line 1-2 Log Cabin lode, of this survey. Thence N. 29°02'45" E.
190.	Gulch, 2 ft. wide, course S. 20° W.
300.00	Lode line; discovery point bears S. 60°57'15" E., 10.0 ft. dist.
357.47	Intersect line 4-1 Esther lode of this survey.
600.00	Cor. No. 1, and place of beginning.
LOG CABIN LODE	
Beginning at Cor. No. 1 of the Log Cabin lode, identical with Cor. No. 2 of the Aagh No. 10 lode and on line 3-4 Old Boy Roger lode, of this survey; from which	
The 1/4 sec. cor. of secs. 19 and 30, bears N. 16°30'30" W., 1365.72 ft. dist., heretofore described.	
Thence S. 60°57'15" E.	
350.00	Cor. No. 3 Old Boy Roger lode, identical with Cor. No. 4 Aagh No. 18 lode, of this survey.
360.	Gulch, 5 ft. wide, course S. 30° W.
480.	Gulch, 2 ft. wide, course S. 45° W.
899.20	Intersect line 4-1 Esther lode of this survey.
960.	Gulch, 2 ft. wide, course S. 40° W.
1075.	Gulch, 7 ft. wide, course S. 35° W.
1185.	Gulch, 4 ft. wide, course S. 85° W.
1250.	Gulch, 2 ft. wide, course N. 40° W.
1500.00	Cor. No. 2, identical with Cor. No. 3 of the Aagh No. 18 lode of this survey. Thence S. 29°02'45" W.
300.00	Lode line; discovery point bears N. 60°57'15" W., 1490.0 ft. dist.
323.99	Intersect line 3-4 Steam Shovel lode of this survey.
600.00	Cor. No. 3, on the Easterly endline, St. Patrick No. 4 lode, Uns. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-LC-3-4771. Thence N. 60°57'15" W.

FEET	
180.17	Intersect line 3-4 Steam Shovel lode of this survey.
300.00	The North cor., St. Patrick No. 4 lode, identical with the East cor., St. Patrick No. 3 lode, both Uns.
880.	Gulch, 10 ft. wide, course S. 70° W.
900.00	The North cor., St. Patrick No. 3 lode, identical with the East cor., St. Patrick No. 2 lode, both Uns.
1330.	Alum Gulch, 25 ft. wide, course North.
1420.25	Intersect the Southerly sideline, Aagh No. 13 lode, Uns., at a point from which the East cor. bears N. 29°02'45" E., 183.5 ft. dist.
1500.00	Cor. No. 4, identical with the North cor., St. Patrick No. 2 lode, Uns. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-LC-4-4771; from which The East cor., Aagh No. 13 lode, Uns., bears N. 52°32'10" E., 200.08 ft. dist. Thence N. 29°02'45" E.
40.	Alum Gulch, 25 ft. wide, course S. 85° W.
183.50	Cor. No. 3, Aagh No. 10 lode of this survey, and on the Easterly endline, Aagh No. 13 lode, Uns., at a point from which the East cor. bears S. 60°57'15" E., 79.75 ft. dist.
300.00	Lode line; discovery point bears S. 60°57'15" E., 10.0 ft. dist.
600.00	Cor. No. 1, and place of beginning.
AAGH NO. 6 LODE	
	Beginning at Cor. No. 1 of the Aagh No. 6 lode, identical with Cor. Nos. 2 and 3 of the South Red Mountain No. 1 and Border Side lodes, respectively, of this survey; from which The 1/4 sec. cor. of secs. 19 and 30 bears S. 25°18' W., 1341.61 ft. dist., heretofore described. Thence N. 27°53'40" W.
121.00	Lode line; discovery point bears N. 62°10'50" E., 200.0 ft. dist.
242.30	Cor. No. 2. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA6-2-4771. Thence N. 62°10'50" E.

(This form bound on left side)

FEET	
195.84	Intersect line 2-3 Terry No. 1 lode of this survey.
205.46	Intersect line 2-3 Aagh No. 19 lode of this survey.
400.00	Cor. No. 3. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA6-3-4771.
	Thence S. 27°53'40" E.
121.30	Lode line; discovery point bears S. 62°10'50" W., 200.0 ft. dist.
242.30	Cor. No. 4, on line 2-3 South Red Mountain No. 1 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA6-4-4771.
	Thence S. 62°10'50" W.
98.30	Intersect line 2-3 Terry No. 1 lode of this survey.
321.49	Intersect line 2-3 Aagh No. 19 lode of this survey.
400.00	Cor. No. 1, and place of beginning.
	SOUTH RED MOUNTAIN NO. 1 LODE
	Beginning at Cor. No. 1 of the South Red Mountain No. 1 lode, identical with Cor. No. 4 of the Border Side lode, and on line 1-2 United Verde No. 3 lode, of this survey; from which
	The 1/4 sec. cor. of secs. 19 and 30, bears S. 51°21'55" W., 1093.35 ft. dist., heretofore described.
	Thence N. 27°53'40" W.
300.00	Lode line; discovery point bears N. 62°10'50" E., 1490.0 ft. dist.
430.	Gulch, 3 ft. wide, course N. 70° W.
450.17	Intersect line 2-3 Aagh No. 19 lode of this survey.
500.	Gulch, 2 ft. wide, course S. 55° W.
600.00	Cor. No. 2, identical with Cor. Nos. 3 and 1 of the Border Side and Aagh No. 6 lodes, respectively, of this survey.
	Thence N. 62°10'50" E.

FEET	
78.51	Intersect line 2-3 Aagh No. 19 lode of this survey.
301.70	Intersect line 2-3 Terry No. 1 lode of this survey.
400.00	Cor. No. 4 Aagh No. 6 lode of this survey.
745.	Andes Gulch, 5 ft. wide, course N. 35° W.
956.81	Intersect line 4-1 Terry No. 1 lode, common with line 2-3 Andes No. 2 lode, of this survey.
1145.	Road, 12 ft. wide, bears N. 25° W. and S. 25° E.
1500.00	Cor. No. 3, identical with Cor. Nos. 3 and 4 of the Aagh No. 7 and South Red Mountain No. 2 lodes, respectively, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SRMI-3-AA7-3-SRM2-4-4771.
	Thence S. 27°53'40" E.
124.54	Intersect line 1-2 Andes No. 2 lode of this survey.
300.00	Lode line; discovery point bears S. 62°10'50" W. 10.0 ft. dist.
600.00	Cor. No. 4, identical with Cor. No. 3 of the South Red Mountain No. 2 lode, and on line 4-1 South Red Mountain No. 3 lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SRMI-4-SRM2-3-4771.
	Thence S. 62°10'50" W.
30.	Road, 12 ft. wide, bears N. 70° W. and S. 70° E.
390.	Road, 12 ft. wide, bears N. 10° E. and S. 30° W.
464.95	Cor. No. 4, South Red Mountain No. 3 lode, identical with Cor. No. 4, Aagh No. 16 lode, of this survey.
553.31	Cor. No. 3, Aagh No. 16 lode, identical with Cor. No. 4, United Verde No. 1 lode, of this survey.
835.	Andes Gulch, 3 ft. wide, course N. 30° W.
1153.31	Cor. No. 3, United Verde No. 1 lode, identical with Cor. No. 2, United Verde No. 3 lode, of this survey.
1305.	Gulch, 2 ft. wide, course N. 50° W.
1500.00	Cor. No. 1, and place of beginning.

(This form bound on left side)

FEET	UNITED VERDE NO. 3 LODE
	<p>Beginning at Cor. No. 1 of the United Verde No. 3 lode, identical with Cor. No. 2 of the Aagh No. 8 lode, and on line 4-1 Border Side lode, of this survey; from which</p> <p>The 1/4 sec. cor. of secs. 19 and 30, bears S. 48°08'35" W., 845.88 ft. dist., heretofore described.</p> <p>Thence N. 62°10'50" E.</p>
253.30	Cor. No. 4 Border Side lode, identical with Cor. No. 1 South Red Mountain No. 1 lode, of this survey.
300.00	Lode line; discovery point bears S. 27°53'40" E., 1478.76 ft. dist.
448.30	Gulch, 2 ft. wide, course N. 50° W.
600.00	Cor. No. 2, identical with Cor. No. 3 of the United Verde No. 1 lode, and on line 4-1 South Red Mountain No. 1 lode, of this survey.
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-UV3-2-UV1-3-4771.</p> <p>Thence S. 27°53'40" E.</p>
1488.76	Cor. No. 3, identical with Cor. Nos. 2, 4 and 1 of the United Verde No. 1, United Verde No. 2, and United Verde No. 4 lodes, respectively, of this survey.
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-UV3-3-UV1-2-UV2-4-UV4-1-4771.</p> <p>Thence S. 62°10'50" W.</p>
300.00	Lode line; discovery point bears N. 27°53'40" W. 10.0 ft. dist.
600.00	Cor. No. 4, identical with Cor. Nos. 4, 2 and 2 of the United Verde No. 4, Esther, and Aagh No. 20 lodes, respectively, of this survey.
	Thence N. 27°53'40" W.
238.06	Intersect line 2-3 St. Louis lode of this survey.
335.	Gulch, 2 ft. wide, course S. 30° W.
470.19	Intersect line 1-2 St. Louis lode of this survey.
600.00	Cor. No. 1 Aagh No. 20 lode, identical with Cor. No. 2 Aagh No. 9 lode, of this survey.
879.38	Gulch, 2 ft. wide, course S. 50° W.
1029.38	Gulch, 2 ft. wide, course S. 10° W.

FEET	
1044.38	Cor. No. 1 Aagh No. 9 lode, identical with Cor. No. 3 Aagh No. 8 lode, of this survey.
1488.76	Cor. No. 1, and place of beginning.
UNITED VERDE NO. 1 LODE	
	At Cor. No. 1 of the United Verde No. 1 lode, identical with Cor. Nos. 2, 4 and 1 of the Aagh No. 16, Aagh No. 17, and United Verde No. 2 lodes, respectively, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-UV1-1-AA16-2-AA17-4-UV2-1-4771; from which
	The cor. of secs. 19, 20, 29 and 30, bears N. 66°10'20" E., 418.35 ft. dist., heretofore described.
	Thence S. 62°10'50" W.
300.00	Lode line; discovery point bears N. 27°53'40"W., 10.0 ft. dist.
325.	Gulch, 4 ft. wide, course S. 35° W.
600.00	Cor. No. 2, identical with Cor. Nos. 4, 1 and 3 of the United Verde No. 2, United Verde No. 4, and United Verde No. 3 lodes, respectively, of this survey.
	Thence N. 27°53'40" W.
1488.76	Cor. No. 3, identical with Cor. No. 2 of the United Verde No. 3 lode, and on line 4-1 South Red Mountain No. 1 lode, of this survey.
	Thence N. 62°10'50" E.
300.00	Lode line; discovery point bears S. 27°53'40"E., 1478.76 ft. dist.
218.31	Andes Gulch, 3 ft. wide, course N. 30° W.
600.00	Cor. No. 4, identical with Cor. No. 3 of the Aagh No. 16 lode, and on line 4-1 South Red Mountain No. 1 lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-UV1-4-AA16-3-4771.
	Thence S. 27°53'40" E.
100.	Road, 12 ft. wide, bears N.20° E. and S. 20° W.
155.	Road, 12 ft. wide, bears N.25° E. and S. 25° W.
785.	Road, 12 ft. wide, bears N. 45° E. and S. 45° W.
1305.	Gulch, 2 ft. wide, course S. 15° W.
1488.76	Cor. No. 1, and place of beginning.

FEET	AAGH NO. 16 LODE
	At Cor. No. 1 of the Aagh No. 16 lode, identical with Cor. No. 1 of the Aagh No. 17 lode, and on line 1-2 South Red Mountain 5 lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA16-1-AA17-1-4771; from which
	The cor. of secs. 19, 20, 29 and 30, bears N. 67°14'20" E., 330.26 ft. dist., heretofore described.
	Thence S. 62°10'50" W.
44.18	Lode line; discovery point bears N. 27°53'40" W., 10.0 ft. dist.
88.36	Cor. No. 2, identical with Cor. Nos. 4, 1 and 1 of the Aagh No. 17, United Verde No. 2, and United Verde No. 1 lodes, respectively, of this survey.
	Thence N. 27°53'40" W.
183.76	Gulch, 2 ft. wide, course S. 15° W.
703.76	Road, 12 ft. wide, bears N. 45° E. and S. 45° W.
1333.76	Road, 12 ft. wide, bears N. 25° E. and S. 25° W.
1388.76	Road, 12 ft. wide, bears N. 20° E. and S. 20° W.
1488.76	Cor. No. 3, identical with Cor. No. 4 of the United Verde No. 1 lode, and on line 4-1 South Red Mountain No. 1 lode, of this survey.
	Thence N. 62°10'50" E.
44.18	Lode line; discovery point bears S. 27°53'40" E., 1478.76 ft. dist.
88.36	Cor. No. 4, identical with Cor. No. 4 of the South Red Mountain No. 3 lode, and on line 4-1 South Red Mountain No. 1 lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA16-4-SRM3-4-4771.
	Thence S. 27°53'40" E.
25.	Road, 12 ft. wide, bears N. 40° E. and S. 40° W.
100.	Road, 12 ft. wide, bears N. 35° E. and S. 35° W.
595.50	Cor. No. 3 South Red Mountain No. 3 lode, identical with Cor. No. 2 South Red Mountain No. 4 lode, of this survey.
750.	Road, 12 ft. wide, bears N. 35° E. and S. 35° W.

FEET	
1175.	Gulch, 2 ft. wide, course S. 20° W.
1191.00	Cor. No. 1 South Red Mountain No. 4 lode, identical with Cor. No. 2 South Red Mountain 5 lode of this survey.
1488.76	Cor. No. 1, and place of beginning.
ESTHER LODE	
At Cor. No. 1 of the Esther lode, on line 2-3 Aagh No. 20 lode of this survey.	
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside with aluminum cap mkd. X-ES-1-4771; from which	
The 1/4 sec. cor. of secs. 19 and 30, bears N. 37°39'30" W., 1302.77 ft. dist., heretofore described.	
Thence N. 62°10'50" E.	
189.78	Intersect line 1-2 Old Boy Roger lode, common with line 3-4 St. Louis lode, of this survey.
235.00	Intersect line 2-3 St. Louis lode of this survey.
250.	Gulch, 3 ft. wide, course S. 10° E.
300.00	Lode line; discovery point bears S. 27°53'40" E., 1478.76 ft. dist.
600.00	Cor. No. 2, identical with Cor. Nos. 2, 4 and 4 of the Aagh No. 20, United Verde No. 3, and United Verde No. 4 lodes, respectively, of this survey.
Thence S. 27°53'40" E.	
550.	Gulch, 5 ft. wide, course S. 10° W.
629.70	Intersect line 1-2 Aagh No. 18 lode of this survey.
800.	Gulch, 5 ft. wide, course S. 60° W.
1134.08	Intersect line 2-3 Aagh No. 18 lode of this survey.
1145.	Gulch, 3 ft. wide, course S. 65° W.
1215.	Gulch, 2 ft. wide, course N. 60° W.
1488.76	Cor. No. 3, identical with Cor. No. 3 of the United Verde No. 4 lode, and on line 3-4 Cowboy lode, of this survey.
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-ES-3-UV4-3-4771.	
Thence S. 62°10'50" W.	

FEET	
300.00	Lode line; discovery point bears N. 27°53'40" W., 10.0 ft. dist., and Cor. Nos. 3 and 4, Cowboy and Steam Shovel lodes, respectively.
543.81	Intersect line 2-3 Log Cabin lode of this survey.
600.00	Cor. No. 4, on line 3-4 Steam Shovel lode of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-ES-4-4771. Thence N. 27°53'40" W.
490.	Gulch, 10 ft. wide, course S. 80° W.
610.	Gulch, 2 ft. wide, course S. 40° W.
680.19	Intersect line 1-2 Log Cabin lode, common with line 3-4 Aagh No. 18 lode, of this survey.
1210.	Gulch, 4 ft. wide, course S. 35° W.
1335.49	Intersect line 4-1 Aagh No. 18 lode, common with line 2-3 Old Boy Roger lode, of this survey.
1488.76	Cor. No. 1, and place of beginning.
UNITED VERDE NO. 4 LODE	
Beginning at Cor. No. 1 of the United Verde No. 4 lode, identical with Cor. Nos. 3, 2 and 4 of the United Verde No. 3 lode, United Verde No. 1, and United Verde No. 2 lodes, respectively, of this survey; from which	
The cor. of secs. 19, 20, 29 and 30, bears N. 63°49'15" E., 1017.75 ft. dist., heretofore described.	
Thence S. 27°53'40" E.	
75.	Gulch, 5 ft. wide, course S. 45° W.
835.	Gulch, 3 ft. wide, course S. 70° W.
1488.76	Cor. No. 2, identical with Cor. No. 3 of the United Verde No. 2 lode, and on line 2-3 United Verde No. 5 lode, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-UV4-2-UV2-3-4771. Thence S. 62°10'50" W.
300.00	Lode line; discovery point bears N. 27°53'40" W., 1478.76 ft. dist., and Cor. Nos. 2 and 4, United Verde No. 5 and Cowboy lodes, respectively.
600.00	Cor. No. 3, identical with Cor. No. 3 of the Esther lode, and on line 3-4 Cowboy lode, of this survey. Thence N. 27°53'40" W.

FEET	
273.76	Gulch, 2 ft. wide, course N. 60° W.
343.76	Gulch, 3 ft. wide, course S. 65° W.
354.68	Intersect line 2-3 Aagh No. 18 lode of this survey.
688.76	Gulch, 5 ft. wide, course S. 60° W.
859.06	Intersect line 1-2 Aagh No. 18 lode of this survey.
938.76	Gulch, 5 ft. wide, course S. 10° W.
1488.76	Cor. No. 4, identical with Cor. Nos. 2, 2 and 4 of the Esther, Aagh No. 20, and United Verde No. 3 lodes, respectively, of this survey. Thence N. 62°10'50" E.
300.00	Lode line; discovery point bears S. 27°53'40" E. 10.0 ft. dist.
600.00	Cor. No. 1, and place of beginning.
UNITED VERDE NO. 2 LODGE	
	Beginning at Cor. No. 1 of the United Verde No. 2 lode, identical with Cor. Nos. 1, 2 and 4 of the United Verde No. 1, Aagh No. 16, and Aagh No. 17 lodes, respectively, of this survey; from which The cor. of secs. 19, 20, 29 and 30, bears N. 66°10'20" E., 418.35 ft. dist., heretofore described. Thence S. 27°53'40" E.
1488.76	Cor. No. 2, identical with Cor. No. 3 of the Aagh No. 17 lode, and on line 2-3 La Tuna No. 1 lode, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-UV2-2-AA17-3-4771. Thence S. 62°10'50" W.
250.	Gulch, 2 ft. wide, course S. 15° W.
300.00	Lode line; discovery point bears N. 27°53'40" W., 1478.76 ft. dist., and Cor. Nos. 2 and 3, La Tuna No. 1 and United Verde No. 5 lodes, respectively.
600.00	Cor. No. 3, identical with Cor. No. 2 of the United Verde No. 4 lode, and on line 2-3 United Verde No. 5 lode, of this survey. Thence N. 27°53'40" W.
653.76	Gulch, 3 ft. wide, course S. 70° W.
1413.76	Gulch, 5 ft. wide, course S. 45° W.

(This form bound on left side)

FEET		
1488.76		Cor. No. 4, identical with Cor. Nos. 1, 3 and 2 of the United Verde No. 4, United Verde No. 3, and United Verde No. 1 lodes, respectively, of this survey. Thence N. 62°10'50" E.
275.		Gulch, 4 ft. wide, course S. 35° W.
300.00		Lode line; discovery point bears S. 27°53'40" E. 10.00 ft. dist.
600.00		Cor. No. 1, and place of beginning.
		AAGH NO. 17 LODE
		Beginning at Cor. No. 1 of the Aagh No. 17 lode, identical with Cor. No. 1 of the Aagh No. 16 lode and on line 1-2 South Red Mountain 5 lode, of this survey; from which The cor. of secs. 19, 20, 29 and 30, bears N. 67°14'20" E., 330.26 ft. dist., heretofore described. Thence S. 27°53'40" E.
297.76		Cor. No. 1 South Red Mountain 5 lode, identical with Cor. No. 1 South Red Mountain No. 6 lode, of this survey.
893.26		Cor. No. 4 South Red Mountain No. 6 lode, identical with Cor. No. 3 South Red Mountain No. 7 lode, of this survey.
1345.		Gulch, 2 ft. wide, course S. 45° E.
1488.76		Cor. No. 2, identical with Cor. Nos. 2 and 4 of the South Red Mountain No. 7 and South Red Mountain No. 8 lodes, respectively, and on line 2-3 La Tuna No. 1 lode, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA17-2-SRM7-2-SRM8-4-4771. Thence S. 62°10'50" W.
44.18		Lode line; discovery point bears N. 27°53'40" W. 1478.76 ft. dist.
88.36		Cor. No. 3, identical with Cor. No. 2 of the United Verde No. 2 lode, and on line 2-3 La Tuna No. 1 lode, of this survey. Thence N. 27°53'40" W.
1488.76		Cor. No. 4, identical with Cor. Nos. 1, 1 and 2 of the United Verde No. 2, United Verde No. 1, and Aagh No. 16 lodes, respectively, of this survey. Thence N. 62°10'50" E.
44.18		Lode line; discovery point bears S. 27°53'40" E. 10.0 ft. dist.

FEET	
88.36	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">STEAM SHOVEL LODE</p> <p>At Cor. No. 1 of the Steam Shovel lode, identical with Cor. No. 2 of the Cowboy lode of this survey, and with the West cor., Red Hawk No. 1 lode, and the North cor., Aagh No. 14 lode, both Uns.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SS-1-CO-2-4771; from which</p> <p style="padding-left: 40px;">The 1/4 sec. cor. of secs. 29 and 30, T. 22S., R. 16 E., G & S.R.M., Arizona, bears N. 20°46'35" E., 929.24 ft. dist., monumented with an iron post, 1 in. diam., 10 ins. above ground, firmly set, with brass cap properly mkd.</p> <p style="text-align: center;">Thence S. 62°10'50" W.</p>
300.00	Lode line; discovery point bears N. 27°53'40" W., 10.0 ft. dist.
303.23	Intersect the Westerly sideline, Chloe No. 68 lode, common with the Easterly sideline, Chloe No. 69 lode, both Uns., at a point from which the Northwest and Northeast cors., respectively, bears North, 797.15 ft. dist.
600.00	<p>Cor. No. 2, identical with the West cor., Aagh No. 14 lode, Uns.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SS-2-4771.</p> <p style="text-align: center;">Thence N. 27°53'40" W.</p>
115.	Gulch, 10 ft. wide, course S. 50° W. to this point, and S. 30° W. below this point.
721.44	Intersect the Westerly sideline, Chloe No. 69 lode, common with the Easterly sideline, Chloe No. 71 lode, both Uns., at a point from which the Northwest and Northeast cors., respectively, bears North, 298.02 ft. dist.
905.31	Intersect the Southerly sideline, St. Patrick No. 4 lode, Uns., at a point from which the East cor. bears N. 28°26' E., 346.7 ft. dist.
1058.63	Intersect the Northerly endline, Chloe No. 71 lode, Uns., at a point from which the Northeast cor., identical with the Northwest cor., Chloe No. 69 lode, Uns., bears East, 157.76 ft. dist.
1100.	Gulch, 3 ft. wide, course S. 45° W.
1500.00	<p>Cor. No. 3.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SS-3-4771; from which</p>

(This form bound on left side)

FEET	
	<p>The Northeast cor., Chloe No. 71 lode, Uns., identical with the Northwest cor., Chloe No. 69 lode, Uns., bears S. 43°02'20" E., 533.71 ft. dist.</p> <p>The East cor., St. Patrick No. 4 lode, Uns., bears S. 63°31'05" E., 495.21 ft. dist.</p> <p>Thence N. 62°10'50" E.</p>
26.59	Intersect the Easterly endline, St. Patrick No. 4 lode, Uns., common with line 3-4 Log Cabin lode of this survey, at a point from which the East cor. bears S. 60°57'15" E., 480.17 ft. dist.
300.00	Lode line; discovery point bears S. 27°53'40" E., 1490.0 ft. dist., and Cor. No. 4 Esther lode of this survey.
356.19	Intersect line 2-3 Log Cabin lode of this survey.
600.00	Cor. No. 4, identical with Cor. No. 3 of the Cowboy lode, and on line 3-4 Esther lode, of this survey.
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SS-4-CO-3-4771.</p> <p>Thence S. 27°53'40" E.</p>
758.18	Intersect the Northerly endline, Chloe No. 69 lode, Uns., at a point from which the Northwest cor., identical with the Northeast cor., Chloe No. 71 lode, Uns., bears West, 521.12 ft. dist.
926.77	Intersect the Easterly sideline, Chloe No. 69 lode, common with the Westerly sideline, Chloe No. 68 lode, both Uns., at a point from which the Northeast and Northwest cors., respectively, bears North, 149.01 ft. dist.
1375.	Gulch, 10 ft. wide, course S. 35° W.
1500.00	Cor. No. 1, and place of beginning.
COWBOY LODE	
	<p>At Cor. No. 1 of the Cowboy lode, identical with Cor. No. 1 of the United Verde No. 5 lode of this survey, and with the West cor., Red Hawk No. 2 lode, and the North cor., Red Hawk No. 1 lode, both Uns.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-CO-1-UV5-1-4771; from which</p> <p>The 1/4 sec. cor. of secs. 29 and 30, bears N. 18°51'05" W., 622.18 ft. dist., heretofore described.</p> <p>Thence S. 62°10'50" W.</p>

FEET	
224.82	Intersect the Easterly sideline, Chloe No. 68 lode, Uns., at a point from which the Northeast cor. bears North 480.54 ft. dist.
300.00	Lode line; discovery point bears N. 27°53'40" W. 10.0 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 1 of the Steam Shovel lode of this survey, and with the West cor., Red Hawk No. 1 lode, and the North cor., Aagh No. 14 lode, both Uns., from which The Northwest cor. Chloe No. 68 lode, Uns., identical with the Northeast cor., Chloe No. 69 lode, Uns., bears N. 22°14'50" W., 708.37 ft. dist. Thence N. 27°53'40" W.
125.	Gulch, 10 ft. wide, course S. 35° W.
573.23	Intersect the Westerly sideline, Chloe No. 68 lode, common with the Easterly sideline, Chloe No. 69 lode, both Uns., at a point from which the Northwest and Northeast cors., respectively, bears North, 149.01 ft. dist.
741.82	Intersect the Northerly endline, Chloe No. 69 lode, Uns., at a point from which the Northeast cor., identical with the Northwest cor., Chloe No. 68 lode, Uns., bears East, 78.88 ft. dist.
1500.00	Cor. No. 3, identical with Cor. No. 4 of the Steam Shovel lode and on line 3-4 Esther lode, of this survey. Thence N. 62°10'50" E.
300.00	Lode line, discovery point bears S. 27°53'40" E., 1490.0 ft. dist., and Cor. No. 3 Esther lode, identical with Cor. No. 3 United Verde No. 4 lode, of this survey.
600.00	Cor. No. 4, identical with Cor. No. 2 of the United Verde No. 5 lode, and on line 2-3 United Verde No. 4 lode, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-CO-4-UV5-2-4771. Thence S. 27°53'40" E.
525.	Gulch, 3 ft. wide, course S. 35° W.
1015.	Gulch, 7 ft. wide, course S. 70° W. to this point and N. 70° W. below this point.
1075.00	The Northeast cor., Chloe No. 68 lode, Uns.
1500.00	Cor. No. 1, and place of beginning.

(This form bound on left side)

FEET	
	UNITED VERDE NO. 5 LODGE
	Beginning at Cor. No. 1 of the United Verde No. 5 lode, identical with Cor. No. 1 of the Cowboy lode of this survey, and with the West cor., Red Hawk No. 2 lode, and the North cor., Red Hawk No. 1 lode, both Uns.; from which
	The 1/4 sec. cor. of secs. 29 and 30, bears N. 18°51'05" W., 622.18 ft. dist., heretofore described.
	Thence N. 27°53'40" W.
425.00	The Northeast cor., Chloe No. 68 lode, Uns.
485.	Gulch, 7 ft. wide, course S. 70° W. to this point, and N. 70° W. below this point.
975.	Gulch, 3 ft. wide, course S. 35° W.
1500.00	Cor. No. 2, identical with Cor. No. 4 of the Cowboy lode, and on line 2-3 United Verde No. 4 lode, of this survey.
	Thence N. 62°10'50" E.
300.00	Lode line; discovery point bears S. 27°53'40" E., 1490.0 ft. dist., and Cor. No. 2 United Verde No. 4 lode, identical with Cor. No. 3 United Verde No. 2 lode, of this survey.
600.00	Cor. No. 3, identical with Cor. No. 2 of the La Tuna No. 1 lode, on line 2-3 United Verde No. 2 lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-UV5-3-LT1-2-4771.
	Thence S. 27°53'40" E.
55.	Gulch, 2 ft. wide, course S. 20° W.
595.	Gulch, 3 ft. wide, course S. 10° W.
655.	Gulch, 5 ft. wide, course S. 60° W.
1500.00	Cor. No. 4, identical with Cor. No. 1 of the La Tuna No. 1 lode of this survey, and with the West cor., Red Hawk No. 3 lode, and the North cor., Red Hawk No. 2 lode, both Uns.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-UV5-4-LT1-1-4771.
	Thence S. 62°10'50" W.
300.00	Lode line; discovery point bears N. 27°53'40" W. 10.0 ft. dist.
580.	Gulch, 3 ft. wide, course S. 25° E.
600.00	Cor. No. 1, and place of beginning.

FEET	
	LA TUNA NO. 1 LODE
	Beginning at Cor. No. 1 of the La Tuna No. 1 lode, identical with Cor. No. 4 of the United Verde No. 5 lode of this survey, and with the West cor., Red Hawk No. 3 lode, and the North cor., Red Hawk No. 2 lode, both Uns.; from which
	The 1/4 sec. cor. of secs. 29 and 30, bears N. 67°07'10" W., 794.18 ft. dist., heretofore described.
	Thence N. 27°53'40" W.
845.	Gulch, 5 ft. wide, course S. 60° W.
905.	Gulch, 3 ft. wide, course S. 10° W.
1445.	Gulch, 2 ft. wide, course S. 20° W.
1500.00	Cor. No. 2, identical with Cor. No. 3 of the United Verde No. 5 lode, and on line 2-3 United Verde No. 2 lode, of this survey.
	Thence N. 62°10'50" E.
50.	Gulch, 2 ft. wide, course S. 15° W.
300.00	Lode line; discovery point bears S. 27°53'40" E. 1490.0 ft. dist., and Cor. No. 2 United Verde No. 2 lode, identical with Cor. No. 3 Aagh No. 17 lode, of this survey.
388.36	Cor. No. 2 Aagh No. 17 lode, identical with Cor. Nos. 2 and 4 of the South Red Mountain No. 7 and South Red Mountain No. 8 lodes, respectively, of this survey.
430.	Gulch, 2 ft. wide, course S. 35° E.
500.	Gulch, 3 ft. wide, course S. 20° W.
600.00	Cor. No. 3, on line 1-2 South Red Mountain No. 7 lode, common with line 4-1 South Red Mountain No. 8 lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-LT1-3-4771.
	Thence S. 27°53'40" E.
450.	Gulch, 5 ft. wide, course S. 25° W.
525.	Gulch, 2 ft. wide, course N. 80° W.
595.50	Intersect line 2-3 South Red Mountain No. 8 lode, common with line 1-2 Red Hawk No. 6 lode, of this survey.
1191.00	Intersect line 3-4 Red Hawk No. 6 lode of this survey , and the West cor., Red Hawk No. 5 lode, Uns.

(This form bound on left side)

FEET	
1500.00	Cor. No. 4, identical with the North cor., Red Hawk No. 3 lode, and on the westerly sideline, Red Hawk No. 5 lode, both Uns.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-LT1-4-4771.
	Thence S. 62°10'50" W.
300.00	Lode line; discovery point bears N. 27°53'40" W., 10.0 ft. dist.
600.00	Cor. No. 1, and place of beginning.
AAGH NO. 7 LODE	
	At Cor. No. 1 of the Aagh No. 7 lode.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA7-1-4771; from which
	The 1/4 sec. cor. of secs. 19 and 20, bears S. 58°46'10" W., 409.73 ft. dist., heretofore described.
	Cor. No. 1, M.S. No. 4767 Red Castle No. 8 lode, identical with Cor. No. 1, M.S. No. 4767 Red Castle No. 9 lode, Cor. No. 1, M.S. No. 4767 Red Castle No. 3 lode, and Cor. No. 1, M.S. No. 4767 Red Castle No. 5 lode, bears N. 76°19'40" W., 348.44 ft. dist.
	Thence S. 27°53'40" E.
93.72	Lode line; discovery point bears S. 62°10'50" W., 811.0 ft. dist.
115.49	Intersect line 4-1 Hank No. 2 lode of this survey.
187.44	Cor. No. 2, identical with Cor. No. 1 of the South Red Mountain No. 2 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA7-2-SRM2-1-4771.
	Thence S. 62°10'50" W.
77.92	Intersect line 4-1, M.S. No. 4767 Red Castle No. 8 lode, common with line 1-2, M.S. 4767 Red Castle No. 9 lode, at a point from which Cor. Nos. 1 and 1, respectively, identical with Cor. No. 1, M.S. No. 4767 Red Castle No. 3 lode, and Cor. No. 1, M.S. No. 4767, Red Castle No. 5 lode, bears N. 51°29'05" W., 456.7 ft. dist.
135.	Gulch, 3 ft. wide, course N. 5° E.
733.02	Intersect line 3-4, M.S. No. 4767 Red Castle No. 9 lode, at a point from which Cor. No. 4, identical with Cor. No. 1, M.S. No. 4767 Red Castle No. 2 lode, and Cor. No. 2, M.S. No. 4767 Red Castle No. 3 lode, bears N. 51°29'05" W., 193.73 ft. dist.

FEET	
1215.66	Intersect line 1-2, M.S. No. 4767 Red Castle No. 2 lode, at a point from which Cor. No. 1, identical with Cor. No. 2 M.S. No. 4767 Red Castle No. 3 lode, and Cor. No. 4, M.S. No. 4767 Red Castle No. 9 lode, bears N. 38°30'55" E., 442.06 ft. dist.
1388.10	Intersect line 2-3, M.S. No. 4767 Red Castle No. 2 lode, common with line 4-1 Andes No. 2 lode of this survey, at a point from which Cor. Nos. 2 and 1, respectively, bears S. 51°29'05" E., 69.22 ft. dist.
1415.	Gulch, 5 ft. wide at junction. N. branch 3 ft. wide, course N. 85° W. to here; S. branch 5 ft. wide, course N. 15° W. to here; course of combined channels is N. 15° W. below this point.
1500.00	Cor. No. 3, identical with Cor. Nos. 4 and 3 of the South Red Mountain No. 2 and South Red Mountain No. 1 lodes, respectively, of this survey. Thence N. 27°53'40" W.
93.72	Lode line; discovery point bears N. 62°10'50" E., 689.0 ft. dist.
187.44	Cor. No. 4. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA7-4-4771; from which Cor. No. 1, M.S. No. 4767 Red Castle No. 2 lode, identical with Cor. No. 2, M.S. No. 4767 Red Castle No. 3 lode, and Cor. No. 4 M.S. No. 4767 Red Castle No. 9 lode, bears N. 63°00'40" E., 689.53 ft. dist. Thence N. 62°10'50" E.
10.	Road, 12 ft. wide, bears N. 55° W. and S. 55° E.
29.99	Intersect line 4-1 Andes No. 2 lode of this survey, common with line 2-3, M.S. No. 4767 Red Castle No. 2 lode, at a point from which Cor. Nos. 1 and 2, respectively, bears S. 51°29'05" E. 273.86 ft. dist.
120.	Gulch, 5 ft. wide, course N. 20° W.
175.	Road, 12 ft. wide, bears N. 10° W. and S. 5° E.
685.08	Intersect line 4-1, M.S. No. 4767 Red Castle No. 2 lode, common with line 2-3, M.S. No. 4767 Red Castle No. 3 lode, at a point from which Cor. Nos. 1 and 2, respectively, identical with Cor. No. 4, M.S. No. 4767 Red Castle No. 9 lode, bears S. 51°29'05" E., 10.91 ft. dist.
712.27	Intersect line 1-2, M.S. No. 4767 Red Castle No. 3 lode, common with line 4-1, M.S. No. 4767 Red Castle No. 9 lode, at a point from which Cor. Nos. 2 and 4, respectively, identical with Cor. No. 1, M.S. No. 4767 Red Castle No. 2 lode, bears S. 38°30'55" W., 24.9 ft. dist.

(This form bound on left side)

FEET	
1280.16	Intersect line 4-1 Hank No. 2 lode of this survey.
1340.17	Intersect line 1-2, M.S. No. 4767 Red Castle No. 9 lode, common with line 4-1, M.S. No. 4767 Red Castle No. 8 lode, at a point from which Cor. Nos. 1 and 1, respectively, identical with Cor. No. 1, M.S. No. 4767 Red Castle No. 3 lode, and Cor. No. 1, M.S. No. 4767 Red Castle No. 5 lode, bears N. 51°29'05" W., 252.04 ft. dist.
1450.	Gulch, 3 ft. wide, course N. 15° W.
1500.00	Cor. No. 1, and place of beginning.
SOUTH RED MOUNTAIN NO. 2 LODE	
Beginning at Cor. No. 1 of the South Red Mountain No. 2 lode, identical with Cor. No. 2 of the Aagh No. 7 lode of this survey; from which	
The 1/4 sec. cor. of secs. 19 and 20, bears S. 83°54'20" W., 440.54 ft. dist., heretofore described.	
Thence S. 27°53'40" E.	
178.33	Intersect line 4-1, M.S. No. 4767 Red Castle No. 8 lode, common with line 1-2, M.S. No. 4767 Red Castle No. 9 lode, at a point from which Cor. Nos. 4 and 2, respectively, bears S. 51°29'05" E. 848.59 ft. dist.
300.00	Lode line; discovery point bears S. 62°10'50" W., 1490.0 ft. dist.
600.00	Cor. No. 2, on line 1-2 Charlotte lode of this survey.
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SRM2-2-4771.	
Thence S. 62°10'50" W.	
180.	Road, 12 ft. wide, bears N. 30° W. and S. 30° E.
464.95	Cor. No. 1 Charlotte lode, identical with Cor. No. 1 South Red Mountain No. 3 lode, of this survey.
470.85	Intersect line 3-4, M.S. No. 4767 Red Castle No. 9 lode, at a point from which Cor. No. 3 bears S. 51°29'05" E., 651.15 ft. dist.
1160.	Road, 12 ft. wide, bears N. 30° W. and S. 25° E.
1300	Gulch, 3 ft. wide, course N. 55° W.
1500.00	Cor. No. 3, identical with Cor. No. 4 of the South Red Mountain No. 1 lode, and on line 4-1 South Red Mountain No. 3 lode, of this survey.
Thence N. 27°53'40" W.	

FEET	
300.00	Lode line; discovery point bears N. 62°10'50" E., 10.0 ft. dist.
475.46	Intersect line 1-2 Andes No. 2 lode of this survey.
600.00	Cor. No. 4, identical with Cor. Nos. 3 and 3 of the South Red Mountain No. 1 and Aagh No. 7 lodes, respectively, of this survey; from which Cor. No. 2, M.S. No. 4767 Red Castle No. 2 lode, identical with Cor. No. 1 Andes No. 2 lode of this survey, bears N. 86°35'30" E. 153.4 ft. dist. Thence N. 62°10'50" E.
85.	Gulch, 5 ft. wide at junction. N. branch 3 ft. wide, course N. 85° W. to here; S. branch 5 ft. wide, course N. 15° W. to here; course of combined channels is N. 15° W. below this point.
111.90	Intersect line 4-1 Andes No. 2 lode of this survey, common with line 2-3, M.S. No. 4767 Red Castle No. 2 lode, at a point from which Cor. Nos. 1 and 2, respectively, bears S. 51°29'05" E. 69.22 ft. dist.
284.34	Intersect line 1-2, M.S. No. 4767 Red Castle No. 2 lode, at a point from which Cor. No. 2, identical with Cor. No. 1 Andes No. 2 lode of this survey, bears S. 38°30'55" W., 157.94 ft. dist.
766.98	Intersect line 3-4, M.S. No. 4767 Red Castle No. 9 lode, at a point from which Cor. No. 3 bears S. 51°29'05" E., 1306.27 ft. dist.
1365.	Gulch, 3 ft. wide, course N. 5° E.
1422.08	Intersect line 1-2, M.S. No. 4767 Red Castle No. 9 lode, common with line 4-1, M.S. No. 4767 Red Castle No. 8 lode, at a point from which Cor. Nos. 2 and 4, respectively, bears S. 51°29'05" E. 1043.3 ft. dist.
1500.00	Cor. No. 1, and place of beginning.
SOUTH RED MOUNTAIN NO. 3 LODE	
At Cor. No. 1 of the South Red Mountain No. 3 lode, identical with Cor. No. 1 of the Charlotte lode, and on line 2-3 South Red Mountain No. 2 lode, of this survey.	
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SRM3-1-CH-1-4771; from which	
The 1/4 sec. cor. of secs. 19 and 20, bears N. 23°42'10" W., 765.04 ft. dist., heretofore described.	
Thence S. 27°53'40" E.	

FEET	
13.50	Intersect line 3-4, M.S. No. 4767 Red Castle No. 9 lode, at a point from which Cor. No. 3 bears S. 51°29'05" E., 636.4 ft. dist.
297.75	Lode line; discovery point bears S. 62°10'50" W., 10.0 ft. dist.
595.50	Cor. No. 2, identical with Cor. Nos. 4, 2 and 3 of the Charlotte, Elnor, and South Red Mountain No. 4 lodes, respectively, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SRM3-2-CH-4-EL-2-SRM4-3-4771. Thence S. 62°10'50" W.
90.	Road, 12 ft. wide, bears N. 20° W. and S. 20° E.
570.	Road, 12 ft. wide, bears N. 5° E. and S. 5° W.
685.	Gulch, 2 ft. wide, course N. 30° W.
765.	Road, 12 ft. wide, bears N. 55° W. and S. 55° E.
1500.00	Cor. No. 3, identical with Cor. No. 2 of the South Red Mountain No. 4 lode, and on line 4-1 Aagh No. 16 lode, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SRM3-3-SRM4-2-4771. Thence N. 27°53'40" W.
297.75	Lode line; discovery point bears N. 62°10'50" E. 1490.0 ft. dist.
495.50	Road, 12 ft. wide, bears N. 35° E. and S. 35° W.
570.50	Road, 12 ft. wide, bears N. 40° E. and S. 40° W.
595.50	Cor. No. 4, identical with Cor. No. 4 of the Aagh No. 16 lode, and on line 4-1 South Red Mountain No. 1 lode, of this survey. Thence N. 62°10'50" E.
74.95	Road, 12 ft. wide, bears N. 10° E. and S. 30° W.
434.95	Road, 12 ft. wide, bears N. 70° W. and S. 70° E.
464.95	Cor. No. 4 South Red Mountain No. 1 lode, identical with Cor. No. 3 South Red Mountain No. 2 lode, of this survey.
664.95	Gulch, 3 ft. wide, course N. 55° W.
804.95	Road, 12 ft. wide, bears N. 30° W. and S. 25° E.
1494.10	Intersect line 3-4, M.S. No. 4767 Red Castle No. 9 lode, at a point from which Cor. No. 3 bears S. 51°29'05" E., 651.15 ft. dist.
1500.00	Cor. No. 1, and place of beginning.

FEET	
	SOUTH RED MOUNTAIN NO. 4 LODE
	At Cor. No. 1 of the South Red Mountain No. 4 lode, identical with Cor. No. 2 of the South Red Mountain 5 lode, and on line 4-1 Aagh No. 16 lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SRM4-1-SRM5-2-4771; from which
	The cor. of secs. 19, 20, 29 and 30, bears S. 73°02'10" E., 464.04 ft. dist., heretofore described.
	Thence N. 27°53'40" W.
16.	Gulch, 2 ft. wide, course S. 20° W.
297.75	Lode line; discovery point bears N. 62°10'50" E., 1490.0 ft. dist.
441.	Road, 12 ft. wide, bears N. 35° E. and S. 35° W.
595.50	Cor. No. 2, identical with Cor. No. 3 of the South Red Mountain No. 3 lode, and on line 4-1 Aagh No. 16 lode, of this survey.
	Thence N. 62°10'50" E.
735.	Road, 12 ft. wide, bears N. 55° W. and S. 55° E.
815.	Gulch, 2 ft. wide, course N. 30° W.
930.	Road, 12 ft. wide, bears N. 5° E. and S. 5° W.
1410.	Road, 12 ft. wide, bears N. 20° W. and S. 20° E.
1500.00	Cor. No. 3, identical with Cor. Nos. 2, 4 and 2 of the South Red Mountain No. 3, Charlotte, and Elnor lodes, respectively, of this survey.
	Thence S. 27°53'40" E.
297.75	Lode line; discovery point bears S. 62°10'50" W. 10.0 ft. dist.
595.50	Cor. No. 4, identical with Cor. Nos. 1, 2 and 3 of the Elnor, Heaveyside No. 2, and South Red Mountain 5 lodes, respectively, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SRM4-4-EL-1-HE2-2-SRM5-3-4771.
	Thence S. 62°10'50" W.
55.	Road, 12 ft. wide, bears N. 35° W. and S. 35° E.
450.	Road, 12 ft. wide, bears N. 15° E. and S. 15° W.
1500.00	Cor. No. 1, and place of beginning.

(This form bound on left side)

FEET

SOUTH RED MOUNTAIN 5 LODE

At Cor. No. 1 of the South Red Mountain 5 lode, identical with Cor. No. 1 of the South Red Mountain No. 6 lode, and on line 1-2 Aagh No. 17 lode, of this survey.

Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SRM5-1-SRM6-1-4771; from which

The cor. of secs. 19, 20, 29 and 30, bears N. 22°54'45" E., 424.42 ft. dist., heretofore described.

Thence N. 27°53'40" W.

297.76 Lode line; discovery point bears N. 62°10'50" E., 1490.0 ft. dist., and Cor. No. 1 Aagh No. 17 lode, identical with Cor. No. 1 Aagh No. 16 lode of this survey.

595.52 Cor. No. 2, identical with Cor. No. 1 of the South Red Mountain No. 4 lode, and on line 4-1 Aagh No. 16 lode, of this survey.

Thence N. 62°10'50" E.

1050. Road, 12 ft. wide, bears N. 15° E. and S. 15° W.

1445. Road, 12 ft. wide, bears N. 35° W. and S. 35° E.

1500.00 Cor. No. 3, identical with Cor. Nos. 4, 1 and 2 of the South Red Mountain No. 4, Elnor, and Heaveyside No. 2 lodes, respectively, of this survey.

Thence S. 27°53'40" E.

297.76 Lode line; discovery point bears S. 62°10'50" W., 10.0 ft. dist.

380. Road, 12 ft. wide, bears East and West.

450. Road, 12 ft. wide, bears N. 80° E. and S. 80° W.

595.52 Cor. No. 4, identical with Cor. Nos. 1, 3 and 2 of the Heaveyside No. 2, Heaveyside, and South Red Mountain No. 6 lodes, respectively, of this survey.

Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SRM5-4-HE2-1-HE-3-SRM6-2-4771.

Thence S. 62°10'50" W.

1500.00 Cor. No. 1, and place of beginning.

FEET		
	SOUTH RED MOUNTAIN NO. 6 LODE	
	Beginning at Cor. No. 1 of the South Red Mountain No. 6 lode, identical with Cor. No. 1 of the South Red Mountain 5 lode, and on line 1-2 Aagh No. 17 lode, of this survey; from which	
	The cor. of secs. 19, 20, 29 and 30, bears N. 22°54'45" E., 424.42 ft. dist., heretofore described.	
	Thence N. 62°10'50" E.	
1500.00	Cor. No. 2, identical with Cor. Nos. 4, 1 and 3 of the South Red Mountain 5, Heaveyside No. 2, and Heaveyside lodes, respectively, of this survey.	
	Thence S. 27°53'40" E.	
297.75	Lode line; discovery point bears S. 62°10'50"W., 10.0 ft. dist.	
595.50	Cor. No. 3, identical with Cor. Nos. 2, 4 and 4 of the Heaveyside, Dorfee, and South Red Mountain No. 7 lodes, respectively, of this survey.	
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SRM6-3-HE-2-D-4-SRM7-4-4771.	
	Thence S. 62°10'50" W.	
825.	Gulch, 2 ft. wide, course S. 15° W.	
1500.00	Cor. No. 4, identical with Cor. No. 3 of the South Red Mountain No. 7 lode, and on line 1-2 Aagh No. 17 lode, of this survey.	
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SRM6-4-SRM7-3-4771.	
	Thence N. 27°53'40" W.	
297.75	Lode line; discovery point bears N. 62°10'50"E., 1490.0 ft. dist.	
595.50	Cor. No. 1, and place of beginning.	
	SOUTH RED MOUNTAIN NO. 7 LODE	
	At Cor. No. 1 of the South Red Mountain No. 7 lode, identical with Cor. No. 1 South Red Mountain No. 8 lode, and on line 3-4 Dorfee lode, of this survey.	
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SRM7-1-SRM8-1-4771; from which	

(This form bound on left side)

FEET	
	<p>The 1/4 sec. cor. of secs. 20 and 29, T. 22 S., R. 16 E., G. & S.R.M., Arizona, bears N. 50°32'55" E., 1179.31 ft. dist., monumented with an iron post, 1 in. diam., 10 ins. above ground, firmly set, with brass cap properly mkd.</p> <p>Thence S. 62°10'50" W.</p>
200.	Gulch, 3 ft. wide, course S. 15° E.
1288.36	Cor. No. 3 La Tuna No. 1 lode, on line 4-1 South Red Mountain No. 8 lode, of this survey.
1388.35	Gulch, 3 ft. wide, course S. 20° W.
1458.35	Gulch, 2 ft. wide, course S. 35° E.
1500.00	Cor. No. 2, identical with Cor. Nos. 4 and 2 of the South Red Mountain No. 8 and Aagh No. 17 lodes, respectively, and on line 2-3 La Tuna No. 1 lode, of this survey.
	Thence N. 27°53'40" W.
143.76	Gulch, 2 ft. wide, course S. 45° E.
297.75	Lode line; discovery point bears N. 62°10'50"E., 1490.0 ft. dist.
595.50	Cor. No. 3, identical with Cor. No. 4 of the South Red Mountain No. 6 lode, and on line 1-2 Aagh No. 17 lode, of this survey.
	Thence N. 62°10'50" E.
675.	Gulch, 2 ft. wide, course S. 15° W.
1500.00	Cor. No. 4, identical with Cor. Nos. 3, 2 and 4 of the South Red Mountain No. 6, Heaveyside, and Dorfee lodes, respectively, of this survey.
	Thence S. 27°53'40" E.
297.75	Lode line; discovery point bears S. 62°10'50"W., 10.0 ft. dist.
410.	Gulch, 3 ft. wide, course S. 20° W.
595.50	Cor. No. 1, and place of beginning.
SOUTH RED MOUNTAIN NO. 8 LODE	
Beginning at Cor. No. 1 of the South Red Mountain No. 8 lode, identical with Cor. No. 1 of the South Red Mountain No. 7 lode, and on line 3-4 Dorfee lode; from which	
The 1/4 sec. cor. of secs. 20 and 29, bears N. 50°32'55" E., 1179.31 ft. dist., heretofore described.	
Thence S. 27°53'40" E.	

FEET	
297.75	Lode line; discovery point bears S. 62°10'50"W., 10.0 ft. dist.
595.50	Cor. No. 2, on line 3-4 Dorfee lode, common with line 1-2 Red Hawk No. 6 lode, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SRM8-2-4771. Thence S. 62°10'50" W.
1185.	Gulch, 2 ft. wide, course N. 80° W.
1288.36	Intersect line 3-4 La Tuna No. 1 lode of this survey.
1375.94	Cor. No. 1 Red Hawk No. 6 lode of this survey.
1500.00	Cor. No. 3. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SRM8-3-4771. Thence N. 27°53'40" W.
30.	Gulch, 5 ft. wide, course S. 50° W.
297.75	Lode line; discovery point bears N. 62°10'50"E., 1490.0 ft. dist.
480.	Gulch, 3 ft. wide, course S. 10° W. to this point, and S. 20° E. below this point.
595.50	Cor. No. 4, identical with Cor. Nos. 2 and 2 of the Aagh No. 17 and South Red Mountain No. 7 lodes, respectively, and on line 2-3 La Tuna No. 1 lode, of this survey. Thence N. 62°10'50" E.
41.65	Gulch, 2 ft. wide, course S. 35° E.
111.65	Gulch, 3 ft. wide, course S. 20° W.
211.64	Cor. No. 3 La Tuna No. 1 lode, on line 1-2 South Red Mountain No. 7 lode, of this survey.
1300.	Gulch, 3 ft. wide, course S. 15° E.
1500.00	Cor. No. 1, and place of beginning.
RED HAWK NO. 6 LODE	
At Cor. No. 1 of the Red Hawk No. 6 lode, on line 2-3 South Red Mountain No. 8 lode of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-RH6-1-4771; from which	

FEET	
	The 1/4 sec. cor. of secs. 29 and 30, bears S. 46°13'40" W., 1054.87 ft. dist., heretofore described.
	Thence N. 62°10'50" E.
87.58	Intersect line 3-4 La Tuna No. 1 lode of this survey.
190.94	Gulch, 2 ft. wide, course N. 80° W.
1375.94	Cor. No. 2 South Red Mountain No. 8 lode, on line 3-4 Dorfee lode of this survey.
1450.75	Intersect line 3-4 Hope No. 2 lode of this survey
1500.00	Cor. No. 2.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-RH6-2-4771.
	Thence S. 27°53'40" E.
297.75	Lode line; discovery point bears S. 62°10'50"W., 134.0 ft. dist., and interesect line 2-3 Dorfee lode of this survey.
595.50	Cor. No. 3.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-RH6-3-4771.
	Thence S. 62°10'50" W.
212.42	The North cor., Red Hawk No. 7 lode, Uns.
362.68	Intersect line 3-4 Hope No. 2 lode of this survey.
812.42	The West cor., Red Hawk No. 7 lode, identical with the North cor., Red Hawk No. 5 lode, both Uns.
1412.42	The West cor., Red Hawk No. 5 lode, Uns., on line 3-4 La Tuna No. 1 lode of this survey.
1500.00	Cor. No. 4.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-RH6-4-4771.
	Thence N. 27°53'40" W.
297.75	Lode line; discovery point bears N. 62°10'50"E., 1366.0 ft. dist.
595.50	Cor. No. 1, and place of beginning.

FEET	
	HOPE NO. 4 LODE
	At Cor. No. 1 of the Hope No. 4 lode.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-H04-1-4771; from which
	The 1/4 sec. cor. of secs. 19 and 20, bears S. 78°51'35" W., 568.19 ft. dist., heretofore described.
	Thence N. 62°10'50" E.
1.92	Intersect line 4-1 Hank No. 2 lode of this survey.
245.	Aztec Gulch, 7 ft. wide, course N. 20° W.
270.	Road, 12 ft. wide, bears N. 55° W. and S. 55° E.
442.14	Intersect line 2-3, M.S. No. 4767 Red Castle No. 8 lode, at a point from which Cor. No. 3 bears S. 51°29'05" E., 780.34 ft. dist.
1072.64	Intersect line 3-4 Hank No. 2 lode, common with line 4-1 Hank No. 8 lode, of this survey.
1370.	San Jose Gulch, 3 ft. wide, course N. 80° W.
1500.00	Cor. No. 2.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-H04-2-4771.
	Thence S. 27°53'40" E.
140.	San Jose Gulch, 2 ft. wide, course N. 65° W.
240.02	Intersect line 3-4 Hank No. 8 lode, common with line 2-3 Hank No. 9 lode, of this survey.
265.	Road, 12 ft. wide, bears N. 65° W. and South.
300.00	Lode line; discovery point bears S. 62°10'50"W., 10.0 ft. dist.
570.	Road, 12 ft. wide, bears N. 20° W. and S. 20° E.
600.00	Cor. No. 3, identical with Cor. No. 2 of the Hope No. 3 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-H04-3-H03-2-4771.
	Thence S. 62°10'50" W.
5.	Road, 12 ft. wide, bears N. 30° W. and S. 55° E.
517.29	Intersect line 1-2 Hank No. 9 lode of this survey.
600.00	Cor. No. 1 Hope No. 3 lode, identical with Cor. No. 2 Charlotte lode, of this survey.

(This form bound on left side)

FEET	
795.70	Intersect line 2-3, M.S. No. 4767 Red Castle No. 8 lode, at a point from which Cor. No. 3 bears S. 51°29'05" E., 125.25 ft. dist.
1165.	Aztec Gulch, 5 ft. wide, course N. 50° W.
1190.	Road, 12 ft. wide, bears N. 35° W. and S. 35° E.
1450.80	Intersect line 4-1, M.S. No. 4767 Red Castle No. 8 lode, common with line 1-2, M.S. No. 4767 Red Castle No. 9 lode, at a point from which Cor. Nos. 4 and 2, respectively, bears S. 51°29'05" E., 388.21 ft. dist.
1500.00	Cor. No. 4, on line 1-2 Charlotte lode of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-H04-4-4771. Thence N. 27°53'40" W.
112.61	Intersect line 1-2, M.S. No. 4767 Red Castle No. 9 lode, common with line 4-1, M.S. No. 4767 Red Castle No. 8 lode, at a point from which Cor. Nos. 2 and 4, respectively, bears S. 51°29'05"E., 511.16 ft. dist.
300.00	Lode line; discovery point bears N. 62°10'50" E., 1490.0 ft. dist.
600.00	Cor. No. 1, and place of beginning.
CHARLOTTE LODE	
Beginning at Cor. No. 1 of the Charlotte lode, identical with Cor. No. 1 of the South Red Mountain No. 3 lode, and on line 2-3 South Red Mountain No. 2 lode, of this survey; from which	
The 1/4 sec. cor. of secs. 19 and 20, bears N. 23°42'10" W., 765.04 ft. dist., heretofore described.	
Thence N. 62°10'50" E.	
284.95	Road, 12 ft. wide, bears N. 30° W. and S. 30° E.
464.95	Cor. No. 2 South Red Mountain No. 2 lode of this survey.
600.00	Cor. No. 4 Hope No. 4 lode of this survey.
649.20	Intersect line 1-2, M.S. No. 4767 Red Castle No. 9 lode, common with line 4-1, M.S. No. 4767 Red Castle No. 8 lode, at a point from which Cor. Nos. 2 and 4, respectively, bears S. 51°29'05" E., 388.21 ft. dist.
910.	Road, 12 ft. wide, bears N. 35° W. and S. 35° E.
935.	Aztec Gulch, 5 ft. wide, course N. 50° W.

Mineral Survey No. 4771

FEET		
1304.30	Intersect line 2-3, M.S. No. 4767 Red Castle No. 8 lode, at a point from which Cor. No. 3 bears S. 51°29'05" E., 125.25 ft. dist.	
1500.00	<p>Cor. No. 2, identical with Cor. No. 1 of the Hope No. 3 lode, and on line 3-4 Hope No. 4 lode, of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-CH-2-H03-1-4771; from which</p> <p>Cor. No. 3, M.S. No. 4767 Red Castle No. 8 lode, bears S. 23°54'45" W., 185.23 ft. dist.</p> <p>Thence S. 27°53'40" E.</p>	
157.16	Intersect line 4-1 Hank No. 10 lode of this survey.	
297.75	Lode line; discovery point bears S. 62°10'50" W., 10.0 ft. dist.	
590.	Gulch, 3 ft. wide, course S. 60° W.	
595.50	<p>Cor. No. 3, identical with Cor. No. 3 of the Elnor lode, and on line 4-1 Hope No. 3 lode, of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-CH-3-EL-3-4771; from which</p> <p>Cor. No. 4, M.S. No. 4767 Red Castle No. 8 lode, identical with Cor. No. 2, M.S. No. 4767 Red Castle No. 9 lode, bears S. 81°12'30" W., 736.01 ft. dist.</p> <p>Thence S. 62°10'50" W.</p>	
162.86	Intersect line 3-4 Hank No. 10 lode, common with line 3-4 Hank No. 11 lode, of this survey.	
230.72	Intersect line 2-3 Hank No. 11 lode of this survey.	
530.	Aztec Gulch, 5 ft. wide, course North.	
685.	Road, 12 ft. wide, bears N. 20° W. and S. 20° E.	
1085.	Road, 12 ft. wide, bears N. 40° W. and S. 30° E.	
1243.33	Intersect line 2-3, M.S. No. 4767 Red Castle No. 9 lode, at a point from which Cor. No. 2, identical with Cor. No. 4, M.S. No. 4767 Red Castle No. 8 lode, bears N. 38°30'55" E., 597.81 ft. dist.	
1245.72	Intersect line 3-4, M.S. No. 4767 Red Castle No. 9 lode, at a point from which Cor. No. 3 bears S. 51°29'05" E., 0.96 ft. dist.	

(This form bound on left side)

FEET	
1500.00	Cor. No. 4, identical with Cor. Nos. 2, 3 and 2 of the Elnor, South Red Mountain No. 4, and South Red Mountain No. 3 lodes, respectively, of this survey.
	Thence N. 27°53'40" W.
297.75	Lode line; discovery point bears N. 62°10'50"E., 1490.0 ft. dist.
582.00	Intersect line 3-4, M.S. No. 4767 Red Castle No. 9 lode, at a point from which Cor. No. 3 bears S. 51°29'05" E., 636.4 ft. dist.
595.50	Cor. No. 1, and place of beginning.
	ELNOR LODE
	Beginning at Cor. No. 1 of the Elnor lode, identical with Cor. Nos. 2, 3 and 4 of the Heaveyside No. 2, South Red Mountain 5, and South Red Mountain No. 4 lodes, respectively, of this survey; from which
	The cor. of secs. 19, 20, 29 and 30, bears S. 46°34'45" W., 1215.42 ft. dist., heretofore described.
	Thence N. 27°53'40" W.
297.75	Lode line; discovery point bears N. 62°10'50" E., 10.0 ft. dist.
595.50	Cor. No. 2, identical with Cor. Nos. 3, 2 and 4 of the South Red Mountain No. 4, South Red Mountain No. 3, and Charlotte lodes, respectively, of this survey; from which
	Cor. No. 3, M.S. No. 4767 Red Castle No. 9 lode bears N. 62°22'40" E., 254.67 ft. dist.
	Thence N. 62°10'50" E.
254.28	Intersect line 3-4, M.S. No. 4767 Red Castle No. 9 lode, at a point from which Cor. No. 3 bears S. 51°29'05" E., 0.96 ft. dist.
256.67	Intersect line 2-3, M.S. No. 4767 Red Castle No. 9 lode, at a point from which Cor. No. 3 bears S. 38°30'55" W., 2.19 ft. dist.
415.	Road, 12 ft. wide, bears N. 40° W. and S. 30° E.
815.	Road, 12 ft. wide, bears N. 20° W. and S. 20° E.
970.	Aztec Gulch, 5 ft. wide, course North.
1269.28	Intersect line 2-3 Hank No. 11 lode of this survey.
1337.14	Intersect line 3-4 Hank No. 11 lode, common with line 3-4 Hank No. 10 lode, of this survey.

FEET	
1500.00	Cor. No. 3, identical with Cor. No. 3 of the Charlotte lode, and on line 4-1 Hope No. 3 lode, of this survey. Thence S. 27°53'40" E.
85.56	Intersect line 3-4 Hank No. 10 lode, common with line 3-4 Hank No. 11 lode, of this survey.
165.	Road, 12 ft. wide, bears N. 30° E. and S. 60° W.
297.75	Lode line; discovery point bears S. 62°10'50"W., 1490.0 ft. dist.
595.50	Cor. No. 4, identical with Cor. No. 3 of the Heaveyside No. 2 lode, and on line 4-1 Hope No. 3 lode, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-EL-4-HE2-3-4771. Thence S. 62°10'50" W.
320.13	Intersect line 1-2 Hank No. 11 lode, common with line 3-4 Hank No. 12 lode, of this survey.
544.15	Intersect line 2-3 Hank No. 12 lode of this survey.
560.	Road, 12 ft. wide, bears North and South.
770.	Aztec Gulch, 4 ft. wide, course North.
810.	Road, 12 ft. wide, bears N. 10° W. and S. 10° E.
960.	Road, 12 ft. wide, bears North and South.
1500.00	Cor. No. 1, and place of beginning.
HOPE NO. 3 LODE	
	Beginning at Cor. No. 1 of the Hope No. 3 lode, identical with Cor. No. 2 of the Charlotte lode, and on line 3-4 Hope No. 4 lode, of this survey; from which The 1/4 sec. cor. of secs. 19 and 20, bears N. 89°59' W., 1634.17 ft. dist., heretofore described. Thence N. 62°10'50" E.
82.71	Intersect line 1-2 Hank No. 9 lode of this survey.
300.00	Lode line; discovery point bears S. 27°53'40" E., 30.0 ft. dist.
595.	Road, 12 ft. wide, bears N. 30° W. and S. 55° E.
600.00	Cor. No. 2, identical with Cor. No. 3 of the Hope No. 4 lode of this survey. Thence S. 27°53'40" E.

(This form bound on left side)

FEET	
20.	Road, 12 ft. wide, bears N. 50° W. and S. 50° E.
80.	Road, 12 ft. wide, bears N. 55° E. and S. 55° W.
318.16	Intersect line 4-1 Hank No. 9 lode, common with line 1-2 Hank No. 10 lode, of this survey.
530.	Road, 12 ft. wide, bears N. 40° W. and S. 40° E.
645.	Road, 12 ft. wide, bears N. 80° E. and S. 80° W.
690.	Gulch, 3 ft. wide, course S. 80° W.
880.	Road, 12 ft. wide, bears N. 35° E. and S. 20° W.
996.30	Intersect line 3-4 Hank No. 10 lode, common with line 3-4 Hank No. 11 lode, of this survey.
1150.	Road, 12 ft. wide, bears N. 60° W. and S. 60° E.
1260.	Gulch, 3 ft. wide, course N. 80° W.
1488.76	Cor. No. 3. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-H03-3-4771.
	Thence S. 62°10'50" W.
300.00	Lode line; discovery point bears N. 27°53'40" W., 1458.76 ft. dist.
353.41	Intersect line 1-2 Hank No. 11 lode, common with line 3-4 Hank No. 12 lode, of this survey.
600.00	Cor. No. 4, on line 3-4 Heaveyside No. 2 lode of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-H03-4-4771.
	Thence N. 27°53'40" W.
129.56	Intersect line 3-4 Hank No. 12 lode, common with line 1-2 Hank No. 11 lode, of this survey.
297.76	Cor. No. 3 Heaveyside No. 2 lode, identical with Cor. No. 4 Elnor lode, of this survey.
728.26	Road, 12 ft. wide, bears N. 30° E. and S. 60° W.
807.70	Intersect line 3-4 Hank No. 11 lode, common with line 3-4 Hank No. 10 lode, of this survey.
893.26	Cor. No. 3 Elnor lode, identical with Cor. No. 3 Charlotte lode, of this survey.
898.76	Gulch, 3 ft. wide, course S. 60° W.
1331.60	Intersect line 4-1 Hank No. 10 lode of this survey.
1488.76	Cor. No. 1, and place of beginning.

Mineral Survey No. 4771

FEET	
	HEAVEYSIDE NO. 2 LODE
	Beginning at Cor. No. 1 of the Heaveyside No. 2 lode, identical with Cor. Nos. 3, 2 and 4 of the Heaveyside, South Red Mountain No. 6, and South Red Mountain 5 lodes, respectively, of this survey; from which
	The cor. of secs. 19, 20, 29 and 30, bears S. 75°05'50" W., 1201.83 ft. dist., heretofore described.
	Thence N. 27°53'40" W.
145.50	Road, 12 ft. wide, bears N. 80° E. and S. 80° W.
215.50	Road, 12 ft. wide, bears East and West.
297.76	Lode line; discovery point bears N. 62°10'50"E., 10.0 ft. dist.
595.52	Cor. No. 2, identical with Cor. Nos. 3, 4 and 1 of the South Red Mountain 5, South Red Mountain No. 4, and Elnor lodes, respectively, of this survey.
	Thence N. 62°10'50" E.
540.	Road, 12 ft. wide, bears North and South.
690.	Road, 12 ft. wide, bears N. 10° W. and S. 10° E.
730.	Aztec Gulch, 4 ft. wide, course North.
940.	Road, 12 ft. wide, bears North and South.
955.85	Intersect line 2-3 Hank No. 12 lode of this survey.
1179.87	Intersect line 3-4 Hank No. 12 lode, common with line 1-2 Hank No. 11 lode, of this survey.
1500.00	Cor. No. 3, identical with Cor. No. 4 of the Elnor lode, and on line 4-1 Hope No. 3 lode, of this survey.
	Thence S. 27°53'40" E.
168.20	Intersect line 1-2 Hank No. 11 lode, common with line 3-4 Hank No. 12 lode, of this survey.
297.76	Lode line; discovery point bears S. 62°10'50" W., 1490.0 ft. dist., and Cor. No. 4 Hope No. 3 lode, of this survey.
565.	Road, 12 ft. wide, bears N. 60° E. and S. 60° W.
595.52	Cor. No. 4, identical with Cor. No. 4 of the Heaveyside lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HE2-4-HE-4-4771.
	Thence S. 62°10'50" W.

(This form bound on left side)

FEET	
90.20	Intersect line 1-2 Hank No. 12 lode, common with line 3-4 Hank No. 13 lode, of this survey.
140.	Road, 12 ft. wide, bears N. 40° E. and S. 25° W.
857.59	Intersect line 2-3 Hank No. 13 lode of this survey.
1120.	Aztec Gulch, 2 ft. wide, course N. 10° E.
1400.	Road, 12 ft. wide, bears N. 10° W. and S. 10° E.
1500.00	Cor. No. 1, and place of beginning.
HEAVEYSIDE LODE	
At Cor. No. 1 of the Heaveyside lode.	
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HE-1-4771; from which	
The 1/4 sec. cor. of secs. 20 and 29, bears S. 16°04'15" W., 496.38 ft. dist., heretofore described.	
Thence S. 62°10'50" W.	
247.48	Intersect line 1-2 Hank No. 13 lode, common with line 3-4 Hank No. 14 lode, and line 4-1 Hope No. 1 lode, of this survey.
798.30	Intersect line 3-4 Hope No. 1 lode of this survey.
900.00	Cor. No. 1 Dorfee lode of this survey.
1095.	Gulch, 2 ft. wide, course S. 10° W.
1171.03	Intersect line 2-3 Hank No. 14 lode of this survey.
1500.00	Cor. No. 2, identical with Cor. Nos. 4, 4 and 3 of the Dorfee, South Red Mountain No. 7, and South Red Mountain No. 6 lodes, respectively, of this survey.
Thence N. 27°53'40" W.	
297.75	Lode line; discovery point bears N. 62°10'50" E., 10.0 ft. dist.
595.50	Cor. No. 3, identical with Cor. Nos. 2, 4 and 1 of the South Red Mountain No. 6, South Red Mountain 5, and Heaveyside No. 2 lodes, respectively, of this survey.
Thence N. 62°10'50" E.	
100.	Road, 12 ft. wide, bears N. 10° W. and S. 10° E.
380.	Aztec Gulch, 2 ft. wide, course N. 10° E.
642.41	Intersect line 2-3 Hank No. 13 lode of this survey.

FEET	
1360.	Road, 12 ft. wide, bears N. 40° E. and S. 25° W.
1409.80	Intersect line 3-4 Hank No. 13 lode, common with line 1-2 Hank No. 12 lode, of this survey.
1500.00	Cor. No. 4, identical with Cor. No. 4 of the Heaveyside No. 2 lode of this survey. Thence S. 27°53'40" E.
47.39	Intersect line 1-2 Hank No. 12 lode, common with line 3-4 Hank No. 13 lode, of this survey.
297.75	Lode line; discovery point bears S. 62°10'50" W., 1490.0 ft. dist.
595.50	Cor. No. 1, and place of beginning.
	DORFEE LODE
	At Cor. No. 1 of the Dorfee lode, on line 1-2 Heaveyside lode. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-D-1-4771; from which The 1/4 sec. cor. of secs. 20 and 29, bears S. 85°03'25" E., 661.03 ft. dist., heretofore described. Thence S. 27°53'40" E.
193.21	Intersect line 3-4 Hope No. 1 lode of this survey.
278.81	Intersect line 1-2 Hank No. 14 lode, common with line 4-1 Hank No. 28 lode, of this survey.
475.	Gulch, 2 ft. wide, course S. 70° W.
843.92	Intersect line 2-3 Hank No. 28 lode of this survey.
1352.52	Intersect line 2-3 Hope No. 1 lode, common with line 4-1 Hope No. 2 lode, of this survey.
1480.72	Intersect line 1-2 Hope No. 2 lode of this survey, common with the Westerly sideline, Hank No. 32 lode, Uns., at a point from which the Northwest cor., on line 2-3 Hank No. 28 lode, and line 1-2 Hope No. 1 lode of this survey, bears N. 0°07'10" W., 563.42 ft. dist.
1488.75	Cor. No. 2. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-D-2-4771; from which The Northwest cor., Hank No. 32 lode, Uns., on line 2-3 Hank No. 28 lode and line 1-2 Hope No. 1 lode of this survey, bears N. 0°29'45" W., 570.54 ft. dist. Thence S. 62°10'50" W.

(This form bound on left side)

FEET 4.23	Intersect the Westerly sideline, Hank No. 32 lode Uns., common with line 1-2 Hope No. 2 lode of this survey, at a point from which the Northwest cor., on line 2-3 Hank No. 28 lode, and line 1-2 Hope No. 1 lode of this survey, bears N. 0°07'10" W., 572.5 ft. dist.
300.00	Lode line; discovery point bears N. 27°53'40" W., 1478.75 ft. dist.
475.94	Intersect line 2-3 Red Hawk No. 6 lode of this survey.
600.00	Cor. No. 3. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-D-3-4771. Thence N. 27°53'40" W.
155.61	Intersect line 3-4 Hope No. 2 lode of this survey.
297.75	Cor. No. 2 South Red Mountain No. 8 lode, on line 1-2 Red Hawk No. 6 lode of this survey.
893.25	Cor. No. 1 South Red Mountain No. 8 lode, identical with Cor. No. 1 South Red Mountain No. 7 lode, of this survey.
1078.75	Gulch, 3 ft. wide, course S. 20° W.
1488.75	Cor. No. 4, identical with Cor. Nos. 4, 3 and 2 of the South Red Mountain No. 7, South Red Mountain No. 6, and Heaveyside lodes, respectively, of this survey. Thence N. 62°10'50" E.
300.00	Lode line; discovery point bears S. 27°53'40" E., 10.0 ft. dist.
328.97	Intersect line 2-3 Hank No. 14 lode of this survey.
405.	Gulch, 2 ft. wide, course S. 10° W.
600.00	Cor. No. 1, and place of beginning.
	HOPE NO. 1 LODE At Cor. No. 1 of the Hope No. 1 lode, on line 1-2 Hank No. 13 lode, and line 3-4 Hank No. 14 lode, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-H01-1-4771; from which The 1/4 sec. cor. of secs. 20 and 29, bears S. 4°52'20" W., 363.03 ft. dist., heretofore described. Thence S. 0°07'10" E.

FEET	
550.00	Intersect line 1-2 Hank No. 14 lode, common with line 4-1 Hank No. 28 lode, of this survey.
1050.00	Intersect line 2-3 Hank No. 28 lode of this survey, and the Northwest cor., Hank No. 32 lode, Uns.
1500.00	Cor. No. 2, identical with Cor. No. 1 of the Hope No. 2 lode of this survey, and on the Westerly sideline, Hank No. 32 lode, Uns. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-H01-2-H02-1-4771.
59.74	Intersect line 1-2 Dorfee lode of this survey.
300.00	Lode line; discovery point bears N. 0°07'10" W., 1100.0 ft. dist.
600.00	Cor. No. 3, identical with Cor. No. 4 of the Hope No. 2 lode of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-H01-3-H02-4-4771.
450.00	Cor. No. 3 Hank No. 28 lode of this survey.
740.	Gulch, 2 ft. wide, course S. 75° W. to this point, and S. 85° W. below this point.
950.00	Cor. No. 4 Hank No. 28 lode, on line 1-2 Hank No. 14 lode, of this survey.
1025.73	Intersect line 1-2 Dorfee lode of this survey.
1243.95	Intersect line 1-2 Heaveyside lode of this survey.
1500.00	Cor. No. 4, on line 3-4 Hank No. 14 lode, common with line 1-2 Hank No. 13 lode, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-H01-4-4771.
300.00	Lode line; discovery point bears S. 0°07'10" E., 400.0 ft. dist.
487.70	Intersect line 1-2 Heaveyside lode of this survey.
600.00	Cor. No. 1, and place of beginning.

FEET	
	HANK NO. 28 LODE
	At Cor. No. 1 of the Hank No. 28 lode, identical with Cor. No. 1 of the Hank No. 27 lode, and on line 4-1 Hank No. 22 lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA28-1-HA27-1-4771; from which
	The 1/4 sec. cor. of secs. 20 and 29, bears N. 75°40'55" W., 755.44 ft. dist., heretofore described.
	Thence S. 0°07'10" E.
250.00	Lode line; discovery point bears S. 89°52'50" W., 10.0 ft. dist.
500.00	Cor. No. 2, identical with Cor. No. 4 of the Hank No. 27 lode of this survey, and on the Northerly endline, Hank No. 34 lode, Uns.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA28-2-HA27-4-4771.
	Thence S. 89°52'50" W.
100.00	The Northwest cor., Hank No. 34 lode, identical with the Northeast cor., Hank No. 32 lode, both Uns.
700.00	Intersect line 1-2 Hope No. 1 lode of this survey, and the Northwest cor., Hank No. 32 lode, Uns.
996.76	Intersect line 1-2 Dorfee lode of this survey.
1300.00	Cor. No. 3, on line 3-4 Hope No. 1 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA28-3-4771.
	Thence N. 0°07'10" W.
250.00	Lode line; discovery point bears N. 89°52'50" E., 1290.0 ft. dist.
290.	Gulch, 2 ft. wide, course S. 75° W. to this point, and S. 85° W. below this point.
500.00	Cor. No. 4, on line 3-4 Hope No. 1 lode, and on line 1-2 Hank No. 14 lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA28-4-4771.
	Thence N. 89°52'50" E.

FEET	
39.89	Intersect line 1-2 Dorfee lode of this survey.
600.00	Intersect line 1-2 Hope No. 1 lode of this survey.
970.00	Cor. No. 1 Hank No. 14 lode, identical with Cor. No. 1 Hank No. 22 lode, of this survey.
1300.00	Cor. No. 1, and place of beginning.
HOPE NO. 2 LODE	
Beginning at Cor. No. 1 of the Hope No. 2 lode, identical with Cor. No. 2 of the Hope No. 1 lode of this survey, and on the Westerly sideline, Hank No. 32 lode, Uns.; from which	
The 1/4 sec. cor. of secs. 20 and 29, bears N. 1°42'30" W., 1138.78 ft. dist., heretofore described.	
Thence S. 0°07'10" E.	
113.42	Intersect line 1-2 Dorfee lode of this survey.
122.50	Intersect line 2-3 Dorfee lode of this survey.
1050.00	The Southwest cor., Hank No. 32 lode, identical with the Northwest cor., Hank No. 33 lode, both Uns.
1170.	Gulch, 2 ft. wide, course S. 20° W.
1455.	Gulch, 3 ft. wide, course S. 50° E.
1500.00	Cor. No. 2, identical with the Northeast cor., Red Hawk No. 4 lode, Uns., and on the Westerly sideline, Hank No. 33 lode, Uns.
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-H02-2-4771.	
Thence S. 89°52'50" W.	
47.69	Intersect the Easterly sideline, Red Hawk No. 7 lode, Uns., at a point from which the North cor., on line 3-4 Red Hawk No. 6 lode of this survey, bears N. 27°53'40" W., 899.7 ft. dist.
300.00	Lode line; discovery point bears N. 0°07'10" W., 750.0 ft. dist.
600.00	Cor. No. 3, identical with the Northwest cor., Red Hawk No. 4 lode, and the Northeast cor., Aagh No. 15 lode, both Uns.
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-H02-3-4771; from which	

(This form bound on left side)

FEET	
	<p>The North cor., Red Hawk No. 7 lode, Uns., on line 3-4 Red Hawk No. 6 lode of this survey, bears N. 9°22'10" E., 807.08 ft. dist.</p> <p>Thence N. 0°07'10" W.</p>
726.19	Intersect the Northerly endline, Red Hawk No. 7 lode, Uns., common with line 3-4 Red Hawk No. 6 lode of this survey, at a point from which the North cor. bears N. 62°10'50" E., 150.27 ft. dist.
1238.23	Intersect line 3-4 Dorfee lode of this survey.
1398.77	Intersect line 1-2 Red Hawk No. 6 lode of this survey.
1500.00	Cor. No. 4, identical with Cor. No. 3 of the Hope No. 1 lode of this survey.
	Thence N. 89°52'50" E.
300.00	Lode line; discovery point bears S. 0°07'10" E., 750.0 ft. dist.
540.26	Intersect line 1-2 Dorfee lode of this survey.
600.00	Cor. No. 1, and place of beginning.
	<p>JOCO NO. 37 LODE</p>
	<p>At Cor. No. 1 of the Joco No. 37 lode.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J37-1-4771; from which</p> <p>The 1/4 sec. cor. of secs. 18 and 19, bears N. 60°51'30" E., 347.64 ft. dist., heretofore described.</p> <p>The Southeast cor., Bear No. 8 lode, Uns., on the Northerly sideline Wild Pig No. 2 lode, Uns., bears N. 47°15'35" E., 241.22 ft. dist.</p> <p>The Northeast cor., Wild Pig No. 2 lode, Uns., bears N. 78°01'15" E., 794.78 ft. dist.</p> <p>Thence N. 0°07'10" W.</p>
163.34	Intersect the Northerly sideline, Wild Pig No. 2 lode, common with the Southerly endline, Bear No. 8 lode, both Uns., at a point from which the Northeast cor., Wild Pig No. 2 lode bears N. 89°52'50" E., 777.81 ft. dist., and the Southeast cor., Bear No. 8 lode bears N. 89°52'50" E., 177.5 ft. dist.
295.	Gulch, 2 ft. wide, course S. 40° W.
300.00	Lode line; discovery point bears N. 89°52'50" E., 1495.0 ft. dist.

FEET	
600.00	<p>Cor. No. 2, identical with the Southwest cor., Joco No. 35 lode, Uns.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J37-2-4771; from which</p> <p>Cor. No. 1, M.S. No. 4767 Red Castle No. 7 lode bears S. 75°47'10" E., 664.43 ft. dist.</p> <p>Thence N. 89°52'50" E.</p>
177.50	<p>Intersect the Easterly sideline, Bear No. 8 lode Uns., at a point from which the Southeast cor., on the Northerly sideline, Wild Pig No. 2 lode, Uns., bears S. 0°07'10" E., 436.66 ft. dist.</p>
1500.00	<p>Cor. No. 3, identical with Cor. Nos. 2 and 3 of the Joco No. 36 and Joco No. 38 lodes, respectively, of this survey, and the Southeast cor., Joco No. 35 lode, Uns.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J37-3-J36-2-J38-3-4771.</p> <p>Thence S. 0°07'10" E.</p>
300.00	<p>Lode line; discovery point bears S. 89°52'50" W. 5.0 ft. dist.</p>
464.82	<p>Intersect line 2-3 Fox No. 2 lode of this survey.</p>
600.00	<p>Cor. No. 4, identical with Cor. Nos. 2 and 4 of the Joco No. 38 and Joco No. 39 lodes, respectively, of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J37-4-J38-2-J39-4-4771; from which</p> <p>Cor. No. 1, M.S. No. 4767 Red Castle No. 6 lode, identical with Cor. No. 2, M.S. No. 4767 Red Castle No. 7 lode, and Cor. No. 1 Fox No. 2 lode of this survey, bears N. 81°11'25" W., 392.33 ft. dist.</p> <p>Thence S. 89°52'50" W.</p>
311.39	<p>Intersect line 4-1 Fox No. 2 lode of this survey common with line 1-2, M.S. No. 4767 Red Castle No. 6 lode, at a point from which Cor. Nos. 1 and 1, respectively, identical with Cor. No. 2, M.S. No. 4767 Red Castle No. 7 lode, bears N. 51°29'05" W., 97.53 ft. dist.</p>
436.24	<p>Intersect line 4-1, M.S. No. 4767 Red Castle No. 6 lode, common with line 2-3, M.S. No. 4767 Red Castle No. 7 lode, at a point from which Cor. Nos. 1 and 2, respectively, identical with Cor. No. 1 Fox No. 2 lode of this survey, bears N. 38°30'55" E., 77.95 ft. dist.</p>

(This form bound on left side)

FEET	
722.19	Intersect the Easterly endline, Wild Pig No. 2 lode, Uns., at a point from which the Northeast cor. bears N. 0°07'10" W., 163.34 ft. dist.
980.	Gulch, 2 ft. wide, course S. 60° W.
1204.35	Intersect line 4-1, M.S. No. 4767 Red Castle No. 7 lode, at a point from which Cor. No. 1 bears N. 38°30'55" E., 557.53 ft. dist.
1500.00	Cor. No. 1, and place of beginning.
JOCO NO. 36 LODE	
At Cor. No. 1 of the Joco No. 36 lode, identical with Cor. Nos. 1, 2 and 4 of the Joco No. 15, Joco No. 17, and Joco No. 38 lodes, respectively, of this survey.	
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J36-1-J15-1-J17-2-J38-4-4771; from which	
The cor. of secs. 17, 18, 19 and 20, bears S. 1°14'15" W., 445.79 ft. dist., heretofore described.	
Thence S. 89°52'50" W.	
600.	San Jose Gulch, 12 ft. wide, course N. 5° W.
760.	Gulch, 3 ft. wide, course North to this point, and N. 45° E. below this point.
1500.00	Cor. No. 2, identical with Cor. Nos. 3 and 3 of the Joco No. 38 and Joco No. 37 lodes, respectively, of this survey, and the Southeast cor., Joco No. 35 lode, Uns.
Thence N. 0°07'10" W.	
300.00	Lode line; discovery point bears N. 89°52'50" E. 5.0 ft. dist.
310.	Road, 12 ft. wide, bears N. 20° W. and S. 20° E.
600.00	Cor. No. 3, identical with the Northeast cor., Joco No. 35 lode, the Southeast cor., Joco No. 33 lode, and the Southwest cor., Joco No. 34 lode, all Uns.
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J36-3-4771.	
Thence N. 89°52'50" E.	
520.	Gulch, 2 ft. wide, course N. 10° E.
820.	San Jose Gulch, 15 ft. wide, course N. 60° W. to this point, and N. 40° W. below this point.
1305.	Gulch, 2 ft. wide, course S. 50° W.

FEET	
1500.00	<p>Cor. No. 4, identical with Cor. No. 2 of the Joco No. 15 lode of this survey, the Southeast cor., Joco No. 34 lode, and the Southwest cor., Joco No. 13 lode, both Uns.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J36-4-J15-2-4771.</p> <p style="text-align: center;">Thence S. 0°07'10" E.</p>
185.	Gulch, 2 ft. wide, course N. 70° W.
300.00	Lode line; discovery point bears S. 89°52'50" W. 1495.0 ft. dist.
600.00	Cor. No. 1, and place of beginning.
JOCO NO. 38 LODE	
	<p>At Cor. No. 1 of the Joco No. 38 lode, identical with Cor. Nos. 1, 1 and 1 of the Joco No. 17, Joco No. 19, and Joco No. 39 lodes, respectively of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J38-1-J17-1-J19-1-J39-1-4771; from which</p> <p style="text-align: center;">The cor. of secs. 17, 18, 19 and 20, bears N. 4°02' W., 154.69 ft. dist., heretofore described.</p> <p style="text-align: center;">Thence S. 89°52'50" W.</p>
50.	San Jose Gulch, 5 ft. wide, course N. 15° W.
585.	Gulch, 2 ft. wide, course N. 15° E.
1330.88	Intersect line 2-3 Fox No. 2 lode of this survey.
1500.00	<p>Cor. No. 2, identical with Cor. Nos. 4 and 4 of the Joco No. 39 and Joco No. 37 lodes, respectively, of this survey.</p> <p style="text-align: center;">Thence N. 0°07'10" W.</p>
135.18	Intersect line 2-3 Fox No. 2 lode of this survey.
300.00	Lode line; discovery point bears N. 89°52'50" E., 5.0 ft. dist.
600.00	<p>Cor. No. 3, identical with Cor. Nos. 3 and 2 of the Joco No. 37 and Joco No. 36 lodes, respectively, of this survey, and with the Southeast cor., Joco No. 35 lode, Uns.</p> <p style="text-align: center;">Thence N. 89°52'50" E.</p>
740.	Gulch, 3 ft. wide, course North to this point, and N. 45° E. below this point.

(This form bound on left side)

FEET	
900.	San Jose Gulch, 12 ft. wide, course N. 5° W.
1500.00	Cor. No. 4, identical with Cor. Nos. 1, 1 and 2 of the Joco No. 36, Joco No. 15, and Joco No. 17 lodes, respectively, of this survey. Thence S. 0°07'10" E.
300.00	Lode line; discovery point bears S. 89°52'50" W., 1495.0 ft. dist.
385.	Gulch, 2 ft. wide, course West.
600.00	Cor. No. 1, and place of beginning.
JOCO NO. 39 LODE	
	Beginning at Cor. No. 1 of the Joco No. 39 lode, identical with Cor. Nos. 1, 1 and 1 of the Joco No. 38, Joco No. 17, and Joco No. 19 lodes, respectively, of this survey; from which The cor. of secs. 17, 18, 19 and 20, bears N. 4°02' W., 154.69 ft. dist., heretofore described. Thence S. 0°07'10" E.
125.	San Jose Gulch, 5 ft. wide, course N. 40° W.
300.00	Lode line; discovery point bears S. 89°52'50" W. 5.0 ft. dist.
551.67	Intersect line 1-2 Fox No. 5 lode of this survey.
600.00	Cor. No. 2, identical with Cor. Nos. 4 and 1 of the Joco No. 19 and Joco No. 40 lodes, respectively, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J39-2-J19-4-J40-1-4771. Thence S. 89°52'50" W.
580.20	Intersect line 3-4 Fox No. 5 lode, common with line 1-2 Fox No. 4 lode, of this survey.
616.43	Intersect line 4-1 Fox No. 4 lode, common with line 3-4 Fox No. 2 lode, of this survey.
1060.70	Intersect line 4-1 Fox No. 2 lode of this survey common with line 1-2, M.S. No. 4767 Red Castle No. 6 lode, at a point from which Cor. Nos. 4 and 2, respectively, identical with Cor. No. 4 Fox No. 4 lode of this survey, and Cor. No. 3, M.S. No. 4767 Red Castle No. 5 lode, bears S. 51°29'05" E., 347.04 ft. dist.
1190.	Gulch, 2 ft. wide, course South.

FEET	
1500.00	<p>Cor. No. 3.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J39-3-4771; from which</p> <p style="padding-left: 40px;">Cor. No. 2, M.S. No. 4767 Red Castle No. 6 lode, identical with Cor. No. 3, M.S. No. 4767 Red Castle No. 5 lode, and Cor. Nos. 4 and 4 Fox No. 2 lode and Fox No. 4 lode, respectively, bears S. 73°09'25" E., 742.7 ft. dist.</p> <p style="padding-left: 40px;">Thence N. 0°07'10" W.</p>
300.00	<p>Lode line; discovery point bears N. 89°52'50" E., 1495.0 ft. dist.</p>
351.12	<p>Intersect line 1-2, M.S. No. 4767 Red Castle No. 6 lode, common with line 4-1 Fox No. 2 lode of this survey, at a point from which Cor. Nos. 2 and 4, respectively, identical with Cor. No. 4 Fox No. 4 lode of this survey, and Cor. No. 3, M.S. No. 4767 Red Castle No. 5 lode, bears S. 51°29'05" E., 909.42 ft. dist.</p>
600.00	<p>Cor. No. 4, identical with Cor. Nos. 4 and 2 of the Joco No. 37 and Joco No. 38 lodes, respectively, of this survey.</p> <p style="padding-left: 40px;">Thence N. 89°52'50" E.</p>
169.12	<p>Intersect line 2-3 Fox No. 2 lode of this survey.</p>
915.	<p>Gulch, 2 ft. wide, course N. 15° E.</p>
1450.	<p>San Jose Gulch, 5 ft. wide, course N. 15° W.</p>
1500.00	<p>Cor. No. 1, and place of beginning.</p>
<p>JOCO NO. 15 LODE</p>	
	<p>Beginning at Cor. No. 1 of the Joco No. 15 lode, identical with Cor. Nos. 2, 4 and 1 of the Joco No. 17, Joco No. 38, and Joco No. 36 lodes, respectively, of this survey; from which</p> <p style="padding-left: 40px;">The cor. of secs. 17, 18, 19 and 20, bears S. 1°14'15" W., 445.79 ft. dist., heretofore described.</p> <p style="padding-left: 40px;">Thence N. 0°07'10" W.</p>
300.00	<p>Lode line; discovery point bears N. 89°52'50" E., 1488.56 ft. dist.</p>
415.	<p>Gulch, 2 ft. wide, course N. 70° W.</p>
600.00	<p>Cor. No. 2, identical with Cor. No. 4 of the Joco No. 36 lode of this survey, and the Southeast cor., Joco No. 34 lode, and the Southwest cor., Joco No. 13 lode, both Uns.</p> <p style="padding-left: 40px;">Thence N. 89°52'50" E.</p>

(This form bound on left side)

FEET 1493.56	<p>Cor. No. 3, identical with Cor. No. 2 of the Joco No. 16 lode of this survey, and the Southeast cor. Joco No. 13 lode, and the Southwest cor., Joco No. 14 lode, both Uns.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J15-3-J16-2-4771.</p> <p>Thence S. 0°07'10" E.</p>
60.	<p>School Canyon, 10 ft. wide, course N. 35° E. to this point, and N. 55° E. below this point.</p>
300.00	<p>Lode line; discovery point bears S. 89°52'50" W., 5.0 ft. dist.</p>
415.	<p>School Canyon, 10 ft. wide, course N. 20° W.</p>
600.00	<p>Cor. No. 4, identical with Cor. Nos. 1, 2 and 3 of the Joco No. 16, Joco No. 18, and Joco No. 17 lodes, respectively, of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J15-4-J16-1-J18-2-J17-3-4771.</p> <p>Thence S. 89°52'50" W.</p>
310.	<p>Gulch, 2 ft. wide, course N. 45° E.</p>
1493.56	<p>Cor. No. 1, and place of beginning.</p>
<p>JOCO NO. 17 LODE</p>	
<p>Beginning at Cor. No. 1 of the Joco No. 17 lode, identical with Cor. Nos. 1, 1 and 1 of the Joco No. 19, Joco No. 39, and Joco No. 38 lodes, respectively, of this survey; from which</p> <p>The cor. of secs. 17, 18, 19 and 20, bears N. 4°02' W., 154.69 ft. dist., heretofore described.</p> <p>Thence N. 0°07'10" W.</p>	
215.	<p>Gulch, 2 ft. wide, course West.</p>
300.00	<p>Lode line; discovery point bears N. 89°52'50" E., 1488.56 ft. dist.</p>
600.00	<p>Cor. No. 2, identical with Cor. Nos. 4, 1 and 1 of the Joco No. 38, Joco No. 36, and Joco No. 15 lodes, respectively, of this survey.</p> <p>Thence N. 89°52'50" E.</p>
1183.56	<p>Gulch, 2 ft. wide, course N. 45° E.</p>
1493.56	<p>Cor. No. 3, identical with Cor. Nos. 4, 1 and 2 of the Joco No. 15, Joco No. 16, and Joco No. 18 lodes, respectively, of this survey.</p> <p>Thence S. 0°07'10" E.</p>

FEET	
300.00	Lode line; discovery point bears S. 89°52'50" W., 5.0 ft. dist.
600.00	<p>Cor. No. 4, identical with Cor. Nos. 1, 1 and 2 of the Joco No. 18, Joco No. 20, and Joco No. 19 lodes, respectively, of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J17-4-J18-1-J20-1-J19-2-4771.</p> <p>Thence S. 89°52'50" W.</p>
1493.56	Cor. No. 1, and place of beginning.
JOCO NO. 19 LODE	
<p>Beginning at Cor. No. 1 of the Joco No. 19 lode, identical with Cor. Nos. 1, 1 and 1 of the Joco No. 39, Joco No. 38, and Joco No. 17 lodes, respectively, of this survey; from which</p> <p>The cor. of secs. 17, 18, 19 and 20, bears N. 4°02' W., 154.69 ft. dist., heretofore described.</p> <p>Thence N. 89°52'50" E.</p>	
1493.56	<p>Cor. No. 2, identical with Cor. Nos. 4, 1 and 1 of the Joco No. 17, Joco No. 18, and Joco No. 20 lodes, respectively, of this survey.</p> <p>Thence S. 0°07'10" E.</p>
300.00	Lode line; discovery point bears S. 89°52'50" W., 5.0 ft. dist.
600.00	<p>Cor. No. 3, identical with Cor. Nos. 4, 2 and 2 of the Joco No. 20, Joco No. 41, and Joco No. 40 lodes, respectively, of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J19-3-J20-4-J41-2-J40-2-4771.</p> <p>Thence S. 89°52'50" W.</p>
1165.	San Jose Gulch, 3 ft. wide, course N. 50° W.
1433.09	Intersect line 1-2 Fox No. 5 lode of this survey.
1493.56	<p>Cor. No. 4, identical with Cor. Nos. 1 and 2 of the Joco No. 40 and Joco No. 39 lodes, respectively, of this survey.</p> <p>Thence N. 0°07'10" W.</p>
48.33	Intersect line 1-2 Fox No. 5 lode of this survey.
300.00	Lode line; discovery point bears N. 89°52'50" E., 1488.56 ft. dist.
475.	San Jose Gulch, 5 ft. wide, course N. 40° W.
600.00	Cor. No. 1, and place of beginning.

(This form bound on left side)

FEET	JOCO NO. 40 LODGE
	Beginning at Cor. No. 1 of the Joco No. 40 lode, identical with Cor. Nos. 2 and 4 of the Joco No. 39 and Joco No. 19 lodes, respectively, of this survey; from which
	The cor. of secs. 17, 18, 19 and 20, bears N. 0°55'15" W., 754.4 ft. dist., heretofore described.
	Thence N. 89°52'50" E.
60.47	Intersect line 1-2 Fox No. 5 lode of this survey.
328.56	San Jose Gulch, 3 ft. wide, course N. 50° W.
1493.56	Cor. No. 2, identical with Cor. Nos. 3,4 and 2 of the Joco No. 19, Joco No. 20, and Joco No. 41 lodes, respectively, of this survey.
	Thence S. 0°07'10" E.
300.00	Lode line; discovery point bears S. 89°52'50" W., 5.0 ft. dist.
600.00	Cor. No. 3, identical with Cor. Nos. 1, 1 and 3 of the Joco No. 41, Aagh No. 1, and Hank No. 1 lodes, respectively, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J40-3-J41-1-AA1-1-HA1-3-4771.
	Thence S. 89°52'50" W.
480.	San Jose Gulch, 3 ft. wide, course N. 50° W.
683.95	Intersect line 2-3 Fox No. 5 lode of this survey.
1323.07	Intersect line 3-4 Fox No. 5 lode, common with line 1-2 Fox No. 4 lode, of this survey.
1493.56	Cor. No. 4, identical with Cor. No. 2 of the Hank No. 1 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J40-4-HA1-2-4771.
	Thence N. 0°07'10" W.
136.27	Intersect line 1-2 Fox No. 4 lode, common with line 3-4 Fox No. 5 lode, of this survey.
300.00	Lode line; discovery point bears N. 89°52'50" E., 1488.56 ft. dist.
600.00	Cor. No. 1, and place of beginning.

FEET	<p style="text-align: center;">HANK NO. 1 LODE</p> <p>At Cor. No. 1 of the Hank No. 1 lode, identical with Cor. No. 2 of the Hank No. 2 lode of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA1-1-HA2-2-4771; from which</p> <p style="padding-left: 40px;">The 1/4 sec. cor. of secs. 19 and 20, bears S. 1°00' W., 709.65 ft. dist., heretofore described.</p> <p style="padding-left: 40px;">Cor. No. 4, M.S. No. 4767 Red Castle No. 5 lode, identical with Cor. No. 2, M.S. No. 4767 Red Castle No. 8 lode, and Cor. No. 3 Fox No. 4 lode of this survey, bears N. 81°39'15" E., 377.04 ft. dist.</p> <p style="padding-left: 40px;">Thence N. 0°07'10" W.</p> <p>300.00 Lode line; discovery point bears N. 89°52'50" E. 1483.56 ft. dist.</p> <p>352.20 Intersect line 3-4, M.S. No. 4767 Red Castle No. 5 lode, common with line 3-4 Fox No. 4 lode of this survey, at a point from which Cor. Nos. 4 and 3, respectively, identical with Cor. No. 2, M.S. No. 4767 Red Castle No. 8 lode, bears S. 51°29'05" E., 477.71 ft. dist.</p> <p>600.00 Cor. No. 2, identical with Cor. No. 4 of the Joco No. 40 lode of this survey.</p> <p style="padding-left: 40px;">Thence N. 89°52'50" E.</p> <p>170.49 Intersect line 1-2 Fox No. 4 lode, common with line 3-4 Fox No. 5 lode, of this survey.</p> <p>809.61 Intersect line 2-3 Fox No. 5 lode of this survey.</p> <p>1013.56 San Jose Gulch, 3 ft. wide, course N. 50° W.</p> <p>1493.56 Cor. No. 3, identical with Cor. Nos. 3, 1 and 1 of the Joco No. 40, Joco No. 41, and Aagh No. 1 lodes, respectively, of this survey.</p> <p style="padding-left: 40px;">Thence S. 0°07'10" E.</p> <p>116.00 Cor. No. 4 Aagh No. 1 lode, identical with Cor. No. 1 Hank No. 8 lode of this survey.</p> <p>300.00 Lode line; discovery point bears S. 89°52'50" W., 10.0 ft. dist.</p> <p>385. San Jose Gulch, 3 ft. wide, course N. 60° W.</p> <p>600.00 Cor. No. 4, identical with Cor. No. 3 of the Hank No. 2 lode, and on line 4-1 Hank No. 8 lode of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA1-4-HA2-3-4771.</p> <p style="padding-left: 40px;">Thence S. 89°52'50" W.</p>	

FEET	
1052.90	Intersect line 2-3, M.S. No. 4767 Red Castle No. 8 lode, at a point from which Cor. No. 2, identical with Cor. No. 4, M.S. No. 4767 Red Castle No. 5 lode and Cor. No. 3 Fox No. 4 lode of this survey, bears N. 51°29'05" W., 86.41 ft. dist.
1163.52	Intersect line 1-2, M.S. No. 4767 Red Castle No. 8 lode, common with line 4-1, M.S. No. 4767 Red Castle No. 5 lode, at a point from which Cor. Nos. 2 and 4, respectively, identical with Cor. No. 3 Fox No. 4 lode of this survey, bears N. 38°30'55" E., 69.06 ft. dist.
1493.56	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">HANK NO. 2 LODE</p> <p>At Cor. No. 1 of the Hank No. 2 lode.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA2-1-4771; from which</p> <p>The 1/4 sec. cor. of secs. 19 and 20, bears S. 7°05'30" W., 110.39 ft. dist., heretofore described.</p> <p>Cor. No. 1, M.S. No. 4767 Red Castle No. 9 lode, identical with Cor. No. 1, M.S. No. 4767 Red Castle No. 3 lode, Cor. No. 1, M.S. No. 4767 Red Castle No. 5 lode and Cor. No. 1, M.S. No. 4767 Red Castle No. 8 lode, bears N. 0°34' W., 185.26 ft. dist.</p> <p style="text-align: center;">Thence N. 0°07'10" W.</p>
184.10	Intersect line 1-2, M.S. No. 4767 Red Castle No. 9 lode, common with line 4-1, M.S. No. 4767 Red Castle No. 8 lode, at a point from which Cor. Nos. 1 and 1, respectively, identical with Cor. No. 1, M.S. No. 4767 Red Castle No. 3 lode, and Cor. No. 1, M.S. No. 4767 Red Castle No. 5 lode, bears N. 51°29'05" W., 1.85 ft. dist.
187.08	Intersect line 1-2, M.S. No. 4767 Red Castle No. 8 lode, common with line 4-1, M.S. No. 4767 Red Castle No. 5 lode, at a point from which Cor. Nos. 1 and 1, respectively, identical with Cor. No. 1, M.S. No. 4767 Red Castle No. 9 lode, and Cor. No. 1, M.S. No. 4767 Red Castle No. 3 lode, bears S. 38°30'55" W., 2.32 ft. dist.
300.00	Lode line; discovery point bears N. 89°52'50" E., 893.56 ft. dist.
540.	Road, 12 ft. wide, bears N. 70° W. and S. 70° E.
575.	Aztec Gulch, 7 ft. wide, course N. 60° W. to this point, and N. 50° W. below this point.
600.00	<p>Cor. No. 2, identical with Cor. No. 1 of the Hank No. 1 lode of this survey.</p> <p style="text-align: center;">Thence N. 89°52'50" E.</p>

FEET	
330.04	Intersect line 4-1, M.S. No. 4767 Red Castle No. 5 lode, common with line 1-2, M.S. No. 4767 Red Castle No. 8 lode, at a point from which Cor. Nos. 1 and 1, respectively, identical with Cor. No. 1, M.S. No. 4767 Red Castle No. 9 lode and Cor. No. 1, M.S. No. 4767 Red Castle No. 3 lode, bears S. 38°30'55" W., 530.94 ft. dist.
440.66	Intersect line 2-3, M.S. No. 4767 Red Castle No. 8 lode, at a point from which Cor. No. 2, identical with Cor. No. 4, M.S. No. 4767 Red Castle No. 5 lode, and Cor. No. 3 Fox No. 4 lode of this survey, bears N. 51°29'05" W., 86.41 ft. dist.
1493.56	Cor. No. 3, identical with Cor. No. 4 of the Hank No. 1 lode, and on line 4-1 Hank No. 8 lode, of this survey. Thence S. 0°07'10" E.
102.29	Intersect line 1-2 Hope No. 4 lode of this survey.
116.00	Cor. No. 4 Hank No. 3 lode of this survey.
300.00	Lode line; discovery point bears S. 89°52'50" W. 600.0 ft. dist.
600.00	Cor. No. 4. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA2-4-4771. Thence S. 89°52'50" W.
302.21	Intersect line 2-3, M.S. No. 4767 Red Castle No. 8 lode, at a point from which Cor. No. 2, identical with Cor. No. 4, M.S. No. 4767 Red Castle No. 5 lode, and Cor. No. 3 Fox No. 4 lode of this survey, bears N. 51°29'05" W., 1047.41 ft. dist.
585.	Road, 12 ft. wide, bears N. 30° W. and S. 30° E.
635.	Aztec Gulch, 5 ft. wide, course N. 40° W.
948.01	Intersect line 1-2 Hope No. 4 lode of this survey.
1102.80	Intersect line 1-2 Aagh No. 7 lode of this survey.
1196.	Gulch, 3 ft. wide, course N. 10° W.
1263.23	Intersect line 4-1, M.S. No. 4767 Red Castle No. 8 lode, common with line 1-2, M.S. No. 4767 Red Castle No. 9 lode, at a point from which Cor. Nos. 1 and 1, respectively, identical with Cor. No. 1, M.S. No. 4767 Red Castle No. 3 lode, and Cor. No. 1, M.S. No. 4767 Red Castle No. 5 lode, bears N. 51°29'05" W., 296.72 ft. dist.
1351.26	Intersect line 4-1 Aagh No. 7 lode of this survey.

FEET	
1493.56	Cor. No. 1, and place of beginning.
	JOCO NO. 16 LODE
	Beginning at Cor. No. 1 of the Joco No. 16 lode,
	identical with Cor. Nos. 2, 3 and 4 of the Joco
	No. 18, Joco No. 17, and Joco No. 15 lodes,
	respectively, of this survey; from which
	The cor. of secs. 17, 18, 19 and 20, bears
	S. 73°22'35" W., 1568.75 ft. dist., here-
	tofore described.
	Thence N. 0°07'10" W.
185.	School Canyon, 10 ft. wide, course N. 20° W.
300.00	Lode line; discovery point bears N. 89°52'50" E.,
	5.0 ft. dist.
540.	School Canyon, 10 ft. wide, course N. 35° E. to
	this point, and N. 55° E. below this point.
600.00	Cor. No. 2, identical with Cor. No. 3 of the
	Joco No. 15 lode of this survey, and with the
	Southwest cor., Joco No. 14 lode, and the
	Southeast cor., Joco No. 13 lode, both Uns.
	Thence N. 89°52'50" E.
55.	School Canyon, 10 ft. wide, course N. 10° E.
570.	Gulch, 2 ft. wide, course N. 50° W.
1185.	Gulch, 2 ft. wide, course N. 45° W.
1500.00	Cor. No. 3, identical with the Southeast cor.,
	Joco No. 14 lode, and on the Westerly sideline,
	Paty No. 9 lode, both Uns.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18
	ins. in the ground, stone mound alongside, with
	aluminum cap mkd. X-J16-3-4771.
	Thence S. 0°07'10" E.
116.00	Cor. No. 3 Hank No. 30 lode of this survey.
300.00	Lode line; discovery point bears S. 89°52'50"W.,
	1495.0 ft. dist., and identical with the South-
	west cor., Paty No. 9 lode, Uns.
600.00	Cor. No. 4, identical with Cor. No. 3 of the
	Joco No. 18 lode, and on line 2-3 Hank No. 30
	lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18
	ins. in the ground, stone mound alongside, with
	aluminum cap mkd. X-J16-4-J18-3-4771.
	Thence S. 89°52'50" W.
1440.	School Canyon, 10 ft. wide, course N. 10° W.
1500.00	Cor. No. 1, and place of beginning.

FEET	
	JOCO NO. 18 LODE
	Beginning at Cor. No. 1 of the Joco No. 18 lode, identical with Cor. Nos. 1, 2 and 4 of the Joco No. 20, Joco No. 19, and Joco No. 17 lodes, respectively, of this survey; from which
	The cor. of secs. 17, 18, 19 and 20, bears N. 84°15'40" W., 1512.02 ft. dist., heretofore described.
	Thence N. 0°07'10" W.
300.00	Lode line; discovery point bears N.89°52'50"E., 5.0 ft. dist.
600.00	Cor. No. 2, identical with Cor. Nos. 3, 4 and 1 of the Joco No. 17, Joco No. 15, and Joco No. 16 lodes, respectively, of this survey.
	Thence N. 89°52'50" E.
60.	School Canyon, 10 ft. wide, course N. 10° W.
1500.00	Cor. No. 3, identical with Cor. No. 4 of the Joco No. 16 lode, and on line 2-3 Hank No. 30 lode, of this survey.
	Thence S. 0°07'10" E.
116.00	Cor. No. 2 Hank No. 30 lode, identical with Cor. No. 4 Hank No. 23 lode of this survey.
300.00	Lode line; discovery point bears S.89°52'50"W., 1495.0 ft. dist.
600.00	Cor. No. 4, identical with Cor. No. 2 of the Joco No. 20 lode, and on line 3-4 Hank No. 23 lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J18-4-J20-2-4771.
	Thence S. 89°52'50" W.
1140.	School Canyon, 7 ft. wide, course N. 40° W.
1500.00	Cor. No. 1, and place of beginning.
	JOCO NO. 20 LODE
	Beginning at Cor. No. 1 of the Joco No. 20 lode, identical with Cor. Nos. 2, 4 and 1 of the Joco No. 19, Joco No. 17, and Joco No. 18 lodes, respectively, of this survey; from which
	The cor. of secs. 17, 18, 19 and 20, bears N. 84°15'40" W., 1512.02 ft. dist., heretofore described.
	Thence N. 89°52'50" E.
360.	School Canyon, 7 ft. wide, course N. 40° W.

FEET	
1500.00	Cor. No. 2, identical with Cor. No. 4 of the Joco No. 18 lode, and on line 3-4 Hank No. 23 lode, of this survey. Thence S. 0°07'10" E.
116.00	Cor. No. 3 Hank No. 23 lode, identical with Cor. No. 4 Hank No. 24 lode of this survey.
300.00	Lode line; discovery point bears S.89°52'50" W., 1495.0 ft. dist.
315.	Gulch, 3 ft. wide, course N. 70° W.
600.00	Cor. No. 3, identical with Cor. No. 3 of the Joco No. 41 lode, and on line 3-4 Hank No. 24 lode, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J20-3-J41-3-4771. Thence S. 89°52'50" W.
660.	School Canyon, 5 ft. wide, course N. 30° W.
1500.00	Cor. No. 4, identical with Cor. Nos. 2, 2 and 3 of the Joco No. 41, Joco No. 40, and Joco No. 19 lodes, respectively, of this survey. Thence N. 0°07'10" W.
300.00	Lode line; discovery point bears N. 89°52'50"E., 5.0 ft. dist.
600.00	Cor. No. 1, and place of beginning.
JOCO NO. 41 LODE	
Beginning at Cor. No. 1 of the Joco No. 41 lode, identical with Cor. Nos. 1, 3 and 3 of the Aagh No. 1, Hank No. 1, and Joco No. 40 lodes, respectively, of this survey; from which	
The cor. of secs. 17, 18, 19 and 20, bears N. 48°07'10" W., 2024.01 ft. dist., heretofore described.	
Thence N. 0°07'10" W.	
300.00	Lode line; discovery point bears N.89°52'50" E., 5.0 ft. dist.
600.00	Cor. No. 2, identical with Cor. Nos. 2, 3 and 4 of the Joco No. 40, Joco No. 19, and Joco No. 20 lodes, respectively, of this survey. Thence N. 89°52'50" E.
840.	School Canyon, 5 ft. wide, course N. 30° W.

FEET	
1500.00	<p>Cor. No. 3, identical with Cor. No. 3 of the Joco No. 20 lode, and on line 3-4 Hank No. 24 lode, of this survey.</p> <p>Thence S. 0°07'10" E.</p>
116.00	<p>Cor. No. 3 Hank No. 24 lode, identical with Cor. No. 4 Hank No. 15 lode, of this survey.</p>
300.00	<p>Lode line; discovery point bears S. 89°52'50" W. 1495.0 ft. dist.</p>
600.00	<p>Cor. No. 4, identical with Cor. No. 2 of the Aagh No. 1 lode, and on line 3-4 Hank No. 15 lode, of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long. 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-J41-4-AA1-2-4771.</p> <p>Thence S. 89°52'50" W.</p>
155.	<p>School Canyon, 3 ft. wide, course N. 30° W.</p>
1500.00	<p>Cor. No. 1, and piece of beginning.</p>
<p>AAGH NO. 1 LODE</p>	
<p>Beginning at Cor. No. 1 of the Aagh No. 1 lode, identical with Cor. Nos. 3, 3 and 1 of the Hank No. 1, Joco No. 40, and Joco No. 41 lodes, respectively, of this survey; from which</p>	
<p>The cor. of secs. 17, 18, 19 and 20, bears N. 48°07'10" W., 2024.01 ft. dist., heretofore described.</p>	
<p>Thence N. 89°52'50" E.</p>	
1345.	<p>School Canyon, 3 ft. wide, course N. 30° W.</p>
1500.00	<p>Cor. No. 2, identical with Cor. No. 4 of the Joco No. 41 lode, and on line 3-4 Hank No. 15 lode, of this survey.</p> <p>Thence S. 0°07'10" E.</p>
58.00	<p>Lode line; discovery point bears S. 89°52'50"W., 1490.0 ft. dist.</p>
116.00	<p>Cor. No. 3, identical with Cor. Nos. 3, 4 and 2 of the Hank No. 15, Hank No. 16, and Hank No. 8 lodes, respectively, of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA1-3-HA15-3-HA16-4-HA8-2-4771.</p> <p>Thence S. 89°52'50" W.</p>
70.	<p>School Canyon, 2 ft. wide, course N. 40° W.</p>

FEET	
1500.00	Cor. No. 4, identical with Cor. No. 1 of the Hank No. 8 lode, and on line 3-4 Hank No. 1 lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA1-4-HA8-1-4771.
	Thence N. 0°07'10" W.
58.00	Lode line; discovery point bears N. 89°52'50" E., 10.0 ft. dist.
116.00	Cor. No. 1, and place of beginning.
	HANK NO. 8 LODE
	Beginning at Cor. No. 1 of the Hank No. 8 lode, identical with Cor. No. 4 of the Aagh No. 1 lode, and on line 3-4 Hank No. 1 lode, of this survey; from which
	The cor. of secs. 17, 18, 19 and 20, bears N. 45°46'15" W., 2103.4 ft. dist., heretofore described.
	Thence N. 89°52'50" E.
1430.	School Canyon, 2 ft. wide, course N. 40° W.
1500.00	Cor. No. 2, identical with Cor. Nos. 3, 3 and 4 of the Aagh No. 1, Hank No. 15, and Hank No. 16 lodes, respectively, of this survey.
	Thence S. 0°07'10" E.
65.	School Canyon, 2 ft. wide, course N. 45° W.
300.00	Lode line; discovery point bears S. 89°52'50"W., 1490.0 ft. dist.
600.00	Cor. No. 3, identical with Cor. No. 3 of the Hank No. 16 lode, and on line 2-3 Hank No. 9 lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA8-3-HA16-3-4771.
	Thence S. 89°52'50" W.
665.	Road, 12 ft. wide, bears N. 50° W. and S. 50° E.
940.	San Jose Gulch, 2 ft. wide, course N. 40° W.
1009.76	Intersect line 2-3 Hope No. 4 lode of this survey.
1300.00	Cor. No. 2 Hank No. 9 lode of this survey.
1500.00	Cor. No. 4, on line 3-4 Hank No. 2 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA8-4-4771.

FEET	
	Thence N. 0°07'10" W.
13.71	Intersect line 1-2 Hope No. 4 lode of this survey.
116.00	Cor. No. 3 Hank No. 2 lode, identical with Cor. No. 4 Hank No. 1 lode of this survey.
300.00	Lode line; discovery point bears N. 89°52'50" E. 10.0 ft. dist.
331.	San Jose Gulch, 3 ft. wide, course N. 60° W.
600.00	Cor. No. 1, and place of beginning.
	HANK NO. 9 LODE
	At Cor. No. 1 of the Hank No. 9 lode, identical with Cor. No. 1 of the Hank No. 10 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA9-1-HA10-1-4771; from which
	The 1/4 sec. cor. of secs. 19 and 20, bears N. 89°54'05" W., 1707.41 ft. dist., heretofore described.
	Thence N. 0°07'10" W.
41.05	Intersect line 1-2 Hope No. 3 lode, common with line 3-4 Hope No. 4 lode, of this survey.
300.00	Lode line; discovery point bears N.89°52'50" E., 1490.0 ft. dist.
580.	Road, 12 ft. wide, bears East and West.
600.00	Cor. No. 2, on line 3-4 Hank No. 8 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA9-2-4771.
	Thence N. 89°52'50" E.
290.24	Intersect line 2-3 Hope No. 4 lode of this survey.
360.	San Jose Gulch, 2 ft. wide, course N. 40° W.
645.	Road, 12 ft. wide, bears N. 50° W. and S. 50° E.
1300.00	Cor. No. 3 Hank No. 8 lode, identical with Cor. No. 3 Hank No. 16 lode, of this survey.
1500.00	Cor. No. 3, identical with Cor. No. 2 of the Hank No. 17 lode, and on line 2-3 Hank No. 16 lode, of this survey.

FEET	
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA9-3-HA17-2-4771.</p> <p>Thence S. 0°07'10" E.</p>
200.	Road, 12 ft. wide, bears N. 85° E. and S. 85° W.
300.00	Lode line; discovery point bears S. 89°52'50" W., 10.0 ft. dist.
600.00	Cor. No. 4, identical with Cor. Nos. 1, 2 and 2 of the Hank No. 17, Hank No. 18, and Hank No. 10 lodes, respectively, of this survey.
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA9-4-HA17-1-HA18-2-HA10-2-4771.</p> <p>Thence S. 89°52'50" W.</p>
415.	Gulch, 2 ft. wide, course S. 10° W.
893.73	Intersect line 2-3 Hope No. 3 lode of this survey.
1235.	Road, 12 ft. wide, bears N. 60° W. and S. 60° E.
1500.00	Cor. No. 1, and place of beginning.
HANK NO. 10 LODE	
	<p>Beginning at Cor. No. 1 of the Hank No. 10 lode, identical with Cor. No. 1 of the Hank No. 9 lode of this survey; from which</p> <p>The 1/4 sec. cor. of secs. 19 and 20, bears N. 89°54'05" W., 1707.41 ft. dist., heretofore described.</p> <p>Thence N. 89°52'50" E.</p>
265.	Road, 12 ft. wide, bears N. 60° W. and S. 60° E.
606.27	Intersect line 2-3 Hope No. 3 lode of this survey.
1085.	Gulch, 2 ft. wide, course S. 10° W.
1500.00	Cor. No. 2, identical with Cor. Nos. 4, 1 and 2 of the Hank No. 9, Hank No. 17, and Hank No. 18 lodes, respectively, of this survey.
	Thence S. 0°07'10" E.
70.	Gulch, 3 ft. wide, course S. 50° W.
300.00	Lode line; discovery point bears S. 89°52'50" W., 10.0 ft. dist.

FEET	
600.00	<p>Cor. No. 3, identical with Cor. Nos. 1, 2 and 4 of the Hank No. 18, Hank No. 19, and Hank No. 11 lodes, respectively, of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA10-3-HA18-1-HA19-2-HA11-4-4771.</p> <p style="text-align: center;">Thence S. 89°52'50" W.</p>
577.71	Intersect line 2-3 Hope No. 3 lode of this survey.
630.	Road, 12 ft. wide, bears N.35° W. and S. 35° E.
860.	Gulch, 3 ft. wide, course N. 30° W.
1185.	Road, 12 ft. wide, bears N.25° E. and S. 25° W.
1255.85	Intersect line 4-1 Hope No. 3 lode, common with line 3-4 Elnor lode, of this survey.
1439.92	Intersect line 2-3 Elnor lode, common with line 3-4 Charlotte lode, of this survey.
1500.00	<p>Cor. No. 4, identical with Cor. No. 3 of the Hank No. 11 lode of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA10-4-HA11-3-4771.</p> <p style="text-align: center;">Thence N. 0°07'10" W.</p>
55.	Gulch, 5 ft. wide, course N. 75° W.
300.00	Lode line; discovery point bears N.89°52'50" E., 1490.0 ft. dist.
463.56	Intersect line 2-3 Charlotte lode, common with line 4-1 Hope No. 3 lode, of this survey.
600.00	Cor. No. 1, and place of beginning.
HANK NO. 11 LODE	
	<p>At Cor. No. 1 of the Hank No. 11 lode, identical with Cor. Nos. 1, 2 and 4 of the Hank No. 19, Hank No. 20, and Hank No. 12 lodes, respectively of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA11-1-HA19-1-HA20-2-HA12-4-4771; from which</p> <p style="text-align: center;">The 1/4 sec. cor. of secs. 20 and 29, bears S. 23°24'35" W., 1506.94 ft. dist., heretofore described.</p> <p style="text-align: center;">Thence S. 89°52'50" W.</p>
661.13	Intersect line 3-4 Hope No. 3 lode of this survey.

FEET	
939.83	Intersect line 4-1 Hope No. 3 lode, common with line 3-4 Heaveyside No. 2 lode, of this survey.
1301.66	Intersect line 2-3 Heaveyside No. 2 lode, common with line 4-1 Elnor lode, of this survey.
1500.00	Cor. No. 2, identical with Cor. No. 3 of the Hank No. 12 lode of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA11-2-HA12-3-4771.
	Thence N. 0°07'10" W.
20.	Road, 12 ft. wide, bears N.20° E. and S. 20° W.
300.00	Lode line; discovery point bears N.89°52'50" E., 1490.0 ft. dist.
568.46	Intersect line 2-3 Elnor lode, common with line 3-4 Charlotte lode, of this survey.
600.00	Cor. No. 3, identical with Cor. No. 4 of the Hank No. 10 lode of this survey.
	Thence N. 89°52'50" E.
60.08	Intersect line 3-4 Charlotte lode, common with line 2-3 Elnor lode, of this survey.
244.15	Intersect line 3-4 Elnor lode, common with line 4-1 Hope No. 3 lode, of this survey.
315.	Road, 12 ft. wide, bears N. 25° E. and S. 25° W.
640.	Gulch, 3 ft. wide, course N. 30° W.
870.	Road, 12 ft. wide, bears N. 35° W. and S. 35° E.
922.29	Intersect line 2-3 Hope No. 3 lode of this survey.
1500.00	Cor. No. 4, identical with Cor. Nos. 3, 1 and 2 of the Hank No. 10, Hank No. 18, and Hank No. 19 lodes, respectively, of this survey.
	Thence S. 0°07'10" E.
215.	Gulch, 3 ft. wide, course N. 70° W.
300.00	Lode line; discovery point bears S.89°52'50" W., 10.0 ft. dist.
600.00	Cor. No. 1, and place of beginning.
	HANK NO. 12 LODE
	At Cor. No. 1 of the Hank No. 12 lode, identical with Cor. No. 1 of the Hank No. 20 lode, and on line 2-3 Hank No. 21 lode of this survey.

FEET		
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA12-1-HA20-1-4771; from which</p> <p>The 1/4 sec. cor. of secs. 20 and 29, bears S. 31°54'35" W., 1134.32 ft. dist., heretofore described.</p> <p>Thence S. 89°52'50" W.</p>	
70.00	Cor. No. 2, Hank No. 21 lode, identical with Cor. No. 4 Hank No. 13 lode, of this survey.	
718.61	Intersect line 4-1 Heaveyside lode of this survey.	
820.56	Intersect line 3-4 Heaveyside lode, common with line 4-1 Heaveyside No. 2 lode, of this survey.	
850.	Road, 12 ft. wide, bears N.45° E. and S.30° W.	
1500.00	Cor. No. 2, identical with Cor. No. 3 of the Hank No. 13 lode of this survey.	
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA12-2-HA13-3-4771.</p> <p>Thence N. 0°07'10" W.</p>	
210.00	Lode line; discovery point bears N.89°52'50"E., 1490.0 ft. dist.	
315.86	Intersect line 2-3 Heaveyside No. 2 lode, common with line 4-1 Elnor lode, of this survey.	
420.00	Cor. No. 3, identical with Cor. No. 2 of the Hank No. 11 lode of this survey.	
	Thence N. 89°52'50" E.	
198.34	Intersect line 4-1 Elnor lode, common with line 2-3 Heaveyside No. 2 lode, of this survey.	
560.17	Intersect line 3-4 Heaveyside No. 2 lode, common with line 4-1 Hope No. 3 lode, of this survey.	
838.87	Intersect line 3-4 Hope No. 3 lode of this survey.	
1500.00	Cor. No. 4, identical with Cor. Nos. 1, 1 and 2 of the Hank No. 11, Hank No. 19, and Hank No. 20 lodes, respectively, of this survey.	
	Thence S. 0°07'10" E.	
210.00	Lode line; discovery point bears S.89°52'50"W., 10.0 ft. dist.	
280.	Road, 12 ft. wide, bears N.85° E. and S.85° W.	
420.00	Cor. No. 1, and place of beginning.	

FEET	
	<p style="text-align: center;">HANK NO. 13 LODE</p> <p>At Cor. No. 1 of the Hank No. 13 lode, identical with Cor. No. 1 of the Hank No. 21 lode, and on line 2-3 Hank No. 22 lode of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA13-1-HA21-1-4771; from which</p> <p style="padding-left: 40px;">The 1/4 sec. cor. of secs. 20 and 29, bears S. 55°39'10" W., 642.95 ft. dist., heretofore described.</p> <p style="padding-left: 40px;">Thence S. 89°52'50" W.</p>
130.00	Cor. No. 2 Hank No. 22 lode, identical with Cor. No. 4 Hank No. 14 lode of this survey.
500.00	Cor. No. 1 Hope No. 1 lode of this survey.
612.30	Intersect line 1-2 Heaveyside lode of this survey.
1100.00	Cor. No. 4 Hope No. 1 lode of this survey.
1430.00	<p>Cor. No. 2, identical with Cor. No. 3 of the Hank No. 14 lode of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA13-2-HA14-3-4771.</p> <p style="padding-left: 40px;">Thence N. 0°07'10" W.</p>
10.	Road, 12 ft. wide, bears N. 50° E. and S. 50° W.
243.28	Intersect line 3-4 Heaveyside lode, common with line 4-1 Heaveyside No. 2 lode, of this survey.
300.00	Lode line; discovery point bears N. 89°52'50" E., 1420.0 ft. dist.
600.00	Cor. No. 3, identical with Cor. No. 2 of the Hank No. 12 lode of this survey.
	Thence N. 89°52'50" E.
650.	Road, 12 ft. wide, bears N. 45° E. and S. 30° W.
679.44	Intersect line 4-1 Heaveyside No. 2 lode, common with line 3-4 Heaveyside lode, of this survey.
781.39	Intersect line 4-1 Heaveyside lode of this survey.
1430.00	<p>Cor. No. 4, identical with Cor. No. 2 of the Hank No. 21 lode, and on line 1-2 Hank No. 12 lode, of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA13-4-HA21-2-4771.</p> <p style="padding-left: 40px;">Thence S. 0°07'10" E.</p>

FEET	
300.00	Lode line; discovery point bears S. 89°52'50" W., 10.0 ft. dist.
600.00	Cor. No. 1, and place of beginning.
HANK NO. 14 LODE	
	At Cor. No. 1 of the Hank No. 14 lode, identical with Cor. No. 1 of the Hank No. 22 lode, and on line 4-1 Hank No. 28 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA14-1-HA22-1-4771; from which
	The 1/4 sec. cor. of secs. 20 and 29, bears N. 64°59'35" W., 443.56 ft. dist., heretofore described.
	Thence S. 89°52'50" W.
370.00	Intersect line 1-2 Hope No. 1 lode of this survey.
930.11	Intersect line 1-2 Dorfee lode of this survey.
970.00	Cor. No. 4 Hank No. 28 lode, on line 3-4 Hope No. 1 lode, of this survey.
1275.	Gulch, 2 ft. wide, course S. 15° W.
1300.00	Cor. No. 2.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA14-2-4771.
	Thence N. 0°07'10" W.
120.70	Intersect line 4-1 Dorfee lode, common with line 1-2 Heaveyside lode, of this survey.
275.00	Lode line; discovery point bears N. 89°52'50" E., 1290.0 ft. dist.
550.00	Cor. No. 3, identical with Cor. No. 2 of the Hank No. 13 lode of this survey.
	Thence N. 89°52'50" E.
330.00	Cor. No. 4 Hope No. 1 lode of this survey.
817.70	Intersect line 1-2 Heaveyside lode of this survey.
930.00	Cor. No. 1 Hope No. 1 lode of this survey.
1300.00	Cor. No. 4, identical with Cor. No. 2 of the Hank No. 22 lode, and on line 1-2 Hank No. 13 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA14-4-HA22-2-4771.
	Thence S. 0°07'10" E.

(This form bound on left side)

FEET	
275.00	Lode line; discovery point bears S. 89°52'50" W., 10.0 ft. dist.
550.00	Cor. No. 1, and place of beginning.
HANK NO. 30 LODE	
At Cor. No. 1 of the Hank No. 30 lode, identical with Cor. No. 1 of the Hank No. 23 lode of this survey.	
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA30-1-HA23-1-4771; from which	
The cor. of secs. 16, 17, 20 and 21, T.22 S., R. 16 E., G. & S.R.M., Arizona, bears S. 66°37'45" E., 839.26 ft. dist., monumented by an iron post, 2 in. diam., 12 ins. above ground, firmly set, with brass cap properly mkd., stone mound alongside.	
Thence S. 89°52'50" W.	
361.18	Intersect the Westerly sideline, Tres Pobres #8 lode, Uns., at a point from which the Southwest cor., identical with Cor. No. 4 Ten Grand No. 128 lode, and Cor. No. 1 Ten Grand No. 127 lode, of this survey, bears S. 0°07'10" E., 304.96 ft. dist.
705.	Gulch, 3 ft. wide, course N. 30° W.
1500.00	Cor. No. 2, identical with Cor. No. 4 of the Hank No. 23 lode, and on line 3-4 Joco No. 18 lode, of this survey.
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA30-2-HA23-4-4771.	
Thence N. 0°07'10" W.	
116.00	Cor. No. 3 Joco No. 18 lode, identical with Cor. No. 4 Joco No. 16 lode, of this survey.
300.00	Lode line; discovery point bears N. 89°52'50" E., 10.0 ft. dist.
416.00	The Southwest cor., Paty No. 9 lode, Uns.
600.00	Cor. No. 3, on line 3-4 Joco No. 16 lode of this survey.
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA30-3-4771; from which	
The Southeast cor., Paty No. 9 lode, Uns., bears S. 69°08'45" E., 514.06 ft. dist.	
The Southwest cor., West Extension No. 8 lode, Uns., bears N. 84°28'30" E., 283.04 ft. dist.	
Thence N. 89°52'50" E.	

FEET 435.	Gulch, 5 ft. wide, course No. 50° W.
480.00	Intersect the Easterly sideline, Paty No. 9 lode, Uns., at a point from which the Southeast cor. bears S. 0°07'10" E., 184.0 ft. dist., and the Southerly sideline, West Extension No. 8 lode, Uns., at a point from which the Southwest cor. bears N. 82°27'26" W., 200.0 ft. dist.
1138.82	Intersect the Westerly sideline, Tres Pobres #8 lode, Uns., at a point from which the Southwest cor., identical with Cor. No. 4 Ten Grand No. 128 lode, and Cor. No. 1 Ten Grand No. 127 lode of this survey, bears S. 0°07'10" E., 904.96 ft. dist.
1500.00	Cor. No. 4. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA30-4-4771; from which The Southeast cor., West Extension No. 8 lode, Uns., bears S. 57°15'55" E., 319.49 ft. dist. Thence S. 0°07'10" E.
137.22	Intersect the Southerly sideline, West Extension No. 8 lode, Uns., at a point from which the Southwest cor. bears N. 82°27'26" W., 1229.19 ft. dist.
300.00	Lode line; discovery point bears S. 89°52'50" W., 1490.0 ft. dist.
600.00	Cor. No. 1, and place of beginning.
HANK NO. 23 LODE	
Beginning at Cor. No. 1 of the Hank No. 23 lode, identical with Cor. No. 1 of the Hank No. 30 lode of this survey; from which The cor. of secs. 16, 17, 20 and 21, bears S. 66°37'45" E., 839.26 ft. dist., heretofore described. Cor. Nos. 4 and 1 Ten Grand No. 128 and Ten Grand No. 127 lodes, respectively, of this survey, identical with the Southwest cor., Tres Pobres #8 lode, Uns., bears S. 49°42'15" W., 472.7 ft. dist. Thence S. 0°07'10" E.	
293.35	Intersect the Southerly endline, Tres Pobres #8 lode, Uns., common with line 4-1 Ten Grand No. 128 lode of this survey, at a point from which the Southwest cor. and Cor. No. 4 respectively, identical with Cor. No. 1 Ten Grand No. 127 lode, bears S. 88°02'20" W., 361.36 ft. dist.
300.00	Lode line; discovery point bears S. 89°52'50" W., 1490.0 ft. dist.

(This form bound on left side)

FEET	
600.00	<p>Cor. No. 2, identical with Cor. No. 1 of the Hank No. 24 lode of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA23-2-HA24-1-4771.</p> <p style="text-align: center;">Thence S. 89°52'50" W.</p>
120.	Gulch, 2 ft. wide, course N. 25° W.
427.20	Intersect line 3-4 Ten Grand No. 128 lode, common with line 1-2 Ten Grand No. 127 lode, of this survey.
986.78	Intersect line 3-4 Ten Grand No. 127 lode of this survey.
1500.00	<p>Cor. No. 3, identical with Cor. No. 4 of the Hank No. 24 lode, and on line 2-3 Joco No. 20 lode of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA23-3-HA24-4-4771.</p> <p style="text-align: center;">Thence N. 0°07'10" W.</p>
116.00	Cor. No. 2 Joco No. 20 lode, identical with Cor. No. 4 Joco No. 18 lode, of this survey.
300.00	Lode line; discovery point bears N. 89°52'50" E., 10.0 ft. dist.
600.00	<p>Cor. No. 4, identical with Cor. No. 2 of the Hank No. 30 lode, and on line 3-4 Joco No. 18 lode, of this survey.</p> <p style="text-align: center;">Thence N. 89°52'50" E.</p>
795.	Gulch, 3 ft. wide, course N. 30° W.
1138.82	Intersect the Westerly sideline, Tres Pobres #8 lode, Uns., at a point from which the Southwest cor., identical with Cor. No. 4 Ten Grand No. 128 lode, and Cor. No. 1 Ten Grand No. 127 lode of this survey, bears S. 0°07'10" E., 304.96 ft. dist.
1500.00	Cor. No. 1, and place of beginning.
	<p>HANK NO. 24 LODE</p> <p>Beginning at Cor. No. 1 of the Hank No. 24 lode, identical with Cor. No. 2 of the Hank No. 23 lode of this survey; from which</p> <p style="text-align: center;">The cor. of secs. 16, 17, 20 and 21, bears N. 70°51'05" E., 814.2 ft. dist., heretofore described.</p> <p style="text-align: center;">Thence S. 0°07'10" E.</p>
300.00	Lode line; discovery point bears S. 89°52'50" W., 1490.0 ft. dist.

Mineral Survey No. 4771

97

FEET	
594.29	Intersect line 1-2 Ten Grand No. 128 lode, common with line 4-1 Ten Grand No. 129 lode, of this survey.
600.00	Cor. No. 2, identical with Cor. No. 1 of the Hank No. 15 lode, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA24-2-HA15-1-4771. Thence S. 89°52'50" W.
1.28	Intersect line 4-1 Ten Grand No. 129 lode, common with line 1-2 Ten Grand No. 128 lode, of this survey.
561.46	Intersect line 3-4 Ten Grand No. 128 lode, common with line 1-2 Ten Grand No. 127 lode, of this survey.
685.	Gulch, 2 ft. wide, course N. 35° W.
1121.04	Intersect line 3-4 Ten Grand No. 127 lode of this survey.
1500.00	Cor. No. 3, identical with Cor. No. 4 of the Hank No. 15 lode, and on line 3-4 Joco No. 41 lode, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA24-3-HA15-4-4771. Thence N. 0°07'10" W.
116.00	Cor. No. 3 Joco No. 41 lode, identical with Cor. No. 3 Joco No. 20 lode, of this survey.
300.00	Lode line; discovery point bears N. 89°52'50" E., 10.0 ft. dist.
401.	Gulch, 3 ft. wide, course N. 70° W.
600.00	Cor. No. 4, identical with Cor. No. 3 of the Hank No. 23 lode, and on line 2-3 Joco No. 20 lode, of this survey. Thence N. 89°52'50" E.
513.22	Intersect line 3-4 Ten Grand No. 127 lode of this survey.
1072.80	Intersect line 1-2 Ten Grand No. 127 lode, common with line 3-4 Ten Grand No. 128 lode, of this survey.
1380.	Gulch, 2 ft. wide, course N. 25° W.
1500.00	Cor. No. 1, and place of beginning.

(This form bound on left side)

FEET	HANK NO. 15 LODE
	Beginning at Cor. No. 1 of the Hank No. 15 lode, identical with Cor. No. 2 of the Hank No. 24 lode of this survey; from which The cor. of secs. 16, 17, 20 and 21, bears N. 41°31'45" E., 1158.22 ft. dist., heretofore described. Thence S. 0°07'10" E.
300.00	Lode line; discovery point bears S. 89°52'50" W., 1490.0 ft. dist.
470.	Road, 12 ft. wide, bears N. 70° E. and S. 70° W.
547.65	Intersect line 3-4 Ten Grand No. 129 lode, common with line 4-1 AAGH No. 21 lode, of this survey.
600.00	Cor. No. 2, identical with Cor. No. 1 of the Hank No. 16 lode of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA15-2-HA16-1-4771. Thence S. 89°52'50" W.
123.53	Intersect line 3-4 AAGH No. 21 lode of this survey.
295.	Road, 12 ft. wide, bears N. 60° E. and S. 60° W.
1500.00	Cor. No. 3, identical with Cor. Nos. 4, 2 and 3 of the Hank No. 16, Hank No. 8, and Aagh No. 1 lodes, respectively, of this survey. Thence N. 0°07'10" W.
116.00	Cor. No. 2 Aagh No. 1 lode, identical with Cor. No. 4 Joco No. 41 lode, of this survey.
300.00	Lode line; discovery point bears N. 89°52'50" E., 10.0 ft. dist.
600.00	Cor. No. 4, identical with Cor. No. 3 of the Hank No. 24 lode, and on line 3-4 Joco No. 41 lode, of this survey. Thence N. 89°52'50" E.
378.96	Intersect line 3-4 Ten Grand No. 127 lode of this survey.
815.	Gulch, 2 ft. wide, course N. 35° W.
938.54	Intersect line 1-2 Ten Grand No. 127 lode, common with line 3-4 Ten Grand No. 128 lode, of this survey.
1498.72	Intersect line 1-2 Ten Grand No. 128 lode, common with line 4-1 Ten Grand No. 129 lode, of this survey.
1500.00	Cor. No. 1, and place of beginning.

FEET	
	<p>HANK NO. 16 LODE</p> <p>Beginning at Cor. No. 1 of the Hank No. 16 lode, identical with Cor. No. 2 of the Hank No. 15 lode of this survey; from which</p> <p style="padding-left: 40px;">The cor. of secs. 16, 17, 20 and 21, bears N. 27°35'25" E., 1655.3 ft. dist., heretofore described.</p> <p style="padding-left: 40px;">Thence S. 0°07'10" E.</p>
16.81	Intersect line 4-1 Ten Grand No. 122 lode of this survey.
24.75	Intersect line 2-3 AAGH No. 21 lode of this survey.
300.00	Lode line; discovery point bears S. 89°52'50" W., 1490.0 ft. dist.
600.00	Cor. No. 2, on line 2-3 Hank No. 17 lode of this survey.
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA16-2-4771.</p> <p style="padding-left: 40px;">Thence S. 89°52'50" W.</p>
111.88	Intersect line 3-4 Ten Grand No. 122 lode, common with line 1-2 Ten Grand No. 124 lode, of this survey.
637.68	Intersect line 3-4 Ten Grand No. 124 lode, common with line 1-2 Ten Grand No. 126 lode, of this survey.
665.	Road, 12 ft. wide, bears N. 5° W. and S. 5° E.
905.	School Canyon, 2 ft. wide, course N. 45° W.
1141.22	Intersect line 3-4 Ten Grand No. 126 lode of this survey.
1300.00	Cor. No. 2 Hank No. 17 lode, identical with Cor. No. 3 Hank No. 9 lode, of this survey.
1500.00	Cor. No. 3, identical with Cor. No. 3 of the Hank No. 8 lode, and on line 2-3 Hank No. 9 lode, of this survey.
	Thence N. 0°07'10" W.
300.00	Lode line; discovery point bears N. 89°52'50" E., 10.0 ft. dist.
535.	School Canyon, 2 ft. wide, course N. 45° W.
600.00	Cor. No. 4, identical with Cor. Nos. 2, 3 and 3 of the Hank No. 8, Aagh No. 1, and Hank No. 15 lodes, respectively, of this survey.
	Thence N. 89°52'50" E.

(This form bound on left side)

FEET	
1205.	Road, 12 ft. wide, bears N. 60° E. and S. 60° W.
1376.47	Intersect line 3-4 AAGH No. 21 lode of this survey.
1500.00	Cor. No. 1, and place of beginning.
HANK NO. 17 LODE	
	Beginning at Cor. No. 1 of the Hank No. 17 lode, identical with Cor. Nos. 2, 2 and 4 of the Hank No. 18, Hank No. 10, and Hank No. 9 lodes, respectively, of this survey; from which
	The 1/4 sec. cor. of secs. 20 and 29, bears S. 12°59'55" W., 2650.81 ft. dist., heretofore described.
	Thence N. 0°07'10" W.
300.00	Lode line; discovery point bears N. 89°52'50" E., 10.0 ft. dist.
400.	Road, 12 ft. wide, bears N. 85° E. and S. 85° W.
600.00	Cor. No. 2, identical with Cor. No. 3 of the Hank No. 9 lode, and on line 2-3 Hank No. 16 lode, of this survey.
	Thence N. 89°52'50" E.
158.78	Intersect line 3-4 Ten Grand No. 126 lode of this survey.
395.	School Canyon, 2 ft. wide, course N. 45° W.
635.	Road, 12 ft. wide, bears N. 5° W. and S. 5° E.
662.32	Intersect line 1-2 Ten Grand No. 126 lode, common with line 3-4 Ten Grand No. 124 lode, of this survey.
1188.12	Intersect line 1-2 Ten Grand No. 124 lode, common with line 3-4 Ten Grand No. 122 lode, of this survey.
1300.00	Cor. No. 2, Hank No. 16 lode of this survey.
1500.00	Cor. No. 3.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA17-3-4771.
	Thence S. 0°07'10" E.
300.00	Lode line; discovery point bears S. 89°52'50" W., 1490.0 ft. dist.
600.00	Cor. No. 4, identical with Cor. No. 3 of the Hank No. 18 lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA17-4-HA18-3-4771.

FEET		
	Thence S. 89°52'50" W.	
115.	Road, 12 ft. wide, bears N. 40° E. and S. 40° W.	
300.24	Intersect line 3-4 Ten Grand No. 122 lode, common with line 1-2 Ten Grand No. 124 lode, of this survey.	
700.	Road, 12 ft. wide, bears N. 60° E. and S. 45° W.	
826.04	Intersect line 3-4 Ten Grand No. 124 lode, common with line 1-2 Ten Grand No. 126 lode, of this survey.	
935.	Road, 12 ft. wide, bears N. 30° W. and S. 30° E.	
1030.	Gulch, 3 ft. wide, course N. 65° W.	
1185.	Road, 12 ft. wide, bears N. 60° E. and S. 60° W.	
1329.58	Intersect line 3-4 Ten Grand No. 126 lode of this survey.	
1380.	Gulch, 3 ft. wide, course S. 60° W.	
1500.00	Cor. No. 1, and place of beginning.	
	HANK NO. 18 LODE	
	Beginning at Cor. No. 1 of the Hank No. 18 lode, identical with Cor. Nos. 2, 4 and 3 of the Hank No. 19, Hank No. 11, and Hank No. 10 lodes, respectively, of this survey; from which	
	The 1/4 sec. cor. of secs. 20 and 29, bears S. 16°46'05" W., 2070.95 ft. dist., heretofore described.	
	Thence N. 0°07'10" W.	
300.00	Lode line; discovery point bears N. 89°52'50" E., 10.0 ft. dist.	
530.	Gulch, 3 ft. wide, course S. 50° W.	
600.00	Cor. No. 2, identical with Cor. Nos. 2, 4 and 1 of the Hank No. 10, Hank No. 9, and Hank No. 17 lodes, respectively, of this survey.	
	Thence N. 89°52'50" E.	
120.	Gulch, 3 ft. wide, course S. 60° W.	
170.42	Intersect line 3-4 Ten Grand No. 126 lode of this survey.	
315.	Road, 12 ft. wide, bears N. 60° E. and S. 60° W.	
470.	Gulch, 3 ft. wide, course N. 65° W.	
565.	Road, 12 ft. wide, bears N. 30° W. and S. 30° E.	
673.96	Intersect line 1-2 Ten Grand No. 126 lode, common with line 3-4 Ten Grand No. 124 lode, of this survey.	

FEET	
800.	Road, 12 ft. wide, bears N. 60° E. and S. 45° W.
1199.76	Intersect line 1-2 Ten Grand No. 124 lode, common with line 3-4 Ten Grand No. 122 lode, of this survey.
1385.	Road, 12 ft. wide, bears N. 40° E. and S. 40° W.
1500.00	Cor. No. 3, identical with Cor. No. 4 of the Hank No. 17 lode of this survey. Thence S. 0°07'10" E.
300.00	Lode line; discovery point bears S. 89°52'50" W., 1490.0 ft. dist.
301.42	Intersect line 2-3 Ten Grand No. 122 lode, common with line 3-4 Ten Grand No. 121 lode, of this survey.
600.00	Cor. No. 4, identical with Cor. No. 3 of the Hank No. 19 lode of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA18-4-HA19-3-4771. Thence S. 89°52'50" W.
256.14	Intersect line 2-3 Ten Grand No. 121 lode, common with line 4-1 Ten Grand No. 123 lode, of this survey.
796.07	Intersect line 2-3 Ten Grand No. 123 lode, common with line 4-1 Ten Grand No. 125 lode, of this survey.
985.	Road, 12 ft. wide, bears North and South.
201.44	Intersect line 3-4 Ten Grand No. 125 lode, common with line 2-3 Ten Grand No. 126 lode, of this survey.
317.93	Intersect line 3-4 Ten Grand No. 126 lode of this survey.
500.00	Cor. No. 1, and place of beginning.
	<p>HANK NO. 19 LODE</p> <p>Beginning at Cor. No. 1 of the Hank No. 19 lode, identical with Cor. Nos. 2, 4 and 1 of the Hank No. 20, Hank No. 12, and Hank No. 11 lodes, respectively, of this survey; from which</p> <p>The 1/4 sec. cor. of secs. 20 and 29, bears S. 23°24'35" W., 1506.94 ft. dist., heretofore described.</p> <p>Thence N. 0°07'10" W.</p>
300.00	Lode line; discovery point bears N. 89°52'50" E., 10.0 ft. dist.
385.	Gulch, 3 ft. wide, course N. 70° W.

FEET 600.00	<p>Cor. No. 2, identical with Cor. Nos. 4, 3 and 1 of the Hank No. 11, Hank No. 10, and Hank No. 18 lodes, respectively, of this survey.</p> <p style="text-align: center;">Thence N. 89°52'50" E.</p>
182.07	Intersect line 3-4 Ten Grand No. 126 lode of this survey.
298.56	Intersect line 2-3 Ten Grand No. 126 lode, common with line 3-4 Ten Grand No. 125 lode, of this survey.
515.	Road, 12 ft. wide, bears North and South.
703.93	Intersect line 4-1 Ten Grand No. 125 lode, common with line 2-3 Ten Grand No. 123 lode, of this survey.
1243.86	Intersect line 4-1 Ten Grand No. 123 lode, common with line 2-3 Ten Grand No. 121 lode of this survey.
1500.00	<p>Cor. No. 3, identical with Cor. No. 4 of the Hank No. 18 lode of this survey.</p> <p style="text-align: center;">Thence S. 0°07'10" E.</p>
300.00	Lode line; discovery point bears S. 89°52'50" W., 1490.0 ft. dist.
380.	Road, 12 ft. wide, bears East and West.
600.00	<p>Cor. No. 4, identical with Cor. No. 3 of the Hank No. 20 lode of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA19-4-HA20-3-4771.</p> <p style="text-align: center;">Thence S. 89°52'50" W.</p>
173.09	Intersect line 2-3 Ten Grand No. 121 lode, common with line 4-1 Ten Grand No. 123 lode, of this survey.
713.02	Intersect line 2-3 Ten Grand No. 123 lode, common with line 4-1 Ten Grand No. 125 lode, of this survey.
1075.	Road, 12 ft. wide, bears N. 45° E. and S. 45° W.
1240.39	Intersect line 2-3 Ten Grand No. 125 lode of this survey.
1500.00	Cor. No. 1, and place of beginning.
HANK NO. 20 LODE	
<p>Beginning at Cor. No. 1 of the Hank No. 20 lode, identical with Cor. No. 1 of the Hank No. 12 lode, and on line 2-3 Hank No. 21 lode of this survey; from which</p> <p style="text-align: center;">The 1/4 sec. cor. of secs. 20 and 29, bears S. 31°54'35" W., 1134.32 ft. dist., heretofore described.</p>	

FEET	
	Thence N. 0°07'10" W.
140.	Road, 12 ft. wide, bears N. 85° E. and S. 85° W.
210.00	Lode line; discovery point bears N. 89°52'50" E., 10.0 ft. dist.
420.00	Cor. No. 2, identical with Cor. Nos. 4, 1 and 1 of the Hank No. 12, Hank No. 11, and Hank No. 19 lodes, respectively, of this survey.
	Thence N. 89°52'50" E.
259.61	Intersect line 2-3 Ten Grand No. 125 lode of this survey.
425.	Road, 12 ft. wide, bears N. 45° E. and S. 45° W.
786.98	Intersect line 4-1 Ten Grand No. 125 lode, common with line 2-3 Ten Grand No. 123 lode, of this survey.
1326.91	Intersect line 4-1 Ten Grand No. 123 lode, common with line 2-3 Ten Grand No. 121 lode, of this survey.
1500.00	Cor. No. 3, identical with Cor. No. 4 of the Hank No. 19 lode of this survey.
	Thence S. 0°07'10" E.
210.00	Lode line; discovery point bears S. 89°52'50" W., 1490.0 ft. dist.
420.00	Cor. No. 4. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA20-4-4771.
	Thence S. 89°52'50" W.
70.00	Cor. No. 3 Hank No. 21 lode of this survey.
114.95	Intersect line 2-3 Ten Grand No. 121 lode, common with line 4-1 Ten Grand No. 123 lode, of this survey.
245.	Gulch, 2 ft. wide, course S. 35° E.
654.88	Intersect line 2-3 Ten Grand No. 123 lode, common with line 4-1 Ten Grand No. 125 lode, of this survey.
1182.25	Intersect line 2-3 Ten Grand No. 125 lode of this survey.
1500.00	Cor. No. 1, and place of beginning.

FEET	HANK NO. 21 LODE
	Beginning at Cor. No. 1 of the Hank No. 21 lode, identical with Cor. No. 1 of the Hank No. 13 lode, and on line 2-3 Hank No. 22 lode of this survey; from which The 1/4 sec. cor. of secs. 20 and 29, bears S. 55°39'10" W., 642.95 ft. dist., heretofore described. Thence N. 0°07'10" W.
300.00	Lode line; discovery point bears N. 89°52'50" E., 10.0 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 4 of the Hank No. 13 lode, and on line 1-2 Hank No. 12 lode, of this survey. Thence N. 89°52'50" E.
70.00	Cor. No. 1 Hank No. 12 lode, identical with Cor. No. 1 Hank No. 20 lode, of this survey.
387.75	Intersect line 2-3 Ten Grand No. 125 lode of this survey.
915.12	Intersect line 4-1 Ten Grand No. 125 lode, common with line 2-3 Ten Grand No. 123 lode, of this survey.
1325.	Gulch, 2 ft. wide, course S. 35° E.
1455.05	Intersect line 4-1 Ten Grand No. 123 lode, common with line 2-3 Ten Grand No. 121 lode, of this survey.
1500.00	Cor. No. 3, on line 4-1 Hank No. 20 lode of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA21-3-4771; from which The Northwest cor., Ten Grand No. 99 lode, Uns., identical with Cor. Nos. 2 and 2 Ten Grand No. 121 lode and Ten Grand No. 98 lode, respectively, bears S. 5°15'50" W. 194.09 ft. dist. Thence S. 0°07'10" E.
191.62	Intersect line 1-2 Ten Grand No. 121 lode of this survey, common with the Northerly endline, Ten Grand No. 99 lode, Uns., at a point from which Cor. No. 2 and the Northwest cor., respectively, identical with Cor. No. 2 Ten Grand No. 98 lode of this survey, bears S. 84°49'40" W. 18.28 ft. dist.
300.00	Lode line; discovery point bears S. 89°52'50" W., 1490.0 ft. dist.

(This form bound on left side)

FEET	
600.00	Cor. No. 4.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA21-4-4771.
	Thence S. 89°52'50" W.
25.32	Intersect the Westerly sideline, Ten Grand No. 99 lode, Uns., common with line 2-3 Ten Grand No. 98 lode of this survey, at a point from which the Northwest cor. and Cor. No. 2, respectively, identical with Cor. No. 2 Ten Grand No. 121 lode of this survey, bears N.0°53' E., 406.83 ft. dist.
75.	Gulch, 5 ft. wide, course S. 10° W.
130.00	Cor. No. 3 Hank No. 22 lode of this survey.
563.44	Intersect line 4-1 Ten Grand No. 98 lode, common with line 2-3 Ten Grand No. 103 lode, of this survey.
1089.05	Intersect line 4-1 Ten Grand No. 103 lode of this survey.
1500.00	Cor. No. 1, and place of beginning.
HANK NO. 22 LODE	
	Beginning at Cor. No. 1 of the Hank No. 22 lode, identical with Cor. No. 1 of the Hank No. 14 lode, and on line 4-1 Hank No. 28 lode, of this survey; from which
	The 1/4 sec. cor. of secs. 20 and 29, bears N. 64°59'35" W., 443.56 ft. dist., heretofore described.
	Thence N. 0°07'10" W.
275.00	Lode line; discovery point bears N. 89°52'50" E., 10.0 ft. dist.
550.00	Cor. No. 2, identical with Cor. No. 4 of the Hank No. 14 lode, and on line 1-2 Hank No. 13 lode, of this survey.
	Thence N. 89°52'50" E.
130.00	Cor. No. 1 Hank No. 13 lode, identical with Cor. No. 1 Hank No. 21 lode, of this survey.
540.95	Intersect line 4-1 Ten Grand No. 103 lode of this survey.
1066.56	Intersect line 2-3 Ten Grand No. 103 lode, common with line 4-1 Ten Grand No. 98 lode, of this survey.
1500.00	Cor. No. 3, on line 4-1 Hank No. 21 lode of this survey.

FEET	
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA22-3-4771.</p> <p style="text-align: center;">Thence S. 0°07'10" E.</p>
275.00	Lode line; discovery point bears S. 89°52'50" W., 1490.0 ft. dist.
550.00	Cor. No. 4, identical with Cor. No. 2 of the Hank No. 27 lode of this survey.
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA22-4-HA27-2-4771.</p> <p style="text-align: center;">Thence S. 89°52'50" W.</p>
443.06	Intersect line 4-1 Ten Grand No. 98 lode, common with line 2-3 Ten Grand No. 103 lode, of this survey.
695.	Gulch, 3 ft. wide, course S. 40° E.
968.67	Intersect line 4-1 Ten Grand No. 103 lode of this survey.
1170.00	Cor. No. 1 Hank No. 27 lode, identical with Cor. No. 1 Hank No. 28 lode, of this survey.
1500.00	Cor. No. 1, and place of beginning.
	<p>HANK NO. 27 LODE</p>
	<p>Beginning at Cor. No. 1 of the Hank No. 27 lode, identical with Cor. No. 1 of the Hank No. 28 lode, and on line 4-1 Hank No. 22 lode of this survey; from which</p> <p style="text-align: center;">The 1/4 sec. cor. of secs. 20 and 29, bears N. 75°40'55" W., 755.44 ft. dist., heretofore described.</p> <p style="text-align: center;">Thence N. 89°52'50" E.</p>
201.33	Intersect line 4-1 Ten Grand No. 103 lode of this survey.
475.	Gulch, 3 ft. wide, course S. 40° E.
726.94	Intersect line 2-3 Ten Grand No. 103 lode, common with line 4-1 Ten Grand No. 98 lode, of this survey.
1170.00	Cor. No. 2, identical with Cor. No. 4 of the Hank No. 22 lode of this survey.
	Thence S. 0°07'10" E.
250.00	Lode line; discovery point bears S. 89°52'50" W., 1160.0 ft. dist.
462.73	Intersect line 3-4 Ten Grand No. 98 lode of this survey, common with the Northerly endline, Ten Grand No. 94 lode, Uns., at a point from which Cor. No. 4 and the Northwest Cor., respectively,

(This form bound on left side)

FEET	
	<p>identical with Cor. No. 3 Ten Grand No. 103 lode of this survey, and the Northeast cor., Ten Grand No. 96 lode, Uns., bears S.88°38'55" W., 451.43 ft. dist.</p>
500.00	<p>Cor. No. 3.</p>
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-HA27-3-4771; from which</p>
	<p>Cor. Nos. 3 and 4, Ten Grand No. 103 and Ten Grand No. 98 lodes, respectively, of this survey, identical with the Northwest cor., Ten Grand No. 94 lode, and the Northeast cor., Ten Grand No. 96 lode, both Uns., bears N. 86°37'30" W., 452.17 ft. dist.</p>
	<p>Thence S. 89°52'50" W.</p>
390.	<p>Gulch, 5 ft. wide, course S. 10° E.</p>
451.74	<p>Intersect the Westerly sideline, Ten Grand No. 94 lode, common with the Easterly sideline, Ten Grand No. 96 lode, both Uns., at a point from which the Northwest and Northeast cors., respectively, identical with Cor. Nos. 3 and 4 Ten Grand No. 103 and Ten Grand No. 98 lodes, respectively, of this survey, bears N.0°44'30" E., 27.57 ft. dist.</p>
670.00	<p>The Northeast cor., Hank No. 34 lode, Uns.</p>
977.37	<p>Intersect the Westerly sideline, Ten Grand No. 96 lode, Uns., at a point from which the Northwest cor., identical with Cor. No. 4 Ten Grand No. 103 lode of this survey, bears N. 0°44'30" E., 16.26 ft. dist.</p>
170.00	<p>Cor. No. 4, identical with Cor. No. 2 of the Hank No. 28 lode of this survey, and on the Northerly endline, Hank No. 34 lode, Uns.; from which</p>
	<p>Cor. No. 4 Ten Grand No. 103 lode of this survey, identical with the Northwest cor., Ten Grand No. 96 lode, Uns., bears N. 85°03'45" E., 193.56 ft. dist.</p>
	<p>Thence N. 0°07'10" W.</p>
250.00	<p>Lode line; discovery point bears N. 89°52'50" E., 10.0 ft. dist.</p>
500.00	<p>Cor. No. 1, and place of beginning.</p>
TEN GRAND NO. 127 LODE	
<p>At Cor. No. 1 of the Ten Grand No. 127 lode, identical with Cor. No. 4 of the Ten Grand No. 128 lode of this survey, and with the Southwest cor., Tres Pobres #8 lode, Uns.</p>	

FEET		
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG127-1-TG128-4-4771; from which</p> <p>The cor. of secs. 16, 17, 20 and 21, bears S. 88°37'20" E., 1131.27 ft. dist., heretofore described.</p> <p>Thence S. 12°29'40" W.</p>	
302.33	Intersect line 2-3 Hank No. 23 lode, common with line 4-1 Hank No. 24 lode, of this survey.	
900.	Gulch, 2 ft. wide, course S. 75° W.	
917.17	Intersect line 2-3 Hank No. 24 lode, common with line 4-1 Hank No. 15 lode, of this survey.	
1065.	Gulch, 2 ft. wide, course N. 40° W.	
1500.00	Cor. No. 2, identical with Cor. No. 3 of the Ten Grand No. 128 lode of this survey.	
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG127-2-TG128-3-4771.</p> <p>Thence N. 88°34'55" W.</p>	
278.22	Lode line; discovery point bears N. 12°29'40" E., 25.0 ft. dist.	
556.44	Cor. No. 3.	
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG127-3-4771.</p> <p>Thence N. 12°29'40" E.</p>	
567.54	Intersect line 4-1 Hank No. 15 lode, common with line 2-3 Hank No. 24 lode, of this survey.	
785.	Gulch, 3 ft. wide, course N. 65° W.	
1182.38	Intersect line 4-1 Hank No. 24 lode, common with line 2-3 Hank No. 23 lode, of this survey.	
1500.00	Cor. No. 4.	
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG127-4-4771.</p> <p>Thence S. 88°34'55" E.</p>	
278.22	Lode line; discovery point bears S. 12°29'40" W., 1475.0 ft. dist.	
345.	Gulch, 2 ft. wide, course N. 20° W.	
556.44	Cor. No. 1, and place of beginning.	

(This form bound on left side)

FEET	TEN GRAND NO. 128 LODE
	<p>At Cor. No. 1 of the Ten Grand No. 128 lode, identical with Cor. No. 1 of the Ten Grand No. 129 lode of this survey, and with the Southeast and Southwest cors., Tres Pobres #8 and Tres Pobres #7 lodes, respectively, both Uns.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG128-1-TG129-1-4771; from which</p> <p>The cor. of secs. 16, 17, 20 and 21, bears S. 85°18'30" E., 568.66 ft. dist., heretofore described.</p> <p>Thence S. 12°29'40" W.</p>
929.90	Intersect line 1-2 Hank No. 24 lode of this survey.
935.76	Intersect line 2-3 Hank No. 24 lode, common with line 4-1 Hank No. 15 lode, of this survey.
1450.	Road, 12 ft. wide, bears N. 75° E. and S. 75° W.
1500.00	<p>Cor. No. 2, identical with Cor. Nos. 4 and 4 of the Ten Grand No. 129 and AAGH No. 21 lodes, respectively, of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG128-2-TG129-4-AA21-4-4771.</p> <p>Thence S. 88°02'20" W.</p>
105.	Road, 12 ft. wide, bears N. 45° E. and S. 45° W.
282.26	Lode line; discovery point bears N. 12°29'40" E., 25.0 ft. dist.
564.52	<p>Cor. No. 3, identical with Cor. No. 2 of the Ten Grand No. 127 lode of this survey.</p> <p>Thence N. 12°29'40" E.</p>
435.	Gulch, 2 ft. wide, course N. 40° W.
582.83	Intersect line 4-1 Hank No. 15 lode, common with line 2-3 Hank No. 24 lode, of this survey.
600.	Gulch, 2 ft. wide, course S. 75° W.
197.67	Intersect line 4-1 Hank No. 24 lode, common with line 2-3 Hank No. 23 lode, of this survey.
1500.00	<p>Cor. No. 4, identical with Cor. No. 1 of the Ten Grand No. 127 lode of this survey, and with the Southwest cor., Tres Pobres #8 lode, Uns.</p> <p>Thence N. 88°02'20" E.</p>
80.	Gulch, 3 ft. wide, course N. 40° W.

Mineral Survey No. 4771

FEET	
282.26	Lode line; discovery point bears S. 12°29'40" W., 1475.0 ft. dist.
361.36	Intersect line 1-2 Hank No. 23 lode of this survey.
564.52	Cor. No. 1, and place of beginning.
TEN GRAND NO. 129 LODE	
	Beginning at Cor. No. 1 of the Ten Grand No. 129 lode, identical with Cor. No. 1 of the Ten Grand No. 128 lode of this survey, and with the Southeast and Southwest cors., Tres Pobres #8 and Tres Pobres #7 lodes, respectively, both Uns., from which
	The cor. of secs. 16, 17, 20 and 21, bears S. 85°18'30" E., 568.66 ft. dist., heretofore described.
	Thence N. 88°30'40" E.
298.59	Lode line; discovery point bears S. 12°29'40" W., 1490.0 ft. dist.
597.18	Cor. No. 2, identical with Cor. No. 1 of the Ten Grand No. 130 lode of this survey, and with the Southeast and Southwest cors., Tres Pobres #7 and Tres Pobres #6 lodes, respectively, both Uns.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG129-2-TG130-1-4771.
	Thence S. 12°29'40" W.
1500.00	Cor. No. 3, identical with Cor. No. 4 of the Ten Grand No. 130 lode, and on line 4-1 AAGH No. 21 lode, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG129-3-TG130-4-4771.
	Thence S. 88°30'40" W.
298.59	Lode line; discovery point bears N. 12°29'40" E., 10.0 ft. dist.
472.66	Intersect line 1-2 Hank No. 15 lode of this survey.
597.18	Cor. No. 4, identical with Cor. Nos. 4 and 2 of the AAGH No. 21 and Ten Grand No. 128 lodes, respectively, of this survey.
	Thence N. 12°29'40" E.
50.	Road, 12 ft. wide, bears N. 75° E. and S. 75° W.
564.24	Intersect line 4-1 Hank No. 15 lode, common with line 2-3 Hank No. 24 lode, of this survey.

(This form bound on left side)

FEET	
570.10	Intersect line 1-2 Hank No. 24 lode of this survey.
1500.00	Cor. No. 1, and place of beginning.
TEN GRAND NO. 130 LODE	
Beginning at Cor. No. 1 of the Ten Grand No. 130 lode, identical with Cor. No. 2 of the Ten Grand No. 129 lode of this survey, and with the Southeast and Southwest cors., Tres Pobres #7 and Tres Pobres #6 lodes, respectively, both Uns.; from which	
The cor. of secs. 16, 17, 20 and 21, bears S. 25°58'40" W., 69.0 ft. dist., heretofore described.	
Thence N. 88°30'40" E.	
300.00	Lode line; discovery point bears S. 12°29'40" W., 1490.0 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 1 of the TEN GRAND NO. 131 lode of this survey, and with the Southeast and Southwest cors., Tres Pobres #6 and Tres Pobres #5 lodes, respectively, both Uns. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG130-2-TG131-1-4771.
Thence S. 12°29'40" W.	
020.	Christmas Gift Canyon, 5 ft. wide, course N.45°E.
500.00	Cor. No. 3, identical with Cor. Nos. 4, 1, 2 and 1 of the TEN GRAND NO. 131, TEN GRAND NO. 118., Ten Grand No. 120 and AAGH No. 21 lodes, respectively, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG130-3-TG131-4-TG118-1-TG120-2-AA21-1-4771.
Thence S. 88°30'40" W.	
300.00	Lode line; discovery point bears N. 12°29'40" E., 10.0 ft. dist.
365.	Christmas Gift Canyon, 3 ft. wide, course N.30°E.
600.00	Cor. No. 4, identical with Cor. No. 3 of the Ten Grand No. 129 lode, and on line 4-1 AAGH No. 21 lode, of this survey. Thence N. 12°29'40" E.
1500.00	Cor. No. 1, and place of beginning.

FEET	
	TEN GRAND NO. 131 LODE
	Beginning at Cor. No. 1 of the TEN GRAND NO. 131 lode, identical with Cor. No. 2 of the Ten Grand No. 130 lode of this survey, and with the Southeast and Southwest cors., Tres Pobres #6 and Tres Pobres #5 lodes, respectively, both Uns.; from which
	The cor. of secs. 16, 17, 20 and 21, bears S. 82°58'35" W., 634.78 ft. dist., heretofore described.
	Thence S. 87°48'55" E.
300.00	Lode line; discovery point bears S. 12°29'40" W., 1475.0 ft. dist.
530.	Christmas Gift Canyon, 10 ft.wide, course N.30°E.
600.00	Cor. No. 2, identical with Cor. No. 1 of the TEN GRAND NO. 132. lode of this survey, and with the Southeast and Southwest cors., Tres Pobres #5 and Tres Pobres #4 lodes, respectively, both Uns.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG131-2-TG132-1-4771.
	Thence S. 12°29'40" W.
430.	Gulch, 2 ft. wide, course N. 40° W.
1500.00	Cor. No. 3, identical with Cor. Nos. 4, 1 and 2 of the TEN GRAND NO. 132., TEN GRAND NO. 116, and TEN GRAND NO. 118. lodes, respectively, of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG131-3-TG132-4-TG116-1-TG118-2-4771.
	Thence N. 87°48'55" W.
300.00	Lode line; discovery point bears N. 12°29'40" E., 25.0 ft. dist.
600.00	Cor. No. 4, identical with Cor. Nos. 1, 2, 1 and 3 of the TEN GRAND NO. 118., Ten Grand No. 120, AAGH No. 21, and Ten Grand No. 130 lodes, respectively, of this survey.
	Thence N. 12°29'40" E.
480.	Christmas Gift Canyon, 5 ft.wide, course N 45°E.
1500.00	Cor. No. 1, and place of beginning.
	TEN GRAND NO. 132. LODE
	Beginning at Cor. No. 1 of the TEN GRAND NO. 132. lode, identical with Cor. No. 2 of the TEN GRAND NO. 131 lode of this survey, and with the Southeast and Southwest cors., Tres Pobres #5 and Tres Pobres #4 lodes, respectively, both Uns.; from which

FEET	The cor. of secs. 16, 17, 20 and 21, bears S. 87°27' W., 1230.8 ft. dist., heretofore described. Thence S. 87°48'55" E.
300.00	Lode line; discovery point bears S. 12°29'40" W., 1475.0 ft. dist.
505.	Gulch, 3 ft. wide, course N. 30° W.
600.00	Cor. No. 2, identical with Cor. No. 1 of the TEN GRAND NO. 133. lode of this survey, and with the Southeast and Southwest cors., Tres Pobres #4 and Tres Pobres #3 lodes, respectively, both Uns. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG132-2-TG133-1-4771. Thence S. 12°29'40" W.
180.	Gulch, 2 ft. wide, course N. 15° W.
1500.00	Cor. No. 3, identical with Cor. Nos. 4, 1 and 2 of the TEN GRAND NO. 133., TEN GRAND NO. 114., and TEN GRAND NO. 116 lodes, respectively, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG132-3-TG133-4-TG114-1-TG116-2-4771. Thence N. 87°48'55" W.
300.00	Lode line; discovery point bears N. 12°29'40" E., 25.0 ft. dist.
600.00	Cor. No. 4, identical with Cor. Nos. 1, 2 and 3 of the TEN GRAND NO. 116, TEN GRAND NO. 118., and TEN GRAND NO. 131 lodes, respectively, of this survey. Thence N. 12°29'40" E.
1070.	Gulch, 2 ft. wide, course N. 40° W.
1500.00	Cor. No. 1, and place of beginning.
TEN GRAND NO. 133. LODE	
Beginning at Cor. No. 1 of the TEN GRAND NO. 133. lode, identical with Cor. No. 2 of the TEN GRAND NO. 132. lode of this survey, and with the Southeast and Southwest cors., Tres Pobres #4 and Tres Pobres #3 lodes, respectively, both Uns.; from which	
The cor. of secs. 16, 17, 20 and 21, bears S. 89°00'05" W., 1829.42 ft. dist., heretofore described. Thence S. 87°48'55" E.	

FEET	
300.00	Lode line; discovery point bears S. 12°29'40" W., 1475.0 ft. dist.
600.00	Cor. No. 2, identical with the Southeast, Southwest, and Northwest cors., Tres Pobres #3, Tres Pobres #2, and Ten Grand No. 134 lodes, respectively, all Uns. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG133-2-4771. Thence S. 12°29'40" W.
1500.00	Cor. No. 3, identical with Cor. No. 2 of the TEN GRAND NO. 114. lode of this survey, and with the Southwest and Northwest cors., Ten Grand No. 134 and Ten Grand No. 84 lodes, respectively, both Uns. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG133-3-TG114-2-4771. Thence N. 87°48'55" W.
300.00	Lode line; discovery point bears N. 12°29'40" E., 25.0 ft. dist.
600.00	Cor. No. 4, identical with Cor. Nos. 1, 2 and 3 of the TEN GRAND NO. 114., TEN GRAND NO. 116, and TEN GRAND NO. 132. lodes, respectively, of this survey. Thence N. 12°29'40" E.
1320.	Gulch, 2 ft. wide, course N. 15° W.
1500.00	Cor. No. 1, and place of beginning.
AAGH NO. 21 LODE	
	Beginning at Cor. No. 1 of the AAGH No. 21 lode, identical with Cor. Nos. 2, 3, 4 and 1 of the Ten Grand No. 120, Ten Grand No. 130, TEN GRAND NO. 131, and TEN GRAND NO. 118., respectively, of this survey; from which The cor. of secs. 16, 17, 20 and 21, bears N. 12°25'20" W., 1420.11 ft. dist., heretofore described. Thence S. 1°13'50" E.
38.50	Lode line; discovery point bears S. 88°30'40" W., 997.18 ft. dist.
77.00	Cor. No. 2, on line 2-3 Ten Grand No. 120 lode, common with line 4-1 TEN GRAND NO. 118. lode, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA21-2-4771. Thence S. 88°30'40" W.

FEET	
400.	Christmas Gift Canyon, 3 ft. wide, course N.20°E.
598.58	Intersect line 4-1 Ten Grand No. 120 lode, common with line 1-2 Ten Grand No. 122 lode, of this survey.
1074.15	Intersect line 1-2 Hank No. 16 lode of this survey.
1197.18	Cor. No. 3, identical with Cor. Nos. 4 and 1 of the Ten Grand No. 122 and Ten Grand No. 124 lodes, respectively, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-AA21-3-TG122-4-TG124-1-4771. Thence N. 1°13'50" W.
27.70	Intersect line 4-1 Hank No. 16 lode, common with line 2-3 Hank No. 15 lode, of this survey.
38.50	Lode line; discovery point bears N. 88°30'40" E., 200.0 ft. dist.
77.00	Cor. No. 4, identical with Cor. Nos. 2 and 4 of the Ten Grand No. 128 and Ten Grand No. 129 lodes, respectively, of this survey. Thence N. 88°30'40" E.
124.52	Intersect line 1-2 Hank No. 15 lode of this survey.
597.18	Cor. No. 3 Ten Grand No. 129 lode, identical with Cor. No. 4 Ten Grand No. 130 lode, of this survey.
832.18	Christmas Gift Canyon, 3 ft. wide, course N.30°E.
1197.18	Cor. No. 1, and place of beginning.
	TEN GRAND NO. 126 LODE At Cor. No. 1 of the Ten Grand No. 126 lode, identical with Cor. No. 4 of the Ten Grand No. 124 lode of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG126-1-TG124-4-4771; from which The cor. of secs. 16, 17, 20, and 21, bears N. 41°11'05" E., 2145.69 ft. dist., heretofore described. Thence S. 1°13'50" E.
453.69	Intersect line 2-3 Hank No. 16 lode, common with line 2-3 Hank No. 17 lode, of this survey.
575.	Road, 12 ft. wide, bears N. 35° W. and S. 35° E.
645.	School Canyon, 2 ft. wide, course N. 60° W.

FEET		
700.	Road, 12 ft. wide, bears N. 75° E. and S. 75° W.	
1053.80	Intersect line 4-1 Hank No. 17 lode, common with line 2-3 Hank No. 18 lode, of this survey.	
1170.	Gulch, 2 ft. wide, course N. 50° W.	
1220.	Road, 12 ft. wide, bears N. 65° E. and S. 65° W.	
1500.00	Cor. No. 2, identical with Cor. Nos. 3, 3 and 4 of the Ten Grand No. 124, Ten Grand No. 123, and Ten Grand No. 125 lodes, respectively, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG126-2-TG124-3-TG123-3-TG125-4-4771. Thence S. 68°02'45" W.	
170.	Road, 12 ft. wide, bears North and South.	
269.14	Lode line; discovery point bears N. 1°13'50" W., 25.0 ft. dist.	
413.75	Intersect line 4-1 Hank No. 18 lode, common with line 2-3 Hank No. 19 lode, of this survey.	
538.27	Cor. No. 3, identical with Cor. No. 3 of the Ten Grand No. 125 lode of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG126-3-TG125-3-4771. Thence N. 1°13'50" W.	
46.32	Intersect line 2-3 Hank No. 19 lode, common with line 4-1 Hank No. 18 lode, of this survey.	
240.	Road, 12 ft. wide, bears N. 30° E. and S. 45° W.	
646.43	Intersect line 2-3 Hank No. 18 lode, common with line 4-1 Hank No. 17 lode, of this survey.	
665.	Gulch, 3 ft. wide, course S. 70° W.	
980.	Road, 12 ft. wide, bears N. 45° W. and S. 45° E.	
1246.54	Intersect line 2-3 Hank No. 17 lode, common with line 2-3 Hank No. 16 lode, of this survey.	
1500.00	Cor. No. 4. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG126-4-4771. Thence N. 68°02'45" E.	
20.	School Canyon, 2 ft. wide, course N. 45° W.	
269.13	Lode line; discovery point bears S. 1°13'50" E., 1475.0 ft. dist.	

(This form bound on left side)

FEET	
430.	Road, 12 ft. wide, bears N. 5° W. and S. 5° E.
538.27	Cor. No. 1, and place of beginning.
TEN GRAND NO. 124 LODGE	
Beginning at Cor. No. 1 of the Ten Grand No. 124 lode, identical with Cor. Nos. 3 and 4 of the AAGH No. 21 and Ten Grand No. 122 lodes, respectively, of this survey; from which	
The cor. of secs. 16, 17, 20 and 21, bears N. 30°45'20" E., 1739.72 ft. dist., heretofore described.	
Thence S. 1°13'50" E.	
572.42	Intersect line 2-3 Hank No. 16 lode, common with line 2-3 Hank No. 17 lode, of this survey.
1165.	Road, 12 ft. wide, bears East and West.
1172.53	Intersect line 4-1 Hank No. 17 lode, common with line 2-3 Hank No. 18 lode, of this survey.
1335.	Road, 12 ft. wide, bears N. 65° E. and S. 65° W.
1500.00	Cor. No. 2, identical with Cor. Nos. 3, 3 and 4 of the Ten Grand No. 122, Ten Grand No. 121, and Ten Grand No. 123 lodes, respectively, of this survey.
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG124-2-TG122-3-TG121-3-TG123-4-4771.	
Thence S. 77°06'15" W.	
150.	Road, 12 ft. wide, bears N. 15° E. and S. 15° W.
268.39	Lode line; discovery point bears N. 1°13'50" W., 25.0 ft. dist.
536.78	Cor. No. 3, identical with Cor. Nos. 3, 4 and 2 of the Ten Grand No. 123, Ten Grand No. 125, and Ten Grand No. 126 lodes, respectively, of this survey.
Thence N. 1°13'50" W.	
280.	Road, 12 ft. wide, bears N. 65° E. and S. 65° W.
330.	Gulch, 2 ft. wide, course N. 50° W.
446.20	Intersect line 2-3 Hank No. 18 lode, common with line 4-1 Hank No. 17 lode, of this survey.
800.	Road, 12 ft. wide, bears N. 75° E. and S. 75° W.
855.	School Canyon, 2 ft. wide, course N. 60° W.
925.	Road, 12 ft. wide, bears N. 35° W. and S. 35° E.
1046.31	Intersect line 2-3 Hank No. 17 lode, common with line 2-3 Hank No. 16 lode, of this survey.

FEET	
1500.00	<p>Cor. No. 4, identical with Cor. No. 1 of the Ten Grand No. 126 lode of this survey.</p> <p style="text-align: center;">Thence N. 77°06'15" E.</p>
125.	Road, 12 ft. wide, bears N. 50° W. and S. 75° E.
215.	Road, 12 ft. wide, bears N. 45° E. and S. 45° W.
268.39	Lode line; discovery point bears S. 1°13'50" E., 1475.0 ft. dist.
536.78	Cor. No. 1, and place of beginning.
TEN GRAND NO. 122 LODE	
	<p>At Cor. No. 1 of the Ten Grand No. 122 lode, identical with Cor. No. 1 of the Ten Grand No. 120 lode of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG122-1-TG120-1-4771; from which</p> <p style="text-align: center;">The cor. of secs. 16, 17, 20 and 21, bears N. 11°27'30" E., 1470.26 ft. dist., heretofore described.</p> <p style="text-align: center;">Thence S. 1°13'50" E.</p>
38.54	Intersect line 2-3 AAGH No. 21 lode of this survey.
640.	Christmas Gift Canyon, 2 ft. wide, course N. 15° E.
1500.00	<p>Cor. No. 2, identical with Cor. Nos. 4, 2 and 4 of the Ten Grand No. 120, Ten Grand No. 119, and Ten Grand No. 121 lodes, respectively, of this survey.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG122-2-TG120-4-TG119-2-TG121-4-4771.</p> <p style="text-align: center;">Thence S. 84°49'40" W.</p>
300.00	Lode line; discovery point bears N. 1°13'50" W., 1490.0 ft. dist.
304.98	Intersect line 3-4 Hank No. 18 lode of this survey.
600.00	<p>Cor. No. 3, identical with Cor. Nos. 3, 4 and 2 of the Ten Grand No. 121, Ten Grand No. 123, and Ten Grand No. 124 lodes, respectively, of this survey.</p> <p style="text-align: center;">Thence N. 1°13'50" W.</p>
165.	Road, 12 ft. wide, bears N. 65° E. and S. 65° W.

FEET 327.47	Intersect line 2-3 Hank No. 18 lode, common with line 4-1 Hank No. 17 lode, of this survey.
335.	Road, 12 ft. wide, bears East and West.
927.58	Intersect line 2-3 Hank No. 17 lode, common with line 2-3 Hank No. 16 lode, of this survey.
1500.00	Cor. No. 4, identical with Cor. Nos. 1 and 3 of the Ten Grand No. 124 and AAGH No. 21 lodes, respectively, of this survey. Thence N. 84°49'40" E.
23.47	Intersect line 1-2 Hank No. 16 lode of this survey.
300.00	Lode line; discovery point bears S. 1°13'50" E., 10.0 ft. dist.
600.00	Cor. No. 1, and place of beginning.
TEN GRAND NO. 120 LODE	
Beginning at Cor. No. 1 of the Ten Grand No. 120 lode, identical with Cor. No. 1 of the Ten Grand No. 122 lode of this survey; from which The cor. of secs. 16, 17, 20 and 21, bears N. 11°27'30" E., 1470.26 ft. dist., heretofore described. Thence N. 84°49'40" E.	
225.	Christmas Gift Canyon, 3 ft. wide, course N. 25° E.
300.00	Lode line; discovery point bears S. 1°13'50" E., 10.0 ft. dist.
600.00	Cor. No. 2, identical with Cor. Nos. 1, 3, 4 and 1 of the AAGH No. 21, Ten Grand No. 130, TEN GRAND NO. 131, and TEN GRAND NO. 118. lodes, respectively, of this survey. Thence S. 1°13'50" E.
77.00	Cor. No. 2 AAGH No. 21 lode of this survey.
1120.	Gulch, 2 ft. wide, course N. 50° E.
1500.00	Cor. No. 3, identical with Cor. Nos. 4, 2 and 3 of the TEN GRAND NO. 118., TEN GRAND NO. 117, and Ten Grand No. 119 lodes, respectively, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG120-3-TG118-4-TG117-2-TG119-3-4771. Thence S. 84°49'40" W.
300.00	Lode line; discovery point bears N. 1°13'50" W., 1490.0 ft. dist.

FEET	
600.00	Cor. No. 4, identical with Cor. Nos. 2, 4 and 2 of the Ten Grand No. 1.19, Ten Grand No. 121, and Ten Grand No. 122 lodes, respectively, of this survey. Thence N. 1°13'50" W.
860.	Christmas Gift Canyon, 2 ft.wide, course N.15°E.
1461.46	Intersect line 2-3 AAGH No. 21 lode of this survey.
1500.00	Cor. No. 1, and place of beginning.
TEN GRAND NO. 118. LODE	
Beginning at Cor. No. 1 of the TEN GRAND NO. 118. lode, identical with Cor. Nos. 1, 2, 3 and 4 of the AAGH No. 21, Ten Grand No. 120, Ten Grand No. 130, and TEN GRAND NO. 131 lodes, respectively, of this survey; from which	
The cor. of secs. 16, 17, 20 and 21, bears N. 12°25'20" W., 1420.11 ft. dist., heretofore described.	
Thence S. 87°48'55" E.	
300.00	Lode line; discovery point bears S. 1°13'50" E., 25.0 ft. dist.
600.00	Cor. No. 2, identical with Cor. Nos. 3, 4 and 1 of the TEN GRAND NO. 131, TEN GRAND NO. 132., and TEN GRAND NO.. 116 lodes, respectively, of this survey. Thence S. 1°13'50" E.
770.	North Branch, Ten Grand Canyon, 3 ft. wide, course N. 80° E.
1500.00	Cor. No. 3, identical with Cor. Nos. 4, 3 and 3 of the TEN GRAND NO.. 116, TEN GRAND NO. 115., and TEN GRAND NO.. 117 lodes, respectively, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG118-3-TG116-4-TG115-3-TG117-3-4771. Thence N. 87°48'55" W.
300.00	Lode line; discovery point bears N. 1°13'50" W., 1475.0 ft. dist.
600.00	Cor. No. 4, identical with Cor. Nos. 2, 3 and 3 of the TEN GRAND NO.. 117, Ten Grand No. 1.19, and Ten Grand No. 120 lodes, respectively, of this survey. Thence N. 1°13'50" W.
380.	Gulch, 2 ft. wide, course N. 50° E.

(This form bound on left side)

FEET	
1423.00	Cor. No. 2 AAGH No. 21 lode of this survey.
1500.00	Cor. No. 1, and place of beginning.
TEN GRAND NO.. 116 LODE	
Beginning at Cor. No. 1 of the TEN GRAND NO.. 116 lode, identical with Cor. Nos. 2, 3 and 4 of the TEN GRAND NO. 118., TEN GRAND NO. 131, and TEN GRAND NO. 132. lodes, respectively, of this survey; from which	
The cor. of secs. 16, 17, 20 and 21, bears N. 32°42' W., 1675.25 ft. dist., heretofore described.	
Thence S. 87°48'55" E.	
300.00	Lode line; discovery point bears S. 1°13'50" E., 25.0 ft. dist.
600.00	Cor. No. 2, identical with Cor. Nos. 3, 4 and 1 of the TEN GRAND NO. 132., TEN GRAND NO. 133., and TEN GRAND NO. 114. lodes, respectively, of this survey.
Thence S. 1°13'50" E.	
735.	North branch, Ten Grand Canyon, 5 ft. wide, course East.
500.00	Cor. No. 3, identical with Cor. Nos. 4, 3 and 4 of the TEN GRAND NO. 114., TEN GRAND NO. 113., and TEN GRAND NO. 115. lodes, respectively, of this survey.
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG116-3-TG114-4-TG113-3-TG115-4-4771.	
Thence N. 87°48'55" W.	
300.00	Lode line; discovery point bears N. 1°13'50" W., 1475.0 Ft. dist.
600.00	Cor. No. 4, identical with Cor. Nos. 3, 3 and 3 of the TEN GRAND NO. 115., TEN GRAND NO.. 117, and TEN GRAND NO. 118. lodes, respectively, of this survey.
Thence N. 1°13'50" W.	
730.	North branch, Ten Grand Canyon, 3 ft. wide, course N. 80° E.
1500.00	Cor. No. 1, and place of beginning.
TEN GRAND NO. 114. LODE	
Beginning at Cor. No. 1 of the TEN GRAND NO. 114. lode, identical with Cor. Nos. 2, 3 and 4 of the TEN GRAND NO.. 116, TEN GRAND NO. 132., and TEN GRAND NO. 133. lodes, respectively, of this survey; from which	

FEET	
1445.92	Cor. No. 3, identical with Cor. Nos. 4, 2 and 3 of the Ten Grand No. 125, Ten Grand No. 126, and Ten Grand No. 124 lodes, respectively, of this survey.
	Thence N. 77°06'15" E.
268.39	Lode line; discovery point bears S. 8°00' E., 25.0 ft. dist.
386.78	Road, 12 ft. wide, bears N. 15° E. and S. 15° W.
536.78	Cor. No. 4, identical with Cor. Nos. 2, 3 and 3 of the Ten Grand No. 124, Ten Grand No. 122, and Ten Grand No. 121 lode, respectively, of this survey.
	Thence S. 8°00' E.
60.	Road, 12 ft. wide, bears N. 60° E. and S. 60° W.
275.20	Intersect line 4-1 Hank No. 18 lode, common with line 2-3 Hank No. 19 lode, of this survey.
740.	Road, 12 ft. wide, bears N. 65° E. and S. 80° W.
880.92	Intersect line 4-1 Hank No. 19 lode, common with line 2-3 Hank No. 20 lode, of this survey.
1304.92	Intersect line 4-1 Hank No. 20 lode, common with line 2-3 Hank No. 21 lode, of this survey.
1445.92	Cor. No. 1, and place of beginning.
TEN GRAND NO. 121 LODE	
At Cor. No. 1 of the Ten Grand No. 121 lode, identical with Cor. No. 1 of the Ten Grand No. 1.19 lode of this survey, and with the Northeast and Northwest cors., Ten Grand No. 99 and Ten Grand No. 100 lodes, respectively, both Uns.	
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG121-1-TG119-1-4771; from which	
The cor. of secs. 20, 21, 28 and 29, bears S. 2°41'10" E., 832.43 ft. dist., heretofore described.	
Thence S. 84°49'40" W.	
300.00	Lode line; discovery point bears N. 8°00' W., 1490.0 ft. dist.
581.72	Intersect line 3-4 Hank No. 21 lode of this survey.
600.00	Cor. No. 2, identical with Cor. No. 2 of the Ten Grand No. 98 lode of this survey, and with the Northwest cor., Ten Grand No. 99 lode, Uns.

FEET	
155.36	Intersect line 4-1 Hank No. 18 lode, common with line 2-3 Hank No. 19 lode, of this survey.
590.	Road, 12 ft. wide, bears East and West.
761.08	Intersect line 4-1 Hank No. 19 lode, common with line 2-3 Hank No. 20 lode, of this survey.
1185.08	Intersect line 4-1 Hank No. 20 lode, common with line 2-3 Hank No. 21 lode, of this survey.
1296.50	Cor. No. 1, and place of beginning.
TEN GRAND NO. 123 LODE	
	At Cor. No. 1 of the Ten Grand No. 123 lode, on line 2-3 Ten Grand No. 121 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG123-1-4771; from which
	The cor. of secs. 20, 21, 28 and 29, bears S. 37°46'45" E., 1051.37 ft. dist., heretofore described.
	Thence S. 77°06'15" W.
60.	Gulch, 3 ft. wide, course S. 15° E.
268.39	Lode line; discovery point bears N. 8°00' W., 1420.92 ft. dist., and intersect line 1-2 Ten Grand No. 98 lode of this survey.
390.	Gulch, 2 ft. wide, course S. 75° E.
536.78	Cor. No. 2.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG123-2-4771.
	Thence N. 8°00' W.
54.08	Cor. No. 1 Ten Grand No. 98 lode, identical with Cor. No. 2 Ten Grand No. 103 lode of this survey.
65.	Gulch, 2 ft. wide, course S. 75° E.
149.42	Cor. No. 1 Ten Grand No. 125 lode of this survey.
260.84	Intersect line 2-3 Hank No. 21 lode, common with line 4-1 Hank No. 20 lode, of this survey.
684.84	Intersect line 2-3 Hank No. 20 lode, common with line 4-1 Hank No. 19 lode, of this survey.
855.92	Road, 12 ft. wide, bears East and West.
1290.56	Intersect line 2-3 Hank No. 19 lode, common with line 4-1 Hank No. 18 lode, of this survey.

(This form bound on left side)

FEET	TEN GRAND NO. 125 LODE
	At Cor. No. 1 of the Ten Grand No. 125 lode, on line 2-3 Ten Grand No. 123 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG125-1-4771; from which
	The cor. of secs. 20, 21, 28 and 29, T.22 S., R. 16 E., G. & S.R.M., Arizona, bears S. 54°07'45" E., 1466.21 ft. dist., monumented with an iron post, 2 in. diam., 12 ins. above ground, firmly set, with brass cap properly mkd.
	Thence S. 68°02'45" W.
70.	Gulch, 2 ft. wide, course S. 40° E.
269.14	Lode line; discovery point bears N. 8°00' W., 1271.5 ft. dist., and intersect line 1-2 Ten Grand No. 103 lode of this survey.
538.27	Cor. No. 2.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG125-2-4771.
	Thence N. 8°00' W.
95.35	Intersect Cor. No. 1 Ten Grand No. 103 lode of this survey.
313.53	Intersect line 2-3 Hank No. 21 lode, common with line 4-1 Hank No. 20 lode, of this survey.
600.	Road, 12 ft. wide, bears N. 50° E. and S. 50° W.
737.53	Intersect line 2-3 Hank No. 20 lode, common with line 4-1 Hank No. 19 lode, of this survey.
1025.	Gulch, 2 ft. wide, course N. 70° W.
1296.50	Cor. No. 3, identical with Cor. No. 3 of the Ten Grand No. 126 lode of this survey.
	Thence N. 68°02'45" E.
124.52	Intersect line 2-3 Hank No. 19 lode, common with line 4-1 Hank No. 18 lode, of this survey.
269.13	Lode line; discovery point bears S. 8°00' E., 25.0 ft. dist.
368.27	Road, 12 ft. wide, bears North and South.
538.27	Cor. No. 4, identical with Cor. Nos. 2, 3 and 3 of the Ten Grand No. 126, Ten Grand No. 124, and Ten Grand No. 123 lodes, respectively, of this survey.
	Thence S. 8°00' E.

FEET	
	<p>The cor. of secs. 16, 17, 20 and 21, bears N. 46°24'15" W., 2077.55 ft. dist., heretofore described.</p> <p>Thence S. 87°48'55" E.</p>
300.00	Lode line; discovery point bears S. 1°13'50" E., 25.0 ft. dist.
600.00	<p>Cor. No. 2, identical with Cor. No. 3 of the TEN GRAND NO. 133. lode of this survey, and with the Southwest and Northwest cors., Ten Grand No. 134 and Ten Grand No. 84 lodes, respectively, both Uns.</p> <p>Thence S. 1°13'50" E.</p>
235.	Gulch, 2 ft. wide, course S. 20° E.
665.	Gulch, 3 ft. wide, course S. 60° E.
690.	North branch, Ten Grand Canyon, 5 ft. wide, course East.
1235.	South branch, Ten Grand Canyon, 5 ft. wide, course N. 80° E.
1500.00	<p>Cor. No. 3, identical with Cor. No. 4 of the TEN GRAND NO. 113. lode of this survey, and with the Southwest and Northwest cors., Ten Grand No. 84 and Ten Grand No. 83 lodes, respectively, both Uns.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG114-3-TG113-4-4771.</p> <p>Thence N. 87°48'55" W.</p>
300.00	Lode line; discovery point bears N. 1°13'50" W., 1475.0 ft. dist.
305.	Gulch, 3 ft. wide, course N. 15° W.
380.	South branch, Ten Grand Canyon, 3 ft. wide, course N. 50° E.
600.00	<p>Cor. No. 4, identical with Cor. Nos. 3, 4 and 3 of the TEN GRAND NO. 113., TEN GRAND NO. 115., and TEN GRAND NO.. 116 lodes, respectively, of this survey.</p> <p>Thence N. 1°13'50" W.</p>
765.	North branch, Ten Grand Canyon, 5 ft. wide, course East.
1500.00	Cor. No. 1, and place of beginning.

Mineral Survey No. 4771

FEET	
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG121-2-TG98-2-4771.
	Thence N. 8°00' W.
54.08	Cor. No. 1 Ten Grand No. 123 lode of this survey.
195.08	Intersect line 2-3 Hank No. 21 lode, common with line 4-1 Hank No. 20 lode, of this survey.
619.08	Intersect line 2-3 Hank No. 20 lode, common with line 4-1 Hank No. 19 lode, of this survey.
760.	Road, 12 ft. wide, bears N. 65° E. and S. 80° W.
1224.80	Intersect line 2-3 Hank No. 19 lode, common with line 4-1 Hank No. 18 lode, of this survey.
1440.	Road, 12 ft. wide, bears N. 60° E. and S. 60° W.
1500.00	Cor. No. 3, identical with Cor. Nos. 4, 2 and 3 of the Ten Grand No. 123, Ten Grand No. 124, and Ten Grand No. 122 lodes, respectively, of this survey.
	Thence N. 84°49'40" E.
295.02	Intersect line 3-4 Hank No. 18 lode of this survey.
300.00	Lode line; discovery point bears S. 8°00' E., 10.0 ft. dist.
600.00	Cor. No. 4, identical with Cor. Nos. 2, 4 and 2 of the Ten Grand No. 122, Ten Grand No. 120, and Ten Grand No. 1.19 lodes, respectively, of this survey.
	Thence S. 8°00' E.
690.	Road, 12 ft. wide, bears N. 85° E. and S. 85° W.
1245.	Gulch, 2 ft. wide, course S. 55° E.
1500.00	Cor. No. 1, and place of beginning.
	TEN GRAND NO. 1.19 LODE
	Beginning at Cor. No. 1 of the Ten Grand No. 1.19 lode, identical with Cor. No. 1 of the Ten Grand No. 121 lode of this survey, and with the Northeast and Northwest cors., Ten Grand No. 99 and Ten Grand No. 100 lodes, respectively, both Uns.; from which
	The cor. of secs. 20, 21, 28 and 29, bears S. 2°41'10" E., 832.43 ft. dist., heretofore described.
	Thence N. 8°00' W.
255.	Gulch, 2 ft. wide, course S. 55° E.
810.	Road, 12 ft. wide, bears N. 85° E. and S. 85° W.

(This form bound on left side)

FEET	
1500.00	Cor. No. 2, identical with Cor. Nos. 4, 2 and 4 of the Ten Grand No. 121, Ten Grand No. 122, and Ten Grand No. 120 lodes, respectively, of this survey. Thence N. 84°49'40" E.
300.00	Lode line; discovery point bears S. 8°00' E., 10.0 ft. dist.
600.00	Cor. No. 3, identical with Cor. Nos. 3, 4 and 2 of the Ten Grand No. 120, TEN GRAND NO. 118., and TEN GRAND NO..117 lodes, respectively, of this survey. Thence S. 8°00' E.
770.	Road, 12 ft. wide, bears N. 80° E. and S. 80° W.
1500.00	Cor. No. 4, identical with Cor. No. 1 of the TEN GRAND NO..117 lode of this survey, and with the Northeast and Northwest cors., Ten Grand No. 100 and Ten Grand No. 101 lodes, respectively, both Uns. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG119-4-TG117-1-4771. Thence S. 84°49'40" W.
300.00	Lode line; discovery point bears N. 8°00' W., 1490.0 ft. dist.
335.	Gulch, 3 ft. wide, course S. 45° E.
600.00	Cor. No. 1, and place of beginning.
TEN GRAND NO..117 LODE	
Beginning at Cor. No. 1 of the TEN GRAND NO..117 lode, identical with Cor. No. 4 of the Ten Grand No. 1.19 lode of this survey, and with the Northeast and Northwest cors., Ten Grand No. 100 and Ten Grand No. 101 lodes, respectively, both Uns.; from which	
The cor. of secs. 20, 21, 28 and 29, bears S. 32°14'20" W., 1047.03 ft. dist., heretofore described.	
Thence N. 8°00' W.	
730.	Road, 12 ft. wide, bears N. 80° E. and S. 80° W.
1500.00	Cor. No. 2, identical with Cor. Nos. 3, 3 and 4 of the Ten Grand No. 1.19, Ten Grand No. 120, and TEN GRAND NO. 118. lodes, respectively, of this survey. Thence S. 87°48'55" E.
300.00	Lode line; discovery point bears S. 8°00' E., 25.0 ft. dist.

FEET	
600.00	<p>Cor. No. 3, identical with Cor. Nos. 3, 4 and 3 of the TEN GRAND NO. 118., TEN GRAND NO. 116, and TEN GRAND NO. 115. lodes, respectively, of this survey.</p> <p style="text-align: center;">Thence S. 8°00' E.</p>
170.	Gulch, 2 ft. wide, course S. 85° E.
250.	South branch, Ten Grand Canyon, 2 ft. wide, course N. 85° E.
770.	Road, 12 ft. wide, bears N. 85° W. and S. 85° E.
1500.00	<p>Cor. No. 4, identical with Cor. No. 2 of the TEN GRAND NO. 115. lode of this survey, and with the Northeast and Northwest cors., Ten Grand No. 101 and Ten Grand No. 102 lodes, respectively, both Uns.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG117-4-TG115-2-4771.</p> <p style="text-align: center;">Thence N. 87°48'55" W.</p>
295.	Gulch, 3 ft. wide, course S. 15° W.
300.00	Lode line; discovery point bears N. 8°00' W., 1475.0 ft. dist.
600.00	Cor. No. 1, and place of beginning.
TEN GRAND NO. 115. LODE	
	<p>At Cor. No. 1 of the TEN GRAND NO. 115. lode, identical with Cor. No. 2 of the TEN GRAND NO. 113. lode of this survey, and with the Northeast and Northwest cors., Ten Grand No. 102 and Ten Grand No. 12 lodes, respectively, both Uns.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG115-1-TG113-2-4771; from which</p> <p style="text-align: center;">The 1/4 sec. cor. of secs. 21 and 28, T. 22 S., R. 16 E., G. & S.R.M., Arizona, bears S. 47°41'20" E., 1244.49 ft. dist., monumented with an iron post, 1 in. diam., 10 ins. above ground, firmly set, with brass cap properly mkd.</p> <p style="text-align: center;">Thence N. 87°48'55" W.</p>
300.00	Lode line; discovery point bears N. 8°00' W., 1475.0 ft. dist.
580.	Gulch, 2 ft. wide, course S. 25° W.
600.00	<p>Cor. No. 2, identical with Cor. No. 4 of the TEN GRAND NO. 117 lode of this survey, and with the Northeast and Northwest cors., Ten Grand No. 101 and Ten Grand No. 102 lodes, respectively, both Uns.</p> <p style="text-align: center;">Thence N. 8°00' W.</p>

(This form bound on left side)

FEET	
730.	Road, 12 ft. wide, bears N. 85° W. and S. 85° E.
1250.	South branch, Ten Grand Canyon, 2 ft. wide, course N. 85° E.
1330.	Gulch, 2 ft. wide, course S. 85° E.
1500.00	Cor. No. 3, identical with Cor. Nos. 3, 3 and 4 of the TEN GRAND NO..117, TEN GRAND NO. 118., and TEN GRAND NO..116 lodes, respectively, of this survey. Thence S. 87°48'55" E.
300.00	Lode line; discovery point bears S. 8°00' E., 25.0 ft. dist.
600.00	Cor. No. 4, identical with Cor. Nos. 3, 4 and 3 of the TEN GRAND NO..116, TEN GRAND NO. 114., and TEN GRAND NO. 113. lodes, respectively, of this survey. Thence S. 8°00' E.
105.	South branch, Ten Grand Canyon, 3 ft. wide, course N. 65° E.
700.	Road, 12 ft. wide, bears N. 80° E. and S. 80° W.
1500.00	Cor. No. 1, and place of beginning.
TEN GRAND NO. 113. LODE	
At Cor. No. 1 of the TEN GRAND NO. 113. lode, of this survey, identical with the Southwest, Northwest and Northeast cors., Ten Grand No. 83, Ten Grand No. 11 and Ten Grand No. 12 lodes, respectively, all Uns.	
Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG113-1-4771; from which	
The 1/4 sec. cor. of secs. 21 and 28, bears S. 21°29'10" E., 875.71 ft. dist., heretofore described.	
Thence N. 87°48'55" W.	
300.00	Lode line; discovery point bears N. 8°00' W., 1475.0 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 1 of the TEN GRAND NO. 115. lode of this survey, and with the Northeast and Northwest cors., Ten Grand No. 102 and Ten Grand No. 12 lodes, respectively, both Uns. Thence N. 8°00' W.
800.	Road, 12 ft. wide, bears N. 80° E. and S. 80° W.
1395.	South branch, Ten Grand Canyon, 3 ft. wide, course N. 65° E.

Mineral Survey No. 4771

131

FEET	
1500.00	Cor. No. 3, identical with Cor. Nos. 4, 3 and 4 of the TEN GRAND NO. 115., TEN GRAND NO. 116, and TEN GRAND NO. 114. lodes, respectively, of this survey. Thence S. 87°48'55" E.
220.	South branch, Ten Grand Canyon, 3 ft. wide, course N. 50° E.
295.	Gulch, 3 ft. wide, course N. 15° W.
300.00	Lode line; discovery point bears S. 8°00' E., 25.0 ft. dist.
600.00	Cor. No. 4, identical with Cor. No. 3 of the TEN GRAND NO. 114. lode of this survey, and with the Southwest and Northwest cors., Ten Grand No. 84 and Ten Grand No. 83 lodes, respectively, both Uns. Thence S. 8°00' E.
525.	Road, 12 ft. wide, bears N. 85° W. and S. 85° E.
1500.00	Cor. No. 1, and place of beginning.
	TEN GRAND NO. 103 LODE
	At Cor. No. 1 of the Ten Grand No. 103 lode, on line 2-3 Ten Grand No. 125 lode of this survey.
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG103-1-4771; from which
	The 1/4 sec. cor. of secs. 20 and 29, bears S. 51°44'05" W., 1207.03 ft. dist., heretofore described.
	Thence N. 88°38'55" E.
262.96	Lode line; discovery point bears S. 0°53' W., 1392.85 ft. dist., and intersect line 1-2 Ten Grand No. 125 lode of this survey.
525.92	Cor. No. 2, identical with Cor. No. 1 of the Ten Grand No. 98 lode, and on line 2-3 Ten Grand No. 123 lode, of this survey. Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG103-2-TG98-1-4771.
	Thence S. 0°53' W.
395.25	Intersect line 4-1 Hank No. 21 lode, common with line 2-3 Hank No. 22 lode, of this survey.
945.33	Intersect line 4-1 Hank No. 22 lode, common with line 1-2 Hank No. 27 lode, of this survey.
1355.	Gulch, 5 ft. wide, course S. 45° E.

(This form bound on left side)

FEET	
1417.85	<p>Cor. No. 3, identical with Cor. No. 4 of the Ten Grand No. 98 lode of this survey, and with the Northeast and Northwest cors., Ten Grand No. 96 and Ten Grand No. 94 lodes, respectively, both Uns.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG103-3-TG98-4-4771.</p> <p>Thence S. 88°38'55" W.</p>
262.96	<p>Lode line; discovery point bears N. 0°53' E., 25.0 ft. dist.</p>
525.92	<p>Cor. No. 4, identical with the Northwest cor., Ten Grand No. 96 lode, Uns.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG103-4-4771.</p> <p>Thence N. 0°53' E.</p>
483.83	<p>Intersect line 1-2 Hank No. 27 lode, common with line 4-1 Hank No. 22 lode, of this survey.</p>
1033.91	<p>Intersect line 2-3 Hank No. 22 lode, common with line 4-1 Hank No. 21 lode, of this survey.</p>
1417.85	<p>Cor. No. 1, and place of beginning.</p>
TEN GRAND NO. 98 LODE	
<p>Beginning at Cor. No. 1 of the Ten Grand No. 98 lode, identical with Cor. No. 2 of the Ten Grand No. 103 lode, and on line 2-3 Ten Grand No. 123 lode, of this survey; from which</p>	
<p>The 1/4 sec. cor. of secs. 20 and 29, bears S. 62°43'05" W., 1657.89 ft. dist., heretofore described.</p>	
Thence N. 88°38'55" E.	
30.	<p>Gulch, 2 ft. wide, course S. 75° E.</p>
269.23	<p>Lode line; discovery point bears S. 0°53' W., 1392.85 ft. dist., and intersect line 1-2 Ten Grand No. 123 lode of this survey.</p>
485.	<p>Gulch, 3 ft. wide, course S. 15° E.</p>
538.45	<p>Cor. No. 2, identical with Cor. No. 2 of the Ten Grand No. 121 lode of this survey, and with the Northwest cor., Ten Grand No. 99 lode, Uns.</p> <p>Thence S. 0°53' W.</p>
406.83	<p>Intersect line 4-1 Hank No. 21 lode of this survey.</p>
665.	<p>Gulch, 5 ft. wide, course S. 25° E.</p>

FEET		
1417.85	Cor. No. 3, identical with the Southwest, Northwest and Northeast cors., Ten Grand No. 99, Ten Grand No. 8 and Ten Grand No. 94 lodes, respectively, all Uns.	
	Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-TG98-3-4771.	
	Thence S. 88°38'55" W.	
87.02	Intersect line 2-3 Hank No. 27 lode of this survey.	
269.22	Lode line; discovery point bears N. 0°53' E., 25.0 ft. dist.	
490.	Gulch, 5 ft. wide, course S. 10° E.	
538.45	Cor. No. 4, identical with Cor. No. 3 of the Ten Grand No. 103 lode of this survey, and with the Northeast and Northwest cors., Ten Grand No. 96 and Ten Grand No. 94 lodes, respectively, both Uns.	
	Thence N. 0°53' E.	
62.85	Gulch, 5 ft. wide, course S. 45° E.	
472.52	Intersect line 1-2 Hank No. 27 lode, common with line 4-1 Hank No. 22 lode, of this survey.	
1022.60	Intersect line 2-3 Hank No. 22 lode, common with line 4-1 Hank No. 21 lode, of this survey.	
1417.85	Cor. No. 1, and place of beginning.	
MINERAL SURVEY NO. 4771		
AREAS		
		<u>Acres</u>
	Total area, Fox No. 5 lode.....	3.669
	Area in conflict with-	
	Joco No. 39 lode of this survey.....	2.524
	Joco No. 19 lode of this survey.....	0.034
	Joco No. 40 lode of this survey.....	5.736
	Hank No. 1 lode of this survey.....	2.287
	Total area, Fox No. 4 lode.....	10.252
	Area in conflict with-	
	Joco No. 39 lode of this survey.....	0.007
	Joco No. 40 lode of this survey.....	0.267
	Hank No. 1 lode of this survey.....	3.849
	Total area, Fox No. 2 lode.....	9.680
	Area in conflict with-	
	Joco No. 37 lode of this survey.....	1.702
	Joco No. 38 lode of this survey.....	0.262
	Joco No. 39 lode of this survey.....	5.722
	Total area, Andes No. 1 lode.....	19.361
	Area in conflict with-	
	Wild Pig No. 2 lode, Uns.....	0.020
	Wild Pig No. 4 lode, Uns.....	3.579

(This form bound on left side)

FEET	
	Total area, Gem No. 1 lode.....19.361
	Area in conflict with-
	Wild Pig No. 4 lode, Uns.....0.604
	Total area, Gem No. 2 lode.....19.361
	Total area, Andes No. 2 lode.....20.503
	Area in conflict with-
	South Red Mountain No. 1 lode of this survey.....2.483
	South Red Mountain No. 2 lode of this survey.....0.281
	Aagh No. 7 lode of this survey.....0.305
	Total area, Terry No. 1 lode.....20.503
	Area in conflict with-
	Aagh No. 6 lode of this survey.....0.841
	Aagh No. 6 lode of this survey, exclusive of its conflict with Aagh No. 19 lode of this survey.....0.840
	South Red Mountain No. 1 lode of this survey.....6.386
	Total area, Aagh No. 19 lode.....20.017
	Area in conflict with-
	M.S. No. 4767 Red Castle No. 4 lode.....1.893
	Terry No. 1 lode of this survey.....4.894
	Terry No. 1 lode of this survey, exclusive of its conflict with Aagh No. 6 lode of this survey.....4.893
	Aagh No. 6 lode of this survey.....0.790
	Aagh No. 6 lode of this survey, exclusive of its conflict with Terry No. 1 lode of this survey.....0.789
	South Red Mountain No. 1 lode of this survey.....0.135
	Wild Pig No. 16 lode of this survey.....3.562
	Wild Pig No. 16 lode of this survey, exclusive of its conflict with Border Side lode of this survey.....0.445
	Border Side lode of this survey.....4.459
	Border Side lode of this survey, exclusive of its conflict with Wild Pig No. 16 lode of this survey.....1.342
	Total area, Lime Bank No. 5 lode.....20.017
	Area in conflict with-
	M.S. No. 4767 Red Castle No. 4 lode.....2.547
	Wild Pig No. 16 lode of this survey.....2.484
	Wild Pig No. 16 lode of this survey, exclusive of its conflict with Border Side lode of this survey.....2.279
	Border Side lode of this survey.....0.205
	Border Side lode of this survey, exclusive of its conflict with Wild Pig No. 16 lode of this survey.....0.000
	Total area, Lime Bank No. 4 lode.....20.017
	Area in conflict with-
	M.S. No. 352 Garfield lode.....0.860
	M.S. No. 4767 Red Castle No. 4 lode.....0.022
	Wild Pig No. 16 lode of this survey.....0.561
	Wild Pig No. 16 lode of this survey, exclusive of its conflict with M.S. No. 352 Garfield lode.....0.539

FEET	
	Total area, Wild Pig No. 16 lode.....20.661
	Area in conflict with-
	M.S. No. 352, Garfield lode.....0.500
	Lime Bank No. 4 lode of this survey.....0.561
	Lime Bank No. 4 lode of this survey, exclusive of its conflict with
	M.S. No. 352, Garfield lode.....0.539
	Lime Bank No. 5 lode of this survey.....2.484
	Lime Bank No. 5 lode of this survey, exclusive of its conflict with
	Border Side lode of this survey.....2.279
	Aagh No. 19 lode of this survey.....3.562
	Aagh No. 19 lode of this survey, exclusive of its conflict with
	Border Side lode of this survey.....0.445
	Border Side lode of this survey.....10.739
	Border Side lode of this survey, exclusive of its conflict with
	(1) Lime Bank No. 5 lode of this survey.10.534
	(2) Aagh No. 19 lode of this survey.....7.622
	(3) Lime Bank No. 5 and Aagh No. 19 lodes of this survey.....7.417
	Aagh No. 8 lode of this survey.....0.023
	Blue Eagle No. 1 lode of this survey.....0.026
	Aagh No. 5 lode, Uns.....0.999
	Aagh No. 5 lode, Uns., exclusive of its conflict with M.S. No. 352, Garfield lode.....0.997
	Total area, Blue Eagle No. 1 lode....20.506
	Area in conflict with-
	Wild Pig No. 16 lode of this survey.....0.026
	Old Boy Roger lode of this survey.....4.280
	Aagh No. 10 lode of this survey.....1.491
	Total area, Border Side lode.....20.661
	Area in conflict with-
	St. Louis lode of this survey.....0.140
	Lime Bank No. 5 lode of this survey.....0.205
	Lime Bank No. 5 lode of this survey, exclusive of its conflict with Wild Pig No. 16 lode of this survey.....0.000
	Aagh No. 19 lode of this survey.....4.459
	Aagh No. 19 lode of this survey, exclusive of its conflict with
	Wild Pig No. 16 lode of this survey.....1.342
	Wild Pig No. 16 lode of this survey.....10.739
	Wild Pig No. 16 lode of this survey, exclusive of its conflict with
	(1) Lime Bank No. 5 lode of this survey.10.534
	(2) Aagh No. 19 lode of this survey.....7.622
	(3) Lime Bank No. 5 and Aagh No. 19 lodes of this survey.....7.417
	Total area, Aagh No. 8 lode.....12.718
	Area in conflict with-
	Wild Pig No. 16 lode of this survey.....0.023
	St. Louis lode of this survey.....5.700
	Old Boy Roger lode of this survey.....0.404
	Total area, Aagh No. 9 lode.....12.718
	Area in conflict with-
	St. Louis lode of this survey.....7.310
	Old Boy Roger lode of this survey.....3.069

FEET

Total area, Aagh No. 20 lode.....	20.661
Area in conflict with-	
Old Boy Roger lode of this survey.....	9.864
St. Louis lode of this survey.....	7.219
Total area, St. Louis lode.....	20.661
Area in conflict with-	
Border Side lode of this survey.....	0.140
Aagh No. 9 lode of this survey.....	7.310
Aagh No. 20 lode of this survey.....	7.219
United Verde No..3 lode of this survey.....	0.283
Esther lode of this survey.....	0.011
Total area, Old Boy Roger lode.....	20.661
Area in conflict with-	
Aagh No. 8 lode of this survey.....	0.404
Aagh No. 9 lode of this survey.....	3.069
Aagh No. 20 lode of this survey.....	9.864
Esther lode of this survey.....	0.403
Total area, Aagh No. 10 lode.....	10.996
Area in conflict with-	
Blue Eagle No. 1 lode of this survey.....	1.491
Aagh No. 20 lode of this survey.....	2.455
Blue Eagle No. 2 lode, Uns.....	0.719
Blue Eagle No. 2 lode, Uns., exclusive of its conflict with North Star lode, Uns.....	0.640
North Star lode, Uns.....	0.264
North Star lode, Uns., exclusive of its conflict with Blue Eagle No. 2 lode of this survey.....	0.185
St. Patrick lode, Uns.....	0.534
Total area, Aagh No. 18 lode.....	15.840
Area in conflict with-	
Esther lode of this survey.....	12.252
United Verde No. 4 lode of this survey.....	1.335
Total area, Log Cabin lode.....	20.661
Area in conflict with-	
Steam Shovel lode of this survey.....	0.571
Esther lode of this survey.....	2.673
Aagh No. 13 lode, Uns.....	0.336
Total area, Aagh No. 6 lode.....	2.225
Area in conflict with-	
Terry No. 1 lode of this survey.....	0.841
Terry No. 1 lode of this survey, exclusive of its conflict with Aagh No. 19 lode of this survey.....	0.840
Aagh No. 19 lode of this survey.....	0.790
Aagh No. 19 lode of this survey, exclusive of its conflict with Terry No. 1 lode, of this survey.....	0.789
Total area, South Red Mountain No. 1 lode.....	20.661
Area in conflict with-	
Aagh No. 19 lode of this survey.....	0.135
Terry No. 1 lode of this survey.....	6.386
Andes No. 2 lode of this survey.....	2.483

FEET		
	Total area, United Verde No. 3 lode..	20.506
	Area in conflict with-	
	St. Louis lode of this survey.....	0.283
	Total area, United Verde No. 1 lode..	20.506
	Total area, Aagh No. 16 lode.....	3.020
	Total area, Esther lode.....	20.506
	Area in conflict with-	
	St. Louis lode of this survey.....	0.011
	Old Boy Roger lode of this survey.....	0.403
	Aagh No. 18 lode of this survey.....	2.252
	Log Cabin lode of this survey.....	2.673
	Total area, United Verde No. 4 lode..	20.506
	Area in conflict with-	
	Aagh No. 18 lode of this survey.....	1.335
	Total area, United Verde No. 2 lode..	20.506
	Total area, Aagh No. 17 lode.....	3.020
	Total area, Steam Shovel lode.....	20.661
	Area in conflict with-	
	Log Cabin lode of this survey.....	0.571
	St. Patrick No. 4 lode, Uns.....	2.092
	St. Patrick No. 4 lode, Uns., exclusive of its conflict with	
	Chloe No. 71 lode, Uns.....	1.866
	Chloe No. 71 lode, Uns.....	0.540
	Chloe No. 71 lode, Uns., exclusive of its conflict with St.	
	Patrick No. 4 lode, Uns.....	0.314
	Chloe No. 69 lode, Uns.....	9.865
	Chloe No. 68 lode, Uns.....	1.995
	Total area, Cowboy lode.....	20.661
	Area in conflict with-	
	Chloe No. 69 lode, Uns.....	0.135
	Chloe No. 68 lode, Uns.....	6.804
	Total area, United Verde No. 5 lode..	20.661
	Total area, La Tuna No. 1 lode.....	20.661
	Area in conflict with-	
	South Red Mountain No. 8 lode of this survey.....	2.893
	Red Hawk No. 6 lode of this survey.....	1.197
	Total area, Aagh No. 7 lode.....	6.454
	Area in conflict with-	
	M.S. No. 4767 Red Castle No. 2 lode.....	1.836
	M.S. No. 4767 Red Castle No. 3 lode.....	0.003
	M.S. No. 4767 Red Castle No. 8 lode.....	0.512
	M.S. No. 4767 Red Castle No. 9 lode.....	2.816
	Andes No. 2 lode of this survey.....	0.305
	Hank No. 2 lode of this survey.....	0.291
	Hank No. 2 lode of this survey, exclusive of its conflict with	
	(1) M.S. No. 4767 Red Castle No. 8 lode..	0.028
	(2) M.S. No. 4767 Red Castle No. 9 lode..	0.263
	(3) M.S. No. 4767 Red Castle No. 8 and Red Castle No. 9 lodes.....	0.000

FEET	
	Total area, South Red Mountain No. 2 lode.....20.661
	Area in conflict with-
	M.S. No. 4767 Red Castle No. 2 lode.....0.126
	M.S. No. 4767 Red Castle No. 9 lode.....8.132
	M.S. No. 4767 Red Castle No. 8 lode.....0.160
	Andes No. 2 lode of this survey.....0.281
	Total area, South Red Mountain No. 3 lode.....20.506
	Total area, South Red Mountain No. 4 lode.....20.506
	Total area, South Red Mountain 5 lode.20.506
	Total area, South Red Mountain No. 6 lode.....20.506
	Total area, South Red Mountain No. 7 lode.....20.506
	Total area, South Red Mountain No. 8 lode.....20.506
	Area in conflict with-
	La Tuna No. 1 lode of this survey.....2.893
	Total area Red Hawk No. 6 lode.....20.506
	Area in conflict with-
	La Tuna No. 1 lode of this survey.....1.197
	Dorfee lode of this survey.....0.848
	Dorfee lode of this survey, exclusive of its conflict with Hope No. 2 lode of this survey.....0.122
	Total area, Hope No. 4 lode.....20.661
	Area in conflict with-
	M.S. No. 4767 Red Castle No. 8 lode.....7.832
	M. S. No. 4767 Red Castle No. 9 lode.....0.064
	Hank No. 2 lode of this survey.....5.416
	Hank No. 2 lode of this survey, exclusive of its conflict with M.S. No. 4767 Red Castle No. 8 lode.....3.899
	Hank No. 8 lode of this survey.....1.255
	Total area, Charlotte lode.....20.506
	Area in conflict with-
	M.S. No. 4767 Red Castle No. 9 lode.....7.157
	M.S. No. 4767 Red Castle No. 8 lode.....3.536
	Hank No. 11 lode of this survey.....0.022
	Total area, Elnor lode.....20.506
	Area in conflict with-
	M.S. No. 4767 Red Castle No. 9 lode.....0.000
	Hank No. 10 lode of this survey.....0.160
	Hank No. 11 lode of this survey.....4.900
	Hank No. 12 lode of this survey.....0.237
	Total area, Hope No. 3 lode.....20.506
	Area in conflict with-
	Hank No. 12 lode of this survey.....0.367
	Hank No. 11 lode of this survey.....8.588
	Hank No. 10 lode of this survey.....9.228

FEET	
	Total area, Heaveyside No. 2 lode....20.506
	Area in conflict with-
	Hank No. 11 lode of this survey..... 0.618
	Hank No. 12 lode of this survey..... 6.182
	Hank No. 13 lode of this survey..... 2.782
	Total area, Heaveyside lode.....20.506
	Area in conflict with-
	Hank No. 12 lode of this survey..... 0.049
	Hank No. 13 lode of this survey..... 9.788
	Hank No. 14 lode of this survey..... 4.029
	Hank No. 14 lode of this survey, exclusive of its conflict with
	Hope No. 1 lode of this survey..... 2.596
	Hope No. 1 lode of this survey..... 1.433
	Hope No. 1 lode of this survey, exclusive of its conflict with
	Hank No. 14 lode of this survey..... 0.000
	Total area, Dorfee lode.....20.506
	Area in conflict with-
	Hank No. 14 lode of this survey..... 1.380
	Hank No. 14 lode of this survey, exclusive of its conflict with
	Hope No. 1 lode of this survey..... 1.345
	Hank No. 28 lode of this survey..... 1.969
	Hank No. 28 lode of this survey, exclusive of its conflict with
	Hope No. 1 lode of this survey..... 0.000
	Hope No. 1 lode of this survey..... 6.361
	Hope No. 1 lode of this survey, exclusive of its conflict with
	(1) Hank No. 14 lode of this survey..... 6.326
	(2) Hank No. 28 lode of this survey..... 4.392
	(3) Hank No. 14 and Hank No. 28 lodes of this survey..... 4.357
	Red Hawk No. 6 lode of this survey..... 0.848
	Red Hawk No. 6 lode of this survey, exclusive of its conflict with
	Hope No. 2 lode of this survey..... 0.122
	Hope No. 2 lode of this survey..... 3.633
	Hope No. 2 lode of this survey, exclusive of its conflict with
	Red Hawk No. 6 lode of this survey..... 2.907
	Hank No. 32 lode, Uns..... 0.000
	Total area, Hope No. 1 lode.....20.661
	Area in conflict with-
	Heaveyside lode of this survey..... 1.433
	Heaveyside lode of this survey, exclusive of its conflict with
	Hank No. 14 lode of this survey..... 0.000
	Hank No. 28 lode of this survey..... 6.887
	Hank No. 28 lode of this survey, exclusive of its conflict with
	Dorfee lode of this survey..... 4.918
	Dorfee lode of this survey..... 6.361
	Dorfee lode of this survey, exclusive of its conflict with
	(1) Hank No. 14 lode of this survey..... 6.326
	(2) Hank No. 28 lode of this survey..... 4.392
	(3) Hank No. 14 and Hank No. 28 lodes of this survey..... 4.357
	Total area, Hank No. 28 lode.....14.922
	Area in conflict with-
	Hope No. 1 lode of this survey..... 6.887

(This form bound on left side)

	FEET		
		Hope No. 1 lode of this survey, exclusive of its conflict with Dorfee lode of this survey.....	4.918
		Dorfee lode of this survey.....	1.969
		Dorfee lode of this survey, exclusive of its conflict with Hope No. 1 lode of this survey.....	0.000
		Total area, Hope No. 2 lode.....	20.661
		Area in conflict with-	
		Dorfee lode of this survey.....	3.633
		Dorfee lode of this survey, exclusive of its conflict with Red Hawk No. 6 lode of this survey.....	2.907
		Red Hawk No. 6 lode of this survey.....	2.816
		Red Hawk No. 6 lode of this survey, exclusive of its conflict with Dorfee lode of this survey.....	2.090
		Red Hawk No. 7 lode, Uns.....	6.156
		Total area, Joco No. 37 lode.....	20.661
		Area in conflict with-	
		M.S. No. 4767 Red Castle No. 6 lode.....	0.087
		M.S. No. 4767 Red Castle No. 7 lode.....	4.377
		Fox No. 2 lode of this survey.....	1.702
		Wild Pig No. 2 lode, Uns.....	2.917
		Wild Pig No. 2 lode, Uns., exclusive of its conflict with M.S. No. 4767 Red Castle No. 7 lode.....	1.351
		Bear No. 8 lode, Uns.....	1.779
		Total area, Joco No. 36 lode.....	20.661
		Total area, Joco No. 38 lode.....	20.661
		Area in conflict with-	
		Fox No. 2 lode of this survey.....	0.262
		Total area, Joco No. 39 lode.....	20.661
		Area in conflict with-	
		M.S. No. 4767 Red Castle No. 6 lode.....	1.771
		Fox No. 2 lode of this survey.....	5.772
		Fox No. 4 lode of this survey.....	0.007
		Fox No. 5 lode of this survey.....	2.524
		Total area, Joco No. 15 lode.....	20.572
		Total area, Joco No. 17 lode.....	20.572
		Total area, Joco No. 19 lode.....	20.572
		Area in conflict with-	
		Fox No. 5 lode of this survey.....	0.034
		Total area, Joco No. 40 lode.....	20.572
		Area in conflict with-	
		Fox No. 5 lode of this survey.....	5.736
		Fox No. 4 lode of this survey.....	0.267
		Total area, Hank No. 1 lode.....	20.572
		Area in conflict with-	
		M.S. No. 4767 Red Castle No. 5 lode.....	1.713
		M.S. No. 4767 Red Castle No. 8 lode.....	0.069
		Fox No. 5 lode of this survey.....	2.287
		Fox No. 4 lode of this survey.....	3.849

Mineral Survey No. 4771

141

FEET		
	Total area, Hank No. 2 lode.....	20.572
	Area in conflict with-	
	M.S. No. 4767 Red Castle No. 5 lode.....	1.564
	M.S. No. 4767 Red Castle No. 8 lode.....	9.189
	M.S. No. 4767 Red Castle No. 9 lode.....	0.487
	Hope No. 4 lode of this survey.....	5.416
	Hope No. 4 lode of this survey, exclusive of its conflict with	
	M.S. No. 4767 Red Castle No. 8 lode.....	3.899
	Aagh No. 7 lode of this survey.....	0.291
	Aagh No. 7 lode of this survey, exclusive of its conflict with	
	(1) M.S. No. 4767 Red Castle No. 8 lode..	0.028
	(2) M.S. No. 4767 Red Castle No. 9 lode..	0.263
	(3) M.S. No. 4767 Red Castle No. 8 and Red Castle No. 9 lodes.....	0.000
	Total area, Joco No. 16 lode.....	20.661
	Total area, Joco No. 18 lode.....	20.661
	Total area, Joco No. 20 lode.....	20.661
	Total area, Joco No. 41 lode.....	20.661
	Total area, Aagh No. 1 lode.....	3.994
	Total area, Hank No. 8 lode.....	20.661
	Area in conflict with-	
	Hope No. 4 lode of this survey.....	1.255
	Total area, Hank No. 9 lode.....	20.661
	Area in conflict with-	
	Hope No. 4 lode of this survey.....	4.000
	Hope No. 3 lode of this survey.....	2.175
	Total area, Hank No. 10 lode.....	20.661
	Area in conflict with-	
	Hope No. 3 lode of this survey.....	9.228
	Charlotte lode of this survey.....	1.139
	Elnor lode of this survey.....	0.160
	Total area, Hank No. 11 lode.....	20.661
	Area in conflict with-	
	Hope No. 3 lode of this survey.....	8.588
	Charlotte lode of this survey.....	0.022
	Elnor lode of this survey.....	4.900
	Heaveyside No. 2 lode of this survey.....	0.618
	Total area, Hank No. 12 lode.....	14.463
	Area in conflict with-	
	Elnor lode of this survey.....	0.237
	Heaveyside No. 2 lode of this survey.....	6.182
	Heaveyside lode of this survey.....	0.049
	Hope No. 3 lode of this survey.....	0.367
	Total area, Hank No. 13 lode.....	19.697
	Area in conflict with-	
	Heaveyside No. 2 lode of this survey.....	2.782
	Heaveyside lode of this survey.....	9.788
	Total area, Hank No. 14 lode.....	16.414
	Area in conflict with-	
	Heaveyside lode of this survey.....	4.029
	Heaveyside lode of this survey, exclusive of its conflict with	
	Hope No. 1 lode of this survey.....	2.596

(This form bound on left side)

FEET	
	Dorfee lode of this survey.....1.380
	Dorfee lode of this survey, exclusive of its conflict with Hope No. 1 lode of this survey.....1.345
	Hope No. 1 lode of this survey.....7.576
	Hope No. 1 lode of this survey, exclusive of its conflict with (1) Heaveyside lode of this survey.....6.143
	(2) Dorfee lode of this survey.....7.541
	(3) Heaveyside and Dorfee lodges of this survey.....6.108
	Total area, Hank No. 30 lode.....20.661
	Area in conflict with-
	Paty No. 9 lode, Uns.....2.028
	Tres Pobres #8 lode, Uns.....4.975
	West Extension No. 8 lode, Uns.....1.607
	West Extension No. 8 lode, Uns., exclusive of its conflict with Tres Pobres #8 lode, Uns.....0.671
	Total area, Hank No. 23 lode.....20.661
	Area in conflict with-
	Ten Grand No. 127 lode of this survey.....3.886
	Ten Grand No. 128 lode of this survey.....2.718
	Tres Pobres #8 lode, Uns.....2.480
	Total area, Hank No. 24 lode.....20.661
	Area in conflict with-
	Ten Grand No. 127 lode of this survey.....7.708
	Ten Grand No. 128 lode of this survey.....6.809
	Ten Grand No. 129 lode of this survey.....0.000
	Total area, Hank No. 15 lode.....20.661
	Area in conflict with-
	Ten Grand No. 127 lode of this survey.....7.211
	Ten Grand No. 128 lode of this survey.....7.198
	Ten Grand No. 129 lode of this survey.....0.791
	AAGH No. 21 lode of this survey.....0.145
	Total area, Hank No. 16 lode.....20.661
	Area in conflict with-
	Ten Grand No. 126 lode of this survey.....4.086
	Ten Grand No. 124 lode of this survey.....6.192
	Ten Grand No. 122 lode of this survey.....1.558
	Ten Grand No. 122 lode of this survey, exclusive of its conflict with AAGH No. 21 lode of this survey.....1.547
	AAGH No. 21 lode of this survey.....0.074
	AAGH No. 21 lode of this survey, exclusive of its conflict with Ten Grand No. 122 lode of this survey.....0.063
	Total area, Hank No. 17 lode.....20.661
	Area in conflict with
	Ten Grand No. 126 lode of this survey.....6.936
	Ten Grand No. 124 lode of this survey.....7.242
	Ten Grand No. 122 lode of this survey.....4.216
	Total area, Hank No. 18 lode.....20.661
	Area in conflict with-
	Ten Grand No. 126 lode of this survey.....6.252
	Ten Grand No. 124 lode of this survey.....4.669
	Ten Grand No. 122 lode of this survey.....2.145
	Ten Grand No. 125 lode of this survey.....0.716
	Ten Grand No. 123 lode of this survey.....2.643
	Ten Grand No. 121 lode of this survey.....1.809

Mineral Survey No. 4771

FEET	
	Total area, Hank No. 19 lode.....20.661
	Area in conflict with-
	Ten Grand No. 126 lode of this survey.....0.062
	Ten Grand No. 125 lode of this survey.....7.199
	Ten Grand No. 123 lode of this survey.....7.437
	Ten Grand No. 121 lode of this survey.....2.956
	Total area, Hank No. 20 lode.....14.463
	Area in conflict with-
	Ten Grand No. 125 lode of this survey.....5.085
	Ten Grand No. 123 lode of this survey.....5.206
	Ten Grand No. 121 lode of this survey.....1.389
	Total area, Hank No. 21 lode.....20.661
	Area in conflict with-
	Ten Grand No. 125 lode of this survey.....2.548
	Ten Grand No. 125 lode of this survey, exclusive of its conflict with
	Ten Grand No. 103 lode of this survey....2.262
	Ten Grand No. 103 lode of this survey.....4.700
	Ten Grand No. 103 lode of this survey, exclusive of its conflict with Ten
	Grand No. 125 lode of this survey.....4.414
	Ten Grand No. 123 lode of this survey.....2.467
	Ten Grand No. 123 lode of this survey, exclusive of its conflict with Ten
	Grand No. 98 lode of this survey.....2.301
	Ten Grand No. 98 lode of this survey.....4.954
	Ten Grand No. 98 lode of this survey, exclusive of its conflict with Ten
	Grand No. 123 lode of this survey.....4.788
	Ten Grand No. 121 lode of this survey.....0.140
	Ten Grand No. 99 lode, Uns.....0.204
	Total area, Hank No. 22 lode.....8.939
	Area in conflict with-
	Ten Grand No. 103 lode of this survey.....6.636
	Ten Grand No. 98 lode of this survey.....5.534
	Total area, Hank No. 27 lode.....13.430
	Area in conflict with-
	Ten Grand No. 103 lode of this survey.....5.769
	Ten Grand No. 98 lode of this survey.....4.800
	Ten Grand No. 96 lode, Uns.....0.264
	Ten Grand No. 94 lode, Uns.....0.336
	Total area, Ten Grand No. 127 lode...18.804
	Area in conflict with-
	Hank No. 23 lode of this survey.....3.886
	Hank No. 24 lode of this survey.....7.708
	Total area, Ten Grand No. 128 lode...18.824
	Area in conflict with-
	Hank No. 23 lode of this survey.....2.718
	Hank No. 24 lode of this survey.....6.809
	Total area, Ten Grand No. 129 lode...19.955
	Area in conflict with-
	Hank No. 24 lode of this survey.....0.000
	Hank No. 15 lode of this survey.....0.791
	Total area, Ten Grand No. 130 lode...20.050
	Total area, TEN GRAND NO. 131 lode...20.327
	Total area, TEN GRAND NO. 132. lode..20.328

(This form bound on left side)

FEET	
	Total area, TEN GRAND NO. 133. lode...20.327
	Total area, AAGH No. 21 lode.....2.117
	Area in conflict with-
	Ten Grand No. 120 lode of this survey.....0.793
	Hank No. 15 lode of this survey.....0.145
	Ten Grand No. 122 lode of this survey.....0.265
	Ten Grand No. 122 lode of this survey, exclusive of its conflict with
	Hank No. 16 lode of this survey.....0.254
	Hank No. 16 lode of this survey.....0.074
	Hank No. 16 lode of this survey, exclusive of its conflict with
	Ten Grand No. 122 lode of this survey.....0.063
	Total area, Ten Grand No. 126 lode....17.336
	Area in conflict with-
	Hank No. 16 lode of this survey.....4.086
	Hank No. 17 lode of this survey.....6.936
	Hank No. 19 lode of this survey.....0.062
	Total area, Ten Grand No. 124 lode....18.103
	Area in conflict with-
	Hank No. 16 lode of this survey.....6.192
	Hank No. 17 lode of this survey.....7.242
	Total Area, Ten Grand No. 122 lode....20.612
	Area in conflict with-
	Hank No. 16 lode of this survey.....1.558
	Hank No. 16 lode of this survey, exclusive of its conflict with
	AAGH No. 21 lode of this survey.....1.547
	Hank No. 17 lode of this survey.....4.216
	Hank No. 18 lode of this survey.....2.145
	Total area, Ten Grand No. 120 lode....20.612
	Total area, TEN GRAND NO. 118. lode...20.623
	Total area, TEN GRAND NO..116 lode....20.623
	Total area, TEN GRAND NO. 114. lode...20.623
	Total area, Ten Grand No. 125 lode....15.548
	Area in conflict with-
	Hank No. 19 lode of this survey.....7.199
	Hank No. 20 lode of this survey.....5.085
	Hank No. 21 lode of this survey.....2.548
	Hank No. 21 lode of this survey, exclusive of its conflict with Ten
	Grand No. 103 lode of this survey.....2.262
	Ten Grand No. 103 lode of this survey.....0.286
	Ten Grand No. 103 lode of this survey, exclusive of its conflict with
	Hank No. 21 lode of this survey.....0.000
	Total area, Ten Grand No. 123 lode....17.753
	Area in conflict with-
	Hank No. 19 lode of this survey.....7.437
	Hank No. 20 lode of this survey.....5.206
	Hank No. 21 lode of this survey.....2.467
	Hank No. 21 lode of this survey, exclusive of its conflict with Ten
	Grand No. 98 lode of this survey.....2.301
	Ten Grand No. 98 lode of this survey.....0.166

Mineral Survey No. 4771

145

FEET	
	Ten Grand No. 98 lode of this survey, exclusive of its conflict with Hank No. 21 lode of this survey.....0.000
	Total area, Ten Grand No. 121 lode... 20.636
	Area in conflict with-
	Hank No. 18 lode of this survey.....1.809
	Hank No. 19 lode of this survey.....2.956
	Hank No. 20 lode of this survey.....1.389
	Hank No. 21 lode of this survey.....0.140
	Total area, Ten Grand No. 1.19 lode...20.636
	Total area, TEN GRAND NO..117 lode....20.335
	Total area, TEN GRAND NO. 115. lode...20.336
	Total area, TEN GRAND NO. 113. lode...20.336
	Total area, Ten Grand No. 103 lode... 17.105
	Area in conflict with-
	Hank No. 21 lode of this survey.....4.700
	Hank No. 21 lode of this survey, exclusive of its conflict with Ten Grand No. 125 lode of this survey...4.414
	Ten Grand No. 125 lode of this survey.....0.286
	Ten Grand No. 125 lode of this survey, exclusive of its conflict with Hank No. 21 lode of this survey.....0.000
	Hank No. 22 lode of this survey.....6.636
	Total area, Ten Grand No. 98 lode.....17.513
	Area in conflict with-
	Hank No. 21 lode of this survey.....4.954
	Hank No. 21 lode of this survey, exclusive of its conflict with Ten Grand No. 123 lode of this survey....4.788
	Ten Grand No. 123 lode of this survey.....0.166
	Ten Grand No. 123 lode of this survey, exclusive of its conflict with Hank No. 21 lode of this survey.....0.000
	Hank No. 22 lode of this survey.....5.534
	LOCATION
	This survey is located in Secs. 16, 17, 18, 19, 20, 21, 29 and 30, of T. 22 S., R. 16 E., G. & S.R.M., Arizona.
	The survey of the United Verde No. 1, United Verde No. 2, United Verde No.. 3, United Verde No. 4, United Verde No. 5, South Red Mountain No. 1, South Red Mountain No. 2, South Red Mountain No. 3, South Red Mountain No. 4, South Red Mountain 5, South Red Mountain No. 6, South Red Mountain No. 7, South Red Mountain No. 8, Elnor, Dorfee, Charlotte, Heaveyside, Heaveyside No. 2, Joco No. 19, Joco No. 20, Joco No. 39, Joco No. 40, Joco No. 41, Hank No. 1, Hank No. 2, Hank No. 10, Hank No. 11, Hank No. 12, Hank No. 13, Hank No. 14, Hank No. 15, Hank No. 16, Hank No. 8, Hank No. 22, Hank No. 17, Hank No. 18, Hank No. 19, Hank No. 20, Hank No. 21, Hank No. 24, Hank No. 27, Hank No. 28, Hank No. 30, Andes No. 1, Andes No. 2, Aagh No. 1, Aagh No. 7, Aagh No. 8, Aagh No. 9, Aagh No. 19, AAGH No. 21, Aagh No. 16, Aagh No. 17, Aagh No. 10, Aagh No. 18, Aagh No. 20, Ten Grand No. 98, Ten Grand No. 103,

(This form bound on left side)

FEET		
	<p>Ten Grand No. 1.19, Ten Grand No. 120, Ten Grand No. 121, Ten Grand No. 122, Ten Grand No. 123, Ten Grand No. 124, Ten Grand No. 125, Ten Grand No. 126, Ten Grand No. 127, Ten Grand No. 128, Ten Grand No. 129, Ten Grand No. 130, TEN GRAND NO. 113., TEN GRAND NO. 114., TEN GRAND NO. 115., TEN GRAND NO..116, TEN GRAND NO..117, TEN GRAND NO. 118., TEN GRAND NO. 131, TEN GRAND NO. 132., TEN GRAND NO. 133., Fox No. 2, Fox No. 4, Fox No. 5, Gem No. 1, Gem No. 2, Terry No. 1, Joco No. 15, Joco No. 17, Joco No. 36, Joco No. 37, Joco No. 38, Joco No. 16, Joco No. 18, Hank No. 23, Red Hawk No. 6, La Tuna No. 1, Cowboy, Steam Shovel, Esther, Log Cabin, St. Louis, Old Boy Roger, Border Side, Blue Eagle No. 1, Wild Pig No. 16, Lime Bank No. 5, Lime Bank No. 4, Hope No. 1, Hope No. 2, Hope No. 3, Hope No. 4, Hank No. 9 and Aagh No. 6 lodes is identical with the respective locations or amended locations as marked on the ground.</p>	
	<p>EXPENDITURES</p>	
	<p>The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or its grantors are as follows:</p>	
No. 1	<p>The discovery point of the Fox No. 5 lode, being on the lode line 500 ft. from the center of line 4-1. No value.</p>	
No. 1	<p>The discovery point of the Fox No. 4 lode, being on the lode line 500 ft. from the center of line 4-1. No value.</p>	
No. 1	<p>The discovery point of the Fox No. 2 lode, being on the lode line 370 ft. from the center of line 1-2. No value.</p>	
No. 1	<p>The discovery point of the Andes No. 1 lode, being on the lode line 10 ft. from the center of line 4-1. No value.</p>	
No. 1	<p>The discovery point of the Gem No. 1 lode, being on the lode line 10 ft. from the center of line 4-1. No value.</p>	
No. 1	<p>The discovery point of the Gem No. 2 lode, being on the lode line 10 ft. from the center of line 4-1. No value.</p>	
No. 1	<p>The discovery point of the Andes No. 2 lode, being on the lode line 10 ft. from the center of line 3-4. No value.</p>	

FEET		
No. 1	The discovery point of the Terry No. 1 lode, being on the lode line 10 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the Aagh No. 19 lode, being on the lode line 700 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the Lime Bank No. 5 lode, being on the lode line 10 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the Lime Bank No. 4 lode, being on the lode line 10 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the Wild Pig No. 16 lode, being on the lode line 100 ft. from the center of line 2-3. No value.	
No. 1	The discovery point of the Blue Eagle no. 1 lode, being on the lode line 10 ft. from the center of line 4-1. No value.	
No. 1	The discovery point of the Border Side lode, being on the lode line 10 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the Aagh No. 8 lode, being on the lode line 10 ft. from a point on line 2-3, 222 ft. from Cor. No. 2. No value.	
No. 1	The discovery point of the Aagh No. 9 lode, being on the lode line 10 ft. from a point on line 1-2, 222.38 ft. from Cor. No. 1. No value.	
No. 1	The discovery point of the Aagh No. 20 lode, being on the lode line 10 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the St. Louis lode, being on the lode line 10 ft. from the center of line 4-1. No value.	
No. 1	The discovery point of the Old Boy Roger lode, being on the lode line 10 ft. from the center of line 4-1. No value.	
No. 1	The discovery point of the Aagh No. 10 lode, being on the lode line 10 ft. from a point on line 2-3, 208 ft. from Cor. No. 2. No value.	

(This form bound on left side)

FEET		
No. 1	The discovery point of the Aagh No. 18 lode, being on the lode line 10 ft. from the center of line 4-1. No value.	
No. 1	The discovery point of the Log Cabin lode, being on the lode line 10 ft. from the center of line 4-1. No value.	
No. 1	The discovery point of the Aagh No. 6 lode, being on the lode line 200 ft. from a point on line 1-2, 121 ft. from Cor. No. 1. No value.	
No. 1	The discovery point of the South Red Mountain No. 1 lode, being on the lode line 10 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the United Verde No. 3 lode, being on the lode line 10 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the United Verde No. 1 lode, being on the lode line 10 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the Aagh No. 16 lode, being on the lode line 10 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the Esther lode, being on the lode line 10 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the United Verde No. 4 lode, being on the lode line 10 ft. from the center of line 4-1. No value.	
No. 1	The discovery point of the United Verde No. 2 lode, being on the lode line 10 ft. from the center of line 4-1. No value.	
No. 1	The discovery point of the Aagh No. 17 lode, being on the lode line 10 ft. from the center of line 4-1. No value.	
No. 1	The discovery point of the Steam Shovel lode, being on the lode line 10 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the Cowboy lode, being on the lode line 10 ft. from the center of line 1-2. No value.	

FEET		
No. 1	The discovery point of the United Verde No. 5 lode, being on the lode line 10 ft. from the center of line 4-1. No value.	
No. 1	The discovery point of the La Tuna No. 1 lode, being on the lode line 10 ft. from the center of line 4-1. No value.	
No. 1	The discovery point of the Aagh No. 7 lode, being on the lode line 689 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the South Red Mountain No. 2 lode, being on the lode line 10 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the South Red Mountain No. 3 lode, being on the lode line 10 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the South Red Mountain No. 4 lode, being on the lode line 10 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the South Red Mountain 5 lode, being on the lode line 10 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the South Red Mountain No. 6 lode, being on the lode line 10 ft. from the center of line 2-3. No value.	
No. 1	The discovery point of the South Red Mountain No. 7 lode, being on the lode line 10 ft. from the center of line 4-1. No value.	
No. 1	The discovery point of the South Red Mountain No. 8 lode, being on the lode line 10 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the Red Hawk No. 6 lode, being on the lode line 134 ft. from the center of line 2-3. No value.	
No. 1	The discovery point of the Hope No. 4 lode, being on the lode line 10 ft. from the center of line 2-3. No value.	
No. 1	The discovery point of the Charlotte lode, being on the lode line 10 ft. from the center of line 2-3. No value.	

FEET	
No. 1	The discovery point of the Elnor lode, being on the lode line 10 ft. from the center of line 1-2. No value.
No. 1	The discovery point of the Hope No. 3 lode, being on the lode line 30 ft. from the center of line 1-2. No value.
No. 1	The discovery point of the Heaveyside No. 2 lode, being on the lode line 10 ft. from the center of line 1-2. No value.
No. 1	The discovery point of the Heaveyside lode, being on the lode line 10 ft. from the center of line 2-3. No value.
No. 1	The discovery point of the Dorfee lode, being on the lode line 10 ft. from the center of line 4-1. No value.
No. 1	The discovery point of the Hope No. 1 lode, being on the lode line 400 ft. from the center of line 4-1. No value.
No. 1	The discovery point of the Hank No. 28 lode, being on the lode line 10 ft. from the center of line 1-2. No value.
No. 1	The discovery point of the Hope No. 2 lode, being on the lode line 750 ft. from the center of line 2-3. No value.
No. 1	The discovery point of the Joco No. 37 lode, being on the lode line 5 ft. from the center of line 3-4. No value.
No. 1	The discovery point of the Joco No. 36 lode, being on the lode line 5 ft. from the center of line 2-3. No value.
No. 1	The discovery point of the Joco No. 38 lode, being on the lode line 5 ft. from the center of line 2-3. No value.
No. 1	The discovery point of the Joco No. 39 lode, being on the lode line 5 ft. from the center of line 1-2. No value.
No. 1	The discovery point of the Joco No. 15 lode, being on the lode line 5 ft. from the center of line 3-4. No value.

FEET		
No. 1	The discovery point of the Joco No. 17 lode, being on the lode line 5 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the Joco No. 19 lode, being on the lode line 5 ft. from the center of line 2-3. No value.	
No. 1	The discovery point of the Joco No. 40 lode, being on the lode line 5 ft. from the center of line 2-3. No value.	
No. 1	The discovery point of the Hank No. 1 lode, being on the lode line 10 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the Hank No. 2 lode, being on the lode line 600 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the Joco No. 16 lode, being on the lode line 5 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the Joco No. 18 lode, being on the lode line 5 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the Joco No. 20 lode, being on the lode line 5 ft. from the center of line 4-1. No value.	
No. 1	The discovery point of the Joco No. 41 lode, being on the lode line 5 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the Aagh No. 1 lode, being on the lode line 10 ft. from the center of line 4-1. No value.	
No. 1	The discovery point of the Hank No. 8 lode, being on the lode line 10 ft. from the center of line 4-1. No value.	
No. 1	The discovery point of the Hank No. 9 lode, being on the lode line 10 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the Hank No. 10 lode, being on the lode line 10 ft. from the center of line 2-3. No value.	

(This form bound on left side)

FEET		
No. 1		The discovery point of the Hank No. 11 lode, being on the lode line 10 ft. from the center of line 4-1. No value.
No. 1		The discovery point of the Hank No. 12 lode, being on the lode line 10 ft. from the center of line 4-1. No value.
No. 1		The discovery point of the Hank No. 13 lode, being on the lode line 10 ft. from the center of line 4-1. No value.
No. 1		The discovery point of the Hank No. 14 lode, being on the lode line 10 ft. from the center of line 4-1. No value.
No. 1		The discovery point of the Hank No. 30 lode, being on the lode line 10 ft. from the center of line 2-3. No value.
No. 1		The discovery point of the Hank No. 23 lode, being on the lode line 10 ft. from the center of line 3-4. No value.
No. 1		The discovery point of the Hank No. 24 lode, being on the lode line 10 ft. from the center of line 3-4. No value.
No. 1		The discovery point of the Hank No. 15 lode, being on the lode line 10 ft. from the center of line 3-4. No value.
No. 1		The discovery point of the Hank No. 16 lode, being on the lode line 10 ft. from the center of line 3-4. No value.
No. 1		The discovery point of the Hank No. 17 lode, being on the lode line 10 ft. from the center of line 1-2. No value.
No. 1		The discovery point of the Hank No. 18 lode, being on the lode line 10 ft. from the center of line 1-2. No value.
No. 1		The discovery point of the Hank No. 19 lode, being on the lode line 10 ft. from the center of line 1-2. No value.
No. 1		The discovery point of the Hank No. 20 lode, being on the lode line 10 ft. from the center of line 1-2. No value.

FEET		
No. 1	The discovery point of the Hank No. 21 lode, being on the lode line 10 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the Hank No. 22 lode, being on the lode line 10 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the Hank No. 27 lode, being on the lode line 10 ft. from the center of line 4-1. No value.	
No. 1	The discovery point of the Ten Grand No. 127 lode, being on the lode line 25 ft. from the center of line 2-3. No value.	
No. 1	The discovery point of the Ten Grand No. 128 lode, being on the lode line 25 ft. from the center of line 2-3. No value.	
No. 1	The discovery point of the Ten Grand No. 129 lode, being on the lode line 10 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the Ten Grand No. 130 lode, being on the lode line 10 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the TEN GRAND NO. 131 lode, being on the lode line 25 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the TEN GRAND NO. 132. lode, being on the lode line 25 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the TEN GRAND NO. 133. lode, being on the lode line 25 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the AAGH No. 21 lode, being on the lode line 200 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the Ten Grand No. 126 lode, being on the lode line 25 ft. from a point on line 2-3, 269.14 ft. from Cor. No. 2. No value.	
No. 1	The discovery point of the Ten Grand No. 124 lode, being on the lode line 25 ft. from the center of line 2-3. No value.	

(This form bound on left side)

FEET		
No. 1	The discovery point of the Ten Grand No. 122 lode, being on the lode line 10 ft. from the center of line 4-1. No value.	
No. 1	The discovery point of the Ten Grand No. 120 lode, being on the lode line 10 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the TEN GRAND NO. 118. lode, being on the lode line 25 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the TEN GRAND NO..116 lode, being on the lode line 25 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the TEN GRAND NO. 114. lode, being on the lode line 25 ft. from the center of line 1-2. No value.	
No. 1	The discovery point of the Ten Grand No. 125 lode, being on the lode line 25 ft. from a point on line 3-4, 269.13 ft. from Cor. No. 3. No value.	
No. 1	The discovery point of the Ten Grand No. 123 lode, being on the lode line 25 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the Ten Grand No. 121 lode, being on the lode line 10 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the Ten Grand No. 119 lode, being on the lode line 10 ft. from the center of line 2-3. No value.	
No. 1	The discovery point of the TEN GRAND NO..117 lode, being on the lode line 25 ft. from the center of line 2-3. No value.	
No. 1	The discovery point of the TEN GRAND NO. 115. lode, being on the lode line 25 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the TEN GRAND NO. 113. lode, being on the lode line 25 ft. from the center of line 3-4. No value.	
No. 1	The discovery point of the Ten Grand No. 103 lode, being on the lode line 25 ft. from the center of line 3-4. No value.	

FEET		
<p>No. 1</p>	<p>The discovery point of the Ten Grand No. 98 lode, being on the lode line 25 ft. from the point on line 3-4, 269.22 ft. from Cor. No. 3. No value.</p> <p>An interest in common improvements described as follows:</p> <p>A surface drilling program designed to locate a subsurface ore body within the boundaries of the claims of this survey and the contiguous claims owned in common. Drilling completed at the time of the survey is as follows:</p> <p>A vertical diamond drill hole, No. 115; 3 ins. diam. at the collar, 971 ft. deep, the center of which bears S. 55°46'10" E., 433 ft. from Cor. No. 4, Fox No. 4 lode. Value, \$8,000.</p> <p>A vertical diamond drill hole, No. 114; 3 ins. diam. at the collar, 382 ft. deep, the center of which bears S. 31°13'30" E., 496 ft. from Cor.No. 1, Gem No. 1 lode. Value, \$2,000.</p> <p>A vertical diamond drill hole, No. 141; 3 ins. diam. at the collar, 400 ft. deep, the center of which bears N. 8°57'35" W., 264 ft. from Cor. No. 3, Gem No. 1 lode. Value, \$3,500.</p> <p>An angle diamond drill hole, No. A123; 3 ins. diam. at the collar, 735 ft. deep, the center of which bears N. 16°55'30" W., 282 ft. from Cor. No. 2, Andes No. 2 lode. Value, \$7,000.</p> <p>A vertical diamond drill hole, No. 124; 3 ins. diam. at the collar, 467 ft. deep, the center of which bears N. 84°14'55" W., 561 ft. from Cor. No. 1, Andes No. 2 lode. Value, \$5,500.</p> <p>A vertical diamond drill hole, No. 125; 3 ins. diam. at the collar, 480 ft. deep, the center of which bears N. 59°43'30" W., 637 ft. from Cor. No. 1, Andes No. 2 lode. Value, \$4,600.</p> <p>A vertical diamond drill hole, No. 150; 4 ins. diam. at the collar, 5145 ft. deep, the center of which bears S. 67°04' E., 245 ft. from Cor. No. 3, United Verde No. 1 lode. Value, \$67,500.</p> <p>A vertical diamond drill hole, No. 142, 4 ins. diam. at the collar, 5229 ft. deep, the center of which bears N. 26°49'15" E., 406 ft. from Cor. No. 3, South Red Mountain No. 2 lode. Value, \$79,500.</p> <p>A vertical diamond drill hole, No. 110, 3 ins. diam. at the collar, 761 ft. deep, the center of which bears S. 37°11'15" W., 205 ft. from Cor. No. 1, South Red Mountain No. 3 lode. Value, \$14,500.</p>	

(This form bound on left side)

FEET

A vertical diamond drill hole, No. 111; 3 ins. diam. at the collar, 806 ft. deep, the center of which bears N. $87^{\circ}39'30''$ E., 348 ft. from Cor. No. 2, South Red Mountain No. 4 lode.
Value, \$5,000.

A vertical diamond drill hole, No. 116; 3 ins. diam. at the collar, 809 ft. deep, the center of which bears S. $63^{\circ}17'45''$ W., 693 ft. from Cor. No. 4, South Red Mountain No. 4 lode.
Value, \$7,000.

A vertical diamond drill hole, No. 134; 3 ins. diam. at the collar, 5194 ft. deep, the center of which bears S. $11^{\circ}40'55''$ W., 98 ft. from Cor. No. 3, South Red Mountain No. 4 lode.
Value, \$68,000.

A vertical diamond drill hole, No. 140; 4 ins. diam. at the collar, 5145 ft. deep, the center of which bears N. $79^{\circ}03'45''$ E., 337 ft. from Cor. No. 2, South Red Mountain No. 4 lode.
Value, \$79,000.

A vertical diamond drill hole, No. 148; 4 ins. diam. at the collar, 5740 ft. deep, the center of which bears N. $77^{\circ}45'25''$ W., 359 ft. from Cor. No. 4, South Red Mountain No. 4 lode.
Value, \$83,000.

A vertical diamond drill hole, No. 152; 4 ins. diam. at the collar, 3417 ft. deep, the center of which bears S. $82^{\circ}55'35''$ W., 732 ft. from Cor. No. 4, South Red Mountain No. 4 lode.
Value, \$48,500.

A vertical diamond drill hole, No. 136; 3 ins. diam. at the collar, 836 ft. deep, the center of which bears N. $31^{\circ}15'$ W., 305 ft. from Cor. No. 4, South Red Mountain 5 lode.
Value, \$5,000.

A vertical diamond drill hole, No. 143; 4 ins. diam. at the collar, 5231 ft. deep, the center of which bears N. $31^{\circ}15'$ W., 305 ft. from Cor. No. 4, South Red Mountain 5 lode.
Value, \$79,500.

A vertical diamond drill hole, No. 107; 3 ins. diam. at the collar, 1116 ft. deep, the center of which bears S. $50^{\circ}28'25''$ W., 383 ft. from Cor. No. 2, Hope No. 4 lode.
Value, \$7,000.

A vertical diamond drill hole, No. A147; 4 ins. diam. at the collar, 5580 ft. deep, the center of which bears S. $87^{\circ}11'10''$ E., 585 ft. from Cor. No. 2, Elnor lode.
Value, \$81,500.

A vertical diamond drill hole, No. A132; 4 ins. diam. at the collar, 670 ft. deep, the center of which bears S. $18^{\circ}50'45''$ W., 429 ft. from Cor. No. 3, Elnor lode.
Value, \$6,000.

FEET		
	<p>A vertical diamond drill hole, No. 154; 4 ins. diam. at the collar, 2124 ft. deep, the center of which bears S. 48°55' W., 429 ft. from Cor. No. 3, Elnor lode. Value, \$30,200.</p>	
	<p>A vertical diamond drill hole, No. 108; 3 ins. diam. at the collar, 1450 ft. deep, the center of which bears S. 48°06'30" E., 710 ft. from Cor. No. 1, Hope No. 3 lode. Value, \$14,500.</p>	
	<p>An angle diamond drill hole, No. A127; 3 ins. diam. at the collar, 718 ft. deep, the center of which bears S. 22°49'10" E., 343 ft. from Cor. No. 2, Hope No. 3 lode. Value, \$6,000.</p>	
	<p>An angle diamond drill hole, No. A129; 3 ins. diam. at the collar, 650 ft. deep, the center of which bears N. 7°08'50" E., 716 ft. from Cor. No. 4, Hope No. 3 lode. Value, \$5,500.</p>	
	<p>An angle diamond drill hole, No. A131; 3 ins. diam. at the collar, 600 ft. deep, the center of which bears S. 47°03'35" E., 740 ft. from Cor. No. 1, Hope No. 3 lode. Value, \$6,500.</p>	
	<p>A vertical diamond drill hole, No. 133; 3 ins. diam. at the collar, 5001 ft. deep, the center of which bears S. 47°59'50" E., 710 ft. from Cor. No. 1, Hope No. 3 lode. Value, \$66,500.</p>	
	<p>A vertical diamond drill hole, No. 138; 4 ins. diam. at the collar, 5046 ft. deep, the center of which bears S. 50°23'05" W., 655 ft. from Cor. No. 3, Heaveyside No. 2 lode. Value, \$86,000.</p>	
	<p>A vertical diamond drill hole, No. 155; 4 ins. diam. at the collar, 1904 ft. deep, the center of which bears N. 83°32'10" E., 382 ft. from Cor. No. 2, Heaveyside No. 2 lode. Value, \$11,900.</p>	
	<p>A vertical diamond drill hole, No. 109; 3 ins. diam. at the collar, 838 ft. deep, the center of which bears S. 86°34'25" E., 501 ft. from Cor. No. 3, Heaveyside lode. Value, \$9,000.</p>	
	<p>A vertical diamond drill hole, No. 1; 3 ins. diam. at the collar, 334 ft. deep, the center of which bears S. 67°01'15" W., 228 ft. from Cor. No. 4, Joco No. 36 lode. Value, \$2,000.</p>	
	<p>A vertical diamond drill hole, No. 106; 3 ins. diam. at the collar, 828 ft. deep, the center of which bears S. 88°46'25" E., 648 ft. from Cor. No. 2, Hank No. 9 lode. Value, \$15,000.</p>	

(This form bound on left side)

FEET

A vertical diamond drill hole, No. 118; 3 ins. diam. at the collar, 580 ft. deep, the center of which bears S. 32°40'45" W., 267 ft. from Cor. No. 3, Hank No. 9 lode.
Value, \$4,500.

A vertical diamond drill hole, No. 144; 4 ins. diam. at the collar, 5234 ft. deep, the center of which bears S. 80°48'40" E., 334 ft. from Cor. No. 2, Hank No. 9 lode.
Value, \$70,000.

A vertical diamond drill hole, No. 119; 3 ins. diam. at the collar, 565 ft. deep, the center of which bears S. 66°13'55" W., 669 ft. from Cor. No. 2, Hank No. 10 lode.
Value, \$4,000.

A vertical diamond drill hole, No. A130, 4 ins. diam. at the collar, 622 ft. deep, the center of which bears S. 41°07'40" W., 333.40 ft. from Cor. No. 2, Hank No. 10 lode.
Value, \$6,200.

A vertical diamond drill hole, No. 120; 3 ins. diam. at the collar, 578 ft. deep, the center of which bears S. 66°26' W., 479 ft. from Cor. No. 4, Hank No. 11 lode.
Value, \$4,500.

A vertical diamond drill hole, No. A128; 3 ins. diam. at the collar, 867 ft. deep, the center of which bears S. 19°35'44" W., 203 ft. from Cor. No. 4, Hank No. 11 lode.
Value, \$8,600.

A vertical diamond drill hole, No. 105; 3 ins. diam. at the collar, 703 ft. deep, the center of which bears N. 49°53'15" E., 397 ft. from Cor. No. 1, Hank No. 17 lode.
Value, \$13,500.

A vertical diamond drill hole, No. 113; 3 ins. diam. at the collar, 963 ft. deep, the center of which bears N. 27°34'15" W., 295 ft. from Cor. No. 4, Hank No. 17 lode.
Value, \$6,500.

A vertical diamond drill hole, No. 117; 3 ins. diam. at the collar, 550 ft. deep, the center of which bears S. 85°31'30" E., 610 ft. from Cor. No. 2, Hank No. 17 lode.
Value, \$4,500.

A vertical diamond drill hole, No. 146; 4 ins. diam. at the collar, 2006 ft. deep, the center of which bears S. 0°42'10" E., 205 ft. from Cor. No. 2, Hank No. 17 lode.
Value, \$21,500.

A vertical diamond drill hole, No. 135; 3 ins. diam. at the collar, 5129 ft. deep, the center of which bears N. 45°54'40" E., 181 ft. from Cor. No. 1, Hank No. 18 lode.
Value, \$61,000.

FEET		
	<p>A vertical diamond drill hole, No. 137; 3 ins. diam. at the collar, 1414 ft. deep, the center of which bears N. 52°54'30" W., 344 ft. from Cor. No. 4, Hank No. 18 lode. Value, \$9,000.</p> <p>A vertical diamond drill hole, No. 104; 3 ins. diam. at the collar, 683 ft. deep, the center of which bears N. 79°47'35" E., 606 ft. from Cor. No. 1, Hank No. 19 lode, Value, \$7,000.</p> <p>A vertical diamond drill hole, No. 104-A; 3 ins. diam. at the collar, 900 ft. deep, the center of which bears N. 79°47'35" E., 606 ft. from Cor. No. 1, Hank No. 19 lode. Value, \$5,000.</p> <p>A vertical diamond drill hole, No. 151; 4 ins. diam. at the collar, 5520 ft. deep, the center of which bears N. 66°48'15" W., 406 ft. from Cor. No. 4, Hank No. 19 lode. Value, \$49,000.</p> <p>A vertical diamond drill hole, No. 112; 3 ins. diam. at the collar, 600 ft. deep, the center of which bears N. 57°42'40" E., 174 ft. from Cor. No. 4, Ten Grand No. 129 lode. Value, \$3,500.</p> <p>A vertical diamond drill hole, No. 103; 3 ins. diam. at the collar, 697 ft. deep, the center of which bears N. 6°21'25" E., 759 ft. from Cor. No. 1, Ten Grand No. 117 lode. Value, \$12,500.</p> <p>A vertical diamond drill hole, No. 121; 3 ins. diam. at the collar, 294 ft. deep, the center of which bears N. 6°42'35" E., 633 ft. from Cor. No. 2, Ten Grand No. 115 lode. Value, \$3,000.</p> <p>A vertical diamond drill hole, No. 101; 3 ins. diam. at the collar, 342 ft. deep, the center of which bears S. 10°32'35" E., 710 ft. from Cor. No. 3, Ten Grand No. 113 lode. Value, \$6,000.</p> <p>A vertical diamond drill hole, No. 122; 3 ins. diam. at the collar, 201 ft. deep, the center of which bears N. 3°34'20" W., 409 ft. from Cor. No. 2, Ten Grand No. 113 lode. Value, \$2,000.</p> <p>Value of drill holes, \$1,216,500.00. Value of one hundred and twelfth interest, \$10,861.61.</p> <p>These improvements are in the course of construction for the development of the one hundred and twelve lodes of this survey, which are all contiguous lode claims owned in common within the range of benefit of said drilling.</p>	

FEET

Five hundred dollars or over has been expended in these improvements in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed. Therefore, an undivided one hundred and twelfth interest in its value is hereby credited to each of the said lodges of the common group.

No portion of or interest in these improvements has been credited heretofore as patent expenditure to any lode claim.

OTHER IMPROVEMENTS

A tunnel, 4 x 6 ft. in size, the portal of which bears S. 58°02' E., 667 ft. from Cor. No. 4 Fox No. 4 lode, runs S. 18° W., 35 ft. to breast.
Claimant unknown.

A tunnel, 3 1/2 x 6 ft. in size, the portal of which bears S. 51°15' E., 824 ft. from Cor. No. 4 Fox No. 4 lode, runs N. 65° W., 17 ft.; thence S. 63° W., 31 ft.; thence S. 50° W., 96 ft. to breast.
Claimant unknown.

A tunnel, 5 x 7 ft. in size, the portal of which bears N. 59°01' E., 106 ft. from Cor. No. 4, Fox No. 4 lode; runs N. 41° E., 8 ft. to breast.
Claimant unknown.

A tunnel, 3 x 6 ft. in size, the portal of which bears S. 14°06' W., 467 ft. from Cor. No. 1, Gem No. 1 lode; runs S. 35° W., 193 ft.; thence S. 5° E., 122 ft. to breast.
Claimant unknown.

A tunnel, 5 x 6 ft. in size, the portal of which bears S. 86°39' E., 371 ft. from Cor. No. 4 Gem No. 1 lode; runs S. 22° W., 21 ft. to breast.
Claimant unknown.

A tunnel, 5 x 5 ft. in size, the portal of which bears S. 86°41' E., 376 ft. from Cor. No. 4 Gem No. 1 lode; runs S. 10° E., 42 ft. to breast.
Claimant unknown.

A tunnel, 5 x 6 ft. in size, the portal of which bears N. 88°42' E., 670 ft. from Cor. No. 4 Gem No. 1 lode; runs S. 41° E., 165 ft. to breast.
Claimant unknown.

A tunnel, 4 x 6 ft. in size, the portal of which bears S. 13°48' W., 83 ft. from Cor. No. 1 Gem No. 2 lode; runs S. 61° E., 84 ft. to breast.
Claimant unknown.

A tunnel, 3 1/2 x 4 ft. in size, the portal of which bears S. 16°34' W., 175 ft. from Cor. No. 1 Gem No. 2 lode; runs N. 85° E., 16 ft. to breast.
Claimant unknown.

FEET		
	<p>A tunnel, 4 x 6 ft. in size, the portal of which bears S. 14°46' E., 567 ft. from Cor. No. 1 Gem No. 2 lode; runs S. 45° W., 40 ft. to breast. Claimant unknown.</p>	
	<p>The Andes Tunnel, 5 x 6 ft. in size, the portal of which bears S. 4°54' W., 265 ft. from Cor. No. 4 Andes No. 2 lode; runs S. 42° E., 1600 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 5 x 6 ft. in size, the portal of which bears N. 57°24' W., 293 ft. from Cor. No. 1 Andes No. 2 lode; runs S. 56° W., 25 ft.; thence S. 34° W., 60 ft.; thence S. 40° E., 5 ft.; thence S. 38° W., 28 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 4 x 5 ft. in size, the portal of which bears N. 82°17' E., 295 ft. from Cor. No. 4 Lime Bank No. 4 lode; runs N. 24° E., 14 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 4 x 6 ft. in size, the portal of which bears N. 58°45' E., 190 ft., from Cor. No. 4 Lime Bank No. 4 lode; runs N. 75° W., 20 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 4 x 6 ft. in size, the portal of which bears N. 68°40' E., 280 ft., from Cor. No. 4 Lime Bank No. 4 lode; runs N. 70° E., 30 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 5 x 6 ft. in size, the portal of which bears N. 46°40' E., 235 ft., from Cor. No. 4 Lime Bank No. 4 lode; runs S. 85° W., 25 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 4 x 6 ft. in size, the portal of which bears N. 45°30' E., 320 ft., from Cor. No. 4 Lime Bank No. 4 lode; runs N. 80° E., 27 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 4 x 6 ft. in size, the portal of which bears N. 39°15' E., 285 ft., from Cor. No. 4 Lime Bank No. 4 lode; runs S. 80° W., 32 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 8 x 8 ft. in size, the portal of which bears N. 32°57' E., 192 ft., from Cor. No. 2 Wild Pig No. 16 lode; runs S. 84° E., 17 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 4 x 6 ft. in size, the portal of which bears N. 1°15' E., 125 ft., from Cor. No. 2 Wild Pig No. 16 lode; runs N. 85° W., 28 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 4 x 5 ft. in size, the portal of which bears N. 88°55' E., 335 ft. from Cor. No. 4 Blue Eagle No. 1 lode; runs S. 75° E., 95 ft.; thence S. 10° E., 75 ft.; partly caved and full of water. Claimant unknown.</p>	

FEET

A tunnel, 5 x 6 ft. in size, the portal of which bears N. 84°30' E., 275 ft., from Cor. No. 4 Blue Eagle No. 1 lode; runs N. 65° W., 50 ft. to breast.
Claimant unknown.

A tunnel, 5 x 6 ft. in size, the portal of which bears S. 49°06' E., 263 ft. from Cor. No. 4 Blue Eagle No. 1 lode; runs N. 78° E., 165 ft. to breast.
Claimant unknown.

A tunnel, 4 x 6 ft. in size, the portal of which bears S. 36°02' E., 193 ft. from Cor. No. 4 Blue Eagle No. 1 lode; runs S. 74° W., 65 ft. to breast.
Claimant unknown.

A tunnel, 5 x 6 ft. in size, the portal of which bears S. 39°41' E., 472 ft. from Cor. No. 4 Blue Eagle No. 1 lode; runs N. 81° W., 52 ft. to breast.
Claimant unknown.

A tunnel, 3 1/2 x 5 ft. in size, the portal of which bears S. 33°18' E., 422 ft. from Cor. No. 4 Blue Eagle No. 1 lode; runs N. 58° W., 47 ft. to breast.
Claimant unknown.

A tunnel, 5 x 5 ft. in size, the portal of which bears S. 47°48' E., 776 ft. from Cor. No. 4 Blue Eagle No. 1 lode; runs S. 63° E., 18 ft. to breast.
Claimant unknown.

A tunnel, 4 x 5 ft. in size, the portal of which bears N. 20°12' E., 178 ft. from Cor. No. 3 Blue Eagle No. 1 lode; runs S. 88° W., 21 ft. to breast.
Claimant unknown.

A tunnel, 6 x 8 ft. in size, the portal of which bears S. 9°23' E., 404 ft. from Cor. No. 4 Blue Eagle No. 1 lode; runs N. 78° E., 165 ft. to breast.
Claimant unknown.

A tunnel, 4 x 6 ft. in size, the portal of which bears S. 41°49' E., 370 ft. from Cor. No. 1 Aagh No. 10 lode; runs N. 36° E., 6 ft.; thence S. 77° E., 21 ft. to breast.
Claimant unknown.

A tunnel, 6 x 10 ft. in size, the portal of which bears S. 85°52' E., 230 ft. from Cor. No. 4 Aagh No. 18 lode; runs N. 67° E., 32 ft. to breast.
Claimant unknown.

A shaft, 7 x 10 ft., 100 ft. deep, the center of which bears S. 82°52' E., 80 ft. from Cor. No. 4 Aagh No. 18 lode.
Claimant unknown.

FEET		
	<p>A tunnel, 4 x 6 ft. in size, the portal of which bears S. 9°51' E., 372 ft. from Cor. No. 1 Log Cabin lode; runs N. 70° E., approx. 25 ft. (caved). Claimant unknown.</p>	
	<p>A tunnel, 4 x 6 ft. in size, the portal of which bears S. 55°30' E., 350 ft. from Cor. No. 1 Log Cabin lode; runs N. 55° W., 20 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 4 x 6 ft. in size, the portal of which bears S. 55°40' E., 480 ft. from Cor. No. 1 Log Cabin lode; runs S. 25° E., 30 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 3 x 5 ft. in size, the portal of which bears S. 13°21' E., 613 ft. from Cor. No. 4 Cowboy lode; runs N. 50° W., 15 ft. to center of shaft, 6 x 6 ft. in size, 35 ft. deep; thence N. 30° W., 30 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 5 x 6 ft. in size, the portal of which bears S. 68°15' E., 73 ft. from Cor. No. 2 Hank No. 2 lode; runs N. 16° E., 24 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 5 x 6 ft. in size, the portal of which bears S. 59°47' E., 550 ft. from Cor. No. 2 Hank No. 2 lode; runs N. 57° E., 15 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 5 x 6 ft. in size, the portal of which bears S. 41°32' W., 178 ft. from Cor. No. 2 Hank No. 10 lode; runs N. 35° E., 151 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 5 x 6 ft. in size, the portal of which bears N. 80°56' E., 383 ft. from Cor. No. 3 Hank No. 16 lode; runs S. 15° W., 186 ft. to breast. Claimant unknown.</p>	
	<p>A tunnel, 5 x 6 ft. in size, the portal of which bears S. 31°17' E., 42 ft. from Cor. No. 2 Hank No. 18 lode; runs N. 26° E., 131 ft. to breast. Claimant unknown.</p>	
	<p>A shaft, 10 x 10 ft., 60 ft. deep, the center of which bears N. 54°32' W., 71 ft. from Cor. No. 3 Ten Grand No. 130 lode. Claimant unknown.</p>	
	<p>A shaft, 6 x 6 ft., 30 ft. deep, the center of which bears N. 13°04' W., 707 ft. from Cor. No. 3 Ten Grand No. 130 lode. Claimant unknown.</p>	
	<p>A tunnel, 4 x 6 ft. in size, the portal of which bears N. 13°45' W., 712 ft., from Cor. No. 3 Ten Grand No. 130 lode; runs N. 30° W., 7 ft. to breast. Claimant unknown.</p>	

(This form bound on left side)

FEET

A tunnel, 4 x 6 ft. in size, the portal of which bears N. 14°24' W., 711 ft. from Cor. No. 3 Ten Grand No. 130 lode; runs N. 30° W., 12 ft. to breast.

Claimant unknown.

A vertical diamond drill hole, 4 ins. diam., 5188 ft. deep, the center of which bears S. 49°48' W., 546 ft. from Cor. No. 2 Charlotte lode.

Claimant herein.

A vertical diamond drill hole, 4 ins. diam., 5179 ft. deep, the center of which bears N. 36°51' E., 724 ft. from Cor. No. 4 Charlotte lode.

Claimant herein.

A vertical diamond drill hole, 4 ins. diam., 2020 ft. deep, the center of which bears N. 46°31' E., 363 ft. from Cor. No. 4 Charlotte lode.

Claimant herein.

A vertical diamond drill hole, 4 ins. diam., 4924 ft. deep, the center of which bears S. 49°24' E., 495 ft. from Cor. No. 2 Hank No. 2 lode.

Claimant herein.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

M.S. No. 352 Garfield lode: Cor. Nos. 2, 3, 4 and 5 are monumented with oak posts, firmly set and properly mkd. Lines 2-3, 3-4-5 and 5-6 are correct as approved.

M.S. No. 4767 Red Castle No. 4 lode: All cors. are 5/8 in. diam., iron pins, stone mounds alongside. All lines are correct as approved.

M.S. No. 4767 Red Castle No. 1 lode: All cors. are 5/8 in. diam., iron pins, stone mounds alongside. Lines 1-2 and 2-3 are correct as approved.

M.S. No. 4767 Red Castle No. 7 lode: All cors. are 5/8 in. diam., iron pins, stone mounds alongside. All lines are correct as approved.

M.S. No. 4767 Red Castle No. 6 lode: All cors. are 5/8 in. diam., iron pins, stone mounds alongside. All lines are correct as approved.

M.S. No. 4767 Red Castle No. 5 lode: All cors. are 5/8 in. diam., iron pins, stone mounds alongside. All lines are correct as approved.

M.S. No. 4767 Red Castle No. 3 lode: All cors. are 5/8 in. diam., iron pins, stone mounds alongside. All lines are correct as approved.

M.S. No. 4767 Red Castle No. 2 lode: All cors. are 5/8 in. diam., iron pins, stone mounds alongside. All lines are correct as approved.

M.S. No. 4767 Red Castle No. 8 lode: All cors. are 5/8 in. diam., iron pins, stone mounds alongside. All lines are correct as approved.

M.S. No. 4767 Red Castle No. 9 lode: All cors. are 5/8 in. diam., iron pins, stone mounds alongside. All lines are correct as approved.

Note concerning the following unsurveyed lode locations. All of these lodes have been located by the Kerr-McGee Corporation. All cors. are 5/8 in. diam., iron pins, stone mounds alongside. At the time of this survey, conditions were as follows:

FEET

Wild Pig No. 2 lode, Uns.: All cors. are in place. The Northerly and Southerly sidelines bear N. 89°52'50" E. The Easterly endline bears N. 0°07'10" W., 600.0 ft. dist.

Wild Pig No. 4 lode, Uns.: All cors. are in place. The Northerly and Southerly sidelines bear N. 89°52'50" E. The Easterly endline bears N. 0°07'10" W., 600.0 ft. dist.

Aagh No. 3 lode, Uns.: All cors. are in place. The Southerly sideline bears S. 75°52'40" E. The Easterly endline bears N. 14°07'20" E.

Lime Bank No. 3 lode, Uns.: All cors. are in place. The Northerly and Southerly endlines bear S. 75°52'40" E. The Easterly sideline bears N. 0°13'30" W., 1500.0 ft. dist.

Lime Bank lode, Uns.: All cors. are in place. The Northerly and Southerly sidelines bear S. 75°52'40" E. The Easterly endline bears N. 0°13'30" W., 600.0 ft. dist.

Aagh No. 5 lode, Uns.: All cors. are in place. The Southerly sideline bears N. 62°10'50" E. The Easterly endline bears N. 27°53'40" W., 600.0 ft. dist.

Blue Eagle No. 2 lode, Uns.: All cors. are in place. The Northerly and Southerly endlines bear N. 62°10'50" E. The Easterly sideline bears N. 27°53'40" W., 1488.76 ft. dist.

North Star lode, Uns.: All cors. are in place. The Southerly sideline bears S. 31°55'45" W. The Easterly endline bears N. 58°04'15" W., 600.0 ft. dist.

Aagh No. 11 lode, Uns.: All cors. are in place. The Northerly and Southerly sidelines bear S. 29°02'45" W. The Easterly endline bears N. 60°57'15" W., 400.0 ft. dist.

St. Patrick lode, Uns.: All cors. are in place. The Northerly and Southerly sidelines bear S. 23°34'20" W. The Easterly endline bears N. 66°25'40" W., 600.0 ft. dist.

Aagh No. 13 lode, Uns.: All cors. are in place. The Northerly and Southerly sidelines bear S. 29°02'45" W. The Easterly endline bears N. 60°57'15" W., 200.0 ft. dist.

St. Patrick No. 2 lode, Uns.: All cors. are in place. The Northerly and Southerly sidelines bear N. 29°02'45" E. The Easterly endline bears N. 60°57'15" W., 600.0 ft. dist.

St. Patrick No. 3 lode, Uns.: All cors. are in place. The Northerly and Southerly sidelines bear N. 29°02'45" E. The Easterly endline bears N. 60°57'15" W., 600.0 ft. dist.

St. Patrick No. 4 lode, Uns.: All cors. are in place. The Northerly and Southerly sidelines bear N. 29°02'45" E. The Easterly endline bears N. 60°57'15" W., 600.0 ft. dist.

Chloe No. 71 lode, Uns.: All cors. are in place. The Northerly endline bears West. The Easterly sideline bears South.

Chloe No. 69 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear South. The Northerly endline bears West, 600.0 ft. dist.

Chloe No. 68 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear South. The Northerly endline bears West, 600.0 ft. dist.

FEET

Aagh No. 14 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear S. 27°53'40" E. The Northerly endline bears S. 62°10'50" W., 600.0 ft. dist.

Red Hawk No. 1 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear S. 27°53'40" E. The Northerly endline bears S. 62°10'50" W., 600.0 ft. dist.

Red Hawk No. 2 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear S. 27°53'40" E. The Northerly endline bears S. 62°10'50" W., 600.0 ft. dist.

Red Hawk No. 3 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear S. 27°53'40" E. The Northerly endline bears S. 62°10'50" W., 600.0 ft. dist.

Red Hawk No. 5 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear S. 27°53'40" E. The Northerly endline bears S. 62°10'50" W., 600.0 ft. dist.

Red Hawk No. 7 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear S. 27°53'40" E. The Northerly endline bears S. 62°10'50" W., 600.0 ft. dist.

Aagh No. 15 lode, Uns.: All cors. are in place. The Northerly endline bears S. 89°52'50" W. The Easterly sideline bears S. 0°07'10" E.

Red Hawk No. 4 lode, Uns.: All cors are in place. The Westerly and Easterly sidelines bear S. 0°07'10" E. The Northerly endline bears S. 89°52'50" W., 600.0 ft. dist.

Hank No. 33 lode, Uns.: All cors. are in place. The Westerly sideline bears S. 0°07'10" E. The Northerly endline bears N. 89°52'50" E.

Hank No. 32 lode, Uns.: All cors. are in place. The Southerly endline bears N. 89°52'50" E. The Westerly sideline bears S. 0°07'10" E., 1500.0 ft. dist. The Northerly endline bears S. 89°52'50" W., 600.0 ft. dist.

Hank No. 34 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear S. 0°07'10" E. The Northerly endline bears S. 89°52'50" W., 600.0 ft. dist.

Bear No. 8 lode, Uns.: All cors. are in place. The Southerly endline bears S. 89°52'50" W. The Easterly sideline bears N. 0°07'10" W.

Joco No. 35 lode, Uns.: All cors. are in place. The Westerly endline bears N. 0°07'10" W. The Southerly sideline bears N. 89°52'50" E., 1500.0 ft. dist. The Easterly endline bears N. 0°07'10" W., 600.0 ft. dist. The Northerly sideline bears N. 89°52'50" W.

Joco No. 33 lode, Uns.: All cors. are in place. The Southerly sideline bears S. 89°52'50" W. The Easterly endline bears N. 0°07'10" W.

Joco No. 34 lode, Uns.: All cors. are in place. The Westerly and Easterly endlines bear N. 0°07'10" W. The Southerly sideline bears N. 89°52'50" E., 1500.0 ft. dist.

Joco No. 13 lode, Uns.: All cors. are in place. The Westerly and Easterly endlines bear N. 0°07'10" W. The Southerly sideline bears N. 89°52'50" E., 1493.56 ft. dist.

FEET		
	<p>Joco No. 14 lode, Uns.: All cors. are in place. The Westerly and Easterly endlines bear N. 0°07'10" W. The Southerly sideline bears N. 89°52'50" E., 1500.0 ft. dist.</p> <p>Paty No. 9 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear N. 0°07'10" W. The Southerly endline bears N. 89°52'50" E., 480.0 ft. dist.</p> <p>West Extension No. 8 lode, Uns.: All cors. are in place. The Westerly and Easterly endlines bear N. 7°32'34" E. The Southerly sideline bears N. 82°27'26" W., 1500.0 ft. dist.</p> <p>Tres Pobres #8 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear N. 0°07'10" W. The Southerly endline bears N. 88°02'20" E., 564.52 ft. dist.</p> <p>Tres Pobres #7 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear N. 0°07'10" W. The Southerly endline bears N. 88°30'40" E., 597.18 ft. dist.</p> <p>Tres Pobres #6 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear N. 0°07'10" W. The Southerly endline bears N. 88°30'40" E., 600.0 ft. dist.</p> <p>Tres Pobres #5 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear N. 0°07'10" W. The Southerly endline bears S. 87°48'55" E., 600.0 ft. dist.</p> <p>Tres Pobres #4 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear N. 0°07'10" W. The Southerly endline bears S. 87°48'55" E., 600.0 ft. dist.</p> <p>Tres Pobres #3 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear N. 0°07'10" W. The Southerly endline bears S. 87°48'55" E., 600.0 ft. dist.</p> <p>Tres Pobres #2 lode, Uns.: All cors. are in place. The Westerly sideline bears N. 0°07'10"W. The Southerly endline bears S. 87°48'55" E.</p> <p>Ten Grand No. 134 lode, Uns.: All cors. are in place. The Northerly and Southerly endlines bear S. 87°48'55" E. The Westerly sideline bears S. 12°29'40" W., 1500.0 ft. dist.</p> <p>Ten Grand No. 84 lode, Uns.: All cors. are in place. The Northerly and Southerly endlines bear S. 87°48'55" E. The Westerly sideline bears S. 1°13'50" E., 1500.0 ft. dist.</p> <p>Ten Grand No. 83 lode, Uns.: All cors. are in place. The Northerly and Southerly endlines bear S. 87°48'55" E. The Westerly sideline bears S. 8°00' E., 1500.0 ft. dist.</p> <p>Ten Grand No. 11 lode, Uns.: All cors. are in place. The Northerly endline bears S. 87°48'55" E. The Westerly sideline bears S. 0°53'W.</p> <p>Ten Grand No. 12 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear S. 0°53' W. The Northerly endline bears N. 87°48'55" W., 600.0 ft. dist.</p> <p>Ten Grand No. 102 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear S. 0°53' W. The Northerly endline bears N. 87°48'55" W., 600.0 ft. dist.</p> <p>Ten Grand No. 101 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear S. 0°53' W. The Northerly endline bears N. 87°48'55" W., 600.0 ft. dist.</p>	

(This form bound on left side)

FEET

Ten Grand No. 100 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear S. $0^{\circ}53'$ W. The Northerly endline bears S. $84^{\circ}49'40''$ W., 600.0 ft. dist.

Ten Grand No. 99 lode, Uns.: All cors. are in place. The Easterly sideline bears S. $0^{\circ}53'$ W. The Northerly endline bears S. $84^{\circ}49'40''$ W., 600.0 ft. dist. The Westerly sideline bears S. $0^{\circ}53'$ W., 1417.85 ft. dist. The Southerly endline bears N. $84^{\circ}49'40''$ E.

Ten Grand No. 8 lode, Uns.: All cors. are in place. The Northerly endline bears N. $84^{\circ}49'40''$ E. The Westerly sideline bears S. $0^{\circ}44'30''$ W.

Ten Grand No. 94 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear S. $0^{\circ}44'30''$ W. The Northerly endline bears S. $88^{\circ}38'55''$ W., 538.45 ft. dist.

Ten Grand No. 96 lode, Uns.: All cors. are in place. The Westerly and Easterly sidelines bear S. $0^{\circ}44'30''$ W. The Northerly endline bears S. $88^{\circ}38'55''$ W., 525.92 ft. dist.

The line bet. the cor. of secs. 13, 18, 19 and 24, T. 22 S., Rs. 15 & 16 E. and the 1/4 sec. cor. of secs. 18 and 19 bears N. $89^{\circ}45'37''$ E., 2526.85 ft. dist. instead of N. $89^{\circ}58'$ E., 2593.8 ft. dist., as approved. The line bet. the 1/4 sec. cor. of secs. 18 and 19 and the cor. of secs. 17, 18, 19 and 20 bears S. $89^{\circ}48'49''$ E., 2685.87 ft. dist. instead of N. $89^{\circ}58'$ E., 2640.0 ft. dist., as approved. The line bet. the cor. of secs. 17, 18, 19 and 20 and the 1/4 sec. cor. of secs. 19 and 20 bears S. $0^{\circ}02'53''$ E., 2664.23 ft. dist., instead of S. $0^{\circ}02'$ E., 2640.0 ft. dist., as approved. The line bet. the 1/4 sec. cor. of secs. 19 and 20 and the cor. of secs. 19, 20, 29 and 30 bears S. $0^{\circ}23'55''$ W., 2588.97 ft. dist. instead of S. $0^{\circ}02'$ E., 2640.0 ft. dist., as approved. The line bet. the 1/4 sec. cor. of secs. 19 and 30 and the cor. of secs. 19, 20, 29 and 30 bears S. $89^{\circ}32'14''$ E., 2771.07 ft. dist. instead of S. $89^{\circ}57'$ E., 2640.0 ft. dist., as approved. The line bet. the cor. of secs. 19, 20, 29 and 30 and the 1/4 sec. cor. of secs. 29 and 30 bears S. $0^{\circ}24'10''$ E., 2642.09 ft. dist. instead of S. $0^{\circ}02'$ E., 2640.0 ft. dist., as approved. The line bet. the cor. of secs. 16, 17, 20 and 21 and the 1/4 sec. cor. of secs. 17 and 20 bears N. $89^{\circ}58'17''$ W., 2637.71 ft. dist. instead of S. $89^{\circ}57'$ W., 2643.3 ft. dist., as approved. The line bet. the 1/4 sec. cor. of secs. 17 and 20 and the cor. of secs. 17, 18, 19 and 20 bears S. $89^{\circ}50'18''$ W., 2636.74 ft. dist. instead of S. $89^{\circ}57'$ W., 2643.3 ft. dist. as approved. The line bet. the cor. of secs. 16, 17, 20 and 21 and the cor. of secs. 20, 21, 28 and 29 bears S. $0^{\circ}07'52''$ W., 5258.27 ft. dist., instead of S. $0^{\circ}02'$ E., 5280.0 ft. dist. as approved. The line bet. the 1/4 sec. cor. of secs. 21 and 28 and the cor. of secs. 20, 21, 28 and 29 bears S. $89^{\circ}57'17''$ W., 2678.36 ft. dist. instead of S. $89^{\circ}58'$ W., 2635.38 ft. dist. as approved. The line bet. the cor. of secs. 20, 21, 28 and 29 and the 1/4 sec. cor. of secs. 20 and 29 bears N. $89^{\circ}53'45''$ W., 2648.72 ft. dist. instead of N. $89^{\circ}58'$ W., 2639.34 ft. dist. as approved. The line bet. the

	FEET	1/4 sec. cor. of secs. 20 and 29 and the cor. of secs. 19, 20, 29 and 30 bears S. 89°52'24" W., 2629.59 ft. dist. instead of N. 89°58' W., 2639.34 ft. dist. as approved.													
		<p style="text-align: center;">FIELD ASSISTANT</p> <table><tr><td>Hoyd J. Patty</td><td>Instrumentman</td></tr><tr><td>Stephen L. Patty</td><td>Chainman</td></tr><tr><td>Thomas S. Woods</td><td>Chainman</td></tr><tr><td>Robert E. Rogers</td><td>Chainman</td></tr><tr><td>Stephen W. Dale</td><td>Flagman</td></tr><tr><td>Bruce Schreiber</td><td>Axeman</td></tr></table>	Hoyd J. Patty	Instrumentman	Stephen L. Patty	Chainman	Thomas S. Woods	Chainman	Robert E. Rogers	Chainman	Stephen W. Dale	Flagman	Bruce Schreiber	Axeman	
Hoyd J. Patty	Instrumentman														
Stephen L. Patty	Chainman														
Thomas S. Woods	Chainman														
Robert E. Rogers	Chainman														
Stephen W. Dale	Flagman														
Bruce Schreiber	Axeman														

FEET

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

175

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor	Date
Robert Lenon	July 25, 1974

I HEREBY CERTIFY That in pursuance of an order received from the Acting Chief, Branch of Cadastral Survey, at Phoenix, Arizona, dated November 15, 1973, I have carefully executed the survey of the claim of Kerr-McGee Corporation, known as the ~~(lode, placer, or mill site)~~ (see attached pages) claims situated in Sections 16, 17, 18, 19, 20, 21, 29 & 30, Township 22 S., Range 16 E., Gila & Salt River Meridian, in the State of Arizona.

This survey, designated as number 4771, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.


I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the ~~(lode)~~ location(s) embraced in the said mining claim by claimant(s) or its grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Patagonia, Arizona (Location)	 (Signature of Mineral Surveyor)
----------------------------------	---

CERTIFICATE OF APPROVAL

Office	Arizona State Office
Location	Phoenix, Arizona
Date	August 24, 1976

The foregoing field notes of mineral survey number 4771, in Sections 16, 17, 18, 19, 20, 21, 29 & 30, surveyed unsurveyed Township 22 S., Range 16 E., Gila and Salt River Meridian, in the State of Arizona, executed by Robert Lenon, Mineral Surveyor, under order dated November 15, 1973, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

 Boyd S. Owens (Authorized Signature)	Chief, Br. of Cadastral Survey (Title)
--	---

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number is a true copy of the original field notes.

(Authorized Signature)	(Title)
------------------------	---------

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

1917
 1918
 1919
 1920
 1921
 1922
 1923
 1924
 1925
 1926
 1927
 1928
 1929
 1930
 1931
 1932
 1933
 1934
 1935
 1936
 1937
 1938
 1939
 1940
 1941
 1942
 1943
 1944
 1945
 1946
 1947
 1948
 1949
 1950
 1951
 1952
 1953
 1954
 1955
 1956
 1957
 1958
 1959
 1960
 1961
 1962
 1963
 1964
 1965
 1966
 1967
 1968
 1969
 1970
 1971
 1972
 1973
 1974
 1975
 1976
 1977
 1978
 1979
 1980
 1981
 1982
 1983
 1984
 1985
 1986
 1987
 1988
 1989
 1990
 1991
 1992
 1993
 1994
 1995
 1996
 1997
 1998
 1999
 2000
 2001
 2002
 2003
 2004
 2005
 2006
 2007
 2008
 2009
 2010
 2011
 2012
 2013
 2014
 2015
 2016
 2017
 2018
 2019
 2020
 2021
 2022
 2023
 2024
 2025

1917
 1918
 1919
 1920
 1921
 1922
 1923
 1924
 1925
 1926
 1927
 1928
 1929
 1930
 1931
 1932
 1933
 1934
 1935
 1936
 1937
 1938
 1939
 1940
 1941
 1942
 1943
 1944
 1945
 1946
 1947
 1948
 1949
 1950
 1951
 1952
 1953
 1954
 1955
 1956
 1957
 1958
 1959
 1960
 1961
 1962
 1963
 1964
 1965
 1966
 1967
 1968
 1969
 1970
 1971
 1972
 1973
 1974
 1975
 1976
 1977
 1978
 1979
 1980
 1981
 1982
 1983
 1984
 1985
 1986
 1987
 1988
 1989
 1990
 1991
 1992
 1993
 1994
 1995
 1996
 1997
 1998
 1999
 2000
 2001
 2002
 2003
 2004
 2005
 2006
 2007
 2008
 2009
 2010
 2011
 2012
 2013
 2014
 2015
 2016
 2017
 2018
 2019
 2020
 2021
 2022
 2023
 2024
 2025