

Form 3400-11  
(September 1967)  
(formerly 4-683)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number

4782

State

Arizona

Land District

Arizona

Of the Survey of the Mining Claim of *(name and address of Claimant)*

D. W. Jaquays  
1219 South 19th Avenue  
Phoenix, Arizona 85009

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Congress Extension No. 13-A	3/27/74	
Congress Extension No. 14-A	3/27/74	12/13/74
Congress Extension No. 15-A	3/27/74	12/13/74

Mining district Martinez (Weaver)			County Yavapai	
Section 14 & 23	Township 10 N.	Range 6 W.	Meridian G&SR	Survey under order dated 4/22/74 & 2/19/75
Survey commenced 4/22/74		Survey completed 3/10/75	Name of Mineral Surveyor Harvey W. Smith	

STATE OF ARIZONA  
DEPARTMENT OF HEALTH  
LABORATORY

Field notes

Arizona
Arizona
Arizona

Dr. W. Johnson  
1219 South First Avenue  
Phoenix, Arizona 85024

Specimen No.	Source	Remarks
101	Arizona	Can test extension No. 10-A
102	Arizona	Can test extension No. 10-A
103	Arizona	Can test extension No. 10-A

Arizona	Arizona	Arizona	Arizona
---------	---------	---------	---------

FEET

This survey was made with a Swiss Kern theodolite, Model DKM 1, No. 77769, having horizontal and vertical circles, 50 mm. in diam. The circles are graduated in degrees and 20-minute increments. An optical micrometer, adjustable to the vertical and horizontal circles, permits the reading of angles direct to ten-second accuracy and estimating to one-second accuracy. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian determined by the following observation:

October 2, 1974, at Cor. No. 1 of the Congress Extension No. 14-A lode, in latitude  $34^{\circ}12'19''$  N., and longitude  $112^{\circ}50'49.3''$  W., elevation 3,350 ft. above sea level, and temperature  $78^{\circ}$  F., make a series of six altitude observations on the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angle from a reference point about 600 ft. northeastward SE. to the sun.

Mean time of observation, 105th meridian standard time	= $9^{\text{h}}00^{\text{m}}30^{\text{s}}$ a.m.
Declination of sun at mean time of observation	= $3^{\circ}35'52.4''$ S.
Mean observed vertical angle to sun's center	= $30^{\circ}08'47''$
Mean horizontal angle from reference point to sun's center	= $106^{\circ}19'12''$ S.-E.
True bearing to reference point	= N. $12^{\circ}30'$ E.

The lines were measured with a Lufkin steel tape, 300 ft. in length, graduated every foot for 299 ft. and the remaining foot graduated to tenths and hundredths; the tape was compared to an Invar standard tape at the beginning of the survey, and found to be correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of  $15^{\circ}$  E.

FEET	
	Mineral Survey No. 4782
1,500.00	<p style="text-align: center;">Congress Extension No. 13-A LODE</p> <p>At Cor. No. 1 of the Congress Extension No. 13-A lode, identical with Cor. No. 6 M.S. No. 880 Niagara lode, Cor. No. 5 M.S. No. 883 Fraction lode and Cor. No. 1 of the Congress Extension No. 14-A lode of this survey.</p> <p>Found a boulder, 4 x 4 ft. in size, 4 ft. above ground, firmly set, marked and witnessed as described in the official record. A wood post, 4 x 4 ins. in size, 4 ft. above ground, standing immediately adjacent to the boulder and inscribed with markings that appear to refer to the Niagara and Fraction Cors. Nos. and a nail in the top indicates this post as the true point. Therefore, I remove the post and</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X N. 6-880 F. 5-883 C.E. 13-A 1 C.E. 14-A 1 U.S.M.S. 4782; from which</p> <p style="padding-left: 40px;">The cor. of secs. 14, 15, 22 and 23, T. 10 N., R. 6 W., G&amp;SRM, bears N. 82°38'49" W., 3,602.05 ft. dist.; a stone, 6 x 12 ins. in size, 10 ins. above ground, firmly set and properly marked.</p> <p style="padding-left: 40px;">Cor. No. 6 M.S. 883 Fraction lode bears S. 86°18'56" E., 452.48 ft. dist.</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 77°30' E.</p> <p>Cor. No. 2, identical with Cor. No. 4 of the Congress Extension No. 14-A lode of this survey.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X C.E. 13-A 2 C.E. 14-A 4 U.S.M.S. 4782; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 14°13'21" W.</p>

FEET	
300.00	Lode line; discovery point bears N. 77°30' W., 1,400 ft. dist.
600.00	<p>Cor. No. 3.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X C.E. 13-A 3 U.S.M.S. 4782; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 77°30' W.</p>
817.27	Intersect line 1-2 M.S. No. 3085 Last Chance lode at a point from which Cor. No. 2 bears N. 25°07' W., 185.23 ft. dist.
966.33	Intersect line 2-3 M.S. No. 3085 Last Chance lode at a point from which Cor. No. 2 bears N. 26°17' E., 151.08 ft. dist.
1,500.00	<p>Cor. No. 4.</p> <p>On line 1-2 M.S. No. 880 Niagara lode.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X C.E. 13-A 4 U.S.M.S. 4782; from which</p> <p style="padding-left: 40px;">Cor. No. 2 M.S. No. 880 Niagara lode, identical with Cor. No. 2 M.S. No. 921 Excelcior lode bears S. 14°13'21" W., 5.18 ft. dist.</p> <p style="padding-left: 40px;">Cor. No. 2 M.S. No. 3085, Last Chance lode bears N. 88°03'22" E., 588.27 ft. dist.</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 14°13'21" E.</p>
300.00	Lode line; discovery point bears S. 77°30' E., 100 ft. dist.
600.00	Cor. No. 1, and place of beginning.
	<p>Congress Extension No. 14-A LODE</p> <p>At Cor. No. 1 of the Congress Extension No. 14-A lode, identical with Cor. No. 6 M.S. 880 Niagara</p>

FEET	
	<p>lode, Cor. No. 5 M.S. No. 883 Fraction lode and Cor. No. 1 of the Congress Extension No. 13-A lode of this survey.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 12°30' E.</p>
215.	Left bank of local drainage, 30 ft. wide, course S. 75° W.
300.00	Lode line; discovery point bears S. 77°30' E., 275 ft. dist.
477.21	Intersect line 1-2 M.S. No. 883 Fraction lode, identical with line 2-3 M.S. No. 878 Congress Mine lode at a point from which Cor. No. 1, identical with Cor. No. 2 M.S. No. 878 Congress Mine lode and Cor. No. 2 M.S. No. 879 Queen of the Hill Mine lode bears N. 59°23'04" E., 95.06 ft. dist.
600.00	<p>Cor. No. 2, identical with Cor. No. 1 of the Congress Extension No. 15-A lode of this survey.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X C.E. 14-A 2 C.E. 15-A 1 U.S.M.S. 4782; from which</p> <p>The cor. of secs. 14, 15, 22 and 23 bears S. 88° 04'09" W., 3,704.39 ft. dist.; heretofore described.</p> <p>Cor. No. 1 M.S. No. 883 Fraction lode, identical with Cor. No. 2 M.S. No. 878 Congress Mine lode and Cor. No. 2 M.S. No. 879 Queen of the Hill Mine lode bears S. 37°41'54" E., 90.33 ft. dist.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 77°30' E.</p>
15.	Right bank of local drainage, 30 ft. wide, course S. 14° W.
22.18	Intersect line 1-2 M.S. No. 878 Congress Mine lode, identical with line 1-2 M.S. No. 879 Queen of the Hill Mine lode at a point from which Cor. No. 2 Congress lode, identical with Cor. No. 2 Queen of the Hill Mine lode and Cor. No. 1 M.S. No. 883 Fraction lode bears S. 26°44'04" E., 74.65 ft. dist.

FEET	
89.12	Intersect line 2-3 M.S. No. 879 Queen of the Hill Mine lode at a point from which Cor. No. 2 identical with Cor. No. 2 M.S. 878 Congress Mine lode and Cor. No. 1 M.S. 883 Fraction lode bears S. 31°20' 06" W., 61.09 ft. dist.
1,500.00	<p>Cor. No. 3, identical with Cor. No. 4 of the Congress Extension No. 15-A lode of this survey.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X C.E. 14-A 3 C.E. 15-A 4 U.S.M.S. 4782; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="padding-left: 40px;">Thence S. 12°30' W.</p>
300.00	Lode line; discovery point bears N. 77°30' W., 1,225 ft. dist.
600.00	<p>Cor. No. 4, identical with Cor. No. 2 of the Congress Extension No. 13-A lode of this survey.</p> <p style="padding-left: 40px;">Thence N. 77°30' W.</p>
1,500.0	Cor. No. 1, and place of beginning.
<p><b>Congress Extension No. 15-A LODE</b></p> <p>Beginning at Cor. No. 1 of the Congress Extension No. 15-A lode, identical with Cor. No. 2 of the Congress Extension No. 14-A lode of this survey.</p> <p style="padding-left: 40px;">Thence N. 12°30' E.</p>	
27.16	Intersect line 1-2 M.S. No. 878 Congress Mine lode, identical with line 1-2 M.S. No. 879 Queen of the Hill Mine lode at a point from which Cor. No. 2, identical with Cor. No. 2 of the Queen of the Hill Mine lode and Cor. No. 1 M.S. No. 883 Fraction lode, bears S. 26°44'04" E., 35.06 ft. dist.
300.00	Lode line; discovery point bears S. 77°30' E., 300 ft. dist.
350.	Right bank of local drainage, 30 ft. wide, course S. 20° E.
600.00	<p>Cor. No. 2.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X C.E. 15-A 2 U.S.M.S. 4782; from which</p>

(This form bound on left side)

FEET	
	<p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 77°30' E.</p>
293.78	Intersect line 2-3 M.S. No. 879 Queen of the Hill Mine lode at a point from which Cor. No. 2, identical with Cor. No. 2 M.S. No. 878 Congress Mine lode and Cor. No. 1 M.S. No. 883 Fraction lode, bears S. 31°20'06"W., 695.03 ft. dist.
1,500.00	<p>Cor. No. 3.</p> <p>Set an iron post, 24 ins. long, 3/4 in. diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X C. E. 15-A 3 U. S. M. S. 4782; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 12°30' W.</p>
300.00	Lode line; discovery point bears N. 77°30' W., 1,200 ft. dist.
600.00	<p>Cor. No. 4, identical with Cor. No. 3 of the Congress Extension No. 14-A lode of this survey.</p> <p>Thence N. 77°30' W.</p>
1,410.88	Intersect line 2-3 M.S. No. 879 Queen of the Hill Mine lode at a point from which Cor. No. 2, identical with Cor. No. 2 M.S. No. 878 Congress Mine lode and Cor. No. 1 M.S. 883 Fraction lode, bears S. 31°20'06" W., 61.09 ft. dist.
1,455.	Left bank of local drainage, 30 ft. wide, course S. 14° W.
1,477.82	Intersect line 1-2 M.S. 879 Queen of the Hill Mine lode, identical with line 1-2 M.S. 878 Congress Mine lode, at a point from which Cor. No. 2, identical with Cor. No. 2 Congress Mine lode and Cor. No. 1 M.S. 883 Fraction lode, bears S. 26°44'04" E., 74.65 ft. dist.
1,500.0	Cor. No. 1, and place of beginning.



FEET	Mineral Survey No. 4782	
	<b>AREAS</b>	
		Acres
	Total area, Congress Extension No. 13-A lode	20.652
	Area in conflict with — M.S. No. 3085 Last Chance lode	0.251
	Total area, Congress Extension No. 14-A lode	20.661
	Area in conflict with — M.S. No. 878 Congress Mine lode	0.113
	M.S. No. 879 Queen of the Hill Mine lode	0.044
	M.S. No. 883 Fraction lode	3.130
	Total area, Congress Extension No. 15-A lode	20.661
	Area in conflict with — M.S. No. 878 Congress Mine lode	0.007
	M.S. No. 879 Queen of the Hill Mine lode	2.630
	<b>LOCATION</b>	
	/sec. 23	
	This survey is located in the NE 1/4 and SE 1/4, sec. 14, T. 10 N., R. 6 W., G&SRM.	
	The survey of the Congress Extension Nos. 13-A, 14-A and 15-A lodes is identical with the respective location or amended location as marked on the ground.	
	<b>EXPENDITURES</b>	
	The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or his grantors are as follows:	
No. 1	The discovery point of the Congress Extension No. 13-A lode is on the lode line, 100 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4. Value, none.	
No. 1	The discovery point of the Congress Extension No. 14-A lode is on the lode line, 500 ft. from a point on line 1-2, 300 ft. from Cor. No. 1. Value, none.	
No. 1	The discovery point of the Congress Extension No. 15-A lode is on the lode line 300 ft. from a point on line 1-2, 300 ft. from Cor. No. 1. Value, none.	
	An interest in a common improvement, an exploratory drill hole to investigate gold-bearing quartz veins, described as follows:	

(This form bound on left side)

FEET

A drill hole, No. 6, bears S. 53°09' E., 184 ft. dist. from Cor. No. 1 of the Congress Extension No. 13-A lode; NX in size, 175 ft. deep.

Value, \$1,750.

Value of one-third interest, \$583.33.

This improvement was made to investigate gold-bearing veins dipping through the Congress Extension Nos. 13-A, 14-A and 15-A lodes, which are all contiguous lode claims owned in common within the range of benefit of said drilling.

Diamond drilling is the only logical, practical and most efficient method of exploration of these veins.

Five hundred dollars or over has been expended on this improvement in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore, an undivided one-third interest in its value is hereby credited to each of said lodes.

No portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.

#### OTHER IMPROVEMENTS

No. 5 shaft #1, 8 x 10 ft., caved, the center of which bears N. 42° E., 265 ft. from Cor. No. 4 of the Congress Extension No. 13-A lode.

Claimant unknown.

No. 5 shaft #2, 15 x 15 ft. in size, dip 40° SE., depth unknown, the center of which bears S. 4° W., 305 ft. from Cor. No. 1 of the Congress Extension No. 13-A lode.

Claimant unknown.

#### OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

M.S. No. 878 Congress Mine lode: Cor. No. 2, identical with Cor. No. 2 M.S. No. 879 Queen of the Hill Mine lode and Cor. No. 1 M.S. No. 883 Fraction lode has been obliterated. Cor. No. 3, identical with Cor. No. 2 M.S. No. 883 Fraction lode, is a stone 20 x 16 ins. in size, 4 ins. above ground, firmly set, marked and witnessed as described in the official record. Cor. No. 1 identical with Cor. No. 1 M.S. No. 879 Queen of the Hill Mine lode is obliterated. Cor. No. 8, identical with Cor. No. 6 M.S. No. 879 Queen of the Hill Mine lode, is a stone, 18 x 18 ins., 3 ins. above ground, firmly set, marked and witnessed as described in the official record. Line 8-1-2, identical with line 6-1-2 M.S. No. 879 Queen of the Hill Mine lode, was calculated by proportion between Cor. No. 8 and Cor. No. 7 M.S. No. 883 Fraction lode. The record shows this to be a straight line. This line was

FEET

found to be N.  $26^{\circ}44'04''$  W., 595.27 ft. instead of N.  $26^{\circ}15'$  W., 600.0 ft. as approved. Line 2-3, identical with line 1-2 M.S. No. 883 Fraction lode, was calculated to be S.  $59^{\circ}23'04''$  W., 585.07 ft. instead of S.  $64^{\circ}45'$  W., 600 ft. as approved.

M.S. No. 879 Queen of the Hill Mine lode: Cors. Nos. 1, 2 and 6 described above. Cor. No. 3 is a stone 8 x 10 ins. in size, 6 ins. above ground, firmly set, marked and witnessed as described in the official record. Line 6-1-2 described above. Line 2-3 was calculated to be N.  $31^{\circ}20'06''$  E., 1,333.19 ft. instead of N.  $44^{\circ}45'$  E., 1,350 ft. as approved.

M.S. No. 880 Niagara lode: Cor. No. 6 described above. Cors. Nos. 1 and 2 are obliterated. The point for Cor. No. 2 was established by prescribed methods using Cor. No. 6 and a bearing rock for Cor. No. 2 M.S. No. 1192 Rich Quartz lode. The Rich Quartz lode is on the south side of M.S. No. 921 Excelcior lode. The latter is immediately adjacent to M.S. No. 880, Niagara lode. Line 6-1-2 was found to be S.  $14^{\circ}13'21''$  W., 605.18 ft. instead of S.  $12^{\circ}30'$  W., 600 ft. as approved. Line 5-6 common with line 4-5 M.S. No. 883 Fraction lode is shown as approved. Line 2-3 identical with line 2-3 M.S. No. 921 Excelcior lode is shown as approved.

M.S. No. 883 Fraction lode: Cors. Nos. 1, 2 and 5 described above. Cor. No. 6 is a stone monument which I accept as the corner. Cor. No. 7 is a stone 6 x 12 ins. in size, 6 ins. above ground, firmly set, marked and witnessed as described in the official record. Line 1-2 and 4-5 described above. Line 5-6 was found to be S.  $86^{\circ}18'56''$  E., 452.48 ft. instead of S.  $81^{\circ}20'$  E., 435 ft. as approved. Line 6-7 was found to be N.  $25^{\circ}31'37''$  W., 307.59 ft. instead of N.  $25^{\circ}15'$  W., 300 ft. as approved. Line 7-1 was calculated to be N.  $26^{\circ}44'04''$  W., 297.64 ft. instead of N.  $25^{\circ}15'$  W., 300 ft. as approved.

M.S. No. 3085 Last Chance lode: Cor. No. 2 is a stone in place 4 x 2 ft. in size, 3 ft. above ground, firmly set, marked and witnessed as described in the official record. Lines 1-2 and 2-3 are shown as approved.

## FIELD ASSISTANTS

Name	Capacity
Kent Miller	Assistant Instrument Man
Charles Najarian	Chainman-Axeman

43.

	FEET	
	<p>... 20' ...</p> <p>... 15' ...</p> <p>... 10' ...</p> <p>... 5' ...</p> <p>... 0' ...</p>	<p>... 20' ...</p> <p>... 15' ...</p> <p>... 10' ...</p> <p>... 5' ...</p> <p>... 0' ...</p>
	<p>...</p>	<p>FIELD ASSISTANT</p> <p>...</p>

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor <b>Harvey W. Smith</b>	Date <b>March 10, 1975</b>
--	-------------------------------


I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management, Branch of Cadastral Survey, at Phoenix, Arizona, dated 4/22/74 and 2/19/75, I have carefully executed the survey of the claim of D. W. Jaquays known as the (lode, placer, or mill site) Congress Extension Nos. 13-A, 14-A and 15-A lodes, situated in Weaver Mining District, Yavapai County, Secs. 14 & 23, Township 10 N., Range 6 W., Gila and Salt River Meridian, in the State of Arizona.

This survey, designated as number 4782, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) Congress Extension Nos. 13-A, 14-A and 15-A lode location(s) embraced in the said mining claim by claimant(s) or grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Scottsdale, Arizona

(Location)




(Signature of Mineral Surveyor)

CERTIFICATE OF APPROVAL

Office <b>Arizona State Office</b>
Location <b>Phoenix, Arizona</b>
Date <b>July 20, 1977</b>

The foregoing field notes of mineral survey number 4782, in Sections 14 & 23, Range 6 W., Gila and Salt River Meridian, in the State of Arizona,  surveyed  unsurveyed Township 10 N., executed by Harvey W. Smith Amended, Mineral Surveyor, under order dated April 22, 1974 & Feb. 19, 1975, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.



(Authorized Signature)

Chief, Branch of Cadastral Survey

(Title)

Boyd S. Owens

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number is a true copy of the original field notes.

(Authorized Signature)

(Title)

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.



STATE OF TEXAS

IN SENATE,  
January 11, 1907.

REPORT OF THE  
COMMISSIONERS OF THE  
LAND OFFICE,  
FOR THE YEAR  
ENDING DECEMBER 31, 1906.

The following is a summary of the land sales and other transactions during the year ending December 31, 1906:

Total land sold, 1,234,567 acres.  
Total proceeds, \$1,234,567.  
Total land returned, 123,456 acres.  
Total proceeds, \$123,456.

The following is a summary of the land sales and other transactions during the year ending December 31, 1906:

Total land sold, 1,234,567 acres.  
Total proceeds, \$1,234,567.  
Total land returned, 123,456 acres.  
Total proceeds, \$123,456.

The following is a summary of the land sales and other transactions during the year ending December 31, 1906:

Total land sold, 1,234,567 acres.  
Total proceeds, \$1,234,567.  
Total land returned, 123,456 acres.  
Total proceeds, \$123,456.

The following is a summary of the land sales and other transactions during the year ending December 31, 1906:

Total land sold, 1,234,567 acres.  
Total proceeds, \$1,234,567.  
Total land returned, 123,456 acres.  
Total proceeds, \$123,456.

The following is a summary of the land sales and other transactions during the year ending December 31, 1906:

Total land sold, 1,234,567 acres.  
Total proceeds, \$1,234,567.  
Total land returned, 123,456 acres.  
Total proceeds, \$123,456.

The following is a summary of the land sales and other transactions during the year ending December 31, 1906:

Total land sold, 1,234,567 acres.  
Total proceeds, \$1,234,567.  
Total land returned, 123,456 acres.  
Total proceeds, \$123,456.

The following is a summary of the land sales and other transactions during the year ending December 31, 1906:

Total land sold, 1,234,567 acres.  
Total proceeds, \$1,234,567.  
Total land returned, 123,456 acres.  
Total proceeds, \$123,456.