

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

MINERAL SURVEY NO. 4898

ARIZONA

---

**FIELD NOTES**

OF THE

SURVEY OF THE MINING CLAIM OF THE RESOLUTION COPPER MINING LLC

KNOWN AS THE ACE, ACE 1 THRU 5, LEGAL TENDER 12 THRU 14,  
17 THRU 20, 22 & 23, OAK NO. 18 & NO. 19,  
SUN #2 THRU #23, #32 THRU #38, #40, #41 & #42A LODES

PIONEER MINING DISTRICT AND ARIZONA LAND DISTRICT, PINAL  
COUNTY

---

**SECTIONS 32 & 33, TOWNSHIP 1 SOUTH, RANGE 13 EAST,  
SECTION 1, TOWNSHIP 2 SOUTH, RANGE 12 EAST AND  
SECTIONS 5 & 6, TOWNSHIP 2 SOUTH, RANGE 13 EAST,  
OF THE GILA AND SALT RIVER MERIDIAN,  
IN THE STATE OF ARIZONA**

**Surveyed by Jimmie D. Crume, Mineral Surveyor, under order  
dated August 8, 2011**

---

Survey Commenced August 8, 2011; Completed September 23, 2011

Address of claimant's agent, Michael Alvarez, 102 E. Magma Heights  
Drive, Superior, Arizona, 85173

Name of Location		Dates of Locations and Amended Locations	Recorded with County	Recorded with BLM	BLM Mining Claim Serial Number
ACE		1/12/1956	1/13/1956	9/4/1979	AMC 60173
	Amended	6/22/2011	7/12/2011	7/13/2011	
ACE 1		1/12/1956	1/13/1956	9/4/1979	AMC 60174
	Amended	6/15/2011	7/12/2011	7/13/2011	
ACE 2		1/12/1956	1/13/1956	9/4/1979	AMC 60175
	Amended	6/15/2011	7/12/2011	7/13/2011	
ACE 3		1/12/1956	1/13/1956	9/4/1979	AMC 60176
	Amended	6/22/2011	7/12/2011	7/13/2011	
ACE 4		1/12/1956	1/13/1956	9/4/1979	AMC 60177
	Amended	6/15/2011	7/12/2011	7/13/2011	
ACE 5		1/12/1956	1/13/1956	9/4/1979	AMC 60178
	Amended	6/15/2011	7/12/2011	7/13/2011	
Legal Tender 12		11/26/2002	11/27/2002	11/27/2002	AMC 356895
	Amended	6/22/2011	7/12/2011	7/13/2011	
Legal Tender 13		11/25/2002	11/26/2002	11/26/2002	AMC 356865
	Amended	6/30/2011	7/12/2011	7/13/2011	
Legal Tender 14		11/25/2002	11/26/2002	11/26/2002	AMC 356866
	Amended	6/30/2011	7/12/2011	7/13/2011	
Legal Tender 17		11/25/2002	11/26/2002	11/26/2002	AMC 356868
	Amended	6/30/2011	7/12/2011	7/13/2011	
Legal Tender 18		11/25/2002	11/26/2002	11/26/2002	AMC 356869
	Amended	6/30/2011	7/12/2011	7/13/2011	
Legal Tender 19		11/27/2002	11/27/2002	11/27/2002	AMC 356897
	Amended	6/29/2011	7/12/2011	7/13/2011	
Legal Tender 20		11/25/2002	11/26/2002	11/26/2002	AMC 356870
	Amended	6/16/2011	7/12/2011	7/13/2011	
Legal Tender 22		11/25/2002	11/26/2002	11/26/2002	AMC 356872
	Amended	6/21/2011	7/12/2011	7/13/2011	
Legal Tender 23		12/17/2002	12/17/2002	12/17/2002	AMC 356933
	Amended	6/28/2011	7/12/2011	7/13/2011	
Oak No. 18		4/18/1917	6/6/1917	9/04/1979	AMC 60141
	Amended	6/27/2011	7/12/2011	7/13/2011	
Oak No. 19		4/19/1917	6/6/1917	9/04/1979	AMC 60142
	Amended	6/29/2011	7/12/2011	7/13/2011	
SUN #2		5/22/1967	6/22/1967	9/04/1979	AMC 60250
	Amended	5/26/2011	7/12/2011	7/13/2011	
SUN #3		5/22/1967	6/22/1967	9/04/1979	AMC 60251
	Amended	6/20/2011	7/12/2011	7/13/2011	
SUN #4		5/22/1967	6/22/1967	9/04/1979	AMC 60252
	Amended	5/25/2011	7/12/2011	7/13/2011	
SUN #5		5/22/1967	6/22/1967	9/04/1979	AMC 60253
	Amended	6/20/2011	7/12/2011	7/13/2011	
SUN #6		5/22/1967	6/22/1967	9/04/1979	AMC 60254
	Amended	5/25/2011	7/12/2011	7/13/2011	
SUN #7		5/22/1967	6/22/1967	9/04/1979	AMC 60255
	Amended	6/20/2011	7/12/2011	7/13/2011	

SUN #8		5/22/1967	6/22/1967	9/04/1979	AMC 60256
	Amended	6/24/2011	7/12/2011	7/13/2011	
SUN #9		5/22/1967	6/22/1967	9/04/1979	AMC 60257
	Amended	6/20/2011	7/12/2011	7/13/2011	
SUN #10		5/22/1967	6/22/1967	9/04/1979	AMC 60258
	Amended	7/01/2011	7/12/2011	7/13/2011	
SUN #11		5/22/1967	6/22/1967	9/04/1976	AMC 60259
	Amended	7/01/2011	7/12/2011	7/13/2011	
SUN #12		5/22/1967	6/22/1967	9/04/1979	AMC 60260
	Amended	7/05/2011	7/12/2011	7/13/2011	
SUN #13		5/22/1967	6/22/1967	9/04/1979	AMC 60261
	Amended	7/05/2011	7/12/2011	7/13/2011	
SUN #14		5/22/1967	6/22/1967	9/04/1979	AMC 60262
	Amended	7/05/2011	7/12/2011	7/13/2011	
SUN #15		5/22/1967	6/22/1967	9/04/1979	AMC 60263
	Amended	7/05/2011	7/12/2011	7/13/2011	
SUN #16		5/22/1967	6/22/1967	9/04/1979	AMC 60264
	Amended	7/05/2011	7/12/2011	7/13/2011	
SUN #17		5/22/1967	6/22/1967	9/04/1979	AMC 60265
	Amended	7/05/2011	7/12/2011	7/13/2011	
SUN #18		5/22/1967	6/22/1967	9/04/1979	AMC 60266
	Amended	6/30/2011	7/12/2011	7/13/2011	
SUN #19		5/22/1967	6/22/1967	9/04/1979	AMC 60267
	Amended	6/30/2011	7/12/2011	7/13/2011	
SUN #20		5/22/1967	6/22/1967	9/04/1976	AMC 60268
	Amended	6/30/2011	7/12/2011	7/13/2011	
SUN #21		5/22/1967	6/22/1967	9/04/1979	AMC 60269
	Amended	6/30/2011	7/12/2011	7/13/2011	
SUN #22		5/22/1967	6/22/1967	9/04/1979	AMC 60270
	Amended	6/30/2011	7/12/2011	7/13/2011	
SUN #23		5/22/1967	6/22/1967	9/04/1976	AMC 60271
	Amended	6/30/2011	7/12/2011	7/13/2011	
SUN #32		6/05/1967	6/22/1967	9/04/1979	AMC 60280
	Amended	6/28/2011	7/12/2011	7/13/2011	
SUN #33		6/05/1967	6/22/1967	9/04/1979	AMC 60281
	Amended	6/23/2011	7/12/2011	7/13/2011	
SUN #34		6/05/1967	6/22/1967	9/04/1979	AMC 60282
	Amended	6/23/2011	7/12/2011	7/13/2011	
SUN #35		6/05/1967	6/22/1967	9/04/1976	AMC 60283
	Amended	6/23/2011	7/12/2011	7/13/2011	
SUN #36		6/02/1967	6/22/1967	9/04/1979	AMC 60284
	Amended	6/21/2011	7/12/2011	7/13/2011	
SUN #37		6/02/1967	6/22/1967	9/04/1979	AMC 60285
	Amended	6/21/2011	7/12/2011	7/13/2011	
SUN #38		6/02/1967	6/22/1967	9/04/1976	AMC 60286
	Amended	6/21/2011	7/12/2011	7/13/2011	
SUN #40		6/06/1967	6/22/1967	9/04/1979	AMC 60288
	Amended	6/24/2011	7/12/2011	7/13/2011	
SUN #41		6/06/1967	6/22/1967	9/04/1979	AMC 60289
	Amended	6/13/2011	7/12/2011	7/13/2011	
SUN #42A		2/13/1974	2/22/1974	9/04/1976	AMC 60314
	Amended	6/13/2011	7/12/2011	7/13/2011	

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET

This survey was made with one Trimble 5800, Model Number 53618-46, Global Positioning System (GPS) base receiver, serial number 4550104695, one Trimble 5800, Model Number 53618-46 rover receiver, serial number 460610815, one Trimble 5800, Model Number 53618-46 rover receiver, serial number 4347129460, to measure angles and distances. The instruments were in good condition at the time of the survey, all adjustments were in good order, and compared with a standard at the time of beginning the survey and found to be correct.

The basis of bearing for this survey was determined with reference to true meridian from Cor. No. 1 of SUN # 16 lode, at Latitude  $33^{\circ}17'28.23''$  N., and Longitude  $111^{\circ}03'35.39''$  W., NAD 83 (NGS) (Epoch: 1992), to the cor. of secs. 32 and 33 as calculated from GPS observations of these monuments. The resultant mean bearing and ground distance is N.  $73^{\circ}18'$  E., 1728.8 ft. dist., all bearings in this record refer to the true meridian and are mean bearings.

Lines and connections of this survey were run using GPS real time kinematic surveying system or by direct methods where the lines are accessible. The inaccessible lines were run by traverse methods. The distances are reported as horizontal measurement at a mean ground elevation of 4180 feet above sea level, U.S. Survey Foot.

The magnetic declination observed at some corners of the survey gave a uniform value of  $11^{\circ}$  E.

---

**Mineral Survey No. 4898**

---

**ACE LODE**

Beginning at Cor. No. 1 of the ACE lode.

Set an aluminum post, 30 in. long, 2 1/2 in. diam., 6 in. the ground, with aluminum cap mkd.

MS 4898



2011

A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.

from which



**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
	<p>The cor. of secs. 32 and 33, bears S. 87°37' E., 4399.0 ft. dist., hereinafter described.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 16°59' E.</p>
1.5	Intersect line 4-1, Legal Tender 12 lode of this survey, at a point from which Cor. No. 1 bears N. 72°28' E., 94.4 ft. dist., and Cor. No. 4 bears S. 72°28' W., 105.6 ft. dist., both hereinafter described.
182.8	Intersect line 3-4, Oak No. 19 lode of this survey, at a point from which Cor. No. 4, identical with common Cors. No. 3, SUN #12 and SUN #14 lodes, both of this survey, bears N. 87°57' E., 1170.0 ft. dist., and Cor. No. 3 bears S. 87°57' W., 330.0 ft. dist., both hereinafter described.
188.2	Intersect township line bet. secs. 32 and 1, at a point from which the 1/4 sec. cor. of sec. 32 bears S. 89°51' E., 1693.1 ft. dist., and the point for the cor. of secs. 31 and 32 bears N. 89°51' W., 982.4 ft. dist., both hereinafter described.
1500.0	<p>Cor. No. 2., identical with Cor. No. 2 of the ACE 3 lode and Cor. No. 3 of the ACE 4 lode, both of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>MS 4898 ACE 2 2 3 ACE3 ACE4</p> </div> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 73°01' W.</p>
91.1	Intersect line 3-4, Legal Tender 12 lode of this survey, at a point from which Cor. No. 3 bears S. 17°32' E., 2.5 ft. dist., and Cor. No. 4 bears N. 17°32' W., 1497.5 ft. dist., both hereinafter described.
300.0	Lode line; discovery point bears N. 16°59' W., 163.0 ft. dist., hereinafter described.


Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
600.0	<p>Cor. No. 3., identical with Cor. No. 3 of the ACE 3 lode, of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <div data-bbox="841 520 1008 751" style="text-align: center;"> <p>MS 4898</p> </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 16°59' W.</p>
1496.7	<p>Intersect township line bet. secs. 32 and 1, at a point from which the 1/4 sec. cor. of sec. 32 bears S. 89°51' E., 2321.0 ft. dist., and the point for the cor. of secs. 31 and 32 bears N. 89°51' W., 354.5 ft. dist., both hereinafter described.</p>
1500.0	<p>Cor. No. 4.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <div data-bbox="841 1339 954 1507" style="text-align: center;"> <p>MS 4898</p> </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 73°01' E.</p>
300.0	<p>Lode line; discovery point bears S. 16°59' E., 1337.0 ft. dist., hereinafter described.</p>

**Mineral Survey No. 4898,**  
**T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,**  
**Gila and Salt River Meridian, Arizona**

FEET	
307.4	Intersect line 2-3, Oak No. 19 lode of this survey, at a point from which Cor. No. 3 bears S. 1°56' E., 101.2 ft. dist., and Cor. No. 2, identical with Cor. No. 2, Oak No. 18 of this survey, bears N. 1°56' W., 498.8 ft. dist., both hereinafter described.
600.0	Cor. No. 1, and place of beginning. <hr/>
	<b>ACE 1 LODE</b>
	Beginning at Cor. No. 1 of the ACE 1 lode, identical with Cor. No. 1 of the ACE 2 lode of this survey.
	Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.
	 <p style="text-align: center;">MS 4898 1                      1 ACE1                  ACE2</p>
	2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.
	from which
	The cor. of secs. 32 and 33, bears S. 84°38' E., 3837.3 ft. dist., hereinafter described.
	No local bearing objects or bearing trees available.
	Thence S. 73°01' W.
287.7	Lode line; discovery point bears S. 16°59' E., 1300.0 ft. dist., hereinafter described.
587.7	Cor. No. 2.
	Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.
	 <p style="text-align: center;">MS 4898 2 ACE1</p>
	2011

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona


FEET	
	<p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 16°59' E.</p>
1.4	Intersect line 4-1, Legal Tender 12 lode of this survey, at a point from which Cor. No. 1 bears N. 72°28' E., 81.2 ft. dist., and Cor. No. 4 bears S. 72°28' W., 118.8 ft. dist., both hereinafter described.
186.4	Intersect line 3-4, Oak No. 19 lode of this survey, at a point from which Cor. No. 3 bears S. 87°57' W., 343.7 ft. dist., and Cor. No. 4, identical with common Cors. No. 3, SUN #12 and SUN #14 lodes, both of this survey, bears N. 87°57' E., 1156.3 ft. dist., both hereinafter described.
192.3	Intersect township line bet. secs. 32 and 1, at a point from which the 1/4 sec. cor. of sec. 32 bears S. 89°51' E., 1679.3 ft. dist., and the point for the cor. of secs. 31 & 32 bears N. 89°51' W., 996.2 ft. dist., both hereinafter described.
1500.0	<p>Cor. No. 3.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>MS 4898</p>  </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 73°01' E.</p>
95.8	Intersect line 1-2, Legal Tender 12 lode of this survey, at a point from which Cor. No. 1 bears N. 17°32' W., 1499.5 ft. dist., and Cor. No. 2 bears S. 17°32' E., 0.5 ft. dist., both hereinafter described.
300.0	Lode line; discovery point bears N. 16°59' W., 200.0 ft. dist., hereinafter described.
587.8	Cor. No. 4., identical with common Cors. No. 4, ACE 2, ACE 4 and ACE 5 lodes, all of this survey.



**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
	<p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 6 in. the ground, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <div style="text-align: center;"> </div> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 16°59' W.</p>
1126.6	Intersect township line bet. secs. 32 and 1, at a point from which the 1/4 sec. cor. of sec. 32 bears S. 89°51' E., 1064.3 ft. dist., and the point for the cor. of secs. 31 & 32 bears N. 89°51' W., 1611.2 ft. dist., both hereinafter described.
1157.0	Intersect line 3-4, Oak No. 19 lode of this survey, at a point from which Cor. No. 3 bears S. 87°57' W., 951.9 ft. dist., and Cor. No. 4, identical with common Cors. No. 3, SUN #12 and SUN #14 lodes, both of this survey, bears N. 87°56' E., 548.1 ft. dist., both hereinafter described.
1500.0	Cor. No. 1, and place of beginning.
	<hr/> <p><b>ACE 2 LODGE</b></p>
	<p>Beginning at Cor. No. 1 of the ACE 2 lode, identical with Cor. No. 1 of the ACE 1 lode of this survey, heretofore described.</p> <p style="text-align: center;">Thence N. 73°01' E.</p>
287.8	Lode line; discovery point bears S. 16°59' E., 1293.0 ft. dist., hereinafter described.
587.8	<p>Cor. No. 2.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 10 in. the ground, with aluminum cap mkd.</p>



Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	<p style="text-align: center;">MS 4898</p>  <p style="text-align: center;">2011</p>
	<p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p>
	<p>No local bearing objects or bearing trees available.</p>
	<p style="text-align: center;">Thence S. 16°59' E.</p>
267.6	<p>Intersect common line 4-1, Oak No. 19 and line 3-4, SUN #12 lodes of this survey, at a point from which Cor. No. 1, identical with Cor. No. 1, Oak No. 18 lode, common Cors. No. 4, SUN #10 and SUN #12 lodes, all of this survey, bears N. 1°56' W., 375.7 ft. dist., and Cor. No. 4, identical with common Cors. No. 3, SUN #12 and SUN #14 lodes, both of this survey, bears S. 1°56' E., 224.3 ft. dist., both hereinafter described.</p>
499.7	<p>Intersect common line 2-3, SUN #12 and SUN #14 lodes of this survey, at a point from which common Cors. No. 2, identical with Cor. No. 2, SUN #13 lode and Cor. No. 2, SUN #15 lode, all of this survey, bears N. 88°00' E., 1437.1 ft. dist., and common Cors. No. 3, identical with Cor. No. 4, Oak No. 19 lode of this survey, bears S. 88°00' W., 60.3 ft. dist., both hereinafter described.</p>
554.6	<p>Intersect township line bet. secs. 32 and 1, at a point from which the 1/4 sec. cor. of sec. 32 bears S. 89°51' E., 449.2 ft. dist., and the point for the cor. of secs. 31 and 32 bears N. 89°51' W., 2226.3 ft. dist., both hereinafter described.</p>
1120.8	<p>Intersect common line 4-1, SUN #14 and SUN #16 lodes of this survey, at a point from which common Cors. No. 1, identical with Cor. No. 1, SUN #15 lode and Cor. No. 1, SUN #17 lode, all of this survey, bears N. 88°00' E., 1275.9 ft. dist., and common Cors. No. 4 bears S. 88°00' W., 221.5 ft. dist., both hereinafter described.</p>
1500.0	<p>Cor. No. 3, identical with Cor. No. 3, ACE 5 lode of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p>


Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.
	No local bearing objects or bearing trees available.
	Thence S. 73°01' W.
300.0	Lode line; discovery point bears N. 16°59' W., 207.0 ft. dist., hereinafter described.
331.3	Intersect line 3-4, SUN #16 lode of this survey, at a point from which Cor. No. 3, identical with Cor. No. 3, SUN #18 lode of this survey, bears S. 1°55' E., 148.1 ft. dist., and Cor. No. 4, identical with Cor. No. 4, SUN #14 lode of this survey, bears N. 1°55' W., 451.9 ft. dist., both hereinafter described.
587.8	Cor. No. 4, identical with common Cors. No. 4, ACE 1, ACE 4 and ACE 5 lodes, all of this survey, heretofore described.
	Thence N. 16°59' W., identical with line 4-1, ACE 1 lode.
1126.6	Intersect township line bet. Secs 32 and 1, heretofore described.
1157.0	Intersect line 3-4, Oak No. 19 lode of this survey, heretofore described.
1500.0	Cor. No. 1, and place of beginning.
	<b>ACE 3 LODE</b>
	Beginning at Cor. No. 1 of the ACE 3 lode, identical with Cor. No. 2 of the ACE 4 lode of this survey.
	Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	<p style="text-align: center;">MS 4898</p>  <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>from which</p> <p style="text-align: center;">The cor. of secs. 32 and 33, bears N. 53°02' E., 4502.2 ft. dist., hereinafter described.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 13°53' W.</p>
1498.4	Intersect line 2-3, Legal Tender 12 lode of this survey, at a point from which Cor. No. 2 bears N. 72°28' E., 109.1 ft. dist., and Cor. No. 3 bears S. 72°28' W., 90.9 ft. dist., hereinafter described.
1500.0	Cor. No. 2, identical with Cor. No. 2, ACE lode and Cor. No. 3, ACE 4 lode, both of this survey, heretofore described.
	Thence S. 73°01' W., identical with line 2-3, ACE lode.
91.1	Intersect line 3-4, Legal Tender 12 lode of this survey, heretofore described.
300.0	Lode line, discovery point bears S. 13°53' E., 164.7 ft. dist., hereinafter described.
600.0	Cor. No. 3, identical with Cor. No. 3, ACE lode, heretofore described.
	Thence S. 13°53' E.
1500.0	Cor. No. 4.
	<p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 12 in. the ground, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p>  <p style="text-align: center;">2011</p>


**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
	<p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 73°01' E.</p>
300.0	Lode line, discovery point bears N. 13°53' W., 1335.3 ft. dist., hereinafter described.
600.0	Cor. No. 1, and place of beginning.
	<p><b>ACE 4 LODE</b></p> <p>Beginning at Cor. No. 1 of the ACE 4 lode, identical with Cor. No. 1 of the ACE 5 lode of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 13 in. the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>MS 4898</p>  <p>2011</p> </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>from which</p> <p style="text-align: center;">The cor. of secs. 32 and 33, bears N. 50°03' E., 3942.9 ft. dist., hereinafter described.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 73°01' W.</p>
65.1	Intersect line 3-4, SUN #22 lode of this survey, at a point from which Cor. No. 3, identical with Cor. No. 3, SUN #20 lode of this survey, bears N. 1°56' W., 202.9 ft. dist., and Cor. No. 4 bears S. 1°55' E., 397.1 ft. dist., both hereinafter described.
300.4	Lode line; discovery point bears N. 13°53' W., 1300.0 ft. dist., hereinafter described.
600.9	Cor. No. 2, identical with Cor. No. 1, ACE 3 lode, heretofore described.
	Thence N. 13°53' W., identical with line 1-2, ACE 3 lode.

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
1498.4	Intersect line 2-3, Legal Tender 12 lode of this survey, heretofore described.
1500.0	Cor. No. 3, identical with common Cors. No. 2, ACE and ACE 3 lodes, both of this survey, heretofore described.  Thence N. 73°01' E., identical with line 3-4, ACE 1 lode.
13.2	Intersect Cor. No. 3, ACE 1 lode of this survey, heretofore described.
109.0	Intersect line 1-2, Legal Tender 12 lode of this survey, heretofore described.
300.4	Lode line; discovery point bears S. 13°53' E., 200.0 ft. dist., hereinafter described.
600.9	Cor. No. 4, identical with common Cors. No. 4, ACE 1, ACE 2 and ACE 5 lodes, all of this survey, heretofore described.  Thence S. 13°53' E.
1188.1	Intersect line 3-4, Legal Tender 17 lode of this survey, at a point from which Cor. No. 3 bears S. 1°27' E., 190.8 ft. dist., and Cor. No. 4 bears N. 1°27' W., 9.2 ft. dist., both hereinafter described.
1196.3	Intersect line 3-4, SUN #20 lode of this survey, at a point from which Cor. No. 3, identical with Cor. No. 3, SUN #22 lode of this survey, bears S. 1°56' E., 111.1 ft. dist., and Cor. No. 4, identical with Cor. No. 4, SUN #18 lode of this survey, bears N. 1°56' W., 488.9 ft. dist., both hereinafter described.
1309.5	Intersect line 2-3, SUN #20 lode of this survey, at a point from which Cor. No. 2, identical with Cor. No. 2, SUN #21 lode of this survey, bears N. 87°19' E., 1474.1 ft. dist., and Cor. No. 3, identical with Cor. No. 3, SUN #22 lode of this survey, bears S. 87°19' W., 23.4 ft. dist., both hereinafter described.
1309.7	Intersect line 2-3, SUN #22 lode of this survey, at a point from which Cor. No. 2, identical with Cor. No. 2, SUN #23 lode of this survey, bears N. 87°37' E., 1473.9 ft. dist., and Cor. No. 3, identical with Cor. No. 3, SUN #20 lode of this survey, bears S. 87°37' W., 23.5 ft. dist., both hereinafter described.
1383.5	Intersect line 2-3, Legal Tender 17 lode of this survey, at a point from which Cor. No. 2, identical with Cor. No. 2, Legal Tender 18 lode of this survey, bears N. 88°33' E., 1458.0 ft. dist., and Cor. No. 3 bears S. 88°33' W., 42.0 ft. dist., both hereinafter described.
1500.0	Cor. No. 1, and place of beginning.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona


FEET	
	<b>ACE 5 LODE</b>
	Beginning at Cor. No. 1 of the ACE 5 lode, identical with Cor. No. 1, ACE 4 lode of this survey, heretofore described.
	Thence N. 73°01' E.
287.8	Lode Line; discovery point bears N. 13°53' W., 1334.0 ft. dist., hereinafter described.
425.0	Intersect line 2-3, Legal Tender 17 lode of this survey, at a point from which Cor. No. 2, identical with Cor. No. 2, Legal Tender 18 lode of this survey, bears N. 88°33' E., 1023.4 ft. dist., and Cor. No. 3 bears S. 88°33' W., 476.6 ft. dist., both hereinafter described.
587.8	Cor. No. 2.  This corner falls at an inaccessible point on a rock bluff where a monument cannot be established.
	Thence N. 13°53' W.
6.0	Witness Cor. for Cor. No. 2.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.
	MS 4898  <div style="text-align: center;">  <p>WC ACE5 2</p> </div> 2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.
	No local bearing objects or bearing trees available.
39.2	Intersect line 2-3, SUN #22 lode of this survey, at a point from which Cor. No. 2, identical with Cor. No. 2, SUN #23 lode of this survey, bears N. 87°37' E., 875.0 ft. dist., and Cor. No. 3, identical with Cor. No. 3, SUN #20 lode of this survey, bears S. 87°37' W., 622.4 ft. dist., both hereinafter described.
42.5	Intersect line 2-3, SUN #20 lode of this survey, at a point from which Cor. No. 2, identical with Cor. No. 2, SUN #21 lode of this survey, bears N. 87°19' E., 875.7 ft. dist., and Cor. No. 3, identical with Cor. No. 3, SUN #22 lode of this survey, bears S. 87°19' W., 621.8 ft. dist., both hereinafter described.

**Mineral Survey No. 4898,**  
**T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,**  
**Gila and Salt River Meridian, Arizona**

FEET	
160.2	Intersect line 4-1, Legal Tender 17 lode of this survey, at a point from which Cor. No. 1, identical with Cor. No. 1, Legal Tender 18 lode of this survey, bears N. 88°33' E., 901.0 ft. dist., and Cor. No. 4 bears S. 88°33' W., 599.0 ft. dist., both hereinafter described.
649.4	Intersect common line 4-1, SUN #20 and SUN #18 lodes of this survey, at a point from which common Cors. No. 1, identical with common Cors. No. 1, SUN #19 and SUN #21 lodes of this survey, bears N. 87°51' E., 1001.3 ft. dist., and common Cors. No. 4 bears S. 87°51' W., 496.1 ft. dist., both hereinafter described.
1262.2	Intersect common line 2-3, SUN #16 and SUN #18 lodes of this survey, at a point from which common Cors. No. 2, identical with common Cors. No. 2, SUN #17 and SUN #19 lodes of this survey, bears N. 87°51' E., 1128.2 ft. dist., and common Cors. No. 3 bears S. 87°51' W., 369.2 ft. dist., both hereinafter described.
1500.0	Cor. No. 3, identical with Cor. No. 3, ACE 2 lode of this survey, heretofore described.  Thence S. 73°01' W., identical with line 3-4, ACE 2 lode.
300.0	Lode line; discovery point bears S. 13°53' E., 166.0 ft. dist., hereinafter described.
331.3	Intersect line 3-4, SUN #16 lode of this survey, heretofore described.
587.8	Cor. No. 4, identical with common Cors. No. 4, ACE 1, ACE 2 and ACE 4 lodes of this survey, heretofore described.  Thence S. 13°53' E., identical with line 4-1, ACE 4 lode.
1188.1	Intersect line 3-4, Legal Tender 17 lode of this survey, heretofore described.
1196.3	Intersect line 3-4, SUN #10 lode of this survey, heretofore described.
1309.5	Intersect line 2-3, SUN #20 lode of this survey, heretofore described.
1309.7	Intersect line 2-3, SUN #22 lode of this survey, heretofore described.
1383.5	Intersect line 2-3, Legal Tender 17 lode of this survey, heretofore described.
1500.0	Cor. No. 1, identical with Cor. No. 1, ACE 4 lode, and place of beginning.  _____




Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	<b>LEGAL TENDER 12 LODE</b>
	Beginning at Cor. No. 1 of the Legal Tender 12 lode.
	This corner falls at an inaccessible point on a rock bluff where a monument cannot be established.
	from which
	The cor. of secs. 32 and 33, bears S. 87°12' E., 4309.9 ft. dist., hereinafter described.
	Thence S. 17°32' E.
5.0	Witness Cor. for Cor. No. 1.
	Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.
	MS 4898  1 LT12 WC 2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.
	No local bearing objects or bearing trees available.
207.9	Intersect line 3-4, Oak No. 19 lode of this survey, at a point from which Cor. No. 3 bears S. 87°57' W., 429.8 ft. dist., and Cor. No. 4, identical with common Cors. No. 3, SUN #12 and SUN #14 lodes, both of this survey, bears N. 87°57' E., 1070.2 ft. dist., both hereinafter described.
217.4	Intersect township line bet. secs. 32 and 1, at a point from which the 1/4 sec. cor. of sec. 32 bears S. 89°51' E., 1592.1 ft. dist., and the point for the cor. of secs. 31 and 32 bears N. 89°51' W., 1083.4 ft. dist., both hereinafter described.
1499.5	Intersect common line 3-4, ACE 1 and ACE 4 lodes of this survey, at a point from which Cor. No. 3, ACE 1 lode bears S. 73°01' W., 95.8 ft. dist., and common Cors. No. 4, ACE 1 and ACE 4 lodes, both of this survey, bears N. 73°01' E., 492.0 ft. dist., both heretofore described.
1500.0	Cor. No. 2.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	<p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>MS 4898 LT12 2 2011</p> </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 72°28' W.</p>
100.0	Lode line; discovery point bears N. 17°32' W., 50.0 ft. dist., hereinafter described.
109.1	Intersect line 2-3, ACE 4 lode, identical with line 1-2, ACE 3 lode of this survey, at a point from which Cor. No. 2, identical with Cor. No. 1, ACE 3 lode of this survey, bears S. 13°53' E., 1498.4 ft. dist., and Cor. No. 3, identical with common Cors. No. 2, ACE and ACE 3 lodes, both of this survey, bears N. 13°53' W., 1.6 ft. dist., both heretofore described.
200.0	<p>Cor. No. 3.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>MS 4898 LT12 3 2011</p> </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 17°32' W.</p>
2.5	Intersect common line 2-3, ACE and ACE 3 lodes of this survey, at a point from which common Cors. No. 2, identical with Cor. No. 3, ACE 4 lode of this survey, bears N. 73°01' E., 91.1 ft. dist., and common Cors. No. 3 bears S. 73°01' W., 508.9 ft. dist., both heretofore described.

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
1346.4	Intersect township line bet. secs. 32 and 1, at a point from which the 1/4 sec. cor. of sec. 32 bears S. 89°51' E., 1802.1 ft. dist., and the point for the cor. of secs. 31 and 32 bears N. 89°51' W., 873.4 ft. dist., both hereinafter described.
1347.5	Intersect line 3-4, Oak No. 19 lode of this survey, at a point from which Cor. No. 3 bears S. 87°57' W., 222.3 ft. dist., and Cor. No. 4, identical with common Cors. No. 3, SUN #12 and SUN #14 lodes, both of this survey, bears N. 87°57' E., 1277.7 ft. dist., both hereinafter described.
1500.0	<p>Cor. No. 4.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>MS 4898</p>  </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 72°28' E.</p>
100.0	Lode line; discovery point bears S. 17°32' E., 1450.0 ft. dist., hereinafter described.
105.6	Intersect line 1-2, ACE lode of this survey, at a point from which Cor. No. 1 bears N. 16°59' E., 1.5 ft. dist., and Cor. No. 2, identical with Cor. No. 2, ACE 3 lode and Cor. No. 3, ACE 4 lode, both of this survey, bears S. 16°59' E., 1498.5 ft. dist., heretofore described.
118.8	Intersect line 2-3, ACE 1 lode of this survey, at a point from which Cor. No. 2 bears N. 16°59' W., 1.4 ft. dist., and Cor. No. 3 bears S. 16°59' E., 1498.6 ft. dist., both heretofore described.
200.0	Cor. No. 1, and place of beginning.
<b>LEGAL TENDER 13 LODE</b>	
Beginning at Cor. No. 1 of the Legal Tender 13 lode, identical with Cor. No. 1 of the Legal Tender 14 lode of this survey.	

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET					
	<p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 12 in. the ground, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">1</td> <td style="padding: 0 5px;">1</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">LT13</td> <td style="padding: 0 5px;">LT14</td> </tr> </table> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>from which</p> <p style="text-align: center;">The cor. of secs. 32 and 33, bears N. 29°28' E., 3207.5 ft. dist., hereinafter described.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 1°28' E.</p>	1	1	LT13	LT14
1	1				
LT13	LT14				
75.3	<p>Intersect common line 1-2, SUN #22 and SUN #23 lodes of this survey, at a point from which common Cor. No. 1 bears S. 1°56' E., 17.6 ft. dist., and common Cor. No. 2 bears N. 1°56' W., 582.4 ft. dist., both hereinafter described.</p>				
92.9	<p>Intersect line 4-1, SUN #22 lode of this survey, at a point from which Cor. No. 1, identical with Cor. No. 1, SUN #23 lode of this survey, bears N. 87°37' E., 0.1 ft. dist., and Cor. No. 4 bears S. 87°37' W., 1497.3 ft. dist., both hereinafter described.</p>				
100.0	<p>Lode line; discovery point bears S. 88°32' W., 50.0 ft. dist., hereinafter described.</p>				
200.0	<p>Cor. No. 2, identical with common Cor. No. 2, Legal Tender 14 lode of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">LT13</td> <td style="padding: 0 5px;">LT14</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">2</td> <td style="padding: 0 5px;">2</td> </tr> </table> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p>	LT13	LT14	2	2
LT13	LT14				
2	2				

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	<p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 88°32' W.</p>
1500.0	<p>Cor. No. 3.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <div style="text-align: center; border: 1px solid black; padding: 2px; width: fit-content; margin: 0 auto;">             LT13 3           </div> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 1°28' W.</p>
100.0	<p>Lode line; discovery point bears N. 88°32' E., 1450.0 ft. dist., hereinafter described.</p>
200.0	<p>Cor. No. 4.</p> <p>This corner falls at an inaccessible point on a rock bluff where a monument cannot be established.</p> <p style="text-align: center;">Thence N. 88°32' E.</p>
1.9	<p>Intersect line 3-4, SUN #22 lode of this survey, at a point from which Cor. No. 3 bears N. 1°56' W., 483.0 ft. dist., and Cor. No. 4 bears S. 1°56' E., 117.0 ft. dist., both hereinafter described.</p>
13.0	<p>Witness Cor. for Cor. No. 4.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <div style="text-align: center; border: 1px solid black; padding: 2px; width: fit-content; margin: 0 auto;">             4 LT13 WC           </div> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p>

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET			
	No local bearing objects or bearing trees available.		
1499.4	Intersect common line 1-2, SUN #22 and SUN #23 lodes of this survey, at a point from which common Cor. No. 1 bears S. 1°56' E., 92.9 ft. dist., and common Cor. No. 2 bears N. 1°56' W., 507.1 ft. dist., both hereinafter described.		
1500.0	Cor. No. 1, and place of beginning.		
<b>LEGAL TENDER 14 LODE</b>			
	Beginning at Cor. No. 1 of the Legal Tender 14 lode, identical with Cor. No. 1, Legal Tender 13 lode of this survey, heretofore described.		
	Thence S. 1°28' E., identical with line 1-2, Legal Tender 13 lode.		
75.3	Intersect common line 1-2, SUN #22 and SUN #23 lodes of this survey, heretofore described.		
92.9	Intersect line 4-1, SUN #22 lode of this survey, heretofore described.		
100.0	Lode line; discovery point bears N. 88°33' E, 50.0 ft. dist., hereinafter described.		
200.0	Cor. No. 2, identical with Cor. No. 2, Legal Tender 13 lode of this survey, heretofore described.		
	Thence N. 88°33' E.		
440.	Road, dirt, 18 ft. wide, bears S. 62° E. and N. 62° W.		
1500.0	Cor. No. 3.		
	Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.		
	MS 4898		
	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px;">LT14</td> </tr> <tr> <td style="padding: 2px;">3</td> </tr> </table>	LT14	3
LT14			
3			
	2011		
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.		
	No local bearing objects or bearing trees available.		

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
	Thence N. 1°28' W.
100.0	Lode line; discovery point bears S. 88°33' W., 1450.0 ft. dist., hereinafter described.
133.3	Intersect line 4-1, SUN #32 lode of this survey, at a point from which Cor. No. 1 bears S. 89°58' E., 1480.2 ft. dist., and Cor. No. 4, identical with Cor. No. 4, SUN #23 lode of this survey, bears N. 89°58' W., 6.7 ft. dist., both hereinafter described.
200.0	Cor. No. 4.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.  <div style="text-align: center;">           MS 4898  <div style="border: 1px solid black; padding: 2px; display: inline-block;">             4              LT14           </div>            2011         </div> A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  No local bearing objects or bearing trees available.  Thence S. 88°33' W.
7.2	Intersect common line 3-4, SUN #23 and SUN #32 lodes, both of this survey, at a point from which common Cor. No. 3 bears N. 1°56' W., 521.9 ft. dist., and common Cor. No. 4 bears S. 1°56' E., 66.5 ft. dist., hereinafter described.
1295.	Road, dirt, 18 ft. wide, bears S. 42° E. and N. 42° W.
1500.0	Cor. No. 1, and place of beginning.
	<b>LEGAL TENDER 17 LODE</b>
	Beginning at Cor. No. 1 of the Legal Tender 17 lode, identical with Cor. No. 1 of the Legal Tender 18 of this survey.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., 8 in. the ground, with aluminum cap mkd.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET					
	MS 4898 <hr style="width: 100px; margin: 0 auto;"/> <table style="margin: 0 auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">1</td> <td style="padding: 0 5px;">1</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">LT17</td> <td style="padding: 0 5px;">LT18</td> </tr> </table> 2011	1	1	LT17	LT18
1	1				
LT17	LT18				
	<p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>from which</p> <p style="padding-left: 40px;">The cor. of secs. 32 and 33, bears N. 36°13' E., 2704.5 ft. dist., hereinafter described.</p> <p>No local bearing objects or bearing trees available.</p> <p style="padding-left: 40px;">Thence S. 1°27' E.</p>				
96.2	<p>Intersect line 2-3, SUN #21 lode of this survey, at a point from which Cor. No. 2, identical with Cor. No. 2, SUN #20 lode of this survey, bears S. 88°17' W., 0.2 ft. dist., and Cor. No. 3, identical with common Cor. No. 3, SUN #23, SUN #32 and SUN #33 lodes, all of this survey, bears N. 88°17' E., 1493.2 ft. dist., both hereinafter described.</p>				
100.0	<p>Lode line; discovery point bears S. 88°33' W., 50.0 ft. dist., hereinafter described.</p>				
104.0	<p>Intersect line 2-3, SUN #23 lode of this survey, at a point from which Cor. No. 2, identical with Cor. No. 2, SUN #22 lode of this survey, bears S. 87°59' W., 0.1 ft. dist., and Cor. No. 3, identical with common Cor. No. 3, SUN #23, SUN #32 and SUN #33 lodes, all of this survey, bears N. 87°59' E., 1493.2 ft. dist., both hereinafter described.</p>				
119.8	<p>Intersect common line 1-2, SUN #22 and SUN #23 lodes, both of this survey, at a point from which common Cor. No. 1 bears S. 1°56' E., 584.2 ft. dist., and common Cor. No. 2 bears N. 1°56' W., 15.8 ft. dist., both hereinafter described.</p>				
200.0	<p>Cor. No. 2, identical with common Cor. No. 2, Legal Tender 18 lode of this survey.</p> <p>This corner falls at an inaccessible point on a rock bluff where a monument cannot be established.</p> <p>Witness Cor. for Cor. No. 2 is hereinafter described in Legal Tender 18 lode of this survey.</p> <p style="padding-left: 40px;">Thence S. 88°33' W.</p>				
10.	<p>Road, dirt, 18 ft. wide, bears S. 3° E. and N. 3° W.</p>				



**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
1023.4	Intersect line 1-2, ACE 5 lode of this survey, at a point from which Cor. No. 1, identical with Cor. No. 1, ACE 4 lode of this survey, bears S. 73°01' W., 425.0 ft. dist., and Cor. No. 2 bears N. 73°01' E., 162.8 ft. dist., both heretofore described.
1458.0	Intersect common line 4-1, ACE 4 and ACE 5 lodes, both of this survey, at a point from which common Cor. No. 1 bears S. 13°53' E., 116.5 ft. dist., and common Cor. No. 4, identical with common Cor. No. 4, ACE 1 and ACE 2 lodes, both of this survey, bears N. 13°53' W., 1383.5 ft. dist., both heretofore described.
1496.8	Intersect line 3-4, SUN #22 lode of this survey, at a point from which Cor. No. 3, identical with Cor. No. 3, SUN #20 lode of this survey, bears N. 1°56' W., 528.3 ft. dist., and Cor. No. 4 bears S. 1°56' E., 71.7 ft. dist., both hereinafter described.
1500.0	<p>Cor. No. 3.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>MS 4898</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;"> <p>LT17 3</p> </div> <p>2011</p> </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 1°27' W.</p>
100.0	Lode line; discovery point bears N. 88°33' E., 1450.0 ft. dist., hereinafter described.
190.8	Intersect common line 4-1, ACE 4 and ACE 5 lodes, both of this survey, at a point from which common Cor. No. 1 bears S. 13°53' E., 311.9 ft. dist., and common Cor. No. 4, identical with common Cor. No. 4, ACE 1 and ACE 2 lodes, both of this survey, bears N. 13°53' W., 1188.1 ft. dist., both heretofore described.
200.0	<p>Cor. No. 4.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 10 in. the ground, with aluminum cap mkd.</p>

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
	MS 4898 <div style="border: 1px solid black; padding: 5px; display: inline-block; margin: 5px 0;">4 LT17</div> 2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.
	No local bearing objects or bearing trees available.
	Thence N. 88°33' E.
1.6	Intersect line 3-4, SUN #20 lode of this survey, at a point from which Cor. No. 3, identical with Cor. No. 3, SUN #22 lode of this survey, bears S. 1°56' E., 128.3 ft. dist., and Cor. No. 4, identical with Cor. No. 4, SUN #18 lode of this survey, bears N. 1°56' W., 471.7 ft. dist., both hereinafter described.
599.0	Intersect line 2-3, ACE 5 lode of this survey, at a point from which Cor. No. 2 bears S. 13°53' E., 160.2 ft. dist., and Cor. No. 3, identical with Cor. No. 3, ACE 2 lode of this survey, bears N. 13°53' W., 1339.8 ft. dist., both heretofore described.
1482.	Road, dirt, 18 ft. wide, bears S. 3° E. and N. 3° W.
1499.0	Intersect common line 1-2, SUN #20 and SUN #21 lodes, both of this survey, at a point from which common Cor. No. 1, identical with common Cor. No. 1, SUN #18 and SUN #19 lodes, both of this survey, bears N. 1°56' W., 490.0 ft. dist., and common Cor. No. 2 bears S. 1°56' E., 96.1 ft. dist., both hereinafter described.
1500.0	Cor. No. 1, and place of beginning.
	<b>LEGAL TENDER 18 LODE</b>
	Beginning at Cor. No. 1 of the Legal Tender 18 lode, identical with Cor. No. 1, Legal Tender 17 of this survey, heretofore described.
	Thence S. 1°27' E., identical with line 1-2, Legal Tender 17 lode.
96.2	Intersect line 2-3, SUN #21 lode of this survey, heretofore described.
100.0	Lode line; discovery point bears N. 88°34' E., 50.0 ft. dist., hereinafter described.
104.0	Intersect line 2-3, SUN #23 lode of this survey, heretofore described.

Mineral Survey No. 4898,  
 T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
 Gila and Salt River Meridian, Arizona

FEET							
119.8	Intersect common line 1-2, SUN #22 and SUN #23 lodes, both of this survey, heretofore described.						
200.0	<p>Cor. No. 2, identical with Cor. No. 2, Legal Tender 17 of this survey, heretofore described.</p> <p style="text-align: center;">Thence N. 88°34' E.</p>						
0.7	Intersect common line 1-2, SUN #22 and SUN #23 lodes, both of this survey, at a point from which common Cor. No. 1 bears S. 1°56' E., 504.0 ft. dist., and common Cor. No. 2 bears N. 1°56' W., 96.0 ft. dist., hereinafter described.						
5.0	<p>Witness Cor. for Cor. No. 2.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 8 in. the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>MS 4898</p> <p>WC</p> <table border="1" style="margin: auto;"> <tr> <td style="padding: 2px;">LT17</td> <td style="padding: 2px;"> </td> <td style="padding: 2px;">LT18</td> </tr> <tr> <td style="padding: 2px;">2</td> <td style="padding: 2px;"> </td> <td style="padding: 2px;">2</td> </tr> </table> <p>2011</p> </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p>	LT17		LT18	2		2
LT17		LT18					
2		2					
1494.1	Intersect common line 3-4, SUN #23 and SUN #32 lodes, both of this survey, at a point from which common Cor. No. 3, identical with common Cor. No. 3, SUN #21 and SUN #33 lodes, both of this survey, bears N. 1°56' W., 111.4 ft. dist., and common Cor. No. 4 bears S. 1°56' E., 477.0 ft. dist., both hereinafter described.						
1500.0	<p>Cor. No. 3.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>MS 4898</p> <table border="1" style="margin: auto;"> <tr> <td style="padding: 2px;">LT18</td> <td style="padding: 2px;"> </td> </tr> <tr> <td style="padding: 2px;">3</td> <td style="padding: 2px;"> </td> </tr> </table> <p>2011</p> </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p>	LT18		3			
LT18							
3							

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
	<p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 1°27' W.</p>
100.0	Lode line; discovery point bears S. 88°34' W., 1450.0 ft. dist., hereinafter described.
111.2	Intersect common line 2-3, SUN #32 and SUN #33 lodes, both of this survey, at a point from which common Cor. No. 2 bears S. 89°59' E., 1480.0 ft. dist., and common Cor. No. 3, identical with common Cor. No. 3, SUN #21 and SUN #23 lodes, both of this survey, bears N. 89°59' W., 6.8 ft. dist., both hereinafter described.
200.0	<p>Cor. No. 4.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <div style="text-align: center;"> </div> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 88°34' W.</p>
7.6	Intersect common line 3-4, SUN #21 and SUN #33 lodes, both of this survey, at a point from which common Cor. No. 3, identical with common Cor. No. 3, SUN #23 and SUN #32 lodes, both of this survey, bears S. 1°56' E., 88.6 ft. dist., and common Cor. No. 4, identical with common Cor. No. 4, SUN #19 and SUN #34 lodes, both of this survey, bears N. 1°56' W., 511.4 ft. dist., both hereinafter described.
1500.0	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p style="text-align: center;"><b>LEGAL TENDER 19 LODE</b></p> <p>Beginning at Cor. No. 1 of the Legal Tender 19 lode.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p>

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	MS 4898  <div style="border: 1px solid black; padding: 2px; display: inline-block;">           LT19 1         </div> 2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  from which  The cor. of secs. 32 and 33, bears S. 70°25' E., 3400.4 ft. dist., hereinafter described.  No local bearing objects or bearing trees available.  Thence S. 88°32' W.
5.6	Intersect line 4-1, Oak No. 18 lode of this survey, identical with line 3-4, SUN #10 lode of this survey, at a point from which Cor. No. 1, identical with Cor. No. 1, Oak No. 19 lode, Cors. No. 4, SUN #10 and SUN #12 lodes, all of this survey, bears S. 1°56' E., 489.8 ft. dist., and Cor. No. 4 bears N. 1°56' W., 105.0 ft. dist., both hereinafter described.
1500.0	Cor. No. 2.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.
	MS 4898  <div style="border: 1px solid black; padding: 2px; display: inline-block;">           LT19 2         </div> 2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  No local bearing objects or bearing trees available.  Thence N. 1°28' W.
94.7	Intersect line 3-4, Oak No. 18 lode of this survey, at a point from which Cor. No. 3 bears S. 88°09' W., 6.4 ft. dist., and Cor. No. 4 bears N. 88°09' E., 1493.6 ft. dist., both hereinafter described.
100.0	Lode line; discovery point bears N. 88°32' E., 50.0 ft. dist., hereinafter described.


Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET			
103.9	<p>Intersect line 2-3, M.S. No. 4797 Oak No. 17 lode, at a point from which Cor. No. 2, identical with Cors. No. 3, SUN #8 and SUN #10 lodes, both of this survey, bears N. 88°18' E., 1493.5 ft. dist., and Cor. No. 3 bears S. 88°18' W., 0.3 ft. dist., both hereinafter described.</p>		
200.0	<p>Cor. No. 3.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <div style="text-align: center;"> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td style="text-align: center;">3</td></tr> <tr><td style="text-align: center;">LT19</td></tr> </table> </div> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available</p> <p style="text-align: center;">Thence N. 88°32' E.</p>	3	LT19
3			
LT19			
1492.9	<p>Intersect line 1-2, M.S. No. 4797 Oak No. 17 lode, identical with line 3-4, SUN #8 lode of this survey, at a point from which Cor. No. 1, identical with Cor. No. 1, M.S. No. 4797 Oak No. 16 lode, Cors. No. 4, SUN #6 and SUN #8 lodes, both of this survey, bears N. 1°49' W., 509.1 ft. dist., and Cor. No. 2, identical with Cors. No. 3, SUN #8 and SUN #10 lodes, both of this survey, bears S. 1°49' E., 89.8 ft. dist., both hereinafter described.</p>		
1500.0	<p>Cor. No. 4.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 15 in. the ground, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <div style="text-align: center;"> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td style="text-align: center;">4</td></tr> <tr><td style="text-align: center;">LT19</td></tr> </table> </div> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 1°28' E.</p>	4	LT19
4			
LT19			

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**



FEET			
89.7	Intersect common line 2-3, SUN #8 and SUN #10 lodes, both of this survey, at a point from which Cor. No. 2, identical with Cors. No. 2, SUN #9 and SUN #11 lodes, both of this survey, bears N. 88°00' E., 1490.9 ft. dist., and Cor. No. 3, identical with Cor. No. 2, M.S. No. 4797 Oak No. 17 lode, bears S. 88°00' W., 6.5 ft. dist., both hereinafter described.		
100.0	Lode Line; discovery point bears S. 88°32' W., 1450.0 ft. dist., hereinafter described.		
200.0	Cor. No. 1, and place of beginning.		
<b>LEGAL TENDER 20 LODE</b>			
Beginning at Cor. No. 1 of the Legal Tender 20 lode.			
Set an aluminum post, 30 in. long, 2 1/2 in. diam., 12 in. the ground, with aluminum cap mkd.			
MS 4898			
<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px;">LT20</td> </tr> <tr> <td style="padding: 2px;">1</td> </tr> </table>		LT20	1
LT20			
1			
2011			
A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.			
from which			
The cor. of secs. 32 and 33, bears S. 7°18' W., 1362.2 ft. dist., hereinafter described.			
No local bearing objects or bearing trees available.			
Thence S. 89°27' W.			
180.9	Intersect line bet. secs. 32 and 33, at a point from which the S. 1/16 cor. of secs. 32 and 33 bears S. 0°19' E., 20.5 ft. dist., and the 1/4 sec. cor. of secs. 32 and 33 bears N. 0°19' W., 1308.3 ft. dist., both hereinafter described.		
300.0	Lode line; discovery point bears N. 0°33' W., 50.0 ft. dist., hereinafter described.		
397.2	Intersect common line 3-4, SUN #11 and SUN #38 lodes, both of this survey, at a point from which Cor. No. 3, identical with Cor. No. 3, SUN #9 lode of this survey, bears N. 1°56' W., 11.5 ft. dist., and Cor. No. 4, identical with Cor. No. 4, SUN #13 lode of this survey, bears S. 1°56' E., 588.5 ft. dist., both hereinafter described.		

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
600.0	<p>Cor. No. 2.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <div style="text-align: center;">  </div> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 0°33' W.</p>
5.8	<p>Intersect common line 2-3, SUN #9 and SUN #11 lodes, both of this survey, at a point from which Cor. No. 2, identical with Cors. No. 2, SUN #8 and SUN #10 lodes, both of this survey, bears S. 87°50' W., 1290.8 ft. dist., and Cor. No. 3, identical with Cor. No. 3, SUN #38 of this survey, bears N. 87°50' E., 202.6 ft. dist., both hereinafter described.</p>
601.0	<p>Intersect common line 4-1, SUN #7 and SUN #9 lodes, both of this survey, at a point from which Cor. No. 1, identical with Cors. No. 1, SUN #6 and SUN #8 lodes, both of this survey, bears S. 87°50' W., 1303.8 ft. dist., and Cor. No. 4 bears N. 87°50' E., 189.6 ft. dist., both hereinafter described.</p>
1201.3	<p>Intersect common line 2-3, SUN #5 and SUN #7 lodes, both of this survey, at a point from which Cor. No. 2, identical with Cors. No. 2, SUN #4 and SUN #6 lodes, both of this survey, bears S. 87°50' W., 1316.3 ft. dist., and Cor. No. 3 bears N. 87°50' E., 177.1 ft. dist., both hereinafter described.</p>
1311.4	<p>Intersect E-W center line of sec. 32, at a point from which the 1/4 sec. cor. of secs. 32 and 33 bears N. 89°52' E., 424.5 ft. dist., and the C-E 1/16 cor. of sec. 32 bears S. 89°52' W., 890.7 ft. dist., both hereinafter described.</p>
1500.0	<p>Cor. No. 3.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p>



Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	MS 4898  2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  No local bearing objects or bearing trees available.  Thence N. 89°27' E.
170.3	Intersect line 3-4, SUN #5 lode of this survey, at a point from which Cor. No. 3, identical with Cor. No. 3, SUN #7 lode of this survey, bears S. 1°53' E., 293.8 ft. dist., and Cor. No. 4, identical with Cor. No. 4, SUN #3 lode of this survey, bears N. 1°53' W., 304.4 ft. dist., both hereinafter described.
300.0	Lode line; discovery point bears S. 0°33' E., 1450.0 ft. dist., hereinafter described.
427.0	Intersect line bet. secs. 32 and 33, at a point from which the 1/4 sec. cor. of secs. 32 and 33 bears S. 0°12' W., 191.7 ft. dist., and the point for the cor. of secs. 28, 29, 32 and 33 bears N. 0°12' E., 2460.1 ft. dist., both hereinafter described.
600.0	Cor. No. 4.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., 6 in. the ground, with aluminum cap mkd.  MS 4898  2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  No local bearing objects or bearing trees available.  Thence S. 0°33' E.
195.0	Intersect E-W center line of sec. 33, at a point from which the 1/4 sec. cor. of secs. 32 and 33 bears N. 89°30' W., 175.6 ft. dist., and the 1/4 sec. cor. of secs. 33 and 34 bears S. 89°30' E, 5146.7 ft. dist., both hereinafter described.

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
1493.9	Intersect line 2-3, SUN #38 lode of this survey, at a point from which Cor. No. 2 bears S. 89°46' E., 1089.5 ft. dist., and Cor. No. 3, identical with Cors. No. 3, SUN #9, SUN #11 and SUN #38 lodes of this survey, bears N. 89°46' W., 397.5 ft. dist., all hereinafter described.
1500.0	Cor. No. 1, and place of beginning.
	<b>LEGAL TENDER 22 LODE</b>
	Beginning at Cor. No. 1 of the Legal Tender 22 lode.
	Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.
	MS 4898 <div style="border: 1px solid black; padding: 2px; display: inline-block; margin: 5px 0;">           LT22            1         </div> 2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.
	from which
	The cor. of secs. 32 and 33, bears S. 17°12' E., 686.7 ft. dist., hereinafter described.
	No local bearing objects or bearing trees available.
	Thence N. 1°24' W.
100.0	Lode line; discovery point bears N. 88°36' E., 50.0 ft. dist., hereinafter described.
103.1	Intersect common line 4-1, SUN #11 and SUN #13 lodes of this survey, at a point from which Cor. No. 1, identical with Cors. No. 1, SUN #10 and SUN #12 lodes, both of this survey, bears S. 87°49' W., 1491.9 ft. dist., and Cor. No. 4, identical with Cor. No. 4, SUN #38 lode of this survey, bears N. 87°49' E., 1.5 ft. dist., both hereinafter described.
200.0	Cor. No. 2.
	Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	MS 4898 <div style="border: 1px solid black; padding: 2px; display: inline-block; margin: 5px 0;">2 LT22</div> 2011  A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  No local bearing objects or bearing trees available.  Thence N. 88°36' E.
0.6	Intersect common line 3-4, SUN #11 and SUN #38 lodes of this survey, at a point from which Cor. No. 3, identical with Cor. No. 3, SUN #9 lode of this survey, bears N. 1°56' W., 503.1 ft. dist., and Cor. No. 4, identical with Cor. No. 4, SUN #13 lode of this survey, bears S. 1°56' E., 96.9 ft. dist., both hereinafter described.
203.2	Intersect line bet. secs. 32 and 33, at a point from which the cor. of secs. 32 and 33 bears S. 0°19' E., 860.9 ft. dist., and the S. 1/16 sec. cor. of secs. 32 and 33 bears N. 0°19' W., 467.9 ft. dist., both hereinafter described.
1466.0	Witness Cor. for Cor. No. 3.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.
	MS 4898 <div style="border: 1px solid black; padding: 2px; display: inline-block; margin: 5px 0;">3 LT22 WC</div> 2011  A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  No local bearing objects or bearing trees available.
1486.7	Intersect common line 1-2, SUN #38 and SUN #40 lodes of this survey, at a point from which Cor. No. 1, identical with Cors. No. 1, SUN #37 and SUN #41 lodes, both of this survey, bears S. 1°56' E., 139.6 ft. dist., and Cor. No. 2 bears N. 1°56' W., 460.8 ft. dist., both hereinafter described.
1500.0	Cor. No. 3.

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
	<p>This corner falls at an inaccessible point on a rock bluff where a monument cannot be established.</p> <p style="text-align: center;">Thence S. 1°24' E.</p>
100.0	Lode line; discovery point bears S. 88°36' W., 1450.0 ft. dist., hereinafter described.
140.0	Intersect common line 4-1, SUN #40 and SUN #41 lodes of this survey, at a point from which Cor. No. 1, identical with Cors. No. 1, SUN #37 and SUN #38 lodes, both of this survey, bears N. 89°30' W., 12.0 ft. dist., and Cor. No. 4 bears S. 89°30' E., 1473.5 ft. dist., both hereinafter described.
200.0	<p>Cor. No. 4.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <div style="text-align: center; border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> <p>LT22</p> <p>4</p> </div> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 88°36' W.</p>
11.4	Intersect common line 1-2, SUN #37 and SUN #41 lodes of this survey, at a point from which Cor. No. 1, identical with Cors. No. 1, SUN #38 and SUN #40 lodes, both of this survey, bears N. 1°56' W., 60.5 ft. dist., and Cor. No. 2, identical with Cors. No. 2, SUN #36 and SUN #42A lodes, both of this survey, bears S. 1°56' E., 539.9 ft. dist., both hereinafter described.
1300.6	Intersect line bet. secs. 32 and 33, at a point from which the cor. of secs. 32 and 33 bears S. 0°19' E., 660.8 ft. dist., and the S. 1/16 sec. cor. of secs. 32 and 33 bears N. 0°19' W., 668.0 ft. dist., both hereinafter described.
1497.6	Intersect common line 3-4, SUN #13 and SUN #37 lodes of this survey, at a point from which Cor. No. 3, identical with Cor. No. 3, SUN #15 and SUN #36 lodes, both of this survey, bears S. 1°56' E., 496.8 ft. dist., and Cor. No. 4, SUN #37 lode of this survey, bears N. 1°56' W., 97.7 ft. dist., both hereinafter described.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET							
1500.00	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p style="text-align: center;"><b>LEGAL TENDER 23 LODE</b></p> <p>Beginning at Cor. No. 1 of the Legal Tender 23 lode, identical with common Cors. No. 1, M.S. No. 4797 Oak No. 14 and Oak No. 15 lodes and common Cors. No. 4, SUN #2 and SUN #4, both of this survey.</p> <p>Found an iron post, 24 in. long, 3/4 in. diam., in a concrete and rock base, with a 2 in. brass cap properly mkd. I added LT23 1, 4 SUN2, 4 SUN4 MS 4898 2011.</p> <p style="text-align: center;">USMS 4797</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">0-14</td> <td style="padding: 2px 10px;">4 SUN2</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">0-15</td> <td style="padding: 2px 10px;">4 SUN4</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">LT23 1</td> <td style="padding: 2px 10px;"></td> </tr> </table> <p style="text-align: center;">MS 4898 2011</p> <p>from which</p> <p style="text-align: center;">The cor. of secs. 32 and 33, bears S. 47°01' E., 4469.7 ft. dist., hereinafter described.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 1°53' E.</p>	0-14	4 SUN2	0-15	4 SUN4	LT23 1	
0-14	4 SUN2						
0-15	4 SUN4						
LT23 1							
299.7	Lode line; discovery point bears S. 88°18' W., 1400.0 ft. dist., hereinafter described.						
316.	Road, improved asphalt paved, 20 ft. wide, bears S. 77° E. and N. 77° W.						
397.5	Intersect E-W center line of sec. 32, at a point from which the 1/4 sec. cor. of secs. 31 and 32 bears S. 89°52' W., 2088.7 ft. dist., and the C-E 1/16 cor. of sec. 32 bears N. 89°52' E., 1926.7 ft. dist., both hereinafter described.						
599.4	<p>Cor. No. 2, identical with Cor. No. 2, Oak No. 15 lode and Cor. No. 4, Oak No. 16 lode, both of M.S. No. 4797 and common Cors. No. 3, SUN #4 and SUN #6 lodes, both of this survey.</p> <p>Found an iron post, 30 in. long, 3/4 in. diam., in a concrete and rock base, with a 2 in. brass cap properly mkd. I added LT23 2, 3 SUN4, 3 SUN6 MS 4898 2011.</p>						

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET					
	USMS 4797 LT23 2 <table style="border-collapse: collapse; margin: auto;"> <tr> <td style="border-right: 1px solid black; border-bottom: 1px solid black; padding: 2px 5px;">0-15 2</td> <td style="padding: 2px 5px;">3 SUN4</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 5px;">0-16 4</td> <td style="padding: 2px 5px;">3 SUN6</td> </tr> </table> MS 4898 2011	0-15 2	3 SUN4	0-16 4	3 SUN6
0-15 2	3 SUN4				
0-16 4	3 SUN6				
	No local bearing objects or bearing trees available.  Thence S. 88°18' W.				
1010.	Road, dirt, 16 ft. wide, bears N. 12° E. and S. 2° E.				
1494.5	Found a 3 in. PVC pipe, 36 in. long, in a rock cairn for Cor. No. 3, Oak No. 16 lode M.S. No. 4797. Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.				
	MS 4898 <table style="border-collapse: collapse; margin: auto;"> <tr> <td style="border-right: 1px solid black; border-bottom: 1px solid black; padding: 2px 5px;">3</td> <td style="padding: 2px 5px;">OAK16</td> </tr> </table> 2011	3	OAK16		
3	OAK16				
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.				
1500.0	Point for Cor. No. 3.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.				
	MS 4898 <table style="border-collapse: collapse; margin: auto;"> <tr> <td style="border-right: 1px solid black; border-bottom: 1px solid black; padding: 2px 5px;">LT23</td> <td style="padding: 2px 5px;">3</td> </tr> </table> 2011	LT23	3		
LT23	3				
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.				
	No local bearing objects or bearing trees available.  Thence N. 1°53' W.				

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona



FEET	
242.9	Intersect E-W center line of sec. 32, at a point from which the 1/4 sec. cor. of secs. 31 and 32 bears S. 89°52' W., 588.0 ft. dist., and the C-E 1/16 cor. of sec. 32 bears N. 89°52' E., 3427.4 ft. dist., both hereinafter described.
299.8	Lode line; discovery point bears N. 88°18' E., 100.0 ft. dist., hereinafter described.
599.5	Point for Cor. No. 4.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.  MS 4898 <div style="border: 1px solid black; padding: 2px; display: inline-block; text-align: center;">4 LT23</div> 2011  A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  No local bearing objects or bearing trees available.  Thence N. 88°18' E.
6.1	Found a 1/2 in. rebar drilled in rock, 2 in. diam. aluminum cap for common Cors. No. 2, Oak No. 7 and Oak No. 14 lodes, M.S. No. 4797 mkd.  Earl G. Watts RLS 27253
615.	Road, dirt, 16 ft. wide, bears N. 17° E. and S. 17° W.
808.	Road, improved asphalt paved, 20 ft. wide, bears S. 39° E. and N. 39° W.
1389.	Road, dirt, 14 ft. wide, bears N. 57° E. and S. 57° W.
1500.0	Cor. No. 1, and place of beginning.  <hr style="width: 50%; margin: 10px auto;"/> <p style="text-align: center;"><b>OAK NO. 18 LODE</b></p> Beginning at Cor. No. 1 of the Oak No. 18 lode, identical with Cor. No. 1, Oak No. 19 lode and common Cors. No. 4, SUN #10 and SUN #12 lodes, all of this survey.  This corner falls at an inaccessible point on a rock bluff where a monument cannot be established.

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**


FEET									
	<p>from which</p> <p style="text-align: center;">The cor. of secs. 32 and 33, bears S. 78°29' E., 3258.4 ft. dist., hereinafter described.</p> <p style="text-align: center;">Thence S. 87°57' W.</p>								
4.0	<p>Witness Cor. for Cor. No. 1.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 7 in. the ground, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px;">OAK18 1</td> <td style="padding: 2px;">4 SUN10</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px;">OAK19 1</td> <td style="padding: 2px;">4 SUN12</td> </tr> <tr> <td colspan="2" style="text-align: center; padding: 2px;">WC</td> </tr> <tr> <td colspan="2" style="text-align: center; padding: 2px;">2011</td> </tr> </table> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p>	OAK18 1	4 SUN10	OAK19 1	4 SUN12	WC		2011	
OAK18 1	4 SUN10								
OAK19 1	4 SUN12								
WC									
2011									
1500.0	<p>Cor. No. 2, identical with Cor. No. 2, Oak No. 19 of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 8 in. the ground, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px;">2 OAK18</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px;">2 OAK19</td> </tr> <tr> <td colspan="2" style="text-align: center; padding: 2px;">2011</td> </tr> </table> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 1°56' W.</p>	2 OAK18	2 OAK19	2011					
2 OAK18									
2 OAK19									
2011									
300.0	<p>Lode line; discovery point bears N. 88°09' E., 1386.4 ft. dist., hereinafter described.</p>								
600.0	<p>Point for Cor. No. 3.</p>								



Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	<p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <div style="text-align: center;">  </div> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 88°09' E.</p>
6.4	Intersect line 2-3, Legal Tender 19 lode of this survey, at a point from which Cor. No. 2 bears S. 1°28' E., 94.7 ft. dist., and Cor. No. 3 bears N. 1°28' W., 105.3 ft. dist., both heretofore described.
1500.0	<p>Cor. No. 4.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <div style="text-align: center;">  </div> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 1°56' E.</p>
105.0	Intersect line 1-2, Legal Tender 19 lode of this survey, at a point from which Cor. No. 1 bears N. 88°32' E., 5.6 ft. dist., and Cor. No. 2 bears S. 88°32' W., 1494.4 ft. dist., both heretofore described.
300.0	Lode line; discovery point bears S. 88°09' W., 113.6 ft. dist., hereinafter described.
594.8	Cor. No. 1, and place of beginning.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	OAK NO. 19 LODE
	Beginning at Cor. No. 1 of the Oak No. 19 lode, identical with Cor. No. 1, Oak No. 18 lode and common Cors. No. 4 SUN #10 and SUN #12 lodes, all of this survey, heretofore described.
	Thence S. 87°57' W., identical with line 1-2, Oak No. 18 lode.
4.0	Witness Cor. for Cor. No. 1, heretofore described.
1500.0	Cor. No. 2, identical with Cor. No. 2, Oak No. 18 lode, heretofore described.
	Thence S. 1°56' E.
300.0	Lode line; discovery point bears N. 87°57' E., 113.1 ft. dist., hereinafter described.
498.8	Intersect line 4-1, ACE lode of this survey, at a point from which cor. No. 1 bears N. 73°01' E., 292.6 ft. dist., and Cor. No. 4 bears S. 73°01' W., 307.4 ft. dist., both heretofore described.
592.5	Intersect township line bet. secs. 32 and 1, at a point from which the 1/4 sec. cor. of sec. 32 bears S. 89°51' E., 2024.8 ft. dist., and the point for the cor. of secs. 31 and 32 bears N. 89°51' W., 650.7 ft. dist., both hereinafter described.
600.0	Cor. No. 3.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.
	MS 4898  2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.
	No local bearing objects or bearing trees available.
	Thence N. 87°57' E.
196.0	Intersect township line bet. secs. 32 and 1, at a point from which the 1/4 sec. cor. of sec. 32 bears S. 89°51' E., 1828.7 ft. dist., and the point for the cor. of secs. 31 and 32 bears N. 89°51' W., 846.8 ft. dist., both hereinafter described.

Mineral Survey No. 4898,  
 T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
 Gila and Salt River Meridian, Arizona

FEET					
222.3	Intersect line 3-4, Legal Tender 12 lode of this survey, at a point from which Cor. No. 3 bears S. 17°32' E., 1347.5 ft. dist., and Cor. No. 4 bears N. 17°32' W., 152.5 ft. dist., both heretofore described.				
330.0	Intersect line 1-2, ACE lode of this survey, at a point from which Cor. No. 1 bears N. 16°59' W., 182.8 ft. dist., and Cor. No. 2, identical with Cor. No. 2, ACE 3 and Cor. NO. 3, ACE 4 lodes, both of this survey, bears S. 16°59' E., 1317.2 ft. dist., both heretofore described.				
343.7	Intersect line 2-3, ACE 1 lode of this survey, at a point from which Cor. No. 2 bears N. 16°59' W., 186.4 ft. dist., and Cor. No. 3 bears S. 16°59' E., 1313.6 ft. dist., both heretofore described.				
429.8	Intersect line 1-2, Legal Tender 12 lode of this survey, at a point from which Cor. No. 1 bears N. 17°32' W., 207.9 ft. dist., and Cor. No. 2 bears S. 17°32' E., 1292.1 ft. dist., both heretofore described.				
951.9	Intersect common line 4-1, ACE 1 and ACE 2 lodes, both of this survey, at a point from which common Cors. No. 1 bears N. 16°59' W., 343.0 ft. dist., and common Cors. No. 4, identical with common Cors. No. 4, ACE 4 and ACE 5 lodes, both of this survey, bears S. 16°59' E., 1157.0 ft. dist., both heretofore described.				
1500.0	<p>Cor. No. 4, identical with common Cors. No. 3, SUN #12 and SUN #14 lodes, both of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>MS 4898</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px;">OAK 19 4</td> <td style="padding: 2px;">3 SUN12</td> </tr> <tr> <td style="padding: 2px;"></td> <td style="padding: 2px;">3 SUN14</td> </tr> </table> <p>2011</p> </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 1°56' W.</p>	OAK 19 4	3 SUN12		3 SUN14
OAK 19 4	3 SUN12				
	3 SUN14				

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
224.3	Intersect line 2-3, ACE 2 lode of this survey, at a point from which Cor. No. 2 bears N. 16°59' W., 267.6 ft. dist., and Cor. No. 3, identical with Cor. No. 3, ACE 5 lode of this survey, bears S. 16°59' E., 1232.4 ft. dist., both heretofore described.
300.0	Lode line; discovery point bears S. 87°57' W., 1386.9 ft. dist., hereinafter described.
600.0	Cor. No. 1, and place of beginning.
<b>SUN #2 LODGE</b>	
	Beginning at Cor. No. 1 of the SUN #2 lode, identical with common Cors. No. 1, SUN #3, SUN #4 and SUN #5 lodes, all of this survey.
	This corner falls at an inaccessible point on a asphalt paved road where a monument cannot be established.
	Witness Cor. for Cor. No. 1 is hereinafter described in SUN #3 lode of this survey.
	from which
	The cor. of secs. 32 and 33, bears S. 29°49' E., 3566.6 ft. dist., hereinafter described.
	No local bearing objects or bearing trees available.
	Thence N. 1°48' W.
286.	Road, improved asphalt paved, 32 ft. wide, bears N. 32° E. and S. 32° W.
300.0	Lode line; discovery point bears S. 88°12' W., 10.0 ft. dist., hereinafter described.
558.0	Intersect line 3-4, M.S. No. 4674 East No. 5 lode, at a point from which Cor. No. 3 bears N. 88°10' E., 5.7 ft. dist., and Cor. No. 4 bears S. 88°10' W., 594.6 ft. dist., both hereinafter described.
600.0	Cor. No. 2, identical with Cor. No. 2, SUN #3 lode of this survey.
	Set an aluminum post, 30 in. long, 2 1/2 in. diam., 6 in. the ground, with aluminum cap mkd.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	MS 4898 <hr style="width: 50%; margin: auto;"/> SUN2 2   2 SUN3 2011
	<p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 88°12' W.</p>
594.6	<p>Intersect line 4-1, M.S. No. 4674 East No. 5 lode and line 1-2, M.S. No. 4674 East No. 4 lode, at a point from which common Cors. No. 1 bears N. 1°50' W., 1456.6 ft. dist., and Cor. No. 4 bears S. 1°50' E., 42.2 ft. dist., both hereinafter described.</p>
852.8	<p>Intersect N-S center line of sec. 32, at a point from which the 1/4 sec. cor. of secs. 29 and 32 bears N. 0°02' E., 1644.6 ft. dist., and the 1/4 sec. cor. of sec. 32 bears S. 0°02' W., 3668.3 ft. dist., both hereinafter described.</p>
1194.3	<p>Intersect common line 3-4, M.S. No. 4674 East No. 4 lode and line 1-2, M.S. No. 4674 East No. 3 lode, at a point from which Cor. No. 4 bears N. 1°50' W., 1456.3 ft. dist., and Cor. No. 4 bears S. 1°50' E., 42.7 ft. dist., both hereinafter described.</p>
1497.4	<p>Cor. No. 3, identical with Cor. No. 4, M.S. No. 4797 Oak No. 14 lode.</p> <p>Found an iron post, 30 in. long, 3/4 in. diam., in a concrete and rock base, with a 2 in. brass cap properly mkd. Add the marks 3 SUN2, MS 4898 2011 to the brass cap.</p> <p style="text-align: center;">           USMS 4797  <hr style="width: 50%; margin: auto;"/>           0-14 4   3 SUN2            MS 4898            2011         </p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 1°48' E.</p>
42.9	<p>Intersect line 2-3, M.S. No. 4674 East No. 3 lode, at a point from which Cor. No. 2 bears N. 88°09' E., 303.1 ft. dist., and Cor. No. 3 bears S. 88°09' W., 296.8 ft. dist., both hereinafter described.</p>

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
300.0	Lode line; discovery point bears N. 88°12' E., 1487.4 ft. dist., hereinafter described.
504.	Road, dirt, 14 ft. wide, bears N. 41° E. and S. 41° W.
600.0	Cor. No. 4, identical with common Cors. No. 1, M.S. No. 4797 Oak No. 14 and Oak No. 15 lodes and Cor. No. 4, SUN #4 lode of this survey, heretofore described.
	Thence N. 88°12' E.
320.	End of dirt road landing, bears N. 30° W.
625.2	Intersect N-S center line of sec. 32, at a point from which the 1/4 sec. cor. of secs. 29 and 32 bears N. 0°02' E., 2244.9 ft. dist., and the 1/4 sec. cor. of sec. 32 bears S. 0°02' W., 3068.0 ft. dist., both hereinafter described.
1460.	Road, improved asphalt paved, 35 ft. wide, bears N. 23° W. and S. 23° E.
1497.4	Cor. No. 1, and place of beginning.
	<b>SUN #3 LODE</b>
	Beginning at Cor. No. 1 of the SUN #3 lode, identical with common Cors. No. 1, SUN #2, SUN #4 and SUN #5 lodes, all of this survey, heretofore described.
	Thence N. 1°48' W., identical with line 1-2, SUN #2 lode.
300.0	Lode line; discovery point bears N. 87°50' E., 10.0 ft. dist., hereinafter described.
558.0	Intersect line 3-4, M.S. No. 4674 East No. 5 lode, heretofore described.
600.0	Cor. No. 2, identical with Cor. No. 2, SUN #2 lode of this survey, heretofore described.
	Thence N. 87°50' E.
5.7	Intersect line 2-3, M.S. No. 4674 East No. 5 lode, at a point from which Cor. No. 2 bears N. 1°53' W., 1456.5 ft. dist., and Cor. No. 3 bears S. 1°53' E., 42.0 ft. dist., both hereinafter described.
347.	Road, improved asphalt paved, 36 ft. wide, bears N. 23° E. and S. 47° W.
1493.4	Cor. No. 3.

Mineral Survey No. 4898,  
 T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
 Gila and Salt River Meridian, Arizona

FEET				
	<p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="border: 1px solid black; padding: 2px;">3</td> <td rowspan="2" style="border-left: 1px solid black; padding-left: 5px;"> </td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">SUN3</td> </tr> </table> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 1°48' E.</p>	3		SUN3
3				
SUN3				
300.0	<p>Lode line; discovery point bears S. 87°50' W., 1483.4 ft. dist., hereinafter described.</p>			
600.0	<p>Cor. No. 4, identical with Cor. No. 4, SUN #5 lode of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 6 in. the ground, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="border: 1px solid black; padding: 2px;">SUN3 4</td> <td rowspan="2" style="border-left: 1px solid black; padding-left: 5px;"> </td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">SUN5 4</td> </tr> </table> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 87°50' W.</p>	SUN3 4		SUN5 4
SUN3 4				
SUN5 4				
1461.4	<p>Witness Cor. for Cor. No. 1.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p>			

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET					
	MS 4898 <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">SUN2 1</td> <td style="padding: 2px 10px;">1 SUN3</td> </tr> <tr> <td style="border-top: 1px solid black; border-right: 1px solid black; padding: 2px 10px;">SUN4 1</td> <td style="border-top: 1px solid black; padding: 2px 10px;">1 SUN5</td> </tr> </table> WC 2011	SUN2 1	1 SUN3	SUN4 1	1 SUN5
SUN2 1	1 SUN3				
SUN4 1	1 SUN5				
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  No local bearing objects or bearing trees available.				
1493.4	Cor. No. 1, and place of beginning.  <hr style="width: 80%; margin: 10px auto;"/> <p style="text-align: center;"><b>SUN #4 LODE</b></p> Beginning at Cor. No. 1 of the SUN #4 lode, identical with common Cors. No. 1, SUN #2, SUN #3 and SUN #5 lodes, all of this survey, heretofore described.  Thence S. 1°53' E.				
81.	Road, improved asphalt paved, 35 ft. wide, bears S. 23° E. and N. 23° W.				
299.7	Lode line; discovery point bears S. 88°12' W., 8.8 ft. dist., hereinafter described.				
441.2	Intersect E-W center line of sec. 32, at a point from which the 1/4 sec. cor. of secs. 31 and 32 bears S. 89°52' W., 3586.7 ft. dist., and the C-E 1/16 cor. of sec. 32 bears N. 89°52' E., 428.7 ft. dist., both hereinafter described.				
598.2	Cor. No. 2, identical with common Cors. No. 2, SUN #5, SUN #6 and SUN #7 lodes, all of this survey.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., 6 in. the ground, with aluminum cap mkd.				
	MS 4898 <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">SUN4 2</td> <td style="padding: 2px 10px;">2 SUN5</td> </tr> <tr> <td style="border-top: 1px solid black; border-right: 1px solid black; padding: 2px 10px;">SUN6 2</td> <td style="border-top: 1px solid black; padding: 2px 10px;">2 SUN7</td> </tr> </table> 2011	SUN4 2	2 SUN5	SUN6 2	2 SUN7
SUN4 2	2 SUN5				
SUN6 2	2 SUN7				
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  No local bearing objects or bearing trees available.				



**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
	Thence S. 88°09' W.
813.	Road, improved asphalt paved, 35 ft. wide, bears S. 44° E. and N. 44° W.
892.2	Intersect N-S center line of sec. 32, at a point from which the 1/4 sec. cor. of secs. 29 and 32 bears N. 0°02' E., 2844.1 ft. dist., and the 1/4 sec. cor. of sec. 32 bears S. 0°02' W., 2468.8 ft. dist., both hereinafter described.
1497.4	Cor. No. 3, identical with Cor. No. 2, Oak No. 15 lode and Cor. No. 4, Oak No. 16 lode, both of M.S. No. 4797 and Cor. No. 2, Legal Tender 23 and Cor. No. 3, SUN #6 lodes, both of this survey, heretofore described.
	Thence N. 1°53' W., identical with line 1-2, Legal Tender 23 lode.
201.9	Intersect E-W center line of sec. 32, heretofore described.
283.	Road, improved asphalt paved, heretofore described.
299.7	Lode line; discovery point bears N. 88°12' E., 1488.6 ft. dist., hereinafter described.
599.4	Cor. No. 4, identical with common Cors. No. 1, M.S. No. 4797 Oak No. 14 and Oak No. 15 lodes and Cor. No. 4, SUN #2 lode of this survey, heretofore described.
	Thence N. 88°12' E., identical with line 4-1, SUN #2 lode.
320.	End of dirt road landing, heretofore described.
625.2	Intersect N-S center line of sec. 32, heretofore described.
1460.	Road, improved asphalt paved, heretofore described.
1497.4	Cor. No. 1, and place of beginning.
	<b>SUN #5 LODE</b>
	Beginning at Cor. No. 1 of the SUN #5 lode, identical with common Cors. No. 1, SUN #2, SUN #3 and SUN #4 lodes, all of this survey, heretofore described.
	Thence S. 1°53' E., identical with line 1-2, SUN #4 lode.
81.	Road, improved asphalt paved, heretofore described.
299.7	Lode line; discovery point bears N. 87°50' E., 10.4 ft. dist., hereinafter described.

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
441.2	Intersect E-W center line of sec. 32, heretofore described
598.2	Cor. No. 2, identical with Cors. No. 2, SUN #4, SUN #6 and SUN #7 lodes, all of this survey, heretofore described.  Thence N. 87°50' E.
284.	Road, improved asphalt paved, 35 ft. wide, bears S. 14° E., and N. 14° W.
1316.3	Intersect line 2-3, Legal Tender 20 lode of this survey, at a point from which Cor. No. 2 bears S. 0°33' E., 1201.3 ft. dist., and Cor. No. 3 bears N. 0°33' W., 298.7 ft. dist., both heretofore described.
1493.4	Cor. No. 3, identical with Cor. No. 3, SUN #7 lode of this survey.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., 6 in. the ground, with aluminum cap mkd.  MS 4898  SUN5 3   SUN7 3    2011  A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  No local bearing objects or bearing trees available.  Thence N. 1°53' W.
103.9	Intersect E-W center line of sec. 32, at a point from which the 1/4 sec. cor. of secs. 32 and 33 bears N. 89°52' E., 249.8 ft. dist., and the C-E 1/16 cor. of sec. 32 bears S. 89°52' W., 1065.4 ft. dist., both hereinafter described.
293.8	Intersect line 3-4, Legal Tender 20 lode of this survey, at a point from which Cor. No. 3 bears S. 89°27' W., 170.3 ft. dist., and Cor. No. 4 bears N. 89°27' E., 429.7 ft. dist., both heretofore described.
298.5	Lode line; discovery point bears S. 87°50' W., 1483.0 ft. dist., hereinafter described.
598.2	Cor. No. 4, identical with Cor. No. 4, SUN #3 lode of this survey, heretofore described.  Thence S. 87°50' W., identical with line 4-1, SUN #3 lode.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
1461.4	Witness Cor. for Cor. No. 1, heretofore described.
1493.4	Cor. No. 1, and place of beginning.
<hr/> <b>SUN #6 LODE</b>	
	Beginning at Cor. No. 1 of the SUN #6 lode, identical with common Cors. No. 1, SUN #7, SUN #8 and SUN #9 lodes, all of this survey.
	This corner falls at an inaccessible point on a asphalt paved road where a monument cannot be established.
	Witness Cor. for Cor. No. 1 is hereinafter described in SUN #7 lode of this survey.
	from which
	The cor. of secs. 32 and 33, bears S. 42°27' E., 2571.0 ft. dist., hereinafter described.
	No local bearing objects or bearing trees available.
	Thence N. 1°45' W.
54.	Road, improved asphalt paved, 34 ft. wide, bears N. 41° E. and S. 41° W.
300.0	Lode line; discovery point bears S. 88°09' W., 10.0 ft. dist., hereinafter described.
600.0	Cor. No. 2, identical with Cors. No. 2, SUN #4, SUN #5 and SUN #7 lodes, all of this survey, heretofore described.
	Thence S. 88°09' W., identical with line 2-3, SUN #4 lode.
813.	Road, improved asphalt paved, heretofore described.
892.2	Intersect N-S center line of sec. 32, heretofore described.
1497.4	Cor. No. 3, identical with Cor. No. 3, SUN #4 lode and Cor. No. 2, Legal Tender 23 lode, both of this survey and Cor. No. 2, Oak No. 15 lode, Cor. No. 4, Oak No. 16 lode, both of M.S. No. 4797, heretofore described.
	Thence S. 1°45' E.
300.0	Lode line; discovery point bears N. 88°09' E., 1487.4 ft. dist., hereinafter described.

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET					
600.0	<p>Cor. No. 4, identical with Cors. No. 1, Oak No. 16 and Oak No. 17 lodes, both of M.S. No. 4797 and Cor. No. 4, SUN #8 lode of this survey.</p> <p>Found an iron post, 30 in. long, 3/4 in. diam., in a concrete and rock base, with a 2 in. brass cap properly mkd. Add the marks 4 SUN6, 4 SUN8 MS 4898 2011 to the brass cap.</p> <p style="text-align: center;">USMS 4797</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px 5px;">0-16 1</td> <td style="padding: 2px 5px;">4 SUN6</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 5px;">0-17 1</td> <td style="padding: 2px 5px;">4 SUN8</td> </tr> </table> <p style="text-align: center;">MS 4898 2011</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 88°09' E.</p>	0-16 1	4 SUN6	0-17 1	4 SUN8
0-16 1	4 SUN6				
0-17 1	4 SUN8				
586.4	Intersect N-S center line of sec. 32, at a point from which the 1/4 sec. cor. of secs. 29 and 32 bears N. 0°02' E., 3444.5 ft. dist., and the 1/4 sec. cor. of sec. 32 bears S. 0°02' W., 1868.5 ft. dist., both hereinafter described.				
1296.	Road, improved asphalt paved, 34 ft. wide, bears N. 88° E. and S. 88° W.				
1481.	Road, dirt, 22 ft. wide, bears S. 37° E. and N. 37° W.				
1497.4	Cor. No. 1, and place of beginning.				
	<hr/> <b>SUN #7 LODE</b> <hr/>				
	<p>Beginning at Cor. No. 1 of the SUN #7 lode, identical with common Cors. No. 1, SUN #6, SUN #8 and SUN #9 lodes, all of this survey, heretofore described.</p> <p style="text-align: center;">Thence N. 1°45' W., identical with line 1-2, SUN #6 lode.</p>				
54.	Road, improved asphalt paved, heretofore described.				
300.0	Lode line; discovery point bears N. 87°50' E., 10.0 ft. dist., hereinafter described.				
600.0	<p>Cor. No. 2, identical with common Cors. No. 2, SUN #4, SUN #5 and SUN #6 lodes, all of this survey, heretofore described.</p> <p style="text-align: center;">Thence N. 87°50' E., identical with line 2-3, SUN #5 lode.</p>				
284.	Road, improved asphalt paved, heretofore described.				

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET							
1316.3	Intersect line 2-3, Legal Tender 20 lode of this survey, heretofore described.						
1493.3	Cor. No. 3, identical with Cor. No. 3, SUN #5 lode of this survey, heretofore described.  Thence S. 1°45' E.						
300.0	Lode line; discovery point bears S. 87°50' W., 1483.4 ft. dist., hereinafter described.						
600.0	Cor. No. 4, identical with Cor. No. 4, SUN #9 lode of this survey.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., 8 in. the ground, with aluminum cap mkd.  <div style="text-align: center;"> MS 4898  <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">SUN7 4</td> <td style="border-right: 1px solid black; padding: 2px 10px;"></td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">SUN9 4</td> <td style="border-right: 1px solid black; padding: 2px 10px;"></td> </tr> </table> 2011 </div>	SUN7 4		SUN9 4			
SUN7 4							
SUN9 4							
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  No local bearing objects or bearing trees available.  Thence S. 87°50' W.						
189.6	Intersect line 2-3, Legal Tender 20 lode of this survey, at a point from which Cor. No. 2 bears S. 0°33' E., 601.0 ft. dist., and Cor. No. 3 bears N. 0°33' W., 899.0 ft. dist., both heretofore described.						
1240.	Road, dirt, 21 ft. wide, bears S. 10° W. and N. 23° W.						
1483.4	Witness Cor. for Cor. No. 1.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., 12 in. the ground, with aluminum cap mkd.  <div style="text-align: center;"> MS 4898  <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">SUN6 1</td> <td style="border-right: 1px solid black; padding: 2px 10px;">1 SUN7</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">SUN8 1</td> <td style="border-right: 1px solid black; padding: 2px 10px;">1 SUN9</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">WC</td> <td style="border-right: 1px solid black; padding: 2px 10px;"></td> </tr> </table> 2011 </div>	SUN6 1	1 SUN7	SUN8 1	1 SUN9	WC	
SUN6 1	1 SUN7						
SUN8 1	1 SUN9						
WC							

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET									
	<p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p>								
1493.4	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p style="text-align: center;"><b>SUN #8 LODE</b></p> <p>Beginning at Cor. No. 1 of the SUN #8 lode, identical with common Cors. No. 1, SUN #6, SUN #7 and SUN #9 lodes, all of this survey, heretofore described.</p> <p style="text-align: center;">Thence S. 1°49' E.</p>								
242.	Road, dirt, 14 ft. wide, bears N. 50° E. and S. 50° W.								
296.0	Lode line; discovery point bears S. 88°01' W., 9.8 ft. dist., hereinafter described.								
568.	Road, dirt, 14 ft. wide, bears S. 26° E. and N. 26° W.								
595.1	<p>Cor. No. 2, identical with common Cors. No. 2, SUN #9, SUN #10 and SUN #11 lodes, all of this survey.</p> <p>This corner falls at an inaccessible point near a dirt road where a monument cannot be established.</p> <p style="text-align: center;">Thence S. 88°00' W.</p>								
30.0	<p>Witness Cor. for Cor. No. 2.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 12 in. the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>MS 4898</p> <table style="margin: auto;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN8 2</td> <td style="padding: 0 5px;">2 SUN9</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN10 2</td> <td style="padding: 0 5px;">2 SUN11</td> </tr> <tr> <td colspan="2" style="text-align: center; padding: 0 5px;">WC</td> </tr> <tr> <td colspan="2" style="text-align: center; padding: 0 5px;">2011</td> </tr> </table> </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p>	SUN8 2	2 SUN9	SUN10 2	2 SUN11	WC		2011	
SUN8 2	2 SUN9								
SUN10 2	2 SUN11								
WC									
2011									
930.2	<p>Intersect N-S center line of sec. 32, at a point from which the 1/4 sec. cor. of secs. 29 and 32 bears N. 0°02' E., 4042.3 ft. dist., and the 1/4 sec. cor. of sec. 32 bears S. 0°02' W., 1270.7 ft. dist., both hereinafter described.</p>								

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET					
1490.9	Intersect line 4-1, Legal Tender 19 lode of this survey, at a point from which Cor. No. 1 bears S. 1°28' E., 110.3 ft. dist., and Cor. No. 4 bears N. 1°28' W., 89.7 ft. dist., both heretofore described.				
1497.4	<p>Cor. No. 3, identical with Cor. No. 2, Oak No. 17 lode, M.S. No. 4797 and Cor. No. 3, SUN #10 lode of this survey.</p> <p>Found an iron post, 30 in. long, 3/4 in. diam., in a concrete and rock base, with a 2 in. brass cap properly mkd. Add the marks 3 SUN8 3 SUN10 MS 4898 2011 to the brass cap.</p> <p style="text-align: center;">USMS 4797</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">0-17 2</td> <td style="padding: 0 5px;">3 SUN8</td> </tr> <tr> <td style="border-right: 1px solid black; border-top: 1px solid black; padding: 0 5px;"></td> <td style="border-top: 1px solid black; padding: 0 5px;">3 SUN10</td> </tr> </table> <p style="text-align: center;">MS 4898 2011</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 1°49' W.</p>	0-17 2	3 SUN8		3 SUN10
0-17 2	3 SUN8				
	3 SUN10				
89.8	Intersect line 3-4, Legal Tender 19 lode of this survey, at a point from which Cor. No. 3 bears S. 88°32' W., 1492.9 ft. dist., and Cor. No. 4 bears N. 88°32' E., 7.1 ft. dist., both heretofore described.				
299.4	Lode line; discovery point bears N. 88°01' E., 1487.6 ft. dist., hereinafter described.				
598.9	<p>Cor. No. 4, identical with Cors. No. 1, Oak No. 16 and Oak No. 17 lodes, M.S. No. 4797 and Cor. No. 4, SUN #6 lode of this survey, heretofore described.</p> <p style="text-align: center;">Thence N. 88°09' E., identical with line 4-1, SUN #6 lode.</p>				
586.4	Intersect N-S center line of sec. 32, heretofore described.				
1296.	Road, improved asphalt paved, heretofore described.				
1481.	Road, dirt, heretofore described.				
1497.4	Cor. No. 1, and place of beginning.				
	<hr style="width: 50%; margin: 0 auto;"/> <p><b>SUN #9 LODE</b></p>				
	Beginning at Cor. No. 1 of the SUN #9 lode, identical with common Cors. No. 1, SUN #6, SUN #7 and SUN #8 lodes, all of this survey, heretofore described.				

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET					
	Thence S. 1°49' E., identical with line 1-2, SUN #8 lode.				
242.	Road, dirt, heretofore described.				
296.0	Lode line; discovery point bears N. 87°50' E., 10.2 ft. dist., hereinafter described.				
568.	Road, dirt, heretofore described.				
595.1	Cor. No. 2, identical with common Cors. No. 2, SUN #8, SUN #10 and SUN #11 lodes, all of this survey, heretofore described.				
	Thence N. 87°50' E.				
13.	Road, dirt, 14 ft. wide, bears S. 12° E. and N. 26° W				
1290.8	Intersect line 2-3, Legal Tender 20 lode of this survey, at a point from which Cor. No. 2 bears S. 0°33' E., 5.8 ft. dist., and Cor. No. 3 bears N. 0°33' W., 1494.2 ft. dist., both heretofore described.				
1493.4	Cor. No. 3, identical with common Cors. No. 3, SUN #11 and SUN #38 lodes, both of this survey.				
	Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.				
	MS 4898				
	<table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">SUN9 3</td> <td style="border-bottom: 1px solid black; padding: 2px 10px;"></td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">SUN11 3</td> <td style="padding: 2px 10px;">3 SUN38</td> </tr> </table>	SUN9 3		SUN11 3	3 SUN38
SUN9 3					
SUN11 3	3 SUN38				
	2011				
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.				
	No local bearing objects or bearing trees available.				
	Thence N. 1°49' W.				
299.0	Lode line; discovery point bears S. 87°50' W., 1483.2 ft. dist., hereinafter described.				
595.0	Cor. No. 4, identical with Cor. No. 4, SUN #7 lode of this survey, heretofore described.				
	Thence S. 87°50' W., identical with line 4-1, SUN #7 lode.				
189.6	Intersect line 2-3, Legal Tender 20 lode of this survey, heretofore described.				



Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET							
1240.	Road, dirt, heretofore described.						
1483.4	Witness Cor. for Cor. No. 1, heretofore described.						
1493.4	Cor. No. 1, and place of beginning.						
<hr/> <p><b>SUN #10 LODE</b></p> <p>Beginning at Cor. No. 1 of the SUN #10 lode, identical with common Cors. No. 1 of the SUN #11, SUN #12 and SUN #13 lodes, all of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 18 in. the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>MS 4898</p> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN10 1</td> <td style="padding: 0 5px;">1</td> <td style="padding: 0 5px;">SUN11</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN12 1</td> <td style="padding: 0 5px;">1</td> <td style="padding: 0 5px;">SUN13</td> </tr> </table> <p>2011</p> </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>from which</p> <p style="padding-left: 40px;">The cor. of secs. 32 and 33, bears S. 67°30' E., 1836.0 ft. dist., hereinafter described.</p> <p>No local bearing objects or bearing trees available.</p> <p style="padding-left: 40px;">Thence N. 1°56' W.</p>		SUN10 1	1	SUN11	SUN12 1	1	SUN13
SUN10 1	1	SUN11					
SUN12 1	1	SUN13					
300.0	Lode line; discovery point bears S. 88°00' W., 10.0 ft. dist., hereinafter described.						
600.0	Cor. No. 2, identical with common Cors. No. 2, SUN #8, SUN #9 and SUN #11 lodes, all of this survey, heretofore described.						
	Thence S. 88°00' W., identical with line 2-3, SUN #8 lode.						
30.0	Witness Cor. for Cor. No. 2, heretofore described.						
930.2	Intersect N-S center line of sec. 32, heretofore described.						
1490.9	Intersect line 4-1, Legal Tender 19 lode of this survey, heretofore described.						

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
1497.4	Cor. No. 3, identical with Cor. No. 2, Oak No. 17 lode, M.S. No. 4797 and Cor. No. 3, SUN #8 lode of this survey, heretofore described.  Thence S. 1°56' E., identical with line 4-1, Oak No. 18 lode.
5.2	Intersect Cor. No. 4, Oak No. 18 lode of this survey, heretofore described.
110.2	Intersect line 1-2, Legal Tender 19 lode of this survey, heretofore described.
300.0	Lode line; discovery point bears N. 88°00' E., 1487.4 ft. dist., hereinafter described.
600.0	Cor. No. 4, identical with common Cors. No. 1, Oak No. 18 and Oak No. 19 lodes and Cor. No. 4, SUN #12 lode, all of this survey, heretofore described.  Thence N. 88°00' E.
546.5	Intersect N-S center line of sec. 32, at a point from which the 1/4 sec. cor. of secs. 29 and 32 bears N. 0°02' E., 4642.6 ft. dist., and the 1/4 sec. cor. of sec. 32 bears S. 0°02' W., 670.3 ft. dist., both hereinafter described.
1497.4	Cor. No. 1, and place of beginning.
<b>SUN #11 LODE</b>	
	Beginning at Cor. No. 1 of the SUN #11 lode, identical with common Cors. No. 1, SUN #10, SUN #12 and SUN #13 lodes, all of this survey, heretofore described.  Thence N. 1°56' W., identical with line 1-2, SUN #10 lode.
300.0	Lode line; discovery point bears N. 87°50' E., 10.0 ft. dist., hereinafter described.
600.0	Cor. No. 2, identical with common Cors. No. 2, SUN #8, SUN #9 and SUN #10 lodes, all of this survey, heretofore described.  Thence N. 87°50' E., identical with line 2-3, SUN #9 lode.
13.	Road, dirt, heretofore described.
1290.8	Intersect line 2-3, Legal Tender 20 lode of this survey, heretofore described.
1493.4	Cor. No. 3, identical with common Cors. No. 3, SUN #9 and SUN #38 lodes, both of this survey, heretofore described.

Mineral Survey No. 4898,  
 T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
 Gila and Salt River Meridian, Arizona

FEET					
	Thence S. 1°56' E.				
11.5	Intersect line 1-2, Legal Tender 20 lode, at a point from which Cor. No. 1 bears N. 89°27' E., 397.2 ft. dist., and Cor. No. 2 bears S. 89°27' W., 202.8 ft. dist., both heretofore described.				
300.0	Lode line; discovery point bears S. 87°50' W., 1483.4 ft. dist., hereinafter described.				
503.1	Intersect line 2-3, Legal Tender 22 lode, at a point from which Cor. No. 2 bears S. 88°36' W., 0.6 ft. dist., and Cor. No. 3 bears N. 88°36' E., 1499.4 ft. dist., both heretofore described.				
600.0	Cor. No. 4, identical with common Cors. No. 4, SUN #13 and SUN #38 lodes, both of this survey.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.				
	MS 4898 <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN11 4</td> <td style="padding: 0 5px;">4 SUN38</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN13 4</td> <td style="padding: 0 5px;"></td> </tr> </table> 2011	SUN11 4	4 SUN38	SUN13 4	
SUN11 4	4 SUN38				
SUN13 4					
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.				
	No local bearing objects or bearing trees available.				
	Thence S. 87°49' W.				
1.5	Intersect line 1-2, Legal Tender 22 lode, at a point from which Cor. No. 1 bears S. 1°24' E., 103.1 ft. dist., and Cor. No. 2 bears N. 1°24' W., 96.9 ft. dist., both heretofore described.				
1448.	Road, dirt, 14 ft. wide, bears N. 5° E. and S. 5° W.				
1493.4	Cor. No. 1, and place of beginning.				
	<b>SUN #12 LODE</b>				
	Beginning at Cor. No. 1 of the SUN #12 lode, identical with common Cors. No. 1, SUN #10, SUN #11 and SUN #13 lodes, all of this survey, heretofore described.				
	Thence S. 1°56' E.				

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET					
300.0	Lode line; discovery point bears S. 88°00' W., 5.7 ft. dist., hereinafter described.				
600.0	<p>Cor. No. 2, identical with common Cors. No. 2, SUN #13, SUN #14 and SUN #15, all of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 24 in. the ground, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">SUN12 2</td> <td style="padding: 2px 10px;">2 SUN13</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">SUN14 2</td> <td style="padding: 2px 10px;">2 SUN15</td> </tr> </table> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 88°00' W.</p>	SUN12 2	2 SUN13	SUN14 2	2 SUN15
SUN12 2	2 SUN13				
SUN14 2	2 SUN15				
971.5	Intersect N-S center line of sec. 32, at a point from which the 1/4 sec. cor. of secs. 29 and 32 bears N. 0°02' E., 5243.0 ft. dist., and the 1/4 sec. cor. of sec. 32 bears S. 0°02' W., 69.9 ft. dist., both hereinafter described.				
1437.1	Intersect line 2-3, ACE 2 lode, at a point from which Cor. No. 2 bears N. 16°59' E., 499.7 ft. dist., and Cor. No. 3, identical with Cor. No. 3, ACE 5 lode of this survey, bears S. 16°59' E., 1000.3 ft. dist., both heretofore described.				
1497.4	<p>Cor. No. 3, identical with Cor. No. 3, SUN #14 lode and Cor. No. 4, Oak No. 19 lode, both of this survey, heretofore described.</p> <p style="text-align: center;">Thence N. 1°56' W., identical with line 4-1, Oak No. 19 lode.</p>				
224.3	Intersect line 2-3, ACE 2 lode of this survey, heretofore described.				
300.0	Lode line; discovery point bears N. 88°00' E., 1491.7 ft. dist., hereinafter described.				
600.0	<p>Cor. No. 4, identical with common Cors. No. 1, Oak No. 18 and Oak No. 19 lodes and Cor. No. 4, SUN #10 lode, all of this survey, heretofore described.</p> <p style="text-align: center;">Thence N. 88°00' E., identical with line 4-1, SUN #10 lode.</p>				
546.5	Intersect N-S center line of sec. 32, heretofore described.				

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
1497.4	Cor. No. 1, and place of beginning.
	<b>SUN #13 LODE</b>
	Beginning at Cor. No. 1 of the SUN #13 lode, identical with common Cors. No. 1, SUN #10, SUN #11 and SUN #12 lodes, all of this survey, heretofore described.
	Thence S. 1°56' E., identical with line 1-2, SUN #12 lode.
300.0	Lode line; discovery point bears N. 87°49' E., 10.0 ft. dist., hereinafter described.
600.0	Cor. No. 2, identical with common Cors. No. 2, SUN #12, SUN #14 and SUN #15 lodes, all of this survey, heretofore described.
	Thence N. 87°49' E.
34.	Road, dirt, 14 ft. wide, bears S. 4° E. and N. 4° W.
1493.4	Cor. No. 3, identical with common Cors. No. 3, SUN #15, SUN #36 and SUN #37 lodes, all of this survey.
	This corner falls at an inaccessible point on a rock bluff where a monument cannot be established.
	Witness Cor. for Cor. No. 3 is hereinafter described in SUN #15 lode of this survey.
	Thence N. 1°56' W.
300.0	Lode line; discovery point bears S. 87°49' W., 1483.4 ft. dist., hereinafter described.
496.8	Intersect line 4-1, Legal Tender 22 lode of this survey, at a point from which Cor. No. 1 bears S. 88°36' W., 2.40 ft. dist., and Cor. No. 4 bears N. 88°36' E., 1497.6 ft. dist., both heretofore described.
594.5	Intersect Cor. No. 4, SUN #37 lode of this survey, hereinafter described.
600.0	Cor. No. 4, identical with common Cors. No. 4, SUN #11 and SUN #38 lodes, both of this survey, heretofore described.
	Thence S. 87°49' W., identical with line 4-1, SUN #11 lode.
1.5	Intersect line 1-2, Legal Tender 22 lode of this survey, heretofore described.
1448.	Road, dirt, heretofore described.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET							
1493.4	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p style="text-align: center;"><b>SUN #14 LODE</b></p> <p>Beginning at Cor. No. 1 of the SUN #14 lode, identical with common Cors. No. 1, SUN #15, SUN #16 and SUN #17 lodes, all of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 8 in. the ground, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN14 1</td> <td style="padding: 0 5px;">1</td> <td style="padding: 0 5px;">SUN15</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN16 1</td> <td style="padding: 0 5px;">1</td> <td style="padding: 0 5px;">SUN17</td> </tr> </table> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>from which</p> <p style="padding-left: 40px;">The cor. of secs. 32 and 33, bears N. 73°18' E., 1728.8 ft. dist., hereinafter described.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 1°56' W.</p>	SUN14 1	1	SUN15	SUN16 1	1	SUN17
SUN14 1	1	SUN15					
SUN16 1	1	SUN17					
171.	Road, dirt, 14 ft. wide, bears N. 20° E. and S. 20° W.						
300.0	Lode line; discovery point bears S. 88°00' W., 10.0 ft. dist., hereinafter described.						
496.5	Intersect township line bet. secs. 32 and 6, at a point from which the 1/4 sec. cor. of sec. 32 bears S. 89°59' W., 974.5 ft. dist., and the point for the cor. of secs. 32 and 33 bears N. 89°59' E., 1672.6 ft. dist., both hereinafter described.						
600.0	<p>Cor. No. 2, identical with common Cors. No. 2, SUN #12, SUN #13 and SUN #15, all of this survey, heretofore described.</p> <p style="padding-left: 40px;">Thence S. 88°00' W., identical with line 2-3, SUN #12 lode.</p>						
971.5	Intersect N-S center line of sec. 32, heretofore described.						
1437.1	Intersect line 2-3, ACE 2 lode of this survey, heretofore described.						

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET									
1497.4	<p>Cor. No. 3, identical with Cor. No. 4, Oak No. 19 lode and Cor. No. 3, SUN #12 lode, both of this survey, heretofore described.</p> <p style="text-align: center;">Thence S. 1°56' E.</p>								
50.2	<p>Intersect township line bet. secs. 32 and 1, at a point from which the 1/4 sec. cor. of sec. 32 bears S. 89°51' E., 523.8 ft. dist., and the point for the cor. of secs. 31 and 32 bears N. 89°51' W., 2151.7 ft. dist., both hereinafter described.</p>								
300.0	<p>Lode line; discovery point bears N. 88°00' E., 1487.4 ft. dist., hereinafter described.</p>								
600.0	<p>Cor. No. 4, identical with Cor. No. 4, SUN #16 lode of this survey.</p> <p>This corner falls at an inaccessible point on a rock bluff where a monument cannot be established.</p> <p style="text-align: center;">Thence N. 88°00' E.</p>								
9.0	<p>Witness Cor. for Cor. No. 4.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 10 in. the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin-left: 100px;"> <p>MS 4898</p> <table style="border-collapse: collapse; margin: auto;"> <tr> <td style="border-left: 1px solid black; padding-left: 5px;">4 SUN14</td> <td style="border-bottom: 1px solid black; width: 100px;"></td> </tr> <tr> <td style="border-left: 1px solid black; padding-left: 5px;">4 SUN16</td> <td></td> </tr> <tr> <td style="border-left: 1px solid black; padding-left: 5px;">WC</td> <td></td> </tr> <tr> <td style="border-left: 1px solid black; padding-left: 5px;">2011</td> <td></td> </tr> </table> </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p>	4 SUN14		4 SUN16		WC		2011	
4 SUN14									
4 SUN16									
WC									
2011									
221.5	<p>Intersect line 2-3, ACE 2 lode of this survey, at a point from which Cor. No. 2 bears N. 16°59' W., 1120.8 ft. dist., and Cor. No. 3, identical with Cor. No. 3, ACE 5 lode, both of this survey, bears S. 16°59' E., 379.2 ft. dist., both heretofore described.</p>								
1423.	<p>Road, dirt, 14 ft. wide, bears N. 21° E. and S. 13° E.</p>								
1497.4	<p>Cor. No. 1, and place of beginning.</p> <hr style="width: 60%; margin-left: 0;"/>								

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	SUN #15 LODE
	Beginning at Cor. No. 1 of the SUN #15 lode, identical with common Cors. No. 1, SUN #14, SUN #16 and SUN #17 lodes, all of this survey, heretofore described.
	Thence N. 1°56' W., identical with line 1-2, SUN #14 lode.
171	Road, dirt, heretofore described.
300.0	Lode line; discovery point bears N. 87°49' E., 10.0 ft. dist., hereinafter described.
496.5	Intersect township line bet. Secs. 32 and 6, heretofore described.
600.0	Cor. No. 2, identical with common Cors. No. 2, SUN #12, SUN #13 and SUN #14 lodes, all of this survey, heretofore described.
	Thence N. 87°49' E., identical with line 2-3, SUN #13 lode.
34.	Road, dirt, heretofore described.
1493. 4	Cor. No. 3, identical with common Cors. No. 3, SUN #13, SUN #36 and SUN #37 lodes, all of this survey, heretofore described.
	Thence S. 1°56' E.
6.0	Witness Cor. for Cor. No. 3.
	Set an aluminum post, 30 in. long, 2 1/2 in. diam., 6 in. the ground, with aluminum cap mkd.
	MS 4898 WC SUN13 3   3 SUN37 ----- SUN15 3   3 SUN36   2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.
	No local bearing objects or bearing trees available.
159.6	Intersect township line bet. secs. 32 and 6, at a point from which the 1/4 sec. cor. of sec. 32 bears S. 89°59' W., 2468.7 ft. dist., and the point for the cor. of secs. 32 and 33 bears N. 89°59' E., 178.4 ft. dist., both hereinafter described.
300.0	Lode line; discovery point bears S. 87°49' W., 1483.4 ft. dist., hereinafter described.



**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET							
600.0	<p>Cor. No. 4, identical with common Cors. No. 4, SUN #17, SUN #35 and SUN #36 lodes, all of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 6 in. the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>MS 4898</p> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px;">SUN15 4</td> <td style="padding: 2px;">4 SUN36</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px;">SUN17 4</td> <td style="padding: 2px;">4 SUN35</td> </tr> <tr> <td colspan="2" style="text-align: center; padding: 2px;">2011</td> </tr> </table> </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 87°49' W.</p>	SUN15 4	4 SUN36	SUN17 4	4 SUN35	2011	
SUN15 4	4 SUN36						
SUN17 4	4 SUN35						
2011							
1493.4	<p>Cor. No. 1, and place of beginning.</p> <hr style="width: 50%; margin: 10px auto;"/> <p style="text-align: center;"><b>SUN #16 LODE</b></p> <p>Beginning at Cor. No. 1 of the SUN #16 lode, identical with common Cors. No. 1, SUN #14, SUN #15 and SUN #17 lodes, all of this survey, heretofore described.</p> <p style="text-align: center;">Thence S. 1°56' E.</p>						
296.0	<p>Lode line; discovery point bears S. 87°51' W., 7.3 ft. dist., hereinafter described.</p>						
596.0	<p>Cor. No. 2, identical with common Cors. No. 2, SUN #17, SUN #18 and SUN #19 lodes, all of this survey.</p> <p>This corner falls at an inaccessible point on a dirt road where a monument cannot be established.</p> <p style="text-align: center;">Thence S. 87°51' W.</p>						
12.	<p>Road, dirt, 16 ft. wide, bears S. 5° E. and N. 5° W.,</p>						
20.0	<p>Witness Cor. for Cor. No. 2.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 16 in. the ground, with aluminum cap mkd.</p>						

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
	MS 4898 WC SUN16 2   2 SUN17 ----- SUN18 2   2 SUN19   2011
	<p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p>
1128.2	<p>Intersect line 2-3, ACE 5 lode of this survey, at a point from which Cor. No. 2 bears S. 13°53' E., 1262.2 ft. dist., and Cor. No. 3, identical with Cor. No. 3, ACE 2 lode of this survey, bears N. 13°53' W., 237.8 ft. dist., both heretofore described.</p>
1497.4	<p>Cor. No. 3, identical with Cor. No. 3, Sun #18 lode, of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p>
	MS 4898   3 SUN16 ----- 3 SUN18   2011
	<p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 1°56' W.</p>
148.1	<p>Intersect common line 3-4, ACE 2 and ACE 5 lodes, both of this survey, at a point from which common Cors. No. 3 bears N. 73°01' E., 331.3 ft. dist., and common Cors. No. 4, identical with common Cors. No. 4, ACE 1 and ACE 4 lodes, both of this survey, bears S. 73°01' W., 256.5 ft. dist., both heretofore described.</p>
300.0	<p>Lode line; discovery point bears N. 87°51' E., 1490.1 ft. dist., hereinafter described.</p>
600.0	<p>Cor. No. 4, identical with Cor. No. 4, SUN #14 lode of this survey, heretofore described.</p>

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET							
	Thence N. 88°00' E., identical with line 4-1, SUN #14 lode.						
9.0	Witness Cor. for Cor. No. 4, heretofore described.						
221.5	Intersect line 2-3, ACE 2 lode of this survey, heretofore described.						
1423.	Road, dirt, heretofore described.						
1497.4	Cor. No. 1, and place of beginning.						
<hr/>							
<b>SUN #17 LODE</b>							
Beginning at Cor. No. 1 of the SUN #17 lode, identical with common Cors. No 1, SUN #14, SUN #15 and SUN #16 lodes, all of this survey, heretofore described.							
Thence S. 1°56' E., identical with line 1-2, SUN #16 lode.							
296.0	Lode line; discovery point bears N. 87°45' E., 10.0 ft. dist., hereinafter described.						
596.0	Cor. No. 2, identical with common Cors. No. 2, SUN #16, SUN #18 and SUN #19 lodes, all of this survey, heretofore described.						
Thence N. 87°45' E.							
812.	Road, dirt, 14 ft. wide, bears N. 28° E. and S. 52° W.						
1214.	Road, dirt, 14 ft. wide, bears N. 31° W. and S. 31° E.						
1338.	Road, dirt, 20 ft. wide, bears N. 33° E. and S. 33° W.						
1493.4	Cor. No. 3, identical with common Cors. No. 3, SUN #19, SUN #34 and SUN #35 lodes, all of this survey.						
Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.							
MS 4898							
<table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 10px;">SUN17 3</td> <td style="padding: 0 10px;">3</td> <td style="padding: 0 10px;">SUN35</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 10px;">SUN19 3</td> <td style="padding: 0 10px;">3</td> <td style="padding: 0 10px;">SUN34</td> </tr> </table>		SUN17 3	3	SUN35	SUN19 3	3	SUN34
SUN17 3	3	SUN35					
SUN19 3	3	SUN34					
2011							
A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.							
No local bearing objects or bearing trees available.							

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET							
	Thence N. 1°56' W.						
300.0	Lode line; discovery point bears S. 87°45' W., 1483.4 ft. dist., hereinafter described.						
593.93	Cor. No. 4, identical with common Cors. No. 4, SUN #15, SUN #35 and SUN #36 lodes, all of this survey, heretofore described.  Thence S. 87°49' W., identical with line 4-1, SUN #15 lode.						
1493.4	Cor. No. 1, and place of beginning.						
	<hr/> <b>SUN #18 LODE</b> <hr/>						
	Beginning at Cor. No. 1 of the SUN #18 lode, identical with common Cors. No. 1, SUN #19, SUN #20 and SUN #21, all of this survey.						
	Set an aluminum post, 30 in. long, 2 1/2 in. diam., 8 in. the ground, with aluminum cap mkd.						
	MS 4898						
	<table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN18 1</td> <td style="padding: 0 5px;">1</td> <td style="padding: 0 5px;">SUN19</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN20 1</td> <td style="padding: 0 5px;">1</td> <td style="padding: 0 5px;">SUN21</td> </tr> </table>	SUN18 1	1	SUN19	SUN20 1	1	SUN21
SUN18 1	1	SUN19					
SUN20 1	1	SUN21					
	2011						
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.						
	from which						
	The cor. of secs. 32 and 33, bears N. 43°40' E., 2339.5 ft. dist., hereinafter described.						
	No local bearing objects or bearing trees available.						
	Thence N. 1°56' W.						
138.	Road, dirt, 40 ft. wide, bears S. 15° E. and N. 15° W.						
300.0	Lode line; discovery point bears S. 87°51' W., 10.0 ft. dist., hereinafter described.						
600.0	Cor. No. 2, identical with common Cors. No. 2, SUN #16, SUN #17 and SUN #19, all of this survey, heretofore described.  Thence S. 87°51' W., identical with line 2-3, SUN #16 lode.						
12.	Road, dirt, heretofore described.						

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
20.0	Witness Cor. for Cor. No. 2, heretofore described.
1128.2	Intersect line 2-3, ACE 5 lode of this survey, heretofore described.
1497.4	Cor. No. 3, identical with Cor. No. 3, SUN #16 lode of this survey, heretofore described.  Thence S. 1°56' E.
300.0	Lode line; discovery point bears N. 87°51' E., 1487.4 ft. dist., hereinafter described.
600.0	Cor. No. 4, identical with Cor. No. 4, SUN #20 lode of this survey.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., 8 in. the ground, with aluminum cap mkd.  <div style="text-align: center;">           MS 4898                         4 SUN18            —————            4 SUN20                         2011         </div> A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  No local bearing objects or bearing trees available.  Thence N. 87°51' E.
496.1	Intersect line 2-3, ACE 5 lode of this survey, at a point from which Cor. No. 2 bears S. 13°53' E., 649.4 ft. dist., and Cor. No. 3, identical with Cor. No. 3, ACE 2 lode of this survey, bears N. 13°53' W., 850.6 ft. dist., both heretofore described.
1482.	Road, dirt, 26 ft. wide, bears N. 27° E. and S. 27° W.
1497.4	Cor. No. 1, and place of beginning.  <hr style="width: 50%; margin: 0 auto;"/> <div style="text-align: center;"><b>SUN #19 LODE</b></div> Beginning at Cor. No. 1 of the SUN #19 lode, identical with common Cors. No. 1, SUN #18, SUN #20 and SUN #21 lodes, all of this survey, heretofore described.  Thence N. 1°56' W., identical with line 1-2, SUN #18 lode.
138.	Road, dirt, heretofore described.

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
300.0	Lode line; discovery point bears N. 87°45' E., 10.0 ft. dist., hereinafter described.
600.0	Cor. No. 2, identical with common Cors. No. 2, SUN #16, SUN #17 and SUN #18 lodes, all of this survey, heretofore described.  Thence N. 87°45' E., identical with line 2-3, SUN #17 lode.
812.	Road, dirt, heretofore described.
1214.	Road, dirt, heretofore described.
1338.	Road, dirt, heretofore described.
1493.4	Cor. No. 3, identical with common Cors. No. 3, SUN #17, SUN #34 and SUN #35 lodes, all of this survey, heretofore described.  Thence S. 1°56' E.
300.0	Lode line; discovery point bears S. 87°45' W., 1483.4 ft. dist., hereinafter described.
586.	Road, dirt, 20 ft. wide, bears S. 51° E. and N. 51° W.
600.0	Cor. No. 4, identical with common Cors. No. 4, SUN #21, SUN #33 and SUN #34 lodes, all of this survey.  Witness Cor. for Cor. No. 4 is hereinafter described in SUN #21 lode of this survey.  Thence S. 87°45' W.
1382.	Road, dirt, 46 ft. wide, bears S. 23° E. and N. 23° W.
1493.4	Cor. No. 1, and place of beginning.
<b>SUN #20 LODE</b>	
	Beginning at Cor. No. 1 of the SUN #20 lode, identical with common Cors. No. 1, SUN #18, SUN #19 and SUN #21 lodes, all of this survey, heretofore described.  Thence S. 1°56' E.
286.1	Lode line; discovery point bears S. 87°19' W., 8.1 ft. dist., hereinafter described.
490.0	Intersect line 4-1, Legal Tender 17 lode of this survey, at a point from which Cor. No. 1, identical with Cor. No. 1, Legal Tender 18 lode of this survey, bears N. 88°33' E., 1.0 ft. dist., and Cor. No. 4 bears S. 88°33' W., 1499.0 ft. dist., both heretofore described.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET							
586.1	<p>Cor. No. 2, identical with Cor. No. 2, SUN #21 lode of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 15 in. the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>MS 4898</p> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN20 2</td> <td style="padding: 0 5px;">2 SUN21</td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black; text-align: center; padding-top: 5px;">2011</td> </tr> </table> </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 87°19' W.</p>	SUN20 2	2 SUN21	2011			
SUN20 2	2 SUN21						
2011							
15.	Road, dirt, 16 ft. wide, bears S. 4° E. and N. 4° W.						
875.7	Intersect line 2-3, ACE 5 lode of this survey, at a point from which Cor. No. 2 bears S. 13°53' E., 42.5 ft. dist., and Cor. No. 3, identical with Cor. No. 3, ACE 2 lode of this survey, bears N. 13°53' W., 1457.5 ft. dist., both heretofore described.						
1474.1	Intersect common line 4-1, ACE 4 and ACE 5 lodes, both of this survey, at a point from which Cor. No. 1 bears S. 13°53' E., 190.5 ft. dist., and Cor. No. 4, identical with Cors. No. 1, ACE 1 and ACE 2 lodes, both of this survey, bears N. 13°53' W., 1309.5 ft. dist., both heretofore described.						
1497.5	<p>Cor. No. 3, identical with Cor. No. 3, SUN #22 lode of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>MS 4898</p> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">3 SUN20</td> <td></td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">3 SUN22</td> <td></td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black; text-align: center; padding-top: 5px;">2011</td> </tr> </table> </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 1°56' W.</p>	3 SUN20		3 SUN22		2011	
3 SUN20							
3 SUN22							
2011							

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
111.1	Intersect common line 4-1, ACE 4 and ACE 5 lodes, both of this survey, at a point from which Cor. No. 1 bears S. 13°53' E., 303.7 ft. dist., and Cor. No. 4, identical with Cors. No. 4, ACE 1 and ACE 2 lodes, both of this survey, bears N. 13°53' W., 1196.3 ft. dist., both heretofore described.
128.3	Intersect line 4-1, Legal Tender 17 lode of this survey, at a point from which Cor. No. 1, identical with Cor. No. 1, Legal Tender 18 lode of this survey, bears N. 88°33' E., 1498.4 ft. dist., and Cor. No. 4 bears S. 88°33' W., 1.6 ft. dist., both heretofore described.
300.0	Lode line; discovery point bears N. 87°19' E., 1489.4 ft. dist., hereinafter described.
600.0	Cor. No. 4, identical with Cor. No. 4, SUN #18 lode of this survey, heretofore described.  Thence N. 87°51' E., identical with line 4-1, SUN #18 lode.
496.1	Intersect line 2-3, ACE 5 lode of this survey, heretofore described.
1482.	Road, dirt, heretofore described.
1497.4	Cor. No. 1, and place of beginning.
<b>SUN #21 LODE</b>	
	Beginning at Cor. No. 1 of the SUN #21 lode, identical with common Cors. No. 1, SUN #18, SUN #19 and SUN #20 lodes, all of this survey, heretofore described.  Thence S. 1°56' E., identical with line 1-2, SUN #20 lode.
286.1	Lode line; discovery point bears N. 88°17' E., 9.0 ft. dist., hereinafter described.
490.0	Intersect line 4-1, Legal Tender 17 lode of this survey, heretofore described.
586.1	Cor. No. 2, identical with Cor. No. 2, SUN #20 lode of this survey, heretofore described.  Thence N. 88°17' E.
0.2	Intersect common line 1-2, Legal Tender 17 and Legal Tender 18, both of this survey, at a point from which Cor. No. 1 bears N. 1°27' W., 96.2 ft. dist., and Cor. No. 2 bears S. 1°27' E., 103.8 ft. dist., both heretofore described.



**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET					
1493.4	<p>Cor. No. 3, identical with common Cors. No. 3, SUN #23, SUN #32 and SUN #33 lodes, all of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 5 in. the ground, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px;">SUN21 3</td> <td style="padding: 2px;">3 SUN33</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px;">SUN23 3</td> <td style="padding: 2px;">3 SUN32</td> </tr> </table> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 1°56' W.</p>	SUN21 3	3 SUN33	SUN23 3	3 SUN32
SUN21 3	3 SUN33				
SUN23 3	3 SUN32				
88.6	<p>Intersect line 4-1, Legal Tender 18 lode of this survey, at a point from which Cor. No. 1, identical with Cor. No. 1, Legal Tender 17 lode of this survey, bears S. 88°34' W., 1492.4 ft. dist., and Cor. No. 4 bears N. 88°34' E., 7.6 ft. dist., both heretofore described.</p>				
300.0	<p>Lode line; discovery point bears S. 88°17' W., 1484.4 ft. dist., hereinafter described.</p>				
592.0	<p>Witness Cor. for Cor. No. 4.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <p style="text-align: center;">WC</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px;">SUN19 4</td> <td style="padding: 2px;">4 SUN34</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px;">SUN21 4</td> <td style="padding: 2px;">4 SUN33</td> </tr> </table> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p>	SUN19 4	4 SUN34	SUN21 4	4 SUN33
SUN19 4	4 SUN34				
SUN21 4	4 SUN33				
600.0	<p>Cor. No. 4, identical with common Cors. No. 4, SUN #19, SUN #33 and SUN #34 lodes, all of this survey, heretofore described.</p> <p style="text-align: center;">Thence S. 87°45' W., identical with line 4-1, SUN #19 lode.</p>				

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET					
1382.	Road, dirt, heretofore described.				
1493.4	Cor. No. 1, and place of beginning.				
<p><b>SUN #22 LODE</b></p> <p>Beginning at Cor. No. 1 of the SUN #22 lode, identical with Cor. No. 1, SUN #23 lode of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 6 in. the ground, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN22 1</td> <td style="padding: 0 5px;">1 SUN23</td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black; text-align: center; padding-top: 5px;">2011</td> </tr> </table> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>from which</p> <p style="padding-left: 40px;">The cor. of secs. 32 and 33, bears N. 28°38' E., 3287.5 ft. dist., hereinafter described.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 1°56' W.</p>		SUN22 1	1 SUN23	2011	
SUN22 1	1 SUN23				
2011					
17.6	Intersect common line 1-2, Legal Tender 13 and Legal Tender 14 lodes, both of this survey, at a point from which Cor. No. 1 bears N. 1°28' W., 75.3 ft. dist., and Cor. No. 2 bears S. 1°28' E., 124.7 ft. dist., both heretofore described.				
92.9	Intersect line 4-1, Legal Tender 13 lode of this survey, at a point from which Cor. No. 1, identical with Cor. No. 1, Legal Tender 14 lode of this survey, bears N. 88°32' E., 0.6 ft. dist., and Cor. No. 4 bears S. 88°32' W., 1499.4 ft. dist., both heretofore described.				
300.0	Lode line; discovery point bears S. 87°37' W., 10.0 ft. dist., hereinafter described.				
481.	Road, dirt, 18 ft. wide, bears S. 49° E. and N. 49° W.				
504.0	Intersect line 2-3, Legal Tender 18 lode of this survey, at a point from which Cor. No. 2, identical with Cor. No. 2, Legal Tender 17 lode of this survey, bears S. 88°34' W., 0.7 ft. dist., and Cor. No. 3 bears N. 88°34' E., 1499.3 ft. dist., both heretofore described.				

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
584.2	Intersect common line 1-2, Legal Tender 17 and Legal Tender 18 lodes, both of this survey, at a point from which Cor. No. 1 bears N. 1°27' W., 119.8 ft. dist., and Cor. No. 2 bears S. 1°27' E., 80.2 ft. dist., both heretofore described.
600.0	<p>Cor. No. 2, identical with Cor. No. 2, SUN #23 lode of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 6 in. the ground, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">SUN22 2   2 SUN23</p> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 87°37' W.</p>
13.	Road, dirt, 16 ft. wide, bears S. 4° E. and N. 4° W.
875.0	Intersect line 2-3, ACE 5 lode of this survey, at a point from which Cor. No. 2 bears S. 13°53' E., 39.2 ft. dist., and Cor. No. 3, identical with Cor. No. 3, ACE 2 lode of this survey, bears N. 13°53' W., 1460.8 ft. dist., both heretofore described.
1473.9	Intersect common line 4-1, ACE 4 and ACE 5 lodes, both of this survey, at a point from which Cor. No. 1 bears S. 13°53' E., 190.3 ft. dist., and Cor. No. 4, identical with Cors. No. 1, ACE 1 and ACE 2 lodes, both of this survey, bears N. 13°53' W., 1309.7 ft. dist., both heretofore described.
1497.4	<p>Cor. No. 3, identical with Cor. No. 3, SUN #20 lode of this survey, heretofore described.</p> <p style="text-align: center;">Thence S. 1°56' E.</p>
71.7	Intersect line 2-3, Legal Tender 17 lode of this survey, at a point from which Cor. No. 2, identical with Cor. No. 2, Legal Tender 18 lode of this survey, bears N. 88°33' E., 1496.8 ft. dist., and Cor. No. 3 bears S. 88°33' W., 3.2 ft. dist., both heretofore described.
202.9	Intersect line 1-2, ACE 4 lode of this survey, at a point from which Cor. No. 1, identical with Cor. No. 1, ACE 5 lode of this survey, bears N. 73°01' E., 65.1 ft. dist., and Cor. No. 2, identical with Cor. No. 1, ACE 3 lode of this survey, bears S. 73°01' W., 535.8 ft. dist., both heretofore described.

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
300.0	Lode line; discovery point bears N. 87°37' E., 1487.4 ft. dist., hereinafter described.
483.0	Intersect line 4-1, Legal Tender 13 lode of this survey, at a point from which Cor. No. 1, identical with Cor. No. 1, Legal Tender 14 lode of this survey, bears N. 88°32' E., 1498.1 ft. dist., and Cor. No. 4 bears S. 88°32' W., 1.9 ft. dist., both heretofore described.
600.0	<p>Cor. No. 4.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>MS 4898</p> <div style="border: 1px solid black; padding: 5px; display: inline-block;"> <p>SUN22 4</p> </div> <p>2011</p> </div> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 87°37' E.</p>
1497.3	Intersect common line 1-2, Legal Tender 13 and Legal Tender 14 lodes, both of this survey, at a point from which Cor. No. 1 bears N. 1°28' W., 92.9 ft. dist., and Cor. No. 2 bears S. 1°28' E., 107.1 ft. dist., both heretofore described.
1497.4	Cor. No. 1, and place of beginning.
	<b>SUN #23 LODE</b>
	<p>Beginning at Cor. No. 1 of the SUN #23 lode, identical with Cor. No. 1, SUN #22 lode of this survey, heretofore described.</p> <p style="text-align: center;">Thence N. 1°56' W., identical with line 1-2, SUN #22 lode.</p>
17.6	Intersect common line 1-2, Legal Tender 13 and Legal Tender 14 lodes, both of this survey, heretofore described.
92.9	Intersect line 4-1, Legal Tender 13 lode of this survey, heretofore described.
300.0	Lode line; discovery point bears N. 87°32' E., 10.0 ft. dist., hereinafter described.

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET					
481.	Road, dirt, heretofore described.				
504.0	Intersect line 2-3, Legal Tender 18 lode of this survey, heretofore described.				
584.2	Intersect common line 1-2, Legal Tender 17 and Legal Tender 18 lodes, both of this survey, heretofore described.				
600.0	Cor. No. 2, identical with Cor. No. 2, SUN #22 lode of this survey, heretofore described.  Thence N. 87°59' E.				
0.2	Intersect common line 1-2, Legal Tender 17 and Legal Tender 18 lodes, both of this survey, at a point from which Cor. No. 1 bears N. 1°27' W., 104.0 ft. dist., and Cor. No. 2 bears S. 1°27' E., 96.0 ft. dist., both heretofore described.				
1493.4	Cor. No. 3, identical with common Cors. No. 3, SUN #21, SUN #32 and SUN #33 lodes, all of this survey.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., 5 in. the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>MS 4898</p> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">SUN21 3</td> <td style="padding: 2px 10px;">3 SUN33</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">SUN23 3</td> <td style="padding: 2px 10px;">3 SUN32</td> </tr> </table> <p>2011</p> </div> A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  No local bearing objects or bearing trees available.  Thence S. 1°56' E.	SUN21 3	3 SUN33	SUN23 3	3 SUN32
SUN21 3	3 SUN33				
SUN23 3	3 SUN32				
111.4	Intersect line 2-3, Legal Tender 18 lode of this survey, at a point from which Cor. No. 2, identical with Cor. No. 2, Legal Tender 17 lode of this survey, bears S. 88°34' W., 1494.1 ft. dist., and Cor. No. 3 bears N. 88°34' E., 5.9 ft. dist., both heretofore described.				
288.4	Lode line; discovery point bears S. 87°32' W., 1483.4 ft. dist., hereinafter described.				
521.9	Intersect line 4-1, Legal Tender 14 lode of this survey, at a point from which Cor. No. 1, identical with Cor. No. 1, Legal Tender 13 lode of this survey, bears S. 88°33' W., 1492.8 ft. dist., and Cor. No. 4 bears N. 88°33' E., 7.2 ft. dist., both heretofore described.				

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET					
588.4	<p>Cor. No. 4, identical with Cor. No. 4, SUN #32 lode of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 10 in. the ground, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN23 4</td> <td style="padding: 0 5px;">4 SUN32</td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black; text-align: center; padding-top: 2px;">2011</td> </tr> </table> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 87°32' W.</p>	SUN23 4	4 SUN32	2011	
SUN23 4	4 SUN32				
2011					
1193.	Road, dirt, 18 ft. wide, bears S. 62° E. and N. 62° W.				
1493.4	<p>Cor. No. 1, and place of beginning.</p> <hr style="border: 0.5px solid black;"/> <p style="text-align: center;"><b>SUN #32 LODE</b></p> <p>Beginning at Cor. No. 1 of the SUN #32 lode.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., 9 in. the ground, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN32 1</td> <td style="padding: 0 5px;"></td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black; text-align: center; padding-top: 2px;">2011</td> </tr> </table> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>from which</p> <p style="text-align: center;">The cor. of secs. 32 and 33, bears N. 26°27' W., 3151.7 ft. dist., hereinafter described.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 1°56' W.</p>	SUN32 1		2011	
SUN32 1					
2011					
300.2	Lode line; discovery point bears N. 89°59' W., 1476.9 ft. dist., hereinafter described.				

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET					
588.6	<p>Cor. No. 2, identical with Cor. No. 2, SUN #33 lode of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">SUN33 2</td> <td style="border-right: 1px solid black; padding: 2px 10px;"></td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">SUN32 2</td> <td style="border-right: 1px solid black; padding: 2px 10px;"></td> </tr> </table> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 89°59' W.</p>	SUN33 2		SUN32 2	
SUN33 2					
SUN32 2					
151.0	<p>Intersect line bet. secs. 5 and 6, at a point from which the 1/4 sec. cor. of secs. 5 and 6 bears N. 0°05' W., 12.6 ft. dist., and the point for the cor. of secs. 5, 6, 7 and 8 bears S. 0°05' E., 2625.5 ft. dist., both hereinafter described.</p>				
1480.0	<p>Intersect line 3-4, Legal Tender 18 lode of this survey, at a point from which Cor. No. 3 bears S. 1°27' E., 111.2 ft. dist., and Cor. No. 4 bears N. 1°27' W., 88.8 ft. dist., both heretofore described.</p>				
1486.8	<p>Cor. No. 3, identical with common Cors. No. 3, SUN #21, SUN #23 and SUN #33 lodes, all of this survey, heretofore described.</p> <p style="text-align: center;">Thence S. 1°56' E., identical with line 3-4, SUN #23 lode.</p>				
111.4	<p>Intersect line 2-3, Legal Tender 18 lode of this survey, heretofore described.</p>				
288.4	<p>Lode line; discovery point bears S. 89°59' E., 10.0 ft. dist., hereinafter described.</p>				
521.9	<p>Intersect line 4-1, Legal Tender 14 lode of this survey, heretofore described.</p>				
588.4	<p>Cor. No. 4, identical with Cor. No. 4, SUN #23 lode of this survey, heretofore described.</p> <p style="text-align: center;">Thence S. 89°58' E.</p>				

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
6.7	Intersect line 3-4, Legal Tender 14 lode of this survey, at a point from which Cor. No. 3 bears S. 1°28' E., 133.3 ft. dist., and Cor. No. 4 bears N. 1°28' W., 66.7 ft. dist., both heretofore described.
1316.9	Intersect line bet. secs. 5 and 6, at a point from which the 1/4 sec. cor. of secs. 5 and 6 bears N. 0°05' W., 600.8 ft. dist., and the point for the cor. of secs. 5, 6, 7 and 8 bears S. 0°05' E., 2037.3 ft. dist., both hereinafter described.
1486.9	Cor. No. 1, and place of beginning.
	<b>SUN #33 LODE</b>
	Beginning at Cor. No. 1 of the SUN #33 lode, identical with Cor. No. 1, SUN #34 lode of this survey.
	Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.
	MS 4898
	SUN34 1
	-----
	SUN33 1
	2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.
	from which
	The cor. of secs. 32 and 33, bears N. 39°51' W., 2127.9 ft. dist., hereinafter described.
	No local bearing objects or bearing trees available.
	Thence S. 1°56' E.
300.2	Lode line; discovery point bears N. 89°59' W., 1473.6 ft. dist., hereinafter described.
600.3	Cor No. 2, identical with Cor. No. 2, SUN #32 lode of this survey, heretofore described.
	Thence N. 89°59' W., identical with line 2-3, SUN #32 lode.
151.0	Intersect line bet. secs. 5 and 6, heretofore described.



**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
1480.0	Intersect line 3-4, Legal Tender 18 lode of this survey, heretofore described.
1486.8	Cor. No. 3, identical with common Cors. No. 3, SUN #21, SUN #23 and SUN #32 lodes, all of this survey, heretofore described.  Thence N. 1°56' W., identical with line 3-4, SUN #21 lode.
88.6	Intersect line 4-1, Legal Tender 18 lode of this survey, heretofore described.
300.0	Lode line; discovery point bears S. 89°59' E., 13.2 ft. dist., hereinafter described.
592.0	Witness Cor. No. 4, heretofore described.
600.0	Cor. No. 4, identical with common Cors. No. 4, SUN #19, SUN #21 and SUN #34 lodes, all of this survey, heretofore described.  Thence S. 89°59' E.
21.	Road, dirt, 17 ft. wide, bears S. 53° E. and N. 53° W.
671.	Road, dirt, 17 ft. wide, bears S. 8° E. and N. 8° W.
1357.9	Intersect line bet. secs. 5 and 6, at a point from which the 1/4 sec. cor. of secs. 5 and 6 bears S. 0°10' W., 587.4 ft. dist., and the N. 1/16 sec. cor. of secs. 5 and 6 bears N. 0°10' E., 743.6 ft. dist., both hereinafter described.
1486.8	Cor. No. 1, and place of beginning.
<b>SUN #34 LODGE</b>	
	Beginning at Cor. No. 1 of the SUN #34 lode, identical with Cor. No. 1, SUN #33 lode of this survey, heretofore described.  Thence N. 1°56' W.
300.2	Lode line; discovery point bears West, 1477.7 ft. dist., hereinafter described.
598.9	Cor. No. 2, identical with Cor. No. 2, SUN #35 lode of this survey.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	MS 4898
	SUN35 2
	SUN34 2
	2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.
	No local bearing objects or bearing trees available.
	Thence N. 89°57' W.
106.9	Intersect line bet. secs. 5 and 6, at a point from which the 1/4 sec. cor. of secs. 5 and 6 bears S. 0°10' W., 1186.0 ft. dist., and the N. 1/16 sec. cor. of secs. 5 and 6 bears N. 0°10' E., 145.0 ft. dist., both hereinafter described.
682.	Road, dirt, 17 ft. wide, bears N. 58° E. and S. 58° W.
1486.9	Cor. No. 3, identical with common Cors. No. 3, SUN #17, SUN #19 and SUN #35 lodes, all of this survey, heretofore described.
	Thence S. 1°56' E., identical with line 3-4, SUN #19 lode.
300.0	Lode line; discovery point bears East, 9.2 ft. dist., hereinafter described.
586.	Road, dirt, heretofore described.
600.0	Cor. No. 4, identical with common Cors. No. 4, SUN #19, SUN #21 and SUN #33 lodes, all of this survey, heretofore described.
	Thence S. 89°59' E., identical with line 4-1, SUN #33 lode.
21.	Road, dirt, heretofore described.
671.	Road, dirt, heretofore described.
1357.9	Intersect line bet. secs. 5 and 6, heretofore described.
1486.8	Cor. No. 1, and place of beginning.
	<b>SUN #35 LODE</b>
	Beginning at Cor. No. 1 of the SUN #35 lode, identical with Cor. No. 1, SUN #36 lode of this survey.

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET							
	<p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">SUN36 1</td> <td style="border: none;"></td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">SUN35 1</td> <td style="border: none;"></td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">2011</td> <td style="border: none;"></td> </tr> </table> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>from which</p> <p style="padding-left: 40px;">The cor. of secs. 32 and 33, bears N. 71°33' W., 1395.0 ft. dist., hereinafter described.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 1°56' E.</p>	SUN36 1		SUN35 1		2011	
SUN36 1							
SUN35 1							
2011							
293.6	<p>Lode line; discovery point bears N. 89°57' W., 1476.7 ft. dist., hereinafter described.</p>						
593.8	<p>Cor. No. 2, identical with Cor. No. 2, SUN #34 lode of this survey, heretofore described.</p> <p style="padding-left: 40px;">Thence N. 89°57' W., identical with line 2-3, SUN #34 lode.</p>						
106.9	<p>Intersect line bet. secs. 5 and 6, heretofore described.</p>						
682.	<p>Road, dirt, heretofore described.</p>						
1486.9	<p>Cor. No. 3, identical with common Cors. No. 3, SUN #17, SUN #19 and SUN #34 lodes, all of this survey, heretofore described.</p> <p style="padding-left: 40px;">Thence N. 1°56' W., identical with line 3-4, SUN #17 lode.</p>						
300.0	<p>Lode line; discovery point bears S. 89°57' E., 10.2 ft. dist., hereinafter described.</p>						
593.9	<p>Cor. No. 4, identical with common Cors. No. 4, SUN #15, SUN #17 and SUN #36 lodes, all of this survey, heretofore described.</p> <p style="text-align: center;">Thence S. 89°57' E.</p>						
1401.8	<p>Intersect line bet. secs. 5 and 6, at a point from which the N. 1/16 sec. cor. of secs. 5 and 6 bears S. 0°10' W., 448.4 ft. dist., and the closing cor. of secs. 5 and 6 bears N. 0°10' E., 440.7 ft. dist., both hereinafter described.</p>						

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET					
1439.	Road, dirt, 17 ft. wide, bears N. 41° E. and S. 41° W.				
1486.9	Cor. No. 1, and place of beginning.				
<b>SUN #36 LODE</b>					
	Beginning at Cor. No. 1 of the SUN #36 lode, identical with Cor. No. 1, SUN #35 lode of this survey, heretofore described.				
	Thence N. 1°56' W.				
43.	Road, dirt, 17 ft. wide, bears N. 54° E. and S. 54° W.				
300.2	Lode line, discovery point bears N. 89°57' W., 1480.6 ft. dist., hereinafter described.				
398.9	Intersect Cor. No. 1, SUN #42A lode of this survey, hereinafter described.				
439.8	Intersect township line bet. secs. 33 and 5, at a point from which the 1/4 sec. cor. of sec. 33 bears S. 89°55' E., 1338.1 ft. dist., and the point for the cor. of secs. 32 and 33 bears N. 89°55' W., 1308.5 ft. dist., both hereinafter described.				
594.7	Cor. No. 2, identical with common Cors. No. 2, SUN #37, SUN #41 and SUN #42A lodes, all of this survey.				
	Set an aluminum post, 30 in. long, 2 1/2 in. diam., 15 in. the ground, with aluminum cap mkd.				
	MS 4898				
	<table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN37 2</td> <td style="padding: 0 5px;">2 SUN41</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN36 2</td> <td style="padding: 0 5px;">2 SUN42A</td> </tr> </table>	SUN37 2	2 SUN41	SUN36 2	2 SUN42A
SUN37 2	2 SUN41				
SUN36 2	2 SUN42A				
	2011				
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.				
	No local bearing objects or bearing trees available.				
	Thence N. 89°44' W.				
1304.1	Intersect line bet. secs. 32 and 33, at a point from which the S. 1/16 sec. cor. of secs. 32 and 33 bears N. 0°19' W., 1170.2 ft. dist., and the point for the cor. of secs. 32 and 33 bears S. 0°19' E., 158.6 ft. dist., both hereinafter described.				

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET							
1487.1	<p>Cor. No. 3, identical with common Cors. No. 3, SUN #13, SUN #15 and SUN #37 lodes, all of this survey, heretofore described.</p> <p style="padding-left: 40px;">Thence S. 1°56' E., identical with line 3-4, SUN #15 lode.</p>						
6.0	<p>Witness Cor. for Cor. No. 3, heretofore described.</p>						
159.6	<p>Intersect township line bet. secs. 32 and 6, heretofore described.</p>						
300.0	<p>Lode line; discovery point bears S. 89°57' E., 6.3 ft. dist., hereinafter described.</p>						
600.0	<p>Cor. No. 4, identical with common Cors. No. 4, SUN #15, SUN #17 and SUN #35 lodes, all of this survey, heretofore described.</p> <p style="padding-left: 40px;">Thence S. 89°57' E., identical with line 4-1, SUN #35 lode.</p>						
1401.8	<p>Intersect line bet. secs. 5 and 6, heretofore described.</p>						
1439.	<p>Road, dirt, heretofore described.</p>						
1486.9	<p>Cor. No. 1, and place of beginning.</p> <hr style="width: 80%; margin: 10px auto;"/>						
	<p><b>SUN #37 LODE</b></p>						
	<p>Beginning at Cor. No. 1 of the SUN #37 lode, identical with common Cors. No. 1, SUN #38, SUN #40 and SUN #41 lodes, all of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p>						
	<p>MS 4898</p> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 10px;">SUN38 1</td> <td style="padding: 0 10px;">1</td> <td style="padding: 0 10px;">SUN40</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 10px;">SUN37 1</td> <td style="padding: 0 10px;">1</td> <td style="padding: 0 10px;">SUN41</td> </tr> </table> <p>2011</p>	SUN38 1	1	SUN40	SUN37 1	1	SUN41
SUN38 1	1	SUN40					
SUN37 1	1	SUN41					
	<p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>from which</p> <p style="padding-left: 40px;">The cor. of secs. 32 and 33, bears S. 59°36' W., 1487.5 ft. dist., hereinafter described.</p> <p>No local bearing objects or bearing trees available.</p>						

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	Thence S. 1°56' E.
60.5	Intersect line 4-1, Legal Tender 22 lode of this survey, at a point from which Cor. No. 1 bears S. 88°36' W., 1488.6 ft. dist., and Cor. No. 4 bears N. 88°36' E., 11.4 ft. dist., heretofore described.
300.2	Lode line; discovery point bears N. 89°57' W., 1481.3 ft. dist., hereinafter described.
319.	Road, dirt, 20 ft. wide, bears N. 72° E. and S. 72° W.
600.4	Cor. No. 2, identical with common Cors. No. 2, SUN #36, SUN #41 and SUN #42A lodes, all of this survey, heretofore described.  Thence N. 89°44' W., identical with line 2-3, SUN #36 lode.
1304.1	Intersect line bet. secs. 32 and 33, heretofore described.
1487.1	Cor. No. 3, identical with common Cors. No. 3, SUN #13, SUN #15 and SUN #36 lodes, all of this survey, heretofore described.  Thence N. 1°56' W., identical with line 3-4, SUN #13 lode.
294.5	Lode line; discovery point bears S. 89°57' E., 5.6 ft. dist., hereinafter described.
496.8	Intersect line 4-1, Legal Tender 22 lode of this survey, heretofore described.
594.5	Cor. No. 4.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.  MS 4898 <div style="border: 1px solid black; padding: 2px; display: inline-block;">4 SUN37</div> 2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  No local bearing objects or bearing trees available.  Thence S. 89°58' E.
199.6	Intersect line bet. secs. 32 and 33, at a point from which the S. 1/16 sec. cor. of secs. 32 and 33 bears N. 0°19' W., 575.3 ft. dist., and the point for the cor. of secs. 32 and 33 bears S. 0°19' E., 753.5 ft. dist., both hereinafter described.

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET				
1486.9	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p style="text-align: center;"><b>SUN #38 LODE</b></p> <p>Beginning at Cor. No. 1 of the SUN #38 lode, identical with common Cors. No. 1, SUN #37, SUN #40 and SUN #41 lodes, all of this survey, heretofore described.</p> <p style="text-align: center;">Thence N. 1°56' W.</p>			
139.6	<p>Intersect line 2-3, Legal Tender 22 lode of this survey, at a point from which Cor. No. 2 bears S. 88°36' W., 1486.7 ft. dist., and Cor. No. 3 bears N. 88°36' E., 13.3 ft. dist., heretofore described.</p>			
166.	<p>Road, dirt, 17 ft. wide, bears S. 58° E. and N. 58° W.</p>			
292.	<p>Road, dirt, 17 ft. wide, bears N. 1° E. and S. 1° W.</p>			
300.2	<p>Lode line; discovery point bears N. 89°46' W., 1478.3 ft. dist., hereinafter described.</p>			
557.	<p>Road, dirt, 17 ft. wide, bears S. 30° E. and N. 30° W.</p>			
600.4	<p>Cor. No. 2, identical with Cor. No. 2, SUN #40 lode of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">SUN38 2</td> <td style="padding: 0 5px;">2</td> <td style="padding: 0 5px;">SUN40</td> </tr> </table> <p style="text-align: center;">2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 89°46' W.</p>	SUN38 2	2	SUN40
SUN38 2	2	SUN40		
27.	<p>Road, dirt, 17 ft. wide, bears S. 32° E. and N. 32° W.</p>			
1089.5	<p>Intersect line 4-1, Legal Tender 20 lode of this survey, at a point from which Cor. No. 1 bears S. 0°33' E., 6.1 ft. dist., and Cor. No. 4 bears N. 0°33' W., 1493.9 ft. dist., heretofore described.</p>			

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
1270.4	Intersect line bet. secs. 32 and 33, at a point from which the S. 1/16 sec. cor. of secs. 32 and 33 bears S. 0°19' E., 29.1 ft. dist., and the 1/4 sec. cor. of secs. 32 and 33 bears N. 0°19' W., 1299.7 ft. dist., both hereinafter described.
1487.0	Cor. No. 3, identical with common Cors. No. 3, SUN #9 and SUN #11 lodes, both of this survey, heretofore described.  Thence S. 1°56' E., identical with line 3-4, SUN #11 lode.
11.5	Intersect line 1-2, Legal Tender 20 lode of this survey, heretofore described.
300.0	Lode line; discovery point bears S. 89°46' E., 8.8 ft. dist., hereinafter described.
503.1	Intersect line 2-3, Legal Tender 22 lode of this survey, heretofore described.
600.0	Cor. No. 4, identical with common Cors. No. 4, SUN #11 and SUN #13 lodes, both of this survey, heretofore described.  Thence S. 89°45' E.
199.8	Intersect line bet. secs. 32 and 33, at a point from which the S. 1/16 sec. cor. of secs. 32 and 33 bears N. 0°19' W., 570.5 ft. dist., and the point for the cor. of secs. 32 and 33 bears S. 0°19' E., 758.3 ft. dist., both hereinafter described.
1487.1	Cor. No. 1, and place of beginning.  <hr style="width: 60%; margin: auto;"/>
	<b>SUN #40 LODE</b>
	Beginning at Cor. No. 1 of the SUN #40 lode, identical with common Cors. No. 1, SUN #38, SUN #37 and SUN #41 lodes, all of this survey, heretofore described.  Thence N. 1°56' W., identical with line 1-2, SUN #38.
139.6	Intersect line 2-3, Legal Tender 22 lode of this survey, heretofore described.
166.	Road, dirt, heretofore described.
292.	Road, dirt, heretofore described.
300.2	Lode line; discovery point bears S. 89°30' E., 1475.5 ft. dist., hereinafter described.
557.	Road, dirt, heretofore described.



**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
600.4	<p>Cor. No. 2, identical with Cor. No. 2, SUN #38 lode of this survey, heretofore described.</p> <p style="text-align: center;">Thence S. 89°30' E.</p>
1380.0	<p>Intersect N-S center line of sec. 33, at a point from which the C-S 1/16 sec. cor. of sec. 33 bears S. 0°10' E., 25.8 ft. dist., and the 1/4 sec. cor. of secs. 28 and 33 bears N. 0°10' W., 3949.8 ft. dist., both hereinafter described.</p>
1485.5	<p>Cor. No. 3.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898  <span style="border: 1px solid black; padding: 2px;">SUN40 3</span>  2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 1°56' E.</p>
300.2	<p>Lode line; discovery point bears N. 89°30' W., 10.0 ft. dist., hereinafter described.</p>
600.5	<p>Cor. No. 4, identical with Cor. No. 4, SUN #41 lode of this survey.</p> <p>Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.</p> <p style="text-align: center;">MS 4898  <span style="border: 1px solid black; padding: 2px;">SUN40 4</span>  <span style="border: 1px solid black; padding: 2px;">SUN41 4</span>  2011</p> <p>A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 89°30' W.</p>

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
124.0	Intersect N-S center line of sec. 33, at a point from which the C-S 1/16 sec. cor. of sec. 33 bears N. 0°10' W., 574.1 ft. dist., and the 1/4 sec. cor. of sec. 33 bears S. 0°10' E., 745.1 ft. dist., both hereinafter described.
1393.	Road, dirt, 17 ft. wide, bears S. 35° E. and N. 35° W.
1473.5	Intersect line 3-4, Legal Tender 22 lode of this survey, at a point from which Cor. No. 3 bears N. 1°24' W., 140.0 ft. dist., and Cor. No. 4 bears S. 1°24' E., 60.0 ft. dist., both heretofore described.
1485.5	Cor. No. 1, and place of beginning.
<hr/> <b>SUN #41 LODE</b> <hr/>	
	Beginning at Cor. No. 1 of the SUN #41 lode, identical with common Cors. No. 1, SUN #37, SUN #38 and SUN #40 lodes, all of this survey, heretofore described.
	Thence S. 1°56' E., identical with line 1-2, SUN #37 lode.
60.5	Intersect line 4-1, Legal Tender 22 lode of this survey, heretofore described.
300.2	Lode line; discovery point bears S. 89°30' E., 1475.3 ft. dist., hereinafter described.
319.	Road, dirt, heretofore described.
600.4	Cor. No. 2, identical with common Cors. No. 2, SUN #36, SUN #37 and SUN #42A lodes, all of this survey, heretofore described.
	Thence S. 89°30' E.
378.	Road, dirt, 11 ft. wide, bears S. 7° E. and N. 7° W.
1343.0	Intersect N-S center line of sec. 33, at a point from which the C-S 1/16 sec. cor. of sec. 33 bears N. 0°10' W., 1174.2 ft. dist., and the 1/4 sec. cor. of sec. 33 bears S. 0°10' E., 145.1 ft. dist., both hereinafter described.
1485.5	Cor. No. 3, identical with Cor. No. 3, SUN #42A lode of this survey.
	Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.

Mineral Survey No. 4898,  
 T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
 Gila and Salt River Meridian, Arizona

FEET	
	MS 4898 SUN41 3 <hr style="width: 50px; margin: 0 auto;"/> SUN42A 3 2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  No local bearing objects or bearing trees available.  Thence N. 1°56' W.
273.	Road, dirt, 12 ft. wide, bears N. 88° E. and S. 88° W.
300.3	Lode line; discovery point bears N. 89°30' W., 10.2 ft. dist., hereinafter described.
600.5	Cor. No. 4, identical with Cor. No. 4, SUN #40 lode of this survey, heretofore described.  Thence N. 89°30' W., identical with line 4-1, SUN #40 lode.
124.0	Intersect N-S center line of sec. 33, heretofore described.
1393.	Road, dirt, heretofore described.
1473.5	Intersect line 3-4, Legal Tender 22 lode of this survey, heretofore described.
1485.5	Cor. No. 1, and place of beginning.
	<hr style="width: 80%; margin: 0 auto;"/> <b>SUN #42A LODE</b>
	Beginning at Cor. No. 1 of the SUN #42A lode.  Set an aluminum post, 30 in. long, 2 1/2 in. diam., 8 in. the ground, with aluminum cap mkd.  MS 4898 SUN42A 1 <hr style="width: 50px; margin: 0 auto;"/> 2011
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.  from which

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	<p>The cor. of secs. 32 and 33, bears N. 88°07' W., 1310.5 ft. dist., hereinafter described.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 1°56' W., common with line 1-2, SUN #36 lode of this survey.</p>
40.9	Intersect township line bet. secs. 33 and 5, at a point from which the 1/4 sec. cor. of sec. 33 bears S. 89°55' E., 1338.1 ft. dist., and the point for the cor. of secs. 32 and 33 bears N. 89°55' W., 1308.5 ft. dist., both hereinafter described.
100.1	Lode line; discovery point bears S. 89°30' E., 17.7 ft. dist., hereinafter described.
195.8	Cor. No. 2, identical with common Cors No. 2, SUN #36, SUN #37 and SUN #41 lodes, all of this survey, heretofore described.
	Thence S. 89°30' E., identical with line 2-3, SUN #41 lode.
378.	Road, dirt, heretofore described.
1343.0	Intersect N-S center line of sec. 33, heretofore described.
1485.5	Cor. No. 3, identical with Cor. No. 3, SUN #41 lode of this survey, heretofore described.
	Thence S. 1°56' E.
95.7	Lode line; discovery point bears N. 89°30' W., 1467.8 ft. dist., hereinafter described.
144.2	Intersect township line bet. secs. 33 and 5, at a point from which the 1/4 sec. cor. of sec. 33 bears N. 89°52' W., 146.9 ft. dist., and the point for the cor. of secs. 33 and 34 bears S. 89°52' E., 2520.9 ft. dist., both hereinafter described.
195.8	Cor. No. 4.
	Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd.
	MS 4898
	SUN42A
	4
	2011

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
	A 3 in. PVC pipe, 36 in. long, in a rock cairn set adjacent to aluminum post.
	No local bearing objects or bearing trees available.
	Thence N. 89°30' W.
849.	Road, dirt, 19 ft. wide, bears S. 2° E. and N. 2° W.
470.	Road, dirt, 17 ft. wide, bears N. 76° E. and S. 76° W.
1485.5	Cor. No. 1, and place of beginning.
<hr/> <b>Mineral Survey No. 4898</b> <hr/>	
<b>AREAS</b>	
	<b>Acres</b>
	Total area, ACE lode ..... 20.661
	Total area, ACE 1 lode..... 20.238
	Total area, ACE 2 lode..... 20.242
	Total area, ACE 3 lode..... 20.631
	Total area, ACE 4 lode..... 20.661
	Total area, ACE 5 lode..... 20.212
	Total area, Legal Tender 12..... 6.887
	Area in conflict with ---
	ACE lode of this survey ..... 3.382
	ACE 1 lode of this survey ..... 3.045
	ACE 3 lode of this survey ..... 0.004
	ACE 4 lode of this survey ..... 0.003
	Total area, Legal Tender 13..... 6.887
	Total area, Legal Tender 14..... 6.887
	Total area, Legal Tender 17..... 6.887
	Area in conflict with ---
	ACE 4 lode of this survey ..... 0.092
	ACE 5 lode of this survey ..... 2.676
	Total area, Legal Tender 18..... 6.887
	Total area, Legal Tender 19..... 6.887
	Total area, Legal Tender 20..... 20.661

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	Total area, Legal Tender 22..... 6.887
	Total area, Legal Tender 23..... 20.643
	Total area, Oak No. 18..... 20.571
	Area in conflict with ---
	Legal Tender 19 lode of this survey ..... 3.425
	Total area, Oak No. 19..... 20.661
	Area in conflict with ---
	ACE lode of this survey ..... 0.998
	ACE lode of this survey, exclusive of its conflict with Legal Tender 12 lode of this survey..... 0.402
	ACE 1 lode of this survey ..... 3.571
	ACE 1 lode of this survey, exclusive of its conflict with Legal Tender 12 lode of this survey..... 0.370
	ACE 2 lode of this survey ..... 5.530
	Legal Tender 12 lode of this survey ..... 0.828
	Total area, SUN #2..... 20.625
	Area in conflict with ---
	East No. 3 M.S. No. 4674 ..... 0.298
	East No. 4 M.S. No. 4674 ..... 0.585
	East No. 5 M.S. No. 4674 ..... 0.575
	Total area, SUN #3..... 20.569
	Area in conflict with ---
	East No. 5 M.S. No. 4674 ..... 0.006
	Total area, SUN #4..... 20.583
	Total area, SUN #5..... 20.506
	Area in conflict with ---
	Legal Tender 20 lode of this survey ..... 1.181
	Total area, SUN #6..... 20.625
	Total area, SUN #7..... 20.569
	Area in conflict with ---
	Legal Tender 20 lode of this survey ..... 2.525
	Total area, SUN #8..... 20.522
	Area in conflict with ---
	Legal Tender 19 lode of this survey ..... 0.014
	Total area, SUN #9..... 20.400
	Area in conflict with ---
	Legal Tender 20 lode of this survey ..... 2.679
	Total area, SUN #10..... 20.625
	Area in conflict with ---
	Legal Tender 19 lode of this survey ..... 0.015

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	Total area, SUN #11..... 20.569
	Area in conflict with ---
	Legal Tender 20 lode of this survey ..... 0.040
	Legal Tender 22 lode of this survey ..... 0.002
	Total area, SUN #12..... 20.625
	Area in conflict with ---
	ACE 2 lode of this survey ..... 0.155
	Total area, SUN #13..... 20.570
	Area in conflict with ---
	Legal Tender 22 of this survey ..... 0.005
	Total area, SUN #14..... 20.625
	Area in conflict with ---
	ACE 2 lode of this survey ..... 1.941
	Total area, SUN #15..... 20.570
	Total area, SUN #16..... 20.556
	Area in conflict with ---
	ACE 2 lode of this survey ..... 2.591
	ACE 5 lode of this survey ..... 1.531
	Total area, SUN #17..... 20.396
	Total area, SUN #18..... 20.625
	Area in conflict with ---
	ACE 5 lode of this survey ..... 5.960
	Total area, SUN #19..... 20.569
	Total area, SUN #20..... 20.387
	Area in conflict with ---
	ACE 4 lode of this survey ..... 0.030
	ACE 5 lode of this survey ..... 7.636
	Legal Tender 17 lode of this survey ..... 3.857
	Legal Tender 17 lode of this survey, exclusive of its conflict with ACE 5 lode of this survey..... 1.703
	Total area, SUN #21..... 20.332
	Area in conflict with ---
	Legal Tender 17 lode of this survey ..... 0.001
	Legal Tender 18 lode of this survey ..... 3.165

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	Total area, SUN #22..... 20.625
	Area in conflict with ---
	ACE 4 lode of this survey ..... 0.197
	ACE 5 lode of this survey ..... 1.546
	Legal Tender 13 lode of this survey ..... 3.607
	Legal Tender 17 lode of this survey ..... 2.883
	Legal Tender 17 lode of this survey, exclusive of its conflict with ACE 4 lode of this survey..... 0.051
	with ACE 5 lode of this survey..... 0.979
	Total area, SUN #23..... 20.371
	Area in conflict with ---
	Legal Tender 14 lode of this survey ..... 2.732
	Legal Tender 18 lode of this survey ..... 3.556
	Total area, SUN #32..... 20.076
	Area in conflict with ---
	Legal Tender 14 lode of this survey ..... 0.011
	Legal Tender 18 lode of this survey ..... 0.016
	NW 1/4 SW 1/4 sec. 5 ..... 2.167
	Total area, SUN #33..... 20.474
	Area in conflict with ---
	Legal Tender 18 lode of this survey ..... 0.015
	SW 1/4 NW 1/4 sec. 5 ..... 1.886
	NW 1/4 SW 1/4 sec. 5 ..... 0.043
	Total area, SUN #34..... 20.448
	Area in conflict with ---
	SW 1/4 NW 1/4 sec. 5 ..... 1.621
	Total area, SUN #35..... 20.258
	Area in conflict with ---
	Lot 4 sec. 5 ..... 0.962
	SW 1/4 NW 1/4 sec. 5 ..... 0.347
	Total area, SUN #36..... 20.378
	Area in conflict with ---
	Lot 4 sec. 5 ..... 0.777
	Total area, SUN #37..... 20.381
	Area in conflict with ---
	Legal Tender 22 lode of this survey ..... 2.697
	Total area, SUN #38..... 20.475
	Area in conflict with ---
	Legal Tender 20 lode of this survey ..... 0.080
	Legal Tender 22 lode of this survey ..... 4.033
	Total area, SUN #40..... 20.458
	Area in conflict with ---
	Legal Tender 22 lode of this survey ..... 0.041



**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
	<p style="text-align: right;">Total area, SUN #41..... 20.458</p> <p style="text-align: center;">Area in conflict with ---</p> <p style="text-align: right;">Legal Tender 22 lode of this survey ..... 0.016</p> <p style="text-align: right;">Total area, SUN #42A..... 6.670</p> <p style="text-align: center;">Area in conflict with ---</p> <p style="text-align: right;">Lot 3 sec. 5 ..... 0.267</p> <p style="text-align: right;">Lot 4 sec. 5 ..... 1.309</p>
	<b>LOCATION</b>
	<p>This survey is located in the S. 1/2 NW 1/4, S. 1/2 NE 1/4, SW 1/4, SE 1/4 of Sec. 32, SW 1/4 NW 1/4, SW 1/4, W 1/2 SE 1/4 of Sec. 33, T.1S., R.13E., NE 1/2, N. 1/2 SE 1/4 of Sec. 1, T.2S., R.12E., Lots 1 thru 5, S. 1/2 NE 1/4, N. 1/2 SE 1/4 of Sec. 6 and Lots 3, 4, SW 1/4 NW 1/4, NW 1/4 SW 1/4 of Sec. 5, T. 2 S., R. 13 E., Gila and Salt River Meridian, Pinal County, Arizona.</p> <p>The survey of the ACE, ACE 1 to 5, Legal Tender 12 to 14, 17 TO 20, 22, 23, Oak No. 18 to 19, SUN #2 to 23, 32 to 38, 40, 41 &amp; 42A lodes are identical with the respective location or amended location notices as marked on the ground.</p>
	<b>EXPENDITURES</b>
	<p>The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or its grantors are as follows:</p>
	<u>ACE lode</u>
No.1	<p>The discovery point of the ACE lode is on the lode line 163.0 ft. dist., from a point on line 2-3, 300.0 ft. dist., from Cor. No. 1.</p> <p>Value, none.</p>
	<u>ACE 1 lode</u>
No.1	<p>The discovery point of the ACE 1 lode is on the lode line 200.0 ft. dist., from a point on line 3-4, 300.0 ft. dist., from Cor. No. 3.</p> <p>Value, none.</p>
	<u>ACE 2 lode</u>
No.1	<p>The discovery point of the ACE 2 lode is on the lode line 207.0 ft. dist., from a point on line 3-4, 300.0 ft. dist., from Cor. No. 3.</p> <p>Value, none.</p>

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	<u>ACE 3 lode</u>
No.1	The discovery point of the ACE 3 lode is on the lode line 164.7 ft. dist., from a point on line 2-3, 300.0 ft. dist., from Cor. No. 2. Value, none.
	<u>ACE 4 lode</u>
No.1	The discovery point of the ACE 4 lode is on the lode line 200.0 ft. dist., from a point on line 3-4, 300.4 ft. dist., from Cor. No. 3. Value, none.
	<u>ACE 5 lode</u>
No.1	The discovery point of the ACE 5 lode is on the lode line 166.0 ft. dist., from a point on line 3-4, 300.0 ft. dist., from Cor. No. 3. Value, none.
	<u>Legal Tender 12 lode</u>
No.1	The discovery point of the Legal Tender 12 lode is on the lode line 50.0 ft. dist., from a point on line 2-3, 100.0 ft. dist., from Cor. No. 2. Value, none.
	<u>Legal Tender 13 lode</u>
No.1	The discovery point of the Legal Tender 13 lode is on the lode line 50.0 ft. dist., from a point on line 1-2, 100.0 ft. dist., from Cor. No. 1. Value, none.
	<u>Legal Tender 14 lode</u>
No.1	The discovery point of the Legal Tender 14 lode is on the lode line 50.0 ft. dist., from a point on line 1-2, 100.0 ft. dist., from Cor. No. 1. Value, none.
	<u>Legal Tender 17 lode</u>
No.1	The discovery point of the Legal Tender 17 lode is on the lode line 50.0 ft. dist., from a point on line 1-2, 100.0 ft. dist., from Cor. No. 1. Value, none.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	<u>Legal Tender 18 lode</u>
No.1	The discovery point of the Legal Tender 18 lode is on the lode line 50.0 ft. dist., from a point on line 1-2, 100.0 ft. dist., from Cor. No. 1. Value, none.
	<u>Legal Tender 19 lode</u>
No.1	The discovery point of the Legal Tender 19 lode is on the lode line 50.0 ft. dist., from a point on line 2-3, 100.0 ft. dist., from Cor. No. 2. Value, none.
	<u>Legal Tender 20 lode</u>
No.1	The discovery point of the Legal Tender 20 lode is on the lode line 50.0 ft. dist., from a point on line 1-2, 300.0 ft. dist., from Cor. No. 1. Value, none.
	<u>Legal Tender 22 lode</u>
No.1	The discovery point of the Legal Tender 22 lode is on the lode line 50.0 ft. dist., from a point on line 1-2, 100.0 ft. dist., from Cor. No. 1. Value, none.
	<u>Legal Tender 23 lode</u>
No.1	The discovery point of the Legal Tender 23 lode is on the lode line 100.0 ft. dist., from a point on line 3-4, 299.8 ft. dist., from Cor. No. 3. Value, none.
	<u>Oak No. 18 lode</u>
No.1	The discovery point of the Oak No. 18 lode is on the lode line 113.6 ft. dist., from a point on line 4-1, 300.0 ft. dist., from Cor. No. 4. Value, none.
	<u>Oak No. 19 lode</u>
No.1	The discovery point of the Oak No. 19 lode is on the lode line 113.1 ft. dist., from a point on line 2-3, 300.0 ft. dist., from Cor. No. 2. Value, none.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	<u>SUN #2 lode</u>
No.1	The discovery point of the SUN #2 lode is on the lode line 10.0 ft. dist., from a point on line 1-2, 300.0 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #3 lode</u>
No.1	The discovery point of the SUN #3 lode is on the lode line 10.0 ft. dist., from a point on line 1-2, 300.0 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #4 lode</u>
No.1	The discovery point of the SUN #4 lode is on the lode line 8.8 ft. dist., from a point on line 1-2, 299.7 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #5 lode</u>
No.1	The discovery point of the SUN #5 lode is on the lode line 10.4 ft. dist., from a point on line 1-2, 299.7 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #6 lode</u>
No.1	The discovery point of the SUN #6 lode is on the lode line 10.0 ft. dist., from a point on line 1-2, 300.0 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #7 lode</u>
No.1	The discovery point of the SUN #7 lode is on the lode line 10.0 ft. dist., from a point on line 1-2, 300.0 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #8 lode</u>
No.1	The discovery point of the SUN #8 lode is on the lode line 9.8 ft. dist., from a point on line 1-2, 296.0 ft. dist., from Cor. No. 1. Value, none.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	<u>SUN #9 lode</u>
No.1	The discovery point of the SUN #9 lode is on the lode line 10.2 ft. dist., from a point on line 1-2, 296.0 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #10 lode</u>
No.1	The discovery point of the SUN #10 lode is on the lode line 10.0 ft. dist., from a point on line 1-2, 300.0 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #11 lode</u>
No.1	The discovery point of the SUN #11 lode is on the lode line 10.0 ft. dist., from a point on line 1-2, 300.0 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #12 lode</u>
No.1	The discovery point of the SUN #12 lode is on the lode line 5.7 ft. dist., from a point on line 1-2, 300.0 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #13 lode</u>
No.1	The discovery point of the SUN #13 lode is on the lode line 10.00 ft. dist., from a point on line 1-2, 300.00 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #14 lode</u>
No.1	The discovery point of the SUN #14 lode is on the lode line 10.0 ft. dist., from a point on line 1-2, 300.0 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #15 lode</u>
No.1	The discovery point of the SUN #15 lode is on the lode line 10.0 ft. dist., from a point on line 1-2, 300.0 ft. dist., from Cor. No. 1. Value, none.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
	<u>SUN #16 lode</u>
No.1	The discovery point of the SUN #16 lode is on the lode line 7.3 ft. dist., from a point on line 1-2, 296.0 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #17 lode</u>
No.1	The discovery point of the SUN #17 lode is on the lode line 10.0 ft. dist., from a point on line 1-2, 296.0 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #18 lode</u>
No.1	The discovery point of the SUN #18 lode is on the lode line 10.0 ft. dist., from a point on line 1-2, 300.0 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #19 lode</u>
No.1	The discovery point of the SUN #19 lode is on the lode line 10.0 ft. dist., from a point on line 1-2, 300.0 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #20 lode</u>
No.1	The discovery point of the SUN #20 lode is on the lode line 8.1 ft. dist., from a point on line 1-2, 286.1 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #21 lode</u>
No.1	The discovery point of the SUN #21 lode is on the lode line 9.0 ft. dist., from a point on line 1-2, 286.1 ft. dist., from Cor. No. 1. Value, none.
	<u>SUN #22 lode</u>
No.1	The discovery point of the SUN #22 lode is on the lode line 10.0 ft. dist., from a point on line 1-2, 300.0 ft. dist., from Cor. No. 1. Value, none.

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	
No.1	<p style="text-align: center;"><u>SUN #23 lode</u></p> <p>The discovery point of the SUN #23 lode is on the lode line 10.0 ft. dist., from a point on line 1-2, 300.0 ft. dist., from Cor. No. 1. Value, none.</p>
No.1	<p style="text-align: center;"><u>SUN #32 lode</u></p> <p>The discovery point of the SUN #32 lode is on the lode line 10.0 ft. dist., from a point on line 3-4, 288.4 ft. dist., from Cor. No. 3. Value, none.</p>
No.1	<p style="text-align: center;"><u>SUN #33 lode</u></p> <p>The discovery point of the SUN #33 lode is on the lode line 13.2 ft. dist., from a point on line 3-4, 300.0 ft. dist., from Cor. No. 3. Value, none.</p>
No.1	<p style="text-align: center;"><u>SUN #34 lode</u></p> <p>The discovery point of the SUN #34 lode is on the lode line 9.2 ft. dist., from a point on line 3-4, 300.0 ft. dist., from Cor. No. 3. Value, none.</p>
No.1	<p style="text-align: center;"><u>SUN #35 lode</u></p> <p>The discovery point of the SUN #35 lode is on the lode line 10.2 ft. dist., from a point on line 3-4, 300.0 ft. dist., from Cor. No. 3. Value, none.</p>
No.1	<p style="text-align: center;"><u>SUN #36 lode</u></p> <p>The discovery point of the SUN #36 lode is on the lode line 6.3 ft. dist., from a point on line 3-4, 300.0 ft. dist., from Cor. No. 3. Value, none.</p>
No.1	<p style="text-align: center;"><u>SUN #37 lode</u></p> <p>The discovery point of the SUN #37 lode is on the lode line 5.6 ft. dist., from a point on line 3-4, 294.5 ft. dist., from Cor. No. 3. Value, none.</p>

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET																													
	<u>SUN #38 lode</u>																												
No.1	The discovery point of the SUN #38 lode is on the lode line 8.8 ft. dist., from a point on line 3-4, 300.0 ft. dist., from Cor. No. 3. Value, none.																												
	<u>SUN #40 lode</u>																												
No.1	The discovery point of the SUN #40 lode is on the lode line 10.0 ft. dist., from a point on line 3-4, 300.2 ft. dist., from Cor. No. 3. Value, none.																												
	<u>SUN #41 lode</u>																												
No.1	The discovery point of the SUN #41 lode is on the lode line 10.2 ft. dist., from a point on line 3-4, 300.3 ft. dist., from Cor. No. 3. Value, none.																												
	<u>SUN #42A lode</u>																												
No.1	The discovery point of the SUN #42A lode is on the lode line 17.7 ft. dist., from a point on line 1-2, 100.1 ft. dist., from Cor. No. 1. Value, none.																												
	<b>COMMON IMPROVEMENT</b>																												
	An interest in a common improvement described as follows:																												
	A diamond drilling program to ascertain the location of copper-bearing veins on these lodes. A description of the drill holes follows:																												
	A diamond drill hole, No. RES-001 (Lat 33°17'20.625N, Long 111°03'35.041"W ), with a collar elevation of 4131 ft., bears S. 03°11' E., 173 ft. dist., from Cor. No. 2, SUN #14 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, HQ and NQ, have been drilled and crosses ACE, ACE 3, 4, 5 and SUN #14, #16, #18, #20, #19, #21 and #33 lodes of this survey, all heretofore described:																												
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>No.</u></th> <th style="text-align: left;"><u>Bearing</u></th> <th style="text-align: left;"><u>Inclination</u></th> <th style="text-align: left;"><u>Depth</u></th> </tr> </thead> <tbody> <tr> <td>RES-001</td> <td>S. 75°09' W.</td> <td>-3°</td> <td>4039</td> </tr> <tr> <td>RES-001A</td> <td>S. 73°28' W.</td> <td>-3°</td> <td>6224</td> </tr> <tr> <td>RES-001B</td> <td>N. 37°50' W.</td> <td>-26°</td> <td>7812</td> </tr> <tr> <td>RES-001C</td> <td>S. 67°09' W.</td> <td>-39°</td> <td>7703</td> </tr> <tr> <td>RES-001D</td> <td>S. 68°42' E.</td> <td>40°</td> <td>6719</td> </tr> <tr> <td>RES-001E</td> <td>N. 87°44' W.</td> <td>-40°</td> <td>7772</td> </tr> </tbody> </table>	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>	RES-001	S. 75°09' W.	-3°	4039	RES-001A	S. 73°28' W.	-3°	6224	RES-001B	N. 37°50' W.	-26°	7812	RES-001C	S. 67°09' W.	-39°	7703	RES-001D	S. 68°42' E.	40°	6719	RES-001E	N. 87°44' W.	-40°	7772
<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>																										
RES-001	S. 75°09' W.	-3°	4039																										
RES-001A	S. 73°28' W.	-3°	6224																										
RES-001B	N. 37°50' W.	-26°	7812																										
RES-001C	S. 67°09' W.	-39°	7703																										
RES-001D	S. 68°42' E.	40°	6719																										
RES-001E	N. 87°44' W.	-40°	7772																										



**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET				
	<p>A diamond drill hole, No. RES-002 (Lat 33°17'30.368"N, Long 111°03'35.499"W), with a collar elevation of 4032 ft., bears S. 02°26' E., 217 ft. dist., from Cor. No. 1, SUN #18 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ and HQ, have been drilled and crosses SUN #8, #10, #12, #14, #15, #16 and #17 lodes of this survey, all heretofore described:</p>			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-002	S. 14°30' E.	3°	3222
	RES-002A	S. 71°33' E.	26°	7372
	RES-002B	N. 34°19' W.	-37°	7500
	RES-002C	S. 39°35' W.	-8°	8012
	<p>A diamond drill hole, No. RES-003 (Lat 33°17'39.140"N, Long 111°03'35.319"W), with a collar elevation of 3987 ft., bears S. 25°49' E., 107 ft. dist., from Cor. No. 1, SUN #13 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, HQ and NQ, have been drilled and crosses ACE, ACE 1, ACE 2, Legal Tender 12 and 22, SUN #11, #12, #13, #14 and #38 lodes of this survey, all heretofore described:</p>			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-003	N. 75°15' E.	31°	6896
	RES-003A	N. 18°26' E.	17°	6450
	RES-003B	S. 57°31' W.	-17°	7080
	RES-003C	S. 29°27' E.	0°	4997
	RES-003D	S. 59°01' W.	-45°	8264
	<p>A diamond drill hole, No. RES-004 (Lat 33°17'49.799"N, Long 111°03'35.009"W), with a collar elevation of 3973 ft., bears S. 27°43' E., 241 ft. dist., from Cor. No. 1, SUN 39 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, HQ and NQ, have been drilled and crosses Oak No. 17, Survey No. 4797, SUN #8 and #9 lodes of this survey, both heretofore described:</p>			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-004	S. 60°56' W.	-5°	6772
	RES-004A	N. 83°09' W.	-25°	7661
	RES-004B	N. 88°19' E.	23	5925
	<p>A diamond drill hole, No. RES-005 (Lat 33°17'36.721"N, Long 111°03'03.651"W), with a collar elevation of 4072 ft., bears N. 51°39' W., 337 ft. dist., from Cor. No. 2, SUN #37 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, HQ and NQ, have been drilled and crosses Legal Tender 22, SUN #35, #36, #37 and #38 lodes of this survey, all heretofore described:</p>			

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-005	N. 57°54' W.	-24°	7562
	RES-005A	S. 67°53' W.	-22°	5509
	RES-005B	N. 55°00' W.	-6°	6932
	RES-005C	S. 59°51' W.	-20°	4662
	RES-005D	S. 82°08' W.	-16°	6785
	RES-005E	S. 65°13' W.	-26°	5167
	RES-005F	S. 13°23' E.	16	5358
	RES-005G	S. 05°26' E.	14	6594
	RES-005H	N. 73°48' W.	-21°	6765
	RES-005I	N. 14°02' W.	-14°	7028
	RES-005J	S. 56°17' W.	-29°	6791
	RES-005K	S. 05°12' E.	14°	6995
<p>A diamond drill hole, No. RES-006 (Lat 33°18'03.182"N, Long 111°03'50.745"W), with a collar elevation of 4133 ft., bears S. 88°06' E., 311 ft. dist., from Cor. No. 4, SUN #4 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, HQ and NQ, have been drilled and crosses Oak No. 14, Survey No. 4797, SUN #4, #6, #7, #8, #10 and #11 lodes of this survey, all heretofore described:</p>				
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-006	S. 60°14' W.	-26°	6598
	RES-006A	S. 12°16' E.	4°	7625
	RES-006B	S. 32°36' E.	46°	7126
	RES-006C	S. 59°31' E.	24°	7231
	RES-006D	S. 31°41' E.	32°	7306
	RES-006E	S. 35°31' E.	36°	7028
	RES-006F	N. 11°53' W.	-35°	6460
	RES-006G	N. 82°24' W.	-23°	3287
<p>A diamond drill hole, No. RES-007 (Lat 33°17'50.495"N, Long 111°03'34.213"W), with a collar elevation of 3973 ft., bears S. 51°31' E., 229 ft. dist., from Cor. No. 1, SUN #9 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, HQ and NQ, have been drilled and crosses SUN #9, #11, #13 and #15 lodes of this survey, all heretofore described:</p>				
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-007	S. 36°22' E.	41°	6608
	RES-007A	S. 12°05' E.	22°	7635
	RES-007B	S. 24°33' E.	43°	7021
	RES-007C	S. 24°46' E.	5°	6647
	RES-007D	S. 55°29' E.	31°	7096
	RES-007E	S. 78°06' E.	28°	4718
	RES-007F	S. 34°16' E.	22°	6867
	RES-007G	S. 15°56' W.	-1°	3409
	RES-007H	S. 15°56' W.	-1°	3419
	RES-007I	S. 63°25' W.	-10°	3720

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET				
	A diamond drill hole, No. RES-009 (Lat 33°17'45.256"N, Long 111°03'36.070"W), with a collar elevation of 3977 ft., bears S. 02°13' E., 77 ft. dist., from Cor. No. 2, SUN #11 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, HQ and NQ, have been drilled and crosses Legal Tender 20, SUN #7, #8, #9, #10, #11, #12, #13, #14 and #15 lodes of this survey, all heretofore described:			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-009	N. 77°11' E.	45°	6774
	RES-009A	S. 12°59' E.	35°	7477
	RES-009B	S. 25°11' E.	25°	6196
	RES-009C	S. 03°22' E.	29°	7004
	RES-009D	N. 53°07' E.	19°	7375
	RES-009E	S. 81°52' W.	-45°	6865
	RES-009F	N. 59°44' E.	40°	6965
	RES-009G	S. 44°59' W.	-50°	6890
	RES-009H	N. 29°02' E.	20°	4594
	RES-009I	N. 44°59' E.	20°	5275
	RES-009J	N. 23°57' E.	1°	7111
	RES-009K	N. 71°33' W.	-16°	7185
	RES-009L	S. 66°21' W.	-21°	6989
	A diamond drill hole, No. RES-011 (Lat 33°17'01.852"N, Long 111°03'09.673"W), with a collar elevation of 3983 ft., bears S. 70°51' E., 636 ft. dist., from Cor. No. 3, Legal Tender 14 lode of this survey heretofore described. From this collar the following diamond core hole, size HQ and NQ, has been drilled and crosses SUN #32 lode of this survey, heretofore described:			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-011	N. 36°51' W.	-12°	3747
	A diamond drill hole, No. RES-012 (Lat 33°17'01.443"N, Long 111°02'48.727"W), with a collar elevation of 3920 ft., bears S. 67°02' E., 980 ft. dist., from Cor. No. 1, SUN #32 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, HQ and NQ, have been drilled and crosses SUN #33, #34, #35 lodes of this survey, all heretofore described:			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-012	N. 11°53' E.	15°	5331
	RES-012A	N. 32°36' W.	-36°	7338
	RES-012B	N. 44°59' W.	-37°	5622
	A diamond drill hole, No. RES-013 (Lat 33°17'33.059"N, Long 111°02'54.408"W), with a collar elevation of 4133 ft., bears S. 72°49' E., 545 ft. dist., from Cor. No. 2, SUN #42A lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, HQ and NQ, have been drilled and crosses SUN #35, #40, #41 and #42A lodes of this survey, all heretofore described:			

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET				
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-013	N. 04°19' W.	-25°	7459
	RES-013A	N. 14°01' W.	-31°	5920
	RES-013B	N. 26°33' W.	-33°	6308
	RES-013C	S. 26°38' E.	-6°	7113
	RES-013D	S. 80°54' W.	-23°	7087
	RES-013E	N. 19°58' W.	-15°	3648
	RES-013F	N. 38°39' W.	-11°	7755
	A diamond drill hole, No. RES-14 (Lat 33°17'20.193"N, Long 111°03'34.724"W), with a collar elevation of 4134 ft., bears S. 09°33' E., 220 ft. dist., from Cor. No. 2, SUN #19 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ and HQ, have been drilled and crosses ACE 5, Legal Tender 17, SUN #18, #19, #20 and #21 lodes of this survey, all heretofore described:			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-014	S. 67°22' W.	-15°	7159
	RES-014A	S. 79°22' W.	-23°	7133
	RES-014B	S. 00°20' E.	4°	7201
	RES-014C	S. 70°33' W.	-28°	7129
	A diamond drill hole, No. RES-15 (Lat 33°17'36.620"N, Long 111°03'03.641"W), with a collar elevation of 4074 ft., bears N. 52°57' W., 330 ft. dist., from Cor. No. 2, SUN #37 lode of this survey heretofore described. From this collar the following diamond core holes, size HQ, NQ and BQ, have been drilled and crosses SUN #15, #36 and #37 lodes of this survey, all heretofore described:			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-015	S. 60°14' W.	-22°	3140
	RES-015A	S. 64°31' W.	-15°	5633
	RES-015B	S. 57°59' W.	-17°	6873
	A diamond drill hole, No. RES-016 (Lat 33°17'02.034"N, Long 111°03'09.171"W), with a collar elevation of 3985 ft., bears S. 73°31' E., 671 ft. dist., from Cor. No. 3, Legal Tender 14 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, HQ and NQ, have been drilled and crosses SUN #19, #21, #23 and #32 lodes of this survey, all heretofore described:			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-016	N. 16°59' W.	-26°	4501
	RES-016A	N. 30°57' W.	-17°	7841

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET			
	A diamond drill hole, No. RES-017 (Lat 33°17'30.401"N, Long 111°03'35.555"W), with a collar elevation of 4033 ft., bears N. 03°39' W., 220 ft. dist., from Cor. No. 1, SUN #14 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, HQ and NQ, have been drilled and crosses Legal Tender 22, SUN #11, #13, #15, #36, #37 and #38 lodes of this survey, all heretofore described:		
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>
	RES-017	N. 32°53' E.	26°
	RES-017A	N. 35°31' E.	26°
	RES-017B	N. 67°36' E.	33°
	RES-017C	N. 43°31' E.	31°
	RES-017D	S. 41°24' E.	0°
	RES-017E	---	---
	RES-017F	N. 86°38' E.	25°
	RES-017G	N. 83°59' E.	19°
	RES-017H	N. 49°02' E.	0°
	RES-017I	N. 49°23' E.	12°
	RES-017J	N. 31°59' E.	8°
	RES-017K	N. 33°13' E.	30°
	RES-017L	S. 75°57' E.	18°
	RES-017M	N. 73°36' E.	19°
			Depth
			5768
			5866
			7087
			5791
			3455
			7385
			7290
			3478
			7185
			4255
			6965
			6975
			3635
	A diamond drill hole, No. RES-018 (Lat 33°17'48.412"N, Long 111°04'10.063"W), with a collar elevation of 4191 ft., bears N. 24°10' E., 266 ft. dist., from Cor. No. 3, Legal Tender 19 lode of this survey heretofore described. From this collar the following diamond core hole, size HQ and NQ, has been drilled and crosses Oak No. 17, Survey No. 4797 lode:		
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>
	RES-018	N. 73°29' W.	-60°
			Depth
			6486
	A diamond drill hole, No. RES-019 (Lat 33°17'49.369"N, Long 111°04'10.103"W), with a collar elevation of 4189 ft., bears N. 17°16' E., 355 ft. dist., from Cor. No. 3, Legal Tender 19 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ and HQ, have been drilled and crosses Oak No. 16 and 17, Survey No. 4797 lodes:		
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>
	RES-019	N. 15°04' E.	25°
	RES-019A	N. 22°28' E.	0°
			Depth
			1450
			1539
	A diamond drill hole, No. RES-020 (Lat 33°17'49.187"N, Long 111°04'10.230"W), with a collar elevation of 4189 ft., bears N. 16°26' E., 334 ft. dist., from Cor. No. 3, Legal Tender 19 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, HQ and NQ, have been drilled and crosses Oak No. 14, 16 and 17, Survey No. 4797, East No. 2, Survey No. 4674 and Legal Tender 23 lode of this survey, heretofore described:		

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET				
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-020	N. 09°09' E.	16°	4610
	RES-020A	N. 44°59' E.	14°	7572
	A diamond drill hole, No. RES-021 (Lat 33°17'33.072"N, Long 111°02'54.303"W), with a collar elevation of 4133 ft., bears S. 73°13' E., 553 ft. dist., from Cor. No. 2, SUN #42A lode of this survey heretofore described. From this collar the following diamond core hole, size PQ and HQ, has been drilled and crosses SUN #41 and #42A lodes of this survey, all heretofore described:			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-021	N. 87°39' E.	12°	6703
	A diamond drill hole, No. RES-023 (Lat 33°17'48.595"N, Long 111°04'10.306"W), with a collar elevation of 4189 ft., bears N. 18°10' E., 275 ft. dist., from Cor. No. 3, Legal Tender 19 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, HQ and NQ, have been drilled and crosses Oak No. 17, Survey No. 4797 and SUN #8 lode of this survey, heretofore described:			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-023	S. 76°45' E.	41°	4482
	RES-023A	S. 86°00' E.	21°	6093
	RES-023B	S. 66°33' E.	18°	7310
	RES-023C	S. 83°51' E.	28°	4426
	RES-023D	S. 74°52' E.	24°	4042
	A diamond drill hole, No. RES-025 (Lat 33°17'24.178"N, Long 111°03'19.206"W), with a collar elevation of 4047 ft., bears N. 47°18' W., 188 ft. dist., from Cor. No. 3, SUN #17 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, HQ and NQ, have been drilled and crosses SUN #9, #11, #13, #15 and #17 lodes of this survey, all heretofore described:			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-025	N. 30°27' W.	-25°	4547
	RES-025A	N. 20°08' W.	-33°	7497
	RES-025B	N. 05°49' E.	26°	4019
	A diamond drill hole, No. RES-027 (Lat 33°17'43.715"N, Long 111°02'40.096"W), with a collar elevation of 4112 ft., bears S. 47°00' E., 397 ft. dist., from Cor. No. 3, SUN #40 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, HQ and NQ, have been drilled and crosses SUN #38 and #40 lodes of this survey, all heretofore described:			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	RES-027	N. 68°31' W.	-27°	7566
	RES-027A	S. 85°38' W.	-22°	4298

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET																									
	<p>A diamond drill hole, No. RES-028 (Lat 33°17'43.257"N, Long 111°03'01.519"W), with a collar elevation of 4089 ft., bears N. 28°55' W., 149 ft. dist., from Cor. No. 3, Legal Tender 22 lode of this survey heretofore described. From this collar the following diamond core hole, size PQ, has been drilled and crosses SUN #38 lode of this survey, heretofore described:</p>																								
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>No.</u></th> <th style="text-align: left;"><u>Bearing</u></th> <th style="text-align: left;"><u>Inclination</u></th> <th style="text-align: left;"><u>Depth</u></th> </tr> </thead> <tbody> <tr> <td>RES-028</td> <td>N. 70°20' W.</td> <td>-18°</td> <td>4367</td> </tr> </tbody> </table>	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>	RES-028	N. 70°20' W.	-18°	4367																
<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>																						
RES-028	N. 70°20' W.	-18°	4367																						
	<p>A diamond drill hole, No. RES-029 (Lat 33°17'50.237"N, Long 111°03'34.512"W), with a collar elevation of 3974 ft., bears S. 42°23' E., 229 ft. dist., from Cor. No. 1, SUN #9 lode of this survey heretofore described. From this collar the following diamond core hole, size PQ, has been drilled and crosses SUN #9 lode of this survey, all heretofore described:</p>																								
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>No.</u></th> <th style="text-align: left;"><u>Bearing</u></th> <th style="text-align: left;"><u>Inclination</u></th> <th style="text-align: left;"><u>Depth</u></th> </tr> </thead> <tbody> <tr> <td>RES-029</td> <td>S. 69°51' E.</td> <td>15°</td> <td>3740</td> </tr> </tbody> </table>	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>	RES-029	S. 69°51' E.	15°	3740																
<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>																						
RES-029	S. 69°51' E.	15°	3740																						
	<p>A diamond drill hole, No. 34107 (Lat 33°17'50.666"N, Long 111°03'56.729"W), with a collar elevation of -195 ft. underground, bears S. 71°00' W., 248 ft. dist., from Cor. No. 4, Sun #8 lode of this survey heretofore described. From this collar the following diamond core hole, size PQ, has been drilled and crosses Oak No. 14, 16 &amp; 17 lodes, Survey No. 4797 and Legal Tender 23 lode of this survey, heretofore described:</p>																								
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>No.</u></th> <th style="text-align: left;"><u>Bearing</u></th> <th style="text-align: left;"><u>Inclination</u></th> <th style="text-align: left;"><u>Depth</u></th> </tr> </thead> <tbody> <tr> <td>34107</td> <td>N. 12°03' W.</td> <td>64°</td> <td>375</td> </tr> </tbody> </table>	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>	34107	N. 12°03' W.	64°	375																
<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>																						
34107	N. 12°03' W.	64°	375																						
	<p>A diamond drill hole, No. 36105 (Lat 33°17'53.028"N, Long 111°03'58.612"W), with a collar elevation of -6 ft. underground, bears N. 67°43' W., 427 ft. dist., from Cor. No. 1, Oak No. 16 lode, Survey No. 4797. From this collar the following diamond core holes, size PQ, have been drilled and crosses Oak No. 16 &amp; 17 lodes, Survey No. 4797:</p>																								
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>No.</u></th> <th style="text-align: left;"><u>Bearing</u></th> <th style="text-align: left;"><u>Inclination</u></th> <th style="text-align: left;"><u>Depth</u></th> </tr> </thead> <tbody> <tr> <td>36105</td> <td>S. 74°56' E.</td> <td>50°</td> <td>268</td> </tr> <tr> <td>36105-1</td> <td>S. 62°32' E.</td> <td>90°</td> <td>---</td> </tr> <tr> <td>36105-2</td> <td>S. 39°45' E.</td> <td>90°</td> <td>---</td> </tr> <tr> <td>36105-3</td> <td>S. 07°00' E.</td> <td>17°</td> <td>100</td> </tr> <tr> <td>36105-4</td> <td>S. 22°54' W.</td> <td>-14°</td> <td>465</td> </tr> </tbody> </table>	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>	36105	S. 74°56' E.	50°	268	36105-1	S. 62°32' E.	90°	---	36105-2	S. 39°45' E.	90°	---	36105-3	S. 07°00' E.	17°	100	36105-4	S. 22°54' W.	-14°	465
<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>																						
36105	S. 74°56' E.	50°	268																						
36105-1	S. 62°32' E.	90°	---																						
36105-2	S. 39°45' E.	90°	---																						
36105-3	S. 07°00' E.	17°	100																						
36105-4	S. 22°54' W.	-14°	465																						
	<p>A diamond drill hole, No. 36105-30 (Lat 33°17'48.657"N, Long 111°03'58.024"W), with a collar elevation of -17 ft. underground, bears S. 50°28' W., 445 ft. dist., from Cor. No. 1, Oak No. 17 lode, Survey No. 4797. From this collar the following diamond core holes, size PQ, have been drilled and crosses Oak No. 16 &amp; 17, Survey No. 4797:</p>																								

Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona

FEET				
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	36105-30	N. 09°40' W.	16°	220
	36105-30-1	N. 49°30' W.	88°	7
	36105-30-2	N. 72°38' W.	90°	---
	A diamond drill hole, No. MB-10 (Lat 33°17'30.340"N, Long 111°03'35.084"W), with a collar elevation of 4016 ft., bears N. 05°19' E., 213 ft. dist., from Cor. No. 1, SUN #15 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, have been drilled and crosses SUN #13, #15 & #17 lodes of this survey, all heretofore described:			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	MB-10	N. 08°34' E.	-1°	3794
	MB-10-1	S. 69°51' E.	-3	4082
	MB-10-2	S. 25°16' E.	-5	4041
	A diamond drill hole, No. MB-11 (Lat 33°17'08.620"N, Long 111°03'34.209"W), with a collar elevation of 4062 ft., bears S. 20°59' E., 104 ft. dist., from Cor. No. 2, Legal Tender 18 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, have been drilled and crosses Legal Tender 13, 14 and SUN #23 lodes of this survey, all heretofore described:			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	MB-11	S. 07°54' W.	1°	4667
	MB-11-1	S. 07°01' W.	3°	4302
	A diamond drill hole, No. MB-13 (Lat 33°17'03.665"N, Long 111°03'26.449"W), with a collar elevation of 3904 ft., bears S. 82°03' E., 687 ft. dist., from Cor. No. 1, SUN #23 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, have been drilled and crosses Legal Tender 14 lode of this survey, heretofore described:			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	MB-13	S. 04°05' W.	1°	2876
	MB-13-1	S. 78°41' E.	-2°	4097
	A diamond drill hole, No. MB-14 (Lat 33°17'49.619"N, Long 111°03'35.048"W), with a collar elevation of 3959 ft., bears S. 25°09' E., 255 ft. dist., from Cor. No. 1, SUN #9 lode of this survey heretofore described. From this collar the following diamond core hole, size PQ, has been drilled and crosses SUN #9 & #11 lodes of this survey, both heretofore described:			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	MB-14	S. 17°02' E.	-4°	3955



**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET				
	<p>A diamond drill hole, No. MB-21 (Lat 33°17'38.875"N, Long 111°03'35.366"W), with a collar elevation of 3972 ft., bears S. 19°04' E., 130 ft. dist., from Cor. No. 1, SUN #13 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, have been drilled and crosses SUN #13 lode of this survey, heretofore described:</p>			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	MB-21	S. 73°00' E.	-17°	3713
	MB-21-1	S. 47°45' E.	-12°	5277
	<p>A diamond drill hole, No. S22A (Lat 33°17'54.918"N, Long 111°03'55.226"W), with a collar elevation of -22 ft. underground, bears N. 17°00' W., 369 ft. dist., from Cor. No. 1, Oak No. 16 lode, Survey No. 4797. From this collar the following diamond core holes, size PQ, have been drilled and crosses Oak No. 16 lode, Survey No. 4797 and SUN #6, #8 &amp; #9 lodes of this survey, all heretofore described:</p>			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	S22A	S. 69°12' E.	-90°	---
	S22A-1	S. 55°01' E.	-68°	128
	S22A-2	S. 74°09' E.	-71°	428
	<p>A diamond drill hole, No. S22B (Lat 33°17'54.851"N, Long 111°03'55.596"W), with a collar elevation of -16 ft. underground, bears N. 21°55' W., 373 ft. dist., from Cor. No. 4, SUN #6 lode of this survey heretofore described. From this collar the following diamond core hole, size PQ, has been drilled and crosses Oak No. 16 lode, Survey No. 4797 and SUN #6, #8, #10, #13 &amp; #15 lodes of this survey, all heretofore described:</p>			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	S22B	S. 52°10' E.	-70°	990
	<p>A diamond drill hole, No. S26A (Lat 33°17'51.801"N, Long 111°03'54.014"W), with a collar elevation of -13 ft. underground, bears N. 07°32' W., 38 ft. dist., from Cor. No. 4, SUN #6 lode of this survey heretofore described. From this collar the following diamond core hole, size PQ, has been drilled and crosses Oak No. 16 lode, Survey No. 4797 and SUN#6, #8, #10, #12, #14, #16 &amp; #18 lodes of this survey, all heretofore described:</p>			
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>
	S26A	S. 23°06' E.	-88°	19

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET									
	<p>A diamond drill hole, No. S26B (Lat 33°17'51.840"N, Long 111°03'53.937"W), with a collar elevation of -13 ft. underground, bears N. 02°06' E., 42 ft. dist., from Cor. No. 4, SUN #6 lode of this survey heretofore described. From this collar the following diamond core hole, size PQ, has been drilled and crosses SUN #6, #8, #10, #12, #13 &amp; #15 lodes of this survey, all heretofore described:</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>No.</u></th> <th style="text-align: left;"><u>Bearing</u></th> <th style="text-align: left;"><u>Inclination</u></th> <th style="text-align: left;"><u>Depth</u></th> </tr> </thead> <tbody> <tr> <td>S26B</td> <td>S. 50°47' E.</td> <td>-82°</td> <td>271</td> </tr> </tbody> </table>	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>	S26B	S. 50°47' E.	-82°	271
<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>						
S26B	S. 50°47' E.	-82°	271						
	<p>A diamond drill hole, No. S27A (Lat 33°17'50.682"N, Long 111°03'56.389"W), with a collar elevation of -15 ft. underground, bears S. 69°59' W., 220 ft. dist., from Cor. No. 4, SUN #8 lode of this survey heretofore described. From this collar the following diamond core hole, size PQ, has been drilled and crosses Oak No. 17 lode, Survey No. 4797 and SUN #8, #10, #12 &amp; #14 lodes of this survey, all heretofore described:</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>No.</u></th> <th style="text-align: left;"><u>Bearing</u></th> <th style="text-align: left;"><u>Inclination</u></th> <th style="text-align: left;"><u>Depth</u></th> </tr> </thead> <tbody> <tr> <td>S27A</td> <td>S. 40°23' E.</td> <td>-57°</td> <td>1330</td> </tr> </tbody> </table>	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>	S27A	S. 40°23' E.	-57°	1330
<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>						
S27A	S. 40°23' E.	-57°	1330						
	<p>A diamond drill hole, No. S27E (Lat 33°17'49.855"N, Long 111°03'59.034"W), with a collar elevation of -14 ft. underground, bears S. 69°46' W., 459 ft. dist., from Cor. No. 4, SUN #8 lode of this survey heretofore described. From this collar the following diamond core hole, size PQ, has been drilled and crosses Oak No. 16 lode, Survey No. 4797 and Legal Tender 19, Oak No. 18 &amp; 19, SUN #12, #14, #16 &amp; #18 lodes of this survey, all heretofore described:</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>No.</u></th> <th style="text-align: left;"><u>Bearing</u></th> <th style="text-align: left;"><u>Inclination</u></th> <th style="text-align: left;"><u>Depth</u></th> </tr> </thead> <tbody> <tr> <td>S27E</td> <td>S. 21°07' E.</td> <td>-34°</td> <td>937</td> </tr> </tbody> </table>	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>	S27E	S. 21°07' E.	-34°	937
<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>						
S27E	S. 21°07' E.	-34°	937						
	<p>A diamond drill hole, No. S27F (Lat 33°17'49.845"N, Long 111°03'59.099"W), with a collar elevation of -14 ft. underground, bears S. 69°53' W., 465 ft. dist., from Cor. No. 4, SUN #8 lode of this survey heretofore described. From this collar the following diamond core hole, size PQ, has been drilled and crosses Oak No. 17 lode, Survey No. 4797 and Legal Tender 19, Oak No. 18 &amp; 19, ACE 1, ACE 2 &amp; ACE 4 lodes of this survey, all heretofore described:</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>No.</u></th> <th style="text-align: left;"><u>Bearing</u></th> <th style="text-align: left;"><u>Inclination</u></th> <th style="text-align: left;"><u>Depth</u></th> </tr> </thead> <tbody> <tr> <td>S27F</td> <td>S. 02°30' E.</td> <td>-26°</td> <td>406</td> </tr> </tbody> </table>	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>	S27F	S. 02°30' E.	-26°	406
<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>						
S27F	S. 02°30' E.	-26°	406						

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET																													
	<p>A diamond drill hole, No. S27G (Lat 33°17'49.910"N, Long 111°03'59.065"W), with a collar elevation of -10 ft. underground, bears S. 70°32' W., 460 ft. dist., from Cor. No. 4, SUN #8 lode of this survey heretofore described. From this collar the following diamond core hole, size PQ, has been drilled and crosses Oak No. 17 lode, Survey No. 4797 and Legal Tender 19, Oak No. 18 &amp; 19, SUN #12, #14, #16 &amp; #18 lodes of this survey, all heretofore described:</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>No.</u></th> <th style="text-align: left;"><u>Bearing</u></th> <th style="text-align: left;"><u>Inclination</u></th> <th style="text-align: left;"><u>Depth</u></th> </tr> </thead> <tbody> <tr> <td>S27G</td> <td>S. 20°26' E.</td> <td>-51°</td> <td>942</td> </tr> </tbody> </table>	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>	S27G	S. 20°26' E.	-51°	942																				
<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>																										
S27G	S. 20°26' E.	-51°	942																										
	<p>A diamond drill hole, No. S27H (Lat 33°17'49.904"N, Long 111°03'59.076"W), with a collar elevation of -17 ft. underground, bears S. 70°30' W., 461 ft. dist., from Cor. No. 4, SUN #8 lode of this survey heretofore described. From this collar the following diamond core hole, size PQ, has been drilled and crosses Oak No. 17 lode, Survey No. 4797 and Legal Tender 19, Oak No. 18 and 19, ACE 2, SUN #14 &amp; #16 lodes of this survey, all heretofore described:</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>No.</u></th> <th style="text-align: left;"><u>Bearing</u></th> <th style="text-align: left;"><u>Inclination</u></th> <th style="text-align: left;"><u>Depth</u></th> </tr> </thead> <tbody> <tr> <td>S27H</td> <td>S. 13°38' E.</td> <td>-21°</td> <td>1353</td> </tr> </tbody> </table>	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>	S27H	S. 13°38' E.	-21°	1353																				
<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>																										
S27H	S. 13°38' E.	-21°	1353																										
	<p>A diamond drill hole, No. S27I (Lat 33°17'50.569"N, Long 111°03'59.026"W), with a collar elevation of -17 ft. underground, bears S. 78°36' W., 439 ft. dist., from Cor. No. 4, SUN #8 lode of this survey heretofore described. From this collar the following diamond core hole, size PQ, has been drilled and crosses Oak No. 16 &amp; 17 lode, Survey No. 4797:</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>No.</u></th> <th style="text-align: left;"><u>Bearing</u></th> <th style="text-align: left;"><u>Inclination</u></th> <th style="text-align: left;"><u>Depth</u></th> </tr> </thead> <tbody> <tr> <td>S27I</td> <td>N. 69°16' W.</td> <td>19°</td> <td>2798</td> </tr> </tbody> </table>	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>	S27I	N. 69°16' W.	19°	2798																				
<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>																										
S27I	N. 69°16' W.	19°	2798																										
	<p>A diamond drill hole, No. SS21A (Lat 33°17'57.660"N, Long 111°03'59.411"W), with a collar elevation of -14 ft. underground, bears N. 86°04' W., 446 ft. dist., from Cor. No. 2, Legal Tender 23 lode of this survey heretofore described. From this collar the following diamond core holes, size PQ, have been drilled and crosses Oak No. 16 &amp; 17 lodes, Survey No. 4797 and Legal Tender 19 &amp; 23 lodes of this survey, both heretofore described:</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>No.</u></th> <th style="text-align: left;"><u>Bearing</u></th> <th style="text-align: left;"><u>Inclination</u></th> <th style="text-align: left;"><u>Depth</u></th> </tr> </thead> <tbody> <tr> <td>SS21A</td> <td>S. 12°28' E.</td> <td>-25°</td> <td>417</td> </tr> <tr> <td>SS21A-1</td> <td>S. 01°57' W.</td> <td>5°</td> <td>388</td> </tr> <tr> <td>SS21A-2</td> <td>S. 07°31' W.</td> <td>18°</td> <td>507</td> </tr> <tr> <td>SS21A-3</td> <td>S. 08°16' W.</td> <td>29°</td> <td>263</td> </tr> <tr> <td>SS21A-4</td> <td>S. 15°06' W.</td> <td>37°</td> <td>345</td> </tr> <tr> <td>SS21A-5</td> <td>S. 24°10' W.</td> <td>55°</td> <td>166</td> </tr> </tbody> </table>	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>	SS21A	S. 12°28' E.	-25°	417	SS21A-1	S. 01°57' W.	5°	388	SS21A-2	S. 07°31' W.	18°	507	SS21A-3	S. 08°16' W.	29°	263	SS21A-4	S. 15°06' W.	37°	345	SS21A-5	S. 24°10' W.	55°	166
<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>	<u>Depth</u>																										
SS21A	S. 12°28' E.	-25°	417																										
SS21A-1	S. 01°57' W.	5°	388																										
SS21A-2	S. 07°31' W.	18°	507																										
SS21A-3	S. 08°16' W.	29°	263																										
SS21A-4	S. 15°06' W.	37°	345																										
SS21A-5	S. 24°10' W.	55°	166																										

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET			
	<p>A diamond drill hole, No. SS22A (Lat 33°17'55.936"N, Long 111°03'54.583"W), with a collar elevation of -14 ft. underground, bears S. 13°42' W., 148 ft. dist., from Cor. No. 4, Oak No. 16 lode, Survey No. 4797. From this collar the following diamond core holes, size PQ, have been drilled and crosses Oak No. 16 &amp; 17 lodes, Survey No. 4797 and SUN #6 lode of this survey, heretofore described:</p>		
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>
	SS22A	S. 80°29' E.	-62°
	SS22A-1	S. 75°14' E.	90°
	SS22A-2	S. 65°51' E.	-70°
	SS22A-3	S. 60°14' E.	-69
	SS22A-4	S. 49°31' E.	-41
	SS22A-5	S. 46°05' E.	-60
	SS22A-6	S. 42°01' E.	90°
	SS22A-7	S. 40°35' E.	-45
	SS22A-8	S. 17°34' E.	-33
	SS22A-9	S. 03°21' W.	5°
	SS22A-10	S. 13°44' W.	31°
			<u>Depth</u>
			499
			---
			194
			146
			300
			149
			---
			325
			180
			507
			238
	<p>A diamond drill hole, No. SS27C (Lat 33°17'50.214"N, Long 111°03'58.977"W), with a collar elevation of -14 ft. underground, bears S. 73°58' W., 444 ft. dist., from Cor. No. 1, Oak No. 17 lode, Survey No. 4797. From this collar the following diamond core hole, size PQ, has been drilled and crosses Oak No. 16 &amp; 17 lodes, Survey No. 4797:</p>		
	<u>No.</u>	<u>Bearing</u>	<u>Inclination</u>
	SS27C	N. 30°35' W.	62°
			<u>Depth</u>
			105
	<p>As the veins for which these holes are being drilled do not crop out on the surface, diamond drilling from the surface and underground positions is the only logical means of determining the location of the copper bearing vein.</p>		
	<p>Five hundred dollars or over has been expended in these improvements in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore an undivided one-forty ninth interest in its value is hereby credited to each of the lodes of this survey.</p>		
	<p>Except as stated above, no portion of or interest in these improvements have been credited heretofore as patent expenditure to any lode claim.</p>		
	<b>OTHER IMPROVEMENTS</b>		
	<p>An improved, asphalt paved road which crosses the Legal Tender 23 lode &amp; SUN #2 to #8 lodes. Claimant unknown.</p>		
	<p>An improved, dirt road which crosses the Legal Tender 14, 17, 18 &amp; 23 lodes, SUN #7 thru #9, #11, #13 thru #23, #33 thru #38, #40, #41 &amp; #42A lodes. Claimant unknown.</p>		

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA
	<p>The history of official surveys pertaining to this survey is as follows:</p> <p>Harvey W., Smith, Mineral Surveyor, surveyed M.S. No. 4674, East No. 1, East No. 2, East No. 3, East No. 4 and East No. 5 lodes, as shown on the official plat of survey accepted July 15, 1969.</p> <p>Harvey W., Smith, Mineral Surveyor, surveyed M.S. No. 4797, Oak No. 14, Oak No. 16 and Oak No. 17 lodes, as shown on the official plat of survey accepted Nov. 15, 1979.</p> <p>Theodore Vander Meer, U.S. Transitman, retraced the S. boundary line and subdivision lines T. 1 S. R. 13 E., accepted Oct. 1, 1927.</p> <p>R. J. Gill, U.S. Surveyor, resurveyed the S. boundary line T. 1 S. R. 13 E., accepted Oct. 1, 1927.</p> <p>Alexander B. Titus, Compassman, surveyed Township and subdivision lines T. 1 S. R. 13 E., accepted Apr. 20, 1906.</p> <p>W.,B. Kimmel and R. J. Gill, U.S. Surveyors, resurveyed W. and N. boundary line and surveyed the subdivision lines T. 2 S., R. 13 E., accepted May 20, 1921.</p> <p>Jacobs &amp; Curry, surveyed N. and E., boundary line T. 2 S., R. 12 E., accepted Jan. 29, 1912.</p> <p>The cor. of Tps. 1 S., Rs. 12 E. and 13 E., found a granite stone 18 x 10 x 10 in. above ground firmly set, marked with 6 notches on each of the E., W. and N. edges, "R13E" on E., face and "R12E" on W., face, and witnessed by a mound of stone N. of cor., as described in the resurvey of the S. boundary of T. 1 S., R. 12 E., by Benjamin J. Kinsey, U.S. Surveyor, accepted Aug. 21, 1926.</p> <p>The cor. of secs. 31 &amp; 32, T. 1 S., R. 13 E., was searched for and no evidence found. This position was calculated by modified single proportionate method; no permanent monument established.</p> <p>The 1/4 sec. cor. of sec. 32, T. 1 S., R. 13 E., found a boulder 4 x 3 x 1 ins. diam. above ground with a chiseled "+" and "1/4" on face from which a dead standing juniper bears S. 57°30' W., 81.5 ft. dist., as shown on a Results of Survey by Evart D. Bungler recorded Jan. 18, 2011 in Doc. 2011-004480 in Pinal County Records.</p>

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
	<p>The cor. of secs. 32 and 33, T. 1 S., R. 13 E., found a chiseled "+" on exposed bedrock with 4 notches on E., face and 2 notches on W., face from which an 8 ins. diam. pine bears N. 64°38' E., 28.6 ft. dist., as shown on a Results of Survey by Evert D. Bunger recorded Jan. 18, 2011 in Doc. 2011-004480, in Pinal County Records.</p>
	<p>The closing cor. of secs. 5 and 6 T.2S., R.13E., found a 2 ins. diam. iron post firmly set, 1' above ground with brass cap mkd T1S R13E S33 T2S R13E S5 S6 CC 1917, as described in the survey by W.,B. Kimmel and R. J. Gill, U.S. Surveyors, accepted May 20, 1921. This point falls 1.14 ft. dist., N. of township line.</p>
	<p>The 1/4 sec. cor. of sec. 33, T. 1 S., R. 13 E., found a chiseled "+" on bedrock with "1/4" on N. face as shown on a Results of Survey by Evert D. Bunger, recorded Jan. 18, 2011, in Doc. 2011-004480 in Pinal County Records.</p>
	<p>The cor. of secs. 33 and 34, T. 1 S., R. 13 E., found a boulder 20 x 6 x 3 ins. above ground with 3 notches on E., face and 3 notches on W., face, as shown on a Results of Survey by Evert D. Bunger recorded Jan. 18, 2011, in Doc. 2011-004480, in Pinal County Records.</p>
	<p>The C-S 1/16 sec. cor. of sec. 33, T. 1 S., R. 13 E., found a 3 ins. diam. aluminum cap RLS 14169, as shown on a Results of Survey by Evert D. Bunger recorded Jan. 18, 2011 in Doc. 2011-004480, in Pinal County Records.</p>
	<p>The 1/4 sec. cor. of secs. 28 and 33, T. 1 S., R. 13 E., found a boulder 4 x 2 x 1 ins. above ground with a chiseled "+", as shown on a Results of Survey by Evert D. Bunger, recorded Jan. 18, 2011, in Doc. 2011-004480, in Pinal County Records.</p>
	<p>The S. 1/16 sec. cor. of secs. 32 and 33, T. 1 S., R. 13 E., found a 1/2 ins. diam. iron rod, as shown on a Results of Survey by Evert D. Bunger, recorded Jan. 18, 2011, in Doc. 2011-004480, in Pinal County Records.</p>
	<p>The 1/4 sec. cor. of secs. 32 and 33, T. 1 S., R. 13 E., found a boulder 30 x 10 x 2 ins. above ground with a chiseled "+" and "1/4" on face, as shown on a Results of Survey by Evert D. Bunger, recorded Jan. 18, 2011, in Doc. 2011-004480, in Pinal County Records.</p>
	<p>The cor. of secs. 28, 29, 32 and 33, T. 1 S., R. 13 E., found a 3 ins. diam. brass cap marked RLS 14169, as shown on a Results of Survey by Evert D. Bunger, recorded Jan. 18, 2011, in Doc. 2011-004480, in Pinal County Records.</p>

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
	<p>The C-E 1/16 cor. of sec. 32, T. 1 S., R. 13 E., found a 3 ins. diam. aluminum cap RLS 14169, as shown on a Results of Survey by Evert D. Bunger, recorded Jan. 18, 2011, in Doc. 2011-004480, in Pinal County Records.</p>
	<p>The 1/4 sec. cor. of secs. 31 and 32, T. 1 S., R. 13 E., found a boulder 24 x 16 x 6 in. above ground with a chiseled "+" and "1/4" on face, as shown on a Results of Survey by Evert D. Bunger, recorded Jan. 18, 2011, in Doc. 2011-004480, in Pinal County Records.</p>
	<p>The 1/4 sec. cor. of secs. 29 and 32, T. 1 S., R. 13 E., found a chiseled "+" and "1/4" on exposed bedrock, as shown on a Results of Survey by Evert D. Bunger, recorded Jan. 18, 2011, in Doc. 2011-004480, in Pinal County Records.</p>
	<p>The cor. of secs. 5, 6, 7 and 8, T. 2 S., R. 13 E., found a 2 ins. diam. iron post firmly set, 1 ft. above ground with brass cap mkd., T2S R13E S6 S5 S7 S8 1917, as described in the survey by W.,B. Kimmel and R. J. Gill, U.S. Surveyors, accepted May 20, 1921.</p>
	<p>The 1/4 sec. cor. of secs. 5 and 6, T. 2 S., R. 13 E., found a 1 ins. diam. iron post firmly set, 1 ft. above ground with brass cap mkd., 1/4 S6 S5 1917, as described in the survey by W.,B. Kimmel and R. J. Gill, U.S. Surveyors, accepted May 20, 1921.</p>
	<p>The N. 1/16 sec. cor. of secs. 5 and 6, T. 2 S., R. 13 E., found a 3 ins. diam. aluminum cap mkd., RLS 41282, as shown on a Results of Survey, by Adrian Burcham, recorded Jan. 26, 2012 in Doc. 2012-006097, in Pinal County Records.</p>
	<p>The section line bearings are reported as mean bearings.</p>
	<p>The line from the township cor. T. 1 S., R. 12 E., and T. 1 S., R. 13 E., to the cor. of secs. 31 and 32, T. 1 S., R. 13 E., was found to be N. 89°54' E., 1386.6 ft. dist., instead of record N. 89°50' E., 20.73 chs. ft. dist., as approved in the 1972 dependent resurvey.</p>
	<p>The line from the cor. of secs. 31 and 32, T. 1 S., R. 13 E., to the 1/4 sec. cor. of sec. 32, T. 1 S., R. 13 E., was found to be S. 89°51' E., 2675.5 ft. dist., instead of record S. 89°55' E., 40.00 chs. dist., as approved in the 1972 dependent resurvey.</p>
	<p>The line from 1/4 sec. cor. of sec. 32, T. 1 S., R. 13 E., to the cor. of secs. 32 and 33, T. 1 S., R. 13 E., was found to be N. 89°59' E., 2647.1 ft. dist., instead of record S. 89°49' E., 40.10 chs. dist., as approved in the 1972 dependent resurvey.</p>

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
	<p>The line from the cor. of secs. 32 and 33, T. 1 S., R. 13 E., to the 1/4 sec. cor. of sec. 33, was found to be S. 89°55' E., 2646.6 ft. dist., instead of S. 89°55' E., 40.00 chs. dist., as approved in the 1906 survey.</p>
	<p>The line from the 1/4 sec. cor. of sec. 33, T. 1 S., R. 13 E., to the cor. of secs. 33 and 34, T. 1 S., R. 13 E., was found to be S. 89°52' E., 2667.8 ft. dist., instead of S. 89°55' E., 40.00 chs. dist., as approved in the 1906 survey.</p>
	<p>The line from the cor. of secs. 32 and 33, T. 1 S., R. 13 E., to the S. 1/16 sec. cor. for secs. 32 and 33, T. 1 S., R. 13 E., was found to be N. 0°19' W., 1328.8 and the line from the cor. of S. 1/16 sec. cor. of secs. 32 and 33, T. 1 S., R. 13 E., to the 1/4 sec. cor. of secs. 32 and 33, was found to be N. 0°19' W., 1328.8 ft. dist., instead of N. 0°02' W., 40.00 chs. dist., as approved in the 1906 survey.</p>
	<p>The line from the 1/4 sec. cor. of secs. 32 and 33, T. 1 S., R. 13 E., to the cor. of secs. 28, 29, 32 and 33, T. 1 S., R. 13 E., was found to be N. 0°12' E., 2651.8 ft. dist., instead of N. 0°02' W., 40.00 chs. dist., as approved in the 1906 survey.</p>
	<p>The line from the cor. of secs. 5, 6, 7 and 8, T. 2 S., R. 13 E., to the 1/4 sec. cor. of secs. 5 and 6, T. 2 S., R. 13 E., was found to be N. 0°05' W., 2638.1 ft. dist., instead of N. 0°03' W., 40.00 chs. dist., as approved in the 1921 survey.</p>
	<p>The line from the 1/4 sec. cor. of secs. 5 and 6, T. 2 S., R. 13 E., to the N. 1/16 sec. cor. of secs. 5 and 6, was found to be N. 0°10' E., 1331.0 ft. dist., and the line from the N. 1/16 sec. cor. of secs. 5 and 6, T. 2 S., R. 13 E., to the closing cor. of secs. 5 and 6, T. 2 S., R. 13 E., was found to be N. 0°10' E., 889.1 ft. dist., instead of N. 0°03' W., 33.36 chs. dist., as approved in the 1921 survey.</p>
	<p>M.S. No. 4674 East No. 3 lode: Cor. No. 1, identical with Cor. No. 4, M.S. No. 4674 East No. 4 lode, Cor. No. 2, identical with Cor. No. 3, M.S. No. 4674 East No. 4 lode, and Cor. No. 3, identical with Cor. No. 2 M.S. No. 4674 East No. 2 lode, are monumented with a brass cap, firmly set and properly mkd. Line 1-2, common with line 3-4 M.S. No. 4674 East No. 4 lode, was found to be S. 1°50' E., 1499.0 ft. dist., instead of S. 1°47'20" E., 1499.49 ft. dist., as approved. Line 2-3 was found to be S. 88°09' W., 599.9 ft. dist., instead of S. 88°12'40" W., 600.0 ft. dist., as approved.</p>



**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET	
	<p>M.S. No. 4674 East No. 4 lode: Cor. No. 1, identical with Cor. No. 1, M.S. No. 4674 East No. 5 lode, Cor. No. 2, identical with Cor. No. 4, M.S. No. 4674 East No. 5 lode, Cor. No. 3, identical with Cor. No. 2 M.S. No. 4674 East No. 3 lode, and Cor. No. 4, identical with Cor. No. 1 M.S. No. 4674 East No. 3 lode, are monumented with a brass cap, firmly set and properly mkd. Line 1-2, common with line 4-1 M.S. No. 4674 East No. 5 lode, was found to be S. 1°50' E., 1498.8 ft. dist., instead of S. 1°47'20" E., 1499.49 ft. dist., as approved. Line 2-3 was found to be S. 88°09' W., 599.7 ft. dist., instead of S. 88°12'40" W., 600.0 ft. dist., as approved. Line 3-4, common with line 1-2 M.S. No. 4674 East No. 3 lode, heretofore described.</p>
	<p>M.S. No. 4674 East No. 5 lode: Cor. No. 1, identical with Cor. No. 1, M.S. No. 4674 East No. 4 lode, Cor. No. 2, Cor. No. 3 and Cor. No. 4, identical with Cor. No. 2 M.S. No. 4674 East No. 4 lode, are monumented with a brass cap, firmly set and properly mkd. Line 2-3 was found to be S. 1°53' E., 1498. ft. dist., instead of S. 1°47'20" E., 1499.49 ft. dist., as approved. Line 3-4 was found to be S. 88°10' W., 600.3 ft. dist., instead of S. 88°12'40" W., 600.0 ft. dist., as approved. Line 4-1, common with line 1-2 M.S. No. 4674 East No. 4 lode, heretofore described.</p>
	<p>M.S. No. 4797 Oak No. 14 lode: Cor. No. 1, identical with Cor. No. 1, Legal Tender 23 lode, Cors. No. 4, SUN #2 and SUN #4 lodes, all of this survey, heretofore described. Cor. No. 2, heretofore described. Cor No. 3, identical with Cor. No. 1 M.S. No. 4797 Oak No. 7 lode, is monumented with a brass cap, firmly set and properly mkd. Cor. No. 4, identical with Cor. No. 3, SUN #2 lode of this survey, heretofore described. Line 1-2, in common with line 4-1 Legal Tender 23 lode of this survey, was found to be S. 88°18' W., 1493.8 ft. dist., instead of S. 88°18'09" W., 1493.70 ft. dist., as approved. Line 2-3, common with line 1-2 M.S. No. 4797 Oak No. 7 lode, was found to be N. 1°47' W., 599.4 ft. dist., instead of N. 1°48'30" W., 599.50 ft. dist., as approved. Line 3-4 was found to be N. 88°17' E., 1493.6 ft. dist., instead of N. 88°18'09" E., 1493.70 ft. dist., as approved. Line 4-1, common with line 3-4 SUN #2 lode of this survey, was found to be S. 1°48' E., 600.0 ft. dist., instead of S. 1°48'30" E., 599.50 ft. dist., as approved.</p>

**Mineral Survey No. 4898,  
T. 1 S., R. 13 E., T. 2 S., R. 12 E. and T. 2 S., R. 13 E.,  
Gila and Salt River Meridian, Arizona**

FEET

M.S. No. 4797 Oak No. 16 lode: Cor. No. 1, identical with Cor. No. 1 M.S. 4797 Oak No. 17 lode, Cors. No. 4, SUN #6 and SUN #8 lodes, both of this survey, heretofore described. Cor. No. 2, identical with Cor. No. 4 M.S. No. 4797 Oak No. 17 lode, found a 3 in. PVC pipe, 36 in. long, in a rock cairn. Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd. MS 4898 OAK16 2 OAK17 4 2011. Cor. No. 3, heretofore described. Cor. No. 4, identical with Cor. No. 2, Legal Tender 23 lode, Cors. No. 3, SUN #4 and SUN #6 lodes, all of this survey, heretofore described. Line 1-2, common with line 4-1 M.S. No. 4797 Oak No. 17 lode, was found to be S. 88°19' W., 1493.8 ft. dist., instead of S. 88°18'09" W., 1493.70 ft. dist., as approved. Line 2-3 was found to be N. 1°49' W., 599.5 ft. dist., instead of N. 1°48'30" W., 599.50 ft. dist., as approved. Line 3-4, in common with line 2-3 Legal Tender 23 lode of this survey, was found to be N. 88°18' E., 1494.5 ft. dist., instead of N. 88°18'09" E., 1493.70 ft. dist., as approved. Line 4-1, common with line 3-4 SUN #6 lode of this survey, was found to be S. 1°45' E., 600.0 ft. dist., instead of S. 1°48'30" E., 599.50 ft. dist., as approved.

M.S. No. 4797 Oak No. 17 lode: Cor. No. 1, identical with Cor. No. 1 M.S. No. 4797 Oak No. 16 lode, Cors. No. 4, SUN #6 and SUN #8 lodes both of this survey, heretofore described. Cor. No. 2, identical with Cors. No. 3, SUN #8 and SUN #10 both of this survey, heretofore described. Cor. No. 3 found a 3 in. PVC pipe, 36 in. long, in a rock cairn. Set an aluminum post, 30 in. long, 2 1/2 in. diam., flange attached to granite boulder with PK nails, with aluminum cap mkd. MS 4898 OAK17 3 2011. Cor. No. 4, identical with Cor. No. 2 M.S. No. 4797 Oak No. 16 lode, heretofore described. Line 1-2, common with Line 3-4 SUN #8 lode of this survey, was found to be S. 1°49' E., 598.9 ft. dist., instead of S. 1°48'30" E., 599.50 ft. dist., as approved. Line 2-3 was found to be S. 88°18' W., 1493.8 ft. dist., instead of S. 88°18'09" W., 1493.70 ft. dist., as approved. Line 3-4 was found to be N. 1°49' W., 599.5 ft. dist., instead of N. 1°48'30" W., 599.50 ft. dist., as approved. Line 4-1, common with line 1-2 M.S. No. 4797 Oak No. 16 lode, was found to be N. 88°19' E., 1493.8 ft. dist., instead of N. 88°18'09" E., 1493.70 ft. dist., as approved.

**MEMORANDUM**

None



**CERTIFICATE OF SURVEY**

I, Jimmie D. Crume, Mineral Surveyor, HEREBY CERTIFY upon honor, that in pursuance of an order received from the Bureau of Land Management, at Phoenix, Arizona, dated August 8, 2011, I have carefully executed the survey of the claim of the Resolution Copper Mining LLC, known as the ACE, ACE 1 thru 5, Legal Tender 12 thru 14, 17 thru 20, 22, 23, Oak No. 18 thru No. 19, SUN #2 thru #23, #32 thru #38, #40, #41 & #42A lodes, situated in surveyed sections 32 & 33, Township 1 South, Range 13 East, surveyed section 1, Township 2 South, Range 12 East and surveyed sections 5 & 6, Township 2 South, Range 13 East, of the Gila and Salt River Meridian, in the State of Arizona. This survey, designated as number 4898, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Surveying Instructions for the Survey of the Public Lands of the United States, 2009, and in the specific manner described in the foregoing field notes.

I FURTHER CERTIFY that the labor expended and improvements made upon and for the benefit of the lode locations embraced in the said mining claim by claimants or grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to these claims has been included in the estimate of expenditures upon any other claim.

2-8-12

(Date)

Jimmie D. Crume

(Mineral Surveyor)

**CERTIFICATE OF APPROVAL**

**BUREAU OF LAND MANAGEMENT**  
**Phoenix, Arizona**

The foregoing field notes of the mineral survey number 4898, in surveyed sections 32 & 33, Township 1 South, Range 13 East, surveyed section 1, Township 2 South, Range 12 East and surveyed sections 5 & 6, Township 2 South, Range 13 East, of the Gila and Salt River Meridian, in the State of Arizona, executed by Jimmie D. Crume, Mineral Surveyor, under order dated August 8, 2011, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

2/10/2012

(Date)

Stephen K. Hansen

(Chief Cadastral Surveyor of Arizona)