

Platted ~~in~~

Book No-7

Approved by the

Commissioner July 11/90

Subdivisions

of Fractional

~~4-671~~

FIELD NOTES

GENERAL LAND OFFICE.

T2 N. R 4 E

Andrew Barry

Contract No 9.

Dec 1st 1888.

No-7

2

(4-674.)

Township 2 North R. 4 East

6	5	4	3	2	1
7	8	9	10	11	12
18	10	17	16	15	14
8	7	5			
19	6	20	4	21	22
30	29	28	27	26	25
31	32	33	34	35	36

(11921--10 M.)

6-389

No-7

10

Field Notes
of the Survey of the
Extension
of Subdivision Lines in
Township 2 North Range 4 East
of the
Gila and Salt River Base and
Meridian
of the
Territory of Arizona
as Surveyed by
Andrew Barry
U.S. Deputy Surveyor
Under his Contract No. 9
Dated December 1st 1888

Survey Commenced January 23rd 1889
Survey Completed January 26th 1889

Names and duties of Assistants

George H. Herrold	Chairman
Martin C. Mowry	Chairman
Meredith Adridge	Axeman

Chains

On the night of January 22nd 1889
I take an observation of the Star
Polaris in accordance with in-
structions contained in the
Manual of Surveys and drive
pickets on the line so establish-
ed.

Survey commenced January 23rd
1889 with a Transit by Knox
and Chain No 1303

Before commencing this survey
I test my instrument on the line
established last night and find
it correct and the variation
to be $13^{\circ}10'$ E.

This Township having been
previously partly surveyed
under Contract dated February
29th 1868 I commence at the

Chains	<p> $\frac{1}{4}$S. cor. bet. Sec. 20 and 21 which is a sandstone set in a mound of earth and marked $\frac{1}{4}$ on the W. face and run North bet. S. 20 and 21 Val. $13^{\circ} 10' E$. </p>
35.00	Base of Mountain
40.00	<p> Set Sandstone on Mountain side $15 \times 6 \times 6$ ins 10 ins in the ground for cor. to Sec. 16 17 20 and 21 marked with 3 notches on the S and 4 notches on the E. edges and raised a mound of stone 2ft. high 3ft base alongside. Pits impracticable. Land broken Soil 4th Class Timber Palo verde </p>

T2NR4E Continued

Chains East on random line bet. sec 16
and 21

Var $13^{\circ}10' E.$

40.00 Set temporary $\frac{1}{4}$ S. Cor. - on Mountain side

62.00 Base of Mountain

80.00 intersect N and S Line 1.20 Chns.

S. of the corner to sec. 15 16 21 and 22

which is a stake and stone set
in a mound with pit in each
Sec. $5\frac{1}{2}$ ft. dist. Mound and pits
old and dim -

Thence I run

$S 89^{\circ}09' W$ on true line bet Sec.
16 and 21 with same var

40.00 Set sandstone $15 \times 6 \times 5$ ins 10 ins
in the ground for $\frac{1}{4}$ S. Cor. mark-
ed $\frac{1}{4}$ S. on N. face and raised
mound of stone 2 ft. high and
3 ft. base alongside Pits impractic.

T2N R4E Continued

Chains

able

80.00

Cor. to Sec. 16, 17 20 and 21

Land rough and rocky

Soil 11th Class

Timber Palo verde and Ironwood

From the 4 S. cor. bet. sec 19 and 20 which is marked by a stone set in a mound and marked 1/4 on the W. face and from which

Unfinished House bears N 62° E 50 Chundist

House

" N 89° 40' E 39 " "

Runs North bet. Sec. 19 and 20

var. 13° 10' E-

40.00

Set sandstone 14x6x5 ins 10 ins in the ground for cor- to Sec. 17, 18, 19 and 20 marked 3 notches

T2N R4E (Continued)

Chains on the S. and 5 notches on the E. edges; dug pits $18 \times 18 \times 12$ ins in each Sec $5\frac{1}{2}$ ft. dist. and raised mound of earth 2 ft. high $1\frac{1}{2}$ ft. base along side

Land Level Soil 2nd Class
Timber Palo Verde.

East on random line bet. Sec. 17
and 20

va. $13^{\circ} 10' E.$

40.00 Set Temporary $\frac{1}{4}$ S. Cor.

50.00 Base of Mountain

80.00 Intersect N. and S. line 10 links N.
of corner to Sec. 16 17 20 and 21
Thence down

N. $89^{\circ} 56' W.$ on true line bet. Sec 17
and 20 with same va.

T2N R4E Continued

Chains

40.00

Set Sandstone $14 \times 5 \times 5$ ins 10 ins
 in the ground for the $\frac{1}{4}$ S. cor.
 Marked $\frac{1}{4}$ on N. face; dug
 pits E. and W. of stone $18 \times 18 \times 12$
 ins and $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth 2 ft high $3\frac{1}{2}$ ft.
 base alongside

Unfinished House bears $S 10^{\circ} E.$ 18 chas dist

House bears $S 1^{\circ} 30' W.$ 39.7 chas dist

80.00

Cor. to Secs 17, 18, 19 and 20 -

Land broken Soil 11th Class

Timber Palo Verde

West on random line bet Sec
 18 and 19

$20. 13^{\circ} 10' E.$

40.00

Set temporary $\frac{1}{4}$ S. Corner

79.21

Intersect West boundary of the

T2N R4E • Continued

Chains Township 3.62 chains S. of the cor-
to Secs 13 18 19 and 24 which is
marked by an old mound and pit
in each Sec. $5\frac{1}{2}$ ft. dist. and a
Sandstone $16 \times 8 \times 8$ ins which has
been placed in the mound at a
recent date

Thence I run

S $87^{\circ} 24'$ E. on true line bet Sec
18 and 19 with same var.

39.21 Set Sandstone $15 \times 6 \times 4$ ins 10 ins
in the ground for the $\frac{1}{4}$ S. Cor-
marked $\frac{1}{4}$ S on the N. face;
dug pits $18 \times 18 \times 12$ ins E and W of
Stone, ^{$5\frac{1}{2}$ ft. dist.} and raised mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
along side -

79.21 Cor. to Secs 17 18 19 and 20
Land Level. Soil 2nd Class. Timber Ironwood

T2N R4E Continued

Chains

North bet. Sec. 17 and 18

by $13^{\circ}10'$ E.

30.00

base of Sandstone ridge

40.00

Det. Sandstone $14 \times 6 \times 6$ ins 10 ins
 in the ground on Sandstone ridge
 for the U.S. Cor. marked U.S. on
 N. face and raised mound of
 Stone 2 ft high and 3 ft base along
 side. ^{Pits unpracticable} The land North being
 rough and unfit for cultivation
 I abandon the line.

Land broken Soil 3rd Class
 Timber Palo Verde

This land is all more or less
 rolling and sparsely covered
 by Ironwood and Palo Verde
 Timber also Sahuaras and

T. 2 N. R. 4 E. Continued

Chollas.

There is a house on the N.W. $\frac{1}{4}$
of Sec. 20 and also an unfinished
house on the N.E. $\frac{1}{4}$ of Sec 20

Andrew Barry
U.S. Deputy Surveyor.

12
List of Names.

A List of the Names of Individuals employed by

Andrew Barry U. S. deputy

surveyor, to assist in running, measuring, or marking the lines

and corners described in the foregoing Field Notes of the survey

of fractional Township No 3 North
Range No 3 East and the extension of
the subdivision lines in Township No 3 North
Range No 4 East of the Gila and Salt
River Base and Meridian in the
Territory of Arizona

Showing the respective capacities in which they acted.

George H. Herold Chairman.

Martyn C. Mowry Chairman.

Meredit Aldridge Axeman.

Flagman.



13
Final Oath of Assistants.

We hereby certify that we assisted Andrew
Barry U. S. Deputy Surveyor, in surveying
all those parts or portions of Township No 3 North
Range No 3 East and Township No 2
North Range No 4 East of the Gila and
Salt River Base and Meridian of
the Territory of Arizona

as are represented in the foregoing field notes as having been
surveyed by him and under his direction; and that said Survey
has been in all respects, to the best of our knowledge and belief,
well and faithfully surveyed and the corner monuments estab-
lished according to the instructions furnished by the United
States Surveyor-General for Arizona.

E. H. Herold Chairman.
Martin C. Moore Chainman.
Mercer W. Allright Axeman.

Flagman.

Sworn to and subscribed before me, this 28 day of

Jan., 1889

Frank Baxter

Notary Public

Final Oath of Deputy Surveyor.

I, *Andrew Barry*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of instructions received from John ~~Wasson~~ ^{Hill}, United States Surveyor-General for Arizona, bearing date the *24th* day of *December* 1888, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Surveying Manual, and the laws of the United States, surveyed all those parts or portions of

*Township No 3 North Range No 1 East
and Township No 2 North Range No 1
East of the Gila and Salt River
Base and Meridian of the
Territory of Arizona*

as are represented

in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific manner described in the

75
field notes, and that the foregoing are the true Field Notes
such survey, and should any fraud be detected I will suffer
penalty of perjury, under the provisions of an act of Congress
approved August 8, 1846

Andrew Barry
U. S. Deputy Surveyor

sworn to and subscribed before me this 28th day

January, 1889.

Frank Baxter
Notary Public

