

No-114

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

-OF-
West half of

Township *12 N* Range *26 E*

Gila and Salt River Base and Meridian

ARIZONA.

By *C. Burton Foster* D. S.

under contract dated *May 29* 1875.

Survey commenced *July 24*, 1875.

Survey completed *July 28*, 1875.

No-114

114

*East half surveyed by J. A. Lampert
in Cont. 1849 stated May 7 1899
repled by Dept Nov 30 1901.*

Township 12 North R. 26 East.

Gila and Salt River Meridian.

6	32	5	16	4	5	3	2	1
31		30		15				
7	29	8	14	9	4	10	11	12
28		27		12				
18	26	17	12	16	3	15	14	13
25		24		11				
19	23	20	10	21	2	22	23	24
22		22		9				
30	21	29	8	28	2	27	26	25
20		19		7				
31	18	32	6	33	1	34	35	36

This Section E. 13th of
 North half of 1st 1/2 sec
 reserved by J. H.
 Lambird & brother
 his contract No 49
 dated Aug 6, 1899
 see Dept letter "E"
 Nov 20 1901 accept
 ing survey of
 East half of 1st 1/2 sec
 X

PRELIMINARY OATHS OF ASSISTANTS.

WE, *George W Carr*
 and *William C Foster*
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

George W. Carr
William C. Foster

Sworn to and subscribed before me, this *1st*
 day of *July*, 187*3*

William Wilkerson
Justice Dist Court
3rd Judl Dist
Yavapai Co az.



~~W. T.~~ I Chas Rice

I do solemnly swear that ~~we~~ I will well and truly perform the duties of Assessor

according to instructions given ~~us~~ ^{me} and to the best of ~~our~~ ^{my} skill and ability.

Chas Rice

Sworn to and subscribed before me this 12th day of July 187 5

William W. Kenon
Clerk Dist Court
3rd Jud Dist
Yavapai Co Ariz



Field Notes

of the

Subdivision lines

No-114

of
Fractional Township 12 North
Range. 26 East

Gila and Salt River
Meridian.

Territory of
Arizona-

Surveyed by

C. Burton Foster,

U.S. Dep. Surveyor.

Under his contract of,
May, 29th 1875.

Survey commenced July 24th 1875
" completed, " 28th 1875

Township 12. North. Range. 26 East.
Gila and Salt. River Meridian

Begin at the established corner
to sections 34 33. and 34 on the South
Boundary. of the Township Town.

North between secs 34th & 33.
va. 114° 16' East as per.

Burt's improved solar compass

2600

Apache and Navajo road bears N 6
and SW

4000

Set a lime stone 12x10x8 in marked $\frac{1}{4}$.

$\frac{2}{3}$ in the ground and on North side
build mound of earth 2 ft high with pits
2x1x1 ft for $\frac{1}{4}$ sec. cor. No trees near.

8000

Set a lime stone 18x12x10 in properly
set on the south and east edges.
 $\frac{3}{4}$ in the ground and on North side
build mound of earth 2 ft high with pits
2x1x1 ft for the cor to secs. 27 28 33rd
34 No trees near.

Land level mesa said 1 $\frac{1}{2}$ rate
No timber

Township 12. N. Range. 26 E.

Gila and Salt River Meridian

- Chs. North between sec. 27^{and} 28
Va. $14^{\circ}16'$ East.
- 4000 Set a lime stone $18 \times 10 \times 6$ ins. marked
 $\frac{1}{4}$, $\frac{3}{4}$ in the ground and on north side
built mound of earth 2 ft high with
pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec cor. No trees
near.
- 8000 Set a post marked and notched 4 ft
long 3 in square 4 ft in the ground depart
stone marked + and built mound of
earth 2 ft high with pits $2 \times 1 \times 1$ ft for
the cor. to sec. 21 22, 27^{and} 28. No
trees near.

Land level measured with
1st rate Transit a few ceters.

North between sec. 21^{and} 22,
Va. $14^{\circ}16'$ East,

- 4000 Set a lime stone $12 \times 12 \times 12$ ins marked
 $\frac{1}{4}$ $\frac{2}{3}$ in the ground and on north

Township 12. N. Range 26. E
Gila and Salt River Meridian

- Chs. side build mound of earth 2ft high
with pits 2 X 1 X 1 ft. for the sec. cor. to true sur.
- 50.50 Little pond of water west of line sch.
- 80.00 Set a limestone 14 X 12 X 12 ins. properly
notched on the south and east edges.
1/3 in the ground and on the north side
build mound of earth 2ft high with pits
2 X 1 X 1 ft for the cor. to secs. 15, 16, 21, and
22. from which
A sector, 20 in dia, bears N 80° E. 100 ft.
No others near.
Land level near soil 1 1/2 rods N
umber

North between secs. 15 + 16.

Va. 14° 16' East.

- 18.00 Begin descent into canon bears NW + S.
- 24.00 Foot of walls and later level land bears
N + S.
- 3.00 Road from settlements to Apache bears N. + S.
- 4.00 Set a lime stone 18 X 10 X 10 ins.

Township 12. N. Range 26 E.

Utah and Salt River American

- Chs. Markcode 4. $\frac{2}{3}$ in the ground and on north side build mound of stone 2 ft high for $\frac{1}{2}$ sec cor.
- 56.50 Begin ascent of East wall of canon bears N.N.W. + S.
- 6000 Summit and line continues along east bank
- 8000 Set a lime stone 18x10x8 ins. properly notched on the south and east edges, $\frac{3}{4}$ in the ground and on the north side build mound of stone 2 ft high for the cor to secs. 9, 10, 15 + 16. No trees near.
- Land level mea. on each side of canon. soil 2^d hole 1
Juniper cedar.
- Storch between secs. 9 and 10
N. 14° 16' East.
- 5000 Leave edge of canon bears N.N.W.

Township 12. N. Range 26 E

Chick and Salt River Meridian

Set a post marked $\frac{1}{4}$ S. 4 ft long ^{staple}
 $\frac{3}{8}$ in wide of in the ground deposit stone
 marked + and build mound of earth
 2 ft high with pile 2x1x1 ft for $\frac{1}{4}$ sec
 cor. No trees near.

Set a lime stone 16x16x12 in ^{properly}
 notched on the south and east edges
 $\frac{3}{8}$ in the ground and on N. side build
 mound of earth 2 ft high with pile 2x1x1 ft
 for the cor. to sec. 3, 4, 9, and 10 No trees
 near.

Land pretty rolling soil 2^d rate
 Timber a few cedars

North between sec. 3 and 4
 Va. $14^{\circ} 16'$ East.

Set a lime stone 10x10x8 in marked
 $\frac{1}{4}$ $\frac{3}{8}$ in the ground and on N.
 side build mound of earth 2 ft high
 with pile 2x1x1 ft for $\frac{1}{4}$ sec cor. No
 trees near.

Township 12. N. Range. 26 East
 Culebra and Salt River Meridian

Chr.
 8000

Intersected 3^d standard North 50.20
 chain west of the S. C. 6 sec. 33 and
 34, at which point S.

Set a lime stone 16 x 10 x 10 in's properly
 notched on the south edge and on north
 side build mound of earth 2 ft high
 with pits 2 x 1 x 1 ft for the closing cor.
 to sec. 3 and 4 No trees near.

Land rolling hills soil 2^d rate
 No timber

July 24th 1875

North between sec. 32nd and 33rd
 Ta. 14° 16' East

520

Apache and New Mexico road bet. N.E. & S.E.

4000

Set a post marked S. 4 ft long flattened
 3 in wide 1 ft in the ground. Drive charred
 stakes and build mound of earth 2 ft high
 with pits 2 x 1 x 1 ft for 1/4 sec. cor. No
 trees near.

8000

Set a post marked and notched

Township 12. N. Range. 26 East
 Gila and Salt River Meridian

Chs. 4 ft long 3 in square 1/2 in the
 ground drive charred stakes
 and build mound of earth 2 ft
 high with pits 2 x 1 x 1 ft for the cor.
 to sec. 28, 29, 32, and 33, N. line
 near.

Land level near soil 1st rate
 No timber

East on random line between sec 28^{and}
 33.

Var. $14^{\circ}16'$ East.

Set a post for temporary 1/4 sec cor.
 On line section N + S. line 20 links
 south of cor. to sec. 27 28 33^{and} 34
 from which corner.

Open

$S 89^{\circ}51' W$ on true line
 between sec. 28^{and} 33.

Var. $14^{\circ}16'$ East

Township 12 N. Range 26. E.

Clatsop and Salt River Meridian

- 4000 Set a post marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in wide 1 ft in the ground
deposit stone marked + and build
mound of earth 2 ft high with pits
2 x 1 x 1 ft for $\frac{1}{4}$ ac cor. No trees near.
- 8000 The cor. to secs. 28 29 32 and 33.
Level level near side $\frac{1}{4}$ rate
No timber

North between secs. 28 and 29
Va. 14016 East.

- 1800 Little grove of cedars part of line
50 cks.
- 4000 Set a post marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in wide 1 ft in the ground
drive charred stake and build
mound of earth 2 ft high with pits
2 x 1 x 1 ft for $\frac{1}{4}$ ac. cor. No trees
near.
- 5000 Round hills went about 30 ch.

Township 12. N. Range 26 E.

Gela and Salt River Meridian

Set a line stone 24x18x16 in properly
 notched on the S & E edges. 3/4 in
 the ground and on N. side build
 mound of stone 2 ft high for the
 cor. to secs. 20, 21, 28, and 29, No
 trees near.

Land level mensured with 2^d rule -
 No timber

East on random line between secs. 21
 and 28.

Va. 14° 16' East,

Set a post for temporary 1/4 sec cor.
 in section N. + S. line at post
 cor. to secs. 21, 22, 27, and 28. from
 which corner.

Drum

West on true line between secs. 21 + 28

Va. 14° 16' East,

Set a post marked 1/4 S. 4 ft long
 flattened 3 in wide 1 ft in the

Township 12. N. Range. 26 East
 Gila and Salt River Meridian

- 4000 ground drive charred stakes
 and build mound of earth 2ft high
 with pits 2x1x1ft for $\frac{1}{4}$ sec cor,
 No trees near.
- 8000 The cor. to secs. 20, 21, 28, and 29.
 Land level mesa soil 1st rate
 No timber.

North between secs. 20 and 21
 ca. $14^{\circ}16'$ East.

- 4000 Set a line about 10x10x8 ins marked $\frac{1}{8}$
 $\frac{2}{3}$ in the ground and on north side
 build mound of earth 2ft high with
 pits 2x1x1ft for $\frac{1}{4}$ sec. cor. ~~in~~
 trees near.
- 8000 Set a post marked and notched 4ft
 long 3 in squared 1ft in the ground
 deposit about marked + and build
 mound of earth 2ft high with pits
 2x1x1ft for the cor. to secs. 16 17

Township 12. N. Range. 26 East,
Gila and Salt River Meridian

20 and 21. No trees near.

Land level mesa soil 1st rate
No timber.

East on random line between sec.

16 and 21

Va. 14° 16' East.

40.00 Set a post for temporary 1/4 sec. cor.

80.00 Intersected N + S line at post
cor. to sec. 15 16 21 and 22 from
which cor. I run

West on true line

between sec. 16 and 21.

Va. 14° 16' East.

40.00 Set a post marked "U.S. 4 ft long
flattened 3 in wide 1 ft in the ground
deposit stone marked + and build
mound of earth 2 ft high with pits
2 x 1 x 1 ft for 1/4 sec cor. No trees near.

80.00 The cor. to sec. 16 17 20 and 21

Land level mesa soil 1st rate. No timber.

Township 13. N. Range 26 E.
Cedar and Salt River Meridian

- Chs. North between secs. 16^{and} 17,
Va. 14° 16' East.
- 6.00 A row of cedar trees bears E + W
- 40.00 Set a post marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in wide 1 ft in the ground
drive charred stake and build mound
of earth 2 ft high with pits 2 x 1 x 1 ft
for $\frac{1}{4}$ sec cor. No trees near.
- 8.00 Set a post marked and notched 4 ft
long 3 in squared 1 ft in the ground
deposit stone marked + and build
mound of earth 2 ft high with pits
2 x 1 x 1 ft. for the cor. to secs. 8, 9,
16^{and} 17. No trees near.
- Land level since 1st sale
No Timber

East on random line between
secs. 9^{and} 16.

Va. 14° 16' East

45.00 Set a post for temporary $\frac{1}{4}$ sec cor.

Journal 12. N. Range. 26. E.

Gila and Salt River Meridian

- 4800 Begin descent into cañon bears NW + SE.
 6000 Foot and enter valley bears NW + S.
 6200 Road to settlements from Apache bears
 NW + S.
 7000 Begin ascent of East wall of cañon
 7800 Summit bears. N + S.
 8050 Intersected N + S line at post cor.
 to aces. 9 10 15 + 16. from which
 cor. Drew.

Went on true line between aces. 9 and 16
 to. 14° 16' East.

- 4025 Set a post marked $\frac{1}{4}$ S. 4 ft long flattened
 3 in wide spruce ground driven charred
 stake and build mound of earth 4 ft
 high with pits 2 x 1 x 1 ft for $\frac{1}{4}$ sec. cor.
 to true mer.

- 8050 The cor. to aces. 8, 9, 16 and 17.
 Land level much broken by canon
 soil 2^d + 3^d rate -
 timber cedar, on East slope of cañon

Township 12. N. Range 26 E.
Gila and Salt River Meridian

- Ch. North between sec. 8 and 9,
Va. $14^{\circ} 16'$ East.
- 20.00 Begin descent of south wall of canon
bears E + W.
- 22.00 Foot of wall and line continues down
lava hill of gentle slope covered with
aspens and cedars.
- 40.00 Set a lime stone $12 \times 10 \times 10$ ins marked
 $1/4, 2/3$ in the ground and on N side
build mound of stone 2 ft high for $1/4$ sec
cor. from which
A cedar, 5 m dia bears $N 88^{\circ} W$ 20 lbs dia
An aspen 10.. " " S. $4^{\circ} E$. 200 lbs "
- 69.00 Foot of hill and enter bottom land.
- 70.00 Field bears E + W.
- 78.00 Road from settlements to Apache bears
East and West.
- 80.00 Put a post marked and notched 4 ft
long 3 in squared 1 ft in the ground
drive charred stakes and build mound
of earth 4 ft high with pits $2 \times 1 \times 1$ ft

Township 12. N., Range. 26 E.

Gda and Salt River Meridian

Chs. for the cor. to sees, 4, 5, 8 and 9.
No trees near.

Land heavy soil 3 + 1st natl
timber cedar and aspen

East on random line between
sees, 4 and 9.

Va. 114° 16' East.

1800 Leave field bars NW + S E.

2500 Begin ascent of East wall of cañon
bars. NW + S E. 40 ft high

4000 Set a post for temporary 1/4 sec cor.

4050 Summit a gradual ascent from abrupt
wall. bars. NW + S E.

8040 Intersected N + S line 35 lks.

South of post cor. to sees, 3, 4, 9, and
10 from which cor. I run

S 89° 45' W. on true line
between sees, 4 and 9

Va 114° 16' East.

Township 12. N. Range, 26 E.

Gila and Salt River Meridian

- 40,20 Set a lime stone 36 x 18 x 16 ins
marked $\frac{1}{4}$ and on west side build
mound of stone 3 ft high for $\frac{1}{4}$ ac
cor. from which
a point in bluff, marked + bears,
S10°E. 30 lks. No trees near,
80,40 the corner. 6-acs. 458 and 9,
Sand level and hilly soil 1948
rate - No timber

North between aces. 4 and 5
Va. 14° 16' East,

- 4,00 Leave field enter rolling sand bars
E & W.
18,00 Enter level sand bars NE + SW.
20,00 Road bars NE + SW
33,70 Couches creek flows NE 15 lks wide
34,40 Road bars. NE + SW.
40,00 Set a post marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in wide 1 ft in the ground

Township 12 N. Range 26 E.

Gila and Salt River Meridian

- Chs. Drive charred stake and build mound of earth 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ sec cor. No true war.
- 94.00 Hours of settlers on cowch creek
90 chs. East, 5 in all.
- 80.20 Intersected 3^d Standard North 50.16 chs. west of the standard cor. to sec. 32 and 33. at which point I set a post marked and notched a post 3 in square 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits 2x1x1 ft for the closing cor. to sec. 4 and 5. from which
A cedar, 10 in dia bears S 76° W 20' the dist
" " 12 " " " S. 84° E, 28 " "
- Land level drive 1st rate
Timber cedar on N+W of line
- July 26th 1875

Township 12. N. Range. 26 E
Cata and Salt River Meridian

Chs.	North - between sec. 31 and 32, N. 14° 16' East,
2800	Entrico cedars bear N 11° S E.
4000	Set a post marked $\frac{1}{4}$ S. 4 ft long flattened 3 in wide 2 ft in the ground for $\frac{1}{4}$ sec. cor. from which A cedar, 12 in dia. bears N 46° E. 28 lbs. dia " " 10 " " " N 20° W 42 " "
8000	Set a post marked and notched 4 ft long 3 in squared 2 ft in the ground for the cor. to sec. 29, 30, 31, and 32, from which A cedar, 18 in dia bears N 50° E 100 lbs. dia " " 12 " " " N 48° W 75 " " " " 14 " " " S 28° W 40 " " " " 6 " " " S 16° E, 38 " "
	Land level soil 3 ^d rate Timber cedar,

Township 12, N. Range 26 E.
 Cur and Salt River Meridian

Chs. East on random line between sec.

29th and 32.

va. 14° 16' East.

4000 Set a post for temporary $\frac{1}{4}$ Sec. cor.

5800 Leave cedars enter level mesa land
 bears N + SW.

8000 Intersected N+S line at post cor. to
 sec. 28, 29, 32, and 33, from which
 cor. Drun.

West on true line between

sec. 29th and 32

va. 14° 16' East.

4000 Set a post marked $\frac{1}{4}$ S. 4 ft long
 flattened 3 in's wide 2 ft in the ground
 for $\frac{1}{4}$ sec cor. from which
 a cedar, 8 in dia bears S 25° E. 20 lks dist

" " 10 " " " S 28° W 110 " "

8000 The cor. to sec. 29, 30, 31, and 32,

Land mostly level mesa soil
 2^d rate - Timber Cedar.

Township 12. N. Range, 26 E.

Gila and Salt River Meridian

- Chs. West on random line between
Secs. 30 and 31
Va. $14^{\circ}16'$ East.
- 30.60 Leave cedars enter bottom land bears
N + S.
- 4000 Set a post for temporary 1/4 Sec. cor.
7840 Intersected West Boundary of Town-
ship 28 miles south of post cor. to Secs
30 and 31 from which cor. Run
 $S 89^{\circ}48' E$ on true line
between Secs. 30 and 31
Va. $14^{\circ}16'$ East.
- 3840 Set a post marked N.S. 4 ft long
flattened 3 in wide 4 in the ground
deposit above marked + and build
mound of earth 2 ft high with pits $2 \times 1 \times 1$
ft for 1/4 Sec cor. No trees near.
- 7840 The cor to Secs. 29 30 31 and 32
Land rolling east level west
Dirt 2 + 1/2 rate
Timber Cedars.

Township 12. N. Range 26 E

Columbia Salt River Meridian

chs.	North between sec. 29 and 30 Va. $14^{\circ}16'$ East.
34.00	Leave cedars enter rolling land
36.00	Begin ascent of round hill 100 ft high
40.00	Set a lime stone $14 \times 10 \times 8$ in's marked $\frac{1}{4}$, $\frac{2}{3}$ in the ground and on N. side build mound of stone 2 ft high for $\frac{1}{4}$ sec. cor. No trees near.
42.00	Summit of hill and begin descent, from this point two round hills bear E, 40, + 60, chs to summits and one N, 30 chs to summit
56.00	Enter level land bears E + it.
80.00	Set a post marked and notched 4 ft. long 3 in. square 1 ft in the ground deposit stone marked + and build mound of earth 2 ft high with pits $2 \times 1 \times 1$ ft. for. the cor. to sec. 19 20 29 and 30 No trees near— Land rolling soil 2 rate Lumber Cedar—

Township 12. N. Range, 26 E.
Gila and Salt River Meridian

- Chs. East on random line between secs. 20+29
Va $14^{\circ}16'$ East
- 4000 Set a post for temporary $\frac{1}{4}$ Sec. cor.
8000 Post erected N & S. line at post
cor to secs. 20 28 and 29 from
which cor. Draw
West on true line between
secs. 20 and 29
Va, $14^{\circ}16'$ East.
- 4000 Set a post marked $\frac{1}{4}$ S. 4 ft long flattened
3 in wide 1 ft in the ground drive charred
stake and build mound of earth 2 ft high
with pile 2 x 1 x 1 ft for $\frac{1}{4}$ sec. cor.
No trees near.
- 8000 The cor. to secs 19, 24 29 and 30.
Land level soil 1st call No timber
- West on random line between secs. 19, 24 30
Va $14^{\circ}16'$ East.
- 4000 Set a post for temporary $\frac{1}{4}$ Sec. cor.

Township 12. N. Range 26 E.

Gila and Salt River Meridian

7830

Intersected West Boundary of Township at post cor. to secs. 19 and 30 from which cor. Drun. East on true line between secs. 19 and 30

va 140 16' East.

3830

Set a post marked $\frac{1}{4}$ S. 4 ft long flattened 3 in wide 1 ft in the ground deposit stone marked + and build mound of earth 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ sec. cor. No trees near.

7830

The cor. to secs. 19 20 29 and 30
Land level soil 1 1/2 h. -
No timber

North between secs. 19 and 20

va. 140 16' East,

4000

Set a post marked $\frac{1}{4}$ S. 4 ft long flattened 3 in wide 1 ft in the ground drive charred stakes and build mound of earth 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ S. cor. No trees near

Township 12. N. Range 26 E.

Cuba and Salt River Meridian

80.00

Set a post marked and notched 4 ft. long 3 in squared 1 ft. in the ground drive charred stake and build mound of earth 2 ft high with pits 2 x 1 x 1 ft for the cor. to sec. 17, 18, 19, and 20 No trees near,

Land level near soil 1 1/2 rate
No timber

East on random line between sec. 17
and 20

va. 14° 16' East,

40.00

Set a post for temporary 1/4 sec. cor.

80.10

Intersected N + S line 20 miles north of post cor. to sec. 16 1/2 and 21 from which cor. Run

A 89° 51' W on true line between
Secs. 17 and 20

40.05

Set a post marked 1/4 S. 4 ft long, flattened 3 in wide 1 ft in the ground drive charred stake and build mound

Township 12. N. Range 26 East.

Cuba and Salt River Meridian

Chs. of earth 2 ft high with pits 2x1x1 ft.
for 1/4 Sec. cor. No trees near.
80.10 The cor. to secs. 17 18 19 and 20
Sand level mesa soil 1 1/2 ft
No timber

July 27th 1875

West on random line between secs. 18^{and} 19,
Va. 14° 16' East.

40.00 Set a post for temporary 1/4 sec. cor.
60.00 Head of Concho creek 6 chs south, spring
64.50 Concho creek 25 fms wide flows N.E. from
south rapid current. 1 ft deep.
78.80 Intersected West Boundary of Township
38 links North of post cor. to secs. 18^{and} 19
from which cor. is run
N 89° 42' E on true line
between secs. 18^{and} 19
Va 14° 16' East.

38.30 Set a limestone 18x10x8 ins. marked 1/4
3/4 in the ground and on north side build
mound of earth 2 ft high with pits 2x1x1 ft.

Township 12. N. Range 26 E.
 Gila and Salt River Meridian

Chs. for 1/4 sec cor. No trees near.
 78.30 The cor. to secs. ^{17, 18, 19,} 19, 20, 29 and ³⁰ 30
 Land sloping each way towards
 Couchs creek well 2^d + 1st gate
 No timber

North between secs. 17 and 18,

Pa. 14 + 16 East,

40.00 Set a post marked 1/4 S. 4 ft. long flattened
 3/4 in. wide of in the ground deposit stone
 marker + and build mound of earth 4 ft.
 high with pile 2 x 1 x 1 ft for 1/4 sec. cor.
 No trees near.

62.00 Canyon of Couchs creek 3 ch wide

62.50 Couchs creek flows N.E. 16 ft wide
 dense growth of willows and cottonwood along
 its banks.

65.00 opposite bank of Canyon and enter mesa large
 again

80.00 Set a limestone 18 x 10 x 8 ins. properly
 notched on the S. + E. edges, 3/4 in

Township 12. N. Range. 26 E.

Osita and Salt River Meridian

Chs. the ground and on north side build
mound of earth 2 ft high with pits
2 x 1 x 1 ft for the cor to secs. 7 & 17th & 18th
Mtns near.

Land level mesa soil 2^d
rate - No timber

East on random line between secs. 8 & 17,
va. 14° 16' East,

15.40 Cañon of Coucho creek 75 ft deep. bars
NE, + SW

17.00 Coucho creek flows NE 20 lks wide
dense growth of underbrush, willows
aspens, cottonwoods and black walnuts,

18.00 Leave cañon enter level mesa bears NE + SW

4.00 Set a post for temporary 1/4 sec. cor.

80.20 Intersected N + S line at post cor.
to secs. 8, 9, 16, and 17, from
which cor. I run.

West on true line
between secs. 8 and 17.

Township 12. N. Range 26 Eo
Gela and Salt River Meridian

Va. $14^{\circ} 16'$ East,

4010 Set a lime stone $18 \times 8 \times 8$ ins marked $\frac{1}{4}$,
 $\frac{3}{4}$ in the ground and on north side build
mound of stone 2 ft high for $\frac{1}{4}$ sec. cor.
No trees near.

80.20 The cor. to secs. 7, 8, 17 and 18
Land level mesa soil 2 rate
Timber walnut aspen oak
and cedar. on concrete creek

West on random line between secs. 7, 4 and 18,

Va. $14^{\circ} 16'$ East,

4000 Set a post for temporary $\frac{1}{4}$ sec. cor.

78.20 Intersected West Boundary of Township
25 links north of post cor. to secs. 7 and 18,
from which cor. Draw

$89^{\circ} 49' 0''$ on true line
between secs. 7 and 18.

Va. $14^{\circ} 16'$ East,

38.20 Set a lime stone $10 \times 10 \times 10$ ins marked
 $\frac{1}{4}$, $\frac{2}{3}$ in the ground and on N. side

Township 12. N. Range 26 E.

Gila and Salt River Meridian

Chs. build mound of stone 2 ft high for
 1/4 sec cor. No trees near.

7820 The cor to sec. 7, 8, 17 and 18.

Land gently rolling and 2^d rate
 No timber

North between sec. 7, 11 and 18.

PA 140/6' East

4000 Set a lime stone 15x10x6 in marked
 1/4, 2/3 in the ground and on N. side
 build mound of earth 2 ft high with
 pits 2x1x1 ft for 1/4 sec cor. No trees near.

8000 Set a post marked and notched 4 ft
 long 3 in square 1 ft in the ground
 drive charred stake and build
 mound of earth 2 ft high with pits
 2x1x1 ft for the cor. to sec. 5, 6, 7, 8 & 9.
 No trees near.

Land rolling hills and 2^d rate
 Timber scattering cedars

Township 12. N. Range 26 E.
Cuba and Salt River Meridian

Chs.	East on random line between
	secs. 5 and 8.
	Va 14° 16' East.
21.00	Irrigation ditch flows NE.
22.00	Center field bears NE + SW
27.00	Leave field bears NE + SW
40.00	Set a post for temporary 1/4 Sec. cor.
58.00	Honor south 6 chains
58.60	Center field bears. NE + SW
62.00	Leave field bears NE + SW
62.60	Road bears. NE + SW
66.80	Couch creek 15th. wide flows. NE
80.00	Intersected N + S line at post cor. to secs. 4, 5, 8, and 9, from which cor. is run.
	Next on true line between
	secs. 5, and 8.
	Va 14° 16' East
40.00	Set a limestone 10 X 10 X 10 ins marked 1/4 2/3 in the ground and on N. side build mound of earth 2 ft high with

Township 12. N. Range 26 E.

Gila and Salt River Meridian

4650. pits 2x1x1 ft for $\frac{1}{4}$ sec cor.
No trees near.

5000 The cor. to secs. 5 6 7 and 8.
Land gently rolling with
1st + 2^d rate
Timber cedar, and
walnut, on coucho creek

West on random line between secs. 6 + 7.
Va. 14° 16' East.

4000 Set a post for temporary $\frac{1}{4}$ sec cor.
7810 Delineated West Boundary of
Township 22 miles South of post
cor to secs. 6 and 7, from which cor.
I run.

S 89° 51' E. on true line
between secs. 6 and 7.

Va. 14° 16' East

3810 Set a limestone 16 x 9 x 9 ins marked
 $\frac{1}{4}$ $\frac{2}{3}$ in the ground and on N side build
mound of earth 2 ft high with pits 2x1x1 ft

Township 12 N. Range 26 E
 Gila and Salt River Meridian

4810 for $\frac{1}{4}$ sec cor. No trees near.
 The corner to secs. 5, 6, 7 and 8
 Land rolling hills soil 2 rate
 No timber

North between secs. 5 and 6,
 N 14° 16' East,

4600 Set a sand stone 18 x 11 x 9 in. properly
 marked $\frac{1}{4}$, $\frac{3}{4}$ in the ground and on north,
 side build mound of earth 2 ft high with
 pits 2 x 1 x 1 ft for $\frac{1}{4}$ sec. cor. No trees near.

5000 Intersected 3^d standard North, 50.10
 chains west of the standard cor. to secs.
 31 and 32, at which point I
 set a spot marked and notched 4 ft,
 long 3 in squared 1 ft in the ground drive
 charred stakes and build mound of
 earth 2 ft high with pits 2 x 1 x 1 ft for
 the closing cor. to secs. 5 and 6. No
 trees near.

Township 12. N. Range 26 E.
 Gila and Salt River Meridian

Chs. Land gently sloping north soil
 1st rate No timber

July 28th 1875

General Description

The surveyed portion of this Town-
 ship embraces some fine farming
 land. Timber is scarce for building
 purposes; the varieties are Cedar, Spruce
 Ash Black walnut and Oak growing
 along Concho creek. There are several
 settlers in the Township engaged in farming
 and stock raising Concho creek heads
 in sec. 19. and affords plenty of water
 for irrigation

C. Guston Foster
 U. S. Surveyor

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of *the Subdivision lines of Fractional Township 12 N Range 26 E Gila and Salt River Meridian Territory of Arizona*

Showing the respective capacities in which they acted.

George W Carr Chainman.
William C Foster Chainman.
Chas Rice Axeman.

Flagman.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Chas Rice
Foster U. S. Deputy Surveyor, in
 surveying the subdivision lines of
Fractional
Township 12 N Range 26 E
Gila and Salt River Meridian
Territory of Arizona

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monu-
 ments planted according to the instructions fur-
 nished by the Surveyor-General

George W Carr Chairman.
William Foster Chainman.
Chas Rice Axeman.
 _____ Flagman.

Sworn to and subscribed before me, this 5th
 day of August, 1873

William Melkerson
 Clerk Dist Court
 3rd Judicial Dist
 Yuma Co Ariz.



FINAL OATH OF DEPUTY SURVEYOR.

I, W. Burton Foster

U. S. Deputy Surveyor do solemnly swear that,
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bear-
ing date the 29th day of May

1875 I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-Gener-
al, the Surveying Manual, and the laws of the
United States, surveyed all those portions of

the subdivision line of
Fractional

Township 12 N Range 6 E
Yuma and Salt River Meridian
Territory of Arizona

as are repre-
sented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Ruston Foster
Deputy Surveyor.

Sworn to and subscribed before me, this 5
day of August, 1873

William Wilkerson
Clerk Dist Court
3rd Judl Dist
Yonapoi Co Ar

