

BOOK 126 "C" and "D"

CORRECTIVE NOTES

West Sectional Boundary and

Subdivisions

T. 12, N. 17, R. 26, E.

CONT. N^o 49.

BOOK 126

NO. 126

4-671

FIELD NOTES
GENERAL LAND OFFICE

126

NO. 126

No- 126

Township 12 N, R. 26 E.

6	5	4	2	3	2	1
				16	15	15
7	8	9	3	10	11	12
				14	14	15
18	17	16	4	15	13	14
				13	13	12
19	20	21	5	22	23	12
				11	11	12
30	29	28	6	27	11	26
				11	10	10
31	32	33	7	34	35	10
				9	9	

Preliminary Oaths of Assistants.

We, William Raudens
and Francisco Terres

do solemnly swear that we will well and faithfully execute the duties of Chain Carriers; that we will level the chain upon even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the

N. Boundary of Secs. 3, 10, 10,
22, 27, & 34, Tp. 12, N. R. 26 E.,

& S. Boundary of secs. 34, 35 & 36
Tp. 12, N., R 26 E.

of the Gila and Salt River Base and Meridian in the Territory of Arizona.

William Raudens ^{his mark} Chainman.
Francisco Terres Chainman.

Chainman.

Chainman.

Subscribed and sworn before me, this 23

day of June 1900 ~~189~~

James A. Lampert
Notary Public.
U.S. Dep'y Surveyor
[SEAL.]

BOOK 126.

We, William Saunders and ^{1B}
Francisco Torres
do solemnly swear that we will well and truly per-
form the duties of flagman and
axeman.

in the establishment of corners and other duties,
according to instructions given us, and to the best
of our skill and ability, in the survey of the

N. Boundary of secs. 3, 10, 15,
22, 29 & 34. Sp. 12 N. R. 26 E.

& O. Boundary of secs. 37, 38, 39 & 36,
Sp. 12 N., R. 26 E.

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona.

William Saunders
His
Francisco Torres.
mark

Subscribed and sworn to before me this 23

day of June 1900 189

James A. Lampson
Notary Public.
U.S. Deputy Surveyor

Field notes of $\frac{1}{4}$ Closing corners
on west boundary of Secs 3, 10, 15, 22
27, and 34. T 12 N. R 26 E of the Gila
and Salt River Meridian in
the Territory of Arizona as
Surveyed by James A. Lampson
U. S. Deputy Surveyor
under Contract No 49.

Survey commenced June 23, 1900.
Survey completed June 24, 1900.
with a W. & L. E. Gurley Transit
No 15 with a Solar Attachment.
the horizontal limb is provided
with two double verniers
placed opposite to each other
reading to single minutes
of Arc which is also the least
count of the verniers of the lati-
tude and declination arcs.
I began at the C. C. of Secs

Chains $\frac{1}{4}$ Closing Corners West

3 and 10. which is a stone corner
properly marked and witnessed
and previously set by me under
Contract No 49.

I destroy old mound on west and
reestablish mound on East.
From which I run
 $N. 0^{\circ} 55' W.$

West boundary of Sec 3.

140.00 set a granite stone
 $16 \times 12 \times 8$ inches. 12 ins in the
ground for $\frac{1}{4}$ closing corner
West bdy Sec 3. marked $\frac{1}{4}$. C.C.
3 on East face and raised a
mound of stone. $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft
high E. of corner

From which the $\frac{1}{4}$ corner E. bdy.
Sec. 4. bears $N. 0^{\circ} 55' W.$ 17.80 ch^{dist}

I continue my line $N. 0^{\circ} 55' W.$

98.40 Intersect C.C. Secs 3 and 4. on the

Bdy Secs 3, 10, 15, 22, 27 ^{4th} of 34

Chains

3rd Standard Parallel North

Previously described by me

From which the $\frac{1}{4}$ Con. South bound
any of Sec 33. T. 13 N. R. 26 E. Gd
S. R. B and M. Ariz. bears $N 87^{\circ} 50' 24''$
 9.94 chs dist.

I return to the C. C. Secs 3 ^{and} 10

From which I run

$S 0^{\circ} 55' E.$ on a random line

W. bdy Sec 10

40.00 Set temporary $\frac{1}{4}$ C. C.

80.10 Intersect C. C. Secs 10 and 15.

I destroy old mound on W and
reestablish mound on E

Thence I run

$N 0^{\circ} 55' W$ on true line W. bdy

Sec 10.

40.05 Set a lava stone $20 \times 12 \times 6$ ins.
in mound of stone for $\frac{1}{4}$ C. C. Con
W. bdy of Sec. 10. marked $\frac{1}{4}$ C. C.

$\frac{1}{4}$ closing corners West bdy
chains

10. on E. face and raised a mound
of stone $3\frac{1}{2}$ ft base. $1\frac{1}{2}$ ft high
E of cor.

From which a cedar 10 ins in dia
bears S. 80° E. 18 lks dist.

Marked $\frac{1}{4}$ C.C. 10 B.T.

The $\frac{1}{4}$ Con N. bdy of Sec. 9. bears

N. $0^{\circ} 55' W.$ $1\frac{1}{3}$ chs. 60 lks. Dist

A house bears S. 45° E. 20 chs dist

A barn bears S. 46° E. 24 chs dist

Orchard and garden bears S. 65° E. 15 chs

Spring bears S. 30° E. 28 chs. dist.

I return to the C.C. Secs 10. and 15.

Hence I run

S. $0^{\circ} 55' E.$ West bdy Sec 15.

on a random line

40.00 set temporary $\frac{1}{4}$ C.C.

66.35 Intersect Con. Secs 16 and 21.

Hence I run

S. $3^{\circ} 15' E.$

Decs 3, 10, 15, 22, 27 and 31 T. 12 N. R. 26 E.

Chains

79.85 Intersect C. C. Secs 15 and 22.

I destroy mound on W. and reestablish
mound on E.

Thence I run

N. $3^{\circ} 15'$ W. on true line W. bdy Sec 15.

13.50 Intersect Cor Secs 16 and 21

Thence I run

N. $0^{\circ} 55'$ W.

39.92 Set a lava stone $22 \times 12 \times 8$ ins in
mound of stone for $\frac{1}{4}$ Closing Cor
W. bdy of Sec. 15.

Marked $\frac{1}{4}$ C. C. 15 on East face
and raised a mound of stone $3\frac{1}{2}$
ft base $1\frac{1}{2}$ ft high E of Cor.
No trees near.

I return to the C. C. Secs 15 and 22.

Thence I run

S. $3^{\circ} 15'$ E. on a random line
W. bdy Sec 22

40.00 Set temporary $\frac{1}{4}$ C. C.

$\frac{1}{4}$ Closing Corners West Ldy Sec.
Chains

44.27 $\frac{1}{4}$ Cor E. ldy of Sec 21.

Thence I run

S. $2^{\circ} 8' E$

79.80 Intersect C.C. Secs 22 and 27.

I destroy mound on W. and
reestablish mound on E.

Thence I run

N. $2^{\circ} 8' W$.

39.90 set a lava stone $16 \times 10 \times 6$ ins

10 ins in the ground for $\frac{1}{4}$ closing cor

Marked $\frac{1}{4}$ C.C. 22 on East face
and raised a mound of stone.

$3\frac{1}{2}$ ft base, $1\frac{1}{2}$ ft high east of
corner. No trees near.

I return to the C.C. Secs 22
and 27.

From which I run

S. $2^{\circ} 8' E$ on a random line

W. ldy. Sec 27.

Cov. to secs 21 and 28.

44.40 Set temporary $\frac{1}{4}$ C.C.

40.00

3. 10. 15. 22. 27 and 31st S. 12. N. R. 26 E.

Ghains

80.00 Intersect C. C. Decs 27 and 34.

I destroy mound on W. and reestablish mound on E.

Hence I run

S. $2^{\circ} 8'$ W. west bdy Dec 27.

40.00 Set a lava stone $18 \times 15 \times 10$ ins in mound of stone for $\frac{1}{4}$ closing corner

Marked $\frac{1}{4}$ C. C. 27. on east face
and raised a mound of stone

$3\frac{1}{2}$ ft base. $1\frac{1}{2}$ ft high East of Con

From which the $\frac{1}{4}$ corner East
bdy of Dec 28 bears S. $2^{\circ} 8'$ E. 4.50 chs
dist. no trees near.

I return to the C. C. Dec 27th & 34

Hence I run

S. $2^{\circ} 8'$ E. W bdy Dec 34.

4.55 Cor. secos 28 and 33.

40.00 Set a lava stone $12 \times 10 \times 8$ ins
8 ins in the ground for $\frac{1}{4}$ closing
corner. Dec. 34.

Marked $\frac{1}{4}$ C. C. 34. on East face

1/4 Closing Corners West Bdy Sec
Chains

and raised a mound of stone
 $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high Easty
From which the 1/4 con. East to
of Sec 33. bears S. $2^{\circ} 8' E.$ 4. Yo

I continue my line S. $2^{\circ} 8' E$

84.40 I intersects S. Bdy of 2nd ad Con
to Secs 33 and 34.

James A. Lampert
U.S. Dept Surveyor

List of Names.

BOOK

126

SA

A List of the Names of the Individuals
employed by J. Aunes A. Campion
U. S. Deputy Surveyor, to assist in running, meas-
uring and marking the lines and corners described
in the foregoing Field Notes of the survey of the
W. bdy of Sec. 8. 10. 15. 22.
27. & 34. Tp 12 N. R 26 E
and O. Bdy. of secs. 84, 85, 88, 89.
Tp. 12. N. R. 26, E.

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, showing the respective
capacities in which they acted.

William Saunders	Chainman.
Francisco Jones	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

Final Oath of Assistants.

We hereby certify that we assisted ~~James~~
O. Campfort U. S. Deputy Surveyor, in
 surveying all those parts or portions of the
W. boundary of Sections 3, 10,
 15, 22, 29 & 34, T. 12 N., R. 26,
E. & South Boundary of sections
 34, 35 & 36, T. 12 N., R. 26, E.

of the Gila and Salt River Base and Meridian, in
 the Territory of Arizona, as are represented in the
 foregoing field notes as having been surveyed by him
 and under his direction; and that said Survey has
 been in all respects, to the best of our knowledge
 and belief, well and faithfully surveyed, and the
 corner monuments established according to the
 instructions furnished by the United States Surveyor
 General for Arizona.

William Parmenter ^{Flagman and}
~~his~~ ^{Chairman.}
Francisco J. Jones ^{Axeman and}
~~Mark~~ ^{Chairman.}

..... Chainman.

..... Chainman.

..... Axeman.

..... Axeman.

..... Flagman.

Sworn to and subscribed before me, this 14th
 day of August, 1901, - 189.

[SEAL.]

James A. Campfort

^{Notary Public.}
U. S. Deputy Surveyor

BOOK 158

Final Oath of U. S. Deputy Surveyor. ^{SC}

I, James A Lampert.

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract received from George A. Royal & Christ Johnson, United States Surveyor-General for Arizona, bearing date of the first day of

May, 1899, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts

or portions of the X. Boundary of secs.
3, 12, 15, 22, 27, 34, Tp. 12, R.

R. 26 E., & South Boundary of
sections 34, 35, 36, Tp. 12, N. R.
26 E.

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Manual of printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific

BOOK 126

manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

James A Lampert.
U. S. Deputy Surveyor.

Sworn to and subscribed before me this ~~4th~~

day of August, ¹⁹⁰⁰
~~1890~~

A E Sullivan

~~My Commission expires~~
~~July 1, 1901~~

Notary Public

subscribed and sworn to
before me this 10th day of
August, 1900.

N. G. Layton
Clarkgate Probate Court

- APPROVAL -

BOOK

126

U.S. Sur'v. Gen'l's. Office,

Tucson, Arizona., April 5th, 1900.

The foregoing field notes of the survey of the South and West Boundaries of the East $\frac{1}{4}$ of Fractional T. 12, N., R^E 26, E. of the Gila and Salt River Base and Meridian, in the Territory of Arizona, executed by ----- JAMES A LAMPOR^T, ----- U.S. Dep'y. Sur'v. under his Contract No. 19, Ariz., dated May 1st 1899, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

George ChristU.S. Sur'v. Gen'l.
for Arizona..

Preliminary Oaths of Assistants.

We, William Paundere
and Francisco Terres
do solemnly swear that we will well and faithfully
execute the duties of Chain Carriers; that we will
level the chain upon even and uneven ground, and
plumb the tally pins, either by sticking or dropping
the same; that we will report the true distance to
all notable objects, and the true lengths of all lines
that we assist in measuring, to the best of our skill
and ability, and in accordance with instructions
given us, in the ^{re} survey of the subdivisional
lines of East $\frac{1}{2}$ of Tract T. 12 N.

R. 26, G.

of the Gila and Salt River Base and Meridian in
the Territory of Arizona.

.....Chainman.

William PaundereChainman.

Francisco TerresChainman.

.....Chainman.

Subscribed and sworn before me, this 20.
day of June 1899.

[SEAL.]

James A. Snapp Notary Public
U.S. Surveyor

we, William Saunders 46

François Terres

do solemnly swear that we will well and truly per-
form the duties of ~~Flagman and~~ ¹²⁶
~~axemen~~

in the establishment of corners and other duties,
according to instructions given us, and to the best
of our skill and ability, in the ^{re} survey of the sub.
divisional line of East $\frac{1}{2}$ of
Tract T. 12 N. R. 26, E.

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona.

William Saunders

François Terres

Subscribed and sworn to before me this ²⁰

day of June

\$1900.

James A. Scammon
Notary Public.

Kodak Survey

Field Notes of Re Survey of Sub

Division lines of Fractional E 1/2
Twp 127 N. R 26 E. Is ^{say} S. R. M. as surveyed
by J. A. Lamport U. S. Dep Surveyor
under contract No 49

Commenced June 20, 1900

Completed June 23, 1900.

Chains

South Bdy.

Commencing at Cor to sections
33 and 34, between Twp 11 and 12
N. R 26 E.

N. 89° 20' E. S Bdy Sec 34.

40.15 I reestablish old 1/4 cor which
is a lava stone 12 x 10 x 6 ins set
in a mound of stone properly
marked and witnessed.

I continue my line

80.30 Intersect corner Sec 34 and 35
I continue my line N. 89° 20' E
South Bdy Sec 35

Re Survey of the Sub-division lines

Chains

40. 12 Intersect $\frac{1}{4}$ Cor. S. Bdy Sec 35.

80. 24 Intersect Corners Secs 35 and 36

Hence ^{Subdivisions.} I run

No° of N. between Secs 35 and 36

42. 00 $\frac{1}{4}$ Cor

82. 00 Cor Secs 25. 26. 35. 36.

From this Cor I run

East between Secs 25 and 36

40. 23 $\frac{1}{4}$ Cor.I destroy old mound on N.
re establish mound on N.80. 46 Intersect Cor to Sec 25. 30. 31. 36
between R's 26 and 27.I return to the Cor of Sec 25. 26.
35 and 36. D 12. N. R. 26 E.

From which I run

West between Secs 26 and 35

40. 00 Intersect $\frac{1}{4}$ CorI destroy mound west
re establish mound on N.

E 7/8 D 12 N. R. 26 E

Chains

I continue my line

80.00 Con to Secs 26. 27. 34 and 35

I continue my line Bet Sec 27 & 34.

40.00 Intersect 1/4 Con.

I destroy mound on N.

re establish mound on N.

I return to Con to Secs 26. 27. 34 & 35

From which I run

N. 0° 01' W. Bet Secs 26 and 27

40.00 Intersect 1/4 Con Bet Secs 26 and 27

80.00 Intersect Con to Secs 22. 23. 26 and 27

From this corner I run

West bet Secs 22. and 27.

40.00 Intersect 1/4 Con

I destroy mound on N.

re establish mound on N.

I return to Con to Secs 22. 23.

26 and 27.

From which I run

E Bet Secs 23 and 26

Chains Re-Survey of the Sub-Divisions

40. 05 Intersect $\frac{1}{4}$ Cor Bet Secs 23 and 26
 I destroy mound west of Cor
 re establish mound N of Cor
 I continue my line
80. 10 Intersect Cor to Secs 23, 24, 25 and 26
 I continue my line Bet Secs
 24 and 25
40. ~~20~~ Intersect $\frac{1}{4}$ Cor bet Secs 24 and 25
 I destroy mound N of Cor
 re establish mound N of Cor
 I return to cor to sec 23, 24, 25, 26
 From which I run
 $70^{\circ} 01' W$ Bet Secs 23 and 24
40. 00 Intersect $\frac{1}{4}$ cor
 Cor Secs 13, 14, 23 and 24
 From which I run
 E Bet Secs 13 and 24
40. 09 Intersect $\frac{1}{4}$ cor
 I destroy mound west of Cor

line E $\frac{1}{2}$ W D 12. N. R 26 E

Chains

re establish mound N of Con

I return to Con Secs 13. 14. 23 and 24

From which Con I run

S $89^{\circ} 54' W$ Bet Secs 14 and 23

40.06 $\frac{1}{4}$ Con

I destroy mound N of Con

re establish mound N of Con

I continue my line

80.12 Intersect Con to Secs 14. 15. 22 and 23

I continue my line

W Bet Secs 15 and 22.

40.00 Intersect $\frac{1}{4}$ Con

I destroy mound N of Con

re establish mound N. of Con

I return to Con Secs 14. 15. 22 and 23

From which Con I run

$71.0^{\circ} 01' W$ Bet Secs 14 and 15

40.45 $\frac{1}{4}$ Con. I re establish Con at

40.00 which makes Con correct

I continue my line

Chains

Re Survey of the Sub-Division

80.40 ~~Intersect~~ Con to Secs 10. 11. 14^{2d} & 15

I re establish con at

80.00 which makes con correct

From which I run

W Bet Secs 10 and 15

40.00 $\frac{1}{4}$ Con 0.63 chs N.I destroy said $\frac{1}{4}$ Con and
re establish Con 0.63 chs S. from
where it originally was. and establish
mound N of Con

I continue my line

91.88 Intersect C. C. Secs 10 and 15

I return to Con to Secs 10. 11.
14 and 15.

From which I run

E Bet Secs 11 and 14

40.10 Intersect $\frac{1}{4}$ ConI destroy mound N of Con
re establish mound N of Con

I continue my line

lines E $\frac{1}{2}$ N. R 26 E

6 chains

80.20 Intersect Con to Secs 11, 12, 13 and 14

I continue my line E Bet Secs 12nd and 13

40.05 $\frac{1}{4}$ Con

I destroy mound N. of Con

80.10 re establish mound N. of Con
Intersect Con to Secs 7, 12, 13 & 18, on E. bdy.

I return to Con to Secs 11, 12, 13nd and 14.

From which I run

N. 0° 01' W Bet Secs 11 and 12

40.00 Intersect $\frac{1}{4}$ Con

80.00 Con to Secs 1, 2, 11, and 12

From which Con I run

E Bet Secs 1 and 12

40.20 $\frac{1}{4}$ Con

I destroy monument N. of Con

re establish mound N. of Con

80.40 Intersect Con to Secs 1, 6, 7 and 12

I return to Con to Secs 1, 2, 11nd and 12

From which I run W. Bet Secs 2 & 11

40.00 $\frac{1}{4}$ Con

I destroy mound N. of Con

16

re establish mound N. of Con

80.00 Con to Secs. 2, 3, 10 and 11

I continue my line

40.00 Intersect $\frac{1}{4}$ Con Bet Secs 3 and 10

I destroy mound W. of Con

re establish mound N. of Con

I continue my line

93.50 Intersect C. C. to Secs 3 and 10.

James A Lampson
U.S. Deft. Surveyor

BOOK 17
List of Names.

126

A List of the Names of the Individuals
employed by James A. Lampert,
U. S. Deputy Surveyor, to assist in running, meas-
uring and marking the lines and corners described
in the foregoing Field Notes of the ^{re} survey of the
subdivisional lines of the
East $\frac{1}{2}$ of Tract T. 12, N. R. 26 E.

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, showing the respective
capacities in which they acted.

William Parnders Chainman.
Francisco Terres Chainman.

Chainman.

Chainman.

Axeman.

Axeman.

Flagman.

Final Oath of Assistants.

*We hereby certify that we assisted James
A. Lampert U. S. Deputy Surveyor, in
resurveying all those parts or portions of the sub-
divisional lines of the East
of tract T 12, N. R 26, E.*

*of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, as are represented in the
foregoing field notes as having been surveyed by him
and under his direction; and that said Survey has
been in all respects, to the best of our knowledge
and belief, well and faithfully surveyed, and the
corner monuments established according to the
instructions furnished by the United States Surveyor
General for Arizona.*

..... Chainman.

..... Chainman.

William Fawcett Flagman and
James J. Morris Chainman.

James J. Morris Axeman and
..... Chainman.

..... Axeman.

..... Axeman.

..... Flagman.

Sworn to and subscribed before me, this 23
day of June, 1890.

[SEAL.]

James A. Lampert
Notary Public.
U. S. Deputy Surveyor

Final Oath of U. S. Deputy Surveyor. 19

I, James A. Campbell,
U. S. Deputy Surveyor, do solemnly swear that in
pursuance of a contract received from Royal A.
Johnson, United States Surveyor-General for Ari-
zona, bearing date of the First day of
May 1899. I have well, faith-
fully, and truly, in my own proper person, and in
strict conformity with the instructions furnished by
the United States Surveyor-General for Arizona,
the Manual of Surveying Instructions, and the
laws of the United States, surveyed all those parts
or portions of the subdivisional lines
of the East $\frac{1}{2}$ of Sect. T. 12, N.
R. 26, G.

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, as are represented in the
foregoing Field Notes as having been surveyed by
me and under my direction; and I do further
solemnly swear that all the corners of said surveys
have been established and perpetuated in strict
accordance with the Manual of printed instructions,
the special instructions of the United States Sur-
veyor-General for Arizona, and in the specific