

*John L. Harris* Deputy Surveyor.

**T.** 17 North **R.** 20 East  
Gila & Salt River Meridian.

## FIELD NOTES

265

OF

BOOK 265

### THE SUBDIVISION LINES OF

Township 17 North Range 20 E  
Gila and Salt River Meridian.

*John L. Harris* Deputy Surveyor.  
under his Contract of April 28 1879  
Survey Commenced July 9 1879  
Survey Completed July 14 1879

Platted,

Copied for Washington,

Copied for Register, a. b.

*J. L. H.*

1 Township 14 North Range 20 East  
 A Gila & Salt River Meridian.  
 BOOK 265

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

OK

B

## Preliminary Oaths of Assistants.

We, Richard Shrope  
 and G. A. Oldshue  
 do solemnly swear that we will faithfully execute  
 the duties of Chain Carriers; that we will level the  
 chain upon uneven ground, and plumb the tally  
 pins, whether by sticking or dropping the same;  
 that we will report the true distance to all notable  
 objects, and the true length of all lines that we as-  
 sist in measuring, to the best of our skill and  
 ability.

Richard Shrope  
G A Oldshue  
Geo W Head

Sworn to and subscribed before me, this 31.  
 day of May, 1879.



John R. Lowell,  
 Notary Public.

We, B. Palm, Geo. McNeal  
 and Evaristo Sainz  
 do solemnly swear that we will well and truly per-  
 form the duties of ~~Reconnoiter and~~  
~~Flagman~~ respectively  
 according to instructions given us, and to the best  
 of our skill and ability.

B. Palm  
 Geo. McNeal  
 Evaristo Sainz

Sworn to and subscribed before me this 31.  
 day of May, 1859.

John R. Stanell  
 Notary Public



1 Township 14 North Range 20 East

265

Pla<sup>d</sup> Salt River

BOOK

265

Meridian.

Chains From the corner to Sections 35, 36, 1 and 2 on the South boundary I run.  
North, between Sections 35 and 36.

Variation 14° 21' East.

As per East Boundary.

4000 Remote from stone & timber.  
Drive charred stake and build  
monad of earth 2 ft. high, with  
pits 1 ft. deep. 2 ft long. 1 ft wide  
as per instructions for 1/4 sec.  
cor.

8000 Set a post marked and matched  
4 ft long. 3 in sqd. 1 ft in the  
ground. drive charred stake  
and build monad of earth 2 ft.  
high, with pits 1 ft deep. 2 ft long  
1 ft wide, as per instructions  
for cor to sec. 25, 26, 35  
and 36.

Land mostly level.  
Some good soil.  
Grass.  
No timber.

Township 17 North Range 20 East  
2  
Sala E Salt River BOOK 265  
Meridian.

Chains East, on a random line between Sections 25 and 36.  
Variation  $14^{\circ} 24'$  East.

4000 Set temporary 1/4 sec. cor  
79.89 Intersect E. boundary 30 lbs N.  
of cor to Secs. 25 and 36.  
from which cor. I run

N.  $89^{\circ} 47' W.$   
On true line between secs. 25 & 36  
var.  $14^{\circ} 24'$  East

39.94 Remote from stone & timber.  
Drove charred stake and build  
mound of earth 2 ft high, with  
pit 1 ft deep. 2 ft long. of coarse  
as per instructions for 1/4 sec. cor.

79.89 Cor. to Secs. 25, 26, 35 and 36.

Land slightly rolling.  
Some good soil.  
Grass.  
No timber.

Township 17 North Range 20 East  
 Pila & Salt River BOOK 265  
 Meridian.

Chains

North, between Sections 25 and 26.

Variation 14° 24' East.

4000 Set a sandstone 24 x 12 x 3 in,  
 $\frac{3}{4}$  in. the ground, marked  $\frac{1}{4}$ ,  
 and on the N. build mound  
 of earth  $\frac{1}{2}$  ft. high with pits  $\frac{1}{2}$  ft.  
 deep. 2 ft. long. 1 ft. wide, as per  
 instructions for  $\frac{1}{4}$  sec. cor.  
 No trees near.

8000 Set a post, marked and whitened  
 $\frac{1}{2}$  ft. long. In - sqd. 1 ft. in the  
 ground, drive charred slate  
 and build mound of earth  $\frac{1}{2}$  ft.  
 high with pits  $\frac{1}{2}$  ft. deep. 2 ft.  
 long. 1 ft. wide, as per instruc-  
 tions for cor to see 23. 24. 25  
 and 26. from which  
 A cedar, 20 in. dia. at N. 68° W. 188 lbs. dist.  
 do 11 " " S. 47° W. 118 " "  
 No other trees near.

Land uneven. Some good soil  
 a few cedar trees.

Township 17 North Range 20 East  
 Pila & Salt River BOOK 265  
 Meridian.

Chains East, on a random line between Sections 24 and 25.

Variation 14° 44' East.

- 3.00 Ascend little hill b.s. N. & S.  
 8.00 Top and descend on E. side.  
 11.50 Leave little hill and run on ground  
 slightly descending E.  
 14.00 Set temporary cor.  
 79.82 Intersect E. boundary 12 lbs. N.  
 after cor. to Secs. 24 and 25, from  
 which cor. down  
 N. 89° 55' W.  
 On true line between Secs. 24 & 25  
 var. 14° 44' East  
 39.91 Set a post, marked  $\frac{1}{4}$  S. 4 $\frac{1}{2}$  ft. long,  
 flattened 3 in wide, 1 ft. in the  
 ground, dress charred stake  
 and build mound of earth 2 ft.  
 high, with pits 1 ft. deep, 2 ft. long  
 1 ft. wide, as per instructions for  
 $\frac{1}{4}$  sec. cor. No trees near.  
 79.82 Cor. to Secs. 23, 24, 25 & 26.

Sand uneven. Some good  
 soil. Grass. No timber.

5  
Township 17 North Range 20 East  
Sla & Salt River BOOK 265  
Meridian.

Chains

North, between Sections 23 and 24.

Variation 124°24' East.

- 8000 Set a sandstone 23 x 13 x 2 ft in  
 $\frac{3}{4}$  in the ground, marked  $\frac{1}{4}$ ,  
and on the N. build mound of  
earth 2 ft high with pits 1 ft. deep,  
2 ft long. If possible, as per in -  
structions for 1/4 sec. cor. from which  
A Cedar 9 in. dia. br. S. 70° W. 126 less dist.  
68-43 Bluff br. E. & W. and descend to  
lower ground.  
8000 Set a sandstone 20 x 12 x 10 in.  
 $\frac{3}{4}$  in the ground, marked  $\frac{1}{4}$ ,  
and on the N. build mound of  
earth 2 ft high, with pits 1 ft. deep,  
2 ft long. If possible, as per in -  
structions for cor. to sec. 13, 1/4  
73 and 22 ft.  
No trees near.

Sandstone. Some good soil  
grass. No timber.

Township

17 North Range 20 East

Gila &amp; Salt River

Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation 14° 24'

East.

4000 Set temporary 1/4 sec. cor  
 79.944 Intersect E. boundary 18 lbs.  
 N. of cor. to secs. 13 and 24.  
 from which cor. I miss

N. 89° 52' W.

On true line between secs. 13 & 24  
 var. 14° 24' East

39.97 Set a post, marked 1/4 S. 4 ft long,  
 flattened 3 in wide. Planted in the  
 ground, drove charred stake  
 and build mound of earth 2 ft  
 high, with pits of 6. deep. 2 ft long.  
 4 ft wide, as per instruction  
 for 1/4 sec. cor.

No trees near.

79.94 Cor to secs. 13. 14. 23 &amp; 24.

Land somewhat rolling.  
 Some good soil. Grass.  
 No timber.

7 Township 17 North Range 20 East  
BOOK 265  
Sla & Salt River Meridian.

Chains North, between Sections 13 and 14.

Variation 14° 24' East.

How Remote from stone timber.

Drove charred slate & build mound about 3 ft. high with pits 1 ft. deep. 2 ft. long. 1 ft. wide, as per instructions for 14 sec. cor.

Doors Set apart, marked and notched, 4 ft. long. Fairly dry, 1 ft. in the ground. Drove charred slate and build mound of earth 3 ft. high with pits 1 ft. deep - 2 ft. long. 1 ft. wide, as per instructions for cor. to secs. 11, 12, 13 and 14.

No trees near.

Land slightly descending N.  
Soil good.

Grass  
No timber.

---

BOOK 265 8  
Township 17 North Range 20 East  
Silo & Salt River Meridian.

Chains East, on a random line between Sections 12 and 13.

Variation 14°41' East.

6.89 Dry wash, 50 las. wide, so. N.W.  
4000 Set temporary  $\frac{1}{4}$  sec. cor.  
79.78 Intersect E. boundary 23 lns.  
N. of cor to secs. 12 and 13.  
from which cor. I saw

N. 89° 58' W.

On true line between secs 12 & 13  
var. 14°41' East

39.89 Set a sandstone 28 x 18 x 3 in.  
 $\frac{3}{4}$  in the ground, marked  $\frac{1}{4}$ ,  
and on the W. side mounted  
of earth 2 ft high, with pit 1 ft  
deep. 2 ft long. If buried, no pa-  
nifications for  $\frac{1}{4}$  sec. cor.

No trees near.

79.78 Cor to Secs. 11, 12, 13 & 14.

Land gently sloping N.  
Soil good. No timber.

Township 14 North BOOK 265 Range 28 East  
 Meridian, Fla Salt River

Chains

North, between Sections 11 and 12.

Variation

14° 24'

East.

2000 Dry wash, 50 ft wide, br. N.W.  
 Hors Set a post marked  $\frac{1}{4}$  S. 4 ft long,  
 flattened 3 in wide. 1 ft in the  
 ground. drove charred slate and  
 build round of earth 2 ft high  
 with pits 1 ft deep. 2 ft long. 1 ft wide  
 as per instructions for cor. to sec.  
 No trees near.

8000 Set a post, marked and notched,  
 4 ft long. 3 in sq. 1 ft in the ground  
 drove charred slate and build  
 round of earth 2 ft high, with  
 pits 1 ft deep. 2 ft long. 1 ft wide  
 as per instructions for cor. to sec.  
 1. 2. 11 and 12.

No trees near.

Sand level.

Soil good. Grass.

A few Cottonwood trees.

Township

1<sup>st</sup> North Range 2<sup>d</sup> East  
Kan. Salt River Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation 140241° East.

4000 Set temporary  $\frac{1}{4}$  sec. cor  
79.95 Intersect E. boundary 28  
line N. after to Secs. 1 & 12.  
from which cor. I run

N. 89° 48' W.

On true line between Secs. 1 & 12

Var. 140241° East

39.98 Set apart, marked  $\frac{1}{4}$  S. 4 ft  
long, flattened 3 in wide, 1 ft  
in the ground, due charred  
slate and mild wood of  
earth if high, with pts 1 ft.  
deep, 2 ft long, 1 ft wide, as per  
instructions for cor to  $\frac{1}{4}$  sec.  
No trees near.

79.95 Cor to Secs. 1. 2. 11 & 12

Land level.

Soil good. Grass.

A few Cottonwoods.

Township 17 North Range 20 East

## Tila &amp; Salt River

Meridian.

Chains

North, on a random line between Sections 1 and 2.

Variation 140°41' East.

- 5.11 Road b.s. E all.  
 5.50 Little Colorado river 100 lbs. wide, flows  
 W. and chain across.  
 28.53 Branch road b.s. N.E. & N.W.  
 40.00 Set temporary  $\frac{1}{4}$  sec. cor  
 67.40 Wingate & Prescott road b.s. N. off W.  
 71.50 Ascend on mesa b.s. E & N. off W.  
 79.92 Intersect N. boundary 8 lbs E. of  
 cor. to Secs. 1 and 2. from which  
 cor. I run  
 S.  $0^{\circ}3'$  E.

On the line between secs. 1 &amp; 2.

var. 140°41' East

- 39.92 Set a post, marked  $\frac{1}{4}$  S. 4 ft long  
 flattened 5 in wide, 1 ft in the ground  
 drove charred stake and build mound  
 of earth 8 ft high, with pits 1 ft deep  
 2 ft long, 1 ft wide, as per in-  
 structions for  $\frac{1}{4}$  sec. cor.  
 No trees near.  
 79.92 Cor to Secs. 1. 2. 11 and 12.

Land mostly level. Soil good.  
 Grass. A few Cottonwood trees.

July 9. 1879.

BOOK 265 12  
Township 17 North Range 20 East  
Gila & Salt River Meridian.

Chains North, between Sections 34 and 35.

Variation 14° 44' East.

4000 Setapost, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in wide. ft in the  
ground, decomposed slate and  
build monad of earth 2 ft high  
with pits 1 ft deep. 2 ft long. 1 ft  
wide, as per instructions for  
 $\frac{1}{4}$  sec. cor. No trees near.

8000 Setapost, marked Engraved,  
4 ft long. 3 in. sqd. ft in the  
ground, and build monad of  
stones 2 ft high, as per instruc-  
tions for cor. to secs. 26-27-34  
and 35.

From which

A Cedar 18 in. diam. H. 68 ft. 129 lbs. del.  
No other trees near.

Land uneven. Soil poor.

Grass. A few cedar trees.

BOOK 265  
Township 1<sup>st</sup> North Range 20 East  
Gila & Salt River Meridian.

Chains East, on a random line between Sections 26 and 35.

Variation 14° 24' East.

4000 Set temporary 1/4 sec. cor.

79.78 Intersect N. & S. line 15-sec. S  
from to secs. 25, 26-35 and 36.  
from which cor. I drew

$389^{\circ} 54' W.$

On true line between secs. 26 & 35

Var. 14° 24' East

39.89 Set a post, marked 74 S. 4 ft long,  
flattened 3 in wide. 1 ft. in the  
ground, dark charred slate  
and build mound of earth 2 ft  
high, with pits 4 ft deep - 2 ft long. ft  
wide, as per instruction for 1/4 sec.  
cor.

No trees near.

79.78 Cor. to Secs. 26-27. 34 & 35.

Good cover.

Some good soil.

Grass. No timber.

Township

17 North Range 20 East

Kan. Salt River

Meridian.

Chains

North, between Sections 26 and 27.

Variation 14.021' East.

4000 Seba sandstone 30 x 10 x 3 in.  
 $\frac{3}{4}$  in the ground, marked  $\frac{1}{4}$ ,  
 and on the N. built mound of  
 earth  $\frac{1}{2}$  ft. high with pits  $\frac{1}{2}$  ft. deep.  
 $\frac{1}{2}$  long. 1 ft. wide, as per instruc-  
 tions for  $\frac{1}{4}$  sec. cor.

No trees near.

8000 Setapost, marked & notched,  
 $\frac{1}{2}$  ft. long. 3 in. sq. d. off. in the  
 ground. Drive charred slate  
 and build mound of earth  $\frac{1}{2}$  ft.  
 high with pits  $\frac{1}{2}$  ft. deep.  $\frac{1}{2}$  ft.  
 long. 1 ft. wide, a few instructions  
 for cor to secs. 22, 23, 26 and  
 27.

No trees near.

Land slightly descending N.  
 Don woods soil.  
 Grass. No timber.

Township

17 North BOOK 265 Range 20 East

## Kla &amp; Salt River

Meridian.

Chains

East, on a random line between Sections 23 and 26.

Variation  $14^{\circ}41'$  East.

Horo Set temporary 1/4 sec. cor.

79.90 Intersect N. & S. line 10 hrs. S. of  
Cor. Secs. 23. 24. 25 and 26.  
from which cor. down

 $88^{\circ}56' W.$ 

True line between secs. 23 & 26,  
var.  $14^{\circ}41'$  East

39.95 Remote from stone & timber,  
Drive charred stave and build a  
mound of earth 2 ft. high with  
pits 1 ft. deep. 2 ft. long. 1 ft. wide  
as per instructions for 1/4 sec.  
cor.

79.90 Cor. to Secs. 22. 23. 26 &amp; 24.

Land slightly rolling.  
Some good soil. Grass -  
No timber.

Township

17 North Range 20 East

Kila Salt River

Meridian.

Chains

North, between Sections 22 and 23.

Variation 14° 41' East.

4000 Seta sandstone 23 x 12 x 4 in.  
 $\frac{3}{4}$  in. the ground, marked  $\frac{1}{4}$ ,  
 and on the N. build mounded  
 of earth 2 ft high, with pits 1 ft  
 deep. 2 ft long. 1 ft wide, as per  
 instructions for  $\frac{1}{4}$  sec. cor.  
 No trees near.

8000 Remote from stone & timber.  
 Drive charred stake & build a  
 mound of earth 2 ft high with  
 pits 1 ft. deep. 2 ft long. 1 ft wide,  
 and in center of pit S.E. of cor.  
 drive a stake marked and notched  
 2 ft long. 2 in. sq. d. 1 ft in the  
 ground, as per instructions for  
 cor. to Secs. 14. 15. 22 & 23.  
 No trees near.

Land slightly descending N.  
 Some good soil. Grass.  
 No timber.

Township 14 North Range 20 East  
 Ma & Salt River Meridian.

Chains East, on a random line between Sections 14 and 23.

Variation 14° 24' East.

4000 Set temporary 14 sec. cor.

79.82 Intersect N. & S. line 19 sec. S.  
 after cor. to Secs. 13, 14, 23 and 24,  
 from which cor. I am

S. 89° 52' W.

On true line between secs. 14 & 23  
 var. 14° 24' East

39.91 Remote from stone & timber,  
 Drive charred stake & build  
 mound of earth 12 ft high. with  
 pits 6 deep. 2 ft long. 1 ft wide,  
 as per instructions for 14 sec.  
 cor.

79.82 Cor. to Secs. 14, 15, 22 & 23.

Land gently sloping N.  
 Soil good. grass.  
 No timber.

BOOK 265 18  
Township 1<sup>st</sup> North Range 20 East  
Meridian.  
The Salt River

Chains North, between Sections 14 and 15.

Variation 144° 24' East.

4000 Set a post, marked H.S. 4 ft long,  
flattened 3 in wide, ft in the  
ground, drove charred stake  
and build mound of earth 2  
ft high, with pits 1 ft deep 2 ft  
long, 1 ft wide, as spec instruction  
for 1/4 sec. cor.

No trees near.

5000 Set a post, marked Engraved,  
4 ft long. 3 in sq. ft in the  
ground, drove charred stake  
and build mound of earth 2 ft  
high, with pits 1 ft deep. 2 ft long,  
1 ft wide, as spec instruction for  
cont secos. 10, 11, 14 and 15.  
No trees near.

Land gently sloping N.  
Soil good. Grass -  
No timber.

Township 17 North Range 20 East

## The Salt River

Meridian.

Chains

East, on a random line between Sections 11 and 14.

Variation 14° 24' East.

4000 Set temporary 1/4 sec. cor.

79.96 Intersect N. & S. line 17 loc. S. of  
Cor. to Secs. 11, 12, 13 and 14, from  
which cor. I run

S. 89° 53' W.

A true line between sec. 11 & 14  
var. 14° 24' East39.98 Set a sandstone 20 x 13 x 3 in.  $\frac{3}{4}$   
in the ground, cracked  $\frac{1}{4}$ , and on  
the W. build mound of earth 2 ft.  
high, with pit ft. deep, 2 ft. long, ft.  
wide, as per instructions for  $\frac{1}{4}$  sec.  
cor. from whichA Cedar, 10 in. dia. br. N. 20° E. 100-105 feet dist.  
to 11 " " South 167 " "

79.96 Cor. to Secs. 10, 11, 14 and 15.

Land somewhat rolling.  
Some good soil. Trees -  
a few cedar trees.

Township

17 North Range 20 East

## Kta Salt River

Meridian.

Chains

North, between Sections 10 and 11.

Variation 147°44' East.

4000 Set a post, marked 14 S. 4 ft long,  
 flattened 3 in wide. place the ground  
 drove charred stake and build  
 mound of earth 2 ft high. with pits  
 1 ft deep. 2 ft long. 1 ft wide. as  
 per instructions for 14 sec. cor.  
 No trees near.

8000 Set a post, marked and notched  
 4 ft long. 3 in sq'd. 1 ft in the  
 ground, drove charred stake and  
 build mound of earth 2 ft high  
 with pits 1 ft deep. 2 ft long. 1 ft wide  
 as per instructions for cor to Secs  
 2, 3, 10 and 11.

No trees near.

Land level.  
 Soil Good.

Grass

No timber

Township 1<sup>st</sup> North Range 20 East  
Meridian.

Platte River

Chains

East, on a random line between Sections 2 and 11.

Variation

14° 24'

East.

4000 Set temporary 1/4 sec. cor.

80.10 Intersect N. & S. line 8 lbs. N. of cor.  
to Secs. 1, 2, 11 and 12, from which  
cor. drawn

N. 89° 54' W.

Another line between secs. 2 & 11.  
var. 14° 24' East

40.05 Set apart, marked 1/4 S. 4 ft. long,  
flattened 3 in. wide. 1 ft. in the ground  
dark charred stake and build a  
monument exactly 1 ft. high with posts ft.  
deep. 2 ft. long. 1 ft. wide, as per in-  
structions for 1/4 sec. cor.  
No trees near.

80.10 Cor. to Secs. 2, 3, 10 & 11.

Land level. Soil good.  
A few Cottonwood trees.

Township

BOOK 265

North Range 20 East

## W. Salt River

Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation 14° 24' East.

- 8.30 Road br. E. all.  
 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 49.00 St Joseph Dam, on the Little Colorado  
     river 60. W. about 26.00 cha. dist  
 73.50 Little Colorado river 100 lbs wide,  
     flows from S.E. to N. then bends W.  
 79.90 Intersect S. boundary 10 lbs. N. of  
     cor to sec. 2 E.B. from which cor  
     drawn

S.  $0^{\circ} 4' W.$ 

Latitude line between sec. 2 &amp; 3

Var. 14° 24' East

- 39.90 Set post, marked  $\frac{1}{4}$  S. 4 ft long,  
     flattened 3 in wide. Ft. in the  
     ground, dry charred staves  
     built around earth 2 ft high  
     with pits 1 ft. deep. 2 ft long. 1 ft wide  
     as per instructions for  $\frac{1}{4}$  sec. cor.  
     No trees near.

- 79.90 Cor to sec. 2. 3. 10 E. 11.  
     Land uneven. Much Good soil  
     Scattering Cottonwood trees.

BOOK 265  
Township 17 North Range 28 East  
Black & Salt River Meridian.

Chains

North, between Sections 33 and 34.

Variation ~~111° 07' 1"~~ East.

The line North between secs 33 and 34 is impracticable on account of canons and the precipitous nature of the surrounding ground.

I therefore go to the cor. to Secs. 36, 27, 34 and 35, and run thence

## Kla &amp; Salt River

Meridian.

Chains

West True

~~Line~~, on a random line between Sections 27 and 34.

Variation 14° 24' East.

4000 Set a sandstone 2ft x 12 x 3in.  
3/4 in. the ground, marked 1/4,  
and on the W. build around  
of stones 2ft high, as per  
instructions for 1/4 sec. cor.  
from which

A Cedar. 5 in. dia. by N. 50° E. 51 lac. dist  
do. 5" . . S. 30° W. 49" .

8000 Set a post, marked and notched,  
4ft long. 3 in. sqd. 1 ft. in the  
ground, and build around of  
stones 2ft high, as per instruction  
for cor. to secs. 27, 28, 33 and  
34, from which

A Cedar 10 in. dia. by N. 40° E. 46 lac. dist  
No other trees near.

Land broken. Soil poor.  
Scattering Cedar trees.

July 10. 1879.

Township 14 North BOOK 265 Range 20 East

Kila & Salt River

Meridian.

Chains

North, between Sections 27 and 28.

Variation 14° 24' 1" East.

4000 Set a sandstone 2 $\frac{1}{2}$  x 15 x 3 in.  
 $\frac{3}{4}$  in the ground, marked  $\frac{1}{4}$ ,  
 and on the N. build mound  
 of stones 2 ft high, as per in-  
 structions for  $\frac{1}{4}$  sec. cor.  
 No trees near.

8000 Set a post, marked & notched  
 4 ft long. 3 in. sqd. 1 ft in the  
 ground, drove charred stake  
 and build mound of earth  
 2 ft high, with pits 1 ft. deep. 2 ft  
 long. 1 ft wide, as per instruc-  
 tions for cor to secs. 21, 22, 27  
 and 28.

No trees near.

Land broken.

Soil poor & bare.  
 Grass. No timber.

BOOK 265

Township 17 North Range 20 East  
 Salt River Meridian.

Salt River

Chains

East, on a random line between Sections 22 and 27.

Variation 140241' East.

4000 Set temporary 14 sec. cor.  
 80.20 Intersect N. & S. line 19 sec. N.  
 of cor. to Secs. 22, 23, 26, and  
 27, from which cor. I drew

N. 89° 52' W.

Random line between sec. 22 & 27  
 var. 140241' East

40.10 Remote from stone timber  
 Drawn chalked stake and build  
 mound of earth of the highest  
 pits of deep, 2 ft. long, fluoride  
 as per instructions for 14 sec.  
 cor.

80.20 Cor. to Secs. 21, 22, 27 & 28.

Land slightly rolling -  
 Some good soil.  
 Sparse.  
 No timber.

Township 1<sup>st</sup> North Range 20 East

## Gila &amp; Salt River

Meridian.

Chains

North, between Sections 21 and 22.

Variation 124°24' East.

4000 Remote limestone timber.

Drove charred stake and build a mound of earth 2 ft high. with pit 1 ft deep. 2 ft long. of fluoride as per instructions for 14 sec.  
Cor.

58.00 Deep dry wash from canons to the S and S.W., by N. E. 150 yards wide.

8000 Set a post, marked and matched 4 ft long. 3 in. sqd. 1 ft in the ground, drove charred stake and build mound of earth 4 ft high. with pit 1 ft deep. 2 ft long. of fluoride, as per instructions for cor to Secs. 15, 16, 21 and 22.

No trees near.

Land somewhat broken. Soil mostly poor. Grass.

No timber.

BOOK 265  
 Township 17 North Range 20 East  
 Pila & Salt River Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation 14°41' East.

- 5.00 Deep dry rocky wash, 150 ft. wide, br. N.E.  
 4000 Set temporary 1/4 sec. cor.  
 80.15 Intersect N. & S. line 300 ft. N. of cor. to secs. 14, 15, 22 and 23 from which cor. I am

 $4.89^{\circ} 47' W.$ 

On true line between secs. 15 &amp; 22.

var. 14°41' East

- 40.07 Remote from stone & timber.  
 Dike charred stumps and build mound of earth off high with pits 1 ft. deep. 2 ft. long. 1 ft. wide as per instructions for 1/4 sec. cor.

80.15 Cor to secs. 15, 16, 21 &amp; 22.

Sand somewhat broken.  
 Some good soil. Grass.  
 No timber.

## W. &amp; Salt River

Meridian.

Chains

North, between Sections 15 and 16.

Variation 14° 24' East.

4000 Remote from stone & timber.  
 Drive charred stake and build  
 mound of earth 2 ft high,  
 with pits 1 ft. deep. 2 ft long. ft  
 wide, as per instructions for 1st  
 sec. cor.

8000 Set a sandstone 24 x 14 x 5 in.  
 3/4 in. the ground, notched  
 S. & E., and on the N. build  
 mound of earth 2 ft high,  
 with pits 1 ft. deep. 2 ft long,  
 1 ft wide, as per instructions  
 for the cor to secs. 9, 10, 15 and  
 16.

No trees near.

Land mostly level. Soil good.  
 Grass. No timber.

Township 14 North Range 9 East  
 Rio & Salt River Meridian.

Chains

East, on a random line between Sections 10 and 15.

Variation 14941 East.

- 9.00 Dry wash 50 hrs. wide, on N. & N.E.  
 10.00 Set temporary 14 sec. cor.  
 80.25 Intersect N. & S. line 12 hrs. N.  
 of cor. to Secs. 10, 11, 14 and 15,  
 from which cor. drawn

N. 89° 55' W.

Retrace line between secs. 10 & 15  
 Var. 14941 East

- 40.12 Set a post, marked 14 S. 4 ft. long,  
 flattened 3 in. wide. 1 ft. from the  
 ground, drove charred stake  
 and build mound of earth 2 ft.  
 high with pits 1 ft. deep. 2 ft.  
 long. 1 ft. wide, as far as distance  
 from far 1/4 sec. cor.  
 No trees near.

80.25 Cor to secs. 9, 10, 15 & 16.

Land mostly level.  
 Soil good. Grass.  
 No timber.

Township 17 North Range 20 East  
BOOK 265

Kila Salt River

Meridian.

Chains

North, between Sections 9 and 10.

Variation  $14^{\circ} 24'$  East.

4000 Set a post, marked 1 $\frac{1}{4}$  S. 4 $\frac{1}{2}$  E. long,  
flattened 3 in wide. 1 ft in the  
ground, drive charred stake  
and build mound of earth  
of high with pits 1 ft. deep. 2 ft  
long. 1 ft wide, as per instruc-  
tions for 1 $\frac{1}{4}$  sec cor.

No trees near.

8000 Set a post, marked and watched  
4 ft long, 3 in sq'd. 1 ft. in the  
ground, drive charred stake  
and build mound of earth  
of high with pits 1 ft. deep. 2 ft  
long. 1 ft wide, as per instructions  
for cor to Secs. 3. 4. 9 & 10.

No trees near.

Land level.

Soil good.

Grass.

Some Cottonwood trees on the N.

Township

1<sup>4</sup> North Range 20 East

## Blackfoot River

Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation 14° 24' East.

- 7.00 A House bns. S. 150 lrs. dist.  
 13.47 Road bns. S. of E.  
 20.30 Same road bns. N. of E.  
 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 80.10 Dulerect N. & S line 10 lrs. N.  
 of cor to secs. 2-3, 10 and 11,  
 from which cor. drawn

 $N. 80^{\circ} 56' W.$ 

Patent line between secs. 3 &amp; 10.

var. 14° 24' East

- 40.05 Set apart, marked  $\frac{1}{4}$  S. 4 ft long,  
 flattened 3 in wide, 1 ft in the  
 ground, driven charred stake and  
 built mound of earth 2 ft high  
 with pits 1 ft. deep. 2 ft long. 1 ft  
 wide, as per instructions for 1st  
 sec. cor. No trees near.

80.10 Cor to Secs. 3, 4, 9 and 10.

Land level. Soil good.  
 Trees. Some cottonwood trees

Township 14 North Range 20 East  
Pecos Salt River Meridian.

Chains North, on a random line between Sections 3 and 4.

Variation 126°41' East.

- 0.87 Road br. E. all
- 34.50 Little Colorado river 100 lrs. wide,  
flows W. and chain across.  
Hence Set temporary cor.
- 41.40 St. Joseph Acquia br. W. & E.
- 42.20 Dam road br. E all.
- 73.60 Wingate and Prescott road br. W.  
and N. W.
- 79.95 Intersect N. boundary 13 lrs. W. of  
cor. to secs. 3 and 4, from which  
cor. runs  
S. 0°6' W.  
On true line between secs. 3 & 4.  
Var. 146°41' East
- 39.95 Set a post, marked 1/4 S. 4 f long,  
flattened 3 in wide, plan the ground  
down charred stave & build mound  
of earth 2 ft high with pits 1 ft deep.  
2 ft long. Planed, as per instruc-  
tions for 1/4 sec. cor. No trees near  
79.95 Cor to secs. 3, 4, 9 and 10.

Land level. Soil good.  
Some cottonwood trees.

BOOK 26E 34  
Township 17 North Range 28 East  
Platte River Meridian.

Chains North, between Sections 32 and 33.

Variation 14° 24' East

The lines North between secs.  
32 and 33, East between secs  
28 and 33 and North between  
secs. 28 & 29, cannot be  
run on account of intersecting  
canyons and impassable  
adjacent ground; and the  
land is broken, barren, cov-  
ered with rocks and worthless.

Therefore I go next to the cor.  
to secs. 21, 22, 27 and 28  
and run thence —

35

Township.

Range

Meridian.

Chains

East, on a random line between Sections 28 and 33.

Variation

East.

See page 34

Township..... Range..... Meridian.

Chains

North, between Sections 28 and 29.

Variation

East.

See Page 29

Township

17 North Range

20 East

## Black Salt River

Meridian.

Chains

West

True

~~line~~, on a random line between Sections 21 and 28.

Variation

140°41'

East.

28.00 Deep rocky wash from canons to  
the S. br. N. W. 175 ft. wide.

Hoops set apart, marked 14 S. 4 $\frac{1}{2}$  ft. long,  
flattened 3 in. wide, flat on the  
ground, and build around  
of stones of height as per in-  
structions for cor to sec. cor.

No trees near.

8000 Set apart, marked Engraved,  
4 $\frac{1}{2}$  ft. long. 3 in. sq'd. 1 ft. on the  
ground, and build around  
of stones of height as per in-  
structions for cor to Secs. 20,  
21, 28 and 29.

from which

A Cedar 10 in. dia. br. N. 78° E. 88 Grad. West  
No other trees near.

Sand broken. Soil poor. Grass.  
A few cedar trees -

---

Township

1<sup>st</sup> North Range 20 East  
Pita & Salt River Meridian.

Chains

North, between Sections 20 and 21.

Variation 14944' East.

4000 Set a post, marked 14 S. 4 ft long flattened 3 in wide, ft. in the ground, drove charred stone and build mound of earth 2 ft high with pit 1 ft deep 2 ft long. 1 ft wide, as per instructions for 1/4 sec. cor.

No trees near.

8000 Set a sandstone 28 x 17 x 4 in. 3/4 in the ground, notched S. and E, and on the N. build mound of earth 2 ft high, with pit 1 ft deep. 2 ft long. 1 ft wide, as per instructions for cor. to Secs 16, 17, 20 and 21.

No trees near.

Land descending gently N.  
Soil good. Grass.  
No timber.

Township ~~11~~ North Range ~~20~~ East  
 Ma & Salt River Meridian.

Chains East, on a random line between Sections 16 and 21.

Variation ~~14°41'~~ East.

Hour Set temporary  $\frac{1}{4}$  sec. cor.  
 79.88 Intersect N. & S. line 14 lbs. S. of  
 cor. to secs 15-16-21 and 22  
 from which cor. drawn

S.  $89^{\circ} 54' W.$

Patent line between secs 16 & 21  
 var.  $14^{\circ}41'$  East

39.94 Set a sandstone  $20 \times 13 \times 5$  in.  
 $\frac{3}{4}$  in. the ground, marked  $\frac{1}{4}$ ,  
 and on the W. end mound of  
 earth  $\frac{1}{2}$  ft. high with pits  $\frac{1}{2}$  ft. deep.  
 $\frac{1}{2}$  ft. long. of barde, as fine mixture -  
 tions for  $\frac{1}{4}$  sec. cor.

No trees near.

79.88 Cor. to Secs. 16-17-20 & 21.

Land gently sloping N.  
 Soil good.

Grass.

No timber.

Township 17 North Range 20 East  
Pla & Salt River Meridian.

Chains

North, between Sections 16 and 17.

Variation 144° 24' East.

4000 Remote from stone timber.  
Drive charred stake and build  
mound of earth 2 ft high with  
pits 4 ft deep - 2 ft long. 1 ft.  
wide, as per instructions for  
1/4 sec. cor.

8000 Set apart, marked and notched  
4 ft long. 3 in. sq d. 1 ft. in the  
ground, and build mound of  
stones 2 ft high, as per instruc-  
tions for cor. to secs. 8, 9, 16.  
and 17.

No trees near  
Land level. Soil good.

Grass. No timber.

July 11. 1879.

Township

17 North Range 20 East

## The Salt River

Meridian.

Chains

East, on a random line between Sections 9 and 16.

Variation

14°41' East.

Hours Set temporary 14 sec. cor.

79.75 Intersect N. & S. line 14 sec. S.  
of cor. to secs. 9. 10. 15 & 16. from  
which cor. I run

S. 89°53' W.

On true line between sec. 9 & 16.

var. 14°41' East

39.87 Set a post, marked 14 S. off long,  
flattened 3 in wide. ft. in the  
ground. Drive charred stake  
and build mound of earth 2 ft  
high. with pits of deep - 2 ft long  
(flouride) as per instructions for  
14 sec. cor.

No trees near.

79.75 Cor. to secs. 8. 9. 16. & 17.

Land level. Soil good.

Grass. No timber.

Township

17 North Range 20 East  
Pla & Salt River Meridian.

Chains

North, between Sections 8 and 9.

Variation

1474'

East.

4000 Setapost, maceed & notched, 4 ft long, flattened 3 in wide, 1 ft in the ground, drove charred slate and brick around a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instruction -  
tions for 14 sec. cor.

No trees near.

75.00 Road br. E and N. W.

8000 Setapost, maceed & notched, 4 ft long, 3 in sqd., 1 ft in the ground, drove charred slate & brick around a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instruction for cor to sec. 4, 5, 8 and 9, from which

A Cottonwood, 6 in. dia br. S. 48° W. 41 land dist

do. 7 " " S. 22° E. 89 " "

do. 7 " " N. 84° E. 115 " "

do. 5 " " N. 56° W. 144 " "

Land level. Soil good.

Some Cottonwood trees on the N.

Township

17 North Range 20 East

## Sla &amp; Salt River

Meridian.

Chains

East, on a random line between Sections 4 and 9.

Variation 14°41' East.

- 25.00 House br. S. 100 lks. dist.  
 34.00 Intersect swamp from river, br. E 100  
       and to the N. Set off S. 156 lks. and  
       thence run E, and on this offset at  
 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 44.00 Set back 156 lks. N. to the line  
 45.00 Road br. N. of E.  
 79.80 Intersect st. andoline 15 lks. S.  
       of cor. to secs. 3, 4, 9 and 10, from  
       which cor. drawn  
 S. 89° 54' W.

Butine line between secs. 4 &amp; 9.

Var. 14°41' East

- 39.90 The  $\frac{1}{4}$  S. cor. falls in swamp. At a point  
 165 lks. S. of true cor. set a post, marked  
 14 S. 4 ft. long, flattened 3 in. wide, pt  
 in the ground, drive charred stake  
 and build mound of earth 1 ft. high  
 with pit, 1 ft. deep, 2 ft. long, 1 ft. wide,  
 as per instruction for vertices  $\frac{1}{4}$  of  
 sec. cor. No trees near.  
 79.80 Cor. to secs. 4, 5, 8 and 9.  
 Land level. Soil good. Some  
 Cottonwood trees -

Township

17 North Range 20 East

Pla E Salt River

Meridian.

Chains North, on a random line between Sections 4 and 5.

Variation 14° 41' East.

18.00 Little Colorado river 100 lbs. wide  
flows W. and N. W. chain across.

4000 Set temporary 1/4 sec. cor.

59.60 St. Joseph Acquia br. E. &amp; W.

64.00 Dam Road br. E. all.

79.92 Intersect N. boundary 16 lbs. N. of  
cor to secs. 4 and 5. from which  
cor. I run  
S. 0° 7' W.

A true line between secs. 4 &amp; 5.

var. 14° 41' East

39.92 The cor. falls in place subject to over-  
flow from river. Set, -40 lbs. N,  
at true point, - a post, marked 1/4  
8.4 ft long, flattened 3 in wide, 1 ft in  
the ground, driven charred stake E.  
Build round a flat 2 ft high, with  
pits 1 ft deep. 2 ft long. 1 ft wide, as per  
instructions for 1/4 sec cor. from which  
a Cottonwood, 8 in. dia. br. West 138 lbs. dist.  
de. 4° . . N. 50° E. 61 - -

79.92 Cor to secs. 4. 5. 8 &amp; 9.

Land level. Soil good. Some Cat-  
tonwood trees.

Township 17 North Range 20 East  
Gila & Salt River Meridian,

Chains


North, between Sections 31 and 32.

Variation

East.

The land after Secs. 29, 30, 31 and 32 is broken by great canons with precipitous sides and these are approached by sheer and precipitous descents of great height; the ground is rocky barren and worthless and the extension of lines impracticable.

I therefore go to the corner to Secs. 26, 21, 28 and 29 and run thence as follows:



Township..... Range..... BOOK 265

Meridian.

Chains

East, on a random line between Sections 29 and 32.

Variation

East.

*See page 45*

Township

Chains

West, on a random line between Sections 30 and 31.

Variation

East.

*See Range 25*

Township

Meridian.

Chains

North, between Sections 29 and 30.

Variation

East.

*See page 45*

Township 14 North Range 20 East

## H. E. Salt River

Meridian

Chains

West Tree

East, on a random line between Sections 20 and 29.

Variation 140° 27''

East.

4000 Set a sandstone 30 x 17 x 5 in.

$\frac{3}{4}$  in the ground, marked  $\frac{1}{4}$   
and on the W. build around  
a stone 2 ft high as per in-  
structions for 1/4 sec. cor.

from which

A Cedar, 5 in. dia. to South 23 deg. dist.  
No other trees near.

8000 Set a sandstone 48 x 12 x 3 in.

1 ft in the ground, (on bed rock)  
notched S. and E., and build  
around it, for better security,  
a mound of stones 2 ft high  
for cor. to Secs. 19, 20, 29  
and so.

No trees near.

Land broken. Soil poor.

Grass. A few cedar trees.

BOOK 265 50  
Township 17 North Range 20 East  
Kila Salt River Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation ~~111°24'~~ East.

The line West between secs.  
19 and 30 is impracticable  
and the land broken  
and worthless.

---

Township 17 North Range 25 East  
S. E. Salt River Meridian

Chains

North, between Sections 19 and 20.

Variation

14° 46' East.

4000 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long. flattened 3 in. wide. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep. 2 ft. long. 1 ft. wide as per instructions for  $\frac{1}{4}$  sec cor. No trees near.

8000 Set a post, marked & notched 4 ft. long. Flattened 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep. 2 ft. long. 1 ft. wide, as per instructions for cor. to secs. 17, 18, 19 and 20.  
No trees near.

Sand descending N.  
Some good soil. Grass.  
No timber.

Township 17 North Range 20 East  
 Kta and Salt River Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation 14° 24' East.

4000 Set temporary 1/4 sec. cor.

80.13 Intersect N. & S. line 11 W.W.S.  
 after cor. to secs 16-17. 20 and  
 21, from which cor. I run  
 $S. 89^{\circ} 55' W.$

On true line between secs. 17 & 20  
 var. 14° 24' East

40.06 Set a sandstone 15x10x4 in.  
 $\frac{3}{2}$  in the ground, marked 1/4,  
 and on the W. build mound  
 of earth 1 ft. high, with pits  
 1 ft. deep. 2 ft. long. 1 ft. wide,  
 as per instructions for 1/4 sec.  
 cor.

No trees near.

80.13 Cor. to secs. 17-18-19 & 20.

Land mostly level. Soil good.  
 Grass. No timber.

Township 17 North Range 20 East  
Vila & Salt River Meridian.

Chains

West, on a random line between Sections 18 and 19.

Variation 147<sup>44</sup>' East.

- 4000 Set temporary 74 sec. cor.  
 5200 Dry rocky wash from cañons to  
 N., 150 ft. wide.  
 79.78 Intercept W. boundary 20 miles  
 S. of cor. to secs. 18 and 19,  
 from which cor. down  
 89° 51' E.

On true line between secs. 18 &amp; 19

var. 147<sup>44</sup>' East

- 39.78 Remote from stone timber.  
 Dry channel state and build  
 mound of earth of high, with  
 pit of deep - 2 ft long. fluoride  
 after instruction for 74 sec.  
 cor.

79.78 Contosecs. 17, 18, 19 and 20.

Land somewhat broken.  
 Soil mostly poor. Grass -  
 No timber.

Township 17 North Range 20 East  
Sla and Salt River Meridian.

54

Chains

North, between Sections 17 and 18.

Variation 149° 44' East.

4000 Remote from stone & timber.  
Dust charred slate and build  
mound of earth if high, with  
pits 1 ft. deep. 2 ft long. fluoride  
as per instructions for 14 sec.  
cor.

8000 Set apart, marked & leveled,  
4 ft long. 3 mi. sqd. 1 ft in the  
ground. dust charred slate  
and build mound of earth  
if high with pits 1 ft deep. 2 ft  
long. fluoride, as per instruc-  
tions for the cor to Secs. 7.  
8. 17 and 18.

Notices near.

Land gently descending N.  
Soil mostly good.

Grass. Not timbered.

Township 17 North Range 20 East  
Sila & Salt River Meridian

Chains

East, on a random line between Sections 8 and 17.

Variation 14° 44' East.

Wood Set temporary  $\frac{1}{4}$  sec. cor

80.14 Intersect N. st line 21 loc N.  
of cor. to secos. 8. 9. 16 and 17,  
from which cor. down

N. 89° 51' W.

On true line between sec. 8 & 17

var. 14° 44' East

40.07 Set a post marked  $\frac{1}{4}$  S. 47 ft.  
long, flattened top side - ft  
in the ground, drove charred stake  
and build mound of earth 2 ft.  
high, with pits of ft. deep. 2 ft. long  
 $\frac{1}{4}$  wide, as per instructions for  
 $\frac{1}{4}$  sec. cor.

No trees near.

80.14 Cor to secos. 7. 8. 17 and 18,

Land level. Soil good,

Grass. No timber.

BOOK 265 56  
Township 17 North Range 20 East  
Tilt Salt River Meridian.

Chains

West on a random line between Sections 7 and 18.

Variation 14° 41' East.

Woods Set temporary  $\frac{1}{4}$  sec cor.  
59.00 Dry wash 75 lns. wide, brs. N.  
79.89 Intersect W. boundary 10 lns.  
S. of cor to secs. 7 and 18.  
from which cor. I am

88° 56' E.

At true line between secs. 7 & 18.

var. 14° 41' East

39.89 Sets a sandstone 20x11x5 ai.  
 $\frac{3}{4}$  ai. the ground, marked  $\frac{1}{4}$   
and on the E. end mound  
a few feet high, with pits  
1 ft. deep. 2 ft. long. 1 ft. wide.  
as for instructions for  $\frac{1}{4}$  sec.  
cor.

No trees near.

79.89 Cor to secs. 7. 8. 17 & 18.

Land level. Soil good.  
grass. No timber.

Township

14 North Range 20 East  
Gila & Salt River

Meridian.

Chains

North, between Sections 7 and 8.

Variation 14° 44'

East.

4000 Set a sandstone 16 x 14 x 3 in.  
 $\frac{2}{3}$  in. the ground, marked  $\frac{1}{4}$ ,  
 and on the N. build mound  
 of earth 2 ft high with pits 1 ft  
 deep. 2 ft long. 1 ft wide, as per  
 instructions for  $\frac{1}{4}$  sec. cor.  
 No trees near.

8000 Remote from stone & timber.  
 Drive charred stake & build  
 mound of earth 2 ft high, with  
 pits 1 ft deep. 2 ft long. 1 ft wide,  
 and in center of pit S.E. of  
 cor. drive a stake marked and  
 notched, 2 ft long. 2 in. sq. d. ft.  
 in the ground, as per instructions  
 for cor to secs. 5, 6, 7 and 8.

Land gently sloping N. Soil  
 good - grass. No timber.

BOOK 265  
Township of North Range 20 East  
Pila & Salt River Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation 14° 44' East.

4000 Set temporary  $\frac{1}{4}$  sec. cor.  
70.00 Road line N. W. E.S.E.  
80.11 Intersect N. W. line 18 lbs.  
N. of cor to secs. 4, 5, 7, and 9.  
from which cor. down

N. 89° 52' W.

On the line between secs. 5 E.S.

Var. 14° 44' East

40.05 Set a post, marked  $\frac{1}{4}$  S. 44 ft.  
long, flattened 3 in. wide, 1 ft.  
in the ground. Drive charred  
stake and build around a earth  
2 ft. high with pits 1 ft. deep, 2 ft.  
long, 1 ft. wide, as per instructions  
for  $\frac{1}{4}$  sec. cor.

No trees near.

80.11 Cor. to secs. 5, 6, 7 and 8.

Land level. Soil good.

Grass. Some Cottonwood trees on the  
E. end. July 12. 1879.

Township

Range

10 North 20 East

No 9 Salt River

Meridian

Chains

West, on a random line between Sections 6 and 7.

Variation 14° 41' East.

Have Set temporary 1/4 sec. cor.  
 79.84 Intersect W. boundary 5 lbs  
 N. of cor. to Secs. 6 and 7. from  
 which cor. I run

A. 89° 58' E.

A true line between secs. 6 & 7.

Var. 14° 41' East

39.84 Remote from stone & timber.  
 Drive charred stake and build  
 around a earth of high. with  
 post 1 ft. deep. 2 ft. long. handle,  
 as per instructions for 1/4 sec.  
 cor.

79.84 Cor. to Secs. 5. 6. 7 and 8

Land level.

Soil good.  
 grass.

No timber.

BOOK 265 60  
Township 17 North Range 20 East  
Plat E Salt River Meridian.

Chains North, on a random line between Sections 5 and 6.

Variation 14° 44' East.

- 37.70 Road brs. S.E. & N.W.  
39.90 Little Colorado river, 100 hrs. wide,  
flows N.of W. and chain across.  
40.00 Set temporary mark.  
43.30 St. Joseph Acquia brs. N.W.  
45.00 Road brs. S.of W. and N.of E.  
59.25 Dam Road brs. S.of E. and N.of W.  
79.89 Intersect N. boundary 11 hrs. W.  
of cor. to Secs. 5 and 6. from  
which cor. I run  
S. 0° 5' W.

Patent line between Secs. 5 & 6.

var. 14° 44' East

- 39.89 Cor. falls in river. At the nearest  
safe point, -116 hrs. S. of true point, -  
Set a post, marked "44 S. 4 ft long,  
flattened 3 in wide, 1 ft in the ground  
and build mound of stones 2 ft  
high, as per instruction for 1/4 sec.  
cor. No trees near.

79.89 Cor to Secs. 5. 6. 7 and 8.

Land level. Soil good. Not timbered.  
July 14. 1879.

## GENERAL DESCRIPTION.

Township 17 N. range 20 E. contains a large area of good agricultural land in the northern and eastern portions. The Little Colorado river flows across its entire width in the northern portion with a large volume of water and easily accessible for irrigation. In section 3 is one of the best dams on the river.

The southwestern portion of the township is broken by a remarkable series of canons, of great depth and precipitous descents, which suddenly disappear in a different substratum to the N.

There are some scattering cedar trees in the S, and some cottonwood trees along the river in the N. I found no evidence of mineral in the Township.

Jno L. Harris  
U.S. Dep Surveyor

62

**List of Names.**

BOOK

265

*A List of the Names of Individuals employed  
to assist in running, measuring, or marking the  
lines and corners described in the foregoing Field  
Notes of the survey of*

*Subdivision Lines of  
Township 17 North  
Range 28 East of  
the Gila and Salt River  
Meridians Arizona*

*Showing the respective capacities in which they  
acted.*

*Richard Shope. Chainman.*

*G. A. Oldshue. Chainman,*

*Geo. Mc Neal, Axeman.*

*B. Palmer*

*Evaristo Sandoz. Flagman.*

63  
202

## Final Oath of Assistants.

We hereby certify that we assisted John L. Harris, U. S. Deputy Surveyor, in surveying The Subdividing Lines of Township 17 N. Range 20 E. of the Gila on Salt River Meridian Arizona

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Richard Sheep Chainman.

J. A. Deashur Chainman,

Geo Mc Neal Axeman.

B. Palmer - Axeman Flagman.

Evaristo Sainz - Flagman

Sworn to and subscribed before me, this 19<sup>th</sup> day of September, 1879.

John L. Harris  
U.S. Dep. Surveyor

# Final Oath of Deputy Surveyor.

44

*John L Harris*

I, U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 28<sup>th</sup> day of April

1879. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

The Subdivision lines

of Township 17 N.

Range 90 E. of the

Pila & Salt Rivers

Meridian, Arizona

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

*Jno. L. Harris*

Deputy Surveyor.

Sworn to and subscribed before me, this 25  
day of September, 1879.

*John R. Fenell*  
Notary Public.

BOOK 66  
265

U. S. Surveyor General's Office,  
Tucson, Arizona.  
~~San Francisco, Cal.~~

November 8, 1879

The foregoing Field Notes of the surveys of  
the Subdivision Line of  
Township 14 North  
Range 25 East,  
Gila and Salt River Meridian  
Territory of Arizona  
in the State of California executed by  
John L. Heaviside,

U. S. Deputy Surveyor, under his contract dated

April 28, 1879.

having been critically examined, the necessary cor-  
rections and explanations made, the said Field Notes  
and the surveys they describe are hereby approved.

John Stasson,  
U. S. Surveyor General for California.  
Arizona.