

~~Indexed~~~~Book No. 275~~

Henry A. Loe, Deputy Surveyor.

~~T.~~~~R.~~

30 East,

Gila &amp; Salt River, Meridian.

**FIELD NOTES**

OF

BOOK 275

THE SUBDIVISION LINES OF

Township

17<sup>th</sup> Range30<sup>th</sup>

G. &amp; S. R.

Meridian.

275  
275

BY

*Henry A. Loe,*

Deputy Surveyor.

Under his Contract of

July 20, 1882,

Survey Commenced

N. 25, 1882,

Survey Completed

N. 28, 1882.


Platted,

Copied for Washington,

Copied for Register,

*No - 275 -*

BOOK 275



16 June

Henry A. [unclear]

Deputy Surveyor



TOWNSHIP PLOT.

Meridian Line,

Base Line,

Standard Line,

Township Lines,

Section Lines,

Meander Lines,

Office Work,

BOOK 275

56 10<sup>11</sup> S  
10<sup>11</sup> E

Survey Commence  
Survey Comp

Plotted  
Drawn for Planing  
Drawn for Register

Henry A. [unclear]

Surveying in 1880 by the Office of the Surveyor General, U.S. G. S., Washington, D. C., in 1880.

Township

Range

Meridian.

For Preliminary  
Oaths - See book of  
Survey of 1<sup>4</sup>th  
Standard Parallel N.

Survey commenced  
Nov 2<sup>d</sup> the 1882

Survey made with Burt's Patent  
Improved Solar Compass, nearly  
new and in first rate order.  
Made by John Roach of San Francisco  
Cal. in 1879.

10

Township 17 N.

BOOK 275  
17 N.  
Range 30 E.

G. &amp; S. R.

Meridian.

Supervising  
Chains

Sp recently established by me  
 From the corner to Sections 35, 36, 1 and 2 on the South boundary of Sandstone  
~~16x16x6 ins. cut from the ground with notch on S. & E. edges with pits 6x6x12 ins. each side 5 ft. dist. earth mound 2 ft. high, 4 ft. base alongside, 3 in. N. bet. Secs. 35-36, Variation 14° 21' East.~~

Descend,

- 40.00 Set Sandstone 16x12x6 ins., 11 ins. in  
 the ground, for  $\frac{1}{4}$  See. Co., marked  $\frac{1}{4}$ ,  
 on W. face, and raised a mound  
 of stone alongside. Pts impracticable.
- 52.40 Enter Valley, bears E. & W.
- 60.59 Cross Mud River, rocky, wide, runs West
- 66.35 Cross Wingate Road, bears E. & W.
- 79.50 Leave Valley, bears N. 86° W. & S. 86° E., grassy,
- 80.00 Set Sandstone, 16x6x6 ins., 11 ins. in  
 the ground, for Co. to Secs. 25-26 & 35-36,  
 marked with notch on S. & E. edges,  
 dug pits, 18x18x12 ins. in each side,  
 5 ft. dist. and raised a mound  
 of earth, 2 ft. high, 4 ft. base alongside.  
 Land level and rolling.  
 Soil 2nd rate.
- Timber, cedar  
 Vegetation, Bunchgrass.

Township

17 N.

Range

30 E.

G. &amp; S. R.

Meridian.

Chains

East, on a random line between Sections 25 and 36.

Variation

14° 19'

East.

*Descend abruptly,*

- 8.90 cross Gulch, 10 lks. wide, course S. Ascend  
 18.00 Top of Spur, bears N. E. S. descend  
 24.00 Center Valley, bears N. E. & S. W.  
 26.85 cross June Road, bears N. 58° E. & S. 58° W.  
 28.70 cross June River, 30 lks. wide, course S. 51° W.  
 37.50Leave Valley, bears N. W. & S. E. Ascend.  
 40.00 Set temporary 1/4 sec. cor.  
 80.51 Intersect C. B. & P. 4 lks. S. of cor. to  
 secs. 25-30-31-36 ~~cross by established~~  
~~as far as stone 14x12x5 in~~  
~~pink mottled & 5 inches m. d. g.~~  
 set firmly in the ground, with stone  
 mound alongside, from which cor.  
 runs S. 89° 42' W. on a true line between  
 sections 25-36.

Va. 14° 15' E.

- 40.26 Set lava stone, 16x12x9 ins., 11 ins.  
 in the ground, for 1/4 sec. cor., marked  
 1/4 on N. face and raised a  
 mound of stone alongside.  
 Pit impracticable.

- 80.51 The cor. to secs. 25-26-35-36.  
 Land mountainous & level,  
 Soil 2<sup>nd</sup> rate.  
 Timber Cedar  
 Vegetation, bunchgrass.

Township

17 N., Range 30 E.

G. &amp; R.R., Meridian.

Chains

North, between Sections 25 and 26.

Variation 111°19' East.

Ascend gradually.

- 40.00 Set post, 3 ft. long, 3 ins. dia, with marked stone, 12 ins. in the ground, for 1/4 Sec. Cr., marked 1/4 S. on W. face, dug pit, 18x18x12 ins. N. S. of post, 5 1/2 ft. dist, and raised a mound of earth, 1 1/2 ft. high, 3 1/2 ft. base around post.
- 80.00 Set post, 4 ft. long, 4 ins. square with marked stone, 12 ins. in the ground for Cr. to Secs. 23-24-25-26, marked 1/4 YN. S. 24 on N.E., R. 30 E. S. 25 on S.E., S. 26 on S.W. and S. 23 on N.W. faces, with 2 notches on S. and 1 notch on C. edges, dug pit, 18x18x12 ins. in each Sec., 5 1/2 ft. dist, and raised a mound of earth, 2 ft. high, 4 1/2 ft. base around post.

Same rolling.

Soil 2nd rate.

Juniper, cedar.

Vegetation, bunchgrass.

Township

17 N., Range 30 E.,  
G. & S. R. Meridian.

Chains

East, on a random line between Sections 24 and 25.

Variation  $14^{\circ}19'$  East.*Ascend gradually,*40.00 Set temporary  $\frac{1}{4}$  sec. co.80.23 Intersect C. B. of Th., 36 lbs, South  
of co. to secs. 19-24-25-30, which  
~~is a~~<sup>recent</sup> ~~lava~~<sup>stone</sup>,  $12 \times 11 \times 7$  ins., set firmly  
in the ground, with notches on S. and  
4 notches on N. edges and with mound  
of stone alongside.Hence turn S. $89^{\circ}45'$  W., on a  
true line bet. secs. 24-25.Va.  $14^{\circ}15'$ .40.12 Set post, 3 ft. long, 3 ins. dia., 24 ins.  
in the ground, for  $\frac{1}{4}$  sec. co.,  
marked  $\frac{1}{4}$  S. on N. face,*from which*A Cedar, 11 ins. dia., bears N. $16^{\circ}$  E., 3 glbs. dist.,  
marked  $\frac{1}{4}$  S. B. Y.A Pine, 14 ins. dia., bears N. $56^{\circ}$  W., 21 lbs.  
dist. marked  $\frac{1}{4}$  S. B. Y.80.23 The co. to secs. 23-24-25-26.  
Land rolling. Soil 2<sup>nd</sup> rate.  
Timber, Pine and Cedar.  
Vegetation, bunchgrass.

5 Township 17 N., Range 30 E.,  
G.V.S.R., Meridian.

Chains

North, between Sections 23 and 24.

Variation  $14^{\circ} 19'$  East.

- 40.00 Island gradually, with marked stone  
Set post, 3 ft. long, 3 ins. dia., 12 ins. in  
the ground, for 1/4 Sec. Cr., marked  
1/4 S. on W. face, from which  
A Pine, 8 ins. dia., bears N. 16° E., 29 lbs. dist.,  
marked 1/4 S.B.Y. - No other tree  
within limits, dug pits, 18 x 18 x 12 ins. N. 9  
S. of post, 5 1/2 ft. dist., and raised a  
mound of earth, 1 1/2 ft. high, 3 1/2 ft.  
base around post, with marked stone  
80.00 Set post, 4 ft. long, 4 ins. square, 12 ins.  
in the ground, for Cr. to Secs. 13-14-23-24,  
marked 1/4 N. S. 13 on N.C., R. 30 E. S. 24  
on S.C., S. 23 on S.W. and S. 14 on N.W. faces,  
with 3 notches on S. & 1 notch on E. edges,  
from which  
A Cedar, 10 ins. dia., bears S. 21° E., 19 lbs. dist.,  
marked 1/4 N. R. 30 E. S. 24 B.Y.  
A Cedar, 9 ins. dia., bears N. 30° W., 42 lbs.  
dist., marked 1/4 N. R. 30 E. S. 14 B.Y.  
No other trees within limits, dug pits,  
18 x 18 x 12 ins. in Secs. 13-23, 5 1/2 ft. dist.,  
and raised a mound of earth, 2 ft.  
high, 4 1/2 ft. base around post,  
Island rolling. Soil 2nd rate.  
Winter, Cedar. Vegetation, bunchgrass.

Township

17 N., Range

30 E.

G. &amp; S.R. Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation

14° 19'

East.

Ascend gradually,

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

~~79.91 Intersect C. B. of Th. 29th, South of cor.,  
to secs. 13-18-19-24, which is a post,  
4 in. square, with marked stone set  
firmly in the ground, marked 17 N. S. 18  
on N.E. R. 31 E. S. 19 on S.E. R. 30 E. S. 24 on S.W.  
and S. 13 on N.W. faces, with 3 notches on  
N. & S. edges, fits, 18x18x12 in. in each sec.  
 $5\frac{1}{2}$  ft. dist., and mound of earth, 2 ft. high  
at fl. base around post. Hence,  
S. 89° 48' W., on a true line bet. secs. 13-24.~~

T.A. 14° 15' E.

~~39.96 Set post, 3 ft. long, 3 in. dia, with marked  
stone, 12 in. in the ground, for  $\frac{1}{4}$  sec. cor.,  
marked  $\frac{1}{4}$  sec. on N. face, dug pits, 18x18x12 in.  
E. & W. of post, 5 ft. dist., and raised  
a mound of earth, 1 ft. high, 3 ft.   
base around post.~~

~~79.41 The cor. to secs. 13-14-23-24.~~

~~Same rolling. Soil 2nd rate.  
Timber, cedar. Vegetation, bunchgrass.~~

7 Township

17 N.

Range

30 E.

G. &amp; S. R.

Meridian.

Chains

North, between Sections 13 and 14.

Variation

14° 19'

East.

Ascend.

- 23.00 Top of Ridge, bears E. & W. and descend.  
 40.00 Set post, 3 ft. long, 3 in. dia, 24 in. in  
     the ground, for 1/4 Sec. Cr., marked 1/4 S;  
     on W. face, from which  
 A Pine, 8 in. dia, bears S. 13° E., 41 lbs.  
     dist., marked 1/4 S. P. S.  
 A Cedar, 6 in. dia, bears N. 11° W., 64 lbs.  
     dist., marked 1/4 S. P. S.  
 57.75 Cross Road to Hoyck's Ranch, bears  
     N. 40° W. & S. 40° E.  
 80.00 Set post, 4 ft. long, 4 in. square, with  
     marked stone, 1/2 in. in the ground,  
     for Cr. to Secs. 11-12-13-14, marked  
     1/4 N. S. 12 m N.E., R. 30 E. S. 13 on S.E.,  
     S. 14 on S.W. & S. 11 on N.W. faces, with  
     4 notches on S. & 1 notch on E. edges,  
     dug pits, 18 x 18 x 12 in., in each Sec., 5 ft.  
     dist., and raised a mound of  
     earth, 2 ft. high, 4 1/2 ft. base around post.  
     Soil mountainous 2nd rate.  
     Timber, Pine and Cedar.  
     Vegetation, Bunchgrass.

Township

17 N., Range

30 E.

G. &amp; S.R. Meridian.

Chains

East, on a random line between Sections 12 and 13.

Variation

14° 19'

East.

*Descent gradually,*

40.00 Set temporary N.E. cor.

80.09 Intersect C. B. of Th. 17th N. North of  
co. to secs. 7-12-13-14, which is a first  
line square with marked stone, set firmly  
in the ground, marked 1, 7 N. S. 7 m  
N.E., R. 31 E. S. 18 on S.E. R. 30 E. S. 13 on  
S.W. and S. 12 on N.W. faces, with 4  
notches on S. and 2 notches on N. faces,  
and pits, 18x18x12 in. in each sec., 5 ft.  
dist., and a mound of earth, 2 ft. high,  
1 ft. base around post. Hence,  
from this corner, N. 89° 53' W., in a  
true line bet. secs. 12-13. Ya. 14° 15' E.

40.05 Set post, 3 ft. long, 3 in. dia, with marked  
stone, 12 in. in the ground, for 1/4 Sec. co.,  
marked 1/4 S. on N. face, dug pits,  
18x18x12 in. E. & W. of post, 5 ft. dist.,  
and raised a mound of earth,  
1 ft. high, 3 ft. base around post.

80.09 The cor. to secs. 11-12-13-14.  
Land mountainous, Soil 2<sup>nd</sup> rate,  
Timber, Cedar. Vegetation, Bunchgrass.

9 Township 17<sup>N.</sup>, Range 30<sup>E.</sup>,  
G. & S.R. Meridian.

Chains North, between Sections 11 and 12.

Variation 14° 19' East.

Descend gradually.

40.00 Set post, 3 ft. long, 3 in. dia, with marked stone, 12 in. in the ground, for 1/4 Sec. Cor. marked 1/4 S. on N. face, dug pits, 18 x 18 x 12 in., N. & S. of post, 5 ft. dist, and raised a mound of earth, 1 1/2 ft. high, 3 1/2 ft. base around post.

50.00 Set post, 4 ft. long, 4 in. square, with marked stone, 12 in. in the ground, for Cor. to Secs. 1-2-11-12 marked T. 17<sup>N.</sup> S. 1<sup>m</sup> N. 8<sup>E.</sup>, R. 30<sup>E.</sup> S. 12<sup>m</sup> S. 8<sup>E.</sup>, S. 11<sup>m</sup> S. W. and S. 2 on N. W. faces, with notches on S. and notch on E. edges, dug pits, 18 x 18 x 12 in., in each Sec., 3 1/2 ft. dist, and raised a mound of earth, 2 ft. high, 4 1/2 ft. base around post.

Sand rolling.

Soil 2<sup>nd</sup> rate.

Timber, Cedar  
Vegetation, bunchgrass.

Township

17 N.

Range

31 E.

G. &amp; S.R.

Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation

14°19'

East.

*Descend gradually.*  
 Set temporary 1/4 See. Cor.  
 S. 0. 19 Intersects C. R. of Th., 23 lbs. South of  
 Cn. to Secs. 1-6-7-12, which is a post  
 4 ins. square with marked stone set  
 firmly in the ground, marked  
~~S. 17 N. S. 6 on N.E. R. 31 E. S. 7 on S.E.,~~  
~~S. 12 R. 30 E. on S.h. and S. 1 m N. m. places,~~  
~~with notch on N. & 5 notches on~~  
~~S. edges and pits, 18x18x12 ins. each~~  
~~See., 5 ft. dist., and mound of earth~~  
~~2 ft. high, 1 1/2 ft. base around post.~~  
 From this corner turn S. 89° 50' W.,  
 on a true line bet. Secs. 1-12.  
 Fa. 14° 15' E.

40.10 Set post, 3 ft. long, 3 ins. dia, with marked  
 stone, 12 ins. in the ground, for 1/4 See. Cor.,  
 marked 1/4 S. on N. face, dug pits, 18x18x12 ins.  
 E. & W. of post, 5 ft. dist., and raised  
 a mound of earth, 1 1/2 ft. high, 3 ft.  
 base around post.

80.19 The cor. to Secs. 1-2-11-12,  
 Land rolling. Soil 2nd rate,  
 Timber, Cedar, vegetation, bunchgrass.

Township

17 N.

Range

30 E.

G. &amp; S.R.

Meridian.

Chains

North, on a random line between Sections 1 and 2.

Variation  $14^{\circ} 19'$  East.*Ascend gradually*

~~40.00 Set temporary 1st Sec. cor.  
 80.38 Intersect N. B. of Sp., 17th line. East of  
 cor. to secs. 1-2-35-36 which is a  
 post, 4ins. square, with marked stone  
 set firmly in the ground & marked  
 1. 18 N. S. 36 on N.C., R. 30 E. S. 1 on S.E.,  
 2. 17 N. S. 2 on S.W. and S. 35 on N.W.  
 faces with notch on C. and 5 notches  
 on W. edges, and sits, 18x18x12ins. in  
 each side, 5 $\frac{1}{2}$  ft. dist. and raised  
 a earth, 2 $\frac{1}{4}$  high, 1 $\frac{1}{2}$  ft. base around post.  
 From this corner, turn S. 7 $\frac{1}{2}$  E., on a  
 true line bet. secs. 1-2.~~

 $Va. 14^{\circ} 19' E.$ 

~~40.38 Set post, 3ft. long, 3ins. dia, with marked  
 stone 12ins. in the ground, for 1st Sec. cor.,  
 marked 1. S. on W. face, dug pits, 18x18x12ins.  
 N. & S. of post, 5 $\frac{1}{2}$  ft. dist, and raised  
 a mound of earth, 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft.  
 base around post.~~

~~80.38 The cor. to secs. 1-2-11-12,~~

~~Land rolling. Soil 2<sup>nd</sup> rate.~~

~~Timber Cedar. Vegetation bunchgrass.  
 Examined my instrument found it correct.  
 Henry J. Col., Nov. 25, 1882.~~

Township

17 N.

Range

30 E.

13

~~Project Number~~  
 Meridian,  
 From, Cont'd Secs. 2-3 34-35 on S.P. 1<sup>st</sup> Sandstone 6 ft. ext. 10 ins.  
 set firmly in the ground, with 2 notches on E. & 2 on N.  
 W. edges, pits, 18 x 18 x 12 ins. in each sec., 5 ft. dist. and  
 mound of earth, 2 ft. high, 4 ft. base alongside, from  
 North, bet. elev. 34-35 Variation 14° 21' East.

Chains

Descend,

- 35.00 Cross Jim River, 30 ft. wide, course S. 80° W.  
 40.00 Set Sandstone, 12 x 10 x 10 ins., 8 ins. in the  
 ground, for 1/4 sec. Cr., marked N on  
 W. face, dug pits, 18 x 18 x 12 ins. N. & S. of  
 stone, 5 ft. dist. and raised a mound  
 of earth 1 1/2 ft. high 3 1/2 ft. base alongside.  
 From this point a Spring bears S. 85° 10' W.  
 40.15 Cross Trinagle Road, bears N. 80° E. & S. 80° W.  
 55.00 Spring bears N. 49° E., 316 ft. dist. &  
 at same point on line cross Gulch, 5 ft. to  
 wide, course S. 10° E. and ascend gradually.  
 58.30 Same Spring as at 40.00 bears S. 52° W.  
 50.00 Set Sandstone, 18 x 14 x 5 ins., 12 ins. in  
 the ground, for Cont'd Secs. 26-27 34-35,  
 marked with notch on S. and 2 notches  
 on E. edges, dug pits, 18 x 18 x 12 ins. in  
 each sec., 5 ft. dist. and raised a  
 mound of earth, 2 ft. high, 4 ft. base alongside.  
 Same mountainous, Soil 2<sup>nd</sup> rate.  
 Timber, Cedar. Vegetation, Bunchgrass.

Township

17 N.

Range

30 E.

G. &amp; R.

Meridian.

Chains

East, on a random line between Sections 26 and 35.

Variation

14° 19'

East.

*Descend,*17.50 *leaves Gulch, 5 lks. wide, course S. 10° W.  
and ascend,*40.00 *Set temporary 1/4 sec. cor.*76.00 *Top of Spur, bears N. & S. I descend,*80.38 *Intersect N. & S. line, 29 lks. South of  
cor. to secs. 25-26-35-36, from which  
corner, I run S. 59° 48' W., on a line  
line bet. secs. 26 - 35.*

Ta. 14° 19' E.

40.17 *Set post, 3 ft. long, 3 ins. dia., with  
marked stue, 92 ins. in the ground,  
for 1/4 Sec. Cor., marked 1/4 S. on  
N. face, dug pits, 18 x 18 x 12 ins. E.  
9 W. of post, 5 1/2 ft. dist., and raised  
a mound of earth, 1 1/2 ft. high, 3 1/2 ft.  
base around post.*80.38 *The cor. to secs. 26-27-34-35.**Land mountainous.**Soil 2<sup>nd</sup> rate.**Timber Cedar.**Vegetation, Bunchgrass.*

Township

17 N.

Range

30 E.

G. &amp; S. R.

Meridian.

Chains

North, between Sections 26 and 27.

Variation

14° 19'

East.

*Ascend*

21.00 Top of Spur, bears N. 70° W. & S. 70° E. Mounds,  
 38.50 across Gulch, 40 ft. wide, course E. & ascend,  
 40.00 Set Sandstone, 14x12x8 ins., 9 ins. in  
 the ground, for 1/4 Sec. Cor., marked  
 1/4 m. N. face, and raised a mound  
 of stone alongside. Pits impracticable.

50.00 Set Lava Stone, 12x10x8 ins., 8 ins. in  
 the ground, for Cor. to Secs. 22-23-26-27,  
 marked with notches on S. & E. edges,  
 and raised a mound of stone  
 alongside. Pits impracticable.

Land mountainous.

Soil 2<sup>nd</sup> rate.

Trees, Cedar

Vegetation, bunchgrass.

Township

17 N.

Range

30 E.

G. &amp; S.R. Meridian.

Chains

East, on a random line between Sections 23 and 26.

Variation  $14^{\circ}19'$  East.*Ascend gradually.*

- 40.00 Set temporary  $\frac{1}{4}$  sec. cr.
- 80.11 Intersect N. & S. line, 271ks. S. of  
cr. to secs. 23-24-25-26, from  
which corner, turn S.  $89^{\circ}48' W.$ , on  
a true line between secs. 23-26,  
Va.  $14^{\circ}19' E.$
- 40.06 Set post, 3ft. long, 3ins. dia., with  
marked stone, 12ins. in the ground,  
for  $\frac{1}{4}$  Sec. Cr., marked  $\frac{1}{4}$  S. on N.  
face, dug pits,  $18 \times 18 \times 12$  ins. E. & W.  
of post,  $5\frac{1}{2}$  ft. dist., and raised a  
mound of earth,  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft.  
base around post.
- 80.11 The cor. to secs. 22-23-26-27.  
Land rolling.  
Soil 2<sup>nd</sup> rate.  
Timber, Cedar.  
Vegetation, bunchgrass.

Township 17 N., Range 30 E.,  
G. & S.R., Meridian.

Chains North, between Sections 22 and 23.

Variation 14° 19'

East.

*Ascent*

- 11.50 Top of Spur, bears N.E. & S.W. & descend.  
 40.00 Set post, 3 ft. long, 3 in. dia., with  
 marked stone, 12 in. in the ground,  
 for 1/4 Sec. Cor., marked 1/4 S. on N. face,  
 dug pits, 18 x 18 x 12 in. N. & S. of post  
 5 1/2 ft. dist., and raised a mound  
 of earth, 1 1/2 ft. high, 3 1/2 ft. base  
 around post.  
 80.00 Set post, 4 ft. long, 4 in. square, with  
 marked stone, 12 in. in the ground,  
 for Cor. to Secs. 14-15-22-23 marked  
 T. 17 N. S. 14 on N.E., R. 30 E. S. 23 on S.E.,  
 S. 22 on S.W. and S. 15 on N.W. faces,  
 with 3 notches on S. and 2 notches  
 on E. edges, dug pits, 18 x 18 x 12 in.,  
 in each Sec. 5 1/2 ft. dist. and raised  
 a mound of earth, 2 ft. high, 4 1/2 ft.  
 base around post.  
 Land mountainous & rolling.  
 Soil 2nd rate.  
 Timber, cedar.  
 Vegetation, Bunchgrass.

Township

17 N., Range 30 E.

G. &amp; S.R. Meridian.

Chains

East, on a random line between Sections 14 and 23.

Variation  $14^{\circ}19'$  East.

- Descend gradually across trash, 3 lbs. wet, course S. 30° E. and ascend gradually.*
- Set temporary  $\frac{1}{4}$  sec. cor. Intersect N. & S. line, 23 lbs. S. of cor. to secs. 13-14-23-24, from which corner, run S. 89° 50' W. in a true line between secs. 14-23.  
*Ta.  $14^{\circ}19'$  E.*
- Set post, 3 ft. long, 3 in. dia, with marked stone, 12 in. in the ground, for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{2}$  S. on N. face, dug pits,  $18 \times 18 \times 12$  ins. E. & W. of post,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth,  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.
- The cor. to secs. 14-15-22-23.  
*Land rolling.*  
*Soil 2<sup>nd</sup> rate.*  
*Timber Pine and cedar.*  
*Vegetation, Bunchgrass.*

Township

17 N.,

Range

30 E.

G. &amp; R.

Meridian.

Chains

North, between Sections 14 and 15.

Variation

14° 19'

East.

Descend,

- 18.64 Cross wash, 5 ft. wide, bouldered. 70° E.  
and ascend gradually with marker stone,  
40.00 Set post, 3 ft. long, 3 in. dia., 12 in. in  
the ground, for 1/4 Sec. Cor., marked  
1/4 S. on W. face, dug pits, 18x18x12 in.,  
N. & S. of post, 5 1/2 ft. dist., and raised  
a mound of earth, 1 1/2 ft. high, 3 1/2 ft.  
base around post.
- 80.00 Set post, 4 ft. long, 4 in. square, with  
marker stone, 12 in. in the ground,  
for Cor. to Secs. 10-11-14-15, marked  
T. 17 N. S. 11 on N. E., R. 30 E. S. 14 on S. E.,  
S. 15 on S. W. and S. 10 on N. W. faces,  
with 4 notches on S. and 2 notches on  
E. edges, dug pits, 18x18x12 in. in each  
Sec., 5 1/2 ft. dist. and raised a  
mound of earth, 2 ft. high, 4 1/2 ft  
base around post.

Sandy soil very. Soil 2<sup>nd</sup> rate.  
Timber Pine and cedar.  
Vegetation, Bunchgrass.

Township

17 N.

Range

30 E.

G. &amp; S. R.

Meridian.

Chains

East, on a random line between Sections 11 and 14.

Variation

14° 14'

East.

Ascend gradually.

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 50.20 Cross Road to Houck's Ranch, bears  
 $N. 30^{\circ} W.$  and  $S. 30^{\circ} E.$   
 79.85 Intersect N. & S. line, 21 lbs. South  
   of cor. to secs. 11-12-13-14, from which  
   corner, run S. 89° 51' W. on a true  
   line between secs. 11-14.

Ta. 14° 14' E.

- 39.93 Set post, 3 ft. long, 3 in dia, with  
   marked stone,  $\frac{1}{2}$  in. in the ground,  
   for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{8}$  S. on N. face,  
   dug pit,  $18 \times 18 \times 12$  in. E. of post,  
    $5\frac{1}{2}$  ft. dist, and raised a mound  
   of earth,  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
   post.

- 79.85 The cor. to secs. 10-11-14-15,  
   land rolling and mountainous.  
   Soil 2<sup>nd</sup> late.  
   Timber Pine and cedar.  
   Vegetation Bunchgrass.

Township

17 N.

Range

30 E.

G &amp; R

Meridian.

Chains

North, between Sections 10 and 11.

Variation

14° 19'

East.

Ascend.

- 40.00 Set post, 3ft. long, 3in. dia, with marked stone, 12ins. in the ground, for 1/4 Sec. 607, marked 1/4 S. on N.E. face, dug pits, 18x18x12ins. N. 9 S. of post, 5 $\frac{1}{2}$  ft. dist, and raised a mound of earth, 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base around post.
- 56.19 Across Road to Hough's Ranch, bears N. 30° W. & S. 30° E.
- 80.00 Set post, 4ft. long, 4in. square, with marked stone, 12ins. in the ground, for Co. to Secs. 2-3-10-11, marked S. 17 N. S. 2 on N.E., R. 30 E. S. 11 on S.E., S. 10 on S.W. and S. 3 on N.W. faces, with 5 notches on S. and 2 notches on edges, dug pits, 18x18x12ins. in each Sec., 5 $\frac{1}{2}$  ft. dist, and raised a mound of earth, 2ft. high, 4 $\frac{1}{2}$  ft. base around post.

Land rolling &amp; mountainous.

Soil 2<sup>nd</sup> rate.

Timber, Pine and cedar.

Vegetation, bunchgrass.

Township

17 N.

Range

30 E.

G. &amp; S.R. Meridian.

Chains

East, on a random line between Sections 2 and 11.

Variation

14° 15'

East.

Ascend

23.50 Tops of Ridge, bears N. 10° E. & S. 10° W.  
and descend.40.00 Set temporary  $\frac{1}{4}$  sec. cor.79.77 Intersect N. & S. line, 19 lks. South  
of cor. to secs. 1-2-11-12, from which  
corner, run S. 89° 52' W., on a true  
line between secs. 2-11.

Ta. 14° 19' E.

39.89 Set post, 3 ft. long, 3 in. dia., with  
marked stone, 12 in. in the ground,  
for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on N face,  
dug pits, 18 x 18 x 12 in. E. & W. of post,  
5 $\frac{1}{2}$  ft. dist., and raised a mound  
of earth, 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. bare  
around post.

79.77 The cor. to secs. 2-3-10-11.

Land mountainous.

Soil 2<sup>nd</sup> rate.Timber, Pine and cedar.  
Vegetation, Bunchgrass.

Township

17 N.

Range

30 E.

G. &amp; S.R.

Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation

14° 19'

East.

Ascend gradually.

40.00 Set temporary 1/4 sec. cor.

80.13 Intersect N. B. of Sp., 2300 ft. East of  
 cor. to secs. 2-3-34-35, which is a post  
~~marked~~  
 4 ins. square with marked stone, set firmly  
 in the ground and marked 18 n. S. 35  
 in N.E. R. 30 E. S. 2 on S.E., S. 17 S. S. 3 on  
 S.W. and S. 34 on N.W. faces, with 2  
 notches on E. & 4 notches on W. edges, pits,  
 18x18x12 ins. in each Sec. <sup>5 ft. dist.</sup> and mound  
 of earth 2 ft. high, <sup>1 ft. dist.</sup> base around post.  
 From this corner, run S. 10' E., on  
 a true line bet. secs. 2-3.

Ta. 14° 19' E.

40.13 Set post, 3 ft. long, 3 in. dia, with marked  
 stone, 12 ins. in the ground, for 1/4 Sec. Cor.,  
 marked 1/4 S. on N. face, dug pit, 18x18x12 ins.  
 N. & S. of post, 5 1/2 ft. dist., and raised a  
 mound of earth, 1 1/2 ft. high, 3 ft. base around post.

80.13 The cor. to secs. 2-3-10-11.

Land rolling. Soil 2<sup>nd</sup> rate.  
 Timber, Pine & Cedar.

Vegetation, Bunchgrass.

Testimony my instrument & compass is correct,  
 M. M. Nathan, Compassman, Nov. 25, 1882.

Township

17 N.

Range

30 E.

G. &amp; S. R.

Meridian.

Chains

From Co. 10 Seco. 3-4-33-34, on S.C. a post, 4 ins.  
 square, with marked stone set firmly in the  
 ground & marked S. 17 N. S. 34 on N.E. Q. 30 E.  
 S. 3 on S.C. S. 16 N. S. 4 on S.W. and S. 33 on N.W.  
 faces with 3 notches on E. & W. edges, pits  
 $18 \times 18 \times 12$  ins. in each sec., 5 ft. dist, and  
 mound of earth 2 ft. high, 4 ft. base around  
 post. Turn North, back east 34-33.

T.A.  $14^{\circ} 21' E.$ 

Ascend,

- 3.40 Cross fence, bears N. 30° E. & S. 30° W.  
 6.60 Cross fence, bears N.E. & S.W.  
 12.10 Cross Wingate Road, bears N. 70° E. & S. 70° W.  
 12.85 At Coral Bear N. 71° E., about 17.17 chs. dist &  
 A Spring bears N. 71° E., about 14.61 chs. dist.  
 14.00 At House bears East about 17.61 chs. dist.  
 22.50 Top of Mesa, bears E. & W. & descend.  
 40.00 Set post, 3 ft. long, 3 in. dia, with marked  
 stone, 12 ins. in the ground, for 1/4 Sec. Co,  
 marked 1/4 S. on N.E. face, dug pits,  $18 \times 18 \times 12$  ins.  
 N. 9 S. off post, 5 ft. dist, and raised a mound  
 of earth,  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.  
 58.40 Cross Gulch, rock and coarse sand gradually.  
 80.00 Set post, 4 ft. long, 4 ins square, with marked  
 stone 12 ins. in the ground for Co. 10 Secos. 27-28-33.  
 34 marked S. 17 N. S. 27 m N.E., Q. 30 E. S. 34 m S.C.  
 S. 33 on S.W. & S. 28 m N.W. faces with 1 inch  
 on S. and 3 notches on E. edges, dug pits,  
 $18 \times 18 \times 12$  ins. in each sec., 5 ft. dist and raised  
 a mound of earth, 2 ft. high, 4 ft. base around post,  
 and maintained by holding soil 2nd rate.  
 Timber, Pine and Cedar. Vegetation, bunchgrass.

Township

17 N.

Range

30 E.

G. &amp; S.R.

Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation  $14^{\circ}19'$  East.*Descend*

- 6.70 Across Gulch, 3lks. wide, course S.W. & sand.  
 24.50 Top of Spur, bears N. 9 S. & descend,  
 30.00 Across Gulch, 5lks. wide, course S.  $10^{\circ}$  W. & sand.  
 40.00 Set temporary 1/4 sec. cor.  
 40.50 Top of Spur, bears N.  $20^{\circ}$  E. & S.  $20^{\circ}$  W. & sand.  
 64.00 Center Coal Field, bears N. 9 S.  
 70.50 Same, bears same.  
 72.00 Across Gulch, 3lks. wide, course S.  $10^{\circ}$  W. & sand.  
 80.33 Intersect N. 9 S. line, 22lks. South of  
 cor. to secs. 26-27-34-35, from which  
 corner, run S.  $89^{\circ}51'$  W., on a true  
 line bet. secs. 27-34.

 $Va. 14^{\circ}19' E.$ 

- 40.17 Set post, 3ft. long, 3in. dia. with  
 marked stone, 12ins. in the ground,  
 for 1/4 Sec. Cor., marked  $\frac{1}{4}S$  on N. face,  
 dug pits,  $18 \times 18 \times 12$  ins. E. & W. of post  
 5 $\frac{1}{2}$  ft. dist., and raised a mound of  
 earth,  $1\frac{1}{2}$  ft. high, 3ft. base around  
 post.  
 80.33 The cor. to secs. 27-28-33-34.  
 Land mountainous. Soil 2<sup>nd</sup> stage.  
 Timber, Pine & Cedar. Vegetation, Pungyans.

Township

17 N.

Range

30 E.

G. &amp; S.R.

Meridian.

Chains

North, between Sections 27 and 28.

Variation

14° 19'

East.

*Ascend gradually.*

- 29.50 Top of Ridge bears E. 9 W. Descend.  
 40.00 Set post, 3 ft. long, 3 in. dia., with  
 marked stone, 2 in. in the ground,  
 for  $\frac{1}{4}$  Sec. Cr., marked 14 S. on N. face,  
 dug pits, 18x18x12 in. N. & S. of post,  
 5 $\frac{1}{2}$  ft. dist., and raised a mound  
 of earth, 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base  
 around post,
- 80.00 Set post, 4 ft. long, 4 in. square, with  
 marked stone, 12 in. in the ground,  
 for 6 or 10 Secs 21-22-27-28, marked  
 T. 17 N. S. 22 on N.E., R. 30 E., S. 27 on S.E.,  
 S. 28 on S.W. & S. 21 on N.W. faces, with  
 2 notches on S. and 3 notches on E. edges,  
 dug pits, 18x18x12 in. in each Sec., 5 $\frac{1}{2}$  ft.  
 dist., and raised a mound of earth  
 2 $\frac{1}{2}$  high, 4 $\frac{1}{2}$  ft. bare around post,  
 Land rolling & mountainous,  
 Soil 2<sup>nd</sup> rate.  
 Timber, Pine and cedar.  
 Vegetation, Bunchgrass.

Township

17 N.

Range

30 E.

26

G. &amp; S.R.

Meridian.

Chains

East, on a random line between Sections 22 and 27.

Variation

 $14^{\circ}19'$ 

East.

Ascend gradually,

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.

61.00 Top of Spur, bears N. 9 S. o descend,

80.06 Intersect N. & S. line, 260ks. North  
of cor. to secs. 22-23-26-27 from which  
corner, turn N. $89^{\circ}49'W.$ , on a true  
line bet. secs. 22-27.Ta.  $14^{\circ}19' \delta.$ 40.03 Set post, 3ft. long, 3in. dia, with marked  
stone, 12in. in the ground, for  $\frac{1}{4}$  Sec. cor.,  
marked  $\frac{1}{4}$  S. on N. face, dug pits,  
18x18x12ins. E. & W. of post, 5 $\frac{1}{2}$  ft.  
dist, and raised a mound of  
earth,  $1\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base around post.  
The cor. to secs. 21-22-27-28.

Sand rolling and mountainous.

Soil  $2^{nd}$  rate.Juniper, Pine and cedar,  
Vegetation, bunchgrass.

Chains

North, between Sections 21 and 22.

Variation 114°19' East.

*Descent,*

- 40.00 Set post, 3 ft. long, 3 in. dia, with marked stone, 12 in. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked 14 S. on N. face, dug pits, 18 x 18 x 12 in. N. & S. of post, 5  $\frac{1}{2}$  ft. dist, and raised a mound of earth, 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft. base around post.
- 80.00 Set post, 4 ft. long, 4 in. square, with marked stone, 12 in. in the ground, for Cor. to Secs. 15-16-21-22 marked 17<sup>N</sup>. S. 15 on N.E., R. 30<sup>E</sup>. S. 22 on S.E. S. 21 on S.W. and S. 16 on N.N. faces, with 3 notches on S. & E. edges, dug pits, 18 x 18 x 12 in. in each Sec., 5  $\frac{1}{2}$  ft. dist, and raised a mound of earth 2 ft. high, 4  $\frac{1}{2}$  ft. base around post.  
Land rolling.

Soil 2nd shale.

Timber cedar,  
Vegetation, bunchgrass.

Township

BOOK 275

28

17 N., Range 30 E.

G. &amp; S.R.

Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation

114°19'

East.

*Descend gradually.*

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

80.36

Intersect N. & S. line, 41 lbs. South  
of cor. to secs. 14-15-22-23, from which  
corner, turn S. 89° 42' W., in a true  
line between secs. 15-22.

Ta. 14°19' 6"

40.18

Set post, 3 ft. long, 3 in. dia., with  
marked stone, 12 in. in the ground,  
for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on N. face,  
dug pits, 18 x 18 x 12 in. E. & W. of post,  
5 ft. dirt, and raised a mound of  
dirt,  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.36

The cor. to secs. 15-16-21-22.

*Land rolling.**Soil 2nd rate.**Timber, Pine and Cedar.**Vegetation, bunchgrass.*

Township

17 N.

Range

30 E.

G.Y.S.R.

Meridian.

Chains

North, between Sections 15 and 16.

Variation

14° 19'

East.

*Descend gradually.*

- 40.00 Set post, 3 ft. long, 3 in. dia., with marked stone, 12 in. in the ground, for 1/4 Sec. Cr., marked 1/4 S. on N. side, dug pits, 18 x 18 x 12 in. N. & S. of post, 5 1/2 ft. dist., and raised a mound of earth, 1 1/2 ft. high, 3 1/2 ft. base around post.
- 80.00 Set post, 4 ft. long, 4 in. square, with marked stone, 12 in. in the ground for Cr. to Secs. 9-10-15-16, marked S. 1/4 N., S. 10 on N.E., R. 30 E., S. 15 on S.E., S. 16, on S.W. and S. 9 on N.W. faces, with 4 notches on S. and 3 notches on E. sides, dug pits, 18 x 18 x 12 in. in each Sec., 5 1/2 ft. dist., and raised a mound of earth, 2 ft. high, 4 1/2 ft. base around post.

*Sand rolling.**Soil 2<sup>nd</sup> rate.**Timber, Pine and Cedar.**Vegetation, Bunchgrass.*

Township

17 N.

Range

30 E.

30

G. &amp; S.R.

Meridian.

Chains

East, on a random line between Sections 10 and 15.

Variation  $14^{\circ}19'$  East.*Descend gradually.*

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

80.12

Intersect N. & S. line, 37 lbs. South  
of cor. to secs. 10-11-14-15, from which  
corner turn S.  $89^{\circ}44'W$ , on a true  
line bet. secs. 10-15.Ta.  $14^{\circ}19'8''$ 

40.06

Set post, 3 ft. long, 3 in. dia, with masonry  
stone, 12 ins. in the ground, for  $\frac{1}{4}$  sec.  
Cor. marked  $\frac{1}{4}$  sec. on N. face, dug pits,  
18 x 18 x 12 ins. 6.9 ft. off post, 5 ft. dist  
and raised a mound of earth,  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.12

The cor. to secs. 9-10-15-16.

*Sand rolling.**Soil 2<sup>nd</sup> rate.**Juniper, Pine and cedar.*  
*Vegetation, bunchgrass.*

Township

17 N.

Range

30 E.

G. &amp; S.R.

Meridian.

Chains

North, between Sections 9 and 10.

Variation

14°19'

East.

*Descend*

- 40.00 Set post, 3 ft. long, 3 in. dia, 24 in.  
in the ground, for 1/4 Sec. Cor.  
marked 1/4 S. on N. face,  
from which,  
A Cedar, 24 in. dia, bears S. 21° E., 44 lks.  
dist, marked 1/4 S.P.S.  
A Cedar, 26 in. dia, bears N. 17° W., 48 lks.  
dist, marked 1/4 S.P.S.  
49.50 Cross Depression, bears N. 50° W. S. 30° E.  
and ascend.  
80.00 Set post, 4 ft. long, 4 in. square, with  
marked stone, 12 in. in the ground,  
for Cor. to Secs. 3-4-9-10, marked  
S. 17 N. S. 30 E., R. 30 E., S. 100 m S.E.,  
S. 90 on S. W. and S. 40 on N. W. faces,  
with 5 notches on S. and 3 notches on  
E. edges, dug pits, 18 x 18 x 12 in. in each  
Sec., 5 1/2 ft. dist, and raised a  
mound of earth, 2 ft. high, 4 1/2 ft.  
base around post.  
Soil rolling. Soil 2nd rate.  
Timber, Pine and Cedar.  
Vegetation, Bunchgras.

Township

17 N., Range

30 E.

G. &amp; S.R.

Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation  $14^{\circ}19'$  East.

Ascend.

- 9.50 Top of Spur, bears N.  $30^{\circ}$  E. & S.  $30^{\circ}$  W.  
and descend,  
40.00 Set temporary 1/4 sec. cor.  
69.26 Cross Road to Hoych's Ranch, bears  
N.  $10^{\circ}$  W. & S.  $10^{\circ}$  E.  
80.23 Intersect N. & S. line, 1960 ft. S. of cor.  
to secs. 2-3-10-11, from which corner  
Run S.  $89^{\circ}52'$  W., on a true line  
between secs. 3-10.

Ta.  $14^{\circ}19'$ .

- 110.12 Set post, 3 ft. long, 3 in. dia, with  
marked stone, 12 in. in the ground  
for 1/4 Sec. Cor. marked 1/4 S. on N. face,  
dug pit,  $18 \times 18 \times 12$  in. E. & W. of post,  
5 ft. dist, and raised a mound of  
dirt,  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
post.

- 80.23 The cor. to secs. 3-4-9-10.  
Land mountainous.  
Soil 2<sup>nd</sup> rate.  
Timber Pine & Cedar.  
Vegetation, bunchgrass.

Township

17 N.

BOOK 275

Range

30 E.

G. &amp; S.R.

Meridian.

Chains

North, on a random line between Sections 3 and 4.

Variation

14° 19'

East.

Ascend gradually.

40.00 Set temporary,  $\frac{1}{4}$  sec. cor.

57.00 Top of Ridge, bears N.E. &amp; S.W. and descend gradually.

~~so. 36 Intersect N.B. of 1/4, 31 lbs. East of  
co. to secs. 3-4-33-34, which is a  
post, 4 ins. square with marked stone  
set firmly in the ground & marked  
S. 18 N. S. 34 on N.E., R. 30 E. S. 3 on S.E.,  
S. 77 N. S. 4 on S.W. and S. 33 on N.N.  
faces, with 3 notches on E. & W. edges,  
pits, 18x18x12 ins. in each sec, 5 ft. dist  
and mound of earth, 2 ft. high, 4 ft. base  
rise around post.~~

~~From this corner, sum S. 13' E., in  
a true line between secs. 3-4,  
Va. 14° 19' E.~~

~~40.36 Set post, 3 ft. long, 3 ins. dia, with marked  
stone, 12 ins. in the ground, for  $\frac{1}{4}$  sec. cor.,  
marked  $\frac{1}{4}$  S. on N. face, dug pits, 18x18x12 ins.,  
N. of post, 5 ft. dist, and raised a  
mound of earth, 1 ft. high, 3 ft. base  
around post.~~

~~so. 36 The cor.  $\frac{1}{4}$  sec. 3-4-9-10.~~

~~Land rolling & mountainous  
Soil 2<sup>nd</sup> rate vegetation, Pine and Cedar,  
Bunch grass,~~

*Examined my instrument today  
and found it correct.  
Albion, Nov. 27, 1882.*

Township

17 N., Range 30 E.

L. 9 S. R. Meridian.

Chains

~~From the Cr. to sec 4 5 32 33, in S. 00, 50 ft. from the corner post, 3 ft. long, 3 in. square with marked stone set firmly in the ground and marked S. 17 N. R. 30 E. S. 40 m. S. E. L. 16 N. S. 5 m. S. R. and S. 32 m. N. W. faces, fits 18x18x12 in. in each sec. 5 ft. dist. and mound of earth 2 ft. high, 4 1/2 ft. bare arima post, 1 m. North, between secs. 32 - 33.~~

Va. 14° 21' E.

Ascend

- 32.00 Top of Ridge, bears N.E. 9 S.W. descend.  
 40.00 Set post, 3 ft. long, 3 in. dia, with marked stone, 12 in. in the ground, for 1/4 Sec. Cr. marked 1/4 S. on N. face, from which  
     + Pine, 8 in. dia, bears N. 84° E. 14 lks. dist.  
     + Pine, 10 in. dia, bears N. 63° N. 20 lks. dist; both of which I mark 1/4 S. B. S.  
 80.00 Set post, 4 ft. long 4 in. square, 24 in. in the ground for Cr. to Secs. 28-29-32-33, marked S. 17 N. S. 28 on N.E. R. 30 E. S. 33 m. S. E. S. 32 m. S. W. and S. 40 m. N. W. faces, with notch on S. and 4 notches on E. edges from which  
     + Pine, 4 in. dia, bears N. 56° E. 23 lks. dist., marked S. 17 N. R. 30 E. S. 28 B. S.  
     + Pine, 8 in. dia, bears S. 45° E. 31 lks. dist., marked S. 17 N. R. 30 E. S. 33 B. S.  
     + Pine, 9 in. dia, bears S. 5° W. 19 lks. dist., marked S. 17 N. R. 30 E. S. 32 B. S.  
     + Pine, 6 in. dia, bears N. 44° W. 17 lks. dist., marked S. 17 N. R. 30 E. S. 29 B. S.

Land mountainous.

Field 2nd field.

Inter. Pine and Cedar.

Vegetation, Sandstone.

Township

17 N.

Range

30 E.

G. &amp; S.R.

Meridian.

Chains

East, on a random line between Sections 28 and 33.

Variation

14° 19'

East.

Ascend gradually.

40.00 Set temporary sec. cor.

41.09 Top of Ridge, bears N.E. 1 S.W. &amp; deviates.

80.39 Intersect N. & S. line, 13 lbs. South of  
cor. to secs. 27-28-33-34, from which  
corner, sum S. 89° 54' W., in a true  
line bet. secs. 28-33.

Va. 14° 19' 8"

40.20 Set post, 3 ft. long, 3 in. dia. with  
marked stone, 12 in. in the ground,  
for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on N. face,  
dig pit, 18 x 18 x 12 in. E. of post  
 $5\frac{1}{2}$  ft. dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
around post.80.39 The cor. to secs. 28-29-32-33.  
Land rolling and mountainous,  
Soil 2<sup>nd</sup> rate.  
Timber, Pine and Cedar.  
Vegetation, bunchgrass.

Township

17 N.

Range

30 E.

G. &amp; S.R.

Meridian.

Chains

North, between Sections 28 and 29.

Variation

14°19'

East.

*Descend gradually.*

40.00 Set post, 3 ft. long, 3 in. dia., 24 in. in the ground, for 1/4 Sec. Cr., marked 1/4 S. on W. face, from which 1 Pine, 4 in. dia., bears N. 72° E., 11 ft. dist., marked 1/4 S.P.B.Y.

1 Pine, 7 in. dia., bears S. 42° W., 13 ft. dist., marked 1/4 S.P.B.Y.

80.00 Set post, 4 ft. long, 4 in. square, with marked stone, 12 in. in the ground, for Cr. to Secs. 20-21-28-29, marked 1/4 N. S. 21 on N.E., R. 30 E., S. 28 on S.E., S. 29 on S.W. & S. 20 on N.W. faces, with 2 notches on S. and 4 notches on E. edges, dug pit, 18 x 18 x 12 in. in each Sec., 5 1/2 ft. dist., and raised a mound of earth, 2 ft. high, 4 1/2 ft. base around post,  
and rolling.

*Soil 2<sup>nd</sup> rate.**Timber, Pine and Cedar,  
Vegetation, Bunchgrass.*

Township

17 N.

Range

31 E.

G. &amp; S. R.

Meridian.

Chains

East, on a random line between Sections 21 and 28.

Variation

14°19'

East.

*Descent gradually,**Cross low Sag and ascend**Set temporarily  $\frac{1}{4}$  sec. cor.*

79.93 *Intersect N. & S. line, 19 lbs. South  
of cor. to secs. 21-22-27-28, from which  
corner, I run S. 89°52' W., in a  
true line bet. secs. 21-28.*  
Va. 14°19' E.

39.97 *Set post, 3 ft. long, 3 in. dia. with  
marked stone,  $\frac{1}{2}$  in. in the ground,  
for  $\frac{1}{4}$  sec. cor., marked to S. on N. face,  
dug pits,  $18 \times 18 \times 12$  in. E. & W. of  
post,  $5\frac{1}{2}$  ft. dist., and raised a  
mound of earth,  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft.  
base around post.*

79.93 *The cor. to secs. 20-21-28-29.  
Land rolling. Soil 2<sup>nd</sup> rate,  
Timber, Pine and cedar.  
Vegetation, Bunchgrass.*

Township

17 N., Range

30 E.

G. O. S. R.

Meridian.

Chains

North, between Sections 20 and 21.

Variation

14° 19'

East.

Brand.

- 40.00 Set post, 3ft. long, 3in dia, 24ins in  
the ground, for 1/4 Sec. Cr., marked  
1/4 S. on W. face, from which,  
1 Pine, 12ins dia, bears S. 31° E., 15lbs.  
dist, marked 1/4 S. B. S.  
1 Pine, 14ins dia, bears N. 85° W., 10lbs.  
dist, marked 1/4 S. B. S.
- 80.00 Set post, 4ft. long, 4ins square, 24ins.  
in the ground, for Cr. 10 Sles. 16-17-20-21,  
marked T. 17 N. S. 16 on N.E., R. 30 E.  
S. 21 m ~~on~~ S. E., S. 20 on S.W. and  
S. 17 m N.W. faces, with 3 notches on S.  
and 4 notches on E. edges, from which,  
1 Pine, 15ins dia, bears N. 18½° E., 72lbs.  
dist, marked T. 17 N. R. 30 E. S. 16 B. S.  
1 Cedar, 24in. dia, bears S. 14½° E., 2lbs. dist,  
marked T. 17 N. R. 30 E. S. 21 B. S.  
1 Pine, 6ins. dia, bears S. 45½° W., 18lbs.  
dist, marked T. 17 N. R. 30 E. S. 20 B. S.  
1 Pine, 10ins.dia, bears N. 27½° W., 41lbs.  
dist, marked T. 17 N. R. 30 E. S. 17 B. S.  
Land mountainous. Soil 2<sup>nd</sup> rate,  
Timber, Cedar & Pine. Vegetation, bunch grass.

Township

17 N.

Range

30 E.

G. &amp; S.R.

Meridian

Chains

East, on a random line between Sections 16 and 21.

Variation  $14^{\circ}19'$ 

East.

~~Ascend~~~~Top of Ridge, bears N. & S. or dead end,~~~~Set temporary 1/4 sec. cor.~~~~Intersect N. & S. line, 196ks. North  
of cor. to secs. 15-16-21-22, from which  
corner run N. 89° 52' W., on a true  
line between secs. 16 - 21.~~ $Va. 14^{\circ}19' 6''$ ~~39.95 Set post, 3ft. long, 3in. dia., with  
marked stone, 1/2in. in the ground,  
for 1/4 Sec. cor., marked 1/4 S. on N. face,  
dry pits, 18x18x12ins. N. & S. of  
post, 5 1/2 ft. dist., and raised a  
mound of earth, 1 1/2 ft. high, 3 1/2 ft.  
base around post.~~~~79.89 The cor. to secs. 16-17-20-21.  
Land mountainous,  
Soil 2<sup>nd</sup> rate.  
Timber, Pine and Cedar.  
Vegetation, Pinchgrass.~~

Township

17 N., Range 30 E.  
G. & S.R., Meridian.

Chains

North, between Sections 16 and 17.

Variation

14° 19'

East.

Ascend.

- 40.00 Set post, 3 ft. long, 3 in. dia, 24 ins. in  
the ground for  $\frac{1}{4}$  Sec. cor. marked  
 $\frac{1}{4}$  S. on W. face, from which,  
A Pine, 12 ins. dia, bears N. 25° E., 11 lbs.  
dist., marked  $\frac{1}{4}$  S.B.Y.  
A Cedar, 15 ins. dia, bears S. 40° W., 18 lbs.  
dist., marked  $\frac{1}{4}$  S.B.Y.
- 80.00 Set post, 4 ft. long, 4 ins. square, 24 ins.  
in the ground, for Cor. to Posts 8-9 & 17,  
marked S. 17 N. S. 9 on N.E., R. 30 E.  
S. 16 on S.E., S. 17 on S.W. & S. 8 on N.W.  
faces, with 4 notches on S. & E. sides,  
from which,  
A Pine, 11 ins. dia, bears N. 23° E., 35 lbs.  
dist., marked S. 17 N. R. 30 E. S. 9 B.Y.  
A Cedar, 18 ins. dia, bears S. 24° E., 30 lbs.  
dist., marked S. 17 N. R. 30 E. S. 16 B.Y.  
A Cedar, 16 ins. dia, bears S. 63° W., 81 lbs. dist.,  
marked S. 17 N. R. 30 E. S. 17 B.Y.  
A Pine, 12 ins. dia, bears N. 15° W., 19 lbs.  
dist., marked S. 17 N. R. 30 E. S. 8 B.Y.  
Land mountainous, Soil 2<sup>nd</sup> rate,  
Timber, Pine & Cedar. Vegetation, bunchgrass.

41 Township 17 N., Range 30 E.  
*G. & S.R.*, Meridian.

Chains East, on a random line between Sections 9 and 16.

Variation  $14^{\circ}19'$  East.

Descent gradually.

Set temporary  $\frac{1}{4}$  sec. cor.

79.76 Intersect N. 9 S. line, 39thos. South  
of cor. to secs. 9-10-15-16, from which  
corner, run S.  $89^{\circ}43'W.$  in a true  
line bet. secs. 9-16.

To.  $14^{\circ}19' E.$

39.88 Set post, 3ft. long, 3in. dia, with  
marked stone,  $\frac{1}{2}$  in. in the ground,  
for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on N. face,  
dug pit,  $18 \times 18 \times 12$  ins. E. & W. of  
post,  $3\frac{1}{2}$  ft. dirt, and raised a  
mound of earth,  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft.  
base around post,

79.76 The cor. to secs. 8-9-16-17.

Land rolling.

Soil 2<sup>nd</sup> rate.

Timber Cedar.

Vegetation, Pinchgrass.

Township

17N., Range

30 E.

G. &amp; S.R.

Meridian.

Chains

North, between Sections 8 and 9.

Variation

14° 19'

East.

Ascend.

- 40.00 Set post, 3 ft. long, 3 in. dia, with marked stone, 12 in. in the ground, for Co. line, marked N.W. on N. face, aug. pits, 18 x 18 x 12 in. N. & S. of post, 5 1/2 ft. dist., and raised a mound of earth, 1 1/2 ft. high, 3 1/2 ft. base around post,
- 45.00 Top of Ridge, bears E. & W. & desand,
- 51.00 Set post, 4 ft. long, 4 in. square, 24 in. in the ground, for Co. to Secs. 4-5-8-9, marked T. 17 N. S. 4 on N.E., R. 30 E. S. 9 on S.E., S. 8 on S.W. and S. 5 on N.W. faces, with notches on S. and 4 notches on E. edges, from which
- A Cedar, 12 in. dia, bears N. 18° E. 17 lks, dist., marked T. 17 N. R. 30 E. S. 4 B. Y.
- A Cedar, 6 in. dia, bears S. 61 1/2° E. 16 lks, dist., marked T. 17 N. R. 30 E. S. 9 B. Y.
- A Cedar, 10 in. dia, bears S. 43° W. 8 lks, dist., marked T. 17 N. R. 30 E. S. 8 B. Y.
- A Cedar, 8 in. dia, bears N. 57° W. 31 lks, dist., marked T. 17 N. R. 30 E. S. 5 B. Y.
- Land mountainous, Soil 2<sup>nd</sup> rate, timber, Cedar. Vegetation, bunchgrass.

Township

17 N.

Range

30 E.

G. &amp; S. R.

Meridian.

Chains

East, on a random line between Sections 4 and 9.

Variation

14° 19'

East.

Descend.

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 64.00 Cross depression betw. N. 30 W. & S. 20 E.,  
 and ascend gradually.  
 79.62 Intersect N. 9 S. line, 4 miles south  
 of cor. to secs. 3-4-9-10, from which  
 corner, turn S. 89° 41' W., on a true  
 line bet. secs. 4-9.

Ta. 14° 19' E.

- 39.81 Set post, 3 ft. long, 3 in. dia., with  
 marked stone, 12 in. in the ground,  
 for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{2}$  S. on N. face,  
 dug pit, 18 x 18 x 12 in., E. 9 W. of  
 post, 5  $\frac{1}{2}$  ft. dist., and raised a  
 mound of earth,  $1\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft.  
 base around post.

- 79.62 The cor. to secs. 4-5-8-9.

Land rolling.

Soil 2<sup>nd</sup> rate.

Timber, Cedar.

Vegetation, Bunchgrass.

Township

17 N.

Range

31 E.

G. &amp; S.R.

Meridian.

Chains

North, on a random line between Sections 4 and 5.

Variation

14° 19'

East.

Descend gradually.

Set temporary R. sec. co.

Across Depression, bears N. 10° W. 9 S. 10 E.  
and ascend gradually.

80.19 Intersect North Boundary of Tp. 13th.  
~~Court of Co. to Secs. 4-5-32-33 which~~  
~~is a post, 4m. square with marked~~  
~~stone set firmly in the ground and~~  
~~marked T. 8 N. S. 33th N.E., R. 30 E. S.~~  
~~4th S. C., T. 17 N. S. 5 m. S. W. and S. 32~~  
~~in N.W. faces, with 4 notches on E. &~~  
~~2 notches on W. edges, fits, 18x18x12 in.~~  
~~in each Sec. 3 ft. dirt, and mound~~  
~~of earth 2 ft. high, 1 1/2 ft. base around post.~~  
 Hence I run from this corner S. 6 E.,  
 on a true line bet. Secs. 4-5. Ta! 14° 19' E.

40.19 Set post, 3 ft. long, 3 in. dia, with marked  
 stone, 12 in. in the ground, marked  
~~1/4 S. on W. face, for 1/4 Sec. Co.~~, dug  
 pit, 18x18x12 in. N. & S. of post, 3 ft.  
 dirt, and raised a mound of earth  
~~1 1/2 ft. high, 3 ft. base around post.~~

80.19 The cor. to Secs. 4-5-8-9  
 Sigma rolling. Soil 2nd rate,  
 timber Cedar. Vegetation bunch grass.  
 Examined my instrument and found it correct,  
 Campasman M. M. Madan, Nov. 27, 1882.

Township

17 N.

Range

30 E.

G. G. S. R., Meridian.

Chains

~~From the cor. to ecos. 5 6 31 32 on S. S. S. 30 E. 17 N. S. 32 on N. E. R. 30 E. S. 5 on S. E. S. 16 N. S. 6 on S. W. and S. 31 on N. W. faces, with 5 notches on E. & 1 notch on W. edges, pit, 18x18x12 in. in each Sec. 5 ft. dist. and mound of earth, 2 ft. high, 4 ft. base around post. From south, bet. ecos. 31-32, ra. 14° 21' E.~~

Ascend

40.00 Set post, 3 ft. long, 3 in. dia, with marked stone, 1 1/2 in. in the ground, for N. Sec. cor., marked 1/4 S. on N. face, dug pit, 18x18x12 in. N. of post, 5 ft. dist. and raised a mound of earth, 1 1/2 ft. high, 3 ft. base around post. From N. 70° E. & S. 70° E. and descend.

58.50

Top of Ridge, have N. 70° E. & S. 70° E. and descend.

Set post, 4 ft. long, 4 in. square, with marked stone, 1 1/2 in. in the ground, for Cor. to Secs. 24-30-31-32, marked 1/4 N. S. 29 on N. E., R. 30 E. S. 32 on S. E., S. 31 on S. W. and S. 30 on N. W. faces, with notch on S. and 5 notches on E. edges, dug pits, 18x18x12 in. in each Sec., 5 ft. dist. and raised a mound of earth, 2 ft. high, 4 ft. base around post. Land mountainous. Soil 2<sup>nd</sup> rate, Timber, Cedar. Vegetation, Bunchgrass.

Township

17 N., Range

30 E.

G. S. S. R.

Meridian.

Chains

East, on a random line between Sections 29 and 32.

Variation

14° 19'

East.

Ascend.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.79.68 Intersect N. 4 S. line, 371<sup>1</sup>/<sub>2</sub> ft. South  
of cor. to secs. 28-29-32-33, from which  
corner, lay S. 89° 44' W., on a true  
line between secs. 29-32,

R. A. 14° 19' E.

39.84 Set post, 3 ft. long, 3 in. dia, with  
marked stone 12 in. in the ground,  
for 1<sup>st</sup> Sec. Cor., marked  $\frac{1}{4}$  P. on N. face,  
dug pit, 18 x 18 x 12 in. E. & W. of post,  
5 $\frac{1}{2}$  ft. dist., and raised a mound  
of earth, 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base  
around post.79.68 The cor. to secs. 29-30-31-32,  
Land mountainous, Soil 2<sup>nd</sup> rate,  
Timber, Cedar. Vegetation, Bunchgrass.  
Carefully examined the adjustments  
of my star compass today, particularly  
the latitude and reverting apparatus  
and found them correct.

Henry A. Coe, Nov. 28, 1882,

Township

14 N.

Range

30 E.

G. &amp; S.R.

Meridian.

Chains

West, on a random line between Sections 30 and 31.

Variation

14° 19'

East.

*Descend gradually,*140.00 Set temporary  $\frac{1}{4}$  sec. cor.79.81 Intersect W. B. of Th., 13 lbs. North of  
cor. to secs. 25-30-31-36, <sup>recently established by me</sup> from which  
cor. I run N. 89° 54' E., in a true  
line bet. secs. 30-31.

Ta. 14° 19' E.

39.81 Set post, 3 ft. long, 3 in. dia, with  
marked stone, 12 in. in the ground,  
for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on N. face,  
dug pit, 18 x 18 x 12 in., C. & W. of  
post, 5 $\frac{1}{2}$  ft. dist, and raised a  
mound of earth, 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft.  
base around post.79.81 The cor. to secs. 29-30-31-32.  
*Sand rolling.**Tree 2<sup>nd</sup> rate.**Timber, Pine and Cedar.  
Vegetation, bunchgrass.*M. M. Harlan, Nov. 28, 1882,  
(Compassman)

Township

BOOK 275

48

17 N., Range 30 E.

G. &amp; S.R.

Meridian.

Chains

North, between Sections 29 and 30.

Variation

14°19'

East.

*Descent gradually.*

40.00 Set post, 3 ft. long, 3 in. dia, with  
marked stone, 2 in. in the ground,  
for  $\frac{1}{4}$  Sec. Cr., marked N.E. on N.W. face,  
dig pit, 18 x 18 x 12 in. N. of post,  
3 ft. dirt, and raised a mound  
of earth,  $\frac{1}{4}$  ft. high,  $\frac{1}{2}$  ft. base around  
post.

80.00 Set post, 4 ft. long, 4 in. square, with  
marked stone, 2 in. in the ground,  
for Cr. to Secs. 19-20-29-30, marked  
17 N. S. 20 on N.E., R. 30 E. S. 29 on S.E.,  
S. 30 on S.W. & S. 19 on N.W. faces,  
with 2 notches on S. and 5 notches  
on E. edges, dug pit, 18 x 18 x 12 in.,  
in each Sec., 3 ft. dirt, and raised  
a mound of earth, 2 ft. high,  $4\frac{1}{2}$  ft.  
base around post.

Land rolling. Soil 2nd rate.  
Timber, Pine and Cedar.  
Vegetation, Bunchgrass.

Township

17 N.

Range

30 E.

G. &amp; S.R.

Meridian.

Chains

East, on a random line between Sections 20 and 29.

Variation

114°19'

East.

*Descend gradually.*

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 79.87 Intersect N. 6 S. line, 37 $\frac{1}{2}$  ft. South  
 of cor. to secs. 20-21-28-29, from  
 which cor. runs S. 89°44' W., on a  
 true line bet. secs. 20-29.
- 114°19' E.  
 39.94 Set post, 3 ft. long, 3 ms. dia,  $\frac{1}{2}$  ms. in  
 the ground, for  $\frac{1}{4}$  sec. cor., marked  
 $\frac{1}{4}$  S. on N. face, from which,  
 A Pine, 10 ms. dia, bears N. 24° E., 23 ft.  
 dist., marked  $\frac{1}{4}$  S. B. S.  
 No other tree within limits, dug  
 pit, 18 x 18 x 12 ms. E. & W. of post, 5 $\frac{1}{4}$  ft.  
 dist., and raised a mound  
 of earth, 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base  
 around post.
- 79.87 The cor. to secs. 19-20-29-30.  
 Land rolling.  
 Soil 2<sup>nd</sup> rate.  
 Timber, Pine and cedar.  
 Vegetation, bunchgrass.
- Henry A. Coe,  
 Nov. 28, 1882,

Township

BOOK 275  
17 N., Range 30 E.

50

G. & S. R. Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation

14° 19'

East.

Ascend gradually.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
79.84 Intersect N. B. of Yr. 23lha. North of  
cor. to secs. 19-24-25-30 from which  
corner, run  $2.8950^{\circ} E.$ , on a true  
line bet. secs. 19-30.

fa.  $14^{\circ} 19' E.$

39.84 Set post, 3 ft. long, 3 in. dia, with  
marked stone, 12 in. in the ground,  
for  $\frac{1}{4}$  Sec. Cor., marked N.S. on N. face,  
dug pit, 18x18x12 in. E. of post,  
5 ft. dist., and raised a mound  
of earth,  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
around post.

79.84 The cor. to secs. 19-20-29-30.  
Same rolling.

Soil 2<sup>nd</sup> grade.

Timber, Pine and cedar.

Vegetation, bunchgrass.

Idly examined the adjustments  
of my solar compass today, particularly  
by the latitude and reversing affin-  
ities and found them correct.

M. M. Hartan, Nov. 28, 1882,  
(Compassman)

Township

17 N.,

Range

30 E.

G. &amp; S.R.

Meridian.

Chains

North, between Sections 19 and 20.

Variation

114°19'

East.

Island

- 24.00 Top of Ridge, bears E. & W. & descend.  
 40.00 Set post, 3ft. long, 3in. dia., with  
 marked stone, 12ins. in the ground,  
 for  $\frac{1}{4}$  Sec. Cr., marked 14 S. on N. face,  
 dug pit, 18x18x12ins. N. & S. of post,  
 5 $\frac{1}{2}$  ft. dirt, and raised a mound  
 of earth, 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base  
 around post.
- 61.15 Across Depression, bears N. 30° W. &  
 S. 30° E. and ascend.

- 80.00 Set post, 4ft. long, 4in. square, with  
 marked stone, 12ins. in the ground,  
 for Cr. to Secs. 17-18-19-20, marked  
 T. 17 N. S. 17 m. N. E. R. 30 E. S. 200 on S.E.,  
 S. 19 m. S. W. & S. 18 m. N. W. faces,  
 with 3 notches on S. and 5 notches on  
 E. sides, dug pits, 18x18x12ins. in  
 each sec., 5 $\frac{1}{2}$  ft. dirt, and raised a  
 mound of earth, 2 $\frac{1}{4}$  ft. high, 4 $\frac{1}{2}$  ft. base  
 around post.

Land mountainous. Soil 2<sup>nd</sup> rate.  
 Timber Pine and Cedar.  
 Vegetation, Bunchgrass.

Township

17 N.

Range

31 E.

S. 9 S.R.

Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation

14° 19'

East.

Descend.

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

79.93

Intersect N. & S. line, 3300 ft. South  
of cor. to secs. 16-17-20-21 from  
which corner, turn S. 89° 46' W., on  
a true line bet. secs. 17-20.

ta. 14° 19' E.

39.97

Set post, 3 ft. long, 3 in. dia, with  
marked stone, 12 in. in the ground,  
for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  S. on face,  
dug pit, 18 x 18 x 12 in. C. & W. of post,  
5 ft. dist, and raised a mound  
of earth,  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
around post.

79.93

The cor. to secs. 17-18-19-20,  
Sand mountains.Soil 2<sup>nd</sup> rate.

Timber Pine and cedar.

Vegetation bunchgrass.

Henry J. Coe, Nov. 28, 1882,

Township

17 N.

Range

30 E.

9<sup>th</sup> S. R.

Meridian.

Chains

West, on a random line between Sections 18 and 19.

Variation

14° 19'

East.

*Ascend,*40.00 Set temporary  $\frac{1}{4}$  sec. cor.79.76 Intersect W.B. of Sp. 13<sup>th</sup> N. <sup>County established by me-</sup>  
cor. to secs. 13-18-19-24, from which  
comes, Jun.  $77.89^{\circ} 54' E.$ , on a  
true line bet. secs. 18-19.Ra.  $14^{\circ} 19' E.$ 39.76 Set post, 3 ft. long, 3 in. dia., with  
marked stone, 12 in. in the ground,  
for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on N. face,  
dug pits,  $18 \times 18 \times 12$  ins. C. & W. of post,  
5 $\frac{1}{2}$  ft. dist. and raised a mound of  
dirt,  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
around post.79.76 The cor. to secs. 17-18-19-20.  
*Same mountainous.*Soil <sup>ma</sup> rate.Timber, Pine and cedar.  
Vegetation, Bunchgrass.

Township

17 N., Range

30 E.

G. &amp; S.R.

Meridian.

Chains

North, between Sections 17 and 18.

Variation

14° 19'

East.

Ascend.

- 40.00 Set post, 3 ft. long, 3 in. dia, with  
marked stone, 12 in. in the ground,  
for 1<sup>st</sup> Sec. Co., marked 1/4 S. on N. face,  
dug pits, 18 x 18 x 12 in. N. & S. of post,  
5 1/2 ft. dist, and raised a mound  
of earth, 1 1/2 ft. high, 3 1/2 ft. base  
around post.
- 50.00 Set post, 4 ft. long, 4 in. square, 24 in.  
in the ground, for Co. 1<sup>st</sup> Secs. 7-8-17-18,  
marked 1 1/2 N. S. on N.E., Q. 30 E.,  
S. 17 on S.E., S. 18 on S.W. and S. 7 on  
N. W. faces, with 4 notches on S. and  
5 notches on E. edges, from which  
1 Pine, 6 in. dia, bears N. 60° E., 38 lbs.  
dist, marked 1 1/2 N. Q. 30 E. S. 17 B. S.  
1 Cedar, 12 in. dia, bears S. 88° E., 11 lbs.  
dist, marked 1 1/2 N. Q. 30 E. S. 17 B. S.  
1 Pine, 7 in. dia, bears S. 57° W. 58 lbs.  
dist, marked 1 1/2 N. Q. 30 E. S. 18 B. S.  
1 Pine, 10 in. dia, bears N. 64° W. 62 lbs.  
dist, marked 1 1/2 N. Q. 30 E. S. 7 B. S.  
Land mountainous. Soil 2<sup>nd</sup> rate.  
Timber, Pine & Cedar. Vegetation Anchorage.  
M. M. Hartan, compassman, Nov. 28, 1882.

Township

17 N.

Range

30 E.

G &amp; S.R.

Meridian.

Chains

East, on a random line between Sections 8 and 17.

Variation 14°19' East.

Descend gradually.

Set temporary  $\frac{1}{4}$  sec. cor.Intersect N. & S. line, 16ks. North  
of cor. to secs. 8-9-16-17, from which  
corner, sum N. 89°53' W., on a true  
line bet. secs. 8-17.

Fa. 14°19' E.

40.06 Set post, 3ft. long, 3ins. dia, 24ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor.,  
marked  $\frac{1}{4}$  S. on N. face,from which  
1 Pine, 10ins. dia, bears N. 3° E., 11ks.  
dist, marked  $\frac{1}{4}$  S.B.Y.1 Pine, 6ins. dia, bears S. 29° W., 16ks.  
dist, marked  $\frac{1}{4}$  S.B.Y.

80.12 The cor. to secs. 7-8-17-18.

Land rolling.

Soil 2<sup>nd</sup> rate.

Timber, Pine and cedar.

Vegetation, bunchgrass.

Henry A. Cox, Nov. 28, 1882,

Township

17 N.

Range

30 E.

G. G. S. R.

Meridian.

Chains

West, on a random line between Sections 7 and 18.

Variation  $14^{\circ}19'$  East.

Ascend gradually.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.79.66 Intersect W. P. of Th. 17th. South of  
co. to secs. 7-12-13-18 from which  
corner run S. 89° 53' E., in a true  
line bet. secs. 7-18. $14^{\circ}19' E.$ 34.66 Set post, 3 ft. long, 3 in. dia., 24 in.  
in the ground, for  $\frac{1}{4}$  Ste. Cor., marked  
 $\frac{1}{4}$  S. on N. face,from which  
A Pine, 6 in. dia., bears S. 43° E., 21 lbs. dist.,  
marked  $\frac{1}{4}$  S. B. Y.A Cedar, 14 in. dia., bears N. 64° W., 32 lbs.  
dist., marked  $\frac{1}{4}$  S. B. Y.

79.66 The co. to secs. 7-8-17-18.

Land rolling.

Soil 2<sup>nd</sup> rate.Timber, Pine and Cedar.  
Vegetation, bunchgrass.

Township

17 N.

Range

30 E.

G. V. S. R.

Meridian

Chains

North, between Sections 7 and 8.

Variation

14° 19'

East.

- Ascend Top of Ridge, bears N. 80° E. & S. 80° W.  
and descend.
- 16.00 Set post, 3 ft. long, 3 in. dia., with  
marked stone, 12 in. in the ground,  
for 1/4 Sec. Cr., marked 1/2 on N. face,  
dug pit, 18 x 18 x 12 in. N. & S. of post,  
5 1/2 ft. dist., and raised a mound  
of earth, 1 1/2 ft. high, 3 1/2 ft. base around  
post.
- 40.00 Set post, 4 ft. long, <sup>with marked stone</sup> 4 in. square, 12 in.  
in the ground, for Cr. to Sec. 5-6-7-8,  
marked 17 N. S. 5 on N.E., R. 30 E.  
S. 8 on S.E., S. 7 on S.W. and S. 6 on  
N.W. faces, with 5 notches on S.E.  
edges, from which,  
1 Pine, 6 in. dia, bears N. 17° E., 26 lbs.  
dist, marked 17 N. R. 30 E. S. 5 B. Y.,  
1 Pine, 8 in. dia, bears N. 44° W., 18 lbs.,  
dist, marked 17 N. R. 30 E. S. 6 B. Y.  
No other trees within limits, dug pit  
18 x 18 x 12 in. in Secs. 7-8, 5 1/2 ft. dist.,  
and raised a mound of earth  
2 ft. high, 4 1/2 ft. base around post.  
Land mountainous. Soil 2nd rate.  
Inter. Pine and Cedar. Vegetation bunch grass.  
M. M. Hadan, Compassman, Nov. 28, 1882.

Township

17 N.

Range

30 E.

G. &amp; S.R.

Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation

114°19'

East.

Ascend

- 30.00 Top of Ridge, bear N. 20° E. or S. 20° W. descend.  
 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 80.29 Intersect N. 6 S. line, 21 lbs. North of  
     cor. to secs. 4-5-8-9, from which  
     corner, turn N. 89° 51' W., on a true  
     line bet. secs. 5-8.

Va. 14°19' E.

- 40.15 Set post, 3 ft. long, 3 in. dia, with  
     marked stone, 12 in. in the ground,  
     for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  S. on N. face,  
     dug pit, 18 x 18 x 12 in., E. & W. of post,  
     5 $\frac{1}{2}$  ft. dist., and raised a mound  
     of earth, 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base  
     around post.

- 80.29 The cor. to secs. 5-6-7-8,  
     Land mountainous, Soil 2<sup>nd</sup> rate.  
     Timber, Cedar.  
     Vegetation, Bunchgrass.  
     Henry A. Cox, Nov. 28, 1882.

Township

17 N.

Range

30 E.

G. &amp; S. R.

Meridian.

Chains

West, on a random line between Sections 6 and 7.

Variation

14° 19'

East.

Descend gradually,

40.00 Set temporary 1/4 Sec. cor.

79.59 Intersect N. B. of Th. the North of  
cor. to secs. 1-6-7-12 from which  
corner, run N. 19° 57' E., on a true  
line between secs. 6-7.

Va. 14° 19' E.

39.59 Set post, 3 ft. long, 3 in. dia., with  
marked stone, 1/2 in. in the ground,  
for 1/4 Sec. cor., marked 1/4 S. on  
N. face, aug. pits, 18 x 18 x 12 in. E.  
of N. of post, 5 1/2 ft. dist., and raised  
a mound of earth, 1 1/2 ft. high,  
3 1/2 ft. base around post,

79.59 The cor. to secs. 5-6-7-8.

Land rolling

Soil 2<sup>nd</sup> rate.

Timber, Pine and Cedar.

Vegetation, Bunchgrass.

Township

17 N.

Range

275

S.E.

G. &amp; S.R.

Meridian.

Chains

North, on a random line between Sections 5 and 6.

Variation

14° 19'

East.

Descend gradually.

40.00

Set temporary  $\frac{1}{4}$  sec. co.

40.31

Intersect N.B. of Th. Alka East of co.,  
 to secs. 5-6-31-32 ~~recently established by me~~,  
 with marked stone set firmly in the  
 ground, 9 marked T. 18 N. S. 52 on N.E.  
 R. 30 E. S. 5 on S.E. T. 17 N. S. 6 on S.W.  
 and S. 31 on N.W. faces, with 3 notches  
 on E. & 1 notch on W. edges, pits,  
 8x18x12 in. in each Sec. 5  $\frac{1}{4}$  ft. dist.  
 & mound of earth, 2 ft. high, 1  $\frac{1}{2}$  ft.  
 base around post. From this  
 corner, turn S. 45° E., on a true line  
 bet. secs. 5-6. Va. 14° 19' E.

40.31

Set post, 3 ft. long, 3 in. dia, with marked  
 stone, 12 in. in the ground, for  $\frac{1}{4}$  sec.  
 Co., marked  $\frac{1}{4}$  S. on N. face, dug pits,  
 18x18x12 in. N. & S. of post, 5  $\frac{1}{2}$  ft. dist.,  
 and raised a mound of earth,  
 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft. base around post.

40.31

The co. to secs. 5-6-7-8,  
 sand rolling. Soil 2nd rate.  
 timber, Pine & Cedar. Vegetation, bunchgrass.  
 M.M. Harlan, compassman, Nov. 28, 1872.

## GENERAL DESCRIPTION.

The land in this Township is rolling and mountainous.

The soil is gravelly, sandy in the mountains, with a black sandy loam in the valleys.

Pine and Cedar timber cover the most of the Mts., also an abundance of nutritious grasses.

The Juni River flows through the South-east part while several springs in Secs. 34-35 furnish an unfailling supply of water.

In Sec. 34, there is a house and a garden of 2 acres under fence, in which vegetables of all kinds are raised - value, five hundred dollars.

The scenery passing through the Juni Valley is fine. Cliffs with smooth polished surfaces rise on either side to a height of seven and eight hundred feet. The valley averages 3 quarters of a mile in width.

The S. &  $\frac{1}{4}$  of Sec. 27 and the N. &  $\frac{1}{4}$  of Sec. 34 should be classed as coal land.

For Final Oaths see  
Book 13 -  
Subdivision of 5184 Res.

U. S. Surveyor General's Office,

TUCSON, ARIZONA,

July 31. 1883

The foregoing Field Notes of the Survey of the

Subdivision lines of Twp.  
17 North Range 30 East

of the Gila and Salt River Base and Meridian, Arizona, executed by

Henry A. Cole

Deputy Surveyor, under his contract of the

No. 10

day of July, 1882, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

J. W. Morris

Surveyor General.