

No 281 BOOK 281

John L. Harris Deputy Surveyor.
T. 18 North R. 17 East
Mila & Salt River Meridian.

1
281

FIELD NOTES BOOK 281

OF

BOOK 281

THE SUBDIVISION LINES OF

Township 18. North Range 17 East
Mila & Salt River Meridian.

BY

John L. Harris Deputy Surveyor.

under his Contract of April 28 1879.

Survey Commenced July 28. 1879

Survey Completed August 1. 1879

Platted,

Copied for Washington, D.C.

Copied for Register, G. S.

No. 281

1B

Preliminary Oaths of Assistants.

We, Richard Shrope
 and Geo Mc Neal
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Richard Shrope
Geo Mc Neal

Sworn to and subscribed before me, this 21st
 day of May, 1879

John R. Danell
 Notary Public



We, P. Palm, J. C. Lindsey
and Evaristo Saenz
do solemnly swear that we will well and truly per-
form the duties of Reverend and
Flagman respectively
according to instructions given us, and to the best
of our skill and ability.

P. Palm

J. C. Lindsey
Evaristo Saenz

Sworn to and subscribed before me this 21st
day of May, 1879

John R. Danell,
Notary Public



BOOK 281
Township 18 North Range 17 East
Prairie Salt River Meridian.

Chains

From the corner to Sections 35, 36, 1 and 2 on the South boundary, I run.
North, between Sections 35 and 36.

Variation 14° 35' East.

As per East Boundary

4000 Remote from stone & timber
Deposit marked stone and
mild mound of earth 2 ft
high with pits 1 ft deep. 2 ft
long. 1 ft wide, as per instruc-
tions for 1/4 sec. cor.

8000 Drove charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep. 2 ft long. 1 ft wide,
and in center a pit S.E. of cor
drove a stake marked and
notched. 2 ft long. 2 in. sqd.
1 ft in the ground, as per in-
structions for cor to Secs
25, 26, 35 and 36.

Land descending N.
Soil poor. Grass. No timber.

Township 18 North Range 17 East
 Gila & Salt River Meridian.

Chains East, on a random line between Sections 25 and 36.

Variation $14^{\circ} 35'$ East.

4000 Set temporary 14 sec cor.

79.96 Intersect E. boundary 4 lbs S.
 of cor to secs. 25 and 36.
 From which cor. draw

S. 89° 58' W.

On true line between secs. 25 & 36.
 var. $14^{\circ} 35'$ East

79.98 Set a sandstone 3ft x 14x1 ft
 $\frac{1}{4}$ in the ground, marked $\frac{1}{4}$
 and on the W. build around
 a earth if they have pits 1 ft
 deep. 2 ft long. 1 ft wide, as
 per instructions for 14 sec.
 Cor.

No trees near.

79.96 Cont sec. 25, 26.35 E. 36.

Land descending N. Some
 good soil. Grass.
 No timber.

3
Township 18 North Range 17th East
Wka Salt River Meridian.

Chains North, between Sections 25 and 26.

BOOK 281

Variation 14° 35' East.

Hoos Seta sandstone 18x11x 3 in.
 $\frac{3}{4}$ in the ground, marked $\frac{1}{4}$
and on the N. build mound
of stones 2 ft high, as far in-
stitutions for $\frac{1}{4}$ sec. cor.

No trees near.

Doos Setapost, marked & watched
4 ft long, 3 in sq d. 1 ft in the
ground, divide charred stave
and build mound of earth
2 ft high, with pits 1 ft deep.
2 ft long, 1 ft wide, as per
instructions for cor. to Secs
23, 24, 25 and 26.

No trees near.

Sand slightly rolling then
level and soil 1 st mate on
the N. end.

Grass. No timber.

July 28, 1879.

4

BOOK 281
 Township 18 North Range 17 East
 Plat of Salt River Meridian.

Chains East, on a random line between Sections 24 and 25.

Variation $14^{\circ} 35'$ East.

- 25.00 Enter little Ceniga bro. N. & S.
- 37.00 Leave same bro. N. and S.
- 4000 Set temporary $\frac{1}{4}$ sec. cor.
- 6000 Enter another Ceniga bro. N.
S. and S.E.
- 79.92 Intersect E. boundary 6 lbs.
S. of cor to secs. 24 and 25
from which cor. I run

S. 89° 54' W.

Patent line bet. secs. 24 & 25.

Var. $14^{\circ} 35'$ East

- 39.96 Set a post, marked $\frac{1}{4}$ S. & ft.
long, flattened 3 in wide - 1 ft.
in the ground, drove charred
stake and build mound of earth
2 ft high, with pits 1 ft deep. 2 ft.
long, 1 ft wide, as per instruction
for $\frac{1}{4}$ sec. cor. No trees near.
- 79.92 Cut to secs. 23. 24. 25 E & S.
- Land flat, soil slate -
Not timbered. Grass.

Township 18 North Range 17 East
Meridian.

W. Salt River

Chains North, between Sections 23 and 24.

Variation $14^{\circ} 35'$ East.

4000 Set a post, marked 14 S. 4 ft long, flat-tined 3 in wide, 1 ft in the ground, drove channel stake & build mound of earth 3 ft high with pit 1 ft deep. 2 ft long. 1 ft wide, as per instruction given for 1/4 sec. cor.

75.50 Enter on very ground by E. all.

78.50 Little Colorado river 115 lbs. wide, flows W. and N. off W.

80.00 Set a post, marked & notched, 4 ft long. 3 in. sqd. 1 ft in the ground, drove channel stake & build mound of earth 2 ft high, with pit 1 ft deep. 2 ft long. 1 ft wide as per instruction for cor. to sec. 13, 14, 23 & 24. No trees near.

All the surrounding ground is subject to overflow and this cor. is not perfectly safe. So I chain back on the line S. 500 lbs. to a point and set a post, marked, 4 ft long. 3 in. sqd. 1 ft in the ground, with mound of earth 2 ft high and 1 pit on the S. 1 x 3 x 2 1/2 feet in size, for vertices cor. bet. sec. 23 & 24. No trees near.

Land flat. Soil poor in places. A few cottonwood trees.

Township

18 North Range 17 East

Platte Salt River

Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation $14^{\circ}35'$ East.

In ground subject to overflow -

4000 Set temporary 14 sec. cor.

44.60 Little Colorado river, 125 yards
flows SW thru W E chain across79.80 Intersect E. boundary 19 lbs.
S. off cor to Secs. 13 & 24 from
which cor. I made
 $S.89^{\circ}52'W.$ Random line between secs 13 & 24
var. $14^{\circ}35'$ East39.90 Point for 14 sec. cor. But all sur-
rounding ground is subject to
frequent wash of the river.So I chain back - 5.50 chs. on the
line, and set a post marked
14 S. 4 ft long, flattened 3 blades
1 ft in the ground. Drive Chained
stone & build mound of earth 6 ft
high, with pits 4 ft deep, 2 ft long,
1 ft wider, as per instructions
for 14 sec. cor. No trees near.

79.80 Cor to Secs. 13, 14, 23 & 24.

Land flat. Some 1st rate soil.
A few Cottonwood trees.

BOOK 281
Township 8 North Range 17 East
Meridian.
Wila & Salt River

Chains North, between Sections 13 and 14.

Variation 14° 35' East.

10000 Rise in higher ground 60. E. & W.
40000 Set a post marked 1/4 S. 4 ft. long flattened 3 in wide,
ft. in the ground. drive charred stake & build mound of earth 4 ft high, with pits 1 ft. deep. 2 ft. long. 1 ft. wide as per instructions for 1/4 sec. cor.

No trees near.

20000 Set a post marked & notched 4 ft long. 3 in sqd. 1 ft in the ground. drive charred stake and build mound of earth 2 ft high. with pits 1 ft. deep. 2 ft. long. 1 ft wide as per instructions for cor to Secs. 11. 12.
13 and 14.

No trees near.

Sand level. Soil 1st rate -
grass. No timber.

Township 18 North Range 17 East
 Wila E Salt River Meridian.

Chains East, on a random line between Sections 12 and 13.

Variation 14°35' East.

4000 Set temporary $\frac{1}{4}$ sec. cor.

79.82 Intersect E. boundary 13 lbs. N.
 of cor. to secs. 12 and 13. from
 which cor. I run

N. 89°54' W.

In true line between secs. 12 & 13.

var. 14°35' East

39.91 Set a post, marked $\frac{1}{4}$ S. of & long
 flattened 3 in wide, 1 ft in the
 ground. dry charred stake
 and build mound of earth 2 ft.
 high. with pits 1 ft. deep. 2 ft long.
 1 ft wide, as per instructions for
 $\frac{1}{4}$ sec. cor. No trees near.

79.82 Conto secs. 11, 12, 13 E 14.

Land uneven. Soil Good.

Grass. A few Cottonwood trees.

9 Township 18 North Range 17 East
 W. & Salt River Meridian.

Chains North, between Sections 11 and 12.

Variation $14^{\circ}35'$ East.

14.66 The Wingate & Prescott road br. N. & E.
 N. of E.

Doors Set a post, marked 14 S. 4 ft long,
 flattened 3 in wide, 1 ft in the
 ground. Drive charred stone
 and build mound of earth 2
 ft high with pits 1 ft deep 2 ft
 long. 1 ft wide, as per instruction
 for 1/4 sec cor.

No trees near.

Doors Ascend on rolling ground
 br. E. & N. W.

Doors Set a post, marked & notched, 4
 ft long. 3 in sqd. 1 ft in the ground, drive
 charred stone & build mound of earth
 2 ft high with pits 1 ft deep. 2 ft long. 2 ft
 wide, as per instruction for cor.
 to secs 1. 2. 11. and 12.

No trees near.

Land ascending N. & Rolling.
 Some good soil. Graves!
 No timber.

Township 18 North Range 17 East
Kila & Salt River Meridian.

Chains East, on a random line between Sections 1 and 12.

Variation $14^{\circ}35'$ East.

No. 78 Set temporary 1/4 sec. cor.

79.78 Intersect E. boundary 22 lbs. N.
of cor. to Secs. 1 and 12, from
which cor. I run

N. 89° 51' W.

On true line between Secs. 1 & 12.

var. $14^{\circ}35'$ East

39.89 Remote limestone & timber.
Drive charred stake and build
mound after the style high with
pit 6 ft. deep. 2 ft. long. 1 ft. wide
as per instructions for 1/4 sec.
cor.

79.78 Cor. to Secs. 1. 2. 11 & 12.

Land rolling. Soil poor.
Grass. No timber.

Township

18 North

Range

17 East

Mia & Salt River

Meridian.

Chains

North, on a random line between Sections 1 and 2.

Variation 14°35' East.

Hoos Set temporary $\frac{1}{4}$ sec. cor.79.94 Intersect t. boundary 20 lks.
E. of cor to Secs. 1 and 2, from
which cor. locates

S. 89° E.

On true line between secs. 1 & 2.

var. 14°35' East

39.91 Set a sandstone 16 x 12 x 8 in.
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$ ft
and on the S. build around
of stones 2 ft. high as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.91 Cor to secs. 1. 2. 11 & 12.

Land rolling. Soil poor
Grass. No timber.

BOOK 281 12
Township 18 North Range 1st East
Gila & Salt River Meridian.

Chains

North, between Sections 34 and 35.

Variation ~~114°35'~~ East.

The cor. to Secs. 34 & 35, on the S. boundary of the township, could not be established nor can the line between secs. 34 and 35 be run on account of the impractical nature of the ground as noted in running the S. boundary of the Township. Nor can the lines between secs. 26 and 35 & secs. 26 & 27 be run for the same reasons.

I go to the cor to Secs. 23, 24, 25 & 26, and run thence as follows:

Township..... Range.....

Meridian.

Chains East, on a random line between Sections 26 and 35.

Variation

East.

See Page 13

Township

18 North Range 17 East

~~Kla & Salt River~~

Meridian.

Chains

North, between Sections 26 and 27.

Variation

East.

See Page 12

Meridian.

Chains

West true

East, on a random line between Sections 23 and 26.

Variation 14035° East.

40.00 Set a post, marked $\frac{1}{4}$ S. off long flattened 3 in wide, 1 ft. in the ground, drive charred stake and build mound of earth off high, with pits 1 ft. deep. off long 1 ft wide as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

72.00 Creek of brackish water, in considerable volume, 95 ft. wide, flows N. in high mud banks. This creek emerges from the mouth of a great canon about 14,000 chs. S. of here, the canon having perpendicular stone wall some 200 feet high. Chain across the creek, and at —

8000 Set a post, marked E. watched, off long, 3 in. sq. d. 1 ft in the ground, drive charred stake & build mound of earth off high, with pits 1 ft. deep. off long. 1 ft wide as per instructions for cor to Secs. 22-23-26 and 27. No trees near.

Land very uneven & ridgy. Soil partly good. Grass. No timber.

Township 18 North Range 17 East
Kla & Salt River Meridian.

Chains North, between Sections 22 and 23.

Variation 14° 35' East.

4000 Remote from stone & timber.
Dove charred stake & build around
of earth 8 ft high with pits 1 ft deep
2 ft long. Provide, as per in-
structions for 1st sec. cor.

8000 Set apart, marked & enucleated,
4 ft long. Fairly soft in the
ground. dove charred stake
and build around of earth
8 ft high, with pits 1 ft deep. 2
ft long. Provide, as per in-
structions for cor to sec.
14, 15, 22, and 23.

No trees near.

Land uneven. Soil partly
good. Grass.
No timber.

Township 18 North Range 1st East
 Salt Creek Meridian.

Chains East, on a random line between Sections 14 and 23.

Variation 14°35' East.

- 6.40 Salt Creek 50 lbs. wide flows N. and W. of N. & runs into the Little Colorado about 15.00 chs. N.
 23.50 Little Colorado river, 125 lbs wide, flows N. of N. and chain across.
 40.00 Set temporary 1/4 sec. cor.
 64.00 Little Colorado river 125 lbs wide, flows S. of N. and chain across.
 76.50 Little Colorado river 150 lbs. wide flows N. of N. and chain across
 80.05 Intersect N. & Silver 9 lbs. N. of cor. to Secs. 13. 14. 23 & N. from which cor. I run 189°56' W.
 On true line between Secs. 14 & 23.
 Var. 14°35' East

40.02 Set a post, marked 148.44 long, flattened 3 in wide, 1 ft. in the ground, drove charred slave & build around a fault 2 ft high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 1/4 sec. cor. No trees near.

80.05 Cor. to Secs. 14. 15. 22 & 23.
 Land flat. Some 1st rate Soil -
 No timber.

Township 18 North Range 17 East
Meridian.

Chains North, between Sections 14 and 15.

Variation 14° 35' East.

- 17.00 Little Colorado river, 100 yards wide,
flows W.
- 4000 Set a post, marked $\frac{1}{4}$ S. off long,
flattened 3 in. wide, 1 ft. in the
ground, drove charred stake and
build mound of earth 2 ft. high,
with pits 1 ft. deep - 2 ft. long. 1 ft.
wide, as per instructions for $\frac{1}{4}$
sec. cor. No trees near.
- 8000 Set a post, marked E. watched,
4 ft. long. 3 in. sq'd. 1 ft. in the
ground, drove charred stake E
and build mound of earth 2 ft. high,
with pits 1 ft. deep - 2 ft. long. 1 ft.
wide, as per instructions for
cor. to Secs. 10, 11, 14 and 15.
No trees near.

Land slightly ascending N.
Soil stony. Grass.
No timber.

Township 18 North Range 17 East
Mile 9 Salt River Meridian.

Chains East, on a random line between Sections 11 and 14.

Variation 14° 35' East.

4000 Set temporary 1/4 sec. cor.

79.88 Intersect N. & S. line 17th Land S.
after to Secs. 11, 12, 13 and
14, from which cor. drawn

88° 53' W.

On true line between secs 11 & 14
var. 14° 35' East

39.94 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in. wide. 1 ft. in the
ground. Dug charred slate
and small mound of earth 8 ft
high, with pits 1 ft. deep - 2 ft long
1 ft wide, as per instructions
for 1/4 sec. cor.

No trees near.

79.88 Cor to secs. 10, 11, 14 & 15.

Land level. Soil poor.
Grass. No timber.

July 29. 1879.

Township 18 North Range 1st East
 Gila & Salt River Meridian.

Chains North, between Sections 10 and 11.

Variation 144°35' East.

12.41 The Wm. G. & Prescott road Co. N of E. S. of W.
 40.00 Setapost, marked 1/4 S. 4 ft long.
 flattened 3 in wide. p[er]ch on the ground
 drive charred stake and build a
 mound of earth 2 ft high with pits
 1 ft deep. 2 ft long. 1 ft wide as
 per instructions for 1/4 sec. cor.
 No trees near.

8000 Setapost, marked Engraved,
 4 ft long. 3 in sq'd. 1 ft in the
 ground. drive charred stake
 and build mound of earth
 2 ft high with pits 1 ft deep. 2
 ft long. 1 ft wide, as per in-
 structions for cor to sec. 2.
 8. 10 and 11.

No trees near.

Land somewhat ascending
 N. soil good. Grass.
 No timber.

21 BOOK 281
Township 18 North Range 17 East
Mila & Salt River Meridian.

Chains East, on a random line between Sections 2 and 11.

Variation $14^{\circ}35'$ East.

39.00 Rose on rolling ground b.s. N.W. & S.E.
40.00 Set temporarily $\frac{1}{4}$ sec. cor.
80.20 Intercept N. and S. line 11 lbs.
S. of cor. to Secs. 1, 2, 11, and 12,
from which cor. I run

$889^{\circ}55' W.$

Outline line between Secs. 2 & 11.

var. $14^{\circ}35'$ East

40.10 Remote from stone & timber.
One charred stake and bold
mound of earth 1 ft. high,
with pit 1 ft. deep. 2 ft. long
florile, as per instruction
for $\frac{1}{4}$ sec. cor.

80.20 Cor. to Secs. 2, 3, 10 & 11.

Land rolling. Soil poor.

Grass. No timber.

Township 18 North

Range 17 East

Vila & Salt River

Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation

 $14^{\circ} 35'$

East.

- 4000 Set temporary 1/4 sec. cor.
 43.00 Rose on rolling broken ground
 60. E. N.W.
 45.50 Dry wash 25 ft wide, 60. SW.
 79.86 Intersect N. boundary 1/4 las.
 E. of cor to secs. 2 and 3, from
 which cor. I run

S. 0° 4' E.

Patent line between 2 & 3
 var. $14^{\circ} 35'$

- 39.86 Set a post, marked 14 S. 4 ft long
 flattened 3 in wide, 1 ft in the
 ground, drove charred stake
 and build mound of earth 2 ft
 high with pits 1 ft deep. 2 ft long,
 1 ft wide, as per instruction for
 1/4 sec. cor. No trees near.
 79.86 Cor to Secs. 2. 3. 10 & 11.

Sand uneven and rolling
 Soil mostly poor. Not timbered.

Township 18 North Range 17 East
Kla & Salt River Meridian.

Chains North, between Sections 33 and 34.

Variation $14^{\circ}35'$ East.

4000 Set a sandstone $20 \times 10 \times 6$ in.
 $\frac{3}{4}$ in. the ground, marked $\frac{7}{4}$
 and on the N. build mound
 of earth 8 ft high with pits 4 ft
 deep - 8 ft long - 1 ft wide, as per
 instructions for $\frac{7}{4}$ sec cor
 No trees near.

8000 Set a sandstone $28 \times 11 \times 4$
 in. $\frac{3}{4}$ in. the ground,
 marked S. E. E., and on the
 N. build mound of stones
 2 feet high

as per instructions
 for cor to Secs. 27, 28,
 33 and 34. form which
 a cedar 12 in. dia. on S. 88° W. 43 lbs. dist.
 No other trees near.

Sand broken and rough.
 Soil worthless. A few cedar
 trees.

Township 18 North Range 17 East
Gila & Salt River Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation ~~110° 35'~~ East.

I endeavor to run East between secs. 27 and 34,
and at 38.00 intersect the
main canon of Salt creek,
the walls falling sheer for
hundreds of feet.

I cannot extend this
line.

Township 18 North Range 1st East
Pla & Salt River Meridian.

Chains

North, between Sections 27 and 28.

Variation $14^{\circ}35'$ East.

4000 Set a post marked 44 S. 4 ft. long, flattened 3 in wide, set in the ground, drove charred stone and build mound of earth 2 ft high, with pits 1 ft deep - 2 ft long, 1 ft wide, as per instructions for 44 sec. cor.

No trees near.

8000 Set a sandstone 30 x 18 x 14 in. flat in the ground, watched S. and E. and on the N. build mound of earth 2 ft high with pits 1 ft deep - 2 ft long, 1 ft wide, as per instructions for cor to secs. 21, 22, 27 and 28.

No trees near.

Sand broken then descending N.
Soil mostly poor. Grass.
No timber.

Township 18 North Range 17 East
 Chila & Salt River Meridian.

Chains East, on a random line between Sections 22 and 27.

Variation $144^{\circ} 35'$ East.

4000 Set temporary $\frac{1}{4}$ sec. cor.

80.10 Intersect N. & S. line 11 hrs. N.
 after cor. to secs. 22, 23, 26 and
 27, from which cor. I am

N. 89° 55' W.

Outline line between secs. 22 & 27
 var. $144^{\circ} 35'$ East

40.05 Set post, marked N & S. 4 ft
 long, flattened 3 in. wide. 4 ft
 in the ground. Drive charred
 stake and build mound of
 earth 2 ft high, with pits 1 ft deep
 2 ft long, 1 ft wide, as far in
 structure for $\frac{1}{4}$ sec. cor.
 No trees near.

80.10 Cor to secs. 21, 22, 27 & 28.

Sand descending N. E. Soil
 partly good. Grass.
 No timber.

Township 18 North Range 17 East
Plat Salt River Meridian.

Chains North, between Sections 21 and 22.

Variation $14^{\circ} 35'$ East.

2000 Remote from stone & timber.
Deposit a marked stone and
build mound of earth 2 ft.
high with pits 1 ft. deep. 2 ft.
long. If buried, as per instruc-
tions for 1/4 sec. cor.

8000 Set apart, marked and
watched 4 ft long. 3 in sqd.
ft on the ground. Drive
charred stake and build mound
of earth 2 ft high with pits 1 ft.
deep. 2 ft long. If buried, as
per instructions for cor to see.
15. 16. 21 and 22.

No trees near.

Sand descending N. Soil
good - grass. No timber.

Township 18 North Range 17 East
Gila & Salt River Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation 14°35' East.

36.50 Intersect bend of the Little Colorado river flowing from N.E. and turning N.W., but not crossing the line, - 250 ft. wide on line, and chain across.
4000 Set temporary 1/4 sec. cor.

80.08 Intersect N. & S. line 5 lbs. off cor. to secs. 14, 15, 22 and 23, from which cor. down S. 89° 58' W.

On true line between secs. 15 & 22,

var. 14°35' East

40.04 Cor. falls in unsafe place. At 160 lbs. E. I set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, but charred slate and brick round about it high, with pits 1 ft. deep & 2 ft. long, 1 ft. wide, ad per distance turn for 1/4 sec. cor. No trees near.

80.08 Cor. to Secs. 15, 16, 21 and 22.

Sandflat. Some stone soil, no timber.

Township 18 North Range 17 East
W.M. Salt River Meridian.

Chains North, between Sections 15 and 16.

Variation $14^{\circ} 35'$ East.

27.62 Little Colorado river 100 hrs. wide,
flows N.W. And claim across.
4000 Set a post, marked $\frac{1}{4}$ S. 4 $\frac{1}{2}$ E. long,
flattened 3 in wide, 1 ft. in the
ground, drove charred stake
and built mound of earth 2 ft.
high with pits 1 ft. deep - 2 ft.
long. 1 ft wide, as per instructions
for the sec. cor.

No trees near
8000 Set a post, marked and notched,
4 ft long. 3 in sqd. 1 ft. in the
ground. drive charred stake
and build mound of earth 2 ft.
high with pits 1 ft. deep - 2 ft long.
1 ft wide, as per instructions for
cor to secs. 9, 10, 15 and 16.

Land level. Soil strata.
No timber.

Township 18 North Range 17 East
Kila & Salt River Meridian.

Chains

East, on a random line between Sections 10 and 15.

Variation $144^{\circ}35'$ East.

4000 Set temporary $\frac{1}{4}$ sec. cor.

80.10 Intersect N. ext line of line S. of cor to Secs. 10, 11, 14 and 15, from which cor. I drew

$189^{\circ}56'W.$

True line between Secs. 10 & 15.
var. $144^{\circ}35'$ East

40.55 Set a post, marked $\frac{1}{4}$ S. of ft. long, flattened 3 in wide, 1 ft. in the ground, drove charred stake and build mound of earth 2 ft high, with pit 1 ft. deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.10 Cor to Secs. 9, 10, 15 & 16.

Land level Soil 1st rate.
No timber - Grass.

Township 18 North Range 17 East
Platte Salt River Meridian.

Chains North, between Sections 9 and 10.

Variation 14° 35' East.

7.70 The Wingate & Prescott road br. N. of E. & S. after.

Hoos Set apart, mared 14 ft. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drove charred stake and build mound of earth 7 ft. high with pits 1 ft. deep 2 ft. long, 1 ft. wide, no structures for cor. to sec. cor.

No trees near.

8.00 Set apart, mared & notched, 4 ft. long, 3 in. sq. d. from the ground, drove charred stake and build mound of earth 2 ft. high with pits 1 ft. deep 2 ft. long, 1 ft. wide, no structures for cor. to sec. 3, 4, 9 and 10.

No trees near.

Land level. Soil st. mate.

Grass. No timber.

Township

18th Range 17 East
Pa & Salt River Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation 14°35' East.

30.00 Dry wash 50 yards wide, has S. from N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.80 Intersect N. & S. line 14 lbs. S. of onto Secs. 2, 3, 10 and 11, from which cor. down

$8.89^{\circ} 54' W.$

Outtree line between secs. 3 & 10.

Vari. 14°35' East

39.90 Set a sandstone ^{shaft} $4\frac{1}{2} \times 12 \times 5$ in.
1 ft. in the ground, on bedrock,
marked $\frac{1}{4}$, and build around
it for better security a mound
of earth 2 ft. high, with pits, 1 ft. deep
2 ft. long, 1 ft. wide, as per in-
structions for $\frac{1}{4}$ sec. cor.

No trees near.

79.80 Cor to Secs. 3, 4, 9 and 10.

Sandstone. Some good soil
was. No timber.

Township

18 North Range 14 East
Chila & Salt Rivers

Meridian.

Chains

North, on a random line, between Sections 3 and 4.

Variation 14°35' East.

Hoos Set temporary 1/4 sec. cor.
 44.00 Ascend on higher ground to
 N. W. S. E.
 79.84 Intersect N. boundary 14 lbs.
 E. of cor to Secs. 3 and 10, from
 which cor. I run

 $80^{\circ}E.$

Actual line between secs. 3 & 10,
 var. 14°35' East

39.84 Set as sandstone 19 x 12 x 3 in.
 3 1/4 in the ground. marked 1/4
 and on the S. bank mound
 of earth 2 ft high with pits
 1 ft deep. 2 ft long. 1 ft wide
 as per instructions for 1/4 sec.
 cor. No trees near.

79.84 Cor to Secs. 3, 4, 9 and 10.

Land ascending N. & Rolling
 Some good soil. Grass,
 No timber

July 30. 1879.

Township 18 North Range 17 East
 W. & Salt River Meridian.

Chains North, between Sections 32 and 33.

Variation 1435 East.

4000 Set a sandstone 15 x 14 x 3 in.
 $\frac{2}{3}$ in. the ground, marked $\frac{1}{4}$
 and on the N. build mound
 of earth 2 ft high with pit 1 ft.
 deep. 2 ft long. 1 ft wide, as
 per instructions for $\frac{1}{4}$ sec. cor.
 No trees near.

8000 Set a post, marked and
 whitened, 4 ft long. 3 in. sqd.
 from the ground have charred
 stake and build mound
 of earth 2 ft high with pit
 1 ft. deep. 2 ft long. 1 ft wide
 as per instructions for cor to
 secs. 28. 29. 32 and 33.
 No trees near.

Land rolling. Soil worthless.
 Grass. No timber.

Township 18 North Range 17 East
Sila & Salt River Meridian.

Chains East, on a random line, between Sections 28 and 33.

Variation 14°35' East.

Hooo Set temporary $\frac{1}{4}$ sec. cor.

80.21 Intercept N. and S. line 20 lbs.
S. of cor to sec. 27, 28-33
and 3d. from which cor.
Dirn
S. 89° 51' W.

Patrice line between secs 28 & 33

var. 14°35' East

40.11 Set apst. marked $\frac{1}{4}$ S. &
it long, flattened 3 in wide,
1 ft. in the ground, drove
charred stake and build a
mound of earth 8 ft high
with pits 6 ft deep & 8 ft
wide, as per instructions for $\frac{1}{4}$
sec. cor. No trees near.

80.21 Cor to sec. 28, 29, 32 & 33.

Land rolling & broken
Soil poor. Grass.
No timber.

Township

18 North Range 1st East

Wila & Salt River

Meridian.

Chains

North, between Sections 28 and 29.

Variation

14035

East.

4000 Set a post, marked 1/4 S. 4 ff long
 flattened 3 in wide. 1 ft. in the
 ground. Drive charred stone
 and build mound of earth
 2 ft high with pits 1 ft. deep. 2 ft.
 long. 1 ft wide, as per instruc-
 tions for 1/4 sec. cor.

No trees near.

8000 Set a post, marked and noted,
 4 ft long. 3 in segd. 1 ft in the
 ground. Drive charred stone
 and build mound of earth 2 ft
 high. with pits 1 ft. deep. 2 ft.
 long. 1 ft wide, as per instruc-
 tions for cor to secs. 20. 21
 28 and 29.

No trees near.

Sand rolling & descending
 N. Soil poor. Grass,
 No timber.

Township 18 North Range 17 East
Gila & Salt River Meridian.

Chains East, on a random line, between Sections 21 and 28.

Variation 14°38' East.

Hoss Set temporary 1/4 sec cor.

80.15 Intersect N. & S. line 10 lbs. N.
after to Secs. 21. 22. 27 and
28, from which cor. down

N. 89°56' W.

On true line between secs. 21 & 28.

var. 14°35' East

4057 Remote from stone & timber
Bare charred stumps and build
mounds of earth 2 ft high with
pits 4 ft. deep & long - Grade,
as per instructions for 1/4
sec. cor.

80.15 Cor to Secs. 20. 21. 28 and
29.

Land rolling & descending
N. Soil good.
Woods. No timber.

BOOK 281 38
Township 18 North Range 17 East
Kila & Salt River Meridian.

Chains North, between Sections 20 and 21.

Variation 14° 35' East.

4000 Set a post marked 14 S, 4 ft. long, flattened 3 in. wide 1 ft. in the ground, drove charred stake and build mound of earth 8 ft high with pits 1 ft. deep & 2 ft long, 1 ft. wide, as per instructions for 14 sec cor.

No trees near.
8000 Set a post marked and notched, 4 ft long, 3 in. sq'd 1 ft. in the ground, drove charred stake and build mound of earth 8 ft high, with pits 1 ft deep & 2 ft long, 1 ft. wide, as per instructions for corners 16, 17, 20 & 21.

No trees near.
Land slightly rolling -
Soil Good.
Grass.

Not timbered.

Township 18 North Range 14 East Meridian.

Chains East, on a random line, between Sections 16 and 21.

Variation $14^{\circ}35'$ East.

4000 Set temporary $\frac{1}{4}$ sec. cor.

79.84 Intersect N. & S. line 26 hrs.

No cor. to secs. 15, 16, 21 and
22, from which cor. I am

N. $89^{\circ}49' W.$

On true line between secs. 16 & 21

var. $14^{\circ}35'$ East

39.92 Set a post marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in. wide, 1 ft in
the ground, drove charred stake
and built mound of earth
2 ft high with pits 1 ft. deep. 2 ft.
long. 1 feather as per instruc-
tions for $\frac{1}{4}$ sec. cor.

No trees near.

79.84 Cor. to Secs. 16, 17, 20 & 21.

Land descending N. & E. Soil
pt Rate. Grass.

No timber.

Township 18 North Range 17 East
 Salt River Meridian.

Chains North, between Sections 16 and 17.

Variation 14° 35' East.

4000 Set a post, marked 14 S 44 ft long,
 flattened 3 in wide, 1 ft. in the
 ground. Aire charred stake &
 build mound of earth 3 ft high
 with pits 1 ft deep - 2 ft long, 1 ft.
 wide, as per instructions for
 14 sec. cor. No trees near.

5000 Set a post, marked and
 notched, 1 ft long, 3 in sqd.
 from the ground, and
 build mound of stones 2
 ft high, as per instruc-
 tions for cor to secs. 8.
 9. 16. and 17.
 No trees near.

Sand gently sloping N.
 Soil st Rate.
 Grass. No timber.

Township 18 North Range 17 East
Kia & Salt River Meridian.

Chains East, on a random line, between Sections 9 and 16.

Variation $14^{\circ}35'$ East.

- 10.63 Road toward S. E.
 13.64 Little Colorado river, 100 ft.,
 wide, flows N. W., and channel across.
 Holes Set temporary $\frac{1}{4}$ sec. cor.
 79.79 Intersect N. & S. line 18 lbs.
 N. of cor. to sec. 9, 10, 15
 and 16, from which cor. I run

N. $89^{\circ}52'W.$

On true line between secs. 9 & 16.

var. $14^{\circ}35'$ East

- 39.89 Set a post, marked $\frac{1}{4}$ S. of E.
 long. flattened 3 in. wide. pt.
 in the ground, drove charred
 stake and build around of
 earth 1 ft. high, with pits 1 ft.
 deep. 2 ft. long. 1 ft. wide, as
 per instructions for $\frac{1}{4}$ sec.
 cor. No trees near.

79.79 Cor. to sec. 8, 9, 16, & 17.

Sand level. Soil 1 st Rate.
 No timber.

Township

18 North Range 17 East

Mia & Salt River Meridian.

Chains

North, between Sections 8 and 9.

Variation

114° 35'

East.

33.68 Road, ^{by} E. end.

40.00 Setapost, marked 14 S. 4^o long. flattened
 3 in. wide, 1 ft. in the ground, pine charred
 stake & built round a post 1 ft. high,
 with pits 1 ft. deep. 2 ft. long. 1 ft. wide, as per
 instructions for 4 sec. cor. No tree near.

42.72 Branch of the Main overland road to E. end.

55.75 The middle house at Blanchard's place to
 E. 20. 35 chs. dist. This middle house stands
 lengthwise N. W. & S. E., and there is another building
 N. W. of the first and about 50 chs. dist., and
 a third, on the S. of the first, about 75 chs.
 dist from the first.

73.50 Little Colorado river, 120 chs. wide, flows
 N. W. from E. of S. and chain across.

80.00 Setapost, marked & notched, 4 ft. long. 3 in.
 sq. d. flat in the ground, pine charred stake & built
 round a post 1 ft. high with pits 1 ft. deep. 2 ft.
 long. 1 ft. wide as per instructions for cor. to sec.
 4. 5. 8. & 9. from which

A Cottonwood, 20 in. dia. S. 1° W. 25 chs. dist.

do. 18 " N. 85° W. 303 "

No other trees near.
 Land level. Some 1st rate soil. A few
 Cottonwood trees.

Township

Range

17 East

W. & Salt River

Meridian.

Chains

East, on a random line, between Sections 4 and 9.

Variation 14°35'

East.

- 2.36 The Wright & Prescott Road b/s S.E. Ext. N.W.
 40.00 Set temporary cor.
 68.72 Wood road b/s N.E.
 79.89 Intersect N. & S. line 16 lbs. S.
 after cor. to Secs. 3, 4, 9 and 10.
 from which cor. I run

 $88^{\circ}53'W.$

On true line between secs 4 & 9

var. 14°35' East

39.94 Set a post, marked 14 S. 4 ft.
 long, flattened 3 in. wide. It is
 in the ground. down charred
 stone and build mound of
 earth at height with pits of
 deep. 2 ft. long. 2 wide, as per
 instructions for 14 sec. cor.

No trees near.

Cor to Secs. 4, 5, 8 & 9.

Sand level. Soil st. Rate.
 Grass. No timber.

Township 18 North Range 1st East
 La & Salt River Meridian.

Chains

North, on a random line between Sections 4 and 5.

Variation $14^{\circ}35'$ East.

6.83 La Grange - Prescott road to N. of
 W. side N. W.

4000 Set temporary 1/4 sec. cor.

79.90 Intersect N. boundary 10 sec.
 E. of center to Secs. 4 & 5. from
 which cor. I run

$80^{\circ}45'E.$

Or true line between secs. 4 & 5.

var. $14^{\circ}35'$ East

39.90 Set a post, marked 1/4 S. 4 feet
 long, flattened 3 in wide at
 in the ground, drove charred
 stake and build mound of
 earth 2 ft high, with pits 1 ft
 deep. 2 ft long. Followed as
 per instructions for 1/4 sec.
 cor. No trees near.

79.90 Cor to Secs. 4, 5, 8 and 9.

Land level. Soil & Rate.
 Not timbered.

Township

18 North Range 17 East.

Tila & Salt River

Meridian.

Chains

North, between Sections 31 and 32.

Variation $14^{\circ}35'$ East.

4000 Set as sandstone $14 \times 10 \times 5$ in.

$\frac{2}{3}$ in the ground, marked $\frac{1}{4}$ and on the N. build round a earth of $\frac{1}{2}$ high with pits $\frac{1}{2}$ deep. 2 ft long. 4 ft wide. as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

8000 Set as sandstone $17 \times 12 \times 5$ in.

$\frac{2}{3}$ in the ground, notched S. and E., and on the N. build round as stones $\frac{1}{2}$ high, as per instructions for cor. to sec. 29, 30, 31 and 32.

No trees near.

Land rolling. Some good soil.

Grass.

No timber.

Township 18 North Range 17 East
 Nila & Salt River Meridian.

Chains East, on a random line between Sections 29 and 32.

Variation 14°35' East.

4000 Contemporary 1/4 sec - cor.

79.87 Intersect N. & S. line 15 hrs. N.
 after to Secs. 28, 29, 32 and
 33, from which cor. I measured

$11.89^{\circ} 54' W.$

True line between Secs. 29 & 32.

over $14^{\circ} 35'$ East

39.93 Remote from stone & timber.
 Drive charred slate and
 build mound a few feet
 high, with pits 4 ft. deep, 2 ft.
 long, 1 ft. wide, as peculiar
 structures for 1/4 sec - cor.

79.87 Cor to Secs. 29, 30, 31 & 32.

I
 Land rolling.

Some good soil.

Grass. No timber.

Township 18 North Range 17 East
Mia & Salt River Meridian.

Chains West, on a random line between Sections 30 and 31.

Variation $124^{\circ}35'$ East.

4000 Set temporary $\frac{1}{4}$ sec. cor.
79.45 Intersect N. boundary 10 lbs.
N. of cor. to secs. 30 and 31.
from which cor. Drove

N. $89^{\circ}56'$ E.

On true line between secs. 30 & 31.
var. $14^{\circ}35'$ East

39.45 Remote from stone timber.
Drove charred stave and
built round a earth oft
high. with pits ft deep. oft
long. of course, as per in-
structions for $\frac{1}{4}$ sec. cor.

79.45 Cor. to secs. 29. 30. 31 and 32.

Land slightly rolling.
Some good soil
grass. No timber.
July 31, 1879.

Township

18 North Range 17 East

Gila & Salt River

Meridian.

Chains

North, between Sections 29 and 30.

Variation $14^{\circ} 35'$ East.

4000 Remote from stone & timber.
 Drive charred stake and
 build mound of earth 2 ft
 high with pit 4 ft deep. 2 ft
 long. 1 ft wide, as per in-
 structions for 1/4 sec. cor.

8000 Set a post marked Engraved,
 4 ft long. 3 in. sq. d. 1 ft in
 the ground, drive charred
 stake and build mound
 of earth 2 ft high with pit
 4 ft deep. 2 ft long. 1 ft wide
 as per instructions for cor.
 to secs. 19. 20. 29 and 30.
 No trees near.

Sand descending N.
 Some good soil. Grass.
 No timber.

Township 18 North Range 17 East
 Meridian

Wta & Salt River

Chains East, on a random line between Sections 20 and 29.

Variation 14°35' East.

4000 Set temporary 1/4 sec. cor.

79.93 Intersect N. 18 line 13 hrs.
 S. off cor to secs. 20, 21, 28 and
 29, from which cor. I run
 $S.89^{\circ}54'W.$

On true line between secs. 20 & 29.

var. 14°35' East

39.96 Set a sandstone 28x18x3 in.
 3 1/4 in. the ground, marked 1/4
 and on the N. build mound
 after earth off high, with sides
 1 ft. deep, 2 ft. long, 1 ft. wide,
 as per instructions for 1/4 sec.
 cor. No trees near.

79.93 Cor to secs. 19, 20, 29 & 30.

Land slightly rolling.
 Soil good. Grass.
 No timber.

Township

18 North Range 17 East

Wila & Salt River

Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation $14^{\circ} 35'$ East.

4000 Set temporary 14 sec - cor.

79.39 Intersect W. boundary 17 sec.
S. of cor. to secs 19 and 30.
from which cor. I run $889^{\circ} 53' E.$ On true line between secs. 19 & 30
var. $14^{\circ} 35'$ East39.39 Remote from store & timber.
Dovi charred stake no build.
mound a foot off high,
with pits 1 ft deep. 2 ft long. 1 ft
wide, as per instructions for
14 sec - cor.

79.39 Cor to secs. 19. 20. 29 & 30.

Land level and gently de-
scending. No Soil Good
in part. Grass.
No timber.

Township

18 North Range 1st East

Wila & Salt River

Meridian.

Chains

North, between Sections 19 and 20.

Variation 144°35' East.

4000 Remote from stone & timber.
Dirt charred slate and
build mound of earth 8 ft.
high, with pits 1 ft. deep. 2
ft long. broader as per in-
structions for 14 sec. cor.

8000 Set a sandstone 12 x 11 x 5
in. $\frac{2}{3}$ in the ground. notched
S. and E, and on the
N. build mound of earth
3 ft high with pits 1 ft deep,
2 ft long. broader as per
instructions for cor to Secs.
17, 18, 19 and 20.
No trees near.

Land gently descending N.
Soil wood & grass.
No timber.

Township 18 North Range 17 East
W. & Salt River Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation $14^{\circ}35'$ East.

4000 Set temporary 1/4 sec. cor.

79.90 Intersect N. S. line 19 lbs.

S. of cor. to Secs. 16-17-20 and
26 from which cor. down

S. 89°52' W.

On true line between sec. 17 & 20.
var. $14^{\circ}35'$ East39.95 Set a post, marked 1/4 S. 4 ft.
long, flattened 3 in wide,
ft. in the ground, drove clamped
stake and build mound of
earth 2 ft high, with pit 1 ft
deep, 2 ft long, of border
as per instructions for 1/4
sec. cor.

No trees near.

79.90 Cor. to sec. 14, 18, 19 and 20.

Land slightly rolling. Soil
good. Grass. No timber.

Township 18 North Range 17 East
Nile & Salt River Meridian.

Chains West, on a random line between Sections 18 and 19.

Variation $14^{\circ}35'$ East.

Hoos Set temporary 14 sec. cor.

79.35 Intersect N. boundary 27 loco.
S. of cor to secs. 18 and 19 from
which cor. I run

$88^{\circ}48' E.$

On true line between secs. 18 & 19,
var. $14^{\circ}35'$ East

39.35 Remote from stone & timber.
Drive charred stake and build
round a feather off highway with
pit 1 ft. deep. 2 ft. long. 1 ft. wide
as per instructions for 1/4 sec. - cor.

79.35 Cor to Secs 17, 18, 19 and 20.

Land slightly rolling
Soil partly Good.
Wash. No timber.

BOOK 281
54
Township 18 North Range 17 East
Wild & Salt River Meridian.

Chains North, between Sections 17 and 18.

Variation 14035' East.

4000 Set apart, marked 4 ft. long flattened 3 in wide. 1 ft. in the ground. drove charred stake and build mound of earth 2 ft high with pits 1 ft. deep. 2 ft long. 1 ft wide, as per instructions for 1/4 sec. cor.

No trees near.

8000 Set apart, marked and mottled 4 ft long. 3 in sq'd. 1 ft in the ground. drove charred stake and build mound of earth 2 ft high with pits 1 ft. deep. 2 ft long. 1 ft wide, as per instructions for cor to Secs. 7, 8, 17 and 18.

No trees near

Land gently sloping N.
Soil good. Grass.

No timber.

Township

Range 17th

East

8th Month
Kila & Salt River

Meridian.

Chains

East, on a random line between Sections 8 and 17.

Variation

14°35'

East.

Hood Set temporary 1/4 sec. cor.

80.06 Intersect N. & S. line 15 hrs. N.
afcor to secs. 8, 9, 16 and
17, from which cor. I drive

N. 89° 54' W.

Pattee line between secs. 8 & 17.

var. 14°35' East

40.03 Set a post, marked 1/4 S. off -
long, flattened 3 in wide. ft
in the ground. Drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep. 2 ft long. 1 ft wide, as
per instructions for 1/4 sec.
cor. No trees near.

80.06 Cor to sec. 7, 8, 17 and 18.

Sand level. Soil Good.
Grass. No timber.

Township 18 North Range 17 East
 Cita & Salt River Meridian.

Chains West, on a random line between Sections 7 and 18.

Variation $14^{\circ}35'$ East.

4000 Set temporary 14 sec cor.

79.32 Intersect N. boundary 14 sec.
 S. off cor to sec. 7 and 18. from
 which cor. I made

$88^{\circ}54' E.$
 In true line between secs. 7 & 18.
 var. $14^{\circ}35'$ East

39.32 Set a post marked 14 S. 4 ft
 long, flattened 3 in wide. It
 in the ground. does not stand
 stade and build mound of
 earth 1 ft high with pit 1 ft
 deep. 2 ft long. 1 ft wide as
 instructions for 14 sec cor.
 No trees near.

79.32 Cor to secs. 7-8-17 and 18.

Land level. Soil good
 grass. No timber.

Township 18 North Range 17 East
Wila & Salt River Meridian.

Chains North, between Sections 7 and 8.

Variation $14^{\circ}35'$ East.

9.35 Branch Overland road to E. W.L.

8000 Set apart, marked 74 S. off long. flat-
tened 3 in. wide. 1 ft. in the ground.
dive charred stone and build
around a earth 1 ft. high with pits
1 ft. deep. 2 ft. long. 1 ft. wide, as per
instructions for witness cor. sec. 8.

No trees near.

75.55 Little Colorado river 120 ft. wide,
flows N. & N. of W. and chain across

8000 The river overflows on all the ground
near this cor. The only safe point for
cor. is 455 ft. S. of tree point,
where I set apart, marked and
notched, 4 ft. long. 3 in. sq. 1.
ft. in the ground. dive charred
stone and build around a
earth 1 ft. high with pits 1 ft. deep.
2 ft. long. 1 ft. wide, as per instruc-
tions for witness cor. sec. 5.
6, 7 and 8. No trees near.

Land flat. Soil, 1st water -
A few Cottonwood trees.

Township

BOOK 281

18 North Range 1st East

Black Salt River

Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation $14^{\circ}35'$ East.

- 8.50 Little Colorado river, 125 yards wide
flows S. of W. and chain across.
4000 Set temporary $\frac{1}{4}$ sec. cor.
46.25 Little Colorado river 125 yards wide
flows N. of E. and chain across.
80.10 Intersect N. & S. line 9 has. N. of
cor. to secs. 4. 5. 8 and 9. from
which cor. I run
 $N. 89^{\circ}56' W.$
Random line between secs. 5 & 8.

var. $14^{\circ}35'$ East

- 40.05 Set post, marked $\frac{1}{4}$ S. of long. flat-
topped 3 in. wide, 1 ft. in the ground. done
charred state and build mound of
earth off high, with pits of 6 deep - 2 ft. long
1 ft. wide, as per instructions for $\frac{1}{4}$ sec.
cor. from which

R Cottonwood, 20 inches. S. 10° E. 48 los. dist
do. 21 " . . S. 28° W. 54 "

- 80.10 Cor. to secs. 5. 6. 7 and 8.
Land flat. Some slate Soil
scattering Cottonwood trees.

Township 18 North Range 17 East
 Pila & Salt River Meridian.

Chains West, on a random line between Sections 6 and 7.

Variation 14°35' East.

- 15.53 Little Colorado river, 125 lbs. wide,
 flows N. affl. and chain across
 4000 Set temporary 14 sec. cor.
 76.25 Little Colorado river 150 lbs. wide,
 flows SW. and chain across
 79.25 Intersect N. boundary 10 lbs. S. of cor.
 to secs. 6 & 7. from which cor.
 down
 S. 89° 56' E.

On true line between secs. 6 & 7

var. 14°35' East

- 39.25 The ground is low and flat and
 subject to overflow, and no per-
 fectly safe place near. I set a post
 marked 14 S. 6 ft long. 6 in. wide
 flattened, 3 ft in the ground,
 drove charred stake and build mound
 of earth 2 ft high, with pit 1 ft. deep.
 1 ft long. 1 ft wide, as per instruc-
 tions for 14 sec. cor. from which
 a Cottonwood 20 in. dia. 60. S. 50° W. 194 lbs. did.
 Another tree near.

- 79.25 Cor to Secs. 5, 6, 7 and 8.
 Land mostly flat. Some ~~state~~ trees
 scattering Cottonwood trees.

Gila & Salt River Meridian.

Chains

North, on a random line between Sections 5 and 6.

Variation $14^{\circ}35'$ East.

5.00 Rise in higher ground b.s. E. & W.

4000 Set temporary 1/4 sec. cor.

62.45 The Knight & Prescott road b.s. N.W. & S.E.

79.92 Intersect N. boundary of sec. 5 E. from which
a few rods to sec. 5 E. 6. from which

ap. I run

S. $0^{\circ}2' E.$

Actual line between secs. 5 & 6.

Var. $14^{\circ}35'$ East39.92 Set a post, marked 4x8-ft. long,
flattened 3-in. wide, 1 ft. in the ground
driven chanced slate and build
mound of earth of height with
pits 1 ft. deep. 12 ft. long. 1 ft. wide,
as per instructions for 1/4 sec. cor.

No trees near.

79.92 Cor to secs. 5, 6, 7 and 8.

Land level mostly. Soil stony.
Scattering Cottonwood trees.

August 1. 1849.

GENERAL DESCRIPTION.

The best land in Township 18 N.
range 17 E. lies N. and W. of
the river, the N $\frac{1}{2}$ of the Town-
ship containing much fine agri-
cultural land.

There is sufficient water
in the Little Colorado river for
the irrigation of the land.

The river flows across the en-
tire township from E. to W.

In the S. E. portion of the town-
ship are some cienegas with
a great deal of water in them.

The Salt creek in the southern
portion of the township is a beau-
tiful stream of water in con-
siderable volume but the water
is brackish and salty. A short
distance up this stream it flows
out of a remarkable canon of
great depth and magnitude.

I found no mineral in the
township. There is but little
wood in the township.

Geo. L. Harris
U.S. Dep. Surveyor

BOOK 28, LIST OF NAMES.

BOOK

28,

62

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of -

Subdivision Lines of
Township 18 North
Range 17 East of
the Gila and Salt River
Meridian Arizona

Showing the respective capacities in which they
acted.

Richard Sheope Chainman.

Geo. McNeal Chainman,

B. Palmer Axeman.

J. C. Lindsey Axeman.

Evansta Lamp Flagman.

185

Final Oath of Assistants.

We hereby certify that we assisted J. H. L. Harris, U. S. Deputy Surveyor, in surveying The Subdivision Lines of Township 18 North Range 17 East of the Gila and Salt River Meridian, Arizona.

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Richard Chepp Chainman.
Geo Mc Neal Chainman,
B. Polk Axeman.

J. W. Anderson Axeman
Evaristo Sainz Flagman.

Sworn to and subscribed before me, this 19th day of September, 1879.

W. L. Harris
 U. S. Dep. Surveyor

Final Oath of Deputy Surveyor.

I, John L. Hansen,

U. S. Deputy Surveyor, do solemnly swear that
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bear-
ing date the 28th day of April

1872. I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-General,
the Surveying Manual, and the laws of the
United States, surveyed all those portions of

The Subdivision Lines
of Township 18 North
Range 17 East of
the Gila and Salt River
Meridian Arizona

as are repre-
sented in the foregoing Field Notes as having
been surveyed under my directions; and I do
further solemnly swear that all the corners of
said surveys have been established and perpet-
uated in strict accordance with the Surveying
Manual and printed instructions, and also in ac-
cordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

W. L. Harris

Deputy Surveyor.

Sworn to and subscribed before me, this 25th day of *September*, 1879, of

John R. Fenell.
Notary Public



U. S. Surveyor General's Office,

Tucson, A. T.

Amended, 1879

The foregoing Field Notes of the surveys of
Subdivision Lines of
Township 18 North
Range 17 East

Gila & Salt River Meridian

in the Territory of Arizona executed by

John L. Stearns

U. S. Deputy Surveyor, under his contract dated

April 28, 1879

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Hasson.

U. S. Surveyor General for the District of Arizona.