Henry A boe Deputy Surveyor.

Gila and Salt River Meridian.

FIELD NOTES

OF

THE SUBDIVISION LINES OF

Township 18 North Range 28 East

Gila and Salt River Meridian.

BY

BOOK 291

Henry A. Goe Deputy Surveyor.

Under his Contract of July 20th 1882
Survey Commenced Lee 6th 1882

Survey Completed Dec 5th 1582

Platted,
Copied for Washington,
Copied for Register,

Edward Denny & Co., Stationers & Printers, S. F. Cal. Copyright Secured,

Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congressat Washington, D. C., in the year 1880.



TOWNSHIP PLOT

Meridian | Line,

Base Line,

Standard Line,

Section Lines, Township Lines,

Office Work.


Meander Lines,

BOOK 201

Township No. 18 Range No. 28 6

Meridian.

BOOK 291



Township Range Meridian

BUOK 291 Township Range Outle See Meridian. No-2191 Survey made with Burt's Patent Improved Solar Compass, nearly new, and in first rate order. Made by John Roach of Som Francise.

A Range

Gila and Salt River

Meridian.

Chains

From the corner to Sections 35, 36, 1 and 2 on the South boundary, I run,

North, between Sections 35 and 36

Variation 1467 East.

Ascend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for \{ Sec. Cor., marked \{ S. on M

face, dug pits, $18 \times 18 \times 12$ ins., \checkmark and \checkmark of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 25. 26. 35 466

marked T./8 N.S. 25. 01. N. E., R 28 6, S. 36

on S. E. S. 35 on S. W and S. 26 on N. W. face,

with / notch on S. and / notch on E. edges;

dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.,

and raised a mound of earth 2 ft. high, 4½ ft. base

around post.

Land mountainous and rolling.

Soil 2nd, rate.

Timber of bedar

Vegetation bunchgase

Range

Gila and Salt River

Meridian.

East, on a random line between Sections 25 and 36. Chains Variation 14 00 East. Descend. 40.00 Set temporary 1 sec. cor. Intersect (B. of Tp. 00 Uks. South of cor. to secs. 80.20 25.30. 47 466 from which corner, I run As 9 47 Won a true line, between sections 2 5 4 6 Variation 14 15 East. 40.13 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on N. face, dug pits, 18 x 18 x 12 ins., O. and W. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post. 50.25 The corner to sections 25.26.35 4136

Land mountainous and rolling.

Soil Ind

Timber of bedar Vegetation bunchgrass

Meridian.

Chains

North, between Sections 25 and 26.

Variation 14 00

East.

Ascend.

Top of Ridge, bears N. 60° 6. & S.60° W and descend.

40.00

10.50

Set a post 3 ft. long, 3 ins. diam. with marked stone, 12 ins. in the ground, for & Scc. Cor., marked & S. on M. face, dug pits, 18 x 18 x 12 ins., M. and S. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 26 24.25 426 marked T. 18 M.S. 24 , or N. E., R 28 0., S. 20 on S. E. S. 26 on S. W and S. 28 on N. W. face, o with 2 notches on S. and & notch on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post.

Land mountainous and rolling.

Soil and

Timber of bedar. Vegetation bunchgrass BOOK 291

A Range Township 18

Gila and Salt River

Meridian.

East, on a random line between Sections 24 and 25. Chains Variation 14 00 Ascend.

East.

40.00

Set temporary \ sec. cor.

\$ 0.09 Intersect O. B. of Tp. 1/ 1ks. South of cor. to secs. 9.24.25 Asy from which corner, I run

Is 935 M on a true line, between sections 2 4 & 28

Variation 14 15 East.

40.05 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on N. face, dug pits, 18 x 18 x 12 ins., O. and W. of

post 51 ft. dist., and raised a mound of earth 11 ft.

high, 31 ft. base around post.

80.09 The corner to sections 20, 24, 25 426

Land rolling. and mountainous.

Soil 2nd rate

Vesetation bunchglass

6

Gila and Salt River

Meridian.

Chains

North, between Sections 23 and 24.

Variation 14 00

East.

Descend.

40.00 Set a po 12 ins.

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for \(\frac{1}{2}\) Sec. Cor., marked \(\frac{1}{2}\) S. on

\(\mathcal{M}\). face, dug pits, 18 x 18 x 12 ins., \(\mathcal{M}\). and \(\mathcal{G}\). of

post 5\(\frac{1}{2}\) ft. dist., and raised a mound of earth 1\(\frac{1}{2}\) ft.

high, 3\(\frac{1}{2}\) ft. base around post.

78.00

Cross Gulch, o lks. wide, Course S.60 W. and ascend.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 13. 14. 23 4 24

marked T. 18 C.S. 13. on N. E., R. 28 6., S. 24

on S. E., S. 23 on S. W and S. A on N. W. face, 2

with 3 notches on S. and 1 notch on E. edges;
dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.,
and raised a mound of earth 2 ft. high, 4½ ft. base
around post.

Land rolling. and mountainous.

Soil 2nd rate

Vegetation bunchgrass

Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation 14 00

East.

Descend.

3.00 Cross Gulch, o lks. wide, Course of so M. and ascend.

40.00 Set temporary \ sec. cor.

79.92 Intersect & B. of Tp. 19 Uss North of cor. to secs.

18.18.19 424 from which corner, I run_

M8982 Mon a true line, between sections 13 + 14

Variation , y of East.

39.96 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on A. face, dug pits, 18 x 18 x 12 ins., 6. and W. of post 51 ft. det., and raised a mound of earth 11 ft. high, 31 ft. base around post.

79.92 The corner to sections 13 14, 23 424 Land mountainous and rolling. Soil 2nd rate

Timber of bedan

Vegetation bunneligiass

Gila and Salt River Meridian.

Chains

North, between Sections 13 and 14.

Variation 14 00 East.

Ascend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on W. face, dug pits, 18 x 18 x 12 ins., A. and J. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 3½ ft. base around post.

1 9.00

70.00

80.00

Top of Spur, bears A. M. & S. O. and descend. Cross Gulch, 10 lks. wide, Course S. 6. and ascend.

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 1/1 2 10 414 marked T. 18048. 12 , or N. E., R 286, S. 13 on S. E. S. 14 on S. W and S. 11 on N. W. face, D with 4 notches on S. and 1 notch on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5\frac{1}{2} ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base

around post. Land mountainous. and rolling.

Soil Ind, rate Vegetation hunohypase

Meridian.

Chains

East, on a random line between Sections 12 and 13.

Variation 14 00

Descend.

40.00

Set temporary \ sec. cor.

80.14

Intersect (B. of Tp. 21 1ks. South of cor. to secs.

7. 12 13 4/8 from which corner, I run

of 89° 1 / Mon a true line, between sections 12 413

Variation All East.

40.07 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on (1. face, dug pits, 18 x 18 x 12 ins., E. and M. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post.

The corner to sections 11.12.13 +14

Land mountainous

Soil 2nd rate

Timber of bedar

Vegetation bunchgrass

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

Chains North, between Sections 11 and 12.

Variation 14 ou

East.

28

Ascend.

30.00 40.00 Top of Spur, bears N. W. + S. E. and descend. Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on M. face, dug pits, 18 x 18 x 12 ins., A and of. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 3½ ft. base around post.

43,30

Cross Gulch, 10 lks. wide, Course & 50 6, and ascend.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 1. 2. 11 412 marked T.18 C. S. , on N. E., R 28 0, S. 12 on S. E. S. / on S. W. and S. 2 on N. W. face, with I notches on S. and I notch on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post.

Land mountainous and rolling.

Soil 2nd. rate.

Timber of bedar. Vegetation bunchgrass A Range 28

Gila and Salt River Meridian.

Chains East, on a random line between Sections 1 and 12. Variation 14,00 East. Ascend. Set temporary 1 sec. cor. 40.00

79.90 Intersect Q. B. of Tp. 9 Uks. Morth of cor. to secs.

1.6. 7 4 /2 from which corner, I run 1.89 36 W, on a true line, between sections 1 7 /2

Variation 14 18 East.

139.9 7 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on A. face, dug pits, 18 x 18 x 12 ins., O. and M. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 3\ft. base around post.

7 9 9 (3 The corner to sections 1, 2, 11 + 12)

Land rolling, and mountainous.

Soil 2nd rate
Vegetation hunchgrack

BOOK 291 Township Range... Gila and Salt River Meridian. North, on a random line between Sections 1 and 2. Chains Variation 14-00 East. Ascend. Set temporary 1 sec. cor. 40.00 Jum and Pro Preser Divide, 73.00 lears M. 75 6. and S. 70 W. and descend. Intersect AB. of Tp. 37 1ks. West of cor. to secs. 80.171 1.2.35 436 which is a sand stone 18 x 12 x 8 ins. 12 ins. in the ground for Cor. to Sees. 1. 2. 3 5 436 marked with i nother on M and I notch on E edges and raised a mound of stone alongside From which corner I run. S. 16" W. on a true line between sections / + 2 Va 14 00 Fast Set a post 3 ft. long, 3 ins. diam. with marked stone. 40.131 12 ins. in the ground, for & Sec. Cor., marked & S. on M. face, dug pits, 18 x 18 x 12 ins., M. and S. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post. 80.31 The corner to sections 1. 2.11 & 12 Land mountainous and rolling. Soil 2nd. rate. Timber of bedar Vegetation bunchgrass Benry CA. Coe Dec. 6, 1882

Meridian.

Chains North, between Sections 34 and 35.

Variation 1407

East.

Descend.

40. 00 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on M. face, dug pits, 18 x 18 x 12 ins., A. and S. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with murked stone. 12 ins. in the ground, for Cor. to Secs. 26. 27. 34 483 marked T. 18 M. S. 26 , on N. E., R 280, S. 30 on S. E. S. Jef on S. W and S. 2 7 on N. W. face, with / notch on S. and & notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post.

Land mountainous and rolling.

Soil and rate

Timber of hedar

Vegetation bunchgrass

Meridian.

East.

Chains East, on a random line between Sections 26 and 35.

Variation 14 of

Ascend.

40.00 Set temporary \frac{1}{2} sec. cor.

79.80 Intersect Ch. V.S. line, 43 1ks South of cor. to secs.

20.26.35 486 from which corner, I run

So 90 42 Mon a true line, between sections 26 435

Variation 14°00' East.

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for \(\frac{1}{2}\) Sec. Cor., marked \(\frac{1}{2}\) S. on

N. face, dug pits, 18 x 18 x 12 ins., \(\frac{1}{2}\) and \(\mathcal{N}\). of

post 5\(\frac{1}{2}\) ft. dist., and raised a mound of earth 1\(\frac{1}{2}\) ft.

high, 31 ft. base around post.

Ind mountainous and rolling.

Soil 2nd rate.

Timber of bedar

Vegetation Sunchgraves

Gila and Salt River Meridian.

Chains

North, between Sections 26 and 27.

18

Variation 14'00

East.

Descend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on W. face, dug pits, 18 x 18 x 12 ins., A. and S. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 22 2 3.26 427 marked T. 18 CNS. 20 , 111 N. E., R28 0, S. 26 on S. E. S. 27 on S. W and S. 22 on N. W. face, A with 2 notches on S. and 2 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post. Land mountainous androlling.

Soil 2nd

Timber of bedar

Vegetation bunchasass

N. Range 28 Township Gila and Salt River Meridian. East, on a random line between Sections 23 and 26. Chains Variation 14 mg East. Ascend. Set temporary \ sec. cor. 40.00 7 9.97 Intersect N. & S. line, 20 1ks. South of cor. to secs. 38.24.25 +26 from which corner, I run of 89 " or 1 W. on a true line between sections 2 13 4 26 Variation 14'00 East. Set a post 3 ft. long, 3 ins. diam. with marked stone. 89.98 12 ins. in the ground, for & Sec. Cor., marked & S. on N. face, dug pits, 18 x 18 x 12 ins., O. and W. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post. 79.97 The corner to sections 22.20 26 427 Land mountainous, and rolling. Soil 2nd. rate Veyetation bunchgrass

Gila and Salt River Meridian.

Chains

North, between Sections 22 and 23.

Variation 14'00

Ascend.

10.00 40.00

Top of Spur, bears N. 60° 6. & L. 50° Wand descend. Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on W. face, dug pits, 18 x 18 x 12 ins., W. and S. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post.

54.00 80.00 Cross Gulch, 3 lks. wide, Course S. C. and ascend. Set a post 4 ft. long, 4 ins. square, with marked since. 12 ins. in the ground, for Cor. to Secs. 14 10. 22 42 3 marked T. 18 M.S. 14 , on N. E., R 280, S. 23 on S. E. S. 22 on S. W. and S. 15 on N. W. face, with (3 notches on S. and 2 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base

Land mountainous and rolling.

Soil and

around post.

Timber of bedar Vegetation hunchgrass

Township

M. Range

28

Gila and Salt River Meridian.

Chains East, on a random line between Sections 14 and 23. Variation 14 00 East. Ascend. 40.00

Set temporary \ sec. cor.

Intersect N. & S. line, 7 1ks North of cor. to secs. 80.18 11.14.2.1 424 from which corner, I run N. 89° 5'7 W. on a true line between sections 14 + 23

Variation 14 00 East. Set a post 3 ft. long, 3 ins. diam. with marked stone. 40.09

12 ins. in the ground, for & Sec. Cor., marked & S. on A. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 51 ft. dist., and raised a mound of earth 11 ft.

high, 3½ ft. base around post.

The corner to sections , 4 10. 22 4 2 8 80.18 Land mountainous and rolling. Soil 2nd

Timber of bedar Vegetation bunchgrase

Meridian.

Chains

North, between Sections 14 and 15.

1.8

Variation 14 00 East.

Ascend.

4.60

Top of Spur, bears N. N. & S. G. and descend.

30.00 40.00 Cross Gulch, of lks. wide, Course S. G. and ascend. Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for \$\frac{1}{4} Sec. Cor., marked \$\frac{1}{4} S. on M. face, dug pits, 18 x 18 x 12 ins., M. and S. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 10.11.14 & 10 marked T. 18 C. S. 11 , on N. E., R 280, S. 14 on S. E. S. 15 on S. W. and S. 10 on N. W. face, with notches on S. and 2 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post.

Land mountainous. and rolling.

Negetation bunchgrass

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

A Range

Gila and Salt River

Chains East, on a random line between Sections 11 and 14. Variation 14 00

Descend.

40.00 Set temporary & sec. cor.

Cross Gulch, & lks. wide, Course &. C. and ascend. 47.00

Intersect N. & S. line, 41 1ks South of cor. to secs. 79.84

11 12.13 4 14 from which corner, I run Sog "42' W. on a true line between sections 11 +14

Variation 14°00 East.

39. 9 2 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on N. face, dug pits, 18 x 18 x 12 ins., (). and M. of

post 51 ft. dist., and raised a mound of earth 11 ft.

high, 31 ft. base around post.

The corner to sections 10. 11, 14 4 16 79.84

Land mountainous and rolling.

Soil 2nd. rate.

Timber of beday Vegetation bunchgrass

Meridian.

Meridian.

Chains

North, between Sections 10 and 11.

Variation 14°00 East.

Ascend.

40. 00 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on M. face, dug pits, 18 x 18 x 12 ins. M. and S. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 2. 3.10 4 11 marked T. 18 CAS. 2 , on .V. E., R28 0, S. // on S. E. S. 10 on S. W and S. I on N. W. face, with of notches on S. and 2 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post.

Land mountainous and rolling.

Soil 2nd rate.

Timber of bedar Vegetation bunchgrass

A Range 28

Meridian.

Gila and Salt River

East, on a random line between Sections 2 and 11. Chains Variation 14'00 East.

Descend.

Cross Gulch, J lks. wide, Course of O. and ascend. 9.46 Set temporary \ sec. cor. 40.00

79.92 Intersect N. & S. line, 22 1ks. South of cor. to secs.

1. 2. 11 & 12 from which corner, I run Is 9051 W. on a true line between sections 2 4/1

Variation 14°00 East.

179.96 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on

A. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 51 ft. dist., and raised a mound of earth 11 ft.

high, 3½ ft. base around post.

The corner to sections 2. 4.16 \ 1/ 79.92

Land mountainous

Soil Ind. rate.

Timber of bedar Vegetation bunchapase

BOOK 291 A. Range Township_ Gila and Salt River Meridian. North, on a random line between Sections 2 and 3. Chains 14 od East. Variation Ascend. Juni and Rio Presco Muide, bears East and West and descend. Set temporary \ sec. cor. 40.00 Intersect & B. of Tp. 20 1ks. West of cor. to sees. 80.19 2. 3. 34 × 00 recently established by me Which is a sand stone 1/x 2x9 ins. 10 ins, in the ground for Cor. to Secs. 2. 3. 3 4 9 55 marked with & notches on the and a notohes on E. edges, duy pits 18 x 18 x 12 ths. in each Sec., 5½ fl. dist., and raised q mound of earth? ft. high 42 ft. base alongside From which corner I run. S. 11'M. on a true line between sections 2 & G Va. 14 od Bast. Set a post 3 ft. long, 3 ins. diam. with marked stone. 40.19 12 ins. in the ground, for & Sec. Cor., marked & S. on W. face, dug pits, 18 x 18 x 12 ins., W. and J. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 3½ ft. base around post. The corner to sections 2. J. 10 4 // 80.19 Land mountainous and rolling. Soil 2nd, rate. Timber of bedar Vegetation bunchglase M. M. Harlan compassman

around post. Land mountainous and rolling.

Soil 2nd, rate.

Timber of bedal Vegetation bunchquase

Township

37.60

40.00

1513.50

80.00

Township

N Range 28

Meridian. Gila and Salt River

East, on a random line between Sections 27 and 34. Chains Variation 14°00 East. A scend. Top of Spur, bears N. 60° E. & Soo'W. and descend. 27.00 Set temporary \ sec. cor. 40.00 Cross Gulch, & Iks. wide, Course S. W. and ascend. 43.60 Intersect N. & S. line, 27 1ks. South of cor. to secs. 80.6 2 26.27.34 & Go from which corner, I run S. 59°48' W. on a true line between sections 27 Vor Variation 14 00 East. Set a post 3 ft. long, 3 ins. diam. with marked stone. 40.06 12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on N. face, dug pits, 18 x 18 x 12 ins., (and W. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post. The corner to sections 27.28.33 + 34 Land mountainous and rolling. Soil and Timber of bedar

Vegetation bunchgrase

Meridian.

Chains

North, between Sections 27 and 28.

Variation 14 od

East.

Descend.

0.00 (34.50 Cross Gulch, o lks. wide, Course J. M. and ascend.

Top of Spur, bears N. 6 & S. M. and descend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for \ Sec. Cor., marked \ S. on M. face, dug pits, 18 x 18 x 12 ins., M. and V. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post.

1524.00 80.00

Cross Gulch, o lks. wide, Course of M. and ascend. Set a post 4 ft. long, 4 ins. square, with marked stone, 12 ins. in the ground, for Cor. to Secs. 21. 22. 27 428 marked T. 18 M. S. 22 , on . V. E., R. 28 0, 8. 27 on S. E. S. 28 on S. W. and S. 2 on N. W. face, 2 with 2 notchest on S. and of notchest on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post. Land mountainous and rolling.

Soil 2nd. rate.

Timber of Cedar

Veyeration bunchgrass

Meridian.

East, on a random line between Sections 22 and 27. Chains 1 st "0% Variation East. Ascend. Set temporary \(\frac{1}{2}\) sec. cor. 40.00 84.42 Intersect N. & S. line, 8 1ks South of cor to secs. 22 24 26 427 from which corner, I run of so o 7' W. on a true line between sections 22 427 14 od East. Variation 40.21 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on M. face, dug pits, 18 x 18 x 12 ins., O. and W. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post.

Land mountainous and rolling.

Soil 2nd, rate.

Timber of beday

Vegetation bunchgrass

Township

✓/ Range

28

Meridian.

Gila and Salt River

Chains North, between Sections 21 and 22.

18

Variation 1400

East.

Ascend.

17.00 Top of Spur, bears N. E. & S. M. and descend.

24.00 Cross Gulch, 3 lks. wide, Course S. W. and ascend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for \(\frac{1}{2}\) Sec. Cor., marked \(\frac{1}{4}\) S. on

\$\mathcal{U}\$. face, dug pits, 18 x 18 x 12 ins., \$\mathcal{N}\$. and \$\mathcal{U}\$. of

post 51 ft. dist., and raised a mound of earth 11 ft.

high, 31 ft. base around post.

72.00

80.00

Top of Spur, bears N.M. & S. and descend.

Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 13.16.21 & 22

marked T. S. S. 15. on N. E., R. S. O., S. 22

on S. E. S. 21 on S. W. and S. 16 on N. W. face, s

with 3 notches on S. and 3 notches on E. edges;

dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.,

and raised a mound of earth 2 ft. high, 4½ ft. base

around post.

Land mountainous and rolling.

Soil God. rate.

Timber of beday

Vegetation bunchgrass

Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation

East.

A scend.

10.00

Top of Spur, bears N. J. G. & S. Mand descend.

Set temporary \ sec. cor. 40.00

79.98 Intersect N. & S. line, 29 1ks. South of cor. to secs.

14. 10 22 423 from which corner, I run

S. 8 9° 48 W. on a true line between sections 10 4 22

Variation 14 of East.

39.99 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for \ Sec. Cor., marked \ S. on A. face, dug pits, 18 x 18 x 12 ins., (and M. of post 51 ft. dist., and raised a mound of earth 12 ft. high, 31 ft. base around post.

79.98

The corner to sections 15.16.21 7 22 Land mountainous and rolling.

Soil and. rate.

Timber of bedas

Vegetation bunchgrace

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

Township

CA. Range

Gila and Salt River

Meridian.

Chains

North, between Sections 15 and 16.

Variation 14 00

East.

Ascend.

12.00 40.00

Top of Spur, bears A 50 6. & Low Mand descend. Set a post 3 ft. long, 8 ins. diam: with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on W. face, dug pits, 18 x 18 x 12 ins. Ch. and S. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post.

44.00

80.00

Cross Gulch, J Iks. wide, Course S. M. and ascend. Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 9.10.15 4 16 marked T. 15 Ch.S. 10 , on N. E., R. 28 0, S. 10 on S. E. S. 16 on S. W. and S. 9 on N. W. face, with of notches on S. and of notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec. 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base cround post.

Land mountainous and rolling.

Soil And, rate.

Timber of bedar Vegetation bunchgrack

Meridian. Gila and Salt River

Chains

East, on a random line between Sections 10 and 15.

Variation 14 00

BOOK 291

Descend.

20.00

Cross Gulch, J lks. wide, Course S. M. and ascend.

Set temporary 1 sec. cor.

79.8 3 Intersect N. & S. line, // Iks. North of cor. to secs.

10.11. 14 VIV from which corner, I run

A 8 9° 55 W. on a true line between sections 10 VIV

Variation 14° oc East.

40.00

I 9.92 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on A. face, dug pits, 18 x 18 x 12 ins., O. and M. of post 51 ft. dist., and raised a mound of earth 12 ft. high, 31 ft. base around post.

79.88 The corner to sections 9.10. 15 4/6 Land mountainous and rolling. Soil 2nd rate Timber of hedar Vegetation bunchgrass

Township

✓ Range

28

Meridian.

Gila and Salt River

Chains

North, between Sections 9 and 10.

Variation 14°00

East.

Ascend.

40.00

Top of Spur, bears N. W. & S. E. and descend.

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for \(\frac{1}{2}\) Sec. Cor., marked \(\frac{1}{2}\) S. on

W. face, dug pits, 18 x 18 x 12 ins., N. and S. of

post 5\(\frac{1}{2}\) ft. dist., and raised a mound of earth 1\(\frac{1}{2}\) ft.

high, 3\(\frac{1}{2}\) ft. base around post.

UU.00

80.00

Cross Gulch, I lks. wide, Course I. and ascend.

Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. I. 1, 9 4 10

marked T. 18 NS. I . ou N. E., R. 28 G., S. 10

on S. E. S. 9 on S. W and S. 4 on N. W. face, D

with I notches on S. and I notches on E. edges;

dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.,

and raised a mound of earth 2 ft. high, 4½ ft. base

around post.

Land mountainous and rolling.

Soil 2nd, rate.

Timber of bedat Vegetation bronchapase

A. Range

Gila and Salt River Meridian.

Chains East, on a random line between Sections 3 and 10. Variation East. Descend. Cross Gulch, 10 lks. wide, Course L. 20 G. and ascend. 15.00 Top of Spur, bears N. 20 W. S. 20 Cand descend. 34.00 Set temporary \ sec. cor. 40.00 Cross Gulch, 3 - Iks. wide, Course Lis W and ascend. 50.00 Intersect N. & S. line, 27 1ks. North of cor, to secs. 79.71 2.3.11 4// from which corner, I run CA. 8 9 48 W. on a true line between sections 3 410 Variation 1400 East. 89.86 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on A. face, dug pits, 18 x 18 x 12 ins., E. and M. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post.

79. 71 The corner to sections 3. 4.9 4/0

Land mountainous and rolling.

Soil and, rate.

Timber of bedar Vegetation bunchgrass

BOOK 291 A Range 28 Township Meridian. Gila and Salt River North, on a random line between Sections 3 and 4. Chains Variation 14'00 East. Ascend. Juni and Pro Pureo Divide, 21.00 O. and W. and descend. Set temporary 1 sec. cor. 40.00 Intersect NB. of Tp. 44 1ks. West of cor. to secs. 80.21 post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. J. 4. 3 3 4 34 marked T. 19 M.S. 34, on N. E., R. 280, S. 3 on S. E. S. 4 on S. Wand S. 33 on N. W. face, with I notches on Wand I notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and paised a mound of earth 2 ft. high, 4½ ft. base dround post! From which corner I run. S. 15' M. on a true line between sections of & 4 Va. 14'00 East Set a post 3 ft. long, 3 ins. diam. with marked stone. 40.21 12 ins. in the ground, for & Sec. Cor., marked & S. on M. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 51 ft. dist., and raised a mound of earth 11 ft.

high, 3\frac{1}{2} ft. base around post.
The corner to sections 3. 4. 9 \(1/0 \) 80.21 Land mountainous and rolling.

> Soil Ind. rate Timber of bedar

Vegetation bunchgrass

ybenry A. love

Gila and Salt River

Meridian.

North, between Sections 32 and 33.

Variation 1407

East.

Ascend.

Set a post 3 ft. long, 3 ins. diam. with marked stone. 40.00 12 ins. in the ground, for \ Sec. Cor., marked \ S. on M. face, dug pits, 18 x 18 x 12 ins., M. and S. of post 51 ft. dist., and raised a mound of earth 12 ft.

high, 31 ft. base around post.

60.50 80.00

Top of Ridge, bears E. & M. and descend. Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 25. 29. 32 403 marked T. 18 Ch.S. 28 , on N. E., R 280, S. 33 on S. E. S. & 2 on S. W. and S. 29 on N. W. face, with , notch on S. and of notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post. Land mountainous

Soil 2nd rate.

Timber of bedar Vegetation bunchiglass Township

18 M. Range

Meridian.

Gila and Salt River

Chains East, on a random line between Sections 28 and 33.

Variation

East.

Descend.

Set temporary & sec. cor.

40.00 80.02

Intersect N. & S. line, 3 9 Whs. North of cor. to secs. 27. 28 & 3 & Jof from which corner, I run

CA 89 " 4 3 W. on a true line between sections 28 4 3 3

Variation 14'00 East.

Set a post 3 ft. long, 3 ins. diam. with marked stone. 210.16

> 12 ins. in the ground, for \ Sec. Cor., marked \ S. on A. face, dug pits, 18 x 18 x 12 ins., O. and M. of

> post 51 ft. dist., and raised a mound of earth 11 ft.

high, 31 ft. base around post.

The corner to sections 28. 29.42 4 3 80.132

Land mountainous and rolling.

Soil Ind. rate.

Timber of bedar Vegetation bunchquare

Meridian. Gila and Salt River

28

Chains

North, between Sections 28 and 29.

Variation

East.

Ascend.

18

Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on M. face, dug pits, 18 x 18 x 12 ins., A. and S. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post.

49.00

40.00

80.00

Top of Ridge, bears N. E. & S. W. and descend. Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 20.21. 28 429 marked T. 18 M.S. 21 . on N. E., R. 286, S. 28 on S. E. S. 2 9 on S. W and S. 20 on N. W. face, with 2 notches on S. and of notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post.

Land mountainous

Soil Frd. rate.

Timber of beday

Vegetation burch grace

Meridian.

Gila and Salt River

Chains

East, on a random line between Sections 21 and 28.

Variation 14 00

East.

Ascend.

10.00 Top of Ridge, bears N. O. V. W. and descend.

80.19 Intersect N. & S. line, // 1ks. North of cor. to secs.

21.22,27 428 from which corner, I run ON. 89°55W. on a true line between sections 21 + 28

Variation 14'00 East.

40.10

Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on N. face, dug pits, 18 x 18 x 12 ins., G. and M. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 3\frac{1}{2} ft. base around post.

80.19

The corner to sections 20. 21. 28 429

Land mountainous

Soil Indi

Timber of bedar

Vegetation bunchgrack

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

Gila and Salt River Meridian.

Chains

North, between Sections 20 and 21.

Variation 14 ou

East.

Ascend.

20.60

Top of Ridge, bears N. E. & S. M. and descend.

19.00 40.00 Cross Gulch, o lks. wide, Course S. W. and ascend. Set a post 3 ft. long, 3 ins. diam. with marked stone,

12 ins. in the ground, for & Sec. Cor., marked & S. on M. face, dug pits, 18 x 18 x 12 ins., M. and S. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post.

41.20 70.00

Top of Ridge, bears CA. E. & V. W. and descend. Cross Gulch, 10 lks. wide, Course S. W. and ascend.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 16.17. 20 4.11 marked T. /8 U.S. /6 , on N. E., R. 250, S. 2/ on S. E. S. 20 on S. W. and S. 17 on N. W. face S with I notches on S. and of notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.

Land mountainous

Soil and, rate

Timber of Gedal

Vegetation bunchgrass

Meridian.

Gila and Salt River

Chains East, on a random line between Sections 16 and 21.

Variation 14 00

East.

Descend.

5.00 Cross Gulch, o lks. wide, Course S. W. and ascend.

40.00 Set temporary 1 sec. cor.

7998 Intersect N. & S. line, 13 1ks. South of cor. to secs.

15. 16. 21 V 22 from which corner, I run

S. 89 "5-4W. on a true line between sections 16 421

Variation 14'00 East.

3 9.9 9 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for \{ Sec. Cor., marked \{ S. on \(\) face, dug pits, 18 x 18 x 12 ins., \(\) and \(\) of

post 51 ft. dist., and raised a mound of earth 11 ft.

high, 3½ ft. base around post.

7 9.98 The corner to sections 16.17.20 4 2/

Land mountainous

Soil 2nd, rate.

Timber of Cedary

Vegetation bunchgrass

Meridian, Gila and Salt River

North, between Sections 16 and 17. Chains

> Variation East.

Ascend.

Top of Ridge, bears (). & W. and descend. 14.60

Cross Gulch, 10 lks. wide, Course West and ascend.

Set a post 3 ft. long, 3 ins. diam. with marked stone. 40.00

12 ins. in the ground, for \ Sec. Cor., marked \ S. on M. face, dug pits, 18 x 18 x 12 ins., A. and S. of post 51 ft. dist., and raised a mound of earth 11 ft.

high, 3½ ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 8, 9. 16 417

marked T.18 C.S. 9 , on N. E., R 28 0, S. 16

on S. E. S. 17 on S. W. and S. 8 on N. W. faces

with of notches on S. and of notches on E. edges;

dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist.,

and raised a mound of earth 2 ft. high, 4½ ft. base

around post.

Land mountainous

Soil 2nd. rate.

Timber of bedal

Vegetation bunchasase

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 9 and 16.

Variation 1400 East.

Ascend.

Top of Ridge, bears N. & S. and descend, 23.00

40.00 Set temporary \ sec. cor.

79.77 Intersect N. & S. line, 29 1ks. North of cor. to secs.

9.10, 15 4 16 from which corner, I run 1 189° 48 W. on a true line between sections 9 4/6

Variation 14°00 East.

139.89

Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for & Sec. Cor., marked & S. on N. face, dug pits, 18 x 18 x 12 ins., O. and N. of post 51 ft. dist., and raised a mound of earth 11 ft. high. 31 ft. base around post.

The corner to sections & 8 96 4 17

Land mountainous

Soil 2nd. rate

Timber of bedar

Vegetation bunchgrass

Gila and Salt River Meridian.

Ghains

North, between Sections 8 and 9.

Variation 14 00

East.

Descend.

19.00 Cross Gulch, of lks. wide, Course S. W. and ascend.

29.00 Top of Ridge, bears N. E. & S. W. and descend.

40,00 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for & Sec. Cor., marked & S. on M. face, dug pits, 18 x 18 x 12 ins. M. and S. of post 51 ft. dist., and raised a mound of earth 11 ft.

high, 31 ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 4. J. 8 & 9 marked T. 18 MS. 4 . on . V. E., R 28 6, S. 9 on S. E. S. 8 on S. W and S. o on N. W. face, with of notches on S. and of notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 52 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post. m low Sag

Land mountainous

Soil 2nd. rate.

Timber of bedar Vegetation bunchgrass Gila and Salt River

Meridian.

Chains	East, on a random line between Sections 4 and 9.
	Variation A od East.
	Ascend.
40.00	Set temporary \(\frac{1}{2}\) sec. cor.
79.94	Intersect N. & S. line, // W. South of cor. to sees.
	3. A. 9 & 10 from which corner, I run
	S. 89'55' W. on a true line between sections 4 4 9
	Variation 14°00' East.
39.97	Set a post 3 ft. long, 3 ins. diam. with marked stone.
	12 ins. in the ground, for \{\frac{1}{2}\) Sec. Cor., marked \{\frac{1}{2}\} S. on
	A. face, dug pits, 18 x 18 x 12 ins., E. and W. of
	post 51 ft. dist., and raised a mound of earth 11 ft.
	high, 3½ ft. base around post.
79.94	The corner to sections 4.5.8 \to 9

Land mountainous and rolling. Soil 2nd. rate.

Timber of Bedar Vegetation banchagase

BUOK 291 A Range Township 18 Gila and Salt River Meridian. North, on a random line between Sections 4 and 5. Chains East. Variation Ascend. Jumi and Rio Presco Smide, leave E. & W. Set temporary \ sec. cor. 40.00 Intersect N.B. of Tp. 44 1ks. West of cor. to secs. 80.09 4. 5. 32 4 33 recently established by me Which is a sand stone 18 x 10 x 4 ins. 12 ins. in the ground for Cor. to Secs. 4. 5. 32 & 33 marked in 12 notches on W. and 4 notches on & ages und raised a mound of stone. alongside From which corner I run. of 191 Mon a true line between sections 4 & 0 Va. 14'00 East. Set a post 3 ft. long, 3 ins. diam. with marked stone. 40.09 12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 3½ ft. base around post. The corner to sections 4 5.8 + 9 80.09 Land mountainous and rolling. Soil Ind, rate. Timber of Redar Vegetation bunchgrand M. M. Harlan compasson

Gila and Salt River

Meridian.

Chains

Township

North, between Sections 31 and 32.

Variation 140 / East.

4 scend.

2 1. 20 Top of Ridge, bears N. W. & S. E. and descend.

37.90 Cross Gulch, 10 lks. wide, Course S. W. and ascend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for \(\frac{1}{2}\) Sec. Cor., marked \(\frac{1}{2}\) S. on \(\mathcal{U}\). face, dug pits, 18 x 18 x 12 ins., \(\mathcal{U}\). and \(\mathcal{U}\). of post 5\(\frac{1}{2}\) ft. dist., and raised a mound of earth 1\(\frac{1}{2}\) ft.

high, 3½ ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 29. 30. 31 432
marked T. 18 Ch.S. 29, on N. E., R. 28 G., S. 32
on S. E. S. 31 on S. W. and S. 30 on N. W. face, p
with 1 notch on S. and 3 notches on E. edges;
dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.,
and raised a mound of earth 2 ft. high, 4½ ft. base
around post.

Land mountainous

Soil 2nd, rate.

Timber of bedar Vegetation bunchgrass CN Range

Gila and Salt River Meridian.

Chains	East, on a random line between Sections 29 and 32. Variation 14 00 East.
	Descend.
40.00	Set temporary \(\frac{1}{2}\) sec. cor.
43.00.	Cross Gulch, of 1ks. wide, Course South and ascend.
72.00	Top of Ridge, bears N. & S. and descend.
79.96	Intersect N. & S. line, Jo 1ks, South of cor. to secs.
	28.29.02 403 from which corner, I run
	Sog' 39' W. on a true line between sections 29 462
	Variation 14'00 East.
J 9.98	Set a post 3 ft. long, 3 ins. diam. with marked stone.
	12 ins. in the ground, for \ Sec. Cor., marked \ S. on
	Ch. face, dug pits, 18 x 18 x 12 ins., E. and W. of
	post 5½ ft. dist., and raised a mound of earth 1½ ft.
	high, 3½ ft. base around post.
79.96	The corner to sections 2 9. Jo. J / & J 2
	Land mountainous
	Soil 2nd. rate.
	Timber of bedar
	Vegetation bunchgrass
	Henry Ct. boe Dec. 5, 1872
	Da.s. srz
	V V

BOOK 291

Range

Gila and Salt River

Township

Meridian. West, on a random line between Sections 30 and 31. Chains 14'00' East. Variation Descend. Set temporary \ sec. cor. 40.00 20. 30. 31 & 36 which is a Sost 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor, to Secs. 20.00.3/486 marked T. 18 N.S. 30 . on N. E. R. 286. 8.31 on S. E. S. J 6 on S. W and S. 25 on N. W. face. with I notch on S. and I notched on Nedges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 42 ft. base around post. From which corner I run. M.89°48 Con a true line between sections 30 + 31 Va. 14 00 East. Set a post 3 ft. long, 3 ins. diam. with marked stone. 19.41 12 ins. in the ground, for \ Sec. Cor., marked \ S. on N. face, dug pits, 18 x 18 x 12 ins., O. and N. of post 51 ft. dist., and raised a mound of earth 12 ft. high. 31 ft. base around post.

79.41 The corner to sections 29.60.61 4 32

Land rolling.

Soil 2nd. rate.

Timber of bedar Vegetation bunchgross

M. Harlan, composeman Dec c. 180

A Range

Gila and Salt River Meridian.

North, between Sections 29 and 30. Chains Variation 14 00 East. Descend. Cross low Sag and ascend 26.76 Pallo's yourse & Corral, bears & go like diet 13.00 Top of Ridge, bears N. E & S W. and descend. 34.00 Set a post 3 ft. long, 3 ins. diam. with marked stone. 40.00. 12 ins. in the ground, for \ Sec. Cor., marked \ S. on M. face, dug pits, 18 x 18 x 12 ins., M. and of . of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post. 45. M Cross low Sag and ascend. 80.00 Set a post 4 ft. long, 4 ins. square, with marked stone.

Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 19. 21. 29 with marked T./5 A.S. 24. on N. E., R 25 A. S. 29

on S. E. S. 36 on S. W. and S. 19 on N. W. face on with 2 notches on S. and 3 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.

Land mountainous and rolling.

Soil 2nd. rate.

Soil 2nd, rate.
Timber of bedar

Vegetation bunchgrass

Township

79.81

A Range

Meridian.

Gila and Salt River

East, on a random line between Sections 20 and 29. Chains 14'00

Variation

Descend.

Set temporary \ sec. cor.

40.00

Intersect N. & S. line, 4 3 1ks. South of cor. to sees. 20. 21. 28 + 29 from which corner, I run

of 89°42 W. on a true line between sections 20 4 2 9 Variation 1 of East.

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for \ Sec. Cor., marked \ S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and M. of post 51 ft. dist., and raised a mound of earth 11 ft.

high, 31 ft. base around post.

79.81 The corner to sections 19. 20 2 9 4 50

Land mountainous and rolling.

Soil 2nd rate.

Timber of bedar

Vegetation bunchgrass

Henry Ct. Coe Dec. 5. 1802

M. M. Harlan, com pass

Township

A Range

Gila and Salt River Meridian.

West, on a random line between Sections 19 and 30. Chains Variation 14°00 East. Ascend. Set temporary 1 sec. cor. 40.00 7 9.50 Intersect W.B. of Tp. 32 1ks. Couth of cor. to secs. 12 ins. in the ground, for Cor. to Secs. 19. 2 H. 20 4 80 marked T. 18 Chs. 19 . . E., R 28 6, S. 30 on S. E. S. 2 5 on S. W and S. 2 4 on N. W. face, with 2 notines on S. and 4 notches of Wedges dug pits, 18 x 18 x 12 ins. in each Sec., 5\frac{1}{2} ft. dist., and raised a mound of earth 2 ft. high, 42 ft. base around post. From which corner I run. M. 8946 Oon a true line between sections 19 400 Va. 14 00 East. Set a post 3 ft. long, 3 ins. diam. with marked stone. 139.30 12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on N. face, dug pits, 18 x 18 x 12 ins., Q. and W. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post. 79. 80 The corner to sections 19.20.29 400 Land mountainous and rolling. Soil 2nd rate. Timber of Cedar Vegetation bunchasass

Township

Range 28

Meridian.

Gila and Salt River

Chains

North, between Sections 19 and 20.

Variation 14°00 East.

Ascend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for \ Sec. Cor., marked \ S. on M. face, dug pits, 18 x 18 x 12 ins., W. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 31 ft. base around post.

67.00 75.20

80.00

Top of Ridge, bears E. & U. and descend. Cross Gulch, 10 lks. wide, Course West and ascend. Set a post 4 ft. long, 4 ins. square, with murked stone. 12 ins. in the ground, for Cor. to Secs. 17. 18.19 4 20 marked T. 18 Ch. S. 17 , on N. E., R 25 6, S. 20 on S. R. S. 19 on S. W. and S. 18 on N. W. face D with 1, notches on S. and of notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.

Land mountainous

Soil 2nd rate.

Timber of bedar

Vegetation bunchgrass

Township / Range

Gila and Salt River

Meridian.

East, on a random line between Sections 17 and 20. Chains Variation 14°00 East. Descend. Cross Gulch, 10 lks. wide, CourseSouth and ascend. 6.00 Set temporary & sec. cor. 40.00 Intersect N. & S. line, & 7 1ks. South of cor. to secs. 80.28 16.17.20 421 from which corner, I run of 89° 44' W. on a true line between sections 17 420 Variation 14 000 East. 40.14. Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on A. face, dug pits, 18 x 18 x 12 ins., E. and M. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post. The corner to sections 17. 18.19 + 20 80.18 Land mountainous and rolling. Soil Frd rate Timber of Sedar Vegetation buncharas

Henry Ct. Cor Seo. 5: 1882 BOOK 291

Township

A. Range 28

Gila and Salt River

Meridian.

Chains

40.00

79.21

West, on a random line between Sections 18 and 19.

Variation 14°00

Descend.

Set temporary \ sec. cor. Intersect W. B. of Tp. /y Ws. North of cor. to secs.

13.18.19 & 24 recently establish Which is a

post 4 ft. long, 4 ins. square, with marked stone,

12 ins. in the ground, for Cor. to Secs. 17. 18.19 4 20

marked T. 18 (N.S. 18 ou N. E., R 280, S. 19

on S. E. S. 2 + on S. W and S. 13 on N. W. face,

with of noteher on S. and of notcher on Nedges;

dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist.,

and raised a mound of earth 2 ft. high, 41 ft. base

around post. From which corner I run.

As 9 sis Con a true line between sections 18 419

Va. Hod Rast.

19.21 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for \ Sec. Cor., marked \ S. on

N. face, dug pits, 18 x 18 x 12 ins., 6 . and W . of

post 51 ft. dist., and raised a mound of earth 11 ft.

high, 31 ft. base around post.

The corner to sections 17. 18.19 4 20 79.21

Land mountainous and rolling.

Soil 2nd

Timber of Reday Vegetation bunchasass

M.M. Harlan, compassman Dec. 8. 1812

10.60

40.00

Gila and Salt River Meridian.

Chains

North, between Sections 17 and 18.

18

Variation 14°00

East.

Ascendo

Top of Ridge, bears N. 60° E. & So Wand descend. Set a post 3 ft. long, 3 ins. diam. with marked stone, 12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on

W. face, dug pits, 18 x 18 x 12 ins., W. and S. of post 51 ft. dist., and raised a mound of earth 11 ft.

high, 31 ft. base around post.

80.00

4 & SU Cross Gulch, J Uks. wide, Course West and ascend. Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 7. 8.17 4 18 marked T. 18C.S. 8 . On N. E., R 28 6, 8.17 on S. E. S. 18 on S. W. and S. 7 on N. W. face with I notches on S. and I notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base

Land mountainous

around post.

Soil and rate.

Timber of bedar

Vegetation bimeligraes

Township

BOOK 291

A. Range

28

6

Gila and Salt River

Meridian.

East, on a random line between Sections 8 and 17. Chains Variation 14 00 Fast. Ascend. Set temporary \ sec. cor. 40.00 7 9.95 Intersect N. & S. line, 3 3 1ks. South of cor. to secs. 9.5 16 417 from which corner, I run S. 590 46 W. on a true line between sections 8 417 Variation 4000 Bast. Set a post 3 ft. long, 3 ins. diam. with marked stone. 19.98 12 ins. in the ground, for & Sec. Cor., marked & S. on CN. face, dug pits, 18 x 18 x 12 ins., 6. and W. of post 51 ft. dist., and raised a mound of earth 14 ft. high, 31 ft. base around post. The corner to sections 7. 8.17 418 Land mountainous and rolling. Soil 2nd rate. Timber of Pine Vegetation bunchgrase I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

Henry A. boe Dec. 5: 1882

Township.

Range ...

Gila and Salt River Meridian.

West, on a random line between Sections 7 and 18. Chains 14000 Variation East. Descend. Cross Gulch, 10 lks. wide, Course South and ascend. -24,00 Set temporary \ sec. cor. Intersect W.B. of Tp. 9 1ks. South of cor. to sees 79.07 7. 12.18 + 18 mently Which is a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs, 7 12. 18 4 18 marked T. 15 Ch. S. 7 . out. E., R. 286. , S. 18 on S. E. S. 13 on S. W. and S. 12 on N. W. face with of notches on S. and 2 notches on Nedges, dug pits, 18 x 18 x 12 ins. in each Sec., 52 ft. dist., and raised a mound of earth 2 ft. high, 45 ft. base around post. From which corner I run. of 8 9 36 6 on a true line between sections 7 4/8 Va. 14'00 East. 19.07 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for 1 Sec. Cor., marked 1 S. on o N. face, dug pits, 18 x 18 x 12 ins., E. and M. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post. 79.07 The corner to sections 7.8.47 + 18 tand mountainous and rolling. Soil Ind! rate. Timber of bedar Vegetation bunchgrass compassman,

N. Range 28

Gila and Salt River

Meridian.

North, between Sections 7 and 8. Chains

Variation 140 of East.

Ascend.

134.50 40,00

Top of Ridge, bears E. & W. and descend. Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for \ Sec. Cor., marked \ S. on Mr. face, dug pits, 18 x 18 x 12 ins., N. and V: of post 53 ft. dist., and raised a mound of earth 13 ft. high, 31 ft. base around post.

00.00

78.00

Cross Gulch, & Iks. wide, Course West and ascend. Gimi and Pro Preseo Divide, Sears N. 40 6 & Soll, and descend.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. J. 6. 7 4 8 marked T. 18 CNS. 5' . on . V. E. R 286, S. 8 on S. E. S. 7 on S. W and S. 6 on N. W. face with , notches on S and o notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 51 ft. dist., and raised a mound of earth 2 ft. high, 41 ft. base around post.

Land mountainous

Soil Red. rate.

Timber of Cedar Vegeneron bunchgrace

Township 18 N. Range 38

Gila and Salt River Meridian.

	una and Sait miver Wieridian.
Ghains	East, on a random line between Sections 5 and 8.
	Variation 14°00 East.
	A soend.
2.50	Juni & Pro Prierco Divide, bears CN. E. & S. N. and descend.
40.00	Set temporary \(\frac{1}{2} \) sec. cor.
80.22	Intersect N. & S. line, & 2 1ks. South of cor. to secs.
	4. 5. 8 & 9 from which corner, I run
	Sog" 46' W. on a true line between sections 5 48
	Variation 14°00' East.
40.11	Set a post 3 ft. long, 3 ins. diam. with marked stone.
	12 ins. in the ground, for \ Sec. Cor., marked \ S. on
	N. face, dug pits, 18 x 18 x 12 ins., E. and W. of
	post 51 ft. dist., and raised a mound of earth 11 ft.
	high, 3½ ft. base around post.
80.22	The corner to sections 5.6. 7 & 8
	Land mountainous and rolling.
	Soil and rate.
	Timber of bedal
	Timoer of Venue
	Vegetution bunchquase the
	Henry A. Ool
	Henry A. Coe Dec. 8. 1882

BOOK 291

A Range 28 Township

Meridian.

East.

Gila and Salt River

West, on a random line between Sections 6 and 7.

Variation 14'00

Descend.

59

Chains

20.00

78.02

38.52

Cross Gulch, 10 lks. wide, Course S. W. and ascend.

Set temporary \ sec. cor. 40.00

Intersect W. B. of Tp. 14 lks. North of cor. to secs.

1.6. 7 1/2 recently autobar Which is a.

1. 18 N. B. 6 , on N. E. R. 286 8. 4

8. E.S. /2 , on S. W. and S. / on N. W. faces.

with s notches on S. and I notch on Nedges.

dug pits 18 x 18 x 12 ins. in each sec. 51 ft. dist. and

raised a mound of earth around tree, for cor. to sees.

From which corner I run.

N. 89° 3 4 Gon a true line between sections 6 4 7

Va. 14° m/ East

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for \ Sec. Cor., marked \ S. on

N. face, dug pits, 18 x 18 x 12 ins., O . and N. of

post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post.

7 8. 02 The corner to sections v. 6. 7 4 6

Land mountainous and rolling.

Soil Ind. rate.

Timber of Bedar Vegetation buncharace

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and revers-

ing apparatus, and found them correct.

BOOK 291 Township A Range 28 Gila and Salt River Meridian. North, on a random line between Sections 5 and 6. Chains 124 000 Variation East. Descend. Cross Gulch, 10. 1ks. wide, Course West and ascend. 14.00 Set temporary & sec. cor. Puerco Dinde, 45.00 bears CN. 30° W. & S.30° 6, and descend. 80.16 Intersect N.B. of Tp. 13 1ks. West of cor. to secs. v. 6. 31 × 32 recently established by me Which is a sand stone 14 x 10 x 9 ins. 10 ins. in The ground for Cor. to Sees, V. 6. & 1 & J2 marked with I notch on W, and stolches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 51 ft. dist, and raised a round of earth 2 ft, high 14 it base, alongside From which corner I run. S.6' W, on a true line between sections 5' & 6 Va. 14°00 East. 40.16 Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for \ Sec. Cor., marked \ S. on M. face, dug pits, 18 x 18 x 12 ins., M. and S. of post 51 ft. dist., and raised a mound of earth 11 ft. high, 31 ft. base around post. The corner to sections J. 6. 7 & 8 80.16 Land mountainous Soil 2nd. rate. Timber of Cedar Vegetation bunchgrass M. M. Harlan compassman

GENERAL DESCRIPTION.

This Township contains mountains and solling land.
It is on the Divide between the Juni and Pro Puesco Priese.
It is covered with a growth of scrub cedar also an abundance of mututious grasses which affords fine groung The soil is a sandy boam and can be classed as 2nd rate.

Pablo James has a House and corral in Sec. 29.

We is the owner of a fine band of sheep, also has about 10 acres ferced value \$300

62

U. S. Surveyor General's Office,

TUCSON. ARIZONA, July 31, 1883

The foregoing Field Notes of the Survey of the

Subdivision Vines of Townships 18 North, Pange 28 Cast

of the Gila and Salt River Base and Meridian, Arizona, executed by Herry C. Coe

Deputy Surveyor, under his contract of the Lo

day of July , 1882, having been critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Surveyor General.

Final Oaths for Surveys.

LIST OF NAMES.

A fist of the names of the individuals employed by

Deputy Surveyor, to assist in running, measuring, and marking
the lines and corners described in the foregoing field-notes of the
survey of the & B. of H. 15NR1. 24+27 & a.a.

Exterior a subdivisions of the NR1. 23-24-2526+28 & H. 17NR1. 26-27-28-29+30 &

18NR1. 28-29-31 & Y-S.R.M.

showing the respective capacities in which they acted.

M. Hasland, Compassman.

Beny Tolon, Chainman.

Beny Villon, Chainman.

John Phelacie, Axeman.

John Phelacie, Axeman.

Gos. B. Colonnan, Flagman.

that all the corners of said survey have been established and perpetuated in strict accordance with the surveying manual, printed instructions, the special written instructions of the United States Surveyor-General for Mrs one , and in the specific manner described in the field-notes, and that the foregoing are the true field-notes of such survey; and, should any fraud be detected, I will suffer the penalty of perjury, under the provisions of an Act of Congress, approved August 8, 1846.

Henry G.

United States Deputy Surveyor.

Subscribed and sworn to before me this

A Eshaemaker

Commissioner, 3d Judicial District