

BOOK "M"

T 21 N. R 6 E

Subdivision

James A. Lamport

Cont. No. 98.

Dated June 30 1902.

BOOK 394

4-671

FIELD NOTES

GENERAL LAND OFFICE.

No 394

394

Settled 12 Aug 5

~~Approved by Commissioner~~

BOOK 394

copied A.A.L. Camp. T & L  
Trans C L O Aug. 7/03.

Des. sheet copied C. J. M. 1/13/04

facts checked J. H. G. 6/2/04

Des. sheet conf by C. H. W. Hunt 4/20/04

facts checked J. H. G. 4/12/04

accts

No-394

BOOK 394

1

Township *21 N.* R. *6 E., S. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36*

**BOOK 394**

6	5	4	3	<del>2</del>	2	1
7	8	9	10	11	12	13
18	17	16	15	14	13	12
19	20	21	22	23	24	25
30	29	28	27	26	25	24
31	32	33	34	35	36	37

1A

One mile of line Bet. Secs

1903.

Survey commenced May 8<sup>th</sup>  
 + started with a W & S. E.  
 Gunby Transit No. 15.

I began at the corner of  
 sec 2, 3, 10, & 11 T21N. R6E  
 which is a pine stake  
 properly marked & witnessed as  
 described by the surveyor  
 General, I set off  $35^{\circ} 16''$   
 on the lat. arc,  $16^{\circ} 52' 41''$   
 on the dec. arc, and  
 determine a true meridian  
 with the color

283 J. 162



1B

One mile of subdivision bet

May 8<sup>th</sup> 1903. At 7<sup>th</sup> A.M.

L. M. J. I set off  $35^{\circ} 16'$  on  
the lat arc,  $16^{\circ} 51' 47''$  on the  
dec. arc, and determined a  
true meridian with the color  
at the corner to axes, 2, 3  
10, and 11. T 21 N. R 6 E. Which  
is a fine post properly marked  
& witnessed as directed by  
the surveyor General.

Mean Mag. Decl.  $14^{\circ} 30' E.$

Then I run

$N 0^{\circ} 7' W.$  for a random line  
bet. axes 2 & 3.

40.00

set dump  $\frac{1}{4}$  sec. cor

80.90

Intersect Township line  
80 lks. East of the corner of  
axes 2, 3, 34 & 35. bet. T 21 & 22 N.  
R 6 E, which is a old  
degraded stake set in the  
ground, and two of the bearings

sec 2 + 3 J 21 N R 6 E

trees are destroyed. I reestablish  
this corner by setting a lava  
stone 16 x 12 x 10 ins 14 ins in the  
ground for cor of secs. 2, 3, 34 and 35  
marked with 2 notches on E. and  
edges, 4 notches on W. face. From  
which a aspen 8 ins in dia bears  
N 23° E. 81 lks dist. marked.

J 22 N, R 6 E. S 35. B.T.

A spruce 24 ins in dia. bears S 48°  
E. 148 lks dist. marked. J 21 N,  
R 6 E S 2. B.T.

A pine 20 ins in dia. bears S 87° W.  
260 lks dist. marked. J 21 N R 6 E S 3. B.T.

a aspen 4 ins in dia bears N 76° W.  
73 lks. dist. marked. J 22 N R 6 E S 34. B.T.

Thence I run.

S 0° 35' E. on true line bet  
secs 2 + 3. Through dense  
aspen & spruce under growth



One pile of subconium

and scattering pine & spruce  
timber. Ascend along west  
slope of small Cinder Mountain.

19.50

Top of steep ascent and  
slight ascent along west  
slope of Mountain 500 ft above base

24.50

descend down S.W. slope of  
Mountain bears S.E. + N.W.

40.90

at a lava stone  $20 \times 12 \times 10$  ins  
14 ins in the ground. Marked  
 $\frac{1}{4}$  on W. face + raised a  
room of stone  $2\frac{1}{2}$  ft base  
 $1\frac{1}{2}$  ft high W. of cor. From  
which a pine 18 ins in dia  
bears S  $75^\circ$  E 137 lts. dist  
marked  $\frac{1}{4}$  S 2. B.T.

A pine 16 in dia bears N  $70^\circ$  W  
205 lts dist marked  $\frac{1}{4}$  S 3. B.T.

56.50

bottom of steep descent +  
slight descent.

net. sec. 2 & 3, T21N R6 E., (continued)

- 60.00 Enter heavy pine timber trees  
N. 26. & S. E.
- 80.90 The cor to sec. 2, 3, 10 & 11.  
Land Mountainous.  
Soil stoney 3<sup>rd</sup> and 4<sup>th</sup> Sect.  
Timber Pine & Spruce.  
Mountainous. Land. 80.90 Chs.

James A. Sampson.  
U.S. Deputy surveyor

80.90

A P P R O V A L .

BOOK 394

5

Office of the

United States Surveyor-General,

aug 7-903 Phoenix, Arizona.

Aug. 7-1903

The foregoing field notes of the survey of subdivisions <sup>Fract.</sup> of T. 21, N. R. 6 E.

of the Gila and Salt River Base and Meridian, in the Territory of Arizona.

Executed by James A. Lamport

United States Deputy Surveyor, under his contract No. 98, dated June 30, 1902,

having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

*August A. Henshaw*

U.S. Surveyor-General.