

No. 451

BOOK 451

subdivision

4-671

451

FIELD NOTES

GENERAL LAND OFFICE.

Township 23 N. R. 1. E.

Indexed Book 456

BOOK 451

128 Township 23N R. 1E

6	133	5	4	3	2	1
131	129					
7	8	9	10	11	12	
18	17	16	15	14	13	
19	20	21	22	23	24	
30	29	28	27	26	25	
31	32	33	34	35	36	

No. 451

BOOK 451 129.

Subdivisions T. 23 N. R. 1 E (cont)

40. 3. 24° 30' N. 64 lks. dist.
marker T. 23 N. R. 1 E. S. 7 B.T.
a cedar 9 ins. diam. bro. N.
35° 15' N. 122 lks. dist. marker
T. 23 N. R. 1 E. S. 6 B.T.

Land, rolling.

Soil, stony 3rd and 4th rate.

No timber

Dense cedar and pinon
brush 80 lks.

N. 89° 54' E. on a random line
bet. sec. 5 and 8.

Var. 14° 47' East.

40.00 Bet temporary 1/4 sec. cor-
70.90 Intersect N and S line 10
lks. S. of cor. to sec. 4,
5, 8 and 9.

Thence I run

Subdivisions

dis S. $89^{\circ}50'$ W. on a true line
bet. sec. 5 and 8.

Var. $14^{\circ}47'$ East.

ever ralling land through
dense brush.

39.95 Set a malpais stone 14×12
 $\times 9$ ins. 9 ins in the
ground for $\frac{1}{4}$ sec. cor-
marker $\frac{1}{4}$ on N. face and
raised a mound of
stone $1\frac{1}{2}$ ft. high, 2 ft
base, alongside, from
which

a Pinon 8 ins. diam. bro
S. 31° W. 42 lks. dist, marker
 $\frac{1}{4}$ S. B. T.

a cedar 9 ins. diam -
bro. S. $2^{\circ}30'$ W. 27 lks. dist
marker $\frac{1}{4}$ S. B. T.

T. 23 N R. 1 E. (cont)

ch.
79.90 The cor to secs. 5, 6, 7 and 8.

Land, rolling.

Soil, rocky, 4th rate.

No timber

Dense cedar and prairie
bush, 79.90 chs

§ 89° 56' W. on a random line
bet. secs. 6 and 7.

Var. 140° 47' East.

40.00 Get temporary 1/4 sec. cor.

8.54 Intersect the W. bdy of the
Sp. 9 lko. N. of the cor. to
secs. 5, 6, 7 and 12, which
is a stone firmly set and
properly marked and sur-
vived as described in the
field notes furnished by
the Surveyor General.

Subdivisions

chs

Thence I run

N. $89^{\circ} 52'$ E. on a true line
bet. sec. 6 and 7.

Var. $140^{\circ} 47'$ East.

Over rolling land, through
dense brush.

38.54 Set a malpais stone $18 \times 13 \times$
 12 ins. 12 ins. in the
ground for $\frac{1}{4}$ sec. cor.

marked $\frac{1}{4}$ on N. face, and
raised a mound of stone
 $1\frac{1}{2}$ ft. high, 2 ft. base, along
side, from which

a cedar 26 ins. diam. bro.

S. $76^{\circ} 15'$ E. 21 lks. dist.

marked $\frac{1}{4}$ S. B.T.

a cedar 16 ins. diam. bro.

S. $21^{\circ} 20'$ W. 63 lks. dist. marked

$\frac{1}{4}$ S. B.T.

T. 23 N. R. 1 E. (cont)

cho.
78.54 The cor. to secs. 5, 6, 7 and 8.

Land, rolling,
soil, stony, 3rd rate.
No timber.

Dense cedar and pine
brush, 78.54 cho.

$N 0^{\circ} 3' N.$ on a random line between 5 and 6.

Var. $140^{\circ} 47'$ East.

40.00 Bet temporary $\frac{1}{4}$ sec. cor.

80.16 Intersect N. body of the 7th - 14
lbs. W. of cor. to secs. 5, 6, 31
and 32, as hereinbefore des-
cribed.

Thence I run

$S 0^{\circ} 03' N.$ on a true line
bet. secs. 5 and 6.

Var. $140^{\circ} 47'$ East.

over broken rolling land,

Subdivisions

cho through dense brush.

19.00 Descent 40 ft.

21.00 Foot of descent

27.00 ascent 60 ft.

31.00 Top of ascent.

Thence over rolling land.

40.16 Get a limestone $14 \times 10 \times 10$
ins. 9 ins. in the ground
for $\frac{1}{4}$ sec. cor. marked

$\frac{1}{4}$ on N. face, and
raised a mound of stone
 $1\frac{1}{2}$ ft. high, 2 ft. base,
alongside, from which.

a Pinon 10 ins. diam. brs.
N. $37^{\circ}30'$ E. 40 lks. dist
marked $\frac{1}{4}$ S. B.T.

a Pinon 12 ins. diam. brs.
N. 71° W. 85. lks. dist marked
 $\frac{1}{4}$ S. B.T.

T. 23 N. R. 1 E. (cont)

cho

80.16 The cor. to secs. 5, 6, 7 and 8.
Land, broken and rolling.
Soil, stony, 4th rate.
No timber.

Dense cedar and juniper
bush, 80.16 cho.

May 19th, 1894.

General Description.

This township is rough
and broken; the larger
portion covered with
a dense growth of cedar
and juniper bush.

The land is valueless,
except for grazing pur-
poses. There are two
tanks of water in Cataract
creek.

Charles E. Perkins
Deputy Surveyor

Comptroller

U. S. Surveyor-General's Office,

TUCSON, A. T., *July 13, 1895.*

The foregoing Field Notes of the Surveys of
the Subdivisions of
Tp: 23 N R 1 E.

Gila and Salt River Meridian
 in *Arizona* executed by
F. W. Oury

U. S. Deputy Surveyor, under his contract dated
June 21st 1893.

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Levi A. Manning

U. S. Surveyor-General
 for the Territory of Arizona.