

*Indexed*

*Copied*

*Platted* 1

# Field Notes

BOOK 497

OF THE SURVEY OF THE

*Soldado River Lines*

No. 497

-OF-

Township 24 N. Range 10 E.

Gila and Salt River Base and Meridian

497

ARIZONA.

By J. D. Whalen D. S.

Under contract dated Aug. 5 1872.

Survey commenced Oct. 1872 1872

Survey completed Oct. 20th 1872

## INDEX DIAGRAM.

BOOK 497

Township T. 24. N. R. 15 E. C. &amp; S. R. M.

Range

6	71	5	52	4	39	3	26	2	12	1
0	68		51		38		24		11	
7	67	8	50	9	36	10	23	11	10	12
6	65		49		35		22		8	1552
18	64	17	48	16	34	15	21	14	7	13
3	62		46		33		20		6	
19	61	20	45	21	32	22	18	23	5	24
79	58		44		31		17		4	
80	57	29	43	28	30	27	16	26	3	25
56	55		42		28		15		2	
31	54	32	41	33	27	34	14	35	1	36

Gila and Salt River, Arizona.

ARIZONA.

No. 497

T.24 N. R. 15 E G. &amp; S.R.M.

Chains

From the Gr. to Sec.  
 1, 2, 35 and 36 on the  
 S. Bound. recently established  
 by me. I run  
 North lat. Sec. 35 and 36  
 Va. 130° 40' E.

Descent

40.00

Deposited a marked stone 12 ins. in the  
 ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.  
 S. and S. of stone 5½ ft. dist. and raised  
 a mound of earth 1½ ft. high 3½ ft. base over  
 it. In ~~Ct.~~ pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked ¼ S. on N.  
 face.

90.00

Set a post 4 ft. long 4 ins. square, with marked  
 stone, 12 ins., in the ground for Cor, to Secs.  
 25, 26, 35 & 36 marked T. 24 S. 25° on  
 N. E. R. / 36. S. 36 on S. E. S. 30° on  
 S. W. and S. 24 on N. W. faces, with 1 notch  
 on S. and 1 notch on E. edges, dug  
 pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.  
 and raised a mound of earth 2 ft. high 4½ ft.  
 base around post.

## T.24 N. R. 15 E. C. &amp; S. R. M.

Chs.

Surf an gently rolling  
 Soil 3rd. rate

Light growth of grass  
Some scattering of sage brush

East on a random line bet. Sec.  
 25 and 36

Va., 3° 40' E.

Discard

Set temporary 114 Sec. line.

Extended E. D. of Township

48 miles N. of stiff Cor. to  
 Sec. 25. 30. 31 and 36 recently

stab. by me hence I run St. 89° 39' N.

on a true line bet. Sec.

25 and 36 with same va.

Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor,  
 marked  $\frac{1}{4}$  S. on N. face, dug pit 13 x 18 x 12  
 ins. E. and N. of post 5 $\frac{1}{2}$  ft. dist. and raised  
 a mound of earth 1 $\frac{1}{2}$  ft. high. 3 $\frac{1}{2}$  ft. base. around  
 post

## T.24 N.R.15 E.G.&amp; S.R.M

Chs.

7976 The Cr. to Secs. 25, 26, 35 &amp; 36

Surface gently rolling  
 Soil 3rd. to 4th rate -  
 Light growth of grass  
Some scattering sage brush

North - bet. Secs. 25 and 26

Va.  $130^{\circ}40' E$ 

## Dugout

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pit 18 x 18 x 12 ins. N. and S. of stone 5 $\frac{1}{2}$  ft. dust and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins., in the ground for Cor. to Secs.

23, 24, 25, 26 marked T.24 d. S. 24 on N. E. R. / 5 E. S. 25 on S. E. S. 26 on S. W. and S. 23 on N. W. face, with 2 notch to on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec. 51 ft. dist.

## T.24 N. R.15 E.C. &amp; S.R.M.

Chs.

piles 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.  
and raised a mound of earth 2 ft. high. 4½ ft.  
base. around post.

Surface gently rolling  
Very little grass  
Soil 3rd - rate

East on a random line bet.  
Secs. 24 and 25  
Va. 13° 40' E.

4000  
8030 Set temporary 1/4 Sec. line.  
Detroit E. C. of Township  
2 1/2 miles S. of the Cor.  
to Secs. 19, 24, 25 and 30  
which was recently so established  
by me. There I run  
Lt. 89° 50' N. on a line line  
bet. Secs. 24 and 25 with-  
o curve or.

## T.24 N.R.15 E.G.&amp; S.R.M.

Chs.

40.15

Deposited a marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E. and N. of stone 5 $\frac{1}{2}$  feet dist and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

80.30 The Cor. to Secs. 23, 24, 25 and 26  
Surface gently rolling  
Soil 3rd. rate  
Grazing poor.  
Considerable sage brush

North of Sec. 23 and 24  
Va. 13° 40' E.

Discord

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N. and S. of stone 5 $\frac{1}{2}$  feet dist and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

## T.24 N.R.15 E.C. &amp; S.R.M

Chs.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 13, 14, 23 + 24 marked T.24 d. S. 1/3 on N. E. R. 1/5 E. S. 24 on S. E., S. 23 on S. W. and S. 1/4 on N. W. face, with 3 notch  $\rightarrow$  on S. and 1 notch on E. edges, dug pits 13 x 13 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high. 4 $\frac{1}{2}$  ft. base. around post.

Sand gritty rolling  
Soil End. rate

---

Cast on a random line ft.  
\$100. 13 and 24  
Va. 13 $\frac{1}{2}$  4 $\frac{1}{2}$  E. <sup>arbe</sup>

Ground

4.00 Set temporary 1/4 Sec. line.  
7.9.96 Dalton's E. 1/3 of township  
14 lines S. of the  
Cor. to Secs. 13, 18, 19 and  
24 recently reestablished

## T.24 N.R.15 E.C. &amp; S.R.M.

Chs.

by me since I run  
~~S. 8905 4' N.~~ on a true  
 line bet. Secs. 13 and 24  
 with same re.

39.98 Set a sand stone,  $\frac{1}{4} \times 6 \times 6$  ins., 9 ins.  
 in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on  $\frac{1}{4}$ .  
 face, dug pits  $18 \times 18 \times 12$  ins. E. and N.  
 of stone  $\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base alongside.

79.96 The Cr. to S. m. 13, 14, 23 and 24  
 light grass.

Sagebrush and greenwood  
Soil very sandy 4th rate

North bet. Secs. 13 and 14  
 Va. 13140' E.

Acmed

Top of spur tree  
 Cr. E. and S. N.  
 85 ft high and  
 dead.

26.50

## T.24 N.R 15 E C. &amp; S R M

Chs.

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for 4 Sec, Cor, marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12 ins. on and S. of post 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 1 $\frac{1}{2}$  ft, high. 3 $\frac{1}{2}$  ft. base. around post.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 11, 12, 13 & 14 marked T. 24 N. S. 12 on N. E. R. 15 E. S. 13 on S. E. S. 14 on S. W. and S. 11 on N. W. face, with 4 notch to on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft, high. 4 $\frac{1}{2}$  ft. base. around post.

Sunny - rolling  
Soil sandy & the rock  
Light grass

East on a random line  
 bet. Secs. 12 and 13  
 Va. 10° 40' E.

## T.24 N.R 15 E G. &amp; S R M

Chas

- 40.00 Set temporary 14 Sec. Cor.  
 79.90 Dashed - E. B. of Township  
 27 miles S. of the Cor.  
 to Secs. 7, 12, 13 and 18  
 recently established by me.  
 Since I run Dr. 89° 48' N.  
 in a line line betw.  
 Secs. 12 and 13 with  
 same cor.
- 39.90 Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 E. and N. of stone 5 $\frac{1}{2}$  feet dist and raised  
 a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
 it. In E. pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on st.  
 face.

79.90 The lots to Secs. 11, 12, 13, and 14  
 Surface rolling  
 Soil very sandy 4th rate  
 Light grass  
 Sage brush and grasswood

## T.24 N.R.15 E.G. &amp; S.R.M.

Chs.

North of Sec. 11 and 12  
Va. 13° 40' E.

As cnd

40.00 Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

N. and S. of stone 5 $\frac{1}{2}$  feet dist and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

40.00 On top of spur pts.

N. E. and S. W. and around

8000 Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins., in the ground for Cor, to Secs, 11, 12, 11 and 12 marked T.24 N. S. / on N. E. R. 15° E. S. / 12 on S. E. S. 11 on S. W. and S. 2 on N. W. face, with 5 notch as on S. and / notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base. around post.

Scattering grass  
plenty of sage brush

T.24 N.R.15 E.G.&S.R.M.

Chs.

Soil sandy & the rate  
Surficial & rolling

East on a random line  
bt. Sec. 1 and 12

Va. 13040 'E.

Arcus

22.00 Top of spur bt. Ch. E. and  
L. St. and discord

40.00 Sit knoll or way "4 Sec. line

80.40 Distinct P. C. of

Township 52 line Ch.

of the line to Sec.

1. 6. 7 and 12 recently

re-established by me

Hence L. river St. 890 38'

N. on a true line bt. Sec. 1 and 12  
with same r.v.

## T.24 N.R.15 E.G.&amp; S.R.M

Ch.

40.23

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E. and N. of stone 5 $\frac{1}{2}$  feet dist and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

51.40 The Cor. to Secs. 1, 2, 11 and 12

Scattering grass.

Soil sandy with rock.

Plenty of sage brush

S

North on a tree line bet.  
Secs. 1 and 2

Va. 13° 40' E.

Discord

40.00

Set a sand stone, 14 x 7 x 6 ins., 7 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on W. face, dug pits 18 x 18 x 12 ins. N. and S. of stone 5 $\frac{1}{2}$  ft. dist, and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base alongside.

## T.24 N.R.15 E.G. &amp; S.R.M.

Chs.

8148 Entwined - 6th Stand and  
Parallel cross L. 96 links  
E. of 1<sup>1/4</sup> Sec. Cor. on the  
S. Bound. of Sec. 35 <sup>recently established</sup> by one <sup>2</sup>  
At point of intersection  
Set a sandstone 14x8x7  
ris. 9 ins. in the ground  
for Closing Cor. to line.  
1 and 2 marked G. C. with  
mold on E. and 5 moldes  
on N. edges, dug pits  
18x18x12 ris. S. E. and N.  
of door 5 ft. dist. and  
transid for mound  
of earth 2 ft. high 4<sup>1/2</sup>  
off base alongside  
Equally rolling  
Soil 1<sup>3/4</sup> rd. rate.  
Some grass.

T.24 N. R.15 E. G. & S.R.M.

Chs.

I carefully examined  
the adjustments of my  
Solar Compass of to-day  
particularly the latitudinal  
and meridional apparatus  
and found them correct.  
O.D. Ulster Oct. 1811 1853

From the Gov. to Secs.  
2. 3. 34 and 35 on the

S. Bound. of the township  
which was recently  
established by me  
I run North - fit.

Secs. 34 and 35  
Va.  $18040^{\circ}$  E.

Ascertained

20.00 Sq. of ridge to Cr.  $80^{\circ}$  E.

& S. D. 88 W. 95 ft. high and  
ascended

## T.24 N. R.15 E. G. &amp; S.R.M.

*obs.*

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. A. and ~~S.~~ of stone 5 $\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In ~~N.~~ pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on ~~N.~~ face.

80.00

Set a  $\rho$  and stone 4 x 8 x 6 ins., 9 ins. in the ground for Cor. to Secs. 26, 27, 34 & 35 marked with 1 notch on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high. 4 $\frac{1}{2}$  ft. base. alongside.

Light grass  
Soil 3rd. to 4th rate  
Domin. scattering sage brush

East on a random line  
 bet. Secs. 26 and 35

Va. 18 040' E.

I found

Set boundary by Sec. Gr.

400.0

## T.24 N. R.15 E. C. &amp; S. R. M.

Ch. 5.

80.16 Set north - cr. and S. line  
 16 buicks S. of the Cr. or.  
 to S. no. 25. 26. 35 and 36  
 thence I run S. 89° 53' N.  
 one true line ft. S. no.  
 26 and 35 - with same ra.

40.08 Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor,  
 marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
 ins. E. and W. of post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
 post.

80.16 The Cr. to S. no. 26. 27. 34 & 35  
Surface rolling  
Dirt 3rd. to 4th rate  
Light grass

North lat. S. no. 26 and 27  
 Va.,  $3^{\circ} 40' E.$   
Wooded

T.24 N. R. 15 E. G. & S. R. M.

Chs.

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N. and S. of stone 5 $\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

80.00

Set a sand stone 15 x 10 x 4 ins., 10 ins. in the ground for Cor. to Secs. 22, 23, 26, 27 marked with 2 notch on S. and 2 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high. 4 $\frac{1}{2}$  ft. base. alongside.

Surface gritty looking  
Soil hard to work  
light grass

Cast on a random line feet.  
Secs. 23 and 26  
Va. 13° 40' E.

Ground

T.24 N. R.15 E C. & S.R.M.

Chs.

- +0.00 Set temporary 1/4 Sec. Cor.  
 80.04 Detroit Dr. and S. line  
 47 miles S. of the Cor. to  
 Sec. 23, 24, 25 and 26  
 Since I run S. 89° 00' W.  
 on a true line bt.  
 Sec. 23 and 26 with  
 same ra.
- 40.02 Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor,  
 marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
 ins. E. and N. of post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft, high.  $3\frac{1}{2}$  ft. base. around  
 post.
- 8004 The Cor. to Sec. 22, 23, 26 & 27  
 Surface rolling  
 good grass  
Soil 3rd. rate
- Depth bt. Sec. 22 and 23  
 Va.,  $3^{\circ} 40' E.$

## T.24 N.R 15 E G. &amp; S R M

Chs.Deemed

38.00 Took 35-lbs wide Co.  
S. 85° W. and as und

40.00 Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pit 18 x 18 x 12 ins. N. and S. of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

80.00 Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs,  $1/4, 15.22 + 23$  marked T.24 N. S. 14 on N. E. R.  $15^{\circ} E.$  S. 23 on S. E. S. 22 on S. W. and S.  $15^{\circ}$  on N. W. faces, with 3 notch ~~w~~ on S. and 2 notch ~~w~~ on E. edges, dug pit 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. around post.

Surface quite rolling  
 Soil 3rd. rate  
good grass

20

BOOK 497

## T.24 N.R 15 E G. &amp; S R M

Cho:

East on a random line  
bt. Sec. 14 and 23  
Va. 13° 45' E.

Discord

40.00 Set temporary " for Cor.  
80.34 Dalton St. and S. line  
9 lbs. St. of the Cor.  
to Sec. 14, 15, 22 & 23  
Then I run Ct. 890  
56' N. on a true line  
bt. Sec. 14 and 23  
with same or

40.17 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor,  
marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
ins. E. and N. of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
post.

80.34 The Cor. to Sec. 14, 15, 22 & 23  
Surface rolling  
Soil 3rd. rather  
good grass

BOOK 497  
No 497

T.24 N.R 15 E G. & S R M

Chs.

Arrt at. Secs. 14 and 15

Var., 13040 C.

Dug and gradually

Deposited a marked stone 12 ins. in the ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins. N. and S. of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

40.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs. 14 & 15, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 N. S. 1/1 on N.E. R. 15 E.S. 1/4 on S.E. S. 1/5 on S. W. and S. 1/8 on N. W. faces. with 4 notch  $\rightarrow$  on S. and 2 notch  $\rightarrow$  on E edges.

Very good grass  
Ind. to  $4\frac{1}{2}$  in. salt soil and  
very sandy

80.00

## T.24 N.R 15 E.C. &amp; S.R.M.

Chs.

East on a random line bet.

Dec. 11 and 14

Va. 13040° C.

Dug very gradually

Set temporary 14 sec. cor.

Delinck - C. and S.

line 14 lbs. st. of the

Cor. to Secs. 11, 12, 13 &amp; 14

there I run st. 890

54' N. on a true line

bet. Secs. 11 and 14

with same re.

40. 10

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.E. and N. of stone 5 $\frac{1}{2}$  feet dist. and raiseda mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over

it. In E. pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.

face.

80.20

The Cor. to Secs.

10, 11, 14 and 15

POOK NORTH  
497

T.24 N.R.15 E.G.&SRM

Chs.

Surf in rolling  
Very good grass  
Very good grass  
Soil 2nd to 4th rate

---

North lat. Sec. 10 and 11  
Va. 124° E.

Diamond

4000 Deposited a marked stone 12 ins. in the ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins. at. and S. of stone 5½ feet dist. and raised a mound of earth 1½ ft. high 3½ ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked S. on N. face.

45.30 Enter valley tr. A. 10° E.  
and S. 100 ft.

65.20 West 95 miles north Co.  
S. 58° W.

## T.24 N. R.15 E.C. &amp; S.R.M

Chs.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 2, 3, 10 & 11, dug pits 18 x 18 x 12 ins. in each Sec.  $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 N. S. 2 on N.E., R. 15 S. 11 on S.E. S. 10 on S.W. and S. 3 on N.W. faces, with 5 notch  $\infty$  on S. and 2 notch  $\infty$  on E edges.

Surface rolling very  
little grass

Soil 3rd. rate.

East on a rounded  
line. bet. S. 10, 2 and 11  
S. a.  $13^{\circ} 45' E$ .

Our level valley.

20.00 Wash go litho with lo.  
S. W.

at temporary 1 $\frac{1}{4}$  sec. cor

## T.24 N. R. 15 E G. &amp; S R M

Ch.

40.50 Leave valley  $\frac{1}{2}$  mi. N. 20° E.  
and S. 20° W. and

Begin to ascend

79.58 Detract - At ave S. line  
32 lbs. S. of the Gr. to  
Sect. 1, 2, 11 and 12  
thence I run N. 89°  
46' W. on a true line  
bet. Sect. 2 and 11  
with same - a.

39.79 Set a sand stone,  $4 \times 6 \times 6$  ins., 9 ins.  
in the ground for  $\frac{1}{2}$  Sec, Cor, marked  $\frac{1}{2}$ . on t.  
face, dug pits  $18 \times 18 \times 12$  ins. E. and N.  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

79.58 The Gr. to Sect. 2, 3, 10 and 11  
Very little grass  
Plenty of sage brush and weeds  
Soil dry and Gr. water

T.24 N. R.15 E. C. & S. R. M.

Chs.

North on a true line  
pt. Sec. 2 and 3  
Va.  $13^{\circ} 40' E.$

4000 Set a sand stone, 15 x 9 x 7 ins., 10 ins.  
in the ground for 1/4 Sec, Cor, marked 1. on  $\frac{1}{4}$   
face, dug pits 18 x 18 x 12 ins. N. and S.  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

81.23 Detracted - 4th Stand. Parallel  
pt. 120 yards E. of <sup>"</sup> 1/4 Sec. Cor  
on the S. W. of <sup>nearly established</sup> Sec. 3<sup>A</sup> <sub>beginning</sub>  
at Point of intersection  
Set a sandstone  
15 x 10 x 7 ins. 10 ins. in  
the ground for 1/4 Sec.  
Cor. to Sec. 2 and 3.  
marked E. S. with 2 notches  
on E. end and 4 notches on  
N. edge. dug pits  
18 x 18 x 12 ins. D. E.

## T.24 N. R. 15 E. G. &amp; S. R. M.

Chs.

and N. of stone  $5\frac{1}{2}$   
ft. dist. and raised  
a mound of earth 2 ft.  
high  $4\frac{1}{2}$  ft. face along side  
land gently rolling  
soil about 2nd rate—  
good grass plenty of  
sage & brush

John Watson Comptessman  
Oct 18th 1880.  
From the C. or. to Secy.  
3. 4. 33 & 34 on the  
S. B. of the township  
recently established by  
me drawn  
or north lat. 31° 33' 34"  
Va. 10° 41' C.

Observed

1800 Top of ridge to N. 65° E.

## T.24 N. R. 15 E. G. &amp; S. R. M.

Ch.

and S.  $45^{\circ}$  N. 50 ft. high  
and discreet

4000

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  $\frac{1}{4}$  ft. and S. of stone  $5\frac{1}{2}$  feet dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over it. In A. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

80.00

Set a sand stone 4 x 1 x 6 ins., 9 ins. in the ground for Cor. to Secs. 27, 28, 37 & 38 marked with 1 notch on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base alongside.

Surface mostly rolling first 18 Chs. very little grass remainder more grass  
Soil Ind. red red

East on a road on line

## T.24 N. R. 15 E. G. &amp; S. R. M.

Ch.

bt. Secs. 27 and 34

Dwivedi Va. 10° 40' E.

Set temporary 1/4 Sec. Cor.  
Delmar St. and I. line  
32 miles dt. of the Cor.To Secs. 26, 27, 34 and 35  
line to run N. 89°46' N. on a true line  
bt. Secs. 27 and 34  
with same ra.40.20 Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor,  
marked  $\frac{1}{4}$  S. on  $\frac{1}{4}$  face, dug pits 18 x 18 x 12  
ins. E. and  $\frac{1}{4}$  of post 5 $\frac{1}{2}$  ft. dist. and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high. 3 $\frac{1}{2}$  ft. base. around  
post.80.40 The Cor. to Secs. 27, 28, 33 & 34  
surface rolling  
soil 2nd. rate  
good grass

29  
30

BOOK 497

T.24 N. R. 15 E. G. & S. R. M.

Ch.

North ft. Sec. 27 and 28  
Va.  $130^{\circ} 40' E.$

Dugout

45.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N. and S. of stone 5 $\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{4}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 21.22.27 and 28 marked T. 24 N. S. 22 on N. E. R. 15 E. S. 27 on S. E. S. 28 on S. W. and S. 21 on N. W. faces, with 2 notch  $\infty$  on S. and 2 notch  $\infty$  on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high. 4 $\frac{1}{2}$  ft. base. around post.

Surface gullied - rolling  
good grass  
Doll. 3rd. rate

T.24 N. R. 15 E. G. &amp; S. R. M.

Ch.

East on a road on line  
bet. Secs. 22 and 27  
Va. 13° 40' E.

Dug out  
Set temporary "4 Sec. Cor.  
Entrold - A. and L.  
line 36 links N. of  
the Gr. to Secs.  
22, 23, 26 and 27 Then  
I run N. 89° 45' W.  
on a true line bet. Secs.  
22 and 27 with same ra

3.9.94 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E. and N. of stone  $\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over  
it. In E. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.

9.88 Th Gr. to Sec. 21, 22. 27 Aug 28  
Surf a u g u t y r o l l i n g

T.24 N.R.15 E G.&amp; S.R.M

Cho.

Good grass  
Soil 3rd. rate -

---

Stretch betw. Sec. 21 and 22  
Va. 10040° E.

Dug and

40.00 Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  $\text{A.}$  and  $\text{I.}$  of stone  $5\frac{1}{2}$  feet dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over it. In  $\text{A.}$  pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4} \text{ S.}$  on  $\text{N.}$  face.

64.12 Wash 25 lbs. wide 00.  
 $\text{S. } 80^{\circ} \text{ N.}$

80.00 Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins., in the ground for Cor. to Secs, 15, 21 & 22 marked T. 24 N. S. 15 on N. E. R. 15 E. S. 22 on S. E. S. 21 on S. W. and S. 1/6 on N. W. faces with 3 notch 10 on S. and 9 notch 10 on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 11 ft.

93  
BOOK 407

## T.24 N. R. 15 E. G. & S. R. M.

Obs.

ana raised a mound of earth 2 ft. high. 4 ft. in base. around post.

Surface gently rolling  
Soil good  
Good grass

East on a road on line bet.  
Secs. 15 and 22

Va. 13° 40' E.

Diamond

4000 Set tank range 1/4 Sec. Cor.  
79.46 Diamond. N. and S.  
line 17 miles S. of the  
Cor. to Secs. 14, 15, 22 and 23  
line I run S. 89° 53' W.  
on a true line bet. Secs.

15 and 22 with same ra.  
Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins., in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked N. S. on N. face, dug pits 18 x 18 x 12  
ins. E. and N. of post 5  $\frac{1}{2}$  ft. dist. and raised

3973

T.24 N. R. 15 E G. &amp; S R M

Ch.

a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around post.

79.46 The Cr. to Secs. 10, 14, 21 and 22  
 Surface gritty rolling  
 Dist. 3rd to 4th rate  
Light grass

North pt. Secs. 15 and 16  
 Va.  $13^{\circ} 40' E.$

Mound

40.00 Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits  $18 \times 18 \times 12$  ins.  
 St. and S. of store  $5\frac{1}{2}$  feet dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In  $\text{N}.$  pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4} S.$  on N. face.

80.00 Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 9, 10, 15 + 16, dug pits  $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ins. long 12 ins. in the ground marked  $\frac{1}{4} T.$

## T.24 N.R.15 E.G.&amp; S.R.M.

Chs.

ft. long 12 ins. in the ground marked T. 2407,  
S. 10 on N.E., R. 15 E.S. 15° on S.E. S. 16  
on S.W. and S. 9 on N.W. faces, with  
4 notches on S. and 3 notches on E edges.

Light grass  
Large brush and greenwood in  
abundance.

Dirt very sandy 3rd. To 4th rate

East on a random line bet.  
Secs. 10 and 15

V.  $13^{\circ} 40' E.$

Poor valley land

Set temporary 14 Sec. line.  
Leave valley line S.  $20^{\circ} W.$   
ascend

Detracted Ch. and I. fine  
8 lbs. st. of the Cor.  
to Secs. 10, 11, 14 and 15  
Since I run Cr.  $89^{\circ} 57' W.$

4000  
2000

9.76

## T.24 N. R. 15 E. G. &amp; S. R. M.

Ch.

on a true line bet. Secs.

10 and 15 - with same var.

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E. and W. of store 5 $\frac{1}{2}$  feet dist and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on face.

79.76 The dir. to Secs. 9, 10, 15 & 16

No grass in valley sage brush and weeds in abundance  
More grass after leaving valley  
Soil in valley good rate  
After leaving valley 4th rate.

North bet. Secs. 9 and 10  
Va. 130 40° E.

Dismnd very gradually.

## T24 N.R 15 E.G. &amp; S.R.M

Ch.

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. at. and  $\mathcal{S}$  of store 5 $\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In  $\mathcal{N}$ . pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $\mathcal{N}$ . face.

40.50

Wash 25 links wide Q. d. 80° W.

70.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs. 24, 9 & 10, dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24  $\mathcal{N}$ . S. 3 on N.E., R. 15 E.S. 10 on S.E. S. 9 on S.W. and S. 4 on N.W. faces, with 5 notch  $\bowtie$  on S. and 3 notch  $\bowtie$  on E. edges.

Surface gritty rolling  
Soil 3rd. rate  
Very little grass  
 sage brush and weeds in  
 abundance

T.24 N.R 15 E G. &amp; S R M

Ch.

East on a random line bet.

Div. 3 and 10

Va. 10040° E.

Over valley nearly level

Set temporary 1/4 Sec. Cor.

80.04 Between 3 and 4 line

43 links N. of the Cor.

to Secs. 2, 3, 10 J and 11 there

Drawn at 89° 42' N. of

a true line bet. Secs.

3 and 10 with same on

40.17 Set a sand stone, 1/4 x 7 x 6 ins., 9 ins.

in the ground for 1/4 Sec, Cor, marked 1/4 on N.

face, dug pits 18 x 18 x 12 ins. E. and N.

of stone 5 1/2 ft. dist. and raised a mound of earth

1 1/2 ft. high. 3 1/2 ft. base. alongside.

80.04 The Cor. to Secs. 3, 4, 9 and 10

Surface nearly level

One end. to 4th. rate

Very little grass

T.24 N. R. 15 E. C. & S. R. M.

Ch.

Sett on a true line  
bet. Sec. 3 and 4

V. 13° 40' E.

Over nearly level valley land

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
A. and D. of stone 5 $\frac{1}{2}$  feet dist and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
it. In D. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.

80.56 On line - 6th stand. Par-  
allel with 4th 1/2 miles  
E. of  $\frac{1}{4}$  Sec. line in S.

Bound. of Sec. 83 <sup>mainly established by me</sup>  
At point of intersection  
Set a post 4 ft. long 4 ins.  
sq. with marked stone  
in ins. in the ground for  
Closing Cor. to Sec. 3 and  
4 marked C. C. S. 24 N.

T.24 N. R. 15 E C. &amp; S. E. M.

Chs.

R. 15 E. or S. S. 3 or E.  
 and S. 4 or N. face;  
 with 3 notches on E. and  
 N. face. dug pit - 18x18  
 $\times \frac{1}{2}$  m. S. E. and N.  
 of shoot  $5\frac{1}{2}$  ft. dist.  
 and raised a mound  
 of earth 2 ft. high  $4\frac{1}{2}$   
 ft. base around pit.  
 Surface nearly level  
 Dug 3rd. to 4th rate  
little grass

I carefully examined the  
 adjustments of my S. or  
 compass to day particularly  
 the latitude and various  
 apparatus and found  
them correct

L. D. Whaler Oct. 19. 1872

## T.24 N.R 15 E.C. &amp; S.R.M.

ch.s.

From the Cor. to Secs.

4, 5, 32 and 33 on the  
S. Bound. of the township  
 which was originally established  
 by me I run  
 North ft. Sec. 32 and 33  
 Ta. 13° 40' E.

paud

4000 Deposited a marked stone 12 ins. in the  
 ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.

A. and D. of store 5 $\frac{1}{2}$  feet dist. and raised  
 a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{4}$  ft. base over  
 it. In A. pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked 1 S. on N.  
 face.

5000 Top of ridge trs. E. and W.  
 and around

7000 Set a paud stone 1/4 x 8 x 6 ins., 9 ins. in  
 the ground for Cor. to Secs. 28, 29, 32, 33 marked  
 with 1 notch on S. and 4 notch on E. edges,  
 dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft.  
 dist. and raised a mound of earth 2 ft. high.

T.24 N. R. 15 E. C. &amp; S. M.

Ch.

4½ ft. base. alongside.

Surface gritty rolling  
Soil 3rd. rate  
Dig it grass

East on a random line set.

S. 28 and 33

Va. 13° 40' E.

Ground

40.00 Set temporary "4 Sec. Cor.  
79.90 Intersect Ch. and S.  
line 38 miles Ch. of the  
Cor. to S. 27, 28, 33 and 34  
Thence I run at S. 89°  
44' N. on a true line set.  
S. w. 28 and 33 with  
same or a.

39.95 Set a sand stone,  $\frac{1}{4}$  x  $\frac{7}{8}$  x 6 ins., 9 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$ . on N.  
face, dug pits 18 x 18 x 12 ins. E. and W.  
of stone 5½ ft. dist. and raised a mound of earth

## T.24 N.R.15 E.C. &amp; S.R.M

Chs.

19.90

11 ft. high. 3½ ft. base. alongside.The Cor. to Secs. 28, 29, 32 and 33Surface gently rollingSoil very sandy 4th rateLight grassNorth ht. Ass. 28 and 29  
Va. 13° 45' E.Discard

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. ct. and  $\frac{1}{4}$  of store 5½ feet dist. and raised a mound of earth 1½ ft. high 3½ ft. base over it. In  $\frac{1}{4}$  pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

74.20

Top of ridge to W. of E. and S.W.  
and discard

8.00

Set a sand stone  $\frac{1}{4} \times 8 \times 7$  ins. 9 ins. in the ground for Cor. to Secs. 20, 21, 28 & 29 marked with 2 notch on S. and 4 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft.

## T.24 N. R. 15 E G. &amp; S. I. M.

Ch.

dist. and raised a mound of earth 2 ft. high.  
 $4\frac{1}{2}$  ft. base. alongside.

Surface gently rolling  
 Soil 3rd. rate -  
Slight grass

East on a random line st.

Sec. 21 and 28

Va. 13041 E.

Second

5.12 Top of ridge no. Ch. E. and  
 N. and down

Dist. between 114 Sec. 6 or.

8.22 Distinct Ch. and S. line  
 15 miles S. of the Cor. to

Sec. 21, 22, 27 Aug 25

There I run S. 89° 54' N.

on a true line st. S. 102.

21 and 28 with same ra

## T.24 N. R. 15 E. G. &amp; S. R. M.

Obs.

40.11 Set a sand stone,  $1\frac{1}{4} \times 10 \times 4$  ins., 9 ins. in the ground for  $\frac{1}{2}$  Sec, Cor, marked  $\frac{1}{2}$ . on N. face, dug pits  $18 \times 18 \times 12$  ins. C. and N. of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

80.22 The Cr. to Sea. 20, 21, 28 and 29  
Surface gently rolling  
Soil good. rate  
Light grass

North pt. 20 and 21  
Va.  $130^{\circ} 40' E.$

D round

Wash 35 links wide Co. I.

$85^{\circ} W.$  and as above

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{2}$  Sec. Cor. dug pits  $18 \times 18 \times 12$  ins.

S. and N. of stone  $5\frac{1}{2}$  feet dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{2}$  S. on N. face.

30.00

40.00

T. 24 N. R. 15 E. C. & S. P. M.

Ch.

70.15 Top of spur ts. S. 71° N.  
land around

80.00 Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 16, 17, 20 and 21 marked T. 24 A. S. 16 on N. E. R. 15 E. S. 21 on S. E., S. 20 on S. W. and S. 17 on N. W. face with 3 notch ~~so~~ on S. and 4 notch ~~so~~ on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft. high. 4 1/2 ft. base. around post.

Surface gently rolling  
Some grass considerable  
sage brush  
Dirt 3rd. rate

East on a random line  
ft. S. 10. 16 and 21  
Va. 13° 40' E.

Around

20.00 Top of spur ts. S. 70° N.

## T.24 N. R. 15 E. G. &amp; S. R. M.

Ch.

and discarded  
 4.000 Set temporary 14 Sec. Cor.  
 79.98 Dubroff St. and S line  
 33 miles S. of the Cor. to  
 Secs. 15, 16, 21 and 22  
 Since I run S. 89° 46' W.  
 on a true line bet. Secs.  
 16 and 21 with same ra.  
 39.99 Set a sand stone, 4 $\frac{1}{2}$  ft x 6 ins, 9 ins.  
 in the ground for  $\frac{1}{2}$  Sec. Cor. marked  $\frac{1}{2}$  on N.  
 face, dug pits 18 x 18 x 12 ins. E. and N.  
 of stone 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth  
 1 $\frac{1}{2}$  ft, high. 3 $\frac{1}{2}$  ft. base. alongside.

79.98 The Cor. to Secs. 16, 17, 20 and 21  
 Surface nearly level  
 Soil sandy 2nd rate  
 Light grass

## T.24 N.R.15 E.G. &amp; S.R.M

Ch.

With st. S<sup>o</sup>. 16 and 17  
Va. 13° 40' E.

19.00 Enter valley trs. E. and W.

40.00 Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  $\textcircled{A}$  and  $\textcircled{D}$  of stone 5 $\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In  $\textcircled{A}$ . pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $\textcircled{W}$ . face.

8000 Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins., in the ground for Cor, to Secs, 8, 9, 16 & 17 marked T. 24 N. S. 9 on N. E. R. 15 E. S. 16 on S. E. S. 17 on S. W. and S. 8 on N. W. face, with 4 notch  $\rightarrow$  on S. and 4 notch  $\leftarrow$  on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base. around post.

Surface gritty rolling  
Soil  $\frac{1}{2}$  + rate  
I cattinig grass

## T.24 N.R.15 E.C. &amp; S.R.M

Chs.

East on a random line  
 bet. Secs. 9 and 16  
 Va. /  $30^{\circ}45' E.$

Over level valley

4000 Set boundary  $\frac{1}{4}$  Sec. Cor.  
 8.834 Dashed A. and S. line  
 2.6 miles S. of the Cor.  
 to Secs. 9, 10, 15 and 16  
 then from  $3.89^{\circ}49' N.$   
 on a true line bet.  
 Secs. 9 and 16 with  
 same or

40.17 Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits  $18 \times 18 \times 12$  ins.  
 E. and N. of stone  $5\frac{1}{2}$  feet dist and raised  
 a mound of earth  $1\frac{1}{4}$  ft. high  $3\frac{1}{4}$  ft. base over  
 it. In E. pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on A.  
 face.

8.834 The Cor. to Secs. 8, 9, 16 and 17  
 Surface nearly level

T.24 N.R 15 E.G. & S.R.M

Ch.

Dirt laid to 4th. rate  
Plenty of sage brush and  
greasewood. No grass.

North lat. 41°. 8 and 9

Va. 100° 45' E.

Over level valley

8.25 Wash 25 lbs. wide Co. L. 41° N.

4000 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

Ch. and S. of store 5 $\frac{1}{2}$  ft. dist. and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
it. In Ch. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.

8000 Deposited a marked stone 12 ins. in the  
ground for Cor. to Secs. 4, 5, 8 & 9, dug pits  
18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$  ft. dist. and  
raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base  
over it. In S.E. pit drove a stake 2 ins. sq. 2  
ft. long 12 ins. in the ground marked T. 24 N.

S. 4 on N.E. R. 15 E.S. 9 on S.E. S. 8  
on S.W. and S. 5 on N.W. faces, with

T.24 N.R 15 E G. & S R M

Ch.

5 notch  $\rightarrow$  on S. and 4 notch  $\leftarrow$   
on E edges.

Surface level  
Dried sand. soil -

Short grass

Considerable sage brush  
and greasewood

East on a random line  
bet. Sec. 4 and 9

Lat.  $43^{\circ}40' E.$

Very nearly level land

Set with many  $\frac{1}{4}$  acre lots.

Interspersed A. and C. line

20 units S. of the line to

Sec. 3, 4, 7, 9 and 10 then

I run S.  $89^{\circ}51' N.$  or

a true line bet. Sec.

4 and 9 with same va.

T.24 N.R.15 E.C. &amp; S.R.M.

Chs.

40.16 Set a round stone,  $4 \times 6 \times 1$  ins., 9 ins. in the ground for  $\frac{1}{2}$  Sec, Cor, marked  $\frac{1}{2}$ . on N. face, dug pits  $18 \times 18 \times 12$  ins. E. and W. of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base alongside.

80.02 The line to Sis. 4, 5, 8 and 9  
Surface level nearly  
Soil 3rd. rate  
No grass

North on a true line  
bet. Sis. 4 and 5  
Va.  $3^{\circ}40' E.$

Around gradually

40.80 ~~Set~~ Deposited a marked stone 12 ins. in the ground for  $\frac{1}{2}$  Sec. Cor. dug pits  $18 \times 18 \times 12$  ins. N. and S. of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{2}$  S. on N. face.

## T.24 N. R. 15 E. G. &amp; S. R. M.

Ch.

80.01

Ditch cut - 6th Standard  
 Parallel ct. 150 links  
 E. of 1<sup>1</sup>/<sub>4</sub> Sec. line on  
 S. bound. of <sup>westly establisched</sup>  
<sup>way</sup> At point of intersection  
 Set a post 4 ft. long  
<sup>with inscription</sup> 4 ins. off 12 ins. in the  
 ground for closing line.  
 To line 4 and 5 marked  
 L. G. S. 24 ct. R. 15 E.  
 on S. S. 4 m E. and  
 S. 5 m N. appears well-  
 notched on E. 1 and 2  
 notches on N. face. dug  
 pit 18 x 18 x 12 ins.  
 S. E. and N. of post  
 3<sup>1</sup>/<sub>2</sub> ft. dist. 8 and raised  
 a mound of earth 2 ft.  
 high 4<sup>1</sup>/<sub>2</sub> ft. too  
 along side

T.24 N. R. 15 E G. &amp; S 1/4 M

Chs.

Land rolling  
Soil about 6 in. rate  
Good grass

John Malouf Gumpassman  
Oct. 19th 1882

From the Cor. to line.  
5 yds. 31 and 32 on the  
S. Bound. of the township  
recently established by me  
J. D. Nash  
North int. Sec. 31 and 32  
Va. 18° 40' E.

Described

Deposited a marked stone 12 ins. in the  
ground for 1 Sec. Cor. dug pit 18 x 13 x 12 ins.

N. and S. of stone 5½ feet dist and raised  
a mound of earth 1½ ft. high 3½ ft. base over  
it. In N. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.

40.00

## T.24 N.R 15 E G. &amp; SRM

Chs.

8040

Set a fluit stone  $\frac{1}{2}$  x 8 x 6 ins., 11 ins. in  
the ground for Cor. to Secs. 29, 30, 31, 32 marked  
with 1 notch on S. and 5 notches on E. edges,  
dry pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft.  
dist. and raised a mound of earth 2 ft. high.  
 $\frac{1}{4}$  ft. base. alongside.

Surf are nearly level  
Soil 3rd. to 4th rate  
Light grass

East on a random line bt.

Secs. 29 and 32

Va.  $13^{\circ}40' E.$

ascend

4,000 Set temporary 4th sec. Cor.  
72.00 Id. of ridge ss. St.  $60^{\circ} E.$   
and Id.  $60^{\circ} W.$  and descend  
down sec. Id. and Id. line  
6' levels Id. of the Cor.  
to Secs. 28, 29, 32 and 33  
thence Id. same Id.  $89^{\circ} 34' W.$

## T.24 N.R.15 E.G.&amp; S.R.M

Chs.

on a true line bet. Sec.  
 29 and 32 will come in  
 39.92 Set a flat stone,  $3 \times 8 \times 6$  ins., 8 ins.  
 in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$ . on st.  
 face, dug pits  $18 \times 18 \times 12$  ins. E. and N.  
 of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

79.84 The Cr. to Sec. 29.30. 31 and 32  
 Land nearly level  
 Soil 3rd. to 4th. rate  
 Very little grass  
 Some scattering sagebrush

D.D. Wheeler Oct. 20 1882.

Plotted on a random line bet.  
 Sec. 30 and 31  
 Va.  $10^{\circ}40' E.$

Described

40.00 Sit temporary  $\frac{1}{4}$  Sec. Cor.  
 79.26 Subsoil - N. Bound. of

## T.24 N.R.15 E G. &amp; S.R.M.

Ch.

the township of 2 blks  
 S. of the Cor. to Sec.  
 25, 20, 31 and 36 which was  
 recently established by me.  
 Then I run S. 89°  
 46' E. on a true line set.  
 Sec. 30 and 31 with  
 same ra.

39.26 Set a sand stone,  $\frac{1}{4}$  x 8 x 7 ins., 9 ins.  
 in the ground for  $\frac{1}{2}$  Sec, Cor, marked  $\frac{1}{2}$ . on N.  
 facing pils 18 x 18 x 12 ins. E and W.  
 of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

79.26 The Cor. to Sec. 29, 30, 31 & 32  
 Surface nearly level  
 Did 3rd. to 4th rate  
light grass

North int. Sec. 29 and 30  
 Va.  $13^{\circ} 40' E.$

T.24 N. R. 15 E G. & S R M

Ch.

Described

4000

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. at and  $\frac{1}{4}$  of store  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{4}$  ft. high  $3\frac{1}{4}$  ft. base over it. In  $\frac{1}{4}$  pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

5000

Set a paved stone 4 x 7 x 6 ins., 9 ins. in the ground for Cor, to Secs.,  $1/4$ ,  $2/4$ ,  $3/4$  and  $4/4$  marked with notch on S. ends, notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. alongside.

Surface nearly level  
Dirt 3rd. rate  
light grass

East on a road on line  
 dist. S. to: 20 and 29  
 Va. 10040' E

## T.24 N.R.15 E.C. &amp; S.R.M.

Cho.

Asured40.00  
7.9.52

Set temporary "4 Sec. Cor.  
 Between St. and S. line  
 44 rods off C. of the Cor.  
 to Sec. 20, 21, 28 and 29  
 Then I run Th. 89° 41' N.  
 on a true line bet. Secs.  
 28 and 29 with same re.

39.76

Set a sand stone,  $5 \frac{1}{2} \times 7 \frac{1}{2} \times 5$  ins.,  $\frac{1}{2}$  ins.  
 in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$ . on N.  
 face, dug pits  $18 \times 18 \times 12$  ins. and  
 of stone  $5 \frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1 \frac{1}{2}$  ft. high.  $3 \frac{1}{2}$  ft. base. alongside.

7.9.52

The Cor. to Sec. 19, 20, 29 and 30  
 Surface nearly level  
 Soil 3 rd. rate  
Very little grass

Not on a random line fit.  
 Secs. 19 and 30  
 Va. 130° 40' E.

## T.24 N. R. 15 E. G. &amp; S. R. M.

Chs.

D. Gould

- 83/4 Wash 24 links wide Co. A. N.  
 40.00 Set timber mark "4 Sec. Cor.  
 7.9.18 Extended the N. Boundary  
 of the township 18 links  
 E. of the Cr. to Sec.  
 19, 24, 25 and 30 which  
 was recently established by me  
 Since I run N. 89° 52' E.  
 on a true line set.  
 Secs. 19 and 30 with same re-  
 39.18 Set a sand stone, 15 x 9 x 7 ins. 1/2 ins.  
 in the ground for 1/2 Sec, Cor, marked 4. on Cr.  
 face, dug pits 18 x 18 x 12 ins. E. and N.  
 of stone 5 ft. dist. and raised a mound of earth  
 11 ft. high 3 ft. base. alongside.  
 7.9.18 The Cr. to Secs. 19, 24, 25 and 30  
 Surface nearly level  
 Soil. 3rd. rate  
 Sept grass  
 John Watson Geographer At. 20/1852

## T.24 N.R 15 E G. &amp; S R M

Ch.

North st. Sec. 19 and 20  
Va.  $10^{\circ} 40' E.$

Discord

- 3.25 Hatch 40 links wide to.  
S.  $40^{\circ}$  N. and discord
- 35.16 Top of spur to S.  $75^{\circ}$  N.  
and discord
- 40.00 Set a sand stone,  $4 \times 10 \times 6$  ins., 9 ins.  
in the ground for  $\frac{1}{2}$  Sec, Cor, marked  $\frac{1}{2}$ . on  
face, dug pits  $18 \times 18 \times 12$  ins. and  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. along side. X
- 8100 Set a post 4 ft. long 4 ins. square, with marked  
stone, 12 ins, in the ground for Cor, to Secs.  
17, 18, 19 & 20 marked T. 24 A. S. 17 on  
N. E. R. 15 E. S. 20 on S. E, S. 19 on  
S, W, and S,  $\frac{1}{8}$  on N, W, faces, with 3 notch  
on S, and 1 notch on E. edges, dug  
pits  $18 \times 13 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft.  
base. ground post.

Surface nearly level

6 62

BOOK 497

T.24 N.R.15 E.C. & S.R.M.

Cho.

Soil sandy 4th rate  
Some grass

Cast in a random line  
bt. Sec. 17 and 20  
Va.  $13^{\circ} 35' E.$

Around

40.00 Set temporary 1 $\frac{1}{4}$  Sec. lgr.  
80.16 inspect C. and D. line  
60 miles S. of the C or.  
to Sec. 16, 17, 20 and 21 hence  
I run Cr. 89° 34' N. on  
a true line bt. Sec.  
17 and 20 with same cr.

40.08 Set a ~~and~~ stone,  $1\frac{1}{4} \times 6 \times 6$  ins., 9 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$ . on ~~W.~~  
face, dug pits  $18 \times 18 \times 12$  ins. E. and ~~N.~~  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft, high.  $3\frac{1}{2}$  ft. base alongside.

80.16 The Cr. to Sec. 17, 18, 19 & 20

## T.24 N. R. 15 E. C. &amp; S. R. M.

Chs.

Surface nearly level  
 Soil 3rd. to 4th. rate -  
 Light grass.  
Scattering oaks

A.D. Wheeler Oct. 20 1882  
 Not in a random line  
 bet. Secs. 18 and 19  
 $\frac{1}{2} 10^{\circ} 40' E.$

Dashed

40.00 Set traps along "4 Sec. Line.  
 79.56 Dashed N. W. P. of town -  
 about 20 links Ch. of  
 the Line to Sec. 18, 19,  
 19 and 24 which was  
 recently established by me  
 then I run at. 890  
 $50' E.$  on a true line bet.  
 Secs. 18 and 19  
 with same or.

T.24 N. R. 15 E. C. &amp; S. R. M.

Ch.

8956

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor, marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12 ins. E. and W. of post 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high. 3 $\frac{1}{2}$  ft. base. around post.

7956 The loc. to Sec. 17, 18, 19 & 20  
Surface nearly level  
Soil 3rd. rate  
Light. grass

John Malon Comptressman

Oct. 20 1882

North lat. Sec. 17 and 18  
Va. 13° 40' E.

Discord

4000

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E. and W. of stone 5 $\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In W. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

## T.24 N. R. 15 E. G. &amp; S. R. M.

Ch.

52.12 Wash 18 links wide do.  
S.  $80^{\circ}$  N. and cloudy

8.00 Set a sand stone ~~fix~~ <sup>ext</sup> ins, 9 ins in  
the ground for Cor, to Secs., 7, 8, 17 & 18 marked  
with 4 notches on S. and 5 notches on E. sides.  
dug pits 18 x 18 x 12 ins. in each Sec., 1 $\frac{1}{2}$  ft.  
dist. and raised a mound of earth 2 ft. high.  
 $4\frac{1}{2}$  ft. base. alongside.

Surface mostly rock

Soil very sandy 4th rate

Little grass

Some sage brush

East on a random line

bet. S. w. 8 and 17

Va.  $131^{\circ} 35' E.$

Over level valley

4.000 Set bumpt or arg.  $\frac{1}{4}$  Sec. Cor.

7.000 Wash 45 links wide do. S.  $41^{\circ} N.$   
still in valley

7.992 Southwest S. and S. line  
6 links S. of the Com to

T24 N. R 15 E C. & S R M

Ch.

Secs 8, 9, 16 and 17 there  
I run S. 89° 57' W. on a  
true line bet. Secs.

8 and 17 with same ca  
Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor,  
marked  $\frac{1}{4}$  S. on face, dug pits 18 x 18 x 12  
ins. E. and N. of post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{4}$  ft. base. around  
post.

39.96

The Cor. to Secs 7, 8, 17 and 18  
Surface nearly level  
Soil 3rd. rate  
Light grass

Not on a random line set.  
Sec. 7 and 18

Va.  $13^{\circ} 35'$  E.

Over level valley

Set traps on any  $\frac{1}{4}$  Sec. line.

Salmonid. M. O. round of  
the township 31 miles S.

40.00

79.88

## T.24 N. R. 15 E. G. &amp; S. R. M.

of the Cor. to Sec. 7, 12,

13 and 18 which was

recently established by me

~~Surveyor John S. 890478 my true line bet. Sec. 7 & 18 with~~

Deposited a marked stone 12 ins. in the ground for

ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

E. and N. of stone 55 feet dist and raised

a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over

it. In E. pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked S. on N.

face.

7.988

The Cor. to Secs. 7, 8, 17 and 18

Surface nearly level

Soil sandy 3rd. to 4th. rate

Fair growth of grass

Plenty of sage brush

North bet. Secs. 7 and 8

V. a. 13° 35' E.

5.00

Over level valley

Leave valley Valley Mrs.

N. 40° E. and D. 40° N.

and around

T.24 N.R.15 E G. &amp; S R M

Ch.

40.00.

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N. and S. of stone 5 $\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

8000

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 5 & 6, 7 & 8, dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 N. S. 5 on N.E. R. / 6 & S. 8 on S.E. S. 7 on S.W. and S. 6 on N.W. faces, with 5 notch  $\rightarrow$  on S. and 5 notch  $\leftarrow$  on E edges.

Land nearly level  
Soil 3rd rate  
Plenty of grass

East on a random line  
bet. S. 6 & S. 8 and S.

## T24 N.R 15 E G. &amp; S R M

Chs.

Va. 13° 30' E.

Dug gradually

4000 At dump bank  $\frac{1}{4}$  A. of Cor.  
 79.80 Dug west - A. and S. line  
 24 links N. of the Cor.

To Secs. 4, 5, 6 and 9  
 Hence I run at 89° 45' N.  
 in a true line bet. Secs  
 5 and 8 with same va.

39.90 Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pit 8 x 18 x 12 ins.  
 E. and N. of stone  $5\frac{1}{2}$  feet dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
 it. In E. pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked S. on N.  
 face.

79.80 The Cor. to Secs 5, 6, 7 and 8  
 Surface nearly level  
 Soil 3rd. rate  
Good grazing

O. D. Wheler Oct. 20, 1882

T.24 N. R. 15 E. G. &amp; S. R. M.

Ch.

Not on a random line

bet. Secs. 6 and 7

Va.  $130^{\circ} 30' E.$ 

Descending over rolling land  
 Set ~~Stump~~ <sup>ang</sup> "4 Sec. Cor.  
 Detroit - H. Round. of  
 the township, 27 hills  
 S. of the Cor. to Secs.  
 16, 17 and 18. which  
 was recently established  
 by me. Then I run  
 Vd.  $89^{\circ} 48' E.$  on a true  
 line bet. Secs. 6 and 7  
 with same va.

39.43

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 E. and W. of stone  $5\frac{1}{2}$  feet dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
 it. In E. pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
 face.

79.43

The Cor. to Secs. 5, 6, 7 and 8

## T.24 N. R. 15 E. C. &amp; S. R. M.

Ch.

Laid rolling  
Soil about 3rd. rate -  
good grazing

North for a true line bet.  
S. 110°. or and 6.

V. a. 13° 30' E.

ound gradually

4000

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pit 18 x 18 x 12 ins.  
Ch. and D. of stone 5 $\frac{1}{2}$  ft. dist and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
it. In Ch. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.

80.09

In front - 4th Standard  
Parallel Ch. or L 200 Ch.  
E. of 1 $\frac{1}{4}$  " 4 Sec. Cor. on  
the L bound. of Sec.  
31 at point of intersection  
Put a sand stone 18 x 2 x 7  
ins. 12 ins. in the ground.

T.24 N. R. 15 E. G. &amp; S. R. M.

Ch.

for Crossing Gen. to Sec.  
 5 and 6 marked C. C.  
 with match on N. and  
 5 matches on E. edges.  
 dug pits 18 x 18 x 12 ins.  
D. E. and N. of stone.  
 5 $\frac{1}{2}$  ft. dist and raised  
 a mound of earth 2 ft.  
 high 4 $\frac{1}{2}$  ft. base  
 along side  
Surface rolling  
Soil 3rd. rate  
Good grass

I carefully examined the  
 adjustment of my Solar  
 Compass to-day particularly  
 the latitude and  
 reversing apparatus and  
 found them correct.

John Mahon Compassman Oct 20 1882

## T.24 N.R.15 E.G.&amp; S.R.M

Ch.

This township is very  
gently rolling prairie  
land with good  
grazing in nearly  
all parts.

The soil is very sandy  
and mostly fit good  
only for grazing purposes.  
In the S.W. is a sandy  
wash. It is dry no timber  
or grass. A wash  
starts S. of the centre  
in Sec. 23 and  
drains the Eastern and  
Southern parts.

A large wash runs through  
the northern part. On  
this wash is a valley  
with rich tillable land.  
There is no timber and  
water is scarce.

74

BOOK 497

T.24 N. R. 15 E G. & S R M

There plenty of water in  
South Western portion  
A low divide runs along  
the South boundary  
Land will average  
about 3rd. rate

For final oaths Debook  
No. 20,

BOOK 497

75

U. S. Surveyor General's Office,  
Tucson, Arizona, July 21, 1883.

The foregoing Field Notes of the survey of the

Subdivision Lines of Township

24 North, Range 10 East

of the Gila and Salt River Base and Meridian, Arizona,  
executed by O. O. Wheeler,  
D. S., under his contract of the 5<sup>th</sup> day of  
August, 1882, having been critically ex-  
amined and the necessary corrections and explanations  
made, the said Field Notes and the surveys they de-  
scribe, are hereby approved.

J. M. Robins  
Surveyor General.