

*Indented*

T 24 N. R 17 E. G. & S. R. M.

# Field Notes

OF THE SURVEY OF THE

BOOK 499

*No. 499*

-OF-

Township 24 S. Range 17 E.

Gila and Salt River Base and Meridian

**499**

ARIZONA.

By J. D. Wheeler D.S.

Under contract dated Aug. 5 1882

Survey commenced Oct. 25 1882

Survey completed Oct. 27 1882

T.24 N. R.17 E. G. & S. R. M.

INDEX DIAGRAM.

Township 24 North BOOK 499

Range 17 East

6	75	5	55	4	41	3	20	2	12	1
74	-	73	-	54	-	89	-	25	-	11
7	71	8	53	9	38	10	24	11	10	12
70	-	69	-	51	-	37	-	23	-	9
18	68	-	17	50	16	36	15	22	14	8
66	-	65	-	49	-	80	-	21	-	6
19	64	20	48	21	33	22	20	23	5	24
63	-	62	-	47	-	32	-	19	-	4
30	61	29	46	28	31	27	17	26	3	25
60	-	59	-	44	-	80	-	16	-	2
31	57	32	43	33	29	34	15	35	1	36

Gila and Salt River, Arizona.

ARIZONA.

No. 499

BOOK

499

16

T.24 N.R 17 E C. & S R M

Chains

From the Cor to Secs.  
12. 35 and 36 on the  
S. Bound. of the township  
recently established by me  
I ran  
North lat. line 35 and 06  
Va.  $13^{\circ} 30' E.$

Ascend

40.00 Set a Basalt stone,  $15 \times 7 \times 5$  ins., 10 ins.  
in the ground for  $\frac{1}{2}$  Sec, Cor, marked  $\frac{1}{2}$ . on N.  
face, dug pits  $18 \times 18 \times 12$  ins. A. and S.  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

42.00 Home shore Butte N. E.  
and N. and ascend

80.00 Set a Basalt stone  $16 \times 9 \times 4$   
ins. 11 ins. in the ground  
for Cor. to Secs. 25. 26.  
35 and 36 marked with  
1 notch on S. and E. edge.

2  
BOOK 499

T.24 N. R. 17 E. G. & S. R. M.

Ch.

and raised a mound  
of stone along side  
Pits - impracticable  
Surface rough and rocky  
No grass  
No soil

East on a random line  
bt. Secs 20 and 36  
Va. 100° 40' E.

Ascent

82.00 Top of spur bet. N. and S.  
70- ft. high and descend  
Set landmarks by Sec. Cor.  
Entitled - E. Bound. of  
Township 64 links S. of  
the Cor. to Secs.  
26. 30. 31 and 36 I have  
run S. 89° 33' W. on  
a true line bt. Secs.

## T.24 N. R. 17 E. G. &amp; S. R. M.

Ch.

25 and 86 with same or.

40.18 Set a Basalt stone 16 x 10 x 8  
ins. 11 ins in the ground  
for "4 Sec. Cor. marked  
1/4 on N. face and  
raised a mound of  
stone along side  
Pits impracticable

80.86 The Cor. to Secs. 25.26.35 & 36  
Surface rough and rocky  
No grass  
No soil

North lat. Secs. 25 and 26  
Va. 13° 35' E.

Dwail

4000 Set a basalt stone, 14 x 8 x 5 ins., 9 ins.  
in the ground for 1/2 Sec, Cor, marked 1/2. on N.  
face, dug pits 18 x 18 x 12 ins. N. and S.  
of stone 5 1/2 ft. dist. and raised a mound of earth  
1 1/2 ft. high. 3 1/2 ft. base. alongside.

## T.24 N.R.17 E.G.&amp; S.R.M.

Ch.

71.00 Wash 25 links wide do.

At  $70^{\circ}$  N. and ascend

80.00 Set a basalt stone  $6 \times 10 \times 6$  ins., 11 ins. in  
the ground for Cor, to Secs, 22, 24, 25, 26 marked  
with 2 notch on S. and 1 notch on E. edges,  
dug pits  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft.  
dist. and raised a mound of earth 2 ft. high.  
 $\frac{1}{4}$  ft. base. alongside.

Surface rolling.

Soil 3rd. rate

Little grass

Scattering sage brush

East on a random line st.

Secs 24 and 25

 $N. 10^{\circ} 05' E.$ 

Ascend

Set temporary "4 Sec. Cor.

Dartmouth E. Bound. of  
the township 52 links S.  
of the Cor. to Secs.

40.00

79.90

## T.24 N. R. 17 E. G. &amp; S. R. M.

Ch.

19. 24. 25 and 30 which was  
recently watched by me  
therein I run  $889^{\circ} 38' N.$   
on a true line bet. Secs.  
24 and 25 with same res.

99. 95

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E. and N. of stone 5 ft. dist and raised  
a mound of earth 11 ft. high 3 ft. base over  
it. In E. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on S.  
face.

7990 The Cor. to Secs. 23 24. 25 & 26  
Surface rolling  
Soil 3rd rate  
Little grass  
Scattering sage brush  
North bet. Secs. 23 and 24  
Var.  $18^{\circ} 05' E.$   
Ascent

## T.24 N.R.17 E.G.&amp; S.R.M.

Deposited a marked stone 12 ins. in the ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins. A. and S. of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In A. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{2}$  S. on A. face.

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 13/4, 20 & 2 f., dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 A. S. 12 on N.E. R. 1/2 E. S. 24 on S.E. S. 23 on S.W. and S. 1/4 on N.W. faces, with 3 notch w. on S. and 1 notch on E. edges.

Surface rolling  
Soil good, soft  
Good grass

East on a random line  
ft. Secs. 13 and 24

## T.24 N.R 17 E G. &amp; S R M

Claims

Va. 13° 05' E.

Draws gradually

4000 Set temporary of  $\frac{1}{14}$  Sec. Cor.

7978 District E. Boundary

of the township 14 links

S. of the Cor. to S. w.

B. St. 19 and 24 recently  
established by me sinceI am S. 89° 54' N. on  
a true line S. E. C.

19 and 24 with same re.

3989 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.E. and  $\frac{1}{4}$  of stone 5 $\frac{1}{2}$  feet dist. and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
it. In E. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.7978 The Cor. to Secs 12 14. 23 & 24  
surface rolling  
Soil 3rd. rate  
good grass

## T.24 N. R. 17 E. G. &amp; S. R. M.

*Chs.*

North pt. Secs. 13 and 14  
Va.  $12^{\circ} 85' E.$

*Dugout*

40.00

Set a sand stone,  $20 \times 10 \times 4$  ins., 10 ins.  
in the ground for 1 Sec, Cor, marked  $\frac{1}{4}$ . on N.  
face, dug pits  $18 \times 18 \times 12$  ins. at. and D.  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

80.00

Deposited a marked stone 12 ins. in the  
ground for Cor. to Secs 11, 12, 13-14, dug pits  
 $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base  
over it. In S.E. pit drove a stake 2 ins. sq. 2  
ft. long 12 ins. in the ground marked T. 24th.  
S. 12 on N.E. R. 17 E. S. 13 on S.E. S. 14  
on S.W. and S. 11 on N.W. faces, with  
 $\frac{1}{4}$  notches on S. and 1 notch  
on E edges.

*Surfou rolling*  
*Dark 3rd. rate*  
*Good grass*

## T.24. N.R.17 E.G. &amp; S.R.M.

Ch.

East on a random line bet.

Secs. 12 and 13

Va.  $13^{\circ} 30' E.$ 

Over nearly level land

40.00 Set line in a  $\frac{1}{4}$  sec. 16 or.

42.10 Wash 20' looks wide Go.

St. 25° N. and

around gradually

81.40 Set back R. Bound  
of town by 6 links

St. of the Cor. to

Secs. 7, 12, 13 and 18 which  
was recently plastered

by me. There I am

St.  $89^{\circ} 57' N.$  on a low

line bet. Secs. 12 and 13

with same over.

40.20 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E. and N. of stone 54 feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over  
it. In E. pit drove a stake 2 ft long 2 ins.

## BOOK 499

T.24 N. R. 17 E. G. &amp; S. R. M.

Ch.

it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

80.40 Th. for. to Secs. 11, 12, 13 & 18  
Surface nearly level  
Soil about 2nd. rate  
Good grass

North fit. Secs. 11 and 12  
Va.  $13^{\circ} 30' E.$

Descend gradually

Cross. St. fork of Corn  
creek 18 links wide  
Co. St.  $70^{\circ} N.$  ascend

4.00 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

N. and S. of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In N. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.

## T.24 N. R. 17 E. G. &amp; S. R. M.

Ch.

8000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 1, 2, 11 & 12 marked T.24 A. S. 1 on N. E. R. 17 E - S. 12 on S. E, S, 11 on S, W, and S, 2 on N, W, faces with 5 notch on S, and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft, high. 4½ ft. base, around post.

Surface rolling  
Soil good rate  
Good grass

East on a road on line  
bet. Secs 1 and 12.

Va. 18000' C.

Poor level land

Set temporary 114 Acre Gov.  
80.18 D. across E. Bound.  
of township 40 links N.  
of 1st Cor. to Secs.

## T.24 N. R. 17 E. C. &amp; S. R. M.

Ch.

1. 6. 7 and 12 recently  
established by me.  
These I run at.  $89^{\circ}48'N.$   
on a true line bet. Secs.  
1 and 12 with same var.

80. 09 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E. and W. of stone  $5\frac{1}{2}$  feet dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In E. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.

80. 18 The 6 or. to Secs. 1, 2, 11 & 12  
Surface nearly level  
Soil 3rd. rate  
Good grass

Run on a true line  
bet. Secs. 1 and 2

To  $18^{\circ}38'E$   
Over almost level land

## T.24 N.R.17 E.G. &amp; S.R.M.

Chas.

4000

Set a paved stone, ~~for~~ 6 x 6 ins., 9 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on N.  
face, dug pits 18 x 18 x 12 ins. at and S.  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft, high.  $3\frac{1}{2}$  ft. base. alongside.

80.02

Datum set 6 th. S. and and  
Parallel North. 284 links  
E. of the ~~boundary~~ Sec. Cor.  
on the S. Bound. of Sec.  
35 which was recently  
established by me.

At point of intersection  
Set a post. 4 ft. long  
4 ins. sq. + well marked  
at one of 2 ins. in the ground  
for G. losing Cor. to  
Secs. 1 and 2 marked  
S. 24 th. R. 17 E. on S.  
S. in E. and S. 2 on  
N. face with 1 mole -  
on E. and 5 mole has

## T.24 N. R. 17 E. G. &amp; S. R. M.

Obs.

on St. fence. dug pit  
18x18x12 ins. N.E. and N.  
8 post 5 $\frac{1}{2}$  ft. dist.  
and raised a mound  
of earth 2 ft. high 4 $\frac{1}{2}$   
ft. base around post.  
Surf. nearly level  
Soil about 3rd. rate  
Good grass some sage brush  
carefully examined  
the adj. instruments  
of my Solar Compass  
to day particularly  
the latitude and reversing  
apparatus and found  
them correct.

D. D. Atchison Oct. 25th 1882

## T.24 N.R.17 E G. &amp; S R M

Chs-

From the Com to S. Ins.  
2. 8. 84 and 85 on the  
S. boundary of the  
township which was  
recently established by me.  
I ran North line.  
S. Ins. 84 and 85  
Va. 130° 80' E.

## Accord

40.00 Set a Basalt stone,  $1\frac{1}{2}$  x 8 x 6 ins., 9 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$ . on N.  
face, dug pits 18 x 18 x 12 ins. at and S.  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

69.58 Top of spur to N. from  
Duttle 200 ft. high  
and I discarded  
Set a Basalt Stone  
 $2\frac{1}{2}$  x 14 x 8 ins. 18 ins. in  
the ground for.

## T.24 N.R.17 E G. &amp; S.R.M

Ch.

Porto Seco 26, 27, 34 & 35  
 marked with 1 notch  
 on S. and 2 notches on  
 E. edges and raised  
 a mound of straw  
 along side. Ditch impracticable  
 Surface rolling  
 Soil 3rd. rate  
 Good grass

East on a random line  
 bet. Sec 26 and 35  
 Va.  $13^{\circ} 30' E.$

Ascend

Top of spur bet. S. and S.  
 and descend  
 Set through way "y Sec. 35  
 Wash 35 tanks wide  
 Co. St. of  $8^{\circ} N.$  and ascend  
 District - S. and S. line

79.50

No. 499

BOOK

17

499

T.24 N. R. 17 E G. & S.R.M.

Ch.

16 links N. of the cor.  
to Secs. 26. 26. 35 and  
36 Shove & run N.  $89^{\circ}$   
 $50'$  N. in a true line  
bt. Secs. 26 and 35  
with same ra.

39.75 Set a basalt stone,  $4 \frac{1}{2} \times 8 \times 8$  ins., 9 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$ . on N.  
face, dug pits  $18 \times 18 \times 12$  ins. E and W.  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

79.50 The Cor. to Secs. 26. 27. 34 & 35  
Surf au gently rolling  
good grass.  
Set 3rd. rate

North bt. Secs. 26 and 27  
Va.  $130^{\circ} 30' E.$   
Discard

18  
BOOK 499

T24 N.R 17 E G. & S R M

Ch.

4000

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N. and S. of stone 5 $\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In S. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

8000

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 22. 23. 26-27 dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 S. 23 on N.E., R. 17 E. S. 26 on S.E. S. 27 on S. W. and S. 22 on N. W. faces, with 2 notch  $\bowtie$  on S. and 2 notch  $\bowtie$  on E edges.

Surface gently rolling  
Soil ord. rate  
Good grass

## T.24 N.R.17 E.G.&amp; S.R.M.

Ch.

East on a road on line  
bet. Sec. 23 and 26  
Va.  $13^{\circ}30' E.$

Discrep

40.00 Set trap on way "4 Sec. Cor.  
65.50 Wash 25 links wide  
Or. A.  $75^{\circ} N.$   
79.94 Detroit St. and S. line  
31 links St. of the  
Gr. to Sec. 23. 24. 25  
and 26 true  
run Or.  $89^{\circ}47' N.$  on  
a true line bet.

Sec. 23 and 26  
with same var.

39.97 Set a Basalt stone,  $1\frac{1}{2}$  x 8 x 5 ins., 9 ins.  
in the ground for  $\frac{1}{2}$  Sec, Cor, marked  $\frac{1}{2}$ . on N.  
face, dug pits 18 x 18 x 12 ins. E. and N.  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

## T.24 N. R. 17 E. G. &amp; S. R. M.

Ch.

79.94 The Cor. to Secs. 22, 23, 26 &amp; 27

Dug a gentle rolling

Soil 3rd rate

Good grass

North ft. Sec. 22 and 23

Va.  $13^{\circ} 30' E.$ 

21.25

4.00

Deposited  
~~Wash 25 lbs~~  
 a stone 6 x 4.8 x 1 ft  
 Set a ~~square~~ stone, 16 x 8 x 4 ins., 11 ins.  
 in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$ . on N.  
 face, dug pits 18 x 18 x 12 ins.  $\frac{1}{4}$  and  $\frac{1}{4}$ .  
 of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

80.00

Deposited a marked stone 12 ins. in the  
 ground for Cor to Secs 14, 15, 22 & 23, dug pits  
 $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base  
 over it. In S. E. pit drove a stake 2 ins. sq. 2  
 ft. long 12 ins. in the ground marked T. 24 N.  
 S. 14 on N.E. R. 17 E. S. 23 on S.E. S. 22  
 on S. W. and S. 15 on N. W. faces, with  
 $\frac{3}{4}$  notch on S. and  $\frac{1}{2}$  notch on  
 E. edge.

T.24. N.R. 17 E.G. & S.R.M.

Chs.

Surf an rolling  
Dist 3rd to 4th rate  
Good grass

East on a random line  
ft. Dis. 14 and 23  
Va.  $13^{\circ} 30' E.$

Over rolling moor  
40.00 Dist least way 14 Sec. Cor.  
80.16 District A. and D.  
line 25 links N.  
of the Cm. to Secf.  
13, 14, 23 and 24. Then  
I run Cr.  $89^{\circ} 49' N.$   
on a true line ft.  
Dis. 14 and 23 with  
paue var

40.08 Deposited a marked stone 12 ins. in the  
ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.  
E. and N. of stone 5½ feet dist and raised  
a mound of earth 1½ ft. high 3½ ft. base over  
it In pit drove a stake 2 ft. long 2 ins.

## T.24. N.R. 17 E G. &amp; S R M

Ch.

it. In E. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.

80.16 The Cor. to Secs. 4, 15, 22 + 23  
Surf. all rolling  
Soil good rate  
good grass.

North side. Secs. 14 and 15  
Va. 13° 35' C.

Over level land

40.00 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
N. and S. of stone  $5\frac{1}{2}$  feet dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over  
it. In N. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.

80.00 Deposited a marked stone 12 ins. in the  
ground for Cor. to Secs. 10, 11, 14 + 15, dug pits  
18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base  
over it. In S.E. pit drove a stake 2 ins. sq. 2

## T.24. N.R. 17 E.G. &amp; S.R.M.

ft. long 12 ins. in the ground marked T. 24 N.  
S. 11 on N.E. R. 17 E. S. 14 on S.E. S. 15  
on S. W. and S. 10 on N. W. faces, with  
4 notch 6 on S. and 2 notch 15  
on E edges.

Land mostly level  
Soil good rate  
Good grass

East on a random line  
ft. Dis. 11 and 14  
Va.  $13^{\circ} 3^{\circ} E.$

Over mostly level land  
At temporary 14 Dis. from  
Dolosick - H. and D.  
line 18 lots 5 S. of  
the Cor. to Dis.  
11, 12, 13 and 14  
thus I run  
S. 89 $^{\circ}$  52' N. or a true  
line bet. Dis. 11 and 14

4000  
80.34

## T.24 N. R. 17 E. G. &amp; S. R. M.

Ch.

40.17

with same or.

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E. and N. of stone 5 $\frac{1}{2}$  feet dist and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

80.94 The Cor. to Secs. 10, 11,

14 and 15

Sygan nearly level  
Soil Ind. soil.

Good grass

North bt. Secs. 10 and 11

Va. 13° 30' E.

Dug gradually

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N. and S. of stone 5 $\frac{1}{2}$  feet dist and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In S. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.

4000

## T.24 N.R.17 E.C. &amp; S.R.M.

Ch.

face.

00.50 North fork of Cow Creek  
20 links with Co. Cr. 70° N.  
and second

0.00 Deposited a marked stone 12 ins. in the  
ground for Cor. to Secs. 2, 3, 10-11, dug pits  
18 x 18 x 12 ins. in each Sec.  $\frac{1}{2}$  ft. dist. and  
raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base  
over it. In S.E. pit drove a stake 2 ins. sq. 2  
ft. long 12 ins. in the ground marked T. 24 Cr.  
S. 2 on N.E., R. 7 E.S. 11 on S.E. S. 10  
on S.W. and S. 3 on N.W. faces, with  
~~5~~ notch  $\rightarrow$  on S. and ~~2~~ notch  $\rightarrow$   
on E edges.

For for rolling  
Dirt 3rd rate  
Good grass

East on a road on line  
bt. Sec. 2 and 11

Va.  $13^{\circ} 30'$  E.  
Land mostly level

## T.24 N.R 17 E G. &amp; S.R.M.

Ch.

40,00 Set marker at  $\frac{1}{4}$  Sec. Cor.  
 7984 Delmarf Dr. and I. line  
 83 links S. of the Cor.  
 To Sec. 1, 2, 11 and 12  
 There I run S. 89°  
 46' N. in a true line  
 bet. Sec. 2 and 11  
 with same ra.

3992 Set a post 3 ft. long 3 ins. diam with marked  
 stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec, Cor,  
 marked  $\frac{1}{4}$  S. end face, dug pits 18 x 18 x 12  
 ins. E. and W. of post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around  
 post.

7984 The Cor. to Sec. 2, 3, 10 and 11  
 Surface nearly level  
 Soil 3rd. rate  
 Good grass  
on a line  
 North, ft. Sec. 2 and 3  
 Va.  $13^{\circ}30' E.$

## T.24 N. R. 17 E. G. &amp; S. R. M.

Ch.

4000

Land nearly level

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. C. or. marked  $\frac{1}{4}$  S. on  $\frac{1}{4}$  face, dug pits 13 x 13 x 12 ins. N. and S. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around post.

80.50 Detour - 6th Standard

Parallel Roads 200

Links N. of the 1/4 Sec.

Start. Cor. on S. bound.

of Sec. 34 which was recently stotbbed by me.  
At point of intersection  
Set a sandstone

16x10x4 ins. 11 ins. in  
the ground for closing  
Cor. to Sec. 2 and 3  
marked C. C. with 2  
notches on E. and  
4 notches on N. edges.

T.24 N. R. 17 E G. & S.R.M.

Chains

Dug pits 18 x 18 x 12 ins.  
S. E. and N. of stone  
5 $\frac{1}{2}$  ft. dist. and  
raised a mound  
of earth 2 ft. high 4 $\frac{1}{2}$   
ft. low along side  
Sur face nearly level  
Soil 3rd. soil  
Good grass

John Mahon Conductor  
Oct 25th 1872

## T.24.N.R 17 E G. &amp; S R M

Chains

From the Cor. to Sec.  
3, 4, 33 and 34 on the  
South Bound. of the  
Township which was  
recently established  
by me I run  
North St. Lns. 33 and 34  
Ja. 10<sup>th</sup> 18<sup>00</sup> E.

Accord

35.00 Top of ridge ls. A. 80° E.  
and S. 80° W. and  
Discend gradually

40.00 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pit 18 x 18 x 12 ins.  
N. and S. of stone 5 $\frac{1}{2}$  feet dist. and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
it. In N. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.

80.00 Set a Basalt. stone 14 x 8 x 4 ins.  
9 ins. in the ground

## T.24 N.R.17 E.G. &amp; S.R.M.

Ch.

for Cor. to Sis. 27, 28,  
 33 and 34 marked  
 with notch on S. and  
 3 notches on E. edges.  
 and raised a mound  
 of stone along side  
Pip impracticable  
 Dunes a nearly level  
 3rd. rate  
Good grass

East on a sand on line  
 bet. Sis. 27 and 34  
 $10^{\circ} 30' E.$

Ascent

40.00 Set temporary line for  
 79.82 Dalmatian T. and S. line  
 34. looks S. of the Cor.  
 to Sis. 26, 27, 34 and 35  
 then I run S.  $89^{\circ}$

T.24. N.R. 17 E G. & S R M

Chs

45° N. on a true line  
bt. S. 10. 27 and 04  
with same q. a. S.

39.91 Set a fault stone  
16x14x4 ins. 11 ins. in  
the ground for "4 Ac.  
Nor. marked "4 on  
St. face. and raised a  
mound of stone alongside  
Peb. infractable

79.82 The Nor. to S. 27. 28. 83  
and 04

Surface nearly level  
Dott. Ind. rate  
Good grass

North bt. S. 10. 27 and 28  
Va. 13° 30' E.  
Dround gradually

## T.24 N. R. 17 E. G. &amp; S. R. M.

*Ch.*

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

$\text{N}.$  and  $\text{S}.$  of stone  $5\frac{1}{2}$  feet dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In  $\text{N}.$  pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $\text{N}.$  face.

80.00

Set a sand stone 5 x 9 x 7 ins., 10 ins. in the ground for Cor. to Secs. 21, 22, 27 & 28 marked with 2 notch  $\times$  on S. and 3 notch  $\times$  on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. alongside.

Surface nearly level  
Dirt 3rd. rate

Good grass

East on a road on line  
ft. 1 in. 22 and 27  
Va.  $13^{\circ}$  /  $80^{\circ}$  E.

40.00 Set temporary "4 S. Cor.  
80.16 J. about  $\text{A}.$  and  $\text{S}.$  line

T.24 N.R.17 E.G. & S.R.M.

Chs.

8 blks N. of the Cor.  
to Sec. 22. 23. 26 and  
27 three I run Cr.  
 $89^{\circ} 57'$  N. on a true line  
bt. Sec. 22 and 27  
with same w.

40.08

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E. and W. of stone 5 $\frac{1}{2}$  feet dist and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
it. In E. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.

50.16

The Cor. to Sec. 21 22. 27 & 28  
Surfau nearly level  
Soil friable  
Good grass

North bt. Sec. 21 and 22  
Va.  $18^{\circ} 30' E.$   
Dugout

## T.24 N.R.17 E.G.&amp; S.R.M.

Ch.

- 27.00 Wash 30 links wide 0°.  
S. 80° N. and ascend
- 40.00 Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. A. and S. of stone 5 $\frac{1}{2}$  feet dist and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In A. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked S. on N. face.
- 75.00 Wash 55 links wide 0°.  
A. 80° N. and ascend
- 80.00 Set a Basalt stone 16 x 14 x 8 ins. 1 ins. in the ground for Cor. to Sec. 15, 16, 20, and 22 marked with 3 notches in S. and E. edge. and raised a mound of stone along side Pit. Impracticable Surface rolling Post 3rd to 4th rate

T.24 N.R.17 E.G.& S.R.M.

Ch.

Good grass

East on a random line ft.  
S. 15 and 22

N. 13° 30' E.

Plowed gradually

Set temporary ~~for~~ Sec. Cor.

80.22 Dahlback St. and S.

line 12 links S. of  
the Cor. to Sess.

14. 15. 22 and 20

thence I run C. 89°

55' N. on a true line

ft. Sess. 15 and 22  
with same rd.

40.04

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E. and N. of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In E. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on S.  
face.

## T.24 N. R. 17 E. G. &amp; S. R. M.

Ch.

80.00 The Cor. to Sec. 15, 16, 21 & 22  
 Surface rolling  
 Soil about 3rd. rate  
Good grass

North ft. Sec. 15 and 16  
 Va. 13° 25' E.

Deposited gradually

40.00 Set a post 7 ft. long 3 ins. diam with marked  
 stone, 12 ins., in the ground for  $\frac{1}{4}$  Sec, Cor,  
 marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
 ins. N. and S. of post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base. around  
 post.

80.00 Deposited a marked stone 12 ins. in the  
 ground for Cor. to Secs. 9 10 15 & 16, dug pits  
 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base  
 over it. In S. E. pit drove a stake 2 ins. sq. 2  
 ft. long 12 ins. in the ground marked T. 24 N.  
 S. 10 on N.E. R 17 E. S. 15 on S.E. S. 21  
 on S.W. and S. 16 on N.W. faces, with  
 4 notches on S. and 3 notches

## T.24 N. R. 17 E. G. &amp; S. R. M.

Ch.

on E. edges.

Surface gently rolling  
Soil about 3rd. ord.  
Good grass  
Some sage brush

East on a random line  
bet. Sec. 10 and 15  
Var. 130 80' E.

Cross nearly level land  
Set line for area of 1/4 Sec. 10.  
Intersect St. and S.  
line & links S. of the cor.  
to Secs. 10, 11, 14 and 15  
thence I run S. 89° 58'  
R. on a true line bet.  
Secs. 10 and 15  
with same ra.

40.00

79.78

## T.24 N. R. 17 E. G. &amp; S. R. M.

Ch.

39,89

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E. and N. of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over it. In Q. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

79,78

The Cor. to Secs. 9, 10, 15 and 16  
Surface gritty rolling  
Soil about 3rd. rate  
Good grass  
Some sage brush

North lat. Sec. 9 and 10  
Va.  $13^{\circ} 30' E.$

20.00  
40.00

Ascend gradually  
Descend gradually

Deposited a marked stone 12 ins. in the

ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E. and N. of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1 S. on

## T.24 N.R 17 E G. &amp; S R M

Ch.

sq. 12 ins. in the ground marked 1 S. on W.  
face. -

80.00

Deposited a marked stone 12 ins. in the  
ground for Cor. to Secs. 9 & 10. also 12  
15 x 15 x 12 ins. in each Sec.  $\frac{5}{4}$  ft. dist. raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base.  
over it in S.E. pit drove a stake 2 ins. sq. 2  
ft. long 12 ins. in the ground marked T. 24 d.  
S. 9 on N.E. R. 17 E. S. 10 on S.E. S. 9  
on S. W. and S. 4 on N. W. faces, with  
5 notch  $\diamond$  on S. and 3 notch  $\diamond$   
on E edges.

Surface gritty rolling  
Soil 3rd rank  
Good grass

East on a random line  
bt. S. 10, 9 and 10  
Va.  $12^{\circ} 30' E.$

40.00 Decline gradually  
Set back a very few feet. Cor.

## T.24. N.R. 17 E.G. &amp; S.R.M.

Ch.

42.57 St. fork of Con Creek 22  
 16 miles N. of Co. St. 80° N.  
 Ascend gradually

79.70 Detroit-St. and S. line  
 16 miles N. of the Co. to  
 Sec. 2. 3. 10 and 11 there  
 I run St. 89° 50' N. on  
 a true line bet. Secs.  
 3 and 4 with same ra.

39.85 Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 E. and N. of stone  $5\frac{1}{2}$  feet dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
 it. In E. pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on St.  
 face.

79.70 The Co. to S. 100- 3. 4. 9 + 10  
 Surface gently rolling  
 Soil about 3rd. rate  
 Good grass  
 Some sagebrush

T.24 N.R.17 E.G.&S.R.M

Ch.

North lat. Sec. 3 and 4  
Va. 13° 30' E.

Discovered new rolling land  
1120 North fork of Corn Creek  
18 miles wide Co. N.

Continue to discover

40.00 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 $N$  and  $S$  of stone 5 $\frac{1}{2}$  feet dist. and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
it. In  $S$ . pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $N$ .  
face.

80.27 Delivered 6th Standard  
Parallel North 216 lbs.  
N. of the 114 Sec. Cor. on  
~~the~~ S. Bound. of Sec.  
53 recently established by me.  
At point of intersection  
Deposited marked stone  
12 ins. in the ground

## T.24 N. R. 17 E. G. &amp; S. R. M.

Obs.

for closing Cor. to sea.  
3 and 4 dug pits 18x18  
x 12 ins. S.E. and N.  
of stone 5 $\frac{1}{2}$  ft. dist. and  
raised a mound of  
earth 2 ft. high 4 $\frac{1}{2}$  ft.  
base over it. 2 u. E. pit.  
drove a stake 2 ft. long  
2 ins. sq. 12 ins. in the  
ground marked b. b.  
T. 24 S. R. 17 E. on S.

S. 3 on E. and  
S. 4 on N. face: with  
3 notches on E. and West  
A. face.

Surface gritty rolling  
Soil 3rd soil -  
Good grass

T.24 N.R.17 E.G. & S.R.M.

Chs.

I car. fully examined  
the adjustments of  
my Solar Comp. to  
day particularly  
the Latitude and  
reversing apparatus  
and found them correct  
O. D. Thaler Oct. 26th 1882.

From the Cor. to Sec.  
4. 5. 32 and 33 on the  
South Bound. of the  
Township recently established  
by me I run  
North lat. Line. 32 and 33  
Va.  $18^{\circ}30' E.$

Accord

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
A. and  $\frac{1}{2}$  of stone 5 $\frac{1}{2}$  feet dist and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
it In pit drove a stake 9 ft. long 2 ins.

40.00

## T.24 N.R 17 E G. &amp; S R M

Ch.

it. In A. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked ~~S.~~ on N.  
face.

- 45.00 Top of ridge hrs. N.  $85^{\circ}$  E.  
and S.  $85^{\circ}$  W. and down  
56.00 Downed abruptly  
45.00 Enter valley hrs. E. and N.  
80.00 Set a Basalt stone  $1\frac{1}{2} \times 4 \times 8$  ins., 12 ins. in  
the ground for Cor, to Secs, 28.29.32-33 marked  
with / notch on S. and 4 notch ~ on E. edges,  
Aug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft.  
distr. and raised a mound of earth 2 ft. high.  
41 ft. base. alongside.

~~Dark~~ ~~dark~~ gritty rolling  
~~Soil~~ 3rd. soil  
Fair grass  
Some sagebrush

Cast on a random line bet-  
Sec. 28 and 33  
Va.  $13^{\circ} 95' E.$

## T.24. N.R. 17 E G. &amp; S R M

Ch.

- Over nearly level land  
Leave valley for S. and S.  
Ascend abruptly  
Ascend gradually  
Set temporary Sec. Cor.  
District N. and S. line  
40 miles S. of the Cor.  
to Secs. 27, 28, 33 and 34  
Leave I run N. 89°  
42' W. on a true line  
bet. Secs. 28 and 33  
with same re.
- Set a fault stone, 3 x 9 x 6 ins., 5 ins.  
in the ground for  $\frac{1}{4}$  Sec. Cor, marked  $\frac{1}{4}$ . on S.  
face, dug pits 18 x 18 x 12 ins. E. and W.  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
11 ft. high.  $3\frac{1}{2}$  ft. base alongside.
- The Cor. to Secs. 28, 29, 32 + 33  
Surface quite rolling  
Doll 3rd. rate  
Grass sagebrush

## T.24 N. R. 17 E. G. &amp; S. R. M.

Ch.

North lat. 30° 28' and 29'  
Va. / 3° 30' E.

D second

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N. and S. of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over it. In S. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

80.00

Set a Pavlt. stone  $1\frac{1}{2}$  x 8 x 6 ins., 11 ins. in the ground for Cor. to Secs. 20, 21, 28, 29 marked with 2 notches on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. alongside.

Surf ac. greatly rolling  
 High grass some sage brush  
Soil 3rd. rate

## T.24 N.R.17 E.G.&amp; S.R.M.

Chs.

East of a random line  
bt. S. 1<sup>o</sup> 21 and 2<sup>o</sup> 28  
Va. 13° 30' E.

Opened a good valley

18.00 Wash 15' wide  
N. of St. M.

34.00 Top of spur bt. S. and S.  
and discord

40.00 Set timber along S. of Cor.

57.12 Wash 15' wide Co. ✓  
S. 50° W. and discord

80.04 Detrital - of and S. line  
27 links S. of the Cor.

To Sust. 21, 22, 27 and 28  
thence S. run S. 89° 48' W.  
on a true line bt.

S. 1<sup>o</sup> 21 and 2<sup>o</sup> 28

with same va.

40.02 Set a Post alone  
4x8x7 mos. 9 ins. in the

## T.24 N. R. 17 E. G. &amp; S. R. M.

Chs.

ground for  $\frac{1}{4}$  Sec. Cor.  
 worked  $\frac{1}{4}$  acre S. face  
 and raised a mound  
 of stone along side  
 Pits impracticable

8004 The Cor. to Secs. 20 21 28  
 and 29

Surface gently rolling  
 Soil 9 in. rock  
Fair grass some sagebrush

North pt. Sec. 20 and 21  
 Va. 13° 00' E.

Over nearly level land

Neel 38 links wi. Sec. S. 79° N. around

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 S. and S. of stone 5 $\frac{1}{2}$  feet dist and raised  
 a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
 it. In S. pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
 face.

9.30

40.00

## T24 N.R 17 E.C. &amp; S.R.M

Ch.

60.00 Top of spur to S. E. and N.  
and descend

80.00 Set a vault stone  $\frac{5}{8} \times \frac{9}{16} \times \frac{7}{8}$  ins., 10 ins. in  
the ground for Cor, to Secs. 16, 17, 20 & 21 marked  
with 3 notch on S. and 4 notch on E. edges,  
dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft.  
dist. and raised a mound of earth 2 ft. high.  
 $4\frac{1}{2}$  ft. base. alongside.

Surface gently rolling  
Dirt 3rd. rate  
Fair grass some sage brush

East on a random  
line bet. Secs. 16 and 21  
Va.  $13^{\circ} 30' E$

- ascend

40.00 Set temporary 1/4 In. Cor.  
65.00 Wash 30 links wide  
Co. I.  $80^{\circ} N.$

79.48 Detract. N. and S. line  
87 links S. of the

T.24 N.R 17 E G. & S R M

Ch.

Cor. to Sec. 15, 16, 21 and  
22. Thence I run  
S.  $89^{\circ} 44' N.$  on a true  
line bt. Sec. 16 and 21  
with same re

39.74 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E. and N. of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over  
it. In E. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.

79.48 The Cor. to Sec. 16, 17, 20 and 21  
Surf an gently rolling  
Soil 3rd. rate  
Good grass

North bt. Sec. 16 and 17  
Va.  $13^{\circ} 30' E.$

Descent

39.00 Wash 35 links wide less.

## T.24 N.R 17 E G. &amp; S R M

Ch.

- 40.00 A.  $85^{\circ}$  N. and second  
 Set a Basalt stone,  $4 \times 10 \times 6$  ins.,  $9$  ins.  
 in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$ . on N.  
 face, dug pits  $18 \times 18 \times 12$  ins. A-and L.  
 of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.
- 80.00 Deposited a marked stone 12 ins. in the  
 ground for Cor to Secs. 8, 9, 16-17, dug pits  
 $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base  
 over it. In S.E. pit drove a stake 2 ins. sq. 2  
 ft. long 12 ins. in the ground marked T. 24 N.  
 S. 9 on N.E. R. 17 E. S. 16 on S.E. S. 17  
 on S.W. and S. 8 on N.W. faces, with  
 $\frac{1}{4}$  notch<sup>o</sup> on S. and  $\frac{1}{4}$  notch<sup>o</sup>  
 on E edges.

Surface gritty rolling  
 Soil good soil  
 Good grass

East on a random line  
 ft. Div. 9 and 16  
 To  $130^{\circ} 85' E.$

T.24 N. R.17 E. G. & S. R. M.

Chains

Asced

40.00 Det. tuff masonry of Sec. Cor.  
Dwlsch. A. and S. line  
24 bu. ft. S. of the  
Cor. to Assd 9, 10, 15 + 16  
Hence I run N. 89°  
50' W. on a true line  
bet. Sec. 9 and 16  
will same rd.

89.98 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E. and W. of stone 5 $\frac{1}{2}$  feet dist and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
it. In E. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on S.  
face.

79.96 The Cor. to Ass. 8, 9, 16 + 17  
Surface gently rolling  
Soil good -  
Very good grass

## T.24 N. R. 17 E. G. &amp; S. R. M.

Chavis

North of Sec. 8 and 9  
Va.  $13^{\circ} 30' E$

Accord

40.00 Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  $\mathcal{O}$ . and  $\mathcal{S}$ . of stone  $5\frac{1}{2}$  feet dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In  $\mathcal{O}$ . pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $\mathcal{N}$ -face.

45.00 Top of spur 25 ft. high  
to E. and N. and  
discovered

69.90 North fork Corn Creek  
40 miles wide Co. \$85.00  
and accord

80.00 Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 4, 5, 8 & 9, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 N.  
S. 4 on N.E. R/6 E.S. 9 on S.E. S. 8

T.24 N. R.17 E. C. & S. R. M.

Ch.

- Face  
 4030 Top of spur to S. W.  
 and down
- 8046 I nbrood - O th Standard  
 Parallel Apoth 282  
 looks West of  $\frac{1}{4}$  Sec.  
 Gr. on the South -  
 Boundary of Sec. 32 <sup>recently established</sup>  
 At point of intersection  
 Set a Post 4 ft. long  
 4 in. sq. with marked  
 side 12 in. in the  
 ground for Survey Gr.  
 to Sec. 4 and 5 marked  
 S. C. S. 24 D. R. 17 E.  
 on S. S. 4 on E. and  
 S. 5 on N. face. with  
 2 notches on N. and  
 4 notches on E. edges.  
 dug sub 18x18x12 in

## T.24 N.R.17 E.C. &amp; S.R.M

Cho.

S.E. and N.E. of post  
5 $\frac{1}{2}$  ft. dist. and  
raised a mound of  
earth 2 ft. high 4 $\frac{1}{2}$  ft.  
base around post.  
Surface gently rolling  
Soil dark soil  
Fair grass.

John Mohr Comptroller  
Nov. 29th 1882.

From the Cor. to Ave.  
S. 6. 3' and 32 on the  
South Boundary of  
the township recently  
established by me,  
I run  
North st. Dis. 31 and 32  
Va. 13° 30' E.

T.24.N.R 17 E G. & S R M

Ch.

40.00

Acclad

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  $\Delta$ . and  $\Delta$ . of stone 5 $\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In  $\Delta$ . pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $\Delta$  face.

48.12 Top of ridge fr. S. 70° N.  
discord

70.00 Enter valley fr. E. and N.

80.00 Set a pair stone 13 x 6 x 5 ins., 8 ins. in the ground for Cor. to Secs. 29, 30, 31-32 marked with 1 notch on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base alongside.

Surface gritty rolling  
D of 3rd to 4th rate  
Good grass

## T.24 N.R.17 E.C. &amp; S.R.M.

Ch.

Cast on a random line  
bet. Secs. 29 and 32  
Ran very gradually  
Set timber on 4 Sec Cor.  
40,0°

80,29 Intersect A. and S. line  
18 fath A. of the Cor. to  
Sps. 28, 29, 32 and 33  
Hence I run A. 89° 5' 27" N.  
on a true line bet. Secs.  
29 and 32 with same var.

40,30 Set a basalt stone, 16 x 12 x 8 ins., 11 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$ . on A.  
face, dug pits 18 x 18 x 12 ins. E. and W.  
of stone 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth  
1 ft. high. 3 $\frac{1}{2}$  ft. base. alongside.

80,29 The Cor. to Secs 29 & 30. 31 & 32  
Surface rolling  
Soil 2d. rate -

Good grass  
R. D. Wheeler Oct. 27th 1882.

## T.24 N. R. 17 E. G. &amp; S. R. M.

Ch.

Not at a random line  
bet. Sec. 30 and 31  
Va. 18° 80' E.

Dug down valley

- 40.00 Set a timber or log in the  
76.63 Dug road - W. Bound.  
of the town of 20 the  
S. of the Cr. to  
Sec. 25, 30, 31 and 36  
which was recently established  
by me. Then I run  
A. 89° 48' E. on a  
line bet. Sec.  
30. and 31 with some re-  
36.63 Set a basalt stone,  $4 \frac{1}{2} \times 7 \frac{1}{2} \times 5$  ins., 9 ins.  
in the ground for  $\frac{1}{2}$  Sec, Cor, marked  $\frac{1}{2}$ . on A.  
face, dug pits  $18 \times 18 \times 12$  ins. E. and W.  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft, high.  $3\frac{1}{2}$  ft. base. alongside.

76.63 The Cr. to Sec. 29, 30, 31 + 32

## T.24 N. R. 17 E. G. &amp; S. R. M.

Ch.

Surface gently rolling  
Soil 3rd rate  
good grass

North bd. Secs. 29 and 30  
Va. 13° 30' E.

Low nearly level valley  
Wash 40 links wide Co.,  
S. 80° W. and curved

39.20 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

A. and  $\frac{1}{4}$  of stone 5 $\frac{1}{2}$  feet dist and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
it. In A. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.

72.00 Top of spur to S. N. end discord  
80.00 Set a paved stone 6 x 9 x 7 ins., 11 ins. in  
the ground for Cor. to Secs. 19, 20, 29-30 marked  
with 2 notches on S. and 5 notches on E. edges,  
dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft.  
dist. and raised a mound of earth 2 ft. high.

## T.24 N. R. 17 E. G. &amp; S. R. M.

Chs.

4 $\frac{1}{2}$  ft. face alongside  
Surface gently rolling  
Soil Grd. rate  
Good grass

East on a random line  
bet. Sec. 20 and 29  
Va. 13° 35' E.

Ascend

15.00 Top of spur to S. 45° W.  
and descend abruptly

18.00 Descend very gradually  
Set temp. w. of 114 Sec. line.  
40.00 Wash 28 links wide to S.  
68.10 Ascend

79.98 Detroit St. and S. line  
13 Blks. S. of the Cor.

to Sec. 20, 21, 28 and 29  
then down S. 89°  
54' W. on a true line

63

MOK 499

T.24 N.R 17 E G. & S R M

Ch.

bet. Dec. 28 and 29  
with some var.

39.99

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E. and N. of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on S. face.

79.98 The Cor. to Ass. 19, 20. 29 & 30

Dwarfed gritty rolling  
Soil 3rd. rate -

Good grass

West on a random line  
bet. Dec. 19 and 30

Ja. 13° 30' E.

Decreased gradually

At lower margin  $\frac{1}{4}$  Sec. 60.

58.00 North fork Corn creek  
32 miles wide Co. S. 10° W.

76.57 Just west N. Bound of

## T.24.N.R.17 E.G.&amp; S.R.M.

Ch.

the town of 28 miles S. of  
 the Cor. to Sec. 18, 24,  
 25 and 30 which was  
 recently established by me.  
 Thence I run S. 89  
 $47'$  E. on a true  
 line bet. Sec 19 and  
 30 with same cor.

3657 Set a sand stone,  $14 \times 7 \times 5$  ins., 9 ins.  
 in the ground for  $\frac{1}{2}$  Sec, Cor, marked  $\frac{1}{2}$ . on N/  
 face, dug pits  $18 \times 18 \times 12$  ins. E. and W.  
 of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

7457 Thy Cor. to Secs 19, 20, 29 & 30

Surface rolling  
 Soil 2nd. rate  
Good grass

North bet. Sec. 19 and 20  
 Va.  $13^{\circ} 30' E.$   
 Dug out gradually

## T.24 N.R.17 E.C. &amp; S.R.M.

Cl.

4000

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  $\text{N}.$  and  $\text{S}.$  of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In  $\text{N}.$  pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}\text{S.}$  on  $\text{N.}$  face.

8000

Set a Basalt stone  $1\frac{1}{2}$  x 9 x 6 ins., 10 ins. in the ground for Cor. to Secs. 17, 18, 19, 20 marked with 3 notch on S. and 5 notch  $\infty$  on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. alongside.

Surface rolling  
Soil dry rate  
St. blair grass.

East on a random line  
bet. Sec. 17 and 20

Va.  $13^{\circ}30' \text{E.}$

4000

Raised road gradually  
Set traps and 114 Sec. Cor.

66

BOOK 499

## T.24 N. R. 17 E. C. &amp; S. R. M.

Ch.

8006 Detracted N. and S. line  
 32 the N. of the br.  
 to Dec. 16, 17, 20 and 21  
 Then I run N. 89°  
 46' W. as a true line  
 bet. Dec. 17 and 20  
 with same ra.

40.03 Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 E. and N. of stone 5 $\frac{1}{2}$  feet dist. and raised  
 a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
 it. In E. pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
 face.

8006 The br. to Dec. 17, 18, 19, 20  
 Surface rolling  
 Poor soil -  
Good grass.

O. D. Wheeler Oct. 27<sup>th</sup> 1882  
 West of random line  
 bet. Dec. 18 and 19

67

T.24 N. R. 17 E. C. & S. I. M.

BOOK

499

Ch.

V. 138.8° E.

4000 Domed gradually  
4312 Set highway  $\frac{1}{4}$  Sec. Cor.  
North fork Con. one h.  
30 miles wide Co. L.  
76.30 Domed very gradually  
Inward - N. Domed.  
of the township 16 miles  
South of the Cor. to  
Sec. 18, 19 and 24  
recently established by me  
Since I run S. 89°  
53' E. on a true line  
bt. Sec. 18 and 19  
with same va.

76.30 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E. and N. of stone 5 $\frac{1}{2}$  feet dist. and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
it. In E. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked S. on N.  
face.

## T.24 N.R.17 E.C. &amp; S.L.M

Cho

7630 The Cor. to Secs. 17, 18, 19 and 20

Surface rolling

Dust 2nd rate

Good grass

John Watson Comptroller  
Oct. 27 1882

North bkt. Div. 17 and 18

Va.  $13^{\circ} 25' E.$ 

Dug out very gradually

Set a small stone,  $15 \times 8 \times 4$  ins.,  
 in the ground for  $\frac{1}{2}$  Sec, Cor, marked  $\frac{1}{2}$ . on W.  
 face, dug pits  $18 \times 18 \times 12$  ins. N. and S.  
 of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

40.00 Mark 35 links wide to S.  $70^{\circ} N.$ Acre

Deposited a marked stone 12 ins. in the  
 ground for Cor. to Secs. 2, 8, 17, 18, dug pits  
 $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base  
 over it. In S. E. pit drove a stake 2 ins. sq. 2  
 ft. long 12 ins. in the ground marked T. 24 N.

T.24 N.R.17 E.C. &amp; S.R.M.

499

Ch.

S.  $\nearrow$  on N.E. R. $\nearrow$ E. S.  $\nearrow$  on S.E. S.  $\nearrow$  on S. W. and S.  $\nearrow$  on N. W. faces, with  
 $\swarrow$  notch  $\infty$  on S. and  $\circ$  notch  $\infty$   
on E edges.

Surface level near by  
Very little grass.

Soil sandy about 3rd. rate

East on a random line bet.  
Dec. 8 and 17

Va.,  $3^{\circ} 32' E.$

Accord.

4000 Set trap - May 14 Sec. Cor.  
79.58 Detracted - At and S. line  
13 links S. of the Cor.  
to Dec. 8, 9, 16 and 17  
thence I run A. 890  
54' N. on a true line  
bet. Dec. 8 and 17 will  
same cr.

39.79 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{2}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E. and N. of stone 5 $\frac{1}{2}$  feet dist. and raised

## T.24 N.R.17 E.C. &amp; S.P.M

Ch.

a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N. face.

7958 The Coto Div. 7, 8, 17 and 18  
 Surface rolling  
 Soil 3rd. rate  
little grass

Not on a random line  
 but Div. 7 and 18  
 Va. 13° 32' E.

Drowned very gradually  
 Enter valley No. S. 45° W.  
 The North Fork of Leon  
 Creek Co. S.W. 90°  
 looks wide

40.00 Set temporary 1/4 Sec. line.  
 7662 Intersect St. Bound.  
 of township 26 lots at  
 of the Coto to Sec.

## T.24.N.R 17 E G. &amp; S R M

Ch.

712. 13 and 18 recently established by me.

Since I drove A. 89°  
18' E. on a true line  
bet. Sec. 7 and 18  
with same ra.

7662.

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E. and N of stone 5 $\frac{1}{2}$  feet dist and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{4}$  ft. base over it. In E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N face.

7662

The cor. to Sec. 7. 8. 17 & 18.  
Surface rolling  
Soil red, rich  
Some grass

North pt. Sec. 7 and 8  
Va. 13° 32' E.

Cloud grade ally  
Top of ridge to N. 88° E.

## T.24.N.R.17 E.C. &amp; S.R.M.

Ch.

and S.  $80^{\circ}$  N. and  
descend gradually  
North Fork of Bon  
 Creek 1/2 miles wide  
Co. S.  $70^{\circ}$  N. and descend  
gradually

26.00

4.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
A. and S. of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over  
it. In A. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.

80.00

Set a flat stone 8 x 6 ins, 9 ins. in  
the ground for Cor. to Secs. 5, 6, 7, 8 marked  
with notch on S. and notch on E. edges,  
dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft.  
dist. and raised a mound of earth 2 ft. high.  
 $4\frac{1}{2}$  ft. base. alongside.

Dirt a rolling  
Soil 3rd. rate -  
some grass

T.24 N. R. 17 E. G. & S. R. M.

BOOK

78.

400

Ch.

East on a random line bet.  
Secs. 5 and 8

Lat.  $10^{\circ} 32' E.$

Ascend

4000  
80.13 Set lump on a g. "y Sec. Cor.  
Dashed - N. and S. line  
+ 2 lbs. A. of the Cor.  
to Secs. 4, 5, 8 and 9  
thence I run N.  
 $89^{\circ} 42' N.$  on a true  
line bet. Secs. 5 and  
8 with same ra.

40.6 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E. and  $N.$  of stone  $5\frac{1}{2}$  ft. dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In E. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.

80.13 The Cor. to Secs. 5, 6, 7 and 8  
Surf. no rolling  
Soil 3rd. mat.  
Dense grass.

Chains

West on a random line  
bet. Secs. 6 and 7  
Va. 15° 32' E.

Dashed

Valley for St. E. and D.W.

Put boundary  $\frac{1}{4}$  sec. low.Delinect - H. Boundary  
of township 24 links

Dr. of the Cor. to Secs.

16, 7 and 12 which was  
recently established by me  
there. I am St. 89°  
49' E. on a true line  
bet. Secs. 6 and 7  
with same re.

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E. and W. of stone 5 $\frac{1}{2}$  feet dist and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
it. In E. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N.  
face.

Enter  
25.00

4.00

76.73

34.72

## T.24 N.R.17 E.C. &amp; S.R.M.

Chains

7673 The Co. to Secs. 5, 6, 7 and 8

Surface rolling  
 Soil good water  
good grass

North pt. Dis. 5 and 6

Va.  $10^{\circ} 82' E.$ 

decided

15.00 Top of spur to S.  $40^{\circ} W.$   
and decided8612 Enter valley to N.E. and  
D.W.

4.000 Deposited a marked stone 12 ins in the  
ground for  $\frac{1}{2}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
N. and S. of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In N. pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{2}$  S. on W.  
face.

80.24 Outward - 6th Standard  
Parallel North - 3.20 lbs.  
Net of 114 lbs. less

T.24 N.R.17 E.C. &amp; S.R.M

Ch.

on the S. Bound. of  
 Dec. 8<sup>th</sup> recently  
 established by me.  
 At point of reintersection  
 Set a sandstone (6x10x6  
 ins. Hins. in the ground  
 for closing Cn to Div.  
 5 and 6 marked C. C.  
 with 1 notch in W.  
 and 5 notches on E.  
 edges dug pit-  
 18x18x2 ins. S. E. and  
 N. of stone 5 $\frac{1}{2}$  ft.  
 dirt and raised a  
 mound of earth 2 ft.  
 high 4 $\frac{1}{2}$  ft. face  
 along sides  
 Surface rolling  
 Soil 3rd. rate  
Good grass.

T.24 N.R 17 E C. & S R M

Obs.

I carefully examined  
the adjustments of  
my Solar Compass  
to-day particularly  
the latitude and  
reversing apparatus  
and found them correct  
John Mahon  
Compass-man Oct. 27th 1882.

## General Description

This township is very  
gently rolling.

Has plenty of good  
grass and considerable  
sagebrush and some  
greenwood

Soil quite sandy  
very little water.

Some Juniper near  
Buttes and hills  
Water near S. found.  
on Sec. 3 and 4

Soil dry.

## Final Oaths for Surveys.

### LIST OF NAMES.

A list of the names of the individuals employed by  
Orville D. Wheeler, United States

Deputy Surveyor, to assist in running, measuring, and marking  
 the lines and corners described in the foregoing field-notes of the  
 survey of H<sup>t</sup> Mex. Guide Mer. along W.B. T's

21, 22, 23 & 24 of R 17 E. Thru 6<sup>th</sup> St and  
forth along S. E. T. 25 N. R's 15, 16 & 17 E.  
Thru 5<sup>th</sup> St and along S. E. T. 21 N. R's 14 & 15  
E. retracing of a portion of the extensions of S. E.  
19 & 20 N. R 15 E. & Ts 18 & 21 N. R 16 E. and Extends  
and Subdivision lines of T. 18 N. R 16 E. T. 19 N. R  
15 E. Ts 20 N. R. 14 & 15 E. & Ts 21, 22, 23 & 24  
N. R 15, 16 & 17 E. G. & S. R. M.

showing the respective capacities in which they acted.

John Mahon , Compassman.

Theodore Friesel , Chainman.

H. Black , Chainman.

J. Peterson , Chainman.

J. A. McFarland , Chainman.

M. Nelson , Axeman.

, Axeman.

Johan Eichner , Flagman.

## Final Oaths of Assistants.

*80*

We hereby certify that we assisted Orville A. Wheeler, United States Deputy Surveyor, in surveying all those parts or portions of the 4<sup>th</sup> Aug. Line Mer. along N.W.B. T. 21. 22. 23 & 24 N. R. 17 E. The 6<sup>th</sup> Stand North along S.B. T. 25 N. R. 5 15' 16 & 17 E., The 5<sup>th</sup> Stand Along S.B. T. 21 N. R. 14 & 15 E retracing of a portion of the extremes of T. 19 & 20 N. R. 15 E. & T. 18 & 21 N. R. 16 E. and exterior & Subdivisions lines of T. 18 & R. 16 E. T. 19 N. R. 15 E. & T. 21. 22. 23 & 24 N. R. 15. 16 & 17 E. of the G. + S. R. base and Meridian, Territory of Arizona, as are represented in the foregoing field-notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the United States Surveyor-General for

John Mahon, Compassman.

Theodore Friesz, Chainman.

H. Black, Chainman.

J. Peterson, Chainman.

P. A. C. Garland, Chainman.

M. Nelson, Axeman.

, Axeman.

John Cidner, Flagman.

Subscribed and sworn to before me this 30<sup>th</sup> day of November, 1882

A. E. Shoemaker  
U. S. Commissioner, 3d Judicial Dist.  
Arizona Territory.

## Final Oath of United States Deputy Surveyor.

I, Orville D Wheeler,

United States Deputy Surveyor, do solemnly swear that in pursuance of instructions received from John Watson

, United States Surveyor-General

for Arizona, bearing date of the

5th day of August, 1882,

I have well, faithfully, and truly, in my own proper person, and

in strict conformity with the instructions furnished by the United

States Surveyor-General for Arizona,

the surveying manual, and the laws of the United States, sur-

veyed all those parts or portions of the 4th Amt Guide.

Mer. along S.W.B. T's 21. 22. 23 + 24 N.

R 17 E. The 6th Stand North along S.E.B.

T. 25 N. R's 15. 16 + 17 E. The 5th Stand

along S.E.B. T. 21 N. R's 14 + 15 E, retracing

of a portion of the Exteriors of T's 19 + 20 N.R

15 E + T's 18 + 29 N R 16 E and Exteriors + Subdivision

lines of T. 18 N R 16 E & T. 19 N R 15 E, T's. 20

N. R's 14 + 15 E + T's. 21. 22. 23 + 26 N. R 15,

16 + 17 E

of the G. + S. R base and

Meridian in the Territory of Arizona,

as represented in the foregoing field-notes as having been surveyed

by me and under my directions; and I do further solemnly swear

80 82  
BOOK 499

that all the corners of said survey have been established and perpetuated in strict accordance with the surveying manual, printed instructions, the special written instructions of the United States Surveyor-General for ..... , and in the specific manner described in the field-notes, and that the foregoing are the true field-notes of such survey; and, should any fraud be detected, I will suffer the penalty of perjury, under the provisions of an Act of Congress, approved August 8, 1846.

Orville D. Wheeler

United States Deputy Surveyor.

Subscribed and sworn to before me this 30<sup>th</sup>  
day of November, 1882.

A. C. Shoemaker

U. S. Commissioner, 3d Judicial District,  
Arizona Territory

BOOK 499

83

U. S. Surveyor General's Office,  
Tucson, Arizona, July 21, 1873,

The foregoing Field Notes of the survey of the

Subdivision lines of Township

24 North, Range 17 E,

of the Gila and Salt River Base and Meridian, Arizona,  
executed by O. D. Wheeler,  
D. S., under his contract of the 5<sup>th</sup> day of  
August, 1872, having been critically ex-  
amined and the necessary corrections and explanations  
made, the said Field Notes and the surveys they de-  
scribe, are hereby approved.

J. W. Robins

Surveyor General.